

INITIAL STUDY/MITIGATED NEGATIVE  
DECLARATION  
WEST LOS ANGELES DISTRICT YARD PROJECT

LOS ANGELES DEPARTMENT OF WATER AND POWER

Environmental Services

111 North Hope Street, Room 1044

Los Angeles, California 90012

With Assistance From

DUDEK

38 North Marengo Avenue

Pasadena, California 91101

JUNE 2020





# TABLE OF CONTENTS

SECTION	PAGE
ACRONYMS AND ABBREVIATIONS .....	V
1 INTRODUCTION .....	1
1.1 Project Overview.....	1
1.2 California Environmental Quality Act.....	1
1.3 Project Location .....	2
1.4 Environmental Setting.....	2
2 PROJECT DESCRIPTION .....	7
2.1 Proposed Facilities .....	7
2.2 Construction.....	8
2.3 Operations .....	9
2.4 Approvals Required for the Project .....	10
3 INITIAL STUDY CHECKLIST .....	19
3.1 Aesthetics.....	24
3.2 Agriculture and Forestry Resources .....	27
3.3 Air Quality .....	29
3.4 Biological Resources .....	47
3.5 Cultural Resources.....	51
3.6 Energy .....	59
3.7 Geology and Soils.....	65
3.8 Greenhouse Gas Emissions.....	72
3.9 Hazards and Hazardous Materials .....	82
3.10 Hydrology and Water Quality .....	94
3.11 Land Use and Planning.....	102
3.12 Mineral Resources .....	103
3.13 Noise.....	105
3.14 Population and Housing.....	119
3.15 Public Services .....	120
3.16 Recreation .....	123
3.17 Transportation and Traffic .....	124
3.18 Tribal Cultural Resources.....	151
3.19 Utilities and Service Systems.....	153
3.20 Wildfire.....	160
3.21 Mandatory Findings of Significance .....	163
4 REPORT PREPARERS.....	165

## TABLE OF CONTENTS (CONTINUED)

PAGE

### APPENDICES

A	Air Quality Greenhouse Gas and Energy Calculations
B	Cultural Report
C	Geotechnical Investigation Report and Paleontological Records Search
D	Phase I ESA
E	Noise Report
F	TIA & Assessment Letter

### FIGURES

1-1	Project Location.....	3
1-2	Surrounding Land Uses.....	5
2-1	Site Plan.....	11
2-2	Concept Plan.....	13
2-3A	Building Elevations.....	15
2-3B	Building Elevations.....	17
3.12-1	Noise Measurement Locations.....	117
3.16-1	Existing Lane Configurations.....	139
3.16-2	Existing With Project Traffic Volumes – Weekday AM Peak Hours.....	141
3.16-3	Existing With Project Traffic Volumes – Weekday PM Peak Hours.....	143
3.16-4	Future With Project Traffic Volumes – Weekday AM Peak Hours.....	145
3.16-5	Future With Project Traffic Volumes – Weekday PM Peak Hours.....	147
3.16-6	Site Circulation.....	149

### TABLES

3.3-1	SCAQMD Air Quality Significance Thresholds.....	33
3.3-2	Construction Scenario Assumptions.....	35
3.3-3	Estimated Maximum Daily Construction Emissions – Unmitigated.....	37
3.3-4	Estimated Maximum Daily Construction Emissions – Mitigated.....	38
3.3-5	Estimated Daily Maximum Operational Emissions (2026).....	39
3.3-6	Localized Significance Threshold Analysis for Construction Emissions.....	42
3.6-1	Project Operations – Electricity Demand.....	60
3.6-2	Project Operations – Natural Gas Demand.....	60
3.6-3	Construction Equipment Diesel Demand.....	61

## TABLE OF CONTENTS (CONTINUED)

PAGE

3.6-4	Construction Worker, Vendor, and Haul Truck Petroleum Demand .....	62
3.6-5	Project Operations – Petroleum Consumption.....	64
3.8-1	Estimated Annual Construction GHG Emissions .....	75
3.8-2	Estimated Annual Operational GHG Emissions.....	76
3.8-3	Proposed Project Consistency with the Sustainable City Plan Greenhouse Gas Emission Reduction Strategies .....	78
3.9-1	Regulatory Database Records for the Project Site .....	89
3.9-2	Evaluation of Nearby Potential Environmental Conditions .....	91
3.13-1	Short-Term Measured Noise Levels .....	106
3.13-2	Long-Term Measured Noise Levels.....	107
3.13-3	Construction Equipment Maximum Noise Emission Levels.....	109
3.13-4	Construction Noise Model Results Summary.....	110
3.13-5	Traffic Noise (Existing and Existing Plus Project) .....	113
3.13-6	Traffic Noise (Future and Future Plus Project).....	114
3.17-1	City of Los Angeles Intersection Impact Threshold Criteria .....	126
3.17-2	Existing Traffic Volumes .....	126
3.17-3	Project Trip Generation .....	129
3.17-4	Summary of Volume to Capacity Ratios and Levels of Service – Weekday AM and PM Peak Hours .....	132
3.17-5	Existing Transit Routes .....	133
3.18-1	Existing Landfills.....	158

INTENTIONALLY LEFT BLANK

## ACRONYMS AND ABBREVIATIONS

Acronym/ Abbreviation	Definition
AB	Assembly Bill
ACOE	Army Corps of Engineers
ALUC	Airport Land Use Commission
APN	<b>Assessor's Parcel Number</b>
AQMP	Air Quality Management Plan
BGS	below the ground surface
CAP	Climate Action Plan
CARB	California Air Resources Board
CDFG	California Department of Fish and Game
CDFW	California Department of Fish and Wildlife
CEQA	California Environmental Quality Act
CNDDB	California Natural Diversity Data Base
CNPS	California Native Plant Society
CO	carbon monoxide
CO <sub>2</sub> E	carbon dioxide equivalent
CR	California rare
CRPR	California Rare Plant Rank
CWA	Clean Water Act
EIR	Environmental Impact Report
FEMA	Federal Emergency Management Agency
FIRM	Flood Insurance Rate Map
FT	federally threatened
GHG	greenhouse gas
IS	Initial Study
LACM	Natural History Museum of Los Angeles County
LADWP	Los Angeles Department of Water and Power
MG	million-gallon
MT	metric tons
NO <sub>2</sub>	nitrogen dioxide
O <sub>3</sub>	ozone
OHWM	ordinary high water mark
PM <sub>10</sub>	particulate matter with a diameter less than or equal to 10 microns (coarse particulate matter)
PM <sub>2.5</sub>	particulate matter with a diameter less than or equal to 2.5 microns (fine particulate matter)
RWQCB	Regional Water Quality Control Board
SCAB	South Coast Air Basin
SCAQMD	South Coast Air Quality Management District

WEST LOS ANGELES DISTRICT YARD PROJECT  
INITIAL STUDY/MITIGATED NEGATIVE DECLARATION

---

Acronym/ Abbreviation	Definition
SO2	sulfur dioxide
SR-	state route
SSC	state species of special concern
SWPPP	Stormwater Pollution Prevention Plan
SWRCB	State Water Resources Control Board
WL	Watch List

# 1 INTRODUCTION

## 1.1 Project Overview

The West Los Angeles District Yard Project (proposed project) is a facility improvement project proposed by the Los Angeles Department of Water and Power (LADWP). The project would demolish six structures on the project site, including the West Los Angeles Distribution Headquarters (i.e., district office), warehouse, break room, locker room, fleet shop, and surface parking. One new building, totaling approximately 92,000 square feet, would be constructed in place of the demolished buildings, which would include a warehouse, administration office, electric trouble office, service planning office, and fleet shop. The new building would consolidate all of the functions of the demolished buildings as well as house the relocated Service Planning group at the project site. A two level above-ground parking structure with a total of 154 parking stalls would be constructed adjacent to the new building and would be connected by a horizontal assembly. Beneath the proposed new building, a single-level underground parking structure with a total of 389 parking stalls would also be constructed. An additional 12 public parking spaces would be provided at grade for the Service Planning group, outside of the security gate. Additionally, the gantry crane located within the existing yard would be relocated toward the southeast section of the District Yard closer to the driveway, to allow access to Olympic Boulevard. The existing unleaded and diesel fuel tanks at the on-site fueling station, which is also located along the access driveway that connects the project site to Olympic Boulevard, would remain aboveground. All fleet vehicle parking, which totals 154 oversized parking spaces, would be located in the above-ground parking structure.

## 1.2 California Environmental Quality Act

The California Environmental Quality Act (CEQA) applies to proposed projects initiated by, funded by, or requiring discretionary approvals from state or local government agencies. The proposed project constitutes a project as defined by CEQA (California Public Resources Code, Section 21065). LADWP, as a municipal utility, would implement and operate the proposed project and will therefore act as the CEQA lead agency.

An Initial Study (IS) has been prepared by LADWP as the lead agency in accordance with CEQA guidelines to determine if the proposed project could have the potential to cause significant adverse environmental impacts and to determine whether an Environmental Impact Report (EIR) or a Negative Declaration or Mitigated Negative Declaration (MND) should be prepared for the Proposed Project. An MND is prepared for a project when an Initial Study has identified potentially significant effects on the environment, but (1) revisions in the project plans or proposals made by, or agreed to by, the applicant before the proposed Negative Declaration and Initial Study are released for public review would avoid the effects or mitigate the effects to a point where clearly no significant effect on the environment would occur, and (2) there is no substantial evidence in light of the whole record before the public agency that the project, as revised, may have a significant effect on the environment.

The Initial Study determined that the implementation of the proposed project could cause some potentially significant impacts on the environment, but as shown in the environmental analysis contained in this MND, all of the project's potentially significant impacts would be reduced to less than significant levels through the implementation of mitigation measures. Consequently, the analysis contained herein concludes that an MND shall be prepared for the proposed project. The MND is composed of four sections. Section 1 provides the introduction to the proposed project, general information about the contents of the MND and information about the Lead Agency. Section 2 provides a description of the proposed project components and information about their construction and operation. Section 3 includes the CEQA Initial Study checklist, which provides the assessment of potential environmental impacts and the applicability of mitigation measures to reduce potentially significant impacts to less than significant. Section 4 provides a list of the Lead Agency staff and consultants involved in preparing the environmental review documents for the proposed project. The MND also includes several appendices that contain technical resource reports related to air quality and greenhouse gas (GHG) emissions, cultural resources, geology and soils, paleontology, hazards and hazardous materials, noise, and traffic.

### 1.3 Project Location


The 6.3-acre project site is located at 12300 Nebraska Avenue in the City of Los Angeles (City). The project site is within the city block that is bound by Nebraska Avenue to the northwest, Bundy Drive to the northeast, Centinela Avenue to the southwest, and Olympic Boulevard to the southeast (see Figure 1-1, Project Location). Access to the project site is available from the west via Nebraska Avenue, from the south via Centinela Avenue, and from the east via Olympic Boulevard, which has direct access to the Interstate (I) 405. Centinela Avenue also represents the boundary between the City of Los Angeles and the City of Santa Monica. The project is located in Council District No. 11 and in the West Los Angeles Community Plan (Community Plan) Area.

### 1.4 Environmental Setting

The proposed project would occur on an assessor's parcel numbers (APNs) 4259018901 and 4259019900, and a portion of 4259018902, which are all owned and operated by LADWP. The existing West Los Angeles District Yard is developed with LADWP facilities and surface parking under existing conditions. The site is currently used as the West Los Angeles Service Center and includes the district office (3,893 square feet), warehouse/tool room (8,647 square feet), warehouse (5,890 square feet), electric trouble and break room (2,880 square feet), locker room (2,837 square feet), and fleet shop (6,161 square feet). Outdoor storage areas are located along the fences on both sides of the access driveway from Olympic Blvd, and along the western perimeter of the project site. An above ground fueling station is also located in this access driveway. This fueling station includes unleaded and diesel fuel tanks, which would remain above ground as part of the proposed project. A total of 120 employees are currently assigned to this facility, including 105 fleet services employees.

Existing residential development abuts the project site to northwest; the LADWP Receiving Station K (i.e., a high-voltage substation that connects power plants and local distribution lines) is located to the southwest, with industrial uses located further south in the City of Santa Monica; and commercial development and offices are located to the east and northeast.






SOURCE: USGS 7.5-Minute Series Beverly Hills Quadrangle



FIGURE 1  
Project Location  
West LA District Yard Project



INTENTIONALLY LEFT BLANK



SOURCE: DigitalGlobe 2016



FIGURE 1-2  
Surrounding Land Uses  
West LA District Yard Project

INTENTIONALLY LEFT BLANK



## 2 PROJECT DESCRIPTION

### 2.1 Proposed Facilities

The proposed project is a facility improvement project being proposed by the LADWP. The purpose of this project is to repair and replace aging infrastructure, improve safety, provide functional efficiency, integrate sustainability into the project design, and enhance site beautification. The current facilities are unable to meet increasing customer demands and do not have adequate storage capacity for existing equipment. Additionally, the current site layout does not allow for adequate free space for fleet vehicles to maneuver around. Furthermore, the Service Planning group, who meets with new public clients and manages requests for new electrical connections, desires to relocate from their existing location in Lincoln Heights to the District Yard site to provide these services in a more convenient location. The proposed project would allow for more capacity to accommodate employees and more open space for vehicles, thereby preventing congestion at the facility and improving overall operating conditions, workflow, and safety. The project would involve the demolition of all existing structures and the construction of a new three-story, 92,000 square-foot building on the same site as the existing West Los Angeles District Yard. During construction, approximately half of the employees would temporary relocate to the Palms Yard, located at 2311 South Fairfax Avenue, Los Angeles 90016, with the remaining employees temporarily relocating to a yard site in the western portion of Los Angeles World Airport (LAX).

The structures proposed to be demolished include the existing district office, warehouse, break room, locker room, and fleet shop. One new three-story, approximately 92,000 square-foot building would be constructed on site adjacent to the northern portion of the property, which would include the following uses (approximate square footage):

- Administration – 54,000 square feet
- Warehouse – 16,000 square feet
- Fleet Services – 13,000 square feet
- Electric Trouble Services – 1,100 square feet
- Services Planning – 8,600 square feet
- Security – 15 square feet

Outdoor areas would be reconfigured to allow for newly striped vehicle parking areas and trash receptacles, as well as designated exterior storage areas (30,000 square feet). The new building would consolidate all of the functions of the demolished buildings (see Figure 2-1, Site Plan) as well as accommodate the relocated Services Planning group.

The existing gantry crane located at the yard would be relocated to the entrance driveway that provides access to Olympic Boulevard, as shown in Figure 2-2, Concept Plan. The existing fueling station and the unleaded and diesel fuel tanks that are part of the existing fueling station would remain above ground.

The majority of the surface parking areas would be demolished to construct an approximately 145,000 square-foot, one-level underground parking structure located beneath the new building on the project site. The underground parking structure would include a total of 389 parking spaces for employee and fleet vehicles. A two-story above ground parking structure would also be constructed directly to the south of the new building. The above ground parking structure would be approximately 156,000 square-feet. A total of 154 parking spaces would be included in the above ground parking structure and would be used by a variety of LADWP fleet vehicles. Additionally, 12 public parking spaces would be included outside the Services Planning office. All parking spaces would include electric vehicle charging stations. A new security gate would be constructed at the northernmost driveway from Nebraska Avenue.

The new consolidated services building would range from two to three stories in height with gray and earth-tone color exteriors. Building elevations and the overall concept design for the site is shown in Figure 2-3A and Figure 2-3B, Building Elevations. Photovoltaic solar panels would be installed on top of the new building and parking structure. Additionally, solar canopies would be installed over the outdoor storage area.

On-site vehicle circulation would be altered to require all departmental vehicles to access the site via Olympic Boulevard, Centinela Avenue, and the northernmost driveway from Nebraska Avenue. Employee access would be from the new primary driveway from Nebraska Avenue; employees would be required to enter past the security gate into the subterranean parking garage. Public access to the project site would be provided via the southernmost driveway from Nebraska Avenue, and would lead to the public parking spaces outside of the proposed Service Planning offices.

An expansion of the existing driveway within the off-site right-of-way along Nebraska Avenue would be required. To accommodate the driveway expansion, one existing street tree is proposed to be removed. New trees would be added to the project site in the landscape designated areas. No other off-site utility or infrastructure improvements are required.

## 2.2 Construction

Construction vehicle access to the yard would be restricted to the entrances located on Centinela Avenue and Olympic Boulevard; only employees would be allowed access to the yard via Nebraska Avenue during construction.

Equipment used for the construction of the proposed project would include a minimum of two excavators with thumb attachments, two dozers, one or two drill rigs, two cranes, one backhoe, one forklift, one padfoot compactor, one soil compactor, one loader, one bobcat with broom attachment, one water truck, two dump trucks, and one flatbed truck. The hours of operation for construction equipment are assumed to be 8 hours a day. It is assumed there would be an average of 12 workers present daily during demolition and an average of 30 workers per day during construction.

Construction of the proposed project would require the removal of approximately 100,000 cubic yards of soils, which would be exported from the site via haul trucks. Excavation is anticipated to last approximately five months and would require a total of approximately 5,000 total haul truck trips, assuming each truck would haul 20 cubic yards of soil, which would equate to approximately 65 truck trips per day.

It is assumed that two to four daily vendor trips would be required, on average, during construction of the project. Best management practices (BMPs) such as silt fencing, sand bags, filter fabrics, drain sock, and water trucks for dust control would be implemented during construction of the proposed project.

## 2.3 Operations

The West Los Angeles service area for this facility is bound to the north by Mulholland Drive, to the south by Imperial Highway, to the east by Robertson Boulevard, and to the west by Vista Del Mar Boulevard. The facility currently accommodates 120 employees; however, upon operation, the proposed project would accommodate approximately 375 employees. The proposed project would operate during the following hours:

- Monday and Friday: 6:30 a.m. – 4:00 p.m.
  - District/Service Center Personnel: 287
  - Security: 2
  - Supply Chain Services Warehouse: 6
  - Fleet Maintenance: 2
- Monday and Friday: 7:00 p.m. – 3:00 p.m.
  - Electric Trouble: 10
- Monday and Friday: 3:00 p.m. – 11:00 p.m.
  - Electric Trouble: 10
  - Security: 2
  - Fleet Maintenance: 8
- Monday and Friday: 11:00 p.m. – 7:00 a.m.
  - Electric Trouble: 10
  - Security: 2
- Saturday and every other Sunday: 6:30 a.m. – 4:30 p.m.
  - Weekend staffing is on a volunteer basis. On average, there are approximately 150 employees during this shift.
- Saturday and Sunday: 7:00 a.m. – 3:00 p.m.; 3:00 p.m. – 11:00 p.m.; 11:00p.m. – 7:00 a.m.
  - Electric Trouble: 10
  - Security: 2


During project operation, employees would enter the site via a new primary driveway from Nebraska Avenue. Employees that leave the site during shift hours as part of their job (e.g., fleet employees), would exit the project site via the driveway that connects to the project site to Olympic Boulevard. Upon returning to the site, these vehicles would access the site via either Olympic Boulevard or Centinela Avenue.

## 2.4 Approvals Required for the Project

The following permits and approvals may be required for the proposed project:


- Design drawings approval by Department of Cultural Affairs, City of Los Angeles
- Design drawing and cost estimate approval by Los Angeles Department of Water and Power Board of Commissioners






SOURCE: HDR 2020

INTENTIONALLY LEFT BLANK








C2 AERIAL VIEW LOOKING SOUTHEAST



A2 AERIAL VIEW LOOKING NORTHEAST

SOURCE: HDR 2020

INTENTIONALLY LEFT BLANK




SOURCE: HDR 2020





FIGURE 2-3A  
Building Elevations  
West LA District Yard Project


INTENTIONALLY LEFT BLANK



C1 SOUTH ELEVATION  
1/8" = 1'-0"



A2 WEST ELEVATION  
1/8" = 1'-0"



INTENTIONALLY LEFT BLANK



## 3 INITIAL STUDY CHECKLIST

The following discussion of potential environmental effects was completed in accordance with Section 15063(d)(3) of the CEQA Guidelines (2019) to determine if the proposed project may have a significant effect on the environment.

**1. Project title:**

West Los Angeles District Yard Project

**2. Lead agency name and address:**

Los Angeles Department of Water and Power  
Environmental Services  
111 North Hope Street, Room 1044  
Los Angeles, California 90012

**3. Contact person and phone number:**

Aiden Leong  
Environmental Planning and Assessment  
Los Angeles Department of Water and Power  
213.367.0706

**4. Project location:**

12300 Nebraska Avenue  
Los Angeles, California 90025

**5. Project sponsor's name and address:**

Los Angeles Department of Water and Power  
111 North Hope Street  
Los Angeles, California 90012

**6. City Council District:**

District 11

**7. Neighborhood Council District**

West Los Angeles Neighborhood Council

**8. General plan designation:**

- Public Facilities

**9. Zoning:**

- Q(PF)-1XL – Public Facilities Zone
- ZI-2452: Transit Priority Area in the City of Los Angeles

**10. Description of project:**

Refer to Chapter 2 of this IS/MND

**11. Surrounding land uses and setting:**

Refer to Section 1.4 of this IS/MND

**12. Other public agencies whose approval is required:**

Refer to Section 2.4 of this IS/MND

**13. Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code section 21080.3.1? If so, has consultation begun?**

On September 1, 2017, LADWP submitted a Sacred Lands File & Native American Contacts List Request to the Native American Heritage Commission (NAHC). The NAHC responded on September 7, 2017, indicating that the search did not identify any Native American resources in the vicinity of the project site but that the surrounding area is sensitive for cultural resources. Because the Sacred Lands File (SLF) search does not include an exhaustive list of Native American cultural resources, the NAHC suggested contacting Native American individuals and/or tribal organizations who may have direct knowledge of cultural resources in or near the project. The NAHC provided the contact information of the five persons and entities to contact along with the SLF search results. Tribal groups on this list were contacted on September 11, 2017. One response was received by Andrew Salas of the Gabrieleno Band of Mission Indians – Kizh Nation requesting that a Gabrieleno Band of Mission Indians – Kizh Nation Native Monitor be present during all ground disturbances. See Section 3.17 for further details.

## ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a “Potentially Significant Impact,” as indicated by the checklists on the following pages.

- |  |   |   |
|--|---|---|
| <input type="checkbox"/> Aesthetics                    | <input type="checkbox"/> Agriculture and Forestry Resources | <input type="checkbox"/> Air Quality                        |
| <input type="checkbox"/> Biological Resources          | <input type="checkbox"/> Cultural Resources                 | <input type="checkbox"/> Energy                             |
| <input type="checkbox"/> Geology and Soils             | <input type="checkbox"/> Greenhouse Gas Emissions           | <input type="checkbox"/> Hazards and Hazardous Materials    |
| <input type="checkbox"/> Hydrology and Water Quality   | <input type="checkbox"/> Land Use and Planning              | <input type="checkbox"/> Mineral Resources                  |
| <input type="checkbox"/> Noise                         | <input type="checkbox"/> Population and Housing             | <input type="checkbox"/> Public Services                    |
| <input type="checkbox"/> Recreation                    | <input type="checkbox"/> Transportation and Traffic         | <input type="checkbox"/> Tribal Cultural Resources          |
| <input type="checkbox"/> Utilities and Service Systems | <input type="checkbox"/> Wildfire                           | <input type="checkbox"/> Mandatory Findings of Significance |

## DETERMINATION

On the basis of this initial evaluation:

- I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- I find that the proposed project MAY have a “potentially significant impact” or “potentially significant unless mitigated” impact on the environment, but at least one effect (1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and (2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier ENVIRONMENTAL IMPACT REPORT or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier ENVIRONMENTAL IMPACT REPORT or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

---

Signature

---

Date

## EVALUATION OF ENVIRONMENTAL IMPACTS

1. A brief explanation is required for all answers except “No Impact” answers that are adequately supported by the information sources a lead agency cites in the parentheses following each question. A “No Impact” answer is adequately supported if the referenced information sources show that the impact simply does not apply to projects like the one involved (e.g., the project falls outside a fault rupture zone). A “No Impact” answer should be explained where it is based on project-specific factors as well as general standards (e.g., the project will not expose sensitive receptors to pollutants, based on a project-specific screening analysis).
2. All answers must take account of the whole action involved, including off-site as well as on-site, cumulative as well as project-level, indirect as well as direct, and construction as well as operational impacts.
3. Once the lead agency has determined that a particular physical impact may occur, then the checklist answers must indicate whether the impact is potentially significant, less than significant with mitigation, or less than significant. “Potentially Significant Impact” is appropriate if there is substantial evidence that an effect may be significant. If there are one or more “Potentially Significant Impact” entries when the determination is made, an Environmental Impact Report (EIR) is required.
4. “Negative Declaration: Less Than Significant With Mitigation Incorporated” applies where the incorporation of mitigation measures has reduced an effect from “Potentially Significant Impact” to a “Less Than Significant Impact.” The lead agency must describe the mitigation measures, and briefly explain how they reduce the effect to a less than significant level (mitigation measures from “Earlier Analyses,” as described in (5) below, may be cross-referenced).
5. Earlier analyses may be used where, pursuant to the tiering, program EIR, or other CEQA process, an effect has been adequately analyzed in an earlier EIR or negative declaration. Section 15063(c)(3)(D). In this case, a brief discussion should identify the following:
  - a. Earlier Analysis Used. Identify and state where they are available for review.
  - b. Impacts Adequately Addressed. Identify which effects from the above checklist were within the scope of and adequately analyzed in an earlier document pursuant to applicable legal standards, and state whether such effects were addressed by mitigation measures based on the earlier analysis.
  - c. Mitigation Measures. For effects that are “Less than Significant with Mitigation Measures Incorporated,” describe the mitigation measures which were incorporated or refined from the earlier document and the extent to which they address site-specific conditions for the project.
6. Lead agencies are encouraged to incorporate into the checklist references to information sources for potential impacts (e.g., general plans, zoning ordinances). Reference to a previously prepared or outside document should, where appropriate, include a reference to the page or pages where the statement is substantiated.
7. Supporting Information Sources: A source list should be attached, and other sources used or individuals contacted should be cited in the discussion.

8. This is only a suggested form, and lead agencies are free to use different formats; however, lead agencies should normally address the questions from this checklist that are relevant to a project’s environmental effects in whatever format is selected.
9. The explanation of each issue should identify:
  - a. The significance criteria or threshold, if any, used to evaluate each question; and
  - b. The mitigation measure identified, if any, to reduce the impact to less than significance.

### 3.1 Aesthetics

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Substantially damage scenic resources including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**a) *Would the project have a substantial adverse effect on a scenic vista?***

**No Impact.** Scenic vistas generally refer to views of expansive open space areas or other natural features, such as mountains, undeveloped hillsides, large natural water bodies, or coastlines. Less commonly, certain urban settings or features, such as a striking or renowned skyline, may also represent a scenic vista. Under CEQA, scenic vistas also generally, although not exclusively, refer to views that are publically accessible, rather than those available to a limited number of private entities (such as residences, private property etc.). There are no views of scenic vistas on, or surrounding, the project site.

Views of the Santa Monica Mountains to the northwest would not be considered a scenic vista because, although the mountains are visible from the larger roadways (Bundy Drive and Centinela Avenue) in

proximity to the project site, views are almost completely obscured by prevailing development, urban hardscaping, and ornamental landscaping.

Although not exclusively considered scenic vistas, the Community Plan designates Wilshire Boulevard, Santa Monica Boulevard, and Avenue of the Stars as Scenic Highways and specifically states that the land contiguous to a these scenic highways is considered a constituent part of the community's Scenic Corridors (City of Los Angeles 2013). However, the project site is located approximately 0.79-mile from Wilshire Boulevard; 0.44-mile from Santa Monica Boulevard; and 3 miles from Avenue of the Stars. Thus, the project site is not located along any of the roadways designated as Scenic Highways and thus is not considered to be located within a Scenic Corridor (City of Los Angeles 2013). Furthermore, the project is located in a highly developed are in the City of Los Angeles and is already developed with LADWP facilities. As such, no impacts to scenic vistas would occur.

***b) Would the project substantially damage scenic resources including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?***

**No Impact.** The proposed project is located in a highly developed area of the City. No designated State Scenic Highways are present near the project site. The nearest designated State Scenic Highway is State Route (SR) 2, located approximately 21 miles northeast of the project site, where is traverses through the San Gabriel Mountains from La Canada Flintridge to San Bernardino County (USGS 2019). As such, the project would not substantially damage scenic resources including, but not limited to, trees, rock outcropping, and historic buildings within a state scenic highway.

Although Wilshire Boulevard, Santa Monica Boulevard, and Avenue of the Stars are designated as Scenic Highways in the Community Plan, the proposed project is not located along these roadways, and the site is not visible from these locations (City of Los Angeles 2013). As such, the project would not substantially damage scenic resources including, but not limited to, trees, rock outcropping, and historic buildings within a local scenic highway or scenic corridor. Thus, no impact to scenic highways would occur as a result of the proposed project.

***c) In non-urbanized areas, would the project substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?***

**Less Than Significant Impact.** The project site is located in an urbanized area and is already developed with LADWP facilities. The visual quality of the project site is low to moderate under existing conditions due to the aging infrastructure onsite. The purpose of the proposed project is to repair and replace this aging infrastructure, improve safety, provide functional efficiency, integrate sustainability into the project design, and enhance site beautification.

Surrounding land uses consist of one to two story single-family residential units to the west and northwest, one to two story commercial and office structures to the north, and commercial and office two to three story structures of various design to the east. A few eight to ten story commercial structures are also present further to the north of the site. As shown in Figure 2-3, the proposed project would be one to two stories, with neutral (white, beige, and brown) exterior finishes. The building design would be rectangular and geometric (see Figures 2-3A and 2-3B, Building Elevations) and would not include the construction of any infrastructure that would be visually incompatible with the aesthetic of the surrounding development.

The project site is zoned (Q)PF-1XL (Public Facility) (City of Los Angeles 2017). The proposed project would involve improvements to the existing LADWP facilities on-site and would not include any project components that would conflict with the existing zoning. Additionally, the project would be consistent with all City regulations governing scenic quality, including Sections 12.40 of the City of Los Angeles Municipal Code (LAMC), which regulates landscape design. As such, the project would not conflict with applicable zoning and other regulations governing scenic quality. Further, the project would enhance the visual quality of the site by replacing the existing outdated structures with new and improved facilities and landscaping. As such, impacts would be less than significant.

**d) *Would the project create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?***

**Less than Significant Impact.** During project construction, the increased presence of construction equipment and materials, including traffic control signage, may result in a slight increase in daytime glare; however, these impacts would be short-term and temporary in nature. Per Section 41.40 of the LAMC, it is expected that construction of the proposed project would only occur during daytime hours, generally between 7:00 am and 9:00 pm, Monday through Friday and between 8:00 am and 6:00 pm on Saturdays with no construction on Sundays and public holidays. As such, no sources of nighttime light or glare are anticipated on or around the site during construction of the proposed project.

During operation of the proposed project, staff is usually present on site Monday and Friday from 6:30 am – 11:00 pm, Tuesday and Thursday from 6:30 am – 7:00 pm, Saturday and every other Sunday from 6:30 am – 4:30 pm. These hours of operation would not change from the hours of operation already existing on the site and, as such, interior building lighting as a result of project operation would not significantly change when compared to existing conditions. The proposed project’s design would incorporate some reflective materials, such as metal and glass to the site. However, the project’s design would not include large expanses of glass or other highly reflective materials that would generate unusual amounts of light or reflective glare on, or around, the project site when compared to existing operational activities. The proposed project would include photovoltaic solar panels, which can produce significant glare in some scenarios. However, the photovoltaic panels associated with the proposed project would be located on rooftops (out of public viewer



locations) and would be covered with anti-reflective coatings. Additionally, the proposed project would comply with the LAMC Section 93.0117, which specifically regulates the installation of outdoor lighting that has the potential to direct light and glare towards residential property.

As such, new sources of light and glare would not adversely affect day or nighttime views in the area and impacts would be less than significant.

## References

City of Los Angeles. 2013. West Los Angeles Community Plan. Accessed, August 26, 2019. [https://planning.lacity.org/odocument/f6f2e01c-7383-4e75-8547-7ac98810a917/West\\_Los\\_Angeles\\_Community\\_Plan.pdf](https://planning.lacity.org/odocument/f6f2e01c-7383-4e75-8547-7ac98810a917/West_Los_Angeles_Community_Plan.pdf).

USGS (United States Geological Survey). 2019. California Scenic Highways (ArcGIS database). Accessed: August 26, 2019. <https://www.arcgis.com/home/webmap/viewer.html?useExisting=1&layers=f0259b1ad0fe4093a5604c9b838a486a>.

## 3.2 Agriculture and Forestry Resources

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code Section 12220(g)), timberland (as defined by Public Resources Code Section 4526), or timberland zoned Timberland Production (as defined by Government Code Section 51104(g))?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Result in the loss of forest land or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- a) ***Would the project convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?***

**No Impact.** According to the California Department of Conservation's (DOC) Important Farmland Finder database, the project site is not located on or near land that is designated as Prime Farmland, Unique Farmland, or Farmland of Statewide Importance as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program (FMMP; DOC 2019a). As such, the proposed project would not convert Farmland to a non-agricultural use, and no impact would occur.

- b) ***Would the project conflict with existing zoning for agricultural use, or a Williamson Act contract?***

**No Impact.** The project site is Zoned (Q)PF-1XL (Public Facility) and designated as Public Facilities in the General Plan (City of Los Angeles 2017). The Project site is not subject to a Williamson Act contract (DOC 2015). As such, the proposed project would not conflict with existing zoning for agricultural use, or a Williamson Act contract. No impact would occur.

- c) ***Would the project conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?***

**No Impact.** The project site is located in a fully developed, urban area and is not considered forest land, timberland, or a timberland production zone as defined in the California Public Resources Code or Government Code. As such, the proposed project would not conflict with existing zoning for, or cause rezoning for, forest land, timberland, or timberland zoned Timberland Production. No impact would occur.

- d) ***Would the project result in the loss of forest land or conversion of forest land to non-forest use?***

**No Impact.** As described under Section 3.2(c), the project site does not contain forest land. Thus, the proposed project would not result in the loss of forest land or conversion of forest land to non-forest use. No impact would occur.

- e) ***Would the project involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?***

**No Impact.** There is no farmland or forest land within the project site or on adjacent parcels. The project would involve the demolition of existing LADWP facilities and construction of new LADWP buildings in their place in order to be able to accommodate the planned staffing increase at the yard, as well as improve the

working conditions at the project site. Thus, it would not contribute to growth that may lead to the conversion of farmland or forest land. There would be no potential for construction or operation of the proposed project to convert farmland to non-agricultural use or forest land to non-forest use, either directly or indirectly. No impact would occur.

## References

DOC (California Department of Conservation). 2019a. California Important Farmland Finder database. Accessed August 11 2017. <http://maps.conservation.ca.gov/ciff/>

DOC (California Department of Conservation). 2016. Los Angeles County Williamson Act FY. [map]. Accessed August 26, 2019. <ftp://ftp.consrv.ca.gov/pub/dlrp/wa/>.

City of Los Angeles. 2019. Zimas. "Planning and Zoning." Web Map Application. Accessed August 26, 2019. <http://zimas.lacity.org/>

## 3.3 Air Quality

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

### a) *Would the project conflict with or obstruct implementation of the applicable air quality plan?*

**Less Than Significant Impact.** The project site is located within the South Coast Air Basin (SCAB), which is a 6,745-square-mile area bounded by the Pacific Ocean to the west and the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east. It includes all of Orange County and the non-desert portions of Los Angeles, Riverside, and San Bernardino Counties. The project site is within the jurisdictional boundaries of the South Coast Air Quality Management District (SCAQMD).

The SCAQMD administers the Air Quality Management Plan (AQMP) for the SCAB, which is a comprehensive document outlining an air pollution control program for attaining all National Ambient Air Quality Standards (NAAQS) and California Ambient Air Quality Standards (CAAQS). The SCAQMD implements control measures included in the AQMP as regulations to control or reduce criteria pollutant emissions from stationary sources or equipment. On March 3, 2017, the SCAQMD approved the 2016 AQMP, which includes strategies to meet the NAAQS for the 8-hour O<sub>3</sub> standard by 2032, the annual PM<sub>2.5</sub> standard by 2021-2025, the 1-hour O<sub>3</sub> standard by 2023, and the 24-hour PM<sub>2.5</sub> standard by 2019. In its role as the local air quality regulatory agency, SCAQMD also provides guidance on how environmental analyses should be prepared. This includes recommended thresholds of significance for evaluating air quality impacts. The 2016 AQMP is a regional blueprint for achieving air quality standards and healthful air. The 2016 AQMP represents a new approach, focusing on available, proven, and cost-effective alternatives to traditional strategies while seeking to achieve multiple goals in partnership with other entities promoting reductions in greenhouse gas (GHG) emissions and toxic risk, as well as efficiencies in energy use, transportation, and goods movement (SCAQMD 2017). Because mobile sources are the principal contributor to the SCAB's air quality challenges, the SCAQMD has been and will continue to be closely engaged with the California Air Resources Board (CARB) and the U.S. Environmental Protection Agency (EPA), who have primary responsibility for these sources. The 2016 AQMP recognizes the critical importance of working with other agencies to develop funding and other incentives that encourage the accelerated transition of vehicles, buildings, and industrial facilities to cleaner technologies in a manner that benefits not only air quality but also local businesses and the regional economy.

On April 7, 2016, the Southern California Association of Governments (SCAG's) Regional Council adopted the *2016–2040 Regional Transportation Plan/Sustainable Communities Strategy: A Plan for Mobility, Accessibility, Sustainability, and High Quality of Life* (2016-2040 RTP/SCS). The 2016-2040 RTP/SCS is a long-range visioning plan that balances future mobility and housing needs with economic, environmental, and public health goals (SCAG 2016a). The SCAQMD 2016 AQMP applies the updated SCAG growth forecasts assumed in the 2016-2040 RTP/SCS.

The SCAQMD has established criteria for determining consistency with the 2016 AQMP in Chapter 12, Sections 12.2 and 12.3, of the SCAQMD *CEQA Air Quality Handbook* (CEQA Handbook). The criteria are as follows:

- **Consistency Criterion No. 1:** The proposed project will not result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations, or delay the timely attainment of air quality standards of the interim emissions reductions specified in the AQMP.
- **Consistency Criterion No. 2:** The proposed project will not exceed the assumptions in the AQMP or increments based on the year of project buildout and phase (SCAQMD 1993).

### **Consistency Criterion No. 1**

Section 3.3(b) evaluates the project's potential impacts in regard to CEQA Guidelines, Appendix G, Threshold 2 (the project's potential to violate any air quality standard or contribute substantially to an existing or projected air quality violation impact analysis). As discussed in the following text, the project would not result in a significant and unavoidable impact associated with the violation of an air quality standard. Because the project would not result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations, the project would not conflict with Consistency Criterion No. 1 of the CEQA Handbook (SCAQMD 1993).

### **Consistency Criterion No. 2**

While striving to achieve the NAAQS for ozone (O<sub>3</sub>) and particulate matter with an aerodynamic diameter less than or equal to 2.5 microns (PM<sub>2.5</sub>; fine particulate matter) and the CAAQS for O<sub>3</sub>, and particulate matter with a diameter less than or equal to 10 microns (PM<sub>10</sub>; coarse particulate matter), and PM<sub>2.5</sub> through a variety of air quality control measures, the 2016 AQMP also accommodates planned growth in the SCAB. Projects are considered consistent with, and would not conflict with or obstruct implementation of, the AQMP if the growth in socioeconomic factors (e.g., population, employment) is consistent with the underlying regional plans used to develop the AQMP (per Consistency Criterion No. 2 of the SCAQMD CEQA Handbook).

The SCAQMD primarily uses demographic growth forecasts for various socioeconomic categories (e.g., population, housing, employment by industry) developed by the SCAG for its RTP/SCS (SCAG 2016), which is based on general plans for cities and counties in the SCAB, for the development of the AQMP emissions inventory (SCAQMD 2017).<sup>1</sup> The SCAG 2016 RTP/SCS, and associated Regional Growth Forecast, are generally consistent with the local plans; therefore, the 2016 AQMP is generally consistent with local government plans. If a proposed project involves development that is greater than that anticipated in the General Plan and SCAG's growth projections, the project might conflict with the AQMP and may contribute to a potentially significant cumulative impact on air quality.

As discussed in section 3.14, Population and Housing, the project would be consistent with the existing land use and zoning designations. Therefore, the proposed project would not exceed the anticipated level of

---

<sup>1</sup> Information necessary to produce the emission inventory for the SCAB is obtained from the SCAQMD and other governmental agencies, including CARB, Caltrans, and SCAG. Each of these agencies is responsible for collecting data (e.g., industry growth factors, socio-economic projections, travel activity levels, emission factors, emission speciation profile, and emissions) and developing methodologies (e.g., model and demographic forecast improvements) required to generate a comprehensive emissions inventory. SCAG incorporates these data into their Travel Demand Model for estimating/projecting vehicle miles traveled and driving speeds. SCAG's socio-economic and transportation activities projections in their 2016 RTP/SCS are integrated in the 2016 AQMP (SCAQMD 2017).

development in the City's General Plan for the site and the project would be consistent t at a regional level with the underlying growth forecasts in the AQMP. Accordingly, the project would meet Consistency Criterion No. 2 of the SCAQMD CEQA Air Quality Handbook. Therefore, implementation of the project would not result in a conflict with, or obstruct implementation of, the applicable air quality plan (i.e., the 2016 AQMP).

### Summary

As described previously, the project would not result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations, and would not conflict with Consistency Criterion No. 1. Implementation of the project would not exceed the demographic growth forecasts in the SCAG 2016 RTP/SCS; therefore, the project would also be consistent with the SCAQMD 2016 AQMP, which based future emission estimates on the SCAG 2016 RTP/SCS. Thus, the project would not conflict with Consistency Criterion No. 2. Based on these considerations, impacts related to the project's potential to conflict with or obstruct implementation of the applicable air quality plan would be less than significant.

- b) ***Would the project result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?***

**Less Than Significant with Mitigation Incorporated.** A quantitative analysis was conducted to determine whether construction and operation of the project would result in emissions of criteria air pollutants from mobile, area, and energy sources that may cause exceedances of the NAAQS or CAAQS or contribute to existing nonattainment of ambient air quality standards. The following discussion identifies potential short- and long-term impacts that would result from implementation of the project.

**SCAB Attainment Designation.** An area is designated as in attainment when it is in compliance with the NAAQS and/or the CAAQS. These standards are set by the EPA or CARB, respectively, for the maximum level of a given air pollutant that can exist in the outdoor air without unacceptable effects on human health or the public welfare. The criteria pollutants of primary concern that are considered in this air quality assessment include O<sub>3</sub>, nitrogen dioxide (NO<sub>2</sub>), CO, sulfur dioxide (SO<sub>2</sub>), PM<sub>10</sub>, and PM<sub>2.5</sub>. Although there are no ambient standards for volatile organic compounds (VOCs) or oxides of nitrogen (NO<sub>x</sub>), they are important as precursors to O<sub>3</sub>.

The SCAB is designated as a nonattainment area for federal and state O<sub>3</sub> standards and federal and state PM<sub>2.5</sub> standards. The SCAB is designated as a nonattainment area for state PM<sub>10</sub> standards; however, it is designated as an attainment area for federal PM<sub>10</sub> standards. The SCAB is designated as an attainment area for federal and state CO standards, federal and state NO<sub>2</sub> standards, and federal and state SO<sub>2</sub> standards. While the SCAB has been designated as nonattainment for the federal rolling 3-month average lead standard, it is designated attainment for the state lead standard (EPA 2016a; CARB 2016).

**SCAQMD Thresholds.** Construction and operation of the project would result in emissions of criteria air pollutants for which CARB and the EPA have adopted ambient air quality standards (i.e., the NAAQS and CAAQS). Projects that emit these pollutants have the potential to cause or contribute to violations of these standards. The SCAQMD has adopted significance thresholds, which, if exceeded, would indicate the potential to contribute to violations of the NAAQS or the CAAQS. The relevant SCAQMD thresholds are shown in Table 3.3-1.

A project would result in a substantial contribution to an existing air quality violation of the federal or state standards for O<sub>3</sub>, which is a nonattainment pollutant, if the project’s construction or operational emissions would exceed the SCAQMD VOC or NO<sub>x</sub> thresholds shown in Table 3.3-1. These emission-based thresholds for O<sub>3</sub> precursors are intended to serve as a surrogate for an “ozone significance threshold” (i.e., the potential for adverse O<sub>3</sub> impacts to occur) because O<sub>3</sub> itself is not emitted directly, and the effects of an individual project’s emissions of O<sub>3</sub> precursors (VOC and NO<sub>x</sub>) on O<sub>3</sub> levels in ambient air cannot be determined through air quality models or other quantitative methods.

Table 3.3-1. SCAQMD Air Quality Significance Thresholds

Criteria Pollutants Mass Daily Thresholds		
<i>Pollutant</i>	<i>Construction (pounds per day)</i>	<i>Operation (pounds per day)</i>
VOCs <sup>b</sup>	75	55
NO <sub>x</sub>	100	55
CO	550	550
SO <sub>x</sub>	150	150
PM <sub>10</sub>	150	150
PM <sub>2.5</sub>	55	55
Pb <sup>a</sup>	3	3
Toxic Air Contaminants and Odor Thresholds		
Toxic Air Contaminants	Maximum incremental cancer risk $\geq$ 10 in 1 million <b>Cancer Burden &gt; 0.5 excess cancer cases (in areas <math>\geq</math> 1 in 1 million)</b> Chronic and acute hazard index $\geq$ 1.0 (project increment)	
Odor	Project creates an odor nuisance pursuant to SCAQMD Rule 402	
Greenhouse Gases	10,000 MT/yr CO <sub>2</sub> e for industrial facilities	

Table 3.3-1. SCAQMD Air Quality Significance Thresholds

Ambient Air Quality Standards for Criteria Pollutants <sup>c</sup>	
NO <sub>2</sub> 1-hour Average NO <sub>2</sub> Annual Arithmetic Mean	SCAQMD is in attainment; project is significant if it causes or contributes to an exceedance of the following attainment standards: 0.10 ppm (federal) <sup>e</sup> 0.03 ppm (state)
CO 1-hour Average CO 8-hour Average	SCAQMD is in attainment; project is significant if it causes or contributes to an exceedance of the following attainment standards: 20 ppm (state) and 25 ppm (federal) 9.0 ppm (state/federal)
PM <sub>10</sub> 24-hour Average PM <sub>10</sub> Annual Average	10.4 µg/m <sup>3</sup> (construction) <sup>d</sup> 2.5 µg/m <sup>3</sup> (operation) 1.0 µg/m <sup>3</sup>
PM <sub>2.5</sub> 24-hour Average	10.4 µg/m <sup>3</sup> (construction) <sup>d</sup> 2.5 µg/m <sup>3</sup> (operation)
Sulfate 24-hour Average	25 µg/m <sup>3</sup> (state)

Source: SCAQMD 2015.

Notes: VOC = volatile organic compound; lb/day = pounds per day; NO<sub>x</sub> = oxides of nitrogen; CO = carbon monoxide; SO<sub>x</sub> = sulfur oxides; PM<sub>10</sub> = coarse particulate matter; PM<sub>2.5</sub> = fine particulate matter; Pb = lead; NO<sub>2</sub> = nitrogen dioxide; MT/year = metric tons per year; CO<sub>2e</sub> = carbon dioxide equivalent; ppm = parts per million; µg/m<sup>3</sup> = micrograms per cubic meter; ROG = reactive organic gases; SCAQMD = South Coast Air Quality Management District. GHG thresholds for industrial projects, as added in the March 2015 revision to the SCAQMD Air Quality Significance Thresholds, were not included in Table 3.3-2, as they will be addressed in Section 3.8, Greenhouse Gas Emissions.

- <sup>a</sup> The phaseout of leaded gasoline started in 1976. Since gasoline no longer contains lead, the Project is not anticipated to result in impacts related to lead; therefore, it is not discussed in this analysis.
- <sup>b</sup> The definition of VOC includes ROG compounds and additional organic compounds not included in the definition of ROG. However, for the purposes of this evaluation, VOC and ROG will be considered synonymous.
- <sup>c</sup> Ambient air quality standards for criteria pollutants based on SCAQMD Rule 1303, Table A-2, unless otherwise stated.
- <sup>d</sup> Ambient air quality threshold based on SCAQMD Rule 403.
- <sup>e</sup> In January 2010, the EPA proposed a new 1-hour national air quality standard of 0.10 ppm for NO<sub>2</sub>, which is more stringent than the state's current 1-hour threshold of 0.18 ppm. For the purposes of conducting a conservative analysis, the more stringent national one-hour standard for NO<sub>2</sub> is used as a threshold in the evaluation of the project's air quality impacts.

**Construction Emissions.** Construction of the project would result in the temporary addition of pollutants to the local airshed caused by on-site sources (i.e., off-road construction equipment, soil disturbance, and VOC off-gassing) and off-site sources (i.e., on-road haul trucks, vendor trucks, and worker vehicle trips). Construction emissions can vary substantially from day to day, depending on the level of activity and the specific type of operation, and for dust, the prevailing weather conditions. Therefore, such emission levels can only be approximately estimated, with a corresponding uncertainty in precise ambient air quality impacts.

Emissions from the construction phase of the project were estimated using CalEEMod, Version 2016.3.2. CalEEMod input parameters, including the land use type used to represent the project and size, construction schedule, and anticipated construction equipment utilization, were based on information provided by LADWP and default model assumptions. For the purpose of conservatively estimating project emissions, it is assumed



that construction of the project would start in April 2021<sup>2</sup> and would last approximately four years. The construction phasing schedule and duration is as follows:

- Demolition: (April 2021 – August 2021)
- Site Preparation:(April 2021)
- Shoring Phase One: (April 2021 – August 2021)
- Excavation: (August 2021 – December 2021)
- Shoring Phase Two: (August 2021 – September 2021)
- Concrete Foundations: (October 2021 – December 2021)
- Building Construction: (February 2022 – April 2024)
- Architectural Coating (December 2023 – April 2024)
- Concrete Paving (January 2024 – April 2024)

The vehicle trip assumptions and construction equipment mix used for estimating the project-generated emissions are shown in Table 3.3-2, Construction Scenario Assumptions.

Table 3.3-2. Construction Scenario Assumptions

Construction Phase	Average Daily Workers Trips	Average Daily Delivery Truck Trips	Total Haul Truck Trips	Equipment	Quantity	Usage Hours
Demolition	26	0	138	Forklifts	2	6
				Cranes	1	4
				Excavators	1	8
				Skid Steer Loaders	1	8
Site Preparation	10	0	0	Aerial Lifts	1	8
				Cranes	1	8
Shoring One	56	0	0	Air Compressors	2	8
				Generator Sets	2	8
Excavation	28	0	10,000	Crane	1	3
				Excavator	1	3

<sup>2</sup> The analysis assumes a construction start date of April 2021, which represents the earliest date construction would initiate. Assuming the earliest start date for construction represents the worst-case scenario for criteria air pollutant and GHG emissions, because equipment and vehicle emission factors for later years would be slightly less due to more stringent standards for in-use off-road equipment and heavy-duty trucks, as well as fleet turnover replacing older equipment and vehicles in later years.

Table 3.3-2. Construction Scenario Assumptions

Construction Phase	Average Daily Workers Trips	Average Daily Delivery Truck Trips	Total Haul Truck Trips	Equipment	Quantity	Usage Hours
				Concrete Saws	1	8
				Forklifts	1	8
				Generator Sets	1	8
Shoring Two	4	0	0	Horizontal Drill Rig	1	8
Concrete Foundations	26	0	0	Cranes	2	8
				Excavators	2	8
				Forklifts	2	8
				Generator Sets	1	8
				Tractors/Loaders/Backhoes	2	8
Trenching	8	0	0	Excavators	1	8
				Tractors/Loaders/Backhoes	2	8
Building Construction	124	52	0	Crane	2	7
				Forklift	3	8
				Generator Sets	1	8
				Rollers	1	8
				Tractors/Loaders/Backhoes	3	7
Concrete Paving	18	0	0	Cement and Mortar Mixers	2	6
				Graders	1	8
				Rollers	2	6
				Rubber Tired Loaders	1	8
				Tractors/Loaders/Backhoes	1	8
Architectural Coating	26	0	0	Air Compressor	1	6

Notes: See Appendix A for details.

Implementation of the project would generate construction-related air pollutant emissions from entrained dust, equipment and vehicle exhaust emissions, and architectural coatings. Entrained dust results from the exposure of earth surfaces to wind from the direct disturbance and movement of soil, resulting in coarse PM<sub>10</sub> and PM<sub>2.5</sub> emissions. Grading would require the export of 100,000 cubic yards of soil over the course of the grading phase. It was conservatively assumed there would be 10,000 haul truck trips during the excavation phase. The project would be required to comply with SCAQMD Rule 403 to control dust emissions generated during construction activities. Standard construction practices required under Rule 403 would be employed to reduce fugitive dust

emissions, including watering of the active sites approximately three times daily depending on weather conditions. Internal combustion engines used by construction equipment and on-road vehicles would result in emissions of VOCs, NO<sub>x</sub>, CO, PM<sub>10</sub>, PM<sub>2.5</sub>, and minimal emissions of sulfur oxides (SO<sub>x</sub>). The application of architectural coatings, such as exterior application/interior paint and other finishes, would also produce VOC emissions, and the Project shall comply with SCAQMD Rule 1113, which proscribes the sale or application of high-VOC-content architectural coatings. Details of the construction emission assumptions and calculations are included in Appendix A. Table 3.3-3 shows the estimated maximum daily construction emissions associated with the construction of the project.

Table 3.3-3. Estimated Maximum Daily Construction Emissions – Unmitigated

Year	VOCs	NO <sub>x</sub>	CO	SO <sub>x</sub>	PM101	PM2.51
	<i>Pounds per Day</i>					
2020	10.17	125.28	78.07	0.23	9.92	4.18
2021	2.82	25.90	25.27	0.06	1.78	0.53
2022	13.24	24.44	27.29	0.07	2.14	0.68
2024	14.27	34.58	36.90	0.09	2.37	0.76
<i>Maximum</i>	<i>14.27</i>	<i>125.28</i>	<i>78.07</i>	<i>0.23</i>	<i>9.92</i>	<i>4.18</i>
<i>SCAQMD Pollutant Threshold</i>	<i>75</i>	<i>100</i>	<i>550</i>	<i>150</i>	<i>150</i>	<i>55</i>
Threshold Exceeded?	No	Yes	No	No	No	No

Source: See Appendix A for complete results.

Notes: VOC = volatile organic compound; NO<sub>x</sub> = oxides of nitrogen; CO = carbon monoxide; SO<sub>x</sub> = sulfur oxides; PM10 = coarse particulate matter; PM2.5 = fine particulate matter.

<sup>1</sup> These emissions reflect CalEEMod “mitigated” output, which accounts for compliance with SCAQMD Rule 403 (Fugitive Dust).

As shown in Table 3.3-3, maximum daily construction emissions would not exceed the SCAQMD construction thresholds for VOC, CO, SO<sub>x</sub>, PM<sub>10</sub>, or PM<sub>2.5</sub>. However, the maximum daily construction threshold would be exceeded for NO<sub>x</sub>. This is a potentially significant impact.

Implementation of mitigation measure **MM-AQ-1**, which requires Tier 4 Final or better diesel engines, except where Tier 4 Final or better engines are not available for specific construction equipment, would reduce this impact.

**MM-AQ-1** To reduce the potential for mass emissions of NO<sub>x</sub> as a result of the construction of the project, the applicant shall do the following:

Equip heavy-duty diesel-powered construction equipment with Tier 4 Final or better diesel engines, except where Tier 4 Final or better engines are not available for specific construction equipment. LADWP shall verify and approve all pieces within the construction fleet that would not meet Tier 4 Final standards.

Table 3.3-4 shows the estimated maximum daily construction emissions associated with the construction of the project after the inclusion of MM-AQ-1.

Table 3.3-4. Estimated Maximum Daily Construction Emissions – Mitigated

Year	VOCs <sup>1</sup>	NO <sub>x</sub> <sup>1</sup>	CO <sup>1</sup>	SO <sub>x</sub>	PM <sub>10</sub> <sup>1</sup>	PM <sub>2.5</sub> <sup>1</sup>
	Pounds per Day					
2020	2.72	37.06	84.90	0.23	9.92	4.18
2021	1.05	7.57	27.10	0.06	1.78	0.53
2022	11.63	7.77	29.31	0.07	2.14	0.68
2024	11.92	8.81	41.62	0.09	2.37	0.76
<i>Maximum</i>	<i>11.92</i>	<i>37.08</i>	<i>84.90</i>	<i>0.23</i>	<i>9.92</i>	<i>4.18</i>
<i>SCAQMD Pollutant Threshold</i>	<i>75</i>	<i>100</i>	<i>550</i>	<i>150</i>	<i>150</i>	<i>55</i>
Threshold Exceeded?	No	No	No	No	No	No

Source: See Appendix A for complete results.

Notes: VOC = volatile organic compound; NO<sub>x</sub> = oxides of nitrogen; CO = carbon monoxide; SO<sub>x</sub> = sulfur oxides; PM<sub>10</sub> = coarse particulate matter; PM<sub>2.5</sub> = fine particulate matter.

<sup>1</sup> These emissions reflect CalEEMod “mitigated” output, which accounts for compliance with SCAQMD Rule 403 (Fugitive Dust) and Tier 4 Final engines in construction equipment.

As shown in Table 3.3-4, maximum daily construction emissions would not exceed the SCAQMD construction thresholds for VOC, NO<sub>x</sub>, CO, SO<sub>x</sub>, PM<sub>10</sub>, or PM<sub>2.5</sub> after inclusion of MM-AQ-1. Therefore, impacts would be **less than significant with mitigation incorporated.**

**Operational Emissions.** Operation of the project would produce VOC, NO<sub>x</sub>, CO, SO<sub>x</sub>, PM<sub>10</sub>, and PM<sub>2.5</sub> emissions from stationary sources, area sources, including natural gas combustion and use of consumer products, and mobile sources (motor vehicle trips to and from the project). The project would primarily affect air quality through vehicular traffic generated by LADWP employees. Emissions of criteria air pollutants were estimated using CalEEMod. Project buildout was assumed to occur in 2024. Existing criteria air pollutants emissions from operational activities at the project site were estimated in CalEEMod using default values based on the existing facilities including the fleet shop, warehouse and administrative land uses.

Emissions associated with daily traffic were modeled using trip generation rates provided in the Traffic Impact Analysis prepared for the project (Appendix F). The project was assumed to generate 1,030 daily trips, as discussed in the Traffic Impact Analysis. CalEEMod default trip rates, trip percentages, and trip purpose percentages vary by CalEEMod land use type. CalEEMod default data for temperature, variable start information, and emission factors were conservatively assumed for the model inputs. Project-related traffic was assumed to consist of a mixture of vehicles in accordance with the model outputs for traffic. Emission factors representing the vehicle mix and emissions for 2024 were used to represent project buildout.

CalEEMod was used to estimate emissions from the area sources, which include natural gas appliances, space and water heating, gasoline-powered landscape maintenance equipment, use of consumer products, and architectural coatings for maintenance of buildings. The estimated operational area source emissions were based on land use defaults of the project. CalEEMod was also used to calculate emissions associated with forklift and loader operation. It was assumed that three forklifts and four loaders would operate on site for 6 hours a day.

Table 3.3-5 presents the maximum daily emissions associated with operation of the existing facility and of the proposed project. The values shown are the maximum summer or winter daily emissions results from CalEEMod. Complete details of the emissions calculations are provided in Appendix A.

Table 3.3-5. Estimated Daily Maximum Operational Emissions (2026)

Emissions Source	VOCs	NO <sub>x</sub>	CO	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
	Pounds per Day					
<i>Existing</i>						
Area	0.68	<0.01	<0.01	<0.01	<0.01	<0.01
Energy	0.01	0.06	0.05	<0.01	<0.01	<0.01
Mobile	1.07	5.48	14.94	0.05	4.08	1.13
Off-road equipment	0.69	6.68	6.90	0.01	0.44	0.41
<i>Total Existing Emissions</i>	<i>2.44</i>	<i>12.22</i>	<i>21.90</i>	<i>0.06</i>	<i>4.53</i>	<i>1.54</i>
<i>Proposed</i>						
Area	2.15	<0.01	0.07	0.00	<0.01	<0.01
Energy	0.03	0.24	0.20	<0.01	0.02	0.02
Mobile	1.68	7.83	24.49	0.10	9.01	2.46
Off-road equipment	0.86	8.43	12.34	0.02	0.42	0.39
<i>Total Proposed Emissions</i>	<i>4.72</i>	<i>16.50</i>	<i>37.10</i>	<i>0.12</i>	<i>9.45</i>	<i>2.86</i>
<i>Net Emissions</i>	<i>2.28</i>	<i>4.28</i>	<i>15.20</i>	<i>0.06</i>	<i>4.92</i>	<i>1.32</i>
SCAQMD Pollutant Threshold	55	55	550	150	150	55
Threshold Exceeded?	No	No	No	No	No	No

Source: See Appendix A for complete results.

Notes: VOC = volatile organic compound; NO<sub>x</sub> = oxides of nitrogen; CO = carbon monoxide; SO<sub>x</sub> = sulfur oxides; PM<sub>10</sub> = coarse particulate matter; PM<sub>2.5</sub> = fine particulate matter; a dash (—) represents information that is not available.

As shown in Table 3.3-5, the total net daily operational emissions from operation of the project would not exceed the SCAQMD operational significance thresholds for VOC, NO<sub>x</sub>, CO, SO<sub>x</sub>, PM<sub>10</sub>, or PM<sub>2.5</sub> and impacts would be less than significant.

Air pollution is largely a cumulative impact. The nonattainment status of regional pollutants is a result of past and present development, and the SCAQMD develops and implements plans for future attainment of ambient air quality standards. In considering cumulative impacts from the project, the analysis must specifically evaluate

a project's contribution to the cumulative increase in pollutants for which the SCAB is designated as nonattainment for the CAAQS and NAAQS. If a project's emissions would exceed the SCAQMD significance thresholds, it would be considered to have a cumulatively considerable contribution to nonattainment status in the SCAB. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant (SCAQMD 2003).

The SCAB is a nonattainment area for O<sub>3</sub> and PM<sub>2.5</sub> under the NAAQS and is a nonattainment area for O<sub>3</sub>, PM<sub>10</sub>, and PM<sub>2.5</sub> under the CAAQS. The nonattainment status is the result of cumulative emissions from various sources of air pollutants and their precursors within the SCAB including motor vehicles, off-road equipment, and commercial and industrial facilities. Construction and operation of the project would generate VOC and NO<sub>x</sub> emissions (which are precursors to O<sub>3</sub>) and emissions of PM<sub>10</sub> and PM<sub>2.5</sub>. However, as indicated in Tables 3.3-3 and 3.3-4, project-generated construction and operational emissions (with implementation of MM-AQ-1), respectively, would not exceed the SCAQMD emission-based significance thresholds for VOC, NO<sub>x</sub>, PM<sub>10</sub>, or PM<sub>2.5</sub>; therefore, the project would not cause a cumulatively significant impact.

Cumulative localized impacts could occur if the construction of a project component were to occur concurrently with another project. Construction schedules for potential future projects near the planning area are currently unknown; therefore, potential construction impacts associated with two simultaneous projects are speculative. The CEQA Guidelines state that if a particular impact is too speculative for evaluation, the agency should note its conclusion and terminate discussion of the impact (14 CCR 15145). However, air pollutant emissions associated with construction activity would be reduced through implementation of control measures required by SCAQMD. Cumulative PM<sub>10</sub> and PM<sub>2.5</sub> construction emissions would be reduced because all future projects would be subject to SCAQMD Rule 403 (Fugitive Dust), which sets forth general and specific requirements for all construction sites in SCAQMD. The maximum daily PM<sub>10</sub> and PM<sub>2.5</sub> emissions would not exceed the significance thresholds during project construction activities, although fugitive dust, as well as vehicle and equipment exhaust, generated during project construction would contribute to the SCAB's nonattainment designation for PM<sub>10</sub> and PM<sub>2.5</sub>; however, this contribution would not be considered cumulatively considerable.

Furthermore, the project would not conflict with growth assumptions in the SCAQMD 2016 AQMP, which addresses the cumulative emissions in the SCAB. In 2026, upon buildout of the project. Therefore, the project would be consistent at a regional level with the underlying growth forecasts in the AQMP.

Based on the above considerations, the project would not result in a cumulatively considerable contribution to the nonattainment pollutants in the SCAB, and this impact would be less than significant.

c) ***Would the project expose sensitive receptors to substantial pollutant concentrations?***

**Less Than Significant Impact.** Sensitive receptors include residential land uses, schools, open space and parks, recreational facilities, hospitals, resident care facilities, daycare facilities, or other facilities that may house individuals with health conditions that would be affected by poor air quality.

**Localized Significance Thresholds Analysis.** The SCAQMD recommends the evaluation of localized NO<sub>2</sub>, CO, PM<sub>10</sub>, and PM<sub>2.5</sub> construction-related impacts on sensitive receptors in the immediate vicinity of a project site. Residences in the Project area would be located 75 feet from the northwest boundary of the project site. These residents would be considered sensitive receptors that could be affected by construction-generated air pollutant emissions.

The project site is located in Source Receptor Area 2 (Northwest Coastal LA County). The maximum number of acres disturbed on the peak day was estimated using the “Fact Sheet for Applying CalEEMod to Localized Significance Thresholds” (SCAQMD 2011), which provides estimated acres per 8-hour day for crawler tractors, graders, rubber tired dozers, and scrapers. Based on the SCAQMD guidance, and assuming an excavator can grade 0.5 acres per 8-hour day (similar to graders, dozers, and tractors), it was estimated that the maximum acres on the project site that would be disturbed by off-road equipment would be 3.5 acre per day (three rubber tired dozer, and four tractors/loaders/backhoes). The closest receptors to construction activity would be the residents located 23 meters (75 feet) south of the project site; therefore, the SCAQMD Localized Significance Threshold (LST) thresholds for 25 meters (82 feet) was assumed.

Construction activities associated with the project would result in temporary sources of on-site fugitive dust and construction equipment emissions. Off-site emissions from vendor trucks, haul trucks, and worker vehicle trips are not included in the LST analysis (SCAQMD 2008). The SCAQMD LST Methodology specifies the maximum allowable daily emissions that would satisfy the localized significance criteria. The maximum daily on-site construction emissions are compared to the allowable emission rates for Source Receptor Area 2 in Table 3.3-6. Additional details of the LST analysis are provided in Appendix A.

Table 3.3-6. Localized Significance Threshold Analysis for Construction Emissions

Year	NO <sub>2</sub>	CO	PM <sub>10</sub>	PM <sub>2.5</sub>
	<i>Pounds per day (on-site)</i>			
2020	65.30	39.01	7.04	3.27
2021	20.98	19.86	1.06	0.99
2023	2.64	21.69	0.07	0.07
2024	11.52	9.54	0.46	0.42
Maximum Daily On Site Emissions	65.30	39.01	7.04	3.27
<i>SCAQMD LST Criteria</i>	135	1,179	10	6
Threshold Exceeded?	No	No	No	No

Source: SCAQMD 2008.

Notes: LST = Localized Significance Threshold; lb/day = pounds per day; NO<sub>2</sub> = nitrogen dioxide; CO = carbon monoxide; PM<sub>10</sub> = coarse particulate matter; PM<sub>2.5</sub> = fine particulate matter.

Construction emissions estimates are rounded to the nearest pound.

LSTs were determined based on the values for Source Receptor Area 6, a 5-acre site, at a distance of 100 meters from the nearest sensitive receptor.

As shown in Table 3.3-6, construction activities would not generate substantial emissions of pollutants to sensitive receptors. Impacts to sensitive receptors in the vicinity of project construction would be **less than significant**.

***Carbon Monoxide Hotspots.*** Traffic-congested roadways and intersections have the potential to generate localized high levels of CO. Localized areas where ambient concentrations exceed federal and/or state standards for CO are termed CO “hotspots.” CO transport is extremely limited and disperses rapidly with distance from the source. Under certain extreme meteorological conditions, however, CO concentrations near a congested roadway or intersection may reach unhealthy levels, affecting sensitive receptors. Typically, high CO concentrations are associated with severely congested intersections operating at an unacceptable level of service (LOS) (LOS E or worse is unacceptable). Projects contributing to adverse traffic impacts may result in the formation of a CO hotspot. Additional analysis of CO hotspot impacts would be conducted if a project would result in a significant impact or contribute to an adverse traffic impact at a signalized intersection that would potentially subject sensitive receptors to CO hotspots.

Projects contributing to adverse traffic impacts may result in the formation of CO hotspots. To verify that the project would not cause or contribute to a violation of the CO standard, a screening evaluation of the potential for CO hotspots was conducted. The traffic impact study for the proposed project, which is included in this IS/MND as Appendix F, evaluated whether there would be a decrease in the level of service (LOS) (i.e., increased congestion) at the intersections affected by the project. The potential for CO hotspots was evaluated based on the results of the traffic impact study. The California Department of Transportation Institute of Transportation Studies Transportation Project-Level Carbon Monoxide Protocol (CO Protocol; Caltrans 2010) was followed for this analysis. CO hotspots are typically evaluated when (1) the LOS of an intersection decreases



to LOS E or worse; (2) signalization and/or channelization is added to an intersection; and (3) sensitive receptors such as residences, schools, and hospitals are located in the vicinity of the affected intersection or roadway segment. The project's traffic impact study evaluated eight intersections under AM and PM peak hours. As determined by the traffic impact study, LOS at these intersections would not decrease to LOS E or worse as a result of the project; therefore, further analysis is not required. Accordingly, the proposed project would not generate traffic that would contribute to potential adverse traffic impacts that may result in the formation of CO hotspots. In addition, due to continued improvement in vehicular emissions at a rate faster than the rate of vehicle growth and/or congestion, the potential for CO hotspots in the SCAB is steadily decreasing. Based on these considerations, the proposed project would result in a **less than significant impact** to air quality with regard to potential CO hotspots.

***Toxic Air Contaminants.*** Toxic air contaminants (TACs) are defined as substances that may cause or contribute to an increase in deaths or in serious illness, or that may pose a present or potential hazard to human health. As discussed under the LST analysis, the nearest sensitive receptors to the proposed project are residences located approximately 75 feet to the northwest of the project site.

Health effects from carcinogenic air toxics are usually described in terms of cancer risk. The SCAQMD recommends an incremental cancer risk threshold of 10 in 1 million. "Incremental cancer risk" is the net increased likelihood that a person continuously exposed to concentrations of TACs resulting from a project over a 9-, 30-, and 70-year exposure period will contract cancer based on the use of standard Office of Environmental Health Hazard Assessment (OEHHA) risk-assessment methodology (OEHHA 2015). In addition, some TACs have non-carcinogenic effects. The SCAQMD recommends a Hazard Index of 1 or more for acute (short-term) and chronic (long-term) non-carcinogenic effects.<sup>3</sup> TACs that would potentially be emitted during construction activities associated with development of the proposed project would be diesel particulate matter.

Diesel particulate matter emissions would be emitted from heavy equipment operations and heavy-duty trucks. Heavy-duty construction equipment is subject to a California Air Resources Board (CARB) Airborne Toxics Control Measure for in-use diesel construction equipment to reduce diesel particulate emissions. As described for the LST analysis, PM<sub>10</sub> (representative of diesel particulate matter) exposure would not exceed the SCAQMD's threshold. According to the OEHHA, health risk assessments (which determine the exposure of sensitive receptors to toxic emissions) should be based on a 30-year exposure period for the maximally exposed individual resident. However, such assessments should also be limited to the period/duration of activities associated with the project. The duration of the proposed construction activities would constitute a small

---

<sup>3</sup> Non-cancer adverse health risks are measured against a hazard index, which is defined as the ratio of the predicted incremental exposure concentrations of the various non-carcinogens from the project to published reference exposure levels that can cause adverse health effects.

percentage of the total 30-year exposure period. The construction period for the proposed project would be approximately 4 years, after which construction-related TAC emissions would cease. Due to this relatively short period of exposure and minimal particulate emissions on site, TACs generated during construction would not be expected to result in concentrations causing significant health risks.

Following completion of on-site construction activities, the project would not involve new routine operational activities that would generate TAC emissions. Operation of the proposed project would not result in any non-permitted direct emissions. For the reasons described above, the project would not result in substantial TAC exposure to sensitive receptors in the vicinity of the proposed project, and impacts would be less than significant.

***Health Impacts of Criteria Air Pollutants.*** Construction of the proposed project would generate criteria air pollutant emissions; however, the project would not exceed the SCAQMD mass-emission thresholds.

The SCAB is designated as nonattainment for O<sub>3</sub> for the NAAQS and CAAQS. Thus, existing O<sub>3</sub> levels in the SCAB are at unhealthy levels during certain periods. The health effects associated with O<sub>3</sub> are generally associated with reduced lung function. Because the proposed project would not involve construction activities that would result in O<sub>3</sub> precursor emissions (VOC or NO<sub>x</sub>) in excess of the SCAQMD thresholds, the project is not anticipated to substantially contribute to regional O<sub>3</sub> concentrations and the associated health impacts.

In addition to O<sub>3</sub>, NO<sub>x</sub> emissions contribute to potential exceedances of the NAAQS and CAAQS for NO<sub>2</sub>. Exposure to NO<sub>2</sub> and NO<sub>x</sub> can irritate the lungs, cause bronchitis and pneumonia, and lower resistance to respiratory infections. Project construction would not exceed the SCAQMD NO<sub>x</sub> threshold, and existing ambient NO<sub>2</sub> concentrations are below the NAAQS and CAAQS. Thus, proposed project construction is not expected to exceed the NO<sub>2</sub> standards or contribute to associated health effects.

CO tends to be a localized impact associated with congested intersections. In terms of adverse health effects, CO competes with oxygen, often replacing it in the blood, reducing the blood's ability to transport oxygen to vital organs. The results of excess CO exposure can include dizziness, fatigue, and impairment of central nervous system functions. CO hotspots were discussed previously as a less than significant impact. Thus, the proposed project's CO emissions would not contribute to the health effects associated with this pollutant.

The SCAB is designated as nonattainment for PM<sub>10</sub> under the CAAQS and nonattainment for PM<sub>2.5</sub> under the NAAQS and CAAQS. Particulate matter contains microscopic solids or liquid droplets that are so small that they can get deep into the lungs and cause serious health problems. Particulate matter exposure has been linked to a variety of problems, including premature death in people with heart or lung disease, nonfatal heart attacks, irregular heartbeat, aggravated asthma, decreased lung function, and increased respiratory symptoms such as irritation of the airways, coughing, or difficulty breathing (EPA 2016b). As with O<sub>3</sub> and NO<sub>x</sub>, the proposed project would not generate emissions of PM<sub>10</sub> or PM<sub>2.5</sub> that would exceed the SCAQMD's thresholds.

Accordingly, the proposed project's PM<sub>10</sub> and PM<sub>2.5</sub> emissions are not expected to cause any increase in related regional health effects for these pollutants.

In summary, the proposed project would not result in a potentially significant contribution to regional concentrations of non-attainment pollutants and would not result in a significant contribution to the adverse health impacts associated with those pollutants. Impacts would be **less than significant**. No mitigation is required.

**d) *Would the project result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?***

**Less Than Significant Impact.** Construction of the project would result in emissions from diesel equipment, gasoline, and asphalt paving material fumes. Odors from these sources would be localized and generally confined to the project site. Construction of the project would use typical construction techniques in compliance with SCAQMD rules. Odors would be highest near the source and would quickly dissipate off site. Any odors associated with construction activities would be temporary and would cease upon completion of construction. As such, project construction would not cause an odor nuisance, and odor impacts would be less than significant.

Land uses and industrial operations associated with odor complaints include agricultural uses, wastewater treatment plants, food-processing plants, chemical plants, composting, refineries, landfills, dairies, and fiberglass molding operations (SCAQMD 1993). The project would not result in the implementation of any such land use. The project would include the operation of a spray booth. While architectural coatings can produce odors, project spraying activities would be contained within the spray booth and would not cause an odor nuisance. Therefore, project operations would result in a less-than-significant odor impact.

## References

- 40 CFR 89.112. Oxides of nitrogen, carbon monoxide, hydrocarbon, and particulate matter exhaust emission standards. July 13, 2005. <https://www.law.cornell.edu/cfr/text/40/89.112>.
- CARB (California Air Resources Board). 2015. "Area Designation Maps/State and National." December 2015. Last reviewed May 5, 2016. <http://www.arb.ca.gov/desig/adm/adm.htm>.
- Caltrans (California Department of Transportation). 1997. "Appendix B, Table B.2." In *Transportation Project-Level Carbon Monoxide Protocol*. Prepared by the Institute of Transportation Studies, University of California, Davis. Revised December 1997.
- EPA (U.S. Environmental Protection Agency). 2016a. "Region 9: Air Quality Analysis, Air Quality Maps." Last updated April 27, 2016. <http://www.epa.gov/region9/air/maps/>.

- EPA. 2016b. “EPA Emission Standards for Nonroad Engines and Vehicles: Nonroad Compression-Ignition Engines: Exhaust Emission Standards.” EPA-420-B-16-022. March 2016. <https://nepis.epa.gov/Exe/ZyPDF.cgi?Dockey=P100OA05.pdf>.
- EPA. 2018. “AirData: Access to Air Pollution Data.” Last updated July 31, 2018. Accessed February 2019. <https://www.epa.gov/outdoor-air-quality-data/monitor-values-report>.
- OEHHA (Office of Environmental Health Hazard Assessment). 2015. *Air Toxics Hot Spots Program, Risk Assessment Guidelines, Guidance Manual for Preparation of Health Risk Assessments*. February 2015. Accessed January 10, 2017. <http://oehha.ca.gov/media/downloads/crn/2015guidancemanual.pdf>.
- SCAG (Southern California Association of Governments). 2012. “Adopted 2012 RTP Growth Forecast Appendix.” In *2012-2035 Regional Transportation Plan/Sustainable Communities Strategy: Towards a Sustainable Future*. Adopted April 2012. [http://rtpscs.scag.ca.gov/Documents/2012/final/SR/2012fRTP\\_GrowthForecast.pdf](http://rtpscs.scag.ca.gov/Documents/2012/final/SR/2012fRTP_GrowthForecast.pdf).
- SCAG. 2016a. *2016–2040 Regional Transportation Plan/Sustainable Communities Strategy: A Plan for Mobility, Accessibility, Sustainability, and High Quality of Life*. Adopted April 2016. <http://scagrtpscs.net/Documents/2016/final/f2016RTPSCS.pdf>.
- SCAG. 2016b. “Current Context – Demographics & Growth Forecast 2016 RTP/SCS Appendix.” In *2016-2040 Regional Transportation Plan/Sustainable Communities Strategy*. Adopted April 2016. [http://scagrtpscs.net/Documents/2016/final/f2016RTPSCS\\_DemographicsGrowthForecast.pdf](http://scagrtpscs.net/Documents/2016/final/f2016RTPSCS_DemographicsGrowthForecast.pdf).
- SCAQMD (South Coast Air Quality Management District). 1993. *CEQA Air Quality Handbook*.
- SCAQMD. 2003. *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution*. August 2003. <http://www.aqmd.gov/docs/default-source/Agendas/Environmental-Justice/cumulative-impacts-working-group/cumulative-impacts-white-paper.pdf?sfvrsn=2>.
- SCAQMD. 2005. Rule 403: Fugitive Dust. Adopted May 7, 1976. Amended June 3, 2005.
- SCAQMD. 2008. *Final Localized Significance Threshold Methodology*. June 2003; revised July 2008. <http://www.aqmd.gov/docs/default-source/ceqa/handbook/localized-significance-thresholds/final-lst-methodology-document.pdf?sfvrsn=2>.
- SCAQMD. 2011. “Fact Sheet for Applying CalEEMod to Localized Significance Thresholds.” Accessed August 2016. <http://www.aqmd.gov/docs/default-source/ceqa/handbook/localized-significance-thresholds/caleemod-guidance.pdf?sfvrsn=2>.

SCAQMD. 2013. *Final 2012 Air Quality Management Plan*. Revised February 2013. Accessed October 2016.

[http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2012-air-quality-management-plan/final-2012-aqmp-\(february-2013\)/main-document-final-2012.pdf](http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2012-air-quality-management-plan/final-2012-aqmp-(february-2013)/main-document-final-2012.pdf).

SCAQMD. 2015. "Table A9-11-A, SCAQMD Air Quality Significance Thresholds." Originally published in *CEQA*

*Air Quality Handbook*, 1993. Revised March 2015. <http://www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf?sfvrsn=2>.

SCAQMD. 2017. *Final 2016 Air Quality Management Plan*, <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf?sfvrsn=15>. February 25, 2019.

### 3.4 Biological Resources

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

- a) ***Would the project have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?***

**Less Than Significant Impact.** The proposed project site is fully developed and is located in a highly urbanized area of the City, which precludes the project site from sensitive habitat growth and associated use by sensitive wildlife species. Only small areas of drought-tolerant ornamental landscaping are located along the building frontage of Nebraska Avenue, including 2 on-site trees, which are not considered candidate, sensitive, or special status species. Per City Ordinance 177404, any protected trees proposed for removal would be removed with approval of a permit from the City’s Chief Forrester.<sup>4</sup>

Due to the prevailing lack of vegetation that could constitute viable habitat for candidate, sensitive, or special-status species on the project site and in the surrounding area, project implementation is not anticipated to have an adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species. Impacts would be less than significant.

- b) ***Would the project have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?***

**No Impact.** The project site is fully developed with LADWP facilities and surface parking. There are no existing drainages, riparian habitats, or other sensitive natural communities on site or in the surrounding area (USFWS NWI 2019). The nearest recorded sensitive habitat is a Paulstine System (non-tidal wetland) located

---

<sup>4</sup> Per City Ordinance 177404, any native Oaks, Southern California Black Walnut trees, Western Sycamore trees, or California Bay trees measuring four inches or more in cumulative diameter approximately four and a half feet above ground level are protected.

approximately 0.85-mile northwest of the project site (USFWS NWI 2019). Due to the prevailing distance between the project site and this habitat, project implementation would have no direct or indirect impacts on this habitat or any other riparian habitat or other sensitive natural communities identified in local or regional plans, policies, regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service. No impact would occur.

**c) *Would the project have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?***

**No Impact.** There are no wetlands, including marshes, vernal pools, lakes, or freshwater ponds located on or adjacent to the project site (USFWS NWI 2019). The nearest recorded sensitive habitat is a Paulstine System (non-tidal wetland) located approximately 0.85-mile northwest of the project site (USFWS NWI 2019). Due to the prevailing distance between the project site and this habitat, project implementation would not have a substantial adverse effect on this wetland. Further, the project site is already developed and located in a highly urbanized area of the City. As such, the project would have no impact on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means.

**d) *Would the project interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?***

**Less Than Significant with Mitigation Incorporated.** The project site and surrounding area is fully developed and located within an urban area, which generally precludes the project site from use as a green space within a wildlife corridor or as a native wildlife nursery site. The project site does not reside within any designated wildlife corridors or habitat linkages identified in the South Coast Missing Linkages analysis conducted by South Coast Wildlands (South Coast Wildlands 2008). No wildlife corridor or linkages are identified in the area by the City of Los Angeles (City of Los Angeles 2013). Additionally, as stated above, there are no water bodies, including wetlands and riparian habitats, located within the vicinity of the project site, and, as such, project implementation would not substantially interfere with the movement of any native, migratory fish (USFWS NWI 2019).

Two ornamental trees exist on-site along Nebraska Avenue, and northwest of project site adjacent to the existing parking lot. One of the off-site ornamental street trees along Nebraska Avenue would be removed to accommodate the driveway expansion. Other ornamental trees near the project site have potential to support nesting birds protected under the Migratory Bird Treaty Act and California Fish and Game Code Section 3500. Construction activities may occur during breeding, reproduction, and juvenile rearing periods for nesting birds (i.e., between March

1–August 31). As such, project construction activities, specifically those that generate noise, have the potential to disturb nesting birds in the project vicinity such that impacts could be potentially significant.

Implementation of mitigation measure **MM-BIO-1** would reduce this impact to a less-than-significant level. Additionally, with implementation of proposed landscaping, the site would continue to provide potential nesting sites in an urban environment, consistent with existing conditions. Therefore, long-term impacts to nesting and migratory birds would be less than significant.

**MM-BIO-1** If vegetation removal and/or outdoor construction activities will occur during the breeding/nesting season (i.e., between February 1 and August 31) for native birds, preconstruction surveys for nesting migratory birds shall be conducted by a qualified biologist up to 14 days before initiation of construction activities. The qualified biologist shall survey the construction zone and a 250-foot radius surrounding the construction zone to determine whether the activities taking place have the potential to disturb or otherwise harm nesting birds. In the event an active nest is found within the survey area, site preparation and construction activities shall stop until the biologist can establish an appropriate setback buffer around the nest. Buffer size will be determined on a case-by-case basis by the biologist based on site conditions, the species' life history and disturbance tolerance, the nest's distance to construction activities, and the type of construction ongoing in the vicinity of the nest. Buffers will be clearly delineated (e.g., using rope, flagging, signage), or they may also be defined by natural or manmade features that are deemed sufficient to prohibit access (e.g., tree rows, fences). Project activities within the buffer shall be postponed or halted, at the discretion of the biologist, until the nest is vacated and juveniles have fledged, as determined by the biologist, and there is no evidence of a second attempt at nesting.

**e) *Would the project conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?***

**Less Than Significant Impact.** Several ornamental trees are present on, and near, the project site. Specifically, there are two trees located on the northwestern perimeter of the site along Nebraska Avenue, several street trees off site along Nebraska Avenue, and several off-site ornamental trees to the northeast between the project site and the adjacent property. Any trees proposed for removal under the proposed project would be removed per City Ordinance 177404 (Section 12.21 of the LAMC), which requires that a tree removal permit be submitted and approved by the City's Chief Forester. Off-site trees would not be impacted by the proposed project.

Furthermore, approximately 10 Ginkgo Biloba trees would be planted on the project site under the proposed project. As such, the project would not conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance and impacts would be less than significant.



**f) Would the project conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?**

**No Impact.** The project site is not located within an adopted Habitat Conservation Plan or Natural Community Conservation Plan (CDFW 2019). Additionally, the project does not conflict with the provisions of the West LA Community Plan (City of Los Angeles 2013). Therefore, the proposed project would not conflict with the provisions of an adopted habitat conservation plan, natural community conservation plan, or other approved local, regional, or state habitat conservation plan. No impact would occur.

References

CDFW (California Department of Fish and Wildlife). 2019. California Natural Community Conservation Plans [map]. July 2019. Accessed August 26, 2019. <https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=68626&inline>.

City of Los Angeles. 2013. West Los Angeles Community Plan. Accessed August 26, 2019. <http://planning.lacity.org/>

South Coast Wildlands. 2008. South Coast Missing Linkages: A Wildland Network for the South Coast Region. Accessed August 26, 2019. <http://www.scwildlands.org/reports/SCMLRegionalReport.pdf>.

USFWS NWI (United States Fish and Wildlife Service, National Wetlands Inventory). 2019. Wetlands Mapper, Search by Address. Accessed August 26, 2019. <https://www.fws.gov/wetlands/data/Mapper.html>.

### 3.5 Cultural Resources

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

A Cultural Resources Report was prepared for the proposed project by Dudek in November 2017 and included as Appendix B of this IS/MND.

a) *Would the project cause a substantial adverse change in the significance of a historical resource as pursuant to §15064.5?*

**Less Than Significant Impact.** A California Historical Resources Information System Records Search (CHRIS) from the South Central Coastal Information Center (SCCIC) was conducted for the proposed project in September 2017. The CHRIS search included all previously recorded cultural resources and investigations within a 0.5-mile radius of the project site. Additional consulted sources included historical maps of the project area; the National Register of Historic Places (NRHP); the California Register of Historical Resources (CRHR); and, the California Historic Property File (see Appendix B). Results of the CHRIS search indicate that 15 previously conducted studies were conducted within the 0.5-mile records search radius between 1977 and 2013. Of these 15 studies, only one (Report No. LA-12500) study overlaps the project site. Report No. LA-12500 documents the results of archaeological monitoring conducted during the installation of 11.4 miles of underground transmission line located in the western portion of the City of Los Angeles in 2013. However, no cultural resources were identified in the direct project area as a result of Report No. LA-12500.

In addition, nine previously recorded resources were identified within a 0.5-mile radius of the project area. However, none of these previously recorded cultural resources, identified through the SCCIC records search, are located within the project site. The closest cultural resource to the project site, the historic Southern Pacific Railroad right-of-way (P-19-003803) is located approximately 0.1-mile from the project site. However, this resource would not be affected by the proposed project.

The project site includes five LADWP structures that were constructed between 1953 and 1966. As such, extensive archival research was conducted in support of the historical significance evaluation of the existing structures. Research efforts included review of online resources at the Los Angeles Public Library, review of LADWP Photograph Collection, visit to the LADWP Records Center, review of LA City Archives, Los Angeles Department of Building and Safety records search, as well as review of aerial photograph and historic maps. Further, a pedestrian survey of the project site was conducted on October 11, 2017. A discussion of the historic significance of each building is included below.

**Building 1, Locker Room, 1953**

Building 1 fronts West Nebraska Avenue and is situated at the west corner of the parcel. According to the original City of Los Angeles Building Permit, the building was a one-story concrete block building, intended to function as a locker room, washroom, and office for LADWP employees. The structure is a Mid-Century Modern building and was constructed in 1953. The building is currently used as a restroom, shower, locker room, and exercise area for employees.

### **Building 2, Warehouse – Tool Room, 1953**

Building 2 is located immediately southeast of Building 1 and against the dividing southwest property line separating the headquarters yard from the transformer yard for 1840 Centinela Avenue. According to the original City of Los Angeles Building Permit, the building was a one-story concrete block building, intended to warehouse electrical supplies and hazardous materials.

### **Building 3, Warehouse – Fleet Shop, 1956**

Building 3 is located southeast of and in line with Buildings 1 and 2 and against the dividing southwest property line separating the headquarters yard from the transformer yard for 1840 Centinela Avenue. According to the original City of Los Angeles Building Permit, the building was originally a one-story structure intended as a truck shed.

### **Building 4, District Office, 1959**

Building 4 is located northeast of Building 1, across the exiting parking lot and entry road, and fronts west Nebraska Avenue. According to the original City of Los Angeles Building Permit, the building was originally a two-story concrete block building, intended to replace the office in Building 1 and operate thereafter as the official office for the site.

### **Building 5, Break Room, 1966**

Building 5 is located southeast of Building 4 and across the exiting parking lot and entry road from Building 2. According to the original City of Los Angeles Building Permit, the building was originally a two-story concrete block building, intended as another warehouse and tool room. Currently, the building is being used as a break room and employee classroom.

SurveyLA Citywide Historic Context Statement for Municipal Water and Power provides guidance for identifying and evaluating potential historical resources related to water and power, and outlines the requirements for various property types. The LADWP West Los Angeles Yard falls under the property type: Administration Buildings and Service Yards, which has a period of significance of 1902–1980. The context statement also includes eligibility standards, character defining/associative features, and integrity consideration for the property type, which were all considered in the evaluation.

### **NRHP/CRHR Statement of Significance**

In consideration of the project site's history and requisite integrity, the Cultural Resources Report found the West Los Angeles Department of Water and Power Yards not eligible for listing in the NRHP or CRHR based on the following significance evaluation and in consideration of national and state eligibility criteria.

1. **Criterion A/1. Associated with events that have made a significant contribution to the broad patterns of our history.** According to the Cultural Resources Report, the site is most strongly related to

equipment and vehicle storage and lacks significant associations with events important to California history. Thus, the site does not appear eligible under NRHP/CRHR Criteria A/1.

2. **Criterion B/2. Associated with the lives of persons significant in our past.** . This building has no known associations with any important figures in LADWP or City of Los Angeles history. Archival research failed to indicate any associations with significant persons, including engineer and worker names associated with the buildings. As such, the site does not appear eligible under NRHP/CRHP Criteria B/2.
3. **Criterion C/3. Embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction.** Under the property type “Administrative Buildings and Service Yards,” the site does fall within the period of significance (1902–1980) and is associated with water and power administration and maintenance, per the eligibility standards. However, the buildings lack many of the character defining and associative features required such as “retaining a significant lobby” or prominent signage. The site has no significant landscape features. Because no notable architects or engineers designed the site, the site is not related to a significant architectural or engineering theme. The style of the buildings is relatively unremarkable and may be indistinguishable from other LADWP neighborhood headquarters throughout Los Angeles. As such, the buildings are not the work of a master architect or important creative individual and the project site does not appear eligible as a contributor to a historic district. Thus, the project site does not appear eligible under NRHP/CRHR Criteria C/3.
4. **Criterion D/4: Have yielded, or may be likely to yield, information important in prehistory or history.** There is no evidence to suggest that the project site has the potential to yield information important to state or local history, nor is it associated with a known archaeological resource. Thus, the site is recommended not eligible under NRHP/CRHR Criterion D/4.

#### **City of Los Angeles HCM Criteria**

City of Los Angeles Historic-Cultural Monument designation is reserved for those resources that have a special aesthetic, architectural, or engineering interest or value of a historic nature. The Cultural Heritage Ordinance establishes criteria for designation; these criteria are contained in the definition of a Monument in the Ordinance. A historical or cultural monument is any site (including significant trees or other plant life located thereon), building, or structure of particular historical or cultural significance to the City of Los Angeles, such as historic structures or sites:

- in which the broad cultural, political, economic, or social history of the nation, state, or community is reflected or exemplified;
- which are identified with historic personages or with important events in the main currents of national, state, or local history;

- which embody the distinguishing characteristics of an architectural-type specimen, inherently valuable for a study of a period, style, or method of construction;
- which are a notable work of a master builder, designer, or architect whose individual genius influenced his or her age.

A proposed resource may be eligible for designation if it meets at least one of the criteria above. (LAOHR 2017). Because the City of Los Angeles HCM criteria closely follow that of the NRHP and CRHR, the national and state significance evaluation previously presented is also relevant here. The project site is not an example of outstanding craftsmanship, was not created by a “master” architect, builder, or designer, did not influence the design of other architecture in the City of Los Angeles, and does not have a role in the development or history of Los Angeles. It retains a moderate amount of integrity; however, alterations detract from integrity of materials and design. The site is not associated with a person or event important to Los Angeles history. The site is not associated with important movements or trends shaping the development of Los Angeles. Therefore, the project site is recommended not eligible for listing as a City of Los Angeles HCM.

### **Integrity Discussion**

Integrity is the authenticity of a historical resource’s physical identity as evidenced by the survival of characteristics that existed during the resource’s period of significance, and the historical resource’s ability to convey that significance. Seven aspects or qualities, in various combinations, define integrity: location, design, setting, materials, workmanship, feeling, and association (NPS 1990). To retain historic integrity, a property generally possesses several, if not most, of the aspects. The retention of specific aspects of integrity is paramount for a property to convey its significance. The project site’s integrity is as follows:

**Location:** The building is sited on the original location of construction in its original orientation. Therefore, the project site retains integrity of location.

**Design:** The five buildings were subjected to several alterations over time that have compromised its integrity of design, including reconfiguration of entry points. Therefore, the buildings and grounds at the project site do not maintain integrity of design.

**Setting:** The site does not maintain its original property boundaries, extending north into the 12272 West Nebraska Avenue lot sometime in the last decade. Areas such as the southern boundary along the 1840 Centinela Avenue have also been alerted overtime. The setting within the larger neighborhood context, such as areas to the northwest, northeast, and southwest of the site are largely unaltered. Therefore, the project site retains diminished integrity of setting, by the reconfiguration of the yards over time.

**Materials:** Numerous alterations to the buildings on site introduced new materials to that were not part of the original design. Therefore, the project site does not retain integrity of materials.

**Workmanship:** The physical evidence of a craftsman's skills in constructing the original building was compromised by the exterior alterations of the buildings. Thus, the project site no longer retains its integrity of workmanship.

**Feeling:** The alterations made to the site do not significantly impact the buildings' ability to correlate to a Mid-Century Modern working yard for the use of LADWP journeymen and their supporting staff. It retains high levels of functionality that it would have had since the site was developed in the 1950s and 1960s. For the most part, buildings retain their original roles, and the feeling of individual buildings has not changed. However, changes to the layout of the property and setting, do affect integrity of feeling. The significant addition of outdoor storage obstructs the original feeling of a working yard. The creation and addition of lots for parking spaces further degrades integrity of feeling. Therefore, the project site retains diminished integrity of feeling.

**Association:** No important historical associations with events and people were identified for the project site.

### Summary

The project site appears not eligible under all NRHP, CRHR, and City of Los Angeles HCM designation criteria. Further, the property exhibits moderate integrity of location, setting, and feeling, and low integrity of design, materials, or workmanship. No important historical associations with events and people were identified. Consequently, the property does not maintain the requisite integrity to warrant listing in the NRHP, CRHR, or as a City of Los Angeles HCM. As such, impacts to historical resources would be less than significant.

**b) *Would the project cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?***

**Less Than Significant with Mitigation Incorporated.** As previously discussed, in order to determine the archaeological sensitivity of the project site, a CHRIS records search from the SCCIC was conducted. The search included any previously recorded cultural resources and investigations within a 0.5-mile radius of the project site. The results of the record search are included as Appendix B of this document. As discussed in Appendix B, the SCCIC records search indicate that 15 previously conducted studies were identified within the 0.5-mile records search radius between 1977 and 2013. Of these studies, one overlaps the current project area (LA-12500). The *Final Archaeological Resources Monitoring Report for the Los Angeles Department of Water and Power Scattergood–Olympic Transmission Line Project, Vault Investigations, Los Angeles County, California* (Vader 2013), documents the results of archaeological monitoring conducted during the installation of 11.4 miles of underground transmission line located in the western portion of the City of Los Angeles. No cultural resources were identified on the project site as a result of the study. Cultural material was recovered at the southern end of the alignment where the proposed right-of-way (ROW) traversed the coast.

No previously recorded cultural resources were identified within the project site as a result of the SCCIC records search. Nine previously recorded resources were identified within a 0.5-mile-radius of the project area. Two of the resources are historic period archaeological deposits, and seven of the resources are built environment resources. All of the previously recorded resources are south of the project site and clustered along resource P-19-003803, the historic Southern Pacific Railroad ROW, which at its closest point, is located approximately 0.1-mile from the project site.

As part of the process of identifying cultural resources within or near the project site, the Native American Heritage Commission (NAHC) was contacted to request a review of the Sacred Lands File (SLF) on September 1, 2017. The NAHC responded on September 7, 2017, indicating that the search did not identify any Native American resources in the vicinity of the project site but that the surrounding area is sensitive for cultural resources. Because the SLF search does not include an exhaustive list of Native American cultural resources, the NAHC suggested contacting Native American individuals and/or tribal organizations who may have direct knowledge of cultural resources on or near the project site. The NAHC provided the contact information of the five persons and entities to contact along with the SLF search results. Tribal groups on this list were contacted on September 11, 2017. One response was received by Andrew Salas of the Gabrieleno Band of Mission Indians – Kizh Nation requesting that a Gabrieleno Band of Mission Indians – Kizh Nation Native Monitor be present during all ground disturbances.

Although one Native American contact, the Gabrieleno Band of Mission Indians – Kizh Nation, requested the presence of a Native American monitor during all ground-disturbing activities, no specific archaeological resources or sensitivity concerns were identified by any sources consulted such as the CHRIS records search, Native American coordination, or survey. However, there is a possibility of encountering previously undisturbed archaeological resources at subsurface levels during ground-disturbing activities associated with the project such that potentially significant impacts could occur. However, with implementation of mitigation measure **MM-CUL-1**, potential impacts to archeological resources during construction activities would be reduced to a less-than-significant level.

**MM-CUL-1** In the event that archaeological resources (sites, features, or artifacts) are exposed during construction activities for the proposed project, all construction work occurring within 100 feet of the find shall immediately stop until a qualified archaeologist, meeting the Secretary of the Interior's Professional Qualification Standards, evaluates the significance of the find and determines whether or not additional study is warranted. Should it be required, temporary flagging may be installed around a resource to avoid any disturbances from construction equipment. Depending upon the significance of the find under CEQA (14 California Code of Regulations Section 15064.5(f); PRC Section 21082), the archaeologist may record the find to appropriate standards (thereby addressing any data potential) and allow work to continue. If the archaeologist observes the discovery to be potentially significant under CEQA, additional work, such as preparation of an archaeological treatment plan, testing, or data recovery, may be warranted. Work in the area may resume once

evaluation and treatment of the resource is completed or the resource is recovered and removed from the site.

c) ***Would the project disturb any human remains, including those interred outside of dedicated cemeteries?***

**Less Than Significant Impact.** There is no indication that human remains are present within the boundaries of the project site. In the unlikely event that excavation activities during construction inadvertently discover buried human remains, the lead agency staff and the County Coroner must be notified of the discovery within 48 hours of discovery, in accordance with Section 7050.5 of the California Health and Safety Code. No further excavation or disturbance of the identified material, or any area reasonably suspected to overlie additional remains, can occur until a determination has been made. If the County Coroner determines that the remains are, or are believed to be, Native American, the coroner would notify the NAHC within 24 hours. In accordance with PRC Section 5097.98, the NAHC must immediately notify those persons it believes to be the Most Likely Descendants (MLD) of the deceased Native American. Within 48 hours of this notification, the MLD would recommend to the lead agency her/his preferred treatment of the remains and associated grave goods. As such, and with compliance with Section 7050.5 of the California Health and Safety Code, impacts would be less than significant.

#### References

- LAOHR (Los Angeles Office of Historic Resources). 2017. "What Makes a Resource Historically Significant?" Los Angeles Office of Historic Resources website. Accessed October, 31, 2017 <https://preservation.lacity.org/commission/what-makes-resource-historically-significant>.
- NPS (National Park Service). 1990. National Register Bulletin: How to Apply The National Register Criteria for Evaluation. Bulletin No. 15. Accessed November 1, 2017. <https://www.nps.gov/nr/publications/bulletins/pdfs/nrb15.pdf>.
- Vader, M. 2013. Final Archaeological Resources Monitoring Report for the Los Angeles Department of Water and Power Scattergood–Olympic Transmission Line Project, Vault Investigations, Los Angeles County, California.



### 3.6 Energy

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Result in a potentially significant environmental impact due to the wasteful, inefficient, or unnecessary consumption of energy resources during project construction or operation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

- a) ***Would the project result in a potentially significant environmental impact due to the wasteful, inefficient, or unnecessary consumption of energy resources during project construction or operation?***

**Less Than Significant Impact.** The short-term construction and long-term operation of the proposed project will require the consumption of energy resources in several forms at the project site and within the project area. Construction and operational energy consumption is evaluated in detail below.

#### **Electricity**

##### ***Construction Use***

Temporary electric power for as-necessary lighting and electronic equipment would be provided by LADWP. The amount of electricity used during construction would be minimal, because typical demand would stem from electrically powered hand tools. The electricity used for construction activities would be temporary and minimal; therefore, project construction would not result in wasteful, inefficient, or unnecessary consumption of electricity. Impacts would be less than significant.

##### ***Operational Use***

Project operation would require electricity for multiple purposes including building heating and cooling, lighting, appliances, electronics, and water and wastewater conveyance. The estimation of operational building energy was based on the applicant-provided forecasted annual electricity consumption estimate of 569,720 kilowatt-hours (kWh). Supply, conveyance, treatment, and distribution of water for the project would also require the use of electricity. Similarly, wastewater generated by the project would require the use of electricity for conveyance and treatment. The water consumption estimate for the project (17,236,917 gallons of water per year) water use were based on defaults values in CalEEMod, and associated electricity consumption from water use and wastewater generation were estimated using CalEEMod. Table 3.6-1, Project Operations – Electricity Demand, presents the electricity demand for the project.

Table 3.6-1. Project Operations – Electricity Demand

Project Facility	kWh/year
Project Buildings	2,170,309.5
Water/Wastewater	15,242.14
Total	584,962.14

Source: Appendix A  
 Notes: kWh = kilowatt-hour.

For comparison, electricity demand for Los Angeles County in 2018 was 67,856 million kWh (CEC 2018a). The proposed project would result in a minimal increase in electricity consumption and would be inherently energy efficient by implementing measures such as LED lighting, optimizing building envelope thermal properties, managing water usage, and optimizing energy performance and controls. Additionally, solar photovoltaic (PV) panels would be incorporated into the project design, which would offset the majority of electricity that would be consumed by the project. Impacts related to operational electricity use would therefore be less than significant.

**Natural Gas**

***Construction Use***

Natural gas is not anticipated to be required during construction of the proposed project. Fuels used for construction would primarily consist of diesel and gasoline, which are discussed below under the “petroleum” subsection. Any minor amounts of natural gas that may be consumed as a result of project construction would have a negligible contribution to the project’s overall energy consumption.

***Operational Use***

Natural gas consumption during operation would be required for various purposes, including building heating and cooling. For building consumption, default natural gas generation rates in CalEEMod for the proposed project land uses and climate zone were used. Table 3.6-2, Project Operations – Natural Gas Demand, presents the natural gas demand for the proposed project

Table 3.6-2. Project Operations – Natural Gas Demand

Project Facility	kBtu/year
Project Buildings	900,278

Source: Appendix A  
 Notes: kBtu = thousand British thermal units.

As shown in Table 3.6-2, the project would consume approximately 900,277 thousand British thermal units (kBtu) per year. For comparison, in 2018 SoCalGas delivered approximately 2,921 million therms (292.1 billion kBtu) to Los Angeles County (CEC 2018b). The proposed project is subject to statewide mandatory energy requirements as outlined in Title 24, Part 6, of the California Code of Regulations. Title 24, Part 11, contains additional energy measures that are applicable to proposed project under the California Green Building Standards Code (CALGreen). Therefore, the proposed project would not result in a wasteful use of energy. Impacts related to operational natural gas use would be less than significant.

**Petroleum**

**Construction**

Heavy-duty construction equipment associated with construction activities would rely on diesel fuel, as would haul and vendor trucks involved in delivery of materials to the project site. Construction workers would travel to and from the project site throughout the duration of construction. It is assumed in this analysis that construction workers would travel to and from the site in gasoline-powered light-duty vehicles.

Heavy-duty construction equipment of various types would be used during each phase of project construction. Appendix A lists the assumed equipment usage for each phase of construction. The project’s construction equipment is estimated to operate a total combined 31,576 hours.

Fuel consumption from construction equipment was estimated by converting the total carbon dioxide (CO<sub>2</sub>) emissions from each construction phase to gallons using the conversion factors for CO<sub>2</sub> to gallons of gasoline or diesel. The conversion factor for gasoline is 8.78 kilograms per metric ton CO<sub>2</sub> per gallon, and the conversion factor for diesel is 10.21 kilograms per metric ton CO<sub>2</sub> per gallon (The Climate Registry 2019). The estimated diesel fuel usage from construction equipment is shown in Table 3.6-3, Construction Equipment Diesel Demand.

Table 3.6-3. Construction Equipment Diesel Demand

Phase	Pieces of Equipment	Equipment CO <sub>2</sub> (MT)	Kg CO <sub>2</sub> /Gallon	Gallons
Demolition	10	257.45	10.21	25,215.40
Site Preparation	4	6.14	10.21	601.49
Grading One - Shoring 1	2	42.66	10.21	4,178.64
Trenching	3	32.99	10.21	3,231.19
Grading Two - Excavation	11	307.48	10.21	30,115.44
Grading Three - Shoring 2	1	12.89	10.21	1,262.39
Paving One - Concrete Foundations	10	97.62	10.21	9,560.78
Building Construction	11	842.90	10.21	82,555.90
Architectural Coating	1	11.23	10.21	1,100.33

Table 3.6-3. Construction Equipment Diesel Demand

Phase	Pieces of Equipment	Equipment CO <sub>2</sub> (MT)	Kg CO <sub>2</sub> /Gallon	Gallons
Paving Two - Concrete Paving	7	62.85	10.21	6,155.52
Total				163,977.07

Sources: Pieces of equipment and equipment CO<sub>2</sub> (Appendix F); kg CO<sub>2</sub>/Gallon (The Climate Registry 2019).  
Notes: CO<sub>2</sub> = carbon dioxide; MT = metric ton; kg = kilogram.

Fuel estimates for total worker, vendor, and haul truck fuel consumption are provided in Table 3.6-4, Construction Worker, Vendor, and Haul Truck Petroleum Demand.

Table 3.6-4. Construction Worker, Vendor, and Haul Truck Petroleum Demand

Phase	Trips	Vehicle MT CO <sub>2</sub>	Kg CO <sub>2</sub> /Gallon	Gallons
<i>Worker Vehicles (Gasoline)</i>				
Demolition	26	10.93	8.78	1,245.19
Site Preparation	10	0.29	8.78	32.65
Grading One - Shoring 1	6	2.35	8.78	267.76
Trenching	8	2.52	8.78	287.35
Grading Two - Excavation	28	11.64	8.78	1,325.73
Grading Three - Shoring 2	4	0.59	8.78	67.48
Paving One - Concrete Foundations	26	36.49	8.78	4,156.15
Building Construction	124	313.55	8.78	35,711.96
Architectural Coating	26	9.85	8.78	1,121.63
Paving Two - Concrete Paving	18	5.02	8.78	571.57
Total				44,787.47
<i>Vendor Trucks (Diesel)</i>				
Demolition	0	0	10.21	0.00
Site Preparation	0	0	10.21	0.00
Grading One - Shoring 1	0	0	10.21	0.00
Trenching	0	0	10.21	0.00
Grading Two - Excavation	0	0	10.21	0.00
Grading Three - Shoring 2	0	0	10.21	0.00
Paving One - Concrete Foundations	0	0	10.21	0.00
Building Construction	51	341.57	10.21	33,454.19
Architectural Coating	0	0	10.21	0.00
Paving Two - Concrete Paving	0	0	10.21	0.00
Demolition	0	0	10.21	0.00
Total				33,454.19

Table 3.6-4. Construction Worker, Vendor, and Haul Truck Petroleum Demand

Phase	Trips	Vehicle MT CO <sub>2</sub>	Kg CO <sub>2</sub> / Gallon	Gallons
<i>Haul Trucks (Diesel)</i>				
Demolition	138	5.1522	10.21	504.62
Site Preparation	0	0	10.21	0.00
Grading One - Shoring 1	0	0	10.21	0.00
Trenching	0	0	10.21	0.00
Grading Two - Excavation	10,000	373.35	10.21	36,567.05
Grading Three - Shoring 2	0	0	10.21	0.00
Paving One - Concrete Foundations	0	0	10.21	0.00
Building Construction	0	0	10.21	0.00
Architectural Coating	0	0	10.21	0.00
Paving Two - Concrete Paving	0	0	10.21	0.00
Total				37,071.67

Sources: Trips and vehicle CO<sub>2</sub> (Appendix A); kg CO<sub>2</sub>/Gallon (The Climate Registry 2019).

Notes: MT = metric ton; CO<sub>2</sub> = carbon dioxide; kg = kilogram.

In summary, construction of the project is conservatively anticipated to consume 44,787 gallons of gasoline and 234,503 gallons of diesel over a period of approximately 48 months. For comparison, approximately 114 billion gallons of petroleum will likely be consumed in California over the course of the proposed project's construction phase, based on the California daily petroleum consumption estimate of approximately 78.6 million gallons per day (EIA 2019). Overall, because petroleum use during construction would be temporary, and would not be wasteful or inefficient, impacts would be less than significant.

### Operation

The fuel consumption resulting from the project's operational phase would be attributable to employees and visitors traveling to and from the project site. Petroleum fuel consumption associated with motor vehicles traveling to and from the project site during operation is a function of vehicle miles traveled (VMT). As shown in Appendix A, the annual VMT attributable to the project is expected to be 4,025,059 VMT per year. Similar to construction worker and truck trips, fuel consumption for operation is estimated by converting the total CO<sub>2</sub> emissions from VMT to gallons using the conversion factors for CO<sub>2</sub> to gallons of gasoline or diesel. Based on the default CalEEMod vehicle mix and the countywide proportion of gasoline and diesel on-road vehicle VMT, the vehicles associated with project operations would likely be approximately 93% gasoline powered and 7% diesel powered vehicles. The estimated fuel use from vehicles traveling to and from the project site during operation is shown in Table 3.6-5, Project Operations – Petroleum Consumption.

Table 3.6-5. Project Operations – Petroleum Consumption

Fuel	Vehicle MT CO <sub>2</sub>	kg CO <sub>2</sub> /Gallon	Gallons
Gasoline	1,458.01	8.78	166,060.21
Diesel	113.81	10.21	11,146.89

Source: Appendix A

Notes: CO<sub>2</sub> = carbon dioxide; kg = kilogram; MT = metric ton.

As depicted in Table 3.6-5, project operation would result in approximately 177,207.10 gallons of petroleum fuel usage per year. This is a conservative estimate, since it does not account for usage of electric vehicles (EVs). By comparison, California as a whole consumes approximately 28.7 billion gallons of petroleum per year (EIA 2019).

Over the lifetime of the project, the fuel efficiency of vehicles is expected to increase. As such, the amount of petroleum consumed as a result of vehicular trips to and from the project site during operation is expected to decrease over time. There are numerous regulations in place that require and encourage increased fuel efficiency, such as efforts to accelerate the number of plug-in hybrids and zero-emissions vehicles in California and increasingly stringent emissions standards (CARB 2011). As such, operation of the project is expected to use decreasing amounts of petroleum over time due to advances in fuel economy. Impacts related to operational petroleum use would therefore be less than significant.

In summary, although the project would increase energy use, the use would be a small fraction of the statewide use and, due to efficiency increases, is expected to diminish over time (particularly with respect to petroleum). Given these considerations, energy consumption associated with the project would not be considered inefficient or wasteful and would result in a **less than significant impact**. No mitigation is required.

**b) *Would the project conflict with or obstruct a state or local plan for renewable energy or energy efficiency?***

**Less Than Significant Impact.** Part 6 of Title 24 of the California Code of Regulations was established in 1978 and serves to enhance and regulate California’s building standards. Part 6 establishes energy efficiency standards for residential and non-residential buildings constructed in California to reduce energy demand and consumption. Part 6 is updated periodically (every 3 years) to incorporate and consider new energy efficiency technologies and methodologies. Title 24 also includes Part 11, CALGreen. CALGreen institutes mandatory minimum environmental performance standards for all ground-up, new construction of commercial, low-rise residential, and state-owned buildings, as well as schools and hospitals. The proposed project would meet Title 24 and CALGreen standards to reduce energy demand and increase energy efficiency. Additionally, the project would consolidate and replace the existing LADWP structures with modern facilities with increased energy efficiency, due to more stringent energy conservation regulations. Finally, PV panels would be incorporated into the project design, which would offset the majority of electricity that would be consumed by the project.

Overall, the proposed project would not conflict with existing energy standards and regulations; therefore, impacts during construction and operation of the proposed project would be **less than significant**. No mitigation is required.

## References

- CARB (California Air Resources Board). 2011. “Facts About the Advanced Clean Cars Program.” Revised November 9, 2011. Accessed May 2019. [https://www.arb.ca.gov/msprog/zevprog/factsheets/advanced\\_clean\\_cars\\_eng.pdf](https://www.arb.ca.gov/msprog/zevprog/factsheets/advanced_clean_cars_eng.pdf).
- CEC (California Energy Commission). 2018a. “Electricity Consumption by County.” Accessed October 2019. <http://ecdms.energy.ca.gov/elecbycounty.aspx>.
- CEC (California Energy Commission). 2018b. “Gas Consumption by County.” Accessed October 2019. <http://ecdms.energy.ca.gov/gasbycounty.aspx>.
- EIA (U.S. Energy Information Administration). 2019. “California State Profile and Energy Estimates – Table F16: Total Petroleum Consumption Estimates, 2017.” Accessed June 2019. [https://www.eia.gov/state/seds/data.php?incfile=/state/seds/sep\\_fuel/html/fuel\\_use\\_pa.html&sid=US&sid=CA](https://www.eia.gov/state/seds/data.php?incfile=/state/seds/sep_fuel/html/fuel_use_pa.html&sid=US&sid=CA).
- EIA (U.S. Energy Information Administration). 2019. “California State Profile and Energy Estimates – Table F16: Total Petroleum Consumption Estimates, 2017.” Accessed June 2019. [https://www.eia.gov/state/seds/data.php?incfile=/state/seds/sep\\_fuel/html/fuel\\_use\\_pa.html&sid=US&sid=CA](https://www.eia.gov/state/seds/data.php?incfile=/state/seds/sep_fuel/html/fuel_use_pa.html&sid=US&sid=CA).
- The Climate Registry. 2019. Default Emission Factors. May. Accessed May 2019. <https://www.theclimateregistry.org/wp-content/uploads/2019/05/The-Climate-Registry-2019-Default-Emission-Factor-Document.pdf>.

## 3.7 Geology and Soils

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

WEST LOS ANGELES DISTRICT YARD PROJECT  
 INITIAL STUDY/MITIGATED NEGATIVE DECLARATION

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
fault? Refer to Division of Mines and Geology Special Publication 42.				
ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iv) Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Information in this section is taken, in part, from a Geotechnical Investigation Report prepared by Power Engineering Division Geology and Soils Group in February 2018, as well as a Paleontological records Search, included herein as Appendix C1 and C2, respectively.



a) ***Would the project directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:***

i) ***Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.***

**Less Than Significant Impact.** Surface rupture during a seismic event occurs when movement on a fault results in offset to the ground surface; however, not all earthquakes result in surface rupture. The proposed project site is not located within a known earthquake fault zone as delineated on the most Alquist-Priolo Earthquake Fault Zoning Map and is not traversed by any known active faults (City of Los Angeles 2019a). The nearest active fault to the project site, as identified by the City of Los Angeles, is the Santa Monica fault, located approximately 0.5-mile from the project site (City of Los Angeles 2019a). Because no fault lines are known or mapped on the project site, fault rupture is not expected to occur at the project site during a seismic event. Furthermore, implementation of the proposed project would not exacerbate the potential for fault rupture to occur at the project site. As such, impacts would be less than significant.

ii) ***Strong seismic ground shaking?***

**Less Than Significant Impact.** As with all areas in Southern California, the project site is located in a seismically active region, within which are numerous known earthquake faults. As stated in Section 3.6(a)(i), the Santa Monica fault approximately 0.5-mile from the project site. As with most areas throughout Southern California, the site could be exposed to strong seismic ground shaking over the course of the project's lifespan. However, the proposed project would be designed and constructed in accordance with the latest version of the California Building Code (CBC) and the City of Los Angeles Building Code (LABC), which is legislated by LAMC Chapter IX. Additionally, the proposed project would be constructed according to the recommendations provided in the Geotechnical Report prepared for the project (see Appendix C). Lastly, implementation of the proposed project would not increase the potential for strong seismic ground shaking. As such, impacts would be less than significant.

iii) ***Seismic-related ground failure, including liquefaction?***

**Less Than Significant Impact.** Liquefaction typically occurs when a site is subject to strong seismic shaking in an area underlain by soils with low cohesion and groundwater located near the surface. The factors known to influence liquefaction potential include soil type and grain size, relative density, groundwater level, confining pressures, and both intensity and duration of ground shaking. In general, materials that are susceptible to liquefaction are loose, saturated granular soils having low fines content under low confining pressures.

According to the Geotechnical Report prepared for the proposed project, a portion of the project site (the easternmost parcel as well as the parcels proposed to host the underground parking structure and surface parking lot) is located in an area susceptible to liquefaction (Appendix C); although, the potential for liquefaction to occur at the project site is low. Irrespective, as discussed in Section 3.6(a)(ii), the project site has the potential to be exposed to strong seismic ground shaking and associated hazards, including liquefaction.

The project would be designed and constructed in accordance with the latest version of the CBC and the LABC relative to seismic criteria, which provides a measure of safety for people and structures exposed to potential substantial adverse effects involving seismic-related ground shaking, including liquefaction. Moreover, the proposed project would adhere to the construction recommendations outlined in the Geotechnical Report (Appendix C). Lastly, the proposed project would not increase or exacerbate the potential for liquefaction to occur. As such, impacts would be less than significant.

*iv) Landslides?*

**No Impact.** Landslides are generally defined as the rapid downward movement of rocks and debris en masse, often carried and/or exacerbated by water, down a steep slope (i.e., a cliff, mountain, or hill). The project site is located within an urban area on relatively flat topography and has not been mapped as a landslide hazards area (City of Los Angeles 2019a). As such, the potential for landslides in the project area is low. Moreover, implementation of the proposed project would not exacerbate the potential for landslides to occur on site or in the surrounding area. As such, no impact would occur.

*b) Would the project result in substantial soil erosion or the loss of topsoil?*

**Less Than Significant Impact.** The project site is already fully developed with LADWP facilities and surface parking. Construction of the proposed project would involve removal of all existing on-site structures and paving areas and would require grading and excavation of approximately 6.3 acres. During construction activities, the potential for soil erosion to occur would increase due to the exposure of disturbed soils to rains and to construction activities (such as vehicular movement). The project would disturb an area greater than one acre and, as such, would be required to comply with the National Pollutant Discharge Elimination System (NPDES) Construction General Permit, which requires the implementation of a stormwater pollution prevention plan (SWPPP). The SWPPP would employ various BMPs, which are intended to minimize soil erosion during construction. Upon completion of construction, the project would be fully developed with structures, parking, and landscaped areas that would minimize any long-term erosion potential. As such, impacts would be less than significant.

- c) ***Would the project be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?***

**Less Than Significant Impact.** As discussed in Section 3.6(a)(iii), a portion of the project site is subject to liquefaction. However, the project site is located in a highly urbanized area and is already developed. Nonetheless, trenches and other excavations would be backfilled with engineered fills, which meets compaction and shear strength requirements. As discussed in Section 3.6(a)(iv), the project site is not located in an area mapped as a landslide hazard area and would be required to comply with the design and construction requirements of the CBC, the LABC, and with the recommendations established in the Geotechnical Report (Appendix C). Additionally, the Geotechnical Report prepared for the project identified the soils underlying the project site as primarily clayey soils underlain by sedimentary bedrock units, which are generally dense and well consolidated and, as such, reduce the likelihood of landslides, seismic settlement, and lateral spreading at the project site. The project would not involve activities (such as the extraction of groundwater, oil drilling etc.) that could result in, or increase the probability of, subsidence occurring. As such, the construction activities proposed would not result in ground surface disturbance that could lead to unstable soils. Thus, impacts would be less than significant.

- d) ***Would the project be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?***

**Less Than Significant Impact.** The CBC and the LABC outline specific design, engineering, and development standards for structures proposed in areas with unstable soils. The project site is located in a highly urbanized area and is already developed. As such, construction and operation of the project would occur along previously disturbed areas. Poorly consolidated Holocene-age alluvial deposits (sand, silt, clay, and gravel) above sedimentary bedrock units the underlie site (Appendix C). Although there is some potential for expansive soils to be encountered at the project site, appropriate engineering, including compliance with the CBC, LABC, and project-specific Geotechnical Report requirements would ensure that impacts to life or property as a result of expansive soils would be less than significant.

- e) ***Would the project have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?***

**No Impact.** The proposed project would not require the use of septic tanks or other alternative wastewater disposal systems. During project construction, sanitary waste would be handled by temporary portable chemical toilets. The waste from temporary facilities would be removed by a private contractor and disposed of at an approved off-site location. During operation, the project would be connected to the existing wastewater disposal infrastructure. As such, soils beneath the project site would not need to support septic tanks and no impact would occur.

f) ***Would the project directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?***

**Less Than Significant with Mitigation Incorporated.** Although the proposed project site is already developed and located on a relatively flat area of the City, the proposed project would involve significant soil excavation for the underground parking structure. Research conducted by Dudek paleontologists and the paleontological records search from the Natural History Museum of Los Angeles County (LACM; Appendix C2) (McLeod, 2017) indicate that the proposed project is underlain by Holocene (< 12,000 years ago) younger Quaternary alluvium (map unit Qa) (Dibblee and Ehrenspeck, 1991). Younger Quaternary alluvium is generally too young to yield significant paleontological resources; however, with depth, younger Quaternary alluvium can transition into early to middle Holocene (~ 12,000 – 5,000 years ago) and Pleistocene (~ 2.6 million years ago – 12,000 years ago) older Quaternary alluvium that is old enough to yield significant paleontological resources. The Society of Vertebrate Paleontology (SVP, 2010) considers significant paleontological resources to pre-date recorded human history or approximately 5,000 radiocarbon years old.

Quaternary alluvium is not considered a unique geological feature and no unique geological features are anticipated to be impacted by construction; however, it has produced numerous significant “Ice Age” fossil resources throughout Los Angeles County. Fossil specimens include amphibians (frogs, toads, and salamanders), reptiles (turtles, snakes, and lizards), birds, and mammals (rodents, rabbits, weasels, bears, wolves, coyotes, saber-tooth cats, bison, mammoths, and mastodons) (Miller, 1971; Jefferson, 1991).

The paleontological records search at the LACM did not identify any previously recorded localities within the proposed project area; however, they do have localities nearby from similar deposits to those that underlie the proposed project (McLeod, 2017). The closest locality reported by McLeod (2017) is situated just southwest of the proposed project along Pennsylvania Avenue and consists of a fossil American lion (*Felis atrox*) that was collected at a depth of six feet below the ground surface (bgs). The next closest locality includes fossil specimens of horse (*Equus*) and sloth (*Paramylodon*), which were recovered south of the proposed project near the intersection of Rose Avenue and Penmar Avenue at depths greater than 11 feet bgs (McLeod, 2017). Finally, the LACM recommends collecting sediment samples to test for the presence of microvertebrates onsite, when warranted.

Although no previously recorded fossil localities were reported by the LACM, the proposed project is underlain by younger Quaternary alluvium, which is overlain by older Quaternary alluvium at an unknown depth. Older Quaternary alluvium is known to yield scientifically significant paleontological resources at relatively shallow depths near the proposed project (McLeod, 2017). Shallow excavations into younger Quaternary alluvium will not likely yield significant paleontological resources; however, there is a possibility of encountering buried paleontological resources at a relatively shallow depth. Implementation of mitigation measure **MM-GEO-1** would ensure that potential impacts to paleontological resources during construction activities are reduced to below a level of significance. Thus, impacts would be less than significant with mitigation incorporated.

**MM-GEO-1** Prior to the commencement of any grading activity, the LADWP shall retain a qualified paleontologist, meeting the Society of Vertebrate Paleontology’s qualifications, to ensure the implementation of a paleontological monitoring program.

The qualified paleontologist shall attend any preconstruction meetings and manage the paleontological monitor(s) if he or she is not doing the monitoring. A paleontological monitor, meeting the Society of Vertebrate Paleontology’s standards, shall be on site during all excavations below a depth of five feet.

In the event that paleontological resources (e.g., fossils) are unearthed during grading, the paleontological monitor will temporarily halt and/or divert grading activity to allow recovery of paleontological resources. The area of discovery will be roped off with a 50-foot radius buffer. Once documentation and collection of the find is completed, the monitor will remove the rope and allow grading to recommence in the area of the find.

## References

- City of Los Angeles. 2019a. Zimas. “Seismic Hazards.” Web Map Application. Accessed August 26, 2019.  
<http://zimas.lacity.org/>
- Dibblee, T.W., and Ehrenspeck, H.E., 1991, Geologic map of the Beverly Hills and Van Nuys (south ½) quadrangles, Los Angeles County, California: Dibblee Geological Foundation, Dibblee Foundation Map DF-31, scale 1:24,000.
- Jefferson, G.T. 1991. “A Catalog of Late Quaternary Vertebrates from California.” Natural History Museum of Los Angeles County, Technical Reports 7:1-174. Unpublished revision: 18 May 2012.
- McLeod, S.A. 2017. Vertebrate Paleontology Records Check for paleontological resources for the proposed LADWP West Los Angeles District Yard Project, Dudek Project # 8584-50, in the City of Los Angeles, Los Angeles County, project area. Unpublished Records Search Results Letter from the Natural History Museum of Los Angeles County, Los Angeles, California.
- Miller, W.E. 1971. “Pleistocene Vertebrates of the Los Angeles Basin and Vicinity (Exclusive of Rancho La Brea).” Los Angeles County Museum of Natural History, Science Series 10:1-124.
- Prosser, D. 2017. “LOS ANGELES CITYWIDE HISTORIC CONTEXT STATEMENT Context: Public and Private Institutional Development, 1850–1980 Sub-Context: Municipal Infrastructure and Services, 1900–1980 Theme: Municipal Water and Power, 1902–1980.” Survey LA: Los Angeles Historic Resource Survey. Los Angeles, CA: Department of City Planning, Office of Historic Resources.

Society of Vertebrate Paleontology (SVP). 2010. Standard Procedures for the Assessment and Mitigation of Adverse Impacts to Paleontological Resources. 11 p. Available: <http://vertpaleo.org/PDFS/68/68c554bb-86f1-442f-a0dc-25299762d36c.pdf>.

### 3.8 Greenhouse Gas Emissions

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**a) *Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?***

**Less Than Significant Impact.** Climate change refers to any significant change in measures of climate, such as temperature, precipitation, or wind patterns, lasting for an extended period of time (decades or longer). The Earth’s temperature depends on the balance between energy entering and leaving the planet’s system, and many factors (natural and human) can cause changes in Earth’s energy balance. The greenhouse effect is the trapping and build-up of heat in the atmosphere (troposphere) near the Earth’s surface. The greenhouse effect is a natural process that contributes to regulating the Earth’s temperature, and it creates a livable environment on Earth. Human activities that emit additional GHGs to the atmosphere increase the amount of infrared radiation that gets absorbed before escaping into space, thus enhancing the greenhouse effect and causing the Earth’s surface temperature to rise. Global climate change is a cumulative impact; a project contributes to this impact through its incremental contribution combined with the cumulative increase of all other sources of GHGs. Thus, GHG impacts are recognized exclusively as cumulative impacts (CAPCOA 2008).

A GHG is any gas that absorbs infrared radiation in the atmosphere; in other words, GHGs trap heat in the atmosphere. As defined in California Health and Safety Code Section 38505(g) for purposes of administering many of the state’s primary GHG emissions reduction programs, GHGs include CO<sub>2</sub>, methane (CH<sub>4</sub>), nitrous oxide (N<sub>2</sub>O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), sulfur hexafluoride (SF<sub>6</sub>), and nitrogen trifluoride (NF<sub>3</sub>) (see also 14 CCR 15364.5). The three GHGs evaluated herein are CO<sub>2</sub>, CH<sub>4</sub>, and N<sub>2</sub>O.

Gases in the atmosphere can contribute to climate change both directly and indirectly.<sup>5</sup> The Intergovernmental Panel on Climate Change (IPCC) developed the global warming potential (GWP) concept to compare the ability of each GHG to trap heat in the atmosphere relative to another gas. The reference gas used is CO<sub>2</sub>; therefore, GWP-weighted emissions are measured in metric tons of CO<sub>2</sub> equivalent (MT CO<sub>2</sub>e). Consistent with CalEEMod Version 2016.3.2, this GHG emissions analysis assumed the GWP for CH<sub>4</sub> is 25 (emissions of 1 MT of CH<sub>4</sub> are equivalent to emissions of 25 MT of CO<sub>2</sub>), and the GWP for N<sub>2</sub>O is 298, based on the IPCC's Fourth Assessment Report (IPCC 2007).

As discussed in Section 3.3 of this IS/MND, the project is located within the jurisdictional boundaries of the SCAQMD. In October 2008, the SCAQMD proposed recommended numeric CEQA significance thresholds for GHG emissions for lead agencies to use in assessing GHG impacts of residential and commercial development projects as presented in its *Draft Guidance Document – Interim CEQA Greenhouse Gas (GHG) Significance Threshold* (SCAQMD 2008). This document, which builds on the previous guidance prepared by the California Air Pollution Control Officers Association (CAPCOA), explored various approaches for establishing a significance threshold for GHG emissions. The draft interim CEQA thresholds guidance document was not adopted or approved by the Governing Board. However, in December 2008, the SCAQMD adopted an interim 10,000 MT CO<sub>2</sub>e per-year screening level threshold for stationary source/industrial projects for which the SCAQMD is the lead agency (see SCAQMD Resolution No. 08-35, December 5, 2008).

The SCAQMD formed a GHG CEQA Significance Threshold Working Group to work with SCAQMD staff on developing GHG CEQA significance thresholds until statewide significance thresholds or guidelines are established. From December 2008 to September 2010, the SCAQMD hosted working group meetings and revised the draft threshold proposal several times, although it did not officially provide these proposals in a subsequent document. The SCAQMD has continued to consider adoption of significance thresholds for residential and general land use development projects. The most recent proposal, issued in September 2010, uses the following tiered approach to evaluate potential GHG impacts from various uses (SCAQMD 2010):

- Tier 1.** Determine if CEQA categorical exemptions are applicable. If not, move to Tier 2.
- Tier 2.** Consider whether or not the proposed project is consistent with a locally adopted GHG reduction plan that has gone through public hearing and CEQA review, that has an approved inventory, includes monitoring, etc. If not, move to Tier 3.
- Tier 3.** Consider whether the project generates GHG emissions in excess of screening thresholds for individual land uses. The 10,000 MT CO<sub>2</sub>e per-year threshold for industrial uses would be

---

<sup>5</sup> Direct effects occur when the gas itself absorbs radiation. Indirect radiative forcing occurs when chemical transformations of the substance produce other GHGs, when a gas influences the atmospheric lifetimes of other gases, and/or when a gas affects atmospheric processes that alter the radiative balance of the Earth (e.g., affect cloud formation or albedo).

recommended for use by all lead agencies. Under option 1, separate screening thresholds are proposed for residential projects (3,500 MT CO<sub>2</sub>e per year), commercial projects (1,400 MT CO<sub>2</sub>e per year), and mixed-use projects (3,000 MT CO<sub>2</sub>e per year). Under option 2, a single numerical screening threshold of 3,000 MT CO<sub>2</sub>e per year would be used for all non-industrial projects. If the project generates emissions in excess of the applicable screening threshold, move to Tier 4.

**Tier 4.** Consider whether the project generates GHG emissions in excess of applicable performance standards for the project service population (population plus employment). The efficiency targets were established based on the goal of Assembly Bill (AB) 32 to reduce statewide GHG emissions to 1990 levels by 2020. The 2020 efficiency targets are 4.8 MT CO<sub>2</sub>e per-service population for project-level analyses and 6.6 MT CO<sub>2</sub>e per-service population for plan-level analyses. If the project generates emissions in excess of the applicable efficiency targets, move to Tier 5.

**Tier 5.** Consider the implementation of CEQA mitigation (including the purchase of GHG offsets) to reduce the project efficiency target to Tier 4 levels.

Section 15064.7(c) of the CEQA Guidelines specifies that “[w]hen adopting thresholds of significance, a lead agency may consider thresholds of significance previously adopted or recommended by other public agencies, or recommended by experts, provided the decision of the lead agency to adopt such thresholds is supported by substantial evidence.” The CEQA Guidelines do not prescribe specific methodologies for performing an assessment, establish specific thresholds of significance, or mandate specific mitigation measures. Rather, the CEQA Guidelines emphasize the lead agency’s discretion to determine the appropriate methodologies and thresholds of significance that are consistent with the manner in which other impact areas are handled in CEQA (CNRA 2009).

To determine the proposed project’s potential to generate GHG emissions that would have a significant impact on the environment, the project’s GHG emissions were compared to the quantitative threshold of 3,000 MT CO<sub>2</sub>e per year for all non-industrial projects. Per the SCAQMD guidance, construction emissions should be amortized over the operational life of the project, which is assumed to be 30 years (SCAQMD 2008). Thus, this impact analysis compares estimated operational emissions plus amortized construction emissions to the proposed SCAQMD threshold of 3,000 MT CO<sub>2</sub>e per year.

### **Construction**

Construction of the proposed project would result in GHG emissions primarily associated with the use of off-road construction equipment, on-road trucks, and worker vehicles. A depiction of expected construction schedules (including information regarding phasing, equipment used during each phase, truck trips, and worker vehicle trips) assumed for the purposes of emissions estimation is provided in Table 3.3-2 and in Appendix A. Sources of GHG emissions include off-road equipment; off-site sources include trucks and worker vehicles. Table 3.8-1 presents construction GHG emissions for the proposed project from on-site and off-site emissions sources.



Table 3.8-1. Estimated Annual Construction GHG Emissions

Year	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub> e
	<i>Metric Tons per Year</i>			
2021	1,711.01	0.25	0.00	1,177.20
2022	603.58	0.10	0.00	606.05
2023	689.39	0.11	0.00	692.18
2024	293.99	0.05	0.00	295.35
Total				2,770.78
Amortized Emissions (over 30 years)				92.36

Notes: CO<sub>2</sub> = carbon dioxide; CH<sub>4</sub> = methane; N<sub>2</sub>O = nitrous oxide; CO<sub>2</sub>e = carbon dioxide equivalent.  
 See Appendix A for complete results.

As shown in Table 3.8-1, the estimated total GHG emissions would be approximately 2,771 MT CO<sub>2</sub>e. Amortized over 30 years, construction GHG emissions would be approximately 92 MT CO<sub>2</sub>e per year. In addition, as with project-generated construction criteria air pollutant emissions, GHG emissions generated during proposed construction activities would be short term, lasting only for the duration of the construction period, and would not represent a long-term source of GHG emissions. Because there is no separate GHG threshold for construction, the evaluation of significance is discussed in the operational emissions analysis in the following text.

### Operations

CalEEMod version 2016.3.2 was used to estimate potential project-generated operational GHG emissions from area sources (landscape maintenance), energy sources (natural gas and electricity), mobile sources, solid waste, and water supply and wastewater treatment. For additional details, see Section 3.3 for a discussion of operational emission calculation methodology and assumptions, specifically for area and energy (natural gas) sources. Year 2024 was assumed as the first year of operations after project construction.

Existing emissions from the project site were calculated based on the existing land uses using CalEEMod defaults for energy, waste, water and off-road equipment. Trip data from the project's TIA was used to calculate mobile emissions. For the existing site, an operational year of 2020 was assumed as this would be the last year before demolition is anticipated to start.

The estimation of operational energy emissions was based on the CalEEMod defaults per the given land use. Furthermore, as part of the project design, electricity is anticipated to be generated by on-site solar PV panels on parking canopies and the building rooftop that would meet the on-site electricity demand. Annual electricity emissions were estimated in CalEEMod using the emissions factors for LADWP, which would be the energy source provider for the proposed project.

Supply, conveyance, treatment, and distribution of water for the project require the use of electricity, which would result in associated indirect GHG emissions. Similarly, wastewater generated by the project requires the use of electricity for conveyance and treatment, along with GHG emissions generated during wastewater treatment. Water consumption estimates for both indoor and outdoor water use (15,242.14 gallons per year) were based on CalEEMod defaults per the given land use, and associated electricity consumption from water use and wastewater generation were estimated using CalEEMod default values.

All details for criteria air pollutants discussed in Section 3.3 are also applicable for the estimation of operational mobile source GHG emissions. Regulatory measures related to mobile sources include Assembly Bill (AB) 1493 (Pavley) and related federal standards. AB 1493 required that CARB establish GHG emission standards for automobiles, light-duty trucks, and other vehicles determined by CARB to be vehicles that are primarily used for noncommercial personal transportation in the state. In addition, the National Highway Traffic Safety Administration and U.S. Environmental Protection Agency have established corporate fuel economy standards and GHG emission standards, respectively, for automobiles and light-, medium-, and heavy-duty vehicles. Implementation of these standards and fleet turnover (replacement of older vehicles with newer ones) will gradually reduce emissions from the proposed project's motor vehicles.

The project would also generate solid waste, and therefore, result in CO<sub>2</sub>e emissions associated with landfill off-gassing. CalEEMod default values for solid waste generation were used to estimate GHG emissions associated with solid waste, with 50% waste diversion assumed consistent with AB 939.

Table 3.8-2 presents the annual GHG emissions associated with operation of the proposed project. Additional details are included in Appendix A.

Table 3.8-2. Estimated Annual Operational GHG Emissions

Emission Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub> e
	<i>Metric Tons per Year</i>			
Existing				
Area	<0.01	0.00	0.00	<0.01
Energy	151.20	<0.01	<0.01	151.56
Mobile	734.12	0.04	0.00	735.04
Off-Road	106.00	0.03	0.00	106.85
Waste	9.37	0.55	0.00	23.21
Water	51.48	0.19	<0.01	57.48
Total	1,052.17	0.81	0.01	1,074.16
Proposed				
Area	0.01	<0.01	0.00	0.02
Energy	48.04	<0.01	<0.01	48.33

Table 3.8-2. Estimated Annual Operational GHG Emissions

Emission Source	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub> e
	<i>Metric Tons per Year</i>			
Mobile	1,571.82	0.07	0.00	1,573.51
Off-Road	194.41	0.06	0.00	195.98
Waste	6.19	0.37	0.00	15.35
Water	121.95	0.36	0.01	133.75
Total	1,942.44	0.86	0.01	1,966.94
<i>Amortized Construction Emissions</i>				92.36
Operation + Amortized Construction Total				2,059.3
Net Total (Existing – Proposed)				958.14

Notes: CO<sub>2</sub> = carbon dioxide; CH<sub>4</sub> = methane; N<sub>2</sub>O = nitrous oxide; CO<sub>2</sub>e = carbon dioxide equivalent  
 See Appendix A for detailed results.

Values of “<0.01” indicate that the estimated emissions are less than two decimals. Totals may not sum due to rounding.

As shown in Table 3.8-2, the estimated annual project-generated GHG emissions would be approximately 1,997 MT CO<sub>2</sub>e per year as a result of project operation. When summed with the amortized project construction emissions, the total annual GHGs would be approximately 2,059 MT CO<sub>2</sub>e per year. Finally, after existing emissions at the project site were accounted for, net emissions would be approximately 958 MT CO<sub>2</sub>e per year. Annual operational GHG emissions with amortized construction emissions would not exceed the SCAQMD threshold of 3,000 MT CO<sub>2</sub>e per year. Therefore, the proposed project’s GHG contribution would not be cumulatively considerable and is **less than significant**.

***b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?***

**Consistency with the City of Los Angeles’ Sustainable City Plan**

The Sustainable City Plan is not a qualified GHG reduction plan according to CEQA Guidelines Section 15183.5 and thus cannot be used in a cumulative impacts analysis to determine the significance of GHG impacts under CEQA. Therefore, this discussion of consistency is for informational purposes only. Table 3.8-3 provides an overview of the measures and goals within the Sustainable City Plan and the proposed project’s consistency with each measure and goal. As shown in Table 3.8-3, the proposed project would not conflict with any of the GHG reduction measures or goals within the Sustainable City Plan and thus is consistent with the plan.

Table 3.8-3. Proposed Project Consistency with the Sustainable City Plan Greenhouse Gas Emission Reduction Strategies

Sustainable City Plan Measure	Proposed Project Consistency
<i>Water</i>	
Reduce LADWP purchases of imported water by 50% by 2025, and source 50% of water locally by 2035.	Does not apply. The proposed project would not inhibit LADWP from reducing imported water purchases or sourcing water locally.
Reduce average per capita water use by 22.5% by 2025 and 25% by 2035.	Does not apply. The proposed project would not inhibit the City of Los Angeles (City) from reducing the per capita water use within the City.
<i>Solar Power</i>	
Increase cumulative total megawatts (MW) of local solar photovoltaic power to 900–1,500 MW by 2025 and 1,500-1,800 MW by 2035.	Consistent. The project would include on-site solar to offset energy use.
Increase cumulative total MW of energy storage capacity to at least 1,654–1,750 MW by 2025.	Does not apply. The proposed project would not inhibit the City from increasing energy storage capacity.
<i>Energy Efficient Buildings</i>	
Reduce energy use per square foot below 2013 baseline for all building types by at least 14% by 2025 and 30% by 2035.	Consistent. The proposed project would include design measures to reduce the energy use per square foot.
Use energy efficiency to deliver 15% of all Los Angeles's projected electricity needs by 2020.	Does not apply. The proposed project would not inhibit the City from increasing energy efficiency within the City.
<i>GHGs</i>	
Reduce GHG emissions below 1990 baseline by at least 45% by 2025, 60% by 2035, and 80% by 2050.	Consistent. While the project would result in criteria GHG emissions during construction, these effects would be temporary.
<b>Improve GHG efficiency of Los Angeles's</b> economy from 2009 levels by 55% by 2025 and 75% by 2035.	Consistent. The proposed project would assist the City in meeting its goals by including on-site solar and EV charging stations.
Influence national and global action through the leadership of Los Angeles and other cities on climate change.	Does not apply. The proposed project would not inhibit the City from influencing action on climate change.
Have no ownership stake in coal-fired power plants by 2025.	Consistent. The proposed project would not inhibit the City from reducing its ownership stake in coal-fired power plants.
<i>Waste</i>	
Increase landfill diversion rate to at least 90% by 2025 and 95% by 2035.	Consistent. The proposed project would divert as much waste during construction as feasible, in accordance with state law. The proposed project would not generate additional waste during operation relative to existing conditions.
Increase proportion of waste production and recyclable commodities productively reused and/or repurposed within Los Angeles County to at least 25% by 2025 and 50% by 2035.	Does not apply. The proposed project would not inhibit the City from increasing the proportion of waste production recused or repurposed..

Source: City of Los Angeles 2015.

### **Consistency with the Scoping Plan**

The CARB Scoping Plan, approved by CARB in 2008 and updated in 2014 and 2017, provides a framework for actions to reduce California’s GHG emissions and requires CARB and other state agencies to adopt regulations and other initiatives to reduce GHGs. The Scoping Plan is not directly applicable to specific projects, nor is it intended to be used for project-level evaluations.<sup>6</sup> Under the Scoping Plan, however, there are several state regulatory measures aimed at the identification and reduction of GHG emissions. CARB and other state agencies have adopted many of the measures identified in the Scoping Plan. Most of these measures focus on area source emissions (e.g., energy usage, high-GWP GHGs in consumer products) and changes to the vehicle fleet (i.e., hybrid, electric, and more fuel-efficient vehicles) and associated fuels (e.g., Low Carbon Fuel Standard), among others. The Scoping Plan recommends strategies for implementation at the statewide level to meet the goals of AB 32 and establishes an overall framework for the measures that will be adopted to reduce California’s GHG emissions. To the extent that these regulations are applicable to the project or its uses, the project would comply with all regulations adopted in furtherance of the Scoping Plan to the extent required by law.

### **Consistency with SCAG’s 2016 RTP/SCS**

SCAG’s 2016 RTP/SCS is a regional growth-management strategy that targets per capita GHG reduction from passenger vehicles and light-duty trucks in the Southern California region pursuant to Senate Bill (SB) 375. In addition to demonstrating the region’s ability to attain and exceed the GHG emission-reduction targets set forth by CARB, the 2016 RTP/SCS outlines a series of actions and strategies for integrating the transportation network with an overall land use pattern that responds to projected growth, housing needs, changing demographics, and transportation demands. Thus, successful implementation of the 2016 RTP/SCS would result in more complete communities with a variety of transportation and housing choices, while reducing automobile use. The proposed project would be consistent with the goals of the 2016 RTP/SCS based on the following considerations:

- As discussed in Section 3.3, vehicle trip generation and VMT for the project site are concluded to have been anticipated in the SCAG 2016 RTP/SCS growth projections because the proposed project would not require a zoning change or General Plan amendment.
- The proposed project would be consistent with the increased use of alternative fueled vehicles policy initiative in the 2016 RTP/SCS since it 60% of all parking spaces would be EV charging stations.

---

<sup>6</sup> The Final Statement of Reasons for the amendments to the CEQA Guidelines reiterates the statement in the Initial Statement of Reasons that “[t]he Scoping Plan may not be appropriate for use in determining the significance of individual projects because it is conceptual at this stage and relies on the future development of regulations to implement the strategies identified in the Scoping Plan” (CNRA 2009).

- The proposed project would be inherently energy efficient by implementing measures such as LED lighting, optimizing building envelope thermal properties, managing water usage, and by optimizing energy performance and controls while also managing material selections for renewable content and indoor environmental quality. Additionally, PV panels will be incorporated into the project design.

Based on the analysis above, the proposed project would be consistent with the SCAG 2016 RTP/SCS.

#### **Consistency with SB 32 and EO S-3-05**

The project would also not impede the attainment of the GHG reduction goals for 2030 or 2050 identified in SB 32 and EO S-3-05, respectively. EO S-3-05 establishes the following goals: GHG emissions should be reduced to 2000 levels by 2010, to 1990 levels by 2020, and to 80% below 1990 levels by 2050. SB 32 establishes for a statewide GHG emissions reduction target whereby CARB, in adopting rules and regulations to achieve the maximum technologically feasible and cost-effective GHG emissions reductions, shall ensure that statewide GHG emissions are reduced to at least 40% below 1990 levels by December 31, 2030. While there are no established protocols or thresholds of significance for that future year analysis; CARB forecasts that compliance with the current Scoping Plan puts the state on a trajectory of meeting these long-term GHG goals, although the specific path to compliance is unknown (CARB 2014).

To begin, CARB has expressed optimism with regard to both the 2030 and 2050 goals. It states in the First Update to the Climate Change Scoping Plan that “California is on track to meet the near-term 2020 GHG emissions limit and is well positioned to maintain and continue reductions beyond 2020 as required by AB 32” (CARB 2014). With regard to the 2050 target for reducing GHG emissions to 80% below 1990 levels, the First Update states the following (CARB 2014):

This level of reduction is achievable in California. In fact, if California realizes the expected benefits of existing policy goals (such as 12,000 megawatts of renewable distributed generation by 2020, net zero energy homes after 2020, existing building retrofits under AB 758, and others) it could reduce emissions by 2030 to levels squarely in line with those needed in the developed world and to stay on track to reduce emissions to 80% below 1990 levels by 2050. Additional measures, including locally driven measures and those necessary to meet federal air quality standards in 2032, could lead to even greater emission reductions.

In other words, CARB believes that the state is on a trajectory to meet the 2030 and 2050 GHG reduction targets set forth in AB 32, SB 32, and EO S-3-05. This is confirmed in the Second Update, which states (CARB 2017):

The Proposed Plan builds upon the successful framework established by the Initial Scoping Plan and First Update, while also identifying new, technologically feasibility and cost-effective strategies to ensure that California meets its GHG reduction targets in a way that promotes and rewards innovation, continues to foster economic growth, and

delivers improvements to the environment and public health, including in disadvantaged communities. The Proposed Plan is developed to be consistent with requirements set forth in AB 32, SB 32, and AB 197.

The proposed project would be consistent with the applicable strategies and measures in the Scoping Plan and is consistent with, and would not impede, the state's trajectory toward the above-described statewide GHG reduction goals for 2030 or 2050. In addition, since the specific path to compliance for the state in regards to the long-term goals will likely require development of technology or other changes that are not currently known or available, specific additional mitigation measures for the project would be speculative and cannot be identified at this time. With respect to future GHG targets under SB 32 and EO S-3-05, CARB has also made clear its legal interpretation that it has the requisite authority to adopt whatever regulations are necessary, beyond the AB 32 horizon year of 2020, to meet SB 32's 40% reduction target by 2030 and EO S-3-05's 80% reduction target by 2050; this legal interpretation by an expert agency provides evidence that future regulations will be adopted to continue the state on its trajectory toward meeting these future GHG targets.

Based on the above considerations, the project would not conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of GHGs, and no mitigation is required. This impact would be **less than significant**.

## References

- CAPCOA (California Air Pollution Control Officers Association). 2008. *CEQA & Climate Change: Evaluating and Addressing Greenhouse Gas Emissions from Projects Subject to the California Environmental Quality Act*. January 2008. Accessed September 2018. <http://capcoa.org/wp-content/uploads/downloads/2010/05/CAPCOA-White-Paper.pdf>.
- CARB. 2014. *First Update to the AB 32 Scoping Plan: Building on the Framework*. May 2014. Accessed March 2018. [https://www.arb.ca.gov/cc/scopingplan/2013\\_update/first\\_update\\_climate\\_change\\_scoping\\_plan.pdf](https://www.arb.ca.gov/cc/scopingplan/2013_update/first_update_climate_change_scoping_plan.pdf).
- CARB. 2017. *The 2017 Climate Change Scoping Plan Update*. January 20, 2017. Accessed March 2018. [https://www.arb.ca.gov/cc/scopingplan/2030sp\\_pp\\_final.pdf](https://www.arb.ca.gov/cc/scopingplan/2030sp_pp_final.pdf).
- City of Los Angeles. 2015a. About the pLAn. Accessed July 7, 2017. <http://plan.lamayor.org/about-the-plan/>
- IPCC (Intergovernmental Panel on Climate Change). 2007. *IPCC Fourth Assessment Synthesis of Scientific-Technical Information Relevant to Interpreting Article 2 of the U.N. Framework Convention on Climate Change*. Geneva, Switzerland: Intergovernmental Panel on Climate Change. Accessed October 2018. [https://www.ipcc.ch/pdf/assessment-report/ar4/syr/ar4\\_syr.pdf](https://www.ipcc.ch/pdf/assessment-report/ar4/syr/ar4_syr.pdf).

SCAQMD. 2008. *Draft Guidance Document—Interim CEQA Greenhouse Gas (GHG) Significance Threshold*. October 2008. Accessed September 2018. [http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-\(ghg\)-ceqa-significance-thresholds/year-2008-2009/ghg-meeting-6/ghg-meeting-6-guidance-documentdiscussion.pdf?sfvrsn=2](http://www.aqmd.gov/docs/default-source/ceqa/handbook/greenhouse-gases-(ghg)-ceqa-significance-thresholds/year-2008-2009/ghg-meeting-6/ghg-meeting-6-guidance-documentdiscussion.pdf?sfvrsn=2).

SCAQMD. 2010. *Greenhouse Gas CEQA Significance Threshold Stakeholder Working Group Meeting #15*. September 28, 2010. PowerPoint slides. Accessed March 2018. [http://www.aqmd.gov/docs/defaultsource/ceqa/handbook/greenhouse-gases-\(ghg\)-ceqa-significancethresholds/year-2008-2009/ghg-meeting-15/ghg-meeting-15-main-presentation.pdf?sfvrsn=2](http://www.aqmd.gov/docs/defaultsource/ceqa/handbook/greenhouse-gases-(ghg)-ceqa-significancethresholds/year-2008-2009/ghg-meeting-15/ghg-meeting-15-main-presentation.pdf?sfvrsn=2).

### 3.9 Hazards and Hazardous Materials

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Be located on a site that is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>



Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

A Phase I Environmental Site Assessment (ESA) was performed for the project site by Dudek in August 2018 and is included in this document as Appendix D.

**a) *Would the project create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?***

**Less Than Significant Impact.** The proposed project involves demolition of all existing buildings on-site. As discussed in the Phase I ESA, a lead-based paint (LBP) and asbestos-containing materials (ACM) survey was conducted at the site in 2017 (Appendix D). At the time of these surveys, the interiors and exteriors of the existing buildings on site were abated for lead-based paint and asbestos-containing materials. Irrespective, in the event that additional suspect ACM, LBP, or other hazardous building materials are found during demolition of the buildings, such materials would be tested and removed from the existing structure in accordance with applicable local, state, and federal regulations, such as SCAQMD Rule 1403.

During construction of the proposed project, commonly used hazardous substances, such as gasoline, diesel fuel, lubricating oil, grease, and solvents would be used. However, these materials are not considered acutely hazardous and are used routinely throughout urban environments for both construction projects and structural improvements projects. The project would comply with the City’s Construction and Demolition Ordinance, which is legislated by Chapter 20.87 of the LAMC and which requires all haulers and contractors responsible for handling construction and demolition (C&D) waste to obtain a Private Waste Hauler Permit prior to collecting, hauling and transporting the waste from within the City (City of Los Angeles 2019b). Per Sections 20.87.040 and 20.87.050 of the LAMC, at least 50% of all construction and demolition waste removed from a project site must be recycled following the submission, and subsequent approval, of a Recycling and Reuse Plan (RRP) to the LADPW Environmental Programs Division (City of Los Angeles 2019b). Upon compliance with these applicable laws involving safe treatment and disposal of ACM, LBP, or other hazardous building materials at landfills specifically authorized and permitted to accept such hazardous materials, construction activities at the existing structures would not post a significant risk to the public or environment.

The operation of the proposed project would involve transport, storage, use, and disposal of hazardous materials associated with janitorial and maintenance as well as hazardous materials associated with the existing

unleaded and diesel fuel tanks. However, the operational use of chemicals associated with these activities is routine, and all activities involving the use of hazardous materials would be regulated and subject to federal, state, and local health and safety requirements. As such, impacts would be less than significant.

**b) *Would the project create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?***

**Less Than Significant with Mitigation Incorporated.** As discussed in Section 3.9(a) above, although small amounts of commonly used hazardous substances would be used during construction, the type of materials would be limited and would not be considered acutely hazardous. According to the Phase I ESA, a LBP and ACM survey were conducted at the site in 2017 (Appendix D). At the time, the interiors and exteriors of the existing buildings were abated for LBP and ACMs. Irrespective, in the event that additional suspect ACM, LBP, or other hazardous building materials are found during demolition of the buildings, such materials would be tested and removed from the existing structure in accordance with applicable local, state, and federal regulations, such as SCAQMD Rule 1403.

The operation of the proposed project would involve transport, storage, use, and disposal of hazardous materials associated with janitorial and maintenance as well as hazardous materials associated with the existing unleaded and diesel fuel tanks. However, the operational use of chemicals associated with these activities is routine and is not anticipated to result in reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment because all activities involving the use of these materials would be regulated and subject to federal, state, and local health and safety requirements.

The Phase I ESA also identified various existing recognized environmental conditions (RECs) at the site and on adjacent properties that could result in impacts to the environmental condition of the site. An overview of these existing potentially contaminated sites and associated potential impacts to the public or the environment is discussed below.

**On-Site Soil Contamination**

On-site soil contamination was identified on the project site, northeast of the existing office building. Arsenic, vanadium, and various other chemicals such as beryllium, chromium and cadmium were detected above regional background concentration thresholds at this location. The presence of these chemicals on-site could result in an impact to the environmental condition of the site. This is a potentially significant impact.

**Hudson Element – Adjacent Property**

Existing hazards associated with the Hudson Element property, located adjacent to the project site to the southeast, include high concentrations of contaminants that were found in groundwater wells at this site.

Because these contaminants are located within approximately 225 feet of the site, groundwater contamination could occur at the project site. This is a potentially significant impact.

#### **12210 ½ Nebraska Avenue – Adjacent Property**

Sampling was performed at the 12210 ½ Nebraska Avenue site, adjacent to the project site to the northeast. The sampling identified several volatile organic compounds (VOCs) in soil, soil-gas, and groundwater, including trichloroethylene (TCE) and chloroform. The contamination is reportedly due to historical site activities, and the current operations are not contributing to the environmental condition of the site. A remedial investigation report was completed in 2010, but no other remediation activities have been reported. This site was entered into a voluntary cleanup agreement in 2009, which was later terminated in 2010 due to non-compliance of the agreement. The site was then referred to the Los Angeles Regional Water Quality Control Board (LARWQCB) and no further activities have been reported since then. Based on groundwater studies completed on adjoining properties, groundwater flows that are generally southward, and given that this site is up gradient from the project site, this site could result in impacts to the environmental condition of the project site. This is a potentially significant impact.

#### **CSHV Pen Factory – Nearby Property**

The CSHV Pen Factory site, located approximately 0.5-mile west of the project site, was historically used as a clary quarry and brick firing facility (until the -1950s), a landfill, and a pen manufacturing facility (from 1968). Contamination of soil, soil-gas, and groundwater has previously impacted City water supply wells as a result of this site. Although site remediation began in 2009, a No Further Action (NFA) letter has not been issued by the LARWQCB and the site is still an open and ongoing case. As such, the CSHV Pen Factory site could result in impacts in the environmental condition of the project site due to soil, soil-gas, and groundwater contamination. This is a potentially significant impact.

#### **Off-Site Sources – Olympic Well Field**

The Olympic Well Field site is located approximately 360 feet southwest of the project site, in an area formerly occupied by a number of industrial facilities, which contributed to elevated levels of VOCs that have previously impacted the City's supply wells located down-gradient of the contamination. The project site is located within the drawdown radius of this site and the closest well is located approximately 360 feet west of the site. Based on the radius of influence and proximity of detected concentrations of VOCs in groundwater, the contamination associated with the Olympic Well Field site could result in an impact to the environmental condition of the project site. This is a potentially significant impact.

### **Boeing Supercharger – Nearby Property**

The Boeing Supercharger site, located in the vicinity of the project site, was formally a part of the Olympic Well Field, discussed above. Groundwater studies revealed VOCs in groundwater beneath and down-gradient from the project site. The City entered a Settlement and Release Agreement with Boeing in 2012, and the City took over restoration and replacement of groundwater through the Olympic Well Field Management Plan. Thus, this individual site is considered a Controlled REC because it was issued a NFA letter by the LARWQCB, with the assumption that the groundwater contamination would be managed by the City. As such, the Boeing Supercharger site would not result in an impact to the environmental condition of the site.

### **Data Gaps**

The Phase I ESA determined that there are various areas where there are not enough details to determine whether or not an existing feature would result in impacts to the environmental condition on the project site. These data gaps are explained in more detail below.

#### ***Unstable Materials Pit and Product Lagoon***

Records reviewed during the Phase I ESA indicate that a “product lagoon” was installed on the project site in 1978. Further, a diagram, dated January 18, 2978 was found that indicated that an “unstable materials pit” for a pervious use of the site was also located on the project site. However, there are not enough details regarding these features to determine if they are the same feature, how long they were present on the project site, or if they had a historic environmental impact to the site. This lack of information presents a data gap; thus, there is not enough information to determine if these features would result in an impact to the current environmental condition of the site.

#### ***EPA Aerial Photograph Report***

During the Phase I ESA, Dudek reviewed the Environmental Protection Agency (EPA) Aerial Photographic Analysis of the Santa Monica Groundwater Area, which included the project site. Clay mining operations were present west of the project site in the 1930s and continued in the northern portion of the area through 1958, followed by dumping in the open pit areas. By 1975, all excavations surrounding the project site had been filled and commercial and industrial buildings had been constructed. Eight of these sites are located within a 1-mile radius of the project site, and were considered potential areas of groundwater contamination by the EPA. Additional information regarding the presence or absence of contamination at these sites was not identified during the Phase I ESA. This lack of information presents a data gap; thus, there is not enough information to determine if these features would result in an impact to the environmental condition of the site.

### **Vapor Encroachment Condition**

A vapor encroachment screen report was prepared for the Phase I ESA using EDR's vapor encroachment worksheet. A "Tier I" Vapor Encroachment Screening (VES) was performed for the site in accordance with ASTM E 2600-10, "Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions." The Tier I VES was performed to evaluate whether there is a potential for vapors originating from contaminated soil and/or groundwater to occur in the subsurface below the existing and potential future on-site structures. For sites where a vapor encroachment condition (VEC) could not be ruled out but where reports of site sampling were available, those reports were used to evaluate the site (Tier 2 screening).

The EDR vapor encroachment worksheet determined that potential for vapor intrusion to the project site exists due to former conditions of the site, adjoining property or nearby property operations or existing conditions, historical uses of adjoining property or nearby properties, and regulatory review of sites identified on federal, state, and local databases. VEC cannot be ruled out at the project site due to previous uses that occurred from at least 1950 until 1989. For adjoining or nearby properties, VEC cannot be ruled out due to the presence of the Olympic Well Field contamination plume, which is potentially located beneath the project site, Hudson Element groundwater contamination adjoining the project site to the east, and 12210½ Nebraska Avenue Property groundwater, soil, and soil-gas contamination adjoining the project site to the north. As such, these potential VECs present a data gap. This is a potentially significant impact and further investigation is required to determine whether or not VECs would result in an impact to the environmental condition of the site.

### **Summary and Conclusion**

As determined in the Phase I ESA, the following environmental hazards of concern pose potentially significant impacts to the proposed project:

- Elevated concentrations of metals in the soils in the area of the proposed new Administration Building.
- Groundwater contamination identified beneath the adjoining property, Hudson Element, to the east.
- Groundwater contamination identified on an up-gradient adjoining site, 12210½ Nebraska Avenue. Contamination, reportedly due to historical site activities, includes TCE and chloroform.
- VOC impacts to local groundwater due to off-site sources - Olympic Well Field and CSHV Pen Factory.
- Records for a "product lagoon" installed on the subject property in 1978. Records for an "unstable materials pit" dated 1978. The details and locations of these features are unknown, and represent a data gap.

- Former nearby landfills were identified in a 1996 US Environmental Protection Agency (EPA) study of historical aerial photographs. EPA identified these as a potential source of groundwater contamination, but no additional information was available.
- Potential vapor encroachment conditions, based on potential VOC contamination in groundwater at adjoining properties.

Given this, earthwork performed during construction of the project could result in a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment. These existing environmental conditions could also result in potentially significant impacts from upset and accident conditions during operations. Mitigation measure **MM-HAZ-1** would quantify the levels of potential contaminants of concern (PCOC's) (VOCs, TPH, metals, PAHs, or methane) in soil, soil vapor and/or groundwater and compare them to regulatory screening levels to ensure appropriate measures would be taken to protect human health and the environment such that regulatory risk thresholds are not exceeded.

**MM-HAZ-1** Prior to issuance of building permit, a Phase II ESA for soil, soil-gas, and groundwater sampling must be completed in accordance with ASTM E1903-19.

The Phase II ESA shall be conducted in order to determine if contamination exists beneath the project site. The subsurface investigation should include, but may not be limited to, areas of the project site where hazardous materials, tanks, and manufacturing areas have been identified, as well as areas potentially impacted by off-site contamination sources. The Phase II ESA shall also include investigation of the area where the former Allied Chemical Company operations took place, to determine the presence or absence of contamination related to the former "product lagoon" and/or "unstable materials pit." Should contaminants of concern be identified above regulatory screening levels which would indicate a potential impact to human health and/or the environment, a remediation plan shall be developed prior to commencement of construction and development activities in these areas. Coordination with the certified unified program agency may be required if contamination is discovered above regulatory screening levels.

With implementation of **MM-HAZ-1**, the proposed project would not create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment. Therefore, impacts would be less than significant with mitigation incorporated.

- c) *Would the project emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?*

**Less Than Significant with Mitigation Incorporated.** The proposed project is located within 0.25-mile of two schools; namely, the New Roads School, which is located approximately 0.12-mile southwest of the project site and the New West Charter School, which is located 0.2-mile northeast of the project site. However, as discussed above, although the project would involve the use, transport, and disposal of commonly used hazardous substances and contaminated soils during construction, all activities would be subject to federal, state, and local health and safety requirements and are not anticipated to result in hazards at nearby schools. Additionally, implementation of **MM-HAZ-1** would ensure that the proposed project would not create a significant hazard to the public, including emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school. As such, impacts would be less than significant.

- d) *Would the project be located on a site that is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?*

**Less Than Significant with Mitigation Incorporated.** A regulatory database search gives a listing of sites within a 1-mile radius of the project site that are known to handle hazardous chemicals, are hazardous waste generators, or have confirmed or suspected releases of hazardous materials or petroleum products. Information in these listings includes the location of the site relative to the property, type of hazardous material at the site, and the status of the site. The search performed for this Phase I ESA was conducted in August 2018 by EDR (Appendix D). The project site was listed in seven regulatory database records, as shown in Table 3.9-1. A determination as to whether or not the case would be considered a REC is also included in Table 3.9-2.

Table 3.9-1. Regulatory Database Records for the Project Site

Database Listing	Summary of Listing	REC?
<i>12300 Nebraska</i>		
AST	LADWP has at least one AST registered at the project site. The presence of the ASTs does not appear to be a REC.	No
CA HAZNET	LADWP reported generation and disposal of over 300 various types of hazardous wastes between 1993 and 2016. There are no violations reported with this listing; the type of waste, disposal method, amount, and year are summarized. This listing does not appear to be a REC.	No
RCRA-LOG	LADWP West LA Service Center reported a large quantity of hazardous waste generated in 2010. Wastes included inorganic solids, low pH liquids, ignitable wastes, and lead. A previous generator report (SOG) was also prepared in 1991, the details of which are not available in the EDR report. No violations were reported with this listing. This listing does not appear to be a REC.	No

Table 3.9-1. Regulatory Database Records for the Project Site

Database Listing	Summary of Listing	REC?
<i>12300 Nebraska</i>		
FINDS	FINDS identified the project site as a biennial hazardous waste reporter (also reported in CA HAZNET), and identified the site in ECHO (see entry below). This listing alone does not appear to be a REC.	No
ECHO	ECHO for the project site includes the RCRA generator status, as described in the CA HAZNET and RCRA-LQG listings above. No violations are reported in this listing. This listing does not appear to be a REC	No
CA SWEEPS UST CA FID UST	These databases track registered underground storage tanks (USTs). The site is registered on both sites, but there are no details regarding the type, age, and contents of the UST. SWEEPS database is no longer updated or maintained. The California FID UST database, which sources from the California State Water Resources Control Board (CWRCB), indicates an <b>“inactive” status, generally referenced when a UST has been</b> decommissioned or removed. Information obtained from the Los Angeles City Fire Department (LACFD) indicates USTs were previously located on the project site. The 1999 Phase I ESA contains records of the removal of three USTs, an oil/water separator, and a fueling island.	No
<i>12270 Nebraska Avenue (Plaskon Electronic Matl Co Inc.)</i>		
CA SWEEPS UST CA HIST UST CA FID UST	Hazardous Substance Storage Container Information Sheets were downloaded from GeoTracker (GeoTracker 2018). Those sheets, dated June 1988, indicate a 7,500-gallon acetone UST and a <b>“product lagoon”</b> were registered on the project site. The tank was installed in 1959, while the lagoon was installed in 1978. The storage container details state the lagoon was 10-gauge double-walled carbon steel with an industrial enamel lining. The tank details are not known. A copy of the Information Sheets as well as additional information regarding USTs on this site, received from the LACFD, are provided in Appendix C1. However, information regarding the use and/or <b>decommissioning of the “product lagoon” were not found. An “unstable materials pit” design was provided by LACFD, but the location, type of</b> materials stored, and dates of use were not available. It is unknown if this is the same site feature. This represents a data gap.	Data Gap
RCRA NonGen	The site handled, but did not generate hazardous wastes. There are no violations associated with this listing. This listing does not appear to be a REC.	No
CA EMI	The site held an air quality permit in 1987. This listing does not appear to be a REC.	No
FINDS	FINDS identified the air quality permit reported under Toxics Release Inventory and the NonGen status under RCRA. This listing does not appear to be a REC.	No
ECHO	ECHO for the project site include a Toxics Release Inventory report from 1988, and an inactive RCRA status. There are no violations reported. This listing does not appear to be a REC.	No



WEST LOS ANGELES DISTRICT YARD PROJECT  
INITIAL STUDY/MITIGATED NEGATIVE DECLARATION

Source: Appendix D

Notes: REC = Recognized Environmental Concern; CA = California; AST = Aboveground Petroleum Storage Tank Facilities; RCRA-LQG = Resource Conservation and Recovery Act -- Large Quantity Generator; FINDS = Facility Index System/Facility Registry System; ECHO = Enforcement and compliance history; SWEEPS = California Statewide Environmental Evaluation and Planning System Undergroud Storage Tank; UST = Undergroud storage tank; FID = Facility Inventory Database; HIST = Hazardous Substance Storage Container Database; RCRA NonGen = Resource Conservation and Recovery Act -- Large Quantity Generator ; EMI = Emissions Inventory Data.

As shown in Table 3.9-1, the majority of the regulatory database records do not qualify as RECs. However, as shown in Table 3.9-1, a data gap exists for one of the listings at 12270 Nebraska Avenue. This is because there is not enough information regarding the product lagoon and unstable materials pit currently present on site to determine if they are the same feature, how long they were present on-site, and if they had an environmental impact to the project site. As such, due to this lack of information, it cannot be determined whether or not this site could result in impact to the environmental condition of the site. Thus, in order to address the potential unknown conditions and to reduce potentially significant impacts, **MM-HAZ-1**, which requires further evaluation of this site, is be required.

Further, 205 listings were identified within 1-mile of the project side during the regulatory database search. Based on distance from the project site, known groundwater gradients, and status of the regulatory listing provided, most of the records do not appear to pose a REC to the project site. However, Table 3.9-2 provides an evaluation of nearby potential RECs that could result in a significant hazard to the public or to the environment.

Table 3.9-2. Evaluation of Nearby Potential Environmental Conditions

Site No.	Site Name and/or Address	Database Listings	Relative Location	Case Status	Flow Direction and Relative Gradient to Project Site	REC?
1	Hudson Element LA UNK AGI Properties Teledyne Controls 12333 West Olympic Boulevard	CPS-SLIC CA SWEEPS UST CA FID UST CA CPS-SLIC RCRA-SQG CA EMI	Adjoining to the east	Open – Site Assessment	Down/cross gradient (local gradients vary)	Yes
2	12210 ½ Nebraska Avenue	CA ENVIROSTAR CA VCP	Adjoining to the north	Open – Site Assessment	Cross-gradient	Yes
3	Boeing Co. - Supercharger Medical Chemical Corporation 1909 Centinela	CA CPS-SLIC CA SWEEPS UST CA HIST UST CA FID UST	Approx. 100 feet south	Closed – NFA received	Downgradient	HREC
4	CSHV Pen Factory	CA ENVIROSTAR CA CPS-SLIC	Approximately ½ mile west	Open – Site Assessment	Cross to downgradient	Yes

Table 3.9-2. Evaluation of Nearby Potential Environmental Conditions

Site No.	Site Name and/or Address	Database Listings	Relative Location	Case Status	Flow Direction and Relative Gradient to Project Site	REC?
	Sanford/Paper Mate Gillette Co 1681 26th Street	FINDS ECHO CA ENF CA HIST CORTESE				
5	Santa Monica City Landfill II	CA WMUDS/SWAT	Approximately ½ mile west	Closed	Downgradient	No

Source: Appendix D

Notes: REC = Recognized Environmental Condition, HREC = Controlled Recognized Environmental Condition

As shown above, Site 5, Santa Monica City Landfill II is listed as “case closed,” indicated that although it may have contained leaks or spills of hazardous materials in the past, the leak or spill has been addressed and resolved, and this site is not expected to have an impact on the proposed project site. Site 3 was closed by the LARWQCB, with the assumption that the groundwater contamination at this site would be managed by the City; as such, this site is considered a controlled REC and would not result in a significant hazard to the public or the environment. However, as described in Section 3.9(b) above, Sites 1, 2 and 4 listed in Table 3.9-2 could all potentially pose a hazard to the public or the environment. With implementation of **MM-HAZ-1**, described above, which requires a Phase II ESA, impacts would be reduced to a less-than-significant level.

*e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?*

**No Impact.** The proposed project is not located within an airport land use plan. The nearest airport is the Santa Monica Airport, located approximately 1 mile south of the project site. According to the Los Angeles County Airport Land Use Commission (ALUC), the project site is not located within the airport’s influence area (ALUC 2003). Therefore, the proposed project would not result in a safety hazard or excessive noise for people residing or working in the project area. No impact would occur.

*f) Would the project impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?*

**Less Than Significant Impact.** The City of Los Angeles adopted a multi-hazard emergency response plan in order to respond with maximum feasible speed and efficiency to disaster events (City of Los Angeles 1996). Construction of the proposed project would take place on the project site and would occur in one phase, with

half the employees relocated to the Palms Yard and the other half to a LADWP-owned site at Los Angeles World Airports. During operations, the hours of operations of the site would be the same. Although approximately 225 additional employees would be introduced to the site, the operations of the project would not interfere with an adopted emergency response plan or emergency evacuation plan. Department vehicle and emergency vehicle access to and from the site would be provided in both directions from Olympic Boulevard, Centinela Avenue, as well as Nebraska Avenue, to the north of the site. Further, employee vehicle access would be provided in both directions from the southern portion of the site on Nebraska Avenue.

Additionally, the proposed project site is within close proximity to several County-designated disaster routes, which would be utilized for evacuation in a disaster scenario. Namely, Olympic Boulevard is a designated Disaster Route and the I-10 is a designated Freeway Disaster Route (LADPW 2008). Given the above, the project would not interfere with an adopted response plan or emergency evacuation plan. Impacts would be less than significant.

***g) Would the project expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?***

**Less Than Significant Impact.** The project site is located in a highly urbanized area of the City, is fully developed, and surrounded by urban development, all of which precludes the spread of wildland fire (see Section 3.20 for details). The site is not located in a designated Very High Severity Fire Zone (CALFIRE 2011). As such, impacts would be less than significant.

References

- ALUC (Los Angeles County Airport Land Use Commission). 2003. Los Angeles County Airport Land Use Plan. Accessed, August 28, 2019. [http://planning.lacounty.gov/assets/upl/data/pd\\_alup.pdf](http://planning.lacounty.gov/assets/upl/data/pd_alup.pdf).
- CALFIRE (California Department of Forestry and Fire Protection). 2011. Very High Fire Hazard Severity Zones in the Los Angeles Region [map]. Accessed, August 26, 2019. [https://osfm.fire.ca.gov/media/5830/los\\_angeles.pdf](https://osfm.fire.ca.gov/media/5830/los_angeles.pdf).
- City of Los Angeles. 1996. "Safety Element" in The Los Angeles City General Plan. Department of City Planning. Adopted November 26, 1996. Accessed August 28, 2019. <https://planning.lacity.org/cwd/gnlpln/saftyelt.pdf>
- City of Los Angeles. 2019a. Zimas. "Additional." Web Map Application. Accessed August 26, 2019. <http://zimas.lacity.org/>

City of Los Angeles. 2019b. Los Angeles Sanitation, Waste Hauler Permit Program [webpage]. Accessed, August 26, 2019. [https://www.lacitysan.org/san/faces/home/portal/s-lsh-wwd/s-lsh-wwd-s/s-lsh-wwd-s-c/s-lsh-wwd-s-c-whp;jsessionid=kAzP0-jPKkvHtUCG4KJjT5qfaLiBE-3Fc8hkfr5u7HC27VeBqt5w!45729300011698443149?\\_afLoop=8101512321186275&\\_afWindowMode=0&\\_afWindowId=null&\\_adf.ctrl-state=z5krdmux2\\_1#!%40%40%3F\\_afWindowId%3Dnull%26\\_afLoop%3D8101512321186275%26\\_afWindowMode%3D0%26\\_adf.ctrl-state%3Dz5krdmux2\\_5](https://www.lacitysan.org/san/faces/home/portal/s-lsh-wwd/s-lsh-wwd-s/s-lsh-wwd-s-c/s-lsh-wwd-s-c-whp;jsessionid=kAzP0-jPKkvHtUCG4KJjT5qfaLiBE-3Fc8hkfr5u7HC27VeBqt5w!45729300011698443149?_afLoop=8101512321186275&_afWindowMode=0&_afWindowId=null&_adf.ctrl-state=z5krdmux2_1#!%40%40%3F_afWindowId%3Dnull%26_afLoop%3D8101512321186275%26_afWindowMode%3D0%26_adf.ctrl-state%3Dz5krdmux2_5).

### 3.10 Hydrology and Water Quality

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:				
(i) Result in substantial erosion or siltation on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(iv) Impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

- a) ***Would the project violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality?***

**Less Than Significant Impact.** A significant impact would occur if the proposed project would discharge water that did not meet the water quality standards established by the State Water Resources Control Board (SWRCB) NPDES and waste discharge requirement (WDR) permit programs, and the Los Angeles Regional Water Quality Control Board's (RWQCB) Los Angeles Region Basin Plan for the Coastal Watersheds of Los Angeles and Ventura Counties (Basin Plan; RWQCB 2019). The proposed project is not anticipated to violate any water quality standard or waste discharge requirement during construction and operation, for the reasons described below.

### **Construction**

Construction activities would be subject to applicable requirements of the SWRCB and RWQCB with respect to control of surface erosion, sedimentation, and runoff quality. LADWP would comply with these requirements. Because construction of the proposed project would result in land disturbance of more than 1 acre, LADWP would be required to obtain coverage under the Construction General Permit (SWRCB Order 2009-0009-DWQ, NPDES No. CAS 000002, as amended), which includes a number of design, management, and monitoring requirements for the protection of water quality and the reduction of construction phase impacts related to stormwater. Coverage under the Construction General Permit requires a qualified individual (as defined by the SWRCB) to prepare a SWPPP to address the potential for construction-related activities to contribute to pollutants within the proposed project's receiving waterways. The SWPPP must be prepared by a Qualified SWPPP Developer (QSD) and must describe the type, location and function of structural measures to alleviate stormwater impacts and must demonstrate that the combination of measures selected are adequate to meet the discharge prohibitions, effluent standards, and receiving water limitations contained in the Construction General Permit. This would ensure that construction activities would not violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality. Additionally, dewatering is not anticipated during construction of the proposed project. LADPW maintains two groundwater wells in the vicinity of the project site, one of which lies 100 feet east of the project site and the other which lies 130 feet west of the project site (Appendix C1). Review of these two wells over the past 30-40 years has recorded groundwater levels between 95.8 feet bgs and 240 feet bgs, and the Geotechnical exploratory borings conducted in 2018 did not encounter the groundwater table up 50 feet bgs at the project site (Appendix C1). Based on these considerations, it is unlikely that the static groundwater table would be encountered during project construction (Appendix C1). The proposed project would include subterranean parking and, as such, excavation would occur to approximately 16 feet bgs. Given the approximate depth of groundwater at the project site, it is unlikely that construction of the proposed project would encounter groundwater; therefore, construction dewatering is not anticipated. Additionally, the proposed project would not include the installation of any

groundwater wells. For these reasons, the proposed project construction is not expected to affect groundwater quality during construction.

Project construction would be comply with the LAMC, Chapter VI, Sections 64.70.01 and 64.72, which require that each operator of any construction activity prepare a LID Plan in compliance with the requirements of the Standard Urban Stormwater Mitigation Plan (SUSMP; City of Los Angeles 2011). Given the above, the proposed project would have a less than significant impact on water quality standards and waste discharge requirements and would not otherwise substantially degrade surface or ground water quality during construction, and no mitigation is required.

### **Operation**

Once operational, the project site would be improved with new buildings, landscaped areas, and paved parking spaces. The site is already developed and mostly impervious; thus, no significant change would occur in terms of the stormwater infiltration on the site when compared to existing conditions.

Additionally, per the requirements established in the LAMC, Chapter VI, Sections 64.70.01 and 64.72, the proposed project would be required to comply with the latest City LID requirements, per the Development Best Management Practices Handbook (City of Los Angeles 2011). The LID Plan would comply with the requirements of the NPDES Municipal Separate Storm Sewer System (MS4) Permit for stormwater and non-stormwater discharges from the MS4 within the coastal watersheds of Los Angeles County (CAS004001, Order No. R4-2012-0175), referred to as the 2012 MS4 Permit.

Project design, construction, and operation would be completed in accordance with the Development Best Management Practices Handbook, with the goal of reducing the amount of pollutants in stormwater and urban runoff (City of Los Angeles 2011). The project would be required to comply with the LID ordinance, which mandates completion of a LID Plan. This plan would include permanent control measures to reduce the long-term impacts of the project on water quality and the tributary waterways. The LID Plan would use site design and stormwater management in order to maintain the site's pre-development runoff rates and volumes.

Compliance with SWPPP and LID features would ensure that the project would not violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality. As such, project impacts would be less than significant and no mitigation is required.

- b) *Would the project substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?***

**Less Than Significant Impact.** According to the Geotechnical Report prepared for the project, the historically (early 1900s) highest groundwater level beneath the project site was approximately 32 feet

below ground surface level (bgs); however, based on current groundwater basin management practices, it is unlikely that groundwater levels will ever reach or exceed historically high levels again (Appendix C1). The LADPW maintains two groundwater wells in the vicinity of the project site, one of which lies 100 feet east of the project site and the other which lies 130 feet west of the project site (Appendix C1). Review of these two wells over the past 30-40 years has recorded groundwater levels between 95.8 feet bgs and 240 feet bgs, and the Geotechnical exploratory borings conducted in 2018 did not encounter the groundwater table up 50 feet bgs at the project site (Appendix C1). Based on these considerations, it is unlikely that the static groundwater table would be encountered during project construction, including construction of the subterranean parking structure (Appendix C1).

Additionally, the project site is located in a highly developed area of the City and would not include the construction or direct use of any wells through which groundwater would be withdrawn from underneath the project site or surrounding area. Although implementation of the proposed project would incrementally increase water consumption at the site, water at the project site would continue to be provided by the LADWP, which receives approximately 12% of its water from groundwater sources (LADWP 2015). As demonstrated in Section 3.19 below, project water needs would be supplied by LADWP's existing water supplies and, as such, the water demand associated with the proposed project would not substantially deplete groundwater supply.

California Department of Water Resources (DWR) is required to prioritize and update California's groundwater basin prioritization in accordance with the requirements of Sustainable Groundwater Management Act (SGMA) and related laws. SGMA requires that groundwater resources be managed sustainably for long-term reliability and multiple benefits for current and future beneficial uses SGMA applies to all California groundwater basins and requires that high- and medium-priority groundwater basins form Groundwater Sustainability Agencies (GSAs) (DWR 2019). DWR is required to prioritize California's 517 groundwater basins and subbasins as either high, medium, low, or very low. The San Fernando Groundwater Basin, which is the primary groundwater source for the City, was determined by DWR to be "Very Low" priority and is therefore not subject to the requirements to prepare form a Groundwater Sustainability Agency to develop a Groundwater Sustainability Plan. Additionally, according to the LADWP UWMP, LADWP continues to invest in stormwater recharge projects by enhancing and enlarging existing stormwater capture facilities. LADWP is also investing in advanced treatment systems to produce purified recycled water for groundwater replenishment, often referred to as indirect potable reuse. These investments will augment the City's groundwater and help ensure that basin water levels remain sustainable for the foreseeable future (LADWP 2015).

Furthermore, under existing conditions, the project site is developed with impervious surfaces and structures, which impede groundwater recharge under existing conditions. The proposed project would include the addition of more landscaped areas, which would allow for increased infiltration and percolation on site and may contribute to increased groundwater recharge at the project site. Given the above, the proposed project would not substantially deplete groundwater supplies or impede groundwater recharge; however, could slightly

enhance groundwater recharge potential at the site through the provision of additional pervious surfaces when compared to existing conditions. As such, impacts would be less than significant.

**c) *Would the project substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in:***

***i) Substantial erosion or siltation on- or off-site?***

**Less Than Significant Impact.** The project site is located in a developed area with no water bodies on-site or in the immediate surroundings. As such, the project would not result in the alteration of a stream or river. Construction of the Project would result in ground surface disruption during grading and excavation and trenching for the underground parking structure. This could create the potential for increased erosion and siltation to occur at the project site. However, the project would comply with the project-specific SWPPP and the LID Plan so as to minimize erosion and sedimentation during construction.

The project site is already developed with LADWP facilities. During operation, the project site would be covered with buildings, hardscape, and landscaping, and would not result in on-site conditions substantially different from those under existing conditions. As such, the proposed project would maintain the general drainage pattern that prevails under existing conditions and runoff would continue to sheet flow towards the public storm drains located in Bundy Drive and Centinela Avenue (LADPW 2019). Thus, the project is not expected to substantially alter the grade or drainage pattern of the project site in a manner that would result in substantial erosion or siltation and impacts would be less than significant.

***ii) Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?***

**Less Than Significant Impact.** As described in Section 3.10(c)(i), the project site is located in a developed area with no water bodies on-site or in the immediate surroundings. As such, the project would not result in the alteration of a stream or river. During construction, the project would result in ground surface disruption during grading and excavation and trenching for the underground parking structure. However, these temporary alterations would be minimal and would not be expected to increase the rate or amount of surface runoff to the extent that flooding would occur. Rather, increased volumes of disturbed/loose soil during construction would assist rainwater infiltration at the site in the unlikely event of rainfall heavy enough to warrant flooding as a result of increased runoff. Additionally, compliance with the project-specific SWPPP that is required per the Construction General Permit, would ensure that flooding on- or off-site is minimized to the extent practicable during construction.

During operation, the proposed project's landscaping would result in slightly less impervious surfaces when compared to existing conditions, which would encourage infiltration at the project site and could slightly reduce



the rate and total amount runoff at the project site. Furthermore, with implementation of the project-specific design standards including a drainage inlet, parkway swale, and drywell system, as well as a LID Plan, development at the project site would not substantially alter drainage patterns onsite, and stormwater would continue to sheet flow towards the public storm drain system located in Bundy Drive and Centinela Avenue (LADPW 2019).

As explained above, project implementation is not anticipated to result in a substantial increase in the rate or amount of surface runoff such that flooding would occur on- or off-site. Impacts would be less than significant.

***iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?***

**Less Than Significant Impact.** As stated in Section 3.10(c)(i), (ii), and (iii), the proposed project is not anticipated to result in a substantial change in on-site drainage patterns that could create or contribute additional runoff. As such, the proposed project would not exceed the capacity of the existing or planned stormwater drainage system and storm water would continue to sheet flow towards the public storm drain system in Bundy Drive and Centinela Avenue.

During construction of the project, grading and excavation activities, and the use of petroleum and other products, may result in increased polluted runoff at the project site. However, as discussed above, the project would comply with the project-specific SWPPP and LID Plan, which would include BMPs to ensure that impacts from polluted runoff, including stormwater runoff, would be less than significant.

***iv) Impede or redirect flood flows?***

**Less Than Significant Impact.** As discussed in 3.10(c)(i) above, the project is located in Zone X as defined by the FEMA Flood Insurance Rate Map (FEMA 2019). Zone X is considered an area of minimal flooding. As such, the project site is not expected to be subject to flooding in general. Additionally, the proposed project would not include substantial changes to those drainage patterns prevailing under existing conditions, and stormwater would continue to sheet flow to the public stormdrain system located in Bundy Drive and Centinela Avenue in the unlikely event of flooding onsite. As such, impact would be less than significant.

***d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?***

**Less than Significant Impact.** As discussed in 3.10(c)(ii) above, the project is located in Zone X as defined by the FEMA Flood Insurance Rate Map (FEMA 2019). Zone X is considered an area of minimal flooding. As such, the project site is not expected to be subject to flooding in general.

The project site is located within a potential inundation area for the Stone Canyon Dam and, in the event of dam failure (usually due to significant seismic activity), the project site could release pollutants as a result of inundation. However, the Stone Canyon Dam is continually monitored and maintained by various governmental agencies, including the State of California Division of Safety of Dams and the U.S. Army Corps of Engineers. Additionally, current design and construction practices, ongoing program reviews, modifications, and total reconstructions of existing dams are specifically intended to ensure that all dams are capable of withstanding the maximum considered earthquake. Therefore, the potential for project inundation as a result of the Stone Canyon Dam failing is considered low (Appendix C1).

Seiches are large waves generated in enclosed bodies of water in response to ground shaking. No major water-retaining structures are located immediately up gradient from the project site and the risk of the project releasing pollutants from a seismically-induced seiche is considered unlikely (Appendix C1). The project site is not located within a tsunami inundation zone (DOC 2019b).

Given the above, the proposed project is not anticipated to risk release of pollutants as a result of inundation from flood, tsunami, or seiche. Impacts would be less than significant.

***e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?***

**Less Than Significant Impact.** The Basin Plan for the Coastal Watersheds of Los Angeles and Ventura Counties is the Water Quality Control Plan (WQMP) for the Los Angeles Region, which includes the City. The Basin Plan: (i) identifies beneficial uses for surface and ground waters, (ii) includes the narrative and numerical water quality objectives that must be attained or maintained to protect the designated beneficial uses and conform to the State's anti-degradation policy, and (iii) describes implementation programs and other actions that are necessary to achieve the water quality objectives established in the Basin Plan (RWQCB 2014).

With compliance with applicable regulations, including the SWPPP and LID Plan, the proposed project would be consistent with the Federal Clean Water Act, and pursuant to the NPDES Construction General Permit No. 2009-0009-DWQ. Restrictions in this Ordinance are applicable to both construction activities and operations. Additionally, compliance with General Permit issued by the SWRCB would require implementation of BMPs during construction to address the potential for pollutants from entering downstream waters. The project's potential to violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality would be less than significant and no mitigation is required.

California DWR is required to prioritize and update California's groundwater basin prioritization in accordance with the requirements of SGMA and related laws. SGMA requires that groundwater resources be managed sustainably for long-term reliability and multiple benefits for current and future beneficial uses SGMA applies to all California groundwater basins and requires that high- and medium-priority groundwater basins form

GSA (DWR 2019). DWR is required to prioritize California's 517 groundwater basins and subbasins as either high, medium, low, or very low. The San Fernando Groundwater Basin, which is the primary groundwater source for the City, was determined by DWR to be "Very Low" priority and is therefore not subject to the requirements to prepare form a Groundwater Sustainability Agency to develop a Groundwater Sustainability Plan. Additionally, according to the LADWP UWMP, LADWP continues to invest in stormwater recharge projects by enhancing and enlarging existing stormwater capture facilities. LADWP is also investing in advanced treatment systems to produce purified recycled water for groundwater replenishment, often referred to as indirect potable reuse. These investments will augment the City's groundwater and help ensure that basin water levels remain sustainable for the foreseeable future (LADWP 2015).

Given the above, the project would not conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan. Therefore, the project's impact would be less than significant and no mitigation is required.

## References

- City of Los Angeles. 2011. Ordinance No. 181899 (Amendment to Section 64.70.01 and 64.72 of the Los Angeles Municipal Code). Accessed, August 27, 2019. [https://www.lastormwater.org/wp-content/files\\_mf/finallidordinance181899.pdf](https://www.lastormwater.org/wp-content/files_mf/finallidordinance181899.pdf).
- DOC (California Department of Conservation). 2019b. California Geological Survey Information Warehouse: Tsunami Inundation [map]. Accessed, August 27, 2019. <https://maps.conservation.ca.gov/cgs/informationwarehouse/tsunami/>.
- DWR (California Department of Water Resources). 2019. Sustainable Groundwater Management Act, 2019 Basin Prioritization. Accessed, August 27, 2019. <https://water.ca.gov/Programs/Groundwater-Management/Basin-Prioritization>.
- FEMA (Federal Emergency Management Agency), Map Service Center. 2019. Flood Insurance Rate Map (FIRM) 06037C1590F. September 26, 2008. Accessed August 27, 2019. <https://msc.fema.gov/portal/search?AddressQuery=12300%20Nebraska%20Avenue%2C%20Los%20Angeles#searchresultsanchor>.
- LADWP (Los Angeles Department of Water and Power). 2015. Urban Water Management Plan. Accessed, August 27, 2019. [https://www.ladwp.com/ladwp/faces/wcnav\\_externalId/a-w-sos-uwmp?\\_afLoop=995124718417340&\\_afWindowMode=0&\\_afWindowId=null#%40%3F\\_afWindowId%3Dnull%26\\_afLoop%3D995124718417340%26\\_afWindowMode%3D0%26\\_adf.ctrl-state%3Dbbhj4btdn\\_17](https://www.ladwp.com/ladwp/faces/wcnav_externalId/a-w-sos-uwmp?_afLoop=995124718417340&_afWindowMode=0&_afWindowId=null#%40%3F_afWindowId%3Dnull%26_afLoop%3D995124718417340%26_afWindowMode%3D0%26_adf.ctrl-state%3Dbbhj4btdn_17).

LADPW (Los Angeles Department of Public Works). 2019. Los Angeles County Storm Drain System [Geodatabase]. Accessed, August 27, 2019. <https://pw.lacounty.gov/fcd/StormDrain/index.cfm>.

### 3.11 Land Use and Planning

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Cause a significant environmental impact due to a conflict with any applicable land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**a) *Would the project physically divide an established community?***

**No Impact.** The proposed project would significantly enhance the workplace quality, safety, functional efficiency, sustainability, and beautification of a site that is already owned and utilized by LADWP. The proposed project includes the replacement of existing structures and would not result in any new infrastructure, such as buildings or roads, that would physically divide an established neighborhood when compared to existing conditions. Thus, project implementation would not result in physical division of any established communities. No impact would occur.

**b) *Would the project cause a significant environmental impact due to a conflict with any plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?***

**Less than Significant Impact.** The project site is zoned (Q)PF-1XL – Public Facilities and designated Public Facilities in the City’s General Plan (City of Los Angeles 2019). The project would be consistent with this zoning and designation, and with the site’s historic use as an LADWP facility.

The site is also subject to the West Los Angeles Transportation Improvement and Mitigation Specific Plan (Specific Plan). The Specific Plan was adopted as a result of the August 11, 2015 adoption of the new Mobility Element by the Los Angeles City Council and the subsequent adoption of the Street Standard Plan/S-470-1 by the City Planning Commission on August 13, 2015, which put into effect the Mobility Plan 2035. As outlined in the Specific Plan, prior to issuance of any building, grading, or foundation permit, an Applicant for a project shall pay, or guarantee payment of, a Transportation Impact Assessment (TIA) fee to the Los Angeles Department of Transportation (LADOT). The TIA fee shall be for the purpose of funding the transportation improvements outlined in the Specific Plan (City of Los Angeles 2019c). The TIA fee shall be paid or

guaranteed before construction of the project. LADWP would ensure compliance with the West Los Angeles Transportation Improvement and Mitigation Specific Plan by payment of the TIA fee.

Because the use of the project site would remain unchanged, and with payment of the required TIA fee, the proposed project would not conflict with a land use or zoning designation. As such, the project would not result in a significant environmental impact due to a conflict with any applicable land use plan, policy, or regulation. Impacts would be less than significant.

### References

City of Los Angeles. 2019a. Zimas. “Planning and Zoning.” Web Map Application. Accessed September 22, 2017.  
<http://zimas.lacity.org/>

City of Los Angeles. 2019c. West Los Angeles Transportation Improvement and Mitigation Specific Plan. Accessed, August 27, 2019. <https://planning.lacity.org/complan/specplan/pdf/wlatimp.pdf>.

### 3.12 Mineral Resources

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**a) *Would the project result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?***

**No Impact.** The project site is located in an area designated by the DOC as Mineral Resource Zone (MRZ) 1 or MRZ-1. MRZ-1 is defined as an area where adequate information indicates that no significant mineral deposits are present, or where it is judged that little likelihood exists for their presence (DOC 1994). As such, the proposed project is not designated as a known mineral resources site of significance to the State or region and would not result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state (DOC 1994).

Similarly, there are no recorded oil/gas wells on the project site. As explained in Section 3.9, Hazards and Hazardous Materials, there is one historic well located approximately 360 feet southwest of the project site. The well was operated by the Occidental Petroleum Corporation; however, records indicate that the well was abandoned in 1966 and is currently listed as “plugged” (DOC 2019c; DOC1966). There are no other oil/gas wells within a mile radius of the project site (DOC 2019c). Additionally, the project site is completely developed and paved under existing conditions, which precludes the extraction of mineral resources. Upon project operation, the project site would be fully developed and paved and would not support mineral, oil, or gas extraction activities.

Given the above, the proposed project would not result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state. No impact would occur.

**b) *Would the project result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?***

**No Impact.** The proposed project site is not identified as a locally important mineral resource site delineated on a local general plan, specific plan, or other land use plan (City of Los Angeles 2001). No impact would occur.

#### References

- DOC (California Department of Conservation), Division of Oil, Gas and Geothermal Resources. 1966. Public Well Records (03705734\_2019-08-22\_DATA). Accessed, August 27, 2019. <ftp://ftp.consrv.ca.gov/pub/oil/WellRecord/037/03705734>.
- DOC (California Department of Conservation), Division of Mines and Geology. 1994. Generalized Mineral Land Classification Map of Los Angeles County – South Half. Aggregate. Accessed August 27, 2019. <http://maps.conservation.ca.gov/cgs/informationwarehouse/>
- DOC (California Department of Conservation), Division of Oil, Gas and Geothermal Resources. 2019c. Well Finder database. Accessed, August 27, 2019. <https://maps.conservation.ca.gov/doggr/wellfinder/#openModal/-118.45174/34.03270/15>.
- City of Los Angeles. 2001. General Plan – Conservation Element. Adopted September 26, 2001. August 27, 2019. <https://planning.lacity.org/cwd/gnlpln/consvelt.pdf>.

### 3.13 Noise

Would the project result in:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) For a project located within an the vicinity of a private airstrip or airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

#### Noise Definitions

Sound is mechanical energy transmitted by pressure waves in a compressible medium, such as air. Noise is defined as sound that is loud, unpleasant, unexpected, or undesired. The sound-pressure level has become the most common descriptor used to characterize the loudness of an ambient sound level. The unit of measurement of sound pressure is a decibel (dB). Under controlled conditions in an acoustics laboratory, the trained, healthy human ear is able to discern changes in sound levels of 1 dB when exposed to steady, single-frequency signals in the mid-frequency range. Outside such controlled conditions, the trained ear can detect changes of 2 dB in normal environmental noise. It is widely accepted that the average healthy ear, however, can barely perceive noise level changes of 3 dB. A change of 5 dB is readily perceptible, and a change of 10 dB is perceived as twice or half as loud. A doubling of sound energy results in a 3-dB increase in sound, which means that a doubling of sound energy (e.g., doubling the volume of traffic on a road) would result in a barely perceptible change in the sound level.

Since the human ear is not equally sensitive to all sound frequencies within the entire spectrum, noise levels at maximum human sensitivity are factored more heavily into sound descriptions in a process called “A-weighting,” the measurement of which is expressed as dBA. Hourly average noise levels are usually expressed as dBA  $L_{eq}$  or the equivalent noise level over that period of time. Therefore, all sound levels discussed in this section are A-weighted. Because community receptors are more sensitive to noise intrusion during the evening and at night, state law requires that an artificial dBA

increment be added to quiet-time noise levels in 24-hour noise metrics such as the Community Noise Equivalent Level (CNEL) or day-night noise level ( $L_{dn}$ ).

### Existing Noise Conditions

Noise measurements were conducted on and near the project site in October 2017 to characterize the existing noise environment. The daytime, short-term (1 hour or less) attended sound level measurements were taken with a Rion NL-52 sound-level meter. This sound-level meter meets the current American National Standards Institute (ANSI) standard for a Type 1 (precision grade) sound-level meter. The calibration of the sound level meter was verified before and after the measurements were taken, and the measurements were conducted with the microphone positioned approximately five feet above the ground. One long-term measurement was taken with a SoftDB Model Piccolo sound level meter. The Piccolo sound level meter meets the ANSI standard for a Type 2 (general-purpose grade) sound level meter.

Five short-term noise measurement locations (ST1–ST5) and one long-term noise measurement location (LT1) which represent key potential sensitive receptors or sensitive land uses were selected on, adjacent to, or near the project site. The measurement locations are shown in Figure 3.13-1, and the measured average noise levels and measurement locations are provided in Table 3.13-1 and Table 3.13-2. The primary noise sources at the measurement locations consisted of traffic along the adjacent roads. As shown, typical measured daytime noise levels in the project vicinity ranged from approximately 50 dBA  $L_{eq}$  (at ST3 and ST4) to approximately 64 dBA  $L_{eq}$  (at ST2). Hourly average daytime and nighttime noise levels as measured at site LT1 ranged from approximately 44 dBA  $L_{eq}$  during the late-night / early-morning hours to approximately 59 dBA  $L_{eq}$  during the afternoon hours.

Table 3.13-1. Short-Term Measured Noise Levels

Receptors	Location/Address	Date	Time	$L_{eq}^1$ (dBA)	$L_{max}^2$ (dBA)
ST1	Southwest corner of 1757 Amherst Ave Los Angeles, CA 90025	October 18, 2017	11:54 a.m. – 12:09 p.m.	55.2	71.9
ST2	1761 Wellesley Ave Los Angeles, CA 90025	October 18, 2017	11:12 a.m. – 11:32 a.m.	63.9	90.8
ST3	1752 Wellesley Ave Los Angeles, CA 90025	October 18, 2017	11:35 a.m. – 11:50 a.m.	50.1	65.5
ST4	Western Boundary of Department of Water and Power	October 18, 2017	11:00 a.m. – 11:10 a.m.	50	59.5
ST5	1761 S Carmelina Ave Los Angeles, CA 90025	October 18, 2017	12:13 p.m. – 12:28 p.m.	58.8	75.2

Notes:

- <sup>1</sup> Equivalent Continuous Sound Level (Time-Average Sound Level)
- <sup>2</sup> Maximum Noise Level



Table 3.13-2. Long-Term Measured Noise Levels

Date	Time	L <sub>eq</sub> <sup>1</sup> (dBA)	L <sub>max</sub> <sup>2</sup> (dBA)
October 18, 2017	11:05 AM	55.4	81.1
October 18, 2017	12:05 PM	56.2	77.3
October 18, 2017	1:05 PM	53.9	75.8
October 18, 2017	2:05 PM	55.2	77.6
October 18, 2017	3:05 PM	59.1	80.4
October 18, 2017	4:05 PM	54.3	74
October 18, 2017	5:05 PM	54.4	78.3
October 18, 2017	6:05 PM	57.8	81.7
October 18, 2017	7:05 PM	52.7	78
October 18, 2017	8:05 PM	50.4	73.8
October 18, 2017	9:05 PM	47.7	61.5
October 18, 2017	10:05 PM	50.7	63
October 18, 2017	11:05 PM	49.2	76.6
October 19, 2017	12:05 AM	43.9	57.4
October 19, 2017	1:05 AM	45.2	57.4
October 19, 2017	2:05 AM	44.4	55.1
October 19, 2017	3:05 AM	45.2	58.1
October 19, 2017	4:05 AM	47	56
October 19, 2017	5:05 AM	50.8	65.1

Notes:

<sup>1</sup> Equivalent Continuous Sound Level (Time-Average Sound Level)

<sup>2</sup> Maximum Noise Level

### City of Los Angeles Noise Ordinance

The City of Los Angeles regulates noise through several sections of its Municipal Code (City of Los Angeles 2016): Section 41.40 (Noise Due to Construction, Excavation Work – When Prohibited), which establishes time prohibitions on noise generated by construction activity; Section 112.04 (Powered Equipment Intended for Repetitive Use in Residential Areas and Other Machinery, Equipment and Devices), which prohibits the use of loud machinery and/or equipment within 500 feet of residences and prohibits noise from machinery, equipment, or other devices that would result in an increase of more than 5 decibels (dB) above the ambient noise level at residences; and Section 112.05 (Maximum Noise Level of Powered Equipment or Powered Hand Tools), which establishes maximum noise levels for powered equipment and powered hand tools (i.e., 75 dBA at a distance of 50 feet for construction, industrial, and agricultural equipment between the hours of 7:00 a.m. and 10:00 p.m.). According to Section 41.40, no construction activity that might create loud noises in or near residential areas or buildings shall be conducted between the hours of

9:00 p.m. and 7:00 a.m. on weekdays, before 8:00 a.m. or after 6:00 p.m. on Saturday and national holidays, or at any time on Sunday.

### Approach and Methodology

Noise from the construction phase of the proposed project was estimated using the Federal Highway Administration's (FHWA's) Roadway Construction Noise Model (RCNM; FHWA 2008). Although the model was funded and promulgated by the FHWA, the RCNM is often used for non-roadway projects, because the same types of construction equipment used for roadway projects are also used for other project types. Input variables for the RCNM consist of the receiver/land use types, the equipment type and number of each (e.g., two graders, a loader, a tractor), the duty cycle for each piece of equipment (e.g., percentage of hours the equipment typically works per day), and the distance from the noise-sensitive receiver. No topographical or structural shielding was assumed in the modeling of construction noise. Construction scenario assumptions, including phasing and equipment mix, were based on information provided by the proposed project applicant and the CalEEMod default values developed for the Air Quality/Greenhouse Gas impacts analysis, when proposed project specifics were not known.

Construction noise levels were assessed at two distances for each construction phase: the distance from the nearest noise-sensitive receivers (i.e., residential land uses) to the closest construction activities, and the more typical distance between the nearest noise-sensitive receivers and the "acoustic center" of construction activities (the average distance between the near and far work areas).

- a) ***Would the project result in generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?***

**Less Than Significant with Mitigation Incorporated.** Existing residential development abuts the project site to the north and northwest. To the south and southwest of the site is an existing industrial site. Existing commercial development and office spaces abut the site to the west and northeast. Residential uses also exist further to the east and to the south of the project site. Noise from on-site construction activities have the potential to expose nearby sensitive receptors to noise levels above established standards. Additionally, operational traffic could potentially result in noise levels exceeding established standards at nearby noise-sensitive land uses.

### **Construction**

During project construction, activities would include demolition, site preparation, grading, paving, erection of structures and architectural coatings. Construction activities would require the use of standard construction equipment such as loaders, dozers, dump trucks, soil compaction equipment, concrete pumps, and cranes. The anticipated number of workers would range from approximately 6 to 11 per day. Construction equipment with

substantially higher noise-generation characteristics (such as pile drivers, rock drills, blasting equipment) would not be necessary for construction of the project.

The range of maximum noise levels for various types of construction equipment at a distance of 50 feet is depicted in Table 3.13-3. The noise values represent maximum noise generation, or full-power operation of the equipment. As an example, a loader and two dozers, all operating at full power and relatively close together, would generate a maximum sound level of approximately 90 dBA at 50 feet from their operating locations. As one increases the distance between equipment, and/or the separation of areas with simultaneous construction activity, dispersion and distance attenuation reduce the effects of separate noise sources added together. In addition, typical operating cycles may involve 2 minutes of full-power operation, followed by 3 or 4 minutes at lower levels. The average noise level during construction activity is generally lower, since maximum noise generation may only occur up to 50% of the time.

Table 3.13-3. Construction Equipment Maximum Noise Emission Levels

Equipment	Typical Sound Level (dBA) 50 Feet from Source
Roller	74
Concrete vibrator	76
Pump	76
Saw	76
Backhoe	80
Air compressor	81
Generator	81
Compactor	82
Concrete pump	82
Crane, mobile	83
Concrete mixer	85
Dozer	85
Grader	85
Impact wrench	85
Loader	85
Pneumatic tool	85
Jackhammer	88
Truck	88
Paver	89

Source: DOT 2006.

The nearest off-site sensitive receptors to the project boundaries are the residences to the north and northwest. The nearest residences to the project site are located approximately 75 feet from the nearest planned construction; more typically, construction activities would take place approximately 300 feet from adjacent

residences<sup>7</sup>. Noise levels from construction activities generally decrease at a rate of 6 dB per doubling of distance away from the activity.

Using the FHWA’s RCNM construction noise model and construction information (types and number of construction equipment by phase), the estimated noise levels from construction were calculated for both the relatively brief periods of time during which construction would take place at the nearest source-receiver distances, and during the longer periods of time when construction would take place both near and far from adjacent receivers. The RCNM inputs and outputs are provided in Appendix E.

As presented in Table 3.13-4, the highest noise levels are predicted to occur during demolition activities, when noise levels would be as high as approximately 83 dBA Leq when demolition would take place within approximately 75 feet of residential land uses. More typically, construction activity would range from approximately 57 to 74 dBA Leq. The daytime ambient noise levels for residential locations at these locations as represented by the ST1 and ST2 measurements (see Table 3.13-1), range from approximately 55 to 64 dBA Leq.

Table 3.13-4. Construction Noise Model Results Summary

Construction Phase	Construction Noise at Representative Receiver Distances (L <sub>eq</sub> (dBA))	
	<i>Nearest Residence (Approx. 75' Away)</i>	<i>Typical Residence (Approx. 300' Away)</i>
Demolition	83	74
Site Preparation	77	71
Shoring 1	71	60
Excavation	81	70
Shoring 2	69	57
Concrete Foundations	75	70
Trenching	75	67
Concrete Paving	77	69
Architectural Coating	70	58

Source: Appendix E

Although nearby off-site residences would be exposed to elevated construction noise levels, the exposure would be short term and would cease upon completion of project construction. It is anticipated that construction

<sup>7</sup> Because construction activities would take place both near and far relative to any one noise-sensitive receiver, the concept of the “acoustic center” is used for providing typical construction noise levels. The acoustic center is the idealized point from which the energy sum of all activity noise, near and far, would be centered. The acoustic center is derived by taking the square root of the product of the nearest and the farthest construction noise - receiver distances.

activities associated with the proposed project would take place within the allowable hours per Section 41.40 of the LAMC (7:00 a.m. and 9:00 p.m. Monday through Friday, 8:00 a.m. and 6:00 p.m. on Saturday, and would not at any time on Sunday or on national holidays), and thus would not violate City of Los Angeles standards for construction. However, construction noise levels would be substantially higher than existing ambient daytime noise levels, particularly when construction activities take place in proximity to the nearest adjacent noise-sensitive receivers (as shown in Table 3.13-4). Therefore, temporary noise impacts from construction would be considered potentially significant. The implementation of mitigation measures **MM NOI-1** and **MM NOI-2** would reduce construction noise to less-than-significant levels with mitigation incorporated.

### **Mitigation Measures**

#### **MM-NOI-1 Construction Noise Reduction**

1. Construction activities shall not occur between the hours of 9:00 p.m. and 7:00 a.m. Monday through Friday, 6:00 p.m. and 8:00 a.m. on Saturday, or on Sundays or national holidays.
2. Pumps and associated equipment (e.g., portable generators etc.) shall be shielded from sensitive uses using local temporary noise barriers or enclosures, or shall otherwise be designed or configured so as to minimize noise at nearby noise-sensitive receivers.
3. Staging of construction equipment shall not occur within 20 feet of any noise- or vibration-sensitive land uses.
4. All noise-producing equipment and vehicles using internal combustion engines shall be equipped with mufflers; air-inlet silencers where appropriate; and any other shrouds, shields, or other noise-reducing features in good operating condition that meet or exceed original factory specification. Mobile or fixed “package” equipment (e.g., arc-welders, air compressors) shall be equipped with shrouds and noise control features that are readily available for that type of equipment.
5. All mobile or fixed noise-producing equipment used on the project facilities that are regulated for noise output by a local, state, or federal agency shall comply with such regulation while in the course of project activity.
6. Idling equipment shall be kept to a minimum and moved as far as practicable from noise-sensitive land uses.
7. Electrically powered equipment shall be used instead of pneumatic or internal combustion powered equipment, where feasible.
8. Material stockpiles and mobile equipment staging, parking, and maintenance areas shall be located as far as practicable from noise-sensitive receptors.

9. The use of noise-producing signals, including horns, whistles, alarms, and bells, shall be for safety warning purposes only.

Effectiveness of these mitigation measures would vary from several decibels (which in general is a relatively small change) to ten or more decibels (which subjectively would be perceived as a substantial change), depending upon the specific equipment and the original condition of that equipment, the specific locations of the noise sources and the receivers, etc. Installation of a temporary noise barrier, for example, would vary in effectiveness depending upon the degree to which the line-of-sight between the source and receiver is broken, and typically ranges from 5 to 10 dB. Installation of more effective silencers could range from several decibels to well over 10 decibels. Reduction of idling equipment could reduce overall noise levels from barely any reduction to several decibels. Cumulatively, however, these measures would result in substantial decreases in the noise from construction.

**MM NOI-2: Notification at Sensitive Receptors**

Effective communication with local residents shall be maintained during construction, including keeping them informed of the schedule, duration, and progress of the construction to minimize public complaints regarding noise and vibration levels.

**Operations.**

**On-Site Operational Noise.** The proposed project is intended to enhance workplace quality and safety, functional efficacy and efficiency, sustainability, and site beautification. The proposed project would allow for more capacity for housing employees (from 120 currently, to approximately 375 with the proposed project) and more open space for vehicles to prevent congestion of the facility. The project would consolidate the functions currently occupied by six structures on-site (including the district office, warehouse, break room, locker room, and fleet shop) into three new buildings, consisting of a warehouse, district office, and fleet shop. Beneath the proposed new buildings a single-level underground parking structure with a total of 389 parking stalls would be installed. Additionally, the straddle crane located within the existing yard would be relocated toward the southeast section of the District Yard closer to the driveway along Olympic Boulevard. The existing unleaded and diesel fuel tanks would be protected in place in their current location. All fleet vehicle parking (a total of 32 oversized parking spaces), would be located on a surface parking lot. The proposed project operating hours would be unchanged from the current hours.

Although the number of employees assigned to the facility would increase as a result of the proposed project, the employee parking would be relocated to the new underground parking structure; thus, noise from parking lot activities would be reduced compared to existing conditions, in which all parking is at surface level. Similarly, the straddle crane would be relocated approximately 500 feet to the southeast, further from the nearest noise-sensitive land uses (residences to the north). Fleet vehicle parking would be located in the central portion of

the project site, where most of the existing larger fleet vehicles are currently located. Furthermore, the proposed District Yard Office building would act as a structural noise barrier for residences to the north, reducing on-site noise at these noise-sensitive receivers. Based upon these project features, permanent noise from on-site operational noise would be **less than significant**. No mitigation is required.

**Off-Site Operational (Traffic) Noise.** The proposed project would add passenger vehicle and truck trips along local roadways. According to the City of Los Angeles CEQA Thresholds Guide (City of Los Angeles 2006) “A project would normally have a significant impact on noise levels from project operation if the project causes the ambient noise level measured at the property line of an affected use to increase by 3 decibels (dBA) or more in community noise equivalency level (CNEL) to or within the “normally unacceptable” or “clearly unacceptable” category of the noise exposure chart prepared by the California Department of Health Services (DHS), or any 5 dBA or greater noise increase.”

The results of the traffic modeling for the existing and existing plus project scenarios are summarized in Table 3.13-5, and the traffic noise model input/output files are located in Appendix E. As shown, the project-related traffic would result in a noise level increase of zero (0) dB CNEL when rounded to whole numbers along the studied roads in the vicinity of the project site. None of the modeled receivers would exceed the 65 dBA CNEL City noise standard (City of Los Angeles 1999) for residences as a result of the increase in Project-related traffic. Additionally, noise increases would be well below the significance threshold of 5 dB. Therefore, traffic related to the proposed project would not exceed any noise standards and would not substantially increase the existing noise levels in the project vicinity, and permanent operational traffic-related noise impacts would be **less than significant**. No mitigation is required.

Table 3.13-5. Traffic Noise (Existing and Existing Plus Project)

Modeled Receptor	Existing Noise Level (dBA CNEL)	Existing Plus Project Noise Level (dBA CNEL)	Noise Level Increase (dB)
ST1	60	60	0
ST2	60	60	0
ST3	48	48	0
ST4	56	56	0
ST5	60	60	0
ST6	53	53	0
ST7	56	56	0
M1	66	66	0
M2	64	64	0
M3	66	66	0
M4	65	65	0

Source: Appendix E.

The noise level increases associated with additional traffic volumes under future without project traffic conditions and future with project traffic conditions are summarized in Table 3.13-6. None of the modeled receivers would exceed the 65 dBA CNEL City noise standard as a result of the increase in project-related traffic. The noise level increases associated with the project under future traffic conditions would be 1 dB or less (rounded to whole numbers). Therefore, traffic related to the proposed project would not exceed any noise standards and would not substantially increase the existing noise levels in the project vicinity. Permanent operational traffic-related noise impacts would be **less than significant**. No mitigation is required.

Table 3.13-6. Traffic Noise (Future and Future Plus Project)

Modeled Receptor	Future without Project Noise Level (dBA CNEL)	Future Plus Project Noise Level (dBA CNEL)	Noise Level Increase (dB)
ST1	60	61	1
ST2	61	61	0
ST3	49	49	0
ST4	57	57	0
ST5	61	61	0
ST6	54	54	0
ST7	58	58	0
M1	67	67	0
M2	66	66	0
M3	67	67	0
M4	66	66	0

Source: Appendix E.

**b) *Would the project result in generation of excessive groundborne vibration or groundborne noise levels?***

**Less Than Significant Impact.** Construction activities that might expose persons to excessive groundborne vibration or groundborne noise could cause a potentially significant impact. Caltrans has collected groundborne vibration information related to construction activities (Caltrans 2013). Information from Caltrans indicates that continuous vibrations with a peak particle velocity of approximately 0.1 inch/second begin to annoy people. The heavier pieces of construction equipment, such as bulldozers, would have peak particle velocities of approximately 0.089 inch/second or less at a distance of 25 feet (DOT 2006). Groundborne vibration is typically attenuated over short distances.

Groundborne vibration is typically attenuated over short distances. At the distance from the nearest residence to the construction area (approximately 65 feet) and with the anticipated construction equipment, the peak particle velocity would be approximately 0.021 inch/second. At the closest sensitive receptors, vibration levels would not exceed the vibration threshold of potential annoyance of 0.1 inch/second. Thus, vibration impacts at sensitive receptor locations to a **less than significant** level. No mitigation measures are necessary.



The major concern with regard to construction vibration is related to building damage. Construction vibration as a result of the proposed project would not result in structural building damage, which typically occurs at vibration levels of 0.5 inch/second or greater for buildings of reinforced-concrete, steel, or timber construction. The heavier pieces of construction equipment used would include typical construction equipment for this type of project such as backhoes, front-end loaders and flat-bed trucks. Pile driving, blasting, or other special construction techniques would not be used for construction of the proposed project; therefore, excessive groundborne vibration and groundborne noise would not be generated. Once operational, the project would not generate significant levels of groundborne vibration. As such, no building damage would be expected to occur as a result of project-related vibration during construction.


- c) *Would the project be located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?*

**Less Than Significant Impact.** The proposed project is not located within an airport land use plan (Los Angeles County 2004). The nearest airport is Santa Monica Municipal Airport, located approximately 1.1 miles to the south of the project site. Based upon the County of Los Angeles Comprehensive Land Use Plan, the project site is not within the Santa Monica Municipal Airport's Influence Area. Further, the proposed project is not located in the vicinity of a private airstrip (Airnav.com 2018). Thus, the proposed project would not expose people residing or working in the project area to excessive noise levels from an airport or a private airstrip. Noise impacts would thus be **less than significant**.

## References

- Airnav.com. Accessed January 9, 2018. <http://airnav.com/airport/KSMO>
- California Department of Transportation (Caltrans). September, 2013. Transportation and Construction Vibration Guidance Manual. Division of Environmental Analysis, Environmental Engineering, Hazardous Waste, Air, Noise, Paleontology Office. Sacramento, CA.
- Los Angeles County. 2004. Airport Land Use Commission Comprehensive Land Use Plan. Adopted December 19, 1991. Revised December 1, 2004
- Federal Highway Administration. 2008. Roadway Construction Noise Model (RCNM), Software Version 1.1. U.S. Department of Transportation, Research and Innovative Technology Administration, John A. Volpe National Transportation Systems Center, Environmental Measurement and Modeling Division. Washington, D.C.
- U.S. Department of Transportation (DOT), Federal Transit Administration, Office of Planning and Environment. 2006. FTA-VA-90-1003-06. Transit Noise and Vibration Impact Assessment. (Prepared under contract by Harris, Miller, Miller and Hanson). Burlington, MA.

INTENTIONALLY LEFT BLANK



SOURCE: Bing Maps 2018; Los Angeles County 2011

FIGURE 3.12-1  
Noise Measurement Locations  
LADWP West LA Yards

INTENTIONALLY LEFT BLANK

3.14 Population and Housing

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**a) *Would the project induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?***

**Less Than Significant Impact.** The purpose of this project is to significantly enhance the LADWP West Los Angeles District Yard workplace quality, safety, functional efficiency, sustainability, and site beautification. As such, the project would involve facility improvements at a site that already houses LADWP facilities.

During project construction, construction workers will be present at the site every day. However, the project site is located in the City of Los Angeles and construction workers would most likely come from the surrounding metropolitan area. Therefore, project construction is not anticipated to result in direct or indirect substantial unplanned population growth.

Currently, 120 total employees are assigned to the existing facility. Upon buildout of the project, an additional 225 employees would be assigned to this facility, resulting in a total of 375 employees operating out of the proposed LADWP District Yard. Because the proposed project would be located in the densely populated Los Angeles metropolitan area, it is anticipated that the jobs at the project site would be filled by City residents or by residents of neighboring cities. In the unlikely event that some of the new employees were to relocate to the City upon obtaining a job at the project site, the correlated population growth would be negligible relative to the City's existing and projected population. For the reasons described above, the proposed project is not anticipated to induce substantial unplanned population growth in the area. Additionally, the proposed project would not include the construction of any major infrastructure or other components that would result in unprecedented indirect population growth in the City. Therefore, impacts would be less than significant

**b) Would the project displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?**

**No Impact.** There is no existing housing within the project site, and the proposed project would not involve the removal of construction of any housing. The project site is currently used as a LADWP facility and would continue to be used as such upon project operation. No impact would occur.

References

None.

3.15 Public Services

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:				
Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:**

**Fire Protection**

**Less Than Significant Impact.** Fire protection for the proposed project site is provided by the City of Los Angeles Fire Department (City of Los Angeles 2017a). The proposed project would introduce approximately 225 additional employees on site during operations. The project site would be served by Fire Station 59, located approximately 0.9-mile east of the site. From January to July 2019, operational response times for Station 59 averaged from 5 minute and 46 seconds for critical Advanced Life Support (ALS) calls to 6 minutes and 2



seconds for calls to structural fires, and 6 minutes and 28 seconds for calls for emergency medical services (City of Los Angeles 2019d).

Although the project would result in the addition of approximately 225 employees on site, it is expected that new employees would already reside in the surrounding Los Angeles metropolitan area. As such the project is not expected to induce substantial population such that the need for additional fire protection services or facilities would be required.

Additionally, the proposed project would provide emergency access to the site in accordance with the applicable fire code, which includes requirements for adequate fire flows, width of emergency access routes, turning radii, automatic sprinkler systems, fire alarms, and floor to sky height limits along emergency access routes. Due to the incremental increase of employees on site, the project is not expected to lead to an increase in calls for fire protection services. As such, and with compliance with all applicable fire codes and regulations, impacts to fire services would be less than significant.

### ***Police Protection***

**Less Than Significant Impact.** Police protection for the proposed project site is provided by the City of Los Angeles Police Department, and more specifically by the West LA Community Police Station located at 1663 Butler Avenue, located approximately 0.8-mile northeast of the project site (City of Los Angeles 2019e).

The project proposes the construction of a commercial, office structure, which is not a land use typically associated with the need for police protection. Although the project would result in the addition of approximately 225 employees on site, it is expected that new employees would already reside in the surrounding City of Los Angeles metropolitan area. As such the project is not expected to induce substantial population such that the need for additional police protection services or facilities would be required.

Additionally, as shown in Figure 2-1, Site Plan, the proposed project would include some Crime Prevention through Environmental Design (CPTED) features, such as security gates, which would be constructed at each access point to the site along Nebraska Avenue. As such, the proposed project is not expected to warrant the need for additional police protection services. Impacts would be less than significant.

### ***Schools***

**Less Than Significant Impact.** The proposed project would not generate increased demand for school services. Although the project would result in an incremental increase in the number of employees on site, new employees are expected to already reside in the surrounding Los Angeles metropolitan area. Thus, the project would not lead to substantial population growth such that the associated increase in student enrollment would result in the need for new or physically altered school facilities. Impacts would be less than significant.

### ***Parks***

**Less Than Significant Impact.** The nearest park to the project site is the Stoner Recreation Center, located approximately 0.3-mile northeast of the project site. During construction, the proposed project would introduce an average of nine daily construction workers to the project site and, as such, no additional use of nearby park facilities is anticipated during project construction.

Upon operation, 225 additional employees would operate out of the new LADWP facility, resulting in a total of 375 on-site employees. The additional 225 employees would most likely reside in the surrounding Los Angeles Metropolitan area, and as such, project operation is not expected to lead to population growth such that an increase in the use of existing neighborhood or regional parks or other recreational facilities would occur. Impacts would be less than significant.

### ***Other Public Facilities***

**No Impact.** The proposed project would not generate a direct demand for other public facilities. Although the project would result in an increased amount of employees on site, this increase would be minimal. Further, it is expected that these additional employees would reside in the surrounding Los Angeles metropolitan area. Thus, the proposed project would not directly or indirectly induce population growth in the area such that new or physically altered governmental facilities would be required to adequately provide services. Impacts would be less than significant.

### References

City of Los Angeles. 2019a. Zimas. “Public Safety.” Web Map Application. Accessed August 27, 2019.  
<http://zimas.lacity.org/>.

City of Los Angeles. 2019d. Los Angeles Fire Department – Fire Stat LA (beta). Web Application. Accessed August 27, 2019. <http://www.lafd.org/fsla/stations-map?st=571&year=2019>.

City of Los Angeles. 2019e. Los Angeles Police Department [webpage]. Accessed, August 27, 2019.  
[http://www.lapdonline.org/west\\_la\\_community\\_police\\_station](http://www.lapdonline.org/west_la_community_police_station).



3.16 Recreation

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

**a) *Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?***

**Less Than Significant Impact.** The nearest park to the project site is the Stoner Recreation Center, located approximately 0.3-mile northeast of the project site. During construction, the proposed project would introduce an average of nine daily construction workers to the project site and, as such, no additional use of nearby park facilities is anticipated during project construction.

Upon operation, 225 additional employees would operate out of the new LADWP facility, resulting in a total of 200 on-site employees. The additional 225 employees would most likely reside in the surrounding Los Angeles Metropolitan area, and as such, project operation is not expected to lead to population growth such that an increase in the use of existing neighborhood or regional parks or other recreational facilities would occur. Impacts would be less than significant.

**b) *Does the project include recreational facilities or require the construction or expansion of recreational facilities, which might have an adverse physical effect on the environment?***

**Less Than Significant Impact.** The proposed project would not generate a demand for parks, nor would it lead directly or indirectly to substantial population growth such that the construction or expansion of recreation facilities would be required. The proposed project does not include the construction of any recreational facilities, which might have an adverse physical effect on the environment. As such, impacts would be less than significant.

References

None.

3.17 Transportation and Traffic

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Conflict with a program, plan, ordinance, or policy addressing the circulation system, including transit, roadway, bicycle, and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

A traffic impact study was conducted for the proposed project by Linscott, Law, and Greenspan Engineers and is included as Appendix F of this document. The traffic analysis follows the City of Los Angeles traffic study guidelines and is consistent with the traffic impact assessment guidelines set forth in the Los Angeles County Congestion Management Program. The City of Los Angeles Department of Transportation has reviewed and approved the Transportation Impact Study (TIS). A copy of LADOT's Assessment Letter of the TIS is also included in Appendix F.

Eight intersections were defined for analysis in the TIS. They include:

1. Centinela Avenue/Nebraska Avenue
2. Centinela Avenue (West)/Olympic Boulevard
3. Centinela Avenue (East)/Olympic Boulevard
4. Bundy Drive/Nebraska Avenue
5. Bundy Drive/Olympic Boulevard
6. Bundy Drive/Pico Boulevard

7. Bundy Drive/Idaho Avenue
8. Centinela Avenue/Exposition Boulevard

Seven of the study intersections selected for analysis are currently controlled by traffic signals, with the remaining one study intersection, Bundy Drive/Nebraska Avenue, controlled with a stop sign. The existing roadway configurations and intersection controls at the study intersections are displayed in Figure 3.17-1, Existing Lane Configurations)

### **Study Scenarios**

Traffic impacts at the study intersections were analyzed for the following conditions:

- a. Existing conditions
- b. Existing with project conditions.
- c. Condition (b) with implementation of project mitigation measures, where necessary.
- d. Condition (a) plus one percent (1.0%) annual ambient traffic growth through year 2025 and with completion and occupancy of the related projects (i.e., future without project conditions).
- e. Condition (d) with completion and occupancy of the proposed project.
- f. Condition (e) with implementation of project mitigation measures, where necessary.

### **Traffic Impact Analysis Methodology**

The study intersections were evaluated using the Critical Movement Analysis (CMA) method of analysis which determines Volume-to-Capacity (V/C) ratios on a critical lane basis. The overall intersection V/C ratio is subsequently assigned a Level of Service (LOS) value to describe intersection operations. Level of Service varies from LOS A, representing free-flow conditions, to LOS F, representing a jammed condition.

### **Impact Criteria and Thresholds**

The relative impact of the added project traffic volumes to be generated by the proposed project during the weekday AM and PM peak hours was evaluated based on analysis of existing and future operating conditions at the study intersections, without and with the proposed project. The previously discussed capacity analysis procedures were utilized to evaluate the future V/C relationships and service level characteristics at each study intersection.

The significance of the potential impacts of project-generated traffic was identified using the traffic impact criteria set forth in LADOT's Transportation Impact Study Guidelines, from December 2016. According to the City's published traffic study guidelines, the impact is considered significant if the project-related increase in the v/c ratio equals or exceeds the thresholds presented in Table 3.17-1.

Table 3.17-1. City of Los Angeles Intersection Impact Threshold Criteria

Final V/C	Level of Service	Project Related Increase in V/C
0.71 to 0.80	C	equal to or greater than 0.04
0.81 to 0.90	D	equal to or greater than 0.02
0.91 or more	E / F	equal to or greater than 0.01

Source: Appendix F

The City’s Sliding Scale Method requires mitigation of project traffic impacts whenever traffic generated by the proposed development causes an increase of the analyzed intersection V/C ratio by an amount equal to or greater than the values shown in Table 3.17-1.

**Existing Traffic Volumes**

Manual counts of vehicular turning movements were conducted at each of the study intersections during the weekday AM and PM commute periods to determine the peak hour traffic volumes. The weekday peak hour manual counts of vehicle movements at the study intersections are summarized in Table 3.17-2. Figure 3.17-2 and Figure 3.17-3 illustrate the Existing Traffic Volumes for weekday AM and PM peak hours, respectively.

Table 3.17-2. Existing Traffic Volumes

No.	Intersection	Date	DIR	AM Peak Hour		PM Peak Hour	
				<i>Began</i>	<i>Volume</i>	<i>Began</i>	<i>Volume</i>
1	Centinela Avenue/Nebraska Avenue	11/16/2017	NB	8:30	1,122	5:00	750
			SB		557		681
			EB		159		461
			WB		83		142
2	Centinela Avenue (West)/Olympic Boulevard	11/16/2017	NB	8:00	0	5:00	0
			SB		587		1,015
			EB		759		1,169
			WB		2,192		1,540
3	Centinela Avenue (East)/Olympic Boulevard	11/16/2017	NB	8:15	906	4:45	538
			SB		17		35
			EB		1,235		2,142
			WB		1,627		1,129
4	Bundy Drive/Nebraska Avenue	11/16/2017	NB	8:00	1,269	4:00	1,375
			SB		1,370		1,043
			EB		95		197
			WB		0		0
5	Bundy Drive/Olympic Boulevard	11/16/2017	NB	8:00	1,370	4:30	1,214
			SB		1,171		929

Table 3.17-2. Existing Traffic Volumes

No.	Intersection	Date	DIR	AM Peak Hour		PM Peak Hour	
				Began	Volume	Began	Volume
			EB		967		1,496
			WB		1,859		1,694
6	Bundy Drive/Pico Boulevard	11/16/2017	NB	8:00	1,697	4:45	1,480
			SB		1,221		1,359
			EB		1,049		1,284
			WB		1,046		729
7	Bundy Drive/Idaho Avenue	06/26/2019	NB	8:45	1,136	4:30	1,266
			SB		1,385		1,231
			EB		225		447
			WB		315		167
8	Centinela Avenue/Exposition Boulevard	06/26/2019	NB	8:45	811	4:30	486
			SB		506		917
			EB		6		3
			WB		154		54

Source: Appendix F

### Future Traffic Volumes

To provide a highly conservative estimate of future pre-project traffic volumes, a forecast of on-street traffic conditions prior to occupancy of the proposed project was prepared by incorporating the potential trips associated with other known development projects (related projects) in the area. Figure 3.17-4 illustrates the location of related projects. Traffic volumes expected to be generated by the related projects were calculated using rates provided in the Institute of Transportation Engineers' (ITE) *Trip Generation Manual*. The related projects' respective traffic generation for the weekday AM and PM peak hours, as well as on a daily basis for a typical weekday, are provided in Appendix F. Figure 3.17-5 and Figure 3.17-6 illustrate the Related Projects Traffic Volumes for the AM and PM peak hour, respectively. To account for area-wide regional growth, the existing traffic volumes were increased at an annual rate of one percent (1.0%) to the year 2025. The ambient growth factor was based on general traffic growth factors provided in the *2010 Congestion Management Program for Los Angeles County* and determined in consultation with City staff. The future cumulative baseline conditions were forecast based on the addition of traffic generated by the completion and occupancy of related projects, as well as the growth in traffic due to the combined effects of continuing development, intensification of existing developments and other factors (i.e., ambient growth). Figure 3.17-7 and Figure 3.17-8 illustrate the Future without Project traffic volumes for weekday AM and PM peak hours, respectively.

### Existing Conditions

As shown in column [1] of Table 3.16-5, seven of the eight study intersections are presently operating at LOS D or better during the weekday AM and PM peak hours. The intersection of Bundy Drive/Pico Boulevard (intersection 6) is expected to operate at LOS E during both the AM and PM peak hours shown in Table 3.17-4.

- Int. No. 6: Bundy Drive/Pico Boulevard  
AM Peak Hour:  $v/c=0.927$ , LOS E  
PM Peak Hour:  $v/c=0.948$ , LOS E

### Future Conditions

The V/C ratios at all of the study intersections are incrementally increased with the addition of ambient traffic and traffic generated by the related projects listed in Table 6-1 of Appendix F. As presented in column [3] of Table 3.17-4, six of the eight study intersections are expected to continue operating at LOS D or better during the weekday AM and PM peak hours with the addition of growth in ambient traffic and related projects traffic under the future without project conditions. The following study intersections are expected to operate at LOS E or F during the peak hours shown below with the addition of ambient growth traffic and traffic due to the related projects:

- Int. No. 5: Bundy Drive/Olympic Boulevard  
AM Peak Hour:  $v/c=0.965$ , LOS E
- Int. No. 6: Bundy Drive/Pico Boulevard  
AM Peak Hour:  $v/c=1.072$ , LOS F  
PM Peak Hour:  $v/c=1.099$ , LOS F

- a) ***Would the project conflict with a program, plan, ordinance, or policy addressing the circulation system, including transit, roadway, bicycle, and pedestrian facilities?***

**Less-Than-Significant Impact.** The following section provides an analysis of project traffic and its impact to the circulation system.

### Project Trip Generation

Due to the nature of the project's land use components, operations, and unique hours of operation, it was determined in consultation with City staff that it would be appropriate to forecast the trips generated by the project based on site-specific trip generation rates rather than trip rates published in the ITE Trip Generation Manual. The number of existing vehicle trips arriving and departing the site during the peak hours was determined, and when compared to the existing overall number of LADWP West Los Angeles Yard employees, site-specific trip generation rates (i.e., on a per employee basis) were derived for the site. Appendix F provides

further details of project's trip generation rates and forecast that was developed by LLG and approved by LADOT staff.

Table 3.17-3 shows projected traffic generation forecasts. As shown in this table, the proposed project would the proposed project is expected to generate a net increase of 52 vehicle trips (24 inbound trips and 28 outbound trips) during the weekday AM peak hour. During the weekday PM peak hour, the proposed project is expected to generate a net increase of 59 vehicle trips (12 inbound trips and 47 outbound trips). Over a 24-hour period, the proposed project is forecast to generate a net increase of 525 daily trip ends during a typical weekday (approximately 263 inbound trips and 263 outbound trips).

Table 3.17-3. Project Trip Generation

Land Use	Variable/Size	Daily Trip Ends [2] Volumes	AM Peak Hour Volumes [4]			PM Peak Hour Volumes [4]		
			In	Out	Total	In	Out	Total
<i>Trip Generation Rates[[1]</i>								
Existing West LA District Yard[2]	Per Employee	2.644	22%	78%	0.249	21%	79%	0.283
General Office Building	Per Employee	3.28	83%	17%	0.37	20%	80%	0.40
<i>Project Trip Generation[3]</i>								
Proposed Project								
West LA Yard[2]	315 Employees	833	17	61	78	18	70	88
Service Planning Center	60 Employees	197	18	4	22	5	19	24
Subtotal Proposed Project		1,030	35	65	100	23	89	112
Existing Uses								
West LA District Yard[2]	191 Employees	(505)	(11)	(37)	(48)	(11)	(42)	(53)
Net New Vehicle Trips (Proposed-Existing)		525	24	28	52	12	47	59

Source: Appendix F \_\_\_\_

Notes:

- 1 Source: ITE "Trip Generation Manual", 10th Edition, 2017, except as noted below
- 2 The trip generation forecast for the DWP West LA yard operations is based on empirical trip rates derived from observations of the existing DWP yards. Refer to Appendix Table C for derivation of the empirical trip rates.
- 3 Projected employment totals 375 employees per the LADWP project description (June 2019) which includes 315 West LA Yard employees plus 60 employees that will work in the new 8,531 square-foot Service Planning Center to be constructed on-site.
- 4 Trips are one-way traffic movements, entering or leaving.

### **Project Traffic Distribution and Assignment**

Project traffic volumes both entering and exiting the site were distributed and assigned to the adjacent street system based on the following considerations:

- The site's proximity to major traffic corridors (i.e., Santa Monica Boulevard, Olympic Boulevard, Pico Boulevard, Centinela Avenue, etc.);
- Expected localized traffic flow patterns based on adjacent roadway channelization and presence of traffic signals;
- Existing intersection traffic volumes;
- Existing site parcel access ingress/egress schemes;
- Nearby population and employment centers; and
- Input from LADOT staff.

The project traffic volume distribution percentages during weekday AM and PM peak hours at the study intersections are illustrated in Figure 3.17-9. The forecast net new project traffic volumes at the study intersections for the weekday AM and PM peak hours are displayed in Figure 3.17-10 and Figure 3.17-11, respectively.

### **Existing with Project Conditions**

Existing with Project Conditions analysis are presented in column [2] of Table 3.17-4. Figure 3.17-12, and Figure 3.17-13 illustrate the Existing with Project Traffic Volumes for Weekday AM and PM peak hours, respectively. As shown in Table 3.17-4, the project is not expected to create significant impacts at any of the eight study intersections. Impacts at all six intersections during Existing With Project Conditions would be **less than significant** impacts. No mitigation would be required.

### **Future with Project Conditions**

Future with Project Conditions are presented in Column [4] of Table 3.17-4. Figure 3.17-14 and Figure 3.17-15 illustrate the Future with Project (existing, ambient growth, related projects and project) Traffic Volumes for Weekday AM and PM peak hours, respectively. As shown in Table 3.17-4, application of the City's threshold criteria to the Future with Proposed Project scenario indicates that the proposed project is not expected to create significant impacts at any of the eight study intersections. As such, impacts would be **less than significant**. No mitigation would be required.

### **Project Construction traffic**

It is assumed that an average of 12 workers would be present daily during demolition activities and an average of 30 workers per day would be present during construction activities. Construction of the proposed project would require



the removal of approximately 100,000 cubic yards of soil, which would be exported from the site via haul trucks. Excavation is anticipated to last approximately five months and would require a total of approximately 5,000 total haul truck loads, assuming each truck would haul 20 cubic yards of soil, which would equate to approximately 50 truckloads per day (i.e., 100 truck trips per day). It is assumed that two to four daily vendor trips would be required, on average, during construction of the project. As such, the construction traffic would not exceed the net new project trips estimated in Table 3.17.3. Therefore, construction related project traffic would not create significant impacts at any of the eight study intersections. As such, impacts would be **less than significant**. The proposed project would comply with best management practices and work site traffic control plan per DOT Western District Operations Office requirement for the duration of project's construction.

### **Congestion Management Program**

The applicable congestion management program (CMP) for the project area and the surrounding metropolitan area is the Los Angeles County Metropolitan Transportation Authority's 2010 CMP. This program monitors and sets performance indicators for a transportation network of numerous highway segments, freeways, and key roadway intersections throughout Los Angeles County (called the CMP Highway and Roadway System). The CMP requires analysis of a project's effects on CMP facilities if the project would add 50 or more trips to a CMP intersection or more than 150 trips to a CMP mainline freeway in either direction during the AM or PM weekday peak hours. As discussed in the Traffic Impact Study (Appendix F), the project is not expected to add 50 or more trips during either weekday AM or PM peak hours at CMP monitoring intersections. Further, the project is not expected to add 150 or more trips (in either direction) during either the weekday AM or PM peak periods to CMP mainline freeway monitoring locations. No further analysis of CMP intersections or freeway mainline segments is required per the Los Angeles County CMP guidelines, indicating that the project trip generation falls below the thresholds established in the CMP and is, therefore, not anticipated to result in significant impacts at CMP monitoring locations. As such, impacts to the CMP would be **less than significant**.

Table 3.17-4. Summary of Volume to Capacity Ratios and Levels of Service – Weekday AM and PM Peak Hours

No	Intersection	Peak Hour	[1]		[2]				[3]		[4]			
			Year 2019 Existing		Year 2019 Existing With Project		Change V/C or Delay [(2)-(1)]	Signif. Impact [a]	Year 2025 Future Pre-Project		Year 2025 Future w/ Proposed Project		Change V/C or Delay [(4)-(3)]	Signif. Impact [a]
			V/C or delay	LOS	V/C or delay	LOS			V/C or delay	LOS	V/C or delay	LOS		
1	Centinela Avenue/Nebraska Avenue	AM	0.613	B	0.617	B	0.004	No	0.713	C	0.717	C	0.004	No
		PM	0.743	C	0.748	C	0.005	No	0.891	D	0.895	D	0.004	No
2	Centinela Avenue (West)/Olympic Boulevard	AM	0.654	B	0.657	B	0.003	No	0.753	C	0.756	C	0.003	No
		PM	0.617	B	0.617	B	0.000	No	0.846	D	0.846	D	0.000	No
3	Centinela Avenue (East)/Olympic Boulevard	AM	0.582	A	0.600	A	0.018	No	0.772	C	0.788	C	0.016	No
		PM	0.573	A	0.600	A	0.027	No	0.767	C	0.794	C	0.027	No
4	Bundy Drive/Nebraska Avenue	AM	0.748	C	0.758	C	0.010	No	0.877	D	0.886	D	0.009	No
		PM	0.717	C	0.723	C	0.006	No	0.851	D	0.857	D	0.006	No
5	Bundy Drive/Olympic Boulevard	AM	0.803	D	0.804	D	0.001	No	0.965	E	0.968	E	0.003	No
		PM	0.695	B	0.696	B	0.001	No	0.879	D	0.881	D	0.002	No
6	Bundy Drive/Pico Boulevard	AM	0.927	E	0.928	E	0.001	No	1.072	F	1.072	F	0.000	No
		PM	0.948	E	0.949	E	0.001	No	1.099	F	1.101	F	0.002	No
7	Bundy Drive/Idaho Avenue	AM	0.677	B	0.678	B	0.001	No	0.807	D	0.808	D	0.001	No
		PM	0.591	A	0.591	A	0.000	No	0.723	C	0.724	C	0.001	No
8	Centinela Avenue/Exposition	AM	0.546	A	0.549	A	0.003	No	0.723	C	0.727	C	0.004	No
		PM	0.469	A	0.470	A	0.001	No	0.676	B	0.677	B	0.001	No

Source: Appendix F

[a] The City of Los Angeles intersection impact threshold criteria are listed in Table 3.17-1 of this IS/MND

**Transit Impact Review**

Public bus and rail transit service is provided near the project site is currently provided by Los Angeles County Metropolitan Transit Authority (Metro) and City of Santa Monica Big Blue Bus. The Metro Expo Line is also provided in close proximity to the project site with the nearest station at Bundy Drive/Exposition Boulevard (i.e., Expo/Bundy station). A summary of the existing transit service, including the transit route, destinations, and peak hour headways is shown in Table 3.17-5. Figure 3.17-16 illustrates the Existing Public Transit Routes.

Table 3.17-5. Existing Transit Routes

Route	Destinations	Roadways(s) Near Site	No. of Buses/Trains During Peak Hours		
			DIR	AM	PM
Big Blue Bus Route 5	Santa Monica to Palms via West Los Angeles, Rancho Park, Century City and Cheviot Hills	Centinela Avenue, Bundy Drive, Olympic Boulevard	EB	3	3
			WB	3	3
Big Blue Bus Route 7	Santa Monica to Koreatown via West Los Angeles, Century City and Mid City	Bundy Drive, Pico Boulevard	EB	4	4
			WB	7	4
Big Blue Bus Rapid 7	Santa Monica to Koreatown via West Los Angeles, Century City and Mid City	Bundy Drive, Pico Boulevard		4	4
				4	4
Big Blue Bus Rapid 10	Santa Monica to Downtown Los Angeles via West Los Angeles	Bundy Drive, Pico Boulevard	EB	2	0
			WB	0	2
Big Blue Bus Route 14	Playa Vista to Brentwood via Culver City, Mar Vista and West Los Angeles	Bundy Drive, Nebraska Avenue, Olympic Boulevard, Pico Boulevard	NB	4	4
			SB	4	4
Big Blue Bus Route 15	West Los Angeles to Brentwood	Bundy Drive, Olympic Boulevard, Pico Boulevard	NB	3	3
			SB	2	3
Metro Expo Line	Downtown Los Angeles to Santa Monica via Exposition Park, Jefferson Park, West Adams, Culver City, Century City, and West Los Angeles	Bundy Drive, Olympic Boulevard	EB	10	10
			WB	10	10
Total				60	58

Source: Appendix F

The Traffic Impact Study (Appendix F) analyzed potential impacts the project would place on transit service, as required by the 2010 CMP. As outlined Table 3.17-6, these seven transit lines provide services for an average of (i.e., average of the directional number of buses/trains during the peak hours) roughly 60 and 58 buses/trains during the weekday AM and PM peak hours, respectively.

The project trip generation, was adjusted by values set forth in the CMP (i.e., person trips equal 1.4 times vehicle trips, and transit trips equal 3.5 percent of the total person trips) to estimate transit trip generation. Pursuant to the CMP guidelines, the proposed project is forecast to generate demand for 3 transit trips during both the weekday AM and PM peak hours. Over a 24-hour period, the proposed project is forecast to generate demand for 26 daily transit trips. The calculations are as follows:

- Weekday AM Peak Hour =  $52 \times 1.4 \times 0.035 = 3$  Transit Trips
- Weekday PM Peak Hour =  $59 \times 1.4 \times 0.035 = 3$  Transit Trips
- Weekday Daily Trips =  $525 \times 1.4 \times 0.035 = 26$  Transit Trips

Therefore, based on the above calculated weekday AM and PM peak hour this would correspond to less than one additional transit rider per bus. It is anticipated that the existing transit service in the project area will adequately accommodate the increase of project-generated transit trips. Thus, given the number of project-generated transit trips per bus, no impacts on existing or future transit services in the project area are expected to occur as a result of the proposed project. Impacts to transit facilities would be **less than significant**.

### **Bicycle**

Existing or proposed bicycle facilities (e.g., Class I Bicycle Path, Class II Bicycle Lanes, Class III Bicycle Routes, Proposed Bicycle Routes, Bicycle Friendly Streets, etc.) in the City's 2010 Bicycle Plan are located within an approximate one-mile radius from the project site. It is important to note that the 2010 Bicycle Plan goals and policies have been folded into the Mobility 2035 Plan to reflect a commitment to a balanced, multi-modal viewpoint. The location of the City of Los Angeles bicycle enhanced network (low stress network) in close proximity to the project site and in the surrounding area is shown in Figure 3.17-17. The location of the City of Los Angeles bicycle lane network in close proximity to the project site and in the surrounding area is illustrated in Figure 3.17-18. Use of bicycles as a transportation mode to and from the project site should be encouraged by the provision of ample and safe parking. The type of spaces and dimensions will be provided based on City Code requirements (refer to Los Angeles Municipal Code Sections 12.21.A.16 and 12.21.A.4(c)), as well as to meet the needs of a variety of bicycles. As such, the proposed project would encourage bicycle use and incorporate development within close proximity to future, planned bicycle facilities. As such, the project would support the use of these facilities and would not introduce land uses that would compromise the safety or performance of bicycle facilities. Impacts to bicycle facilities would be **less than significant**.

## **Pedestrian**

The project is well-located to encourage pedestrian activity and walking as a transportation mode. The project site is situated within easy walking distance to several established residential areas as well as other retail, restaurant, and other commercial businesses within the area. The site's proximity both to nearby residential areas and amenities on the commercial corridors, as well as the existing public sidewalks throughout the area roadway system, will promote and encourage walking. The project will connect to the adjacent sidewalk network via the Nebraska Avenue and Centinela Avenue property frontages. Additionally, regional and local public bus transit stops are provided nearby on Centinela Avenue, Bundy Drive, Nebraska Avenue, and Olympic Boulevard which will promote pedestrian connectivity with the project site.

For the reasons described above, the proposed project would not conflict with policies or programs for public transit, bicycle, or pedestrian facilities, and the project would not decrease the performance or safety of such facilities. Rather, the proposed project would include pedestrian enhancements and would be located in proximity to existing transit services, numerous planned bicycle facilities, and a variety of services that are within a walkable distance. For the reasons described above, the project would support the use of alternative transportation, consistent with City policies. Impacts would be **less than significant**. No mitigation is required.

**b) *Would the project conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b)?***

**Less Than Significant Impact.** According to CEQA Guidelines section 15064.3, subdivision (b), for land use projects, vehicle miles traveled (VMT) exceeding an applicable threshold of significance may indicate a significant impact. Generally, projects within one-half mile of either an existing major transit stop or a stop along an existing high quality transit corridor should be presumed to cause a less than significant transportation impact. Projects that decrease vehicle miles traveled in the project area compared to existing conditions should be presumed to have a less than significant transportation impact. According to the TIS, in August 2014, Mike Bonin introduced a motion directing the Department of City Planning (DCP) and LADOT to begin preparation for the shift to VMT analysis. DCP subsequently contracted with an outside consultant to develop the strategy and methodology in order to establish the tools necessary to bring the City into compliance with the state mandate. City staff has presented the CEQA Appendix G environmental checklist update to the City Council, which led to the adoption of new VMT-based significance thresholds and transportation assessment guidelines, as well as its subsequent incorporation into the City's CEQA Threshold Guide. The new transportation assessment guidelines were adopted in late July, 2019, by City Council. With the adoption of the new VMT-based significance thresholds and transportation assessment guidelines, new projects must now comply with the updated transportation evaluation framework. Since this project was initiated prior to formal adoption of the new guidelines, the analysis in this study utilizes existing, long-established protocols in accordance with the City's prior CEQA Thresholds Guide and transportation study guidelines.

Per screening criteria and thresholds of significance used to determine if other types of land uses occasionally reviewed by LADOT would result in significant impacts as it relates to VMT, Public Services land use which includes police, fire stations and public utilities, such as proposed project, do not generally generate substantial VMT. Instead, these land uses are often built in response to development from other land uses (e.g., office and residential). Therefore, land uses such as the proposed project can be presumed to have less-than-significant impacts on VMT.

As such, since the analysis of project-related VMT is not required at this time, the project would not conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b). Impacts would be **less than significant**.

Although no significant project-related impacts at the study intersections or project-related VMT are expected to occur as a result of the proposed project, LADOT has indicated that Transportation Demand Management (TDM) measures should be implemented and maintained by LADWP in conformance with the City's Trip Reduction Ordinance. TDM measures are aimed at reducing vehicular traffic and parking generated at project sites. TDM measures are employed to decrease the number of vehicular trips generated by persons traveling to and from the site by offering specific facilities, services and actions designed to increase the use of other transportation modes such as transit, walking, and bicycling, as well as by use of ridesharing. Accordingly, TDM measures are focused on establishing an environment that will encourage use of non-motorized modes. A menu of potential measures that could be considered by LADWP include, but may not be limited to, the following:

- On-Site Employee Transportation Coordinator
- TDM Web Site Information
- TDM Promotional Material.
- Transit Welcome Package.
- Los Angeles Metro TAP Employer Program.
- Los Angeles County Guaranteed Ride Home Program
- Carpool Program for Employees.
- Convenient Parking/Amenities for Bicycle Riders.
- Flexible/Alternative Work Schedules.

***c) Would the project substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?***

**Less Than Significant Impact.** As shown in Figure 3.17-19, , the portion of the LADWP West Los Angeles Yard Demolition & Construction project site that is planned to be improved contains a total of five driveways,

including three driveways on Nebraska Avenue, one driveway on Centinela Avenue, and one driveway that essentially forms the north leg of the Centinela Avenue East/Olympic Boulevard intersection. All five driveways are currently controlled by either manual or automatic gates that are operated by LADWP. Similar to current operations, on-site vehicle circulation will require all departmental vehicles to access the site via Olympic Boulevard, Centinela Avenue, and the northernmost driveway on Nebraska Avenue. However, the planned new primary driveway for employees on Nebraska Avenue will require employees to enter past a security gate to access the subterranean parking garage. Public access to the project site will be provided via the southerly driveway on Nebraska Avenue, which will accommodate direct access to the public parking spaces provided adjacent to the Service Planning Center office.

Additionally, traffic signal warrants analysis were prepared for the Bundy Drive/Nebraska Avenue intersection to determine whether traffic signals are warranted at the intersection upon completion of the proposed project. A detailed traffic signal warrants analysis is provided in Appendix F. In summary, Warrant No. 1 (Eight-Hour Vehicular Volume) is not satisfied under future with project conditions for the Bundy Drive/Nebraska Avenue intersection, while Warrant No. 2 (Four-Hour Vehicular Volume) and Warrant No. 3 (Peak Hour) are satisfied under future with project conditions. Warrant No. 7 (Crash Experience) is not satisfied based on a review of existing collision records. It is important to note that the satisfaction of a traffic signal warrant is not necessarily justification for the installation of a traffic signal. Delay, congestion, approach conditions, driver confusion, future land use or other evidence of the need for right-of-way assignment beyond that which could be provided by stop sign control may be demonstrated. Conversely, if a traffic signal warrant is not met, these other factors may be just cause for consideration of a traffic signal installation. The lead agency/agencies must carefully consider all aspects related to installation of traffic controls.

In August 2015, Mayor Eric Garcetti issued Executive Directive No. 10, formally launching the Vision Zero initiative in Los Angeles, a City-wide initiative which prioritizes the safety of pedestrians and bicyclists on public streets, with the understanding that roads which are safe for vulnerable users will be safer for all users, in an effort to eliminate traffic fatalities. The Vision Zero task force, directed by LADOT and the City's Police Department, has identified streets where investments in safety will have the most impact in reducing severe injuries and traffic fatalities in the City. These roads are collectively known as the High Injury Network (HIN). The proposed project is located in the West Los Angeles area where the Vision Zero focus is on major corridors. As shown on Figure 3.17-20, the HIN roadways within immediate vicinity of the proposed project include Bundy Drive, Santa Monica Boulevard (east of Centinela Avenue), and Pico Boulevard (east of Centinela Boulevard). If a proposed project results in significant traffic impacts at intersections located along a designated HIN, the Vision Zero group will review those specific locations and immediate vicinity for potential safety enhancements that are consistent with the City's Vision Zero initiative. As discussed under Threshold a, above, the proposed project would not result in significant impacts at any traffic intersections. Lastly, the proposed project would not modify existing roadways leading to the site and would not involve construction of structures that would cause transportation hazards. As such, impacts would be **less than significant**.

**d) *Would the project result in inadequate emergency access?***

**Less Than Significant Impact.** Emergency access to the project site is currently provided from the west via Nebraska Avenue, from the south via Centinela Avenue, and from the east via Olympic Boulevard. During construction, vehicle access to the yard would be restricted to the entrances located on Centinela Avenue and Olympic Boulevard. Employee access to the yard would be provided via Nebraska Avenue and construction-vehicle access via Nebraska Avenue would be restricted. Trips generated from construction of the proposed project would be minimal and, with this proposed access and configuration, the project would not result in inadequate emergency access during construction. Once operational, on-site vehicle circulation would be altered from existing conditions to require all departmental vehicles to use access via Olympic Boulevard, Centinela Avenue, and the northernmost driveway from Nebraska Avenue. Employee access would be from the new primary driveway from Nebraska Avenue and be required to enter past the security gate into the subterranean parking garage (see Figure 3.17-19). Public access to the project site would be provided via the southernmost driveway on Nebraska Avenue, and would lead to the public parking spaces outside of the proposed Service Planning Center offices. The project would include emergency access to the site in accordance with the applicable fire code, which includes requirements for width of emergency access routes, and turning radii. Therefore, with compliance with fire code, the project would not result in inadequate emergency access. Impacts would be **less than significant**.

References


Appendix F. LLG 2019. Transportation Impact Study for LADWP West Los Angeles Yard Demolition & Construction Project, City of Los Angeles, CA, September 11, 2019

ITE (Institute of Engineers). 2017. Trip Generation Manual, 10th Edition, September 2017.

LADOT (Los Angeles Department of Transportation). 2016. Transportation Impact Study Guidelines, December 2016.

Metro (Los Angeles County Metropolitan Transportation Authority). 2010. 2010 *Congestion Management Program*. Accessed November, 2019. [http://media.metro.net/projects\\_studies/cmp/images/CMP\\_Final\\_2010.pdf](http://media.metro.net/projects_studies/cmp/images/CMP_Final_2010.pdf).






SOURCE: Linscott, Law and Greenspan Engineers

FIGURE 3.16-1  
Existing Lane Configurations  
West LA District Yard Project

INTENTIONALLY LEFT BLANK



SOURCE: Linscott, Law and Greenspan Engineers


FIGURE 3.16-2

Existing With Project Traffic Volumes – Weekday AM Peak Hours

West LA District Yard Project

INTENTIONALLY LEFT BLANK






SOURCE: Linscott, Law and Greenspan Engineers

FIGURE 3.16-3

Existing With Project Traffic Volumes – Weekday PM Peak Hours

West LA District Yard Project

INTENTIONALLY LEFT BLANK




SOURCE: Linscott, Law and Greenspan Engineers

FIGURE 3.16-4

Future With Project Traffic Volumes – Weekday AM Peak Hours  
West LA District Yard Project

INTENTIONALLY LEFT BLANK






SOURCE: Linscott, Law and Greenspan Engineers

FIGURE 3.16-5


Future With Project Traffic Volumes – Weekday PM Peak Hours

West LA District Yard Project

INTENTIONALLY LEFT BLANK



SITE CIRCULATION DIAGRAM



TRUCK MANEUVERING DIAGRAM

INTENTIONALLY LEFT BLANK

3.18 Tribal Cultural Resources

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:				
i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

a) *Would the project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:*

i) *Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k)?*

**Less Than Significant with Mitigation Incorporated.** As discussed in Section 3.5, the Cultural Resources Report prepared for the proposed project, none of the existing structures on site are eligible historic buildings under all NRHP, CRHR, and City of Los Angeles HCM designation criteria. LADWP performed a cultural records search for the proposed project site and surrounding 0.5-mile radius (Appendix B). The records search found that nine previously recorded cultural resources were located within a 0.5-mile radius of the project site. None of these resources overlap with the project site. However, because there is a possibility of encountering previously undiscovered archaeological resources at subsurface levels during ground-disturbing activities associated with the project, mitigation measure **MM-CUL-1**, as described in Section 3.5, would be implemented

to ensure that potential impacts to archeological resources during construction activities are reduced to below a level of significance. As such, impacts would be less than significant with mitigation.

- ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1? (In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.)*

**Less Than Significant with Mitigation Incorporated.** AB 52 established a formal consultation process for California Native American Tribes to identify potential significant impacts to Tribal Cultural Resources, as defined in Public Resources Code Section 21074, as part of CEQA. As specified in AB 52, lead agencies must provide notice, thereby inviting consultation to California Native American Tribes that are traditionally and culturally affiliated with the geographic area of a proposed project. The Tribes must respond in writing within 30 days of the City's AB 52 notice.

On September 1, 2017, LADWP submitted a Sacred Lands File (SLF) and Native American Contacts List Request to the Native American Heritage Commission. The NAHC responded on September 7, 2017, indicating that the search did not identify any Native American resources in the vicinity of the project site but that the surrounding area is sensitive for cultural resources. Because the SLF search does not include an exhaustive list of Native American cultural resources, the NAHC suggested contacting Native American individuals and/or tribal organizations who may have direct knowledge of cultural resources in or near the project. The NAHC provided the contact information of the five persons and entities to contact along with the SLF search results. Tribal groups on this list were contacted on September 11, 2017. Although one Native American contact, the Gabrieleno Band of Mission Indians – Kizh Nation, requested the presence of a Native American monitor during all ground-disturbing activities, no specific archaeological resources or sensitivity concerns were identified by any sources consulted such as the CHRIS records search, Native American coordination, or survey. However, there is a possibility of encountering previously undisturbed archaeological resources at subsurface levels during ground-disturbing activities associated with the project. As such, implementation of mitigation measure **MM-CUL-1** would ensure that potential impacts to archeological resources during construction activities are reduced to a less-than-significant level.

Given the above, and with implementation of **MM-CUL-1** as outlined in Section 3.5, impacts would be less than significant.

## References

None.

### 3.19 Utilities and Service Systems

Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Require or result in the relocation or construction of new or expanded water, wastewater treatment, or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to <b>serve the project's projected demand in addition to the provider's existing commitments?</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Generate solid waste in excess of State of local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

- a) ***Require or result in the relocation or construction of new or expanded water, wastewater treatment, or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?***

#### **Water Treatment**

**Less Than Significant Impact.** LADWP provides potable water to the City of Los Angeles, along with portions of West Hollywood, Culver City, Universal City, and small parts of the County of Los Angeles (LADWP 2015). As such, potable water for the project would be supplied by LADWP.

Primary sources of water for the LADWP service area are the Los Angeles Aqueducts, local groundwater, and purchased imported water from Metropolitan Water District (MWD). An additional fourth source of water, recycled water, is becoming an increasingly larger source in the overall supply portfolio. Two of the supply

sources, water from the Los Angeles Aqueducts and water purchased from MWD, are classified as imported as they are obtained from outside LADWP's service area. MWD is the regional wholesale water agency, importing water from the Bay-Delta via the State Water Project and from the Colorado River via the Colorado River Aqueduct. Groundwater is local and is obtained from wells within the service area, primarily from the San Fernando Basin. According to the 2015 UWMP, LADWP water supply sources are increasingly under multiple constraints including potential impacts of climate change, groundwater contamination, and reallocation of water for environmental concerns. To mitigate these impacts on supply sources, LADWP is modifying its water supply portfolio through increased water use efficiency programs, water recycling, stormwater capture, and local groundwater development and remediation (LADWP 2015).

Indoor and outdoor water consumption data associated with operation of the proposed project and existing operations on site were provided in the CalEEMod modeling outputs included as Appendix A. During operations, the proposed project would increase water consumption compared to existing uses on site. The project could consume approximately 17.2 million gallons of water per year, or 47,224 gallons per day. Current operations at the project site currently consumes approximately 7.1 million gallons of water per year, or 19,332 gallons per day. As such, the project would increase water consumption by approximately 10 million gallons per year, or 27,671 gallons per day, when compared to existing operations on site. According to the LADWP UWMP, the total annual water demand in LADWP's Service Area in 2015 was over 500,000 acre-feet. This equates to approximately 162 billion gallons per year, or 446 million gallons per day. Thus, the proposed project's demand would equate to approximately 0.011% of the total annual demand generated in LADWP's service area. As such, the increased water use would be minor and incremental in the context of the total water portfolio managed by the LADWP. While the proposed project would involve an intensification of uses on the site, the site is already developed with LADWP facilities. Therefore, the demand associated with operation of the proposed project would be within the capacity of existing water treatment facilities; and impacts would be less than significant.

### **Wastewater Treatment**

According to the CalEEMod estimations for the proposed project (Appendix A), the project would produce approximately 11 million gallons of wastewater per year or 30,435 gallons per day. Wastewater generated by the project site is treated at the Hyperion Water Treatment Plant, which has a capacity of 450 million gallons per day (LASAN 2019). Thus, the proposed Project's wastewater generation would represent a nominal percentage (0.007%) of the Hyperion Water Treatment Plant's permitted treatment capacity. As such, no additional wastewater treatment facilities would be required as a result of the increased wastewater generation at the project site. Therefore, the proposed project would not result in the need for new or expanded wastewater treatment facilities. Impact would be less than significant.



### **Storm Water Drainage**

As discussed in Section 3.10(c), (d), and (e), the project would not increase the impervious area on site. Rather, the project proposes landscaping on site, which would increase the area of impervious surfaces and result in an associated increase in the percolation and infiltration of stormwater. As such, a significant increase in the rate or amount of surface runoff is not expected under the proposed project, and, the project would not result in the need for new storm water drainage facilities or for the expansion of existing facilities. Stormwater would continue to sheet flow towards the public storm drain system located in Bundy Drive and Centinela Avenue. Impacts would be less than significant.

### **Electric Power**

Temporary electric power for as-necessary lighting and electronic equipment would be provided by LADWP. The amount of electricity used during construction would be minimal, because typical demand would stem from electrically powered hand tools. The electricity used for construction activities would be temporary and minimal; therefore, Project construction would not result in electricity demand such that new or expanded electric power generation facilities would be required.

Project operation would require electricity for multiple purposes including building heating and cooling, lighting, appliances, electronics, and water and wastewater conveyance. The estimation of operational building energy was based on the applicant-provided forecasted annual electricity consumption estimate of 569,720 kWh. Supply, conveyance, treatment, and distribution of water for the project would also require the use of electricity. Similarly, wastewater generated by the project would require the use of electricity for conveyance and treatment. The water consumption estimate for the project (17,236,917 gallons of water per year) water use were based on defaults values in CalEEMod, and associated electricity consumption from water use and wastewater generation were estimated using CalEEMod. Approximately 584,962 kWh/year of electricity would be required for project operation.

For comparison, electricity demand for Los Angeles County in 2018 was 67,856 million kWh (CEC 2018a). The proposed project would result in a minimal increase in electricity consumption and would be inherently energy efficient by implementing measures such as LED lighting, optimizing building envelope thermal properties, managing water usage, and optimizing energy performance and controls. Additionally, solar PV panels would be incorporated into the project design, which would offset the majority of electricity that would be consumed by the project. As such, implementation of the proposed project would not require new or expanded electricity generation facilities.

### **Natural Gas**

As explained in Section 3.6, Energy, demand for Natural gas is not anticipated during project construction. As fuels used for construction would primarily consist of diesel and gasoline, which are discussed in Section 3.6, Energy of this IS/MND.

Natural gas consumption during operation would be required for various purposes, including building heating and cooling. For building consumption, default natural gas generation rates in CalEEMod for the proposed project land uses and climate zone were used.

As explained in Section 3.6, Energy, the project would consume approximately 900,277 kBtu per year. For comparison, in 2018 SoCalGas delivered approximately 2,921 million therms (292.1 billion kBtu) to Los Angeles County (CEC 2018b). The proposed project is subject to statewide mandatory energy requirements as outlined in Title 24, Part 6, of the California Code of Regulations. Title 24, Part 11, contains additional energy measures that are applicable to proposed project under CALGreen. Therefore, the proposed project would not result in an increased demand for energy such that new or expanded natural gas facilities would be required.

### **Telecommunications**

The proposed project includes the demolition and reconstruction of an existing LADWP facility. The proposed project would require new or expanded telecommunications facilities. Furthermore, as explained in Section 3.14, the proposed project would not result in substantial population growth and would not require new or expanded telecommunications facilities to accommodate growth. Further, the proposed project is in a largely developed, urban area that has adequate telecommunications facilities to service the proposed project. Therefore, no impacts related to the need for new or expanded telecommunication facilities would occur.

### **Conclusion**

Although the project would result in a slight intensification of land uses at the project site, the proposed project is not anticipated to require or result in the relocation or construction of new or expanded water, wastewater treatment, storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects. Impacts would be less than significant.

- b) *Would the project have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years?***

**Less Than Significant Impact.** Potable water for the Project would be supplied by LADWP. LADWP's UWMP, prepared in 2015, outlines a Water Shortage Contingency Plan, developed to provide for a sufficient and continuous supply of water in case of water supply shortage in the LADWP service area, including the project site. Over the last 10 years, groundwater contamination has impacted LADWP's ability to fully utilize

its entitlements. Expanding urbanization, increasing impervious hardscape, and channelization of storm water runoff have reduced natural replenishment. Aging well fields and distribution infrastructure have also inhibited the full utilization of the City's groundwater resources. In response to these issues, LADWP has renewed its focus on protecting and rehabilitating its local groundwater basins, including expanding the remediation efforts for the San Fernando Basin. LADWP continues to invest in storm water and recharge projects by enhancing and enlarging existing storm water planning facilities and investing in advanced treatment systems to produce purified recycled water for groundwater replenishment. These investments will augment the City's groundwater and help ensure that basin water levels remain sustainable in the future. In addition, LADWP is involved in many programs and employs multiple technologies to achieve its water conservation goals, which are implemented with State and local ordinances and plumbing code modifications. Further, in response to dry conditions affecting the City's imported water supplies, the City prepared the Sustainable City Plan (pLAN), calling for a 20% reduction in water use by 2017 and 25% by 2035 (LADWP 2015).

While the proposed project would involve an intensification of uses on the site, the site is already developed with existing LADWP facilities. The UWMP shows that LADWP has sufficient supply to meet expected water demands through 2040 under single dry year, average weather year, and three consecutive dry years. Further, as discussed in the UWMP, the total annual water demand in LADWP's Service Area in 2015 was over 500,000 acre-feet. This equates to approximately 162 billion gallons per year, or 446 million gallons per day. Indoor and outdoor water consumption data associated with operation of the proposed project and existing operations on site were provided in the CalEEMod modeling outputs included as Appendix A. During operations, the proposed project would increase water consumption compared to existing uses on site. The project could consume approximately 17.2 million gallons of water per year, or 47,224 gallons per day. As such, the proposed project's demand would equate to approximately 0.011% of the total annual demand generated in LADWP's service area. Therefore, the anticipated increase in water use would be incremental in the context of the total water portfolio managed by the LADWP, who has the supplies to meet demands for future development during normal, dry, and multiple dry years. Impacts would be less than significant.

- c) ***Would the project result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?***

**Less Than Significant Impact.** As previously addressed in Section 3.19(a), according to the CalEEMod estimations for the proposed project (Appendix A), the project would produce approximately 11 million gallons of wastewater per year or 30,435 gallons per day. Wastewater generated by the project site is treated at the Hyperion Water Treatment Plant, which has a capacity of 450 million gallons per day (LASAN 2019). Thus, the proposed Project's wastewater generation would represent a nominal percentage (0.007%) of the Hyperion Water Treatment Plant's permitted treatment capacity. As such, the project would not result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to

serve the project’s projected demand in addition to the provider’s existing commitments. Impact would be less than significant.

**d) *Generate solid waste in excess of State or local standards, or in excess of the capacity of local infrastructure, or otherwise impact the attainment of solid waste reduction goals?***

**Less Than Significant Impact.** Construction activities would generate construction waste, such as equipment packaging, construction scrap, and debris. In accordance with the City’s Construction and Demolition Debris Recycling Ordinance, construction would incorporate source reduction techniques and recycling measures and would maintain a recycling program to divert waste (LASAN 2017). These measures would minimize the amount of construction debris generated by the project that would need to be disposed of in an area landfill. Any non-recyclable and hazardous construction waste generated would be disposed of at a landfill approved to accept such materials.

Operation of the proposed project would include a minimal increase in solid waste generation associated with expanded facilities. Several landfills throughout the County of Los Angeles serve the City, as listed in Table 3.18-2. The total permitted throughput for all landfills is approximately 29,116 tons per day, and the total remaining capacity is approximately 155 million tons (LADPW 2017).

Table 3.18-1. Existing Landfills

Landfill	Location	Estimated Closing Year	Maximum Permitted Daily Load (tons/day)	Current Remaining Capacity (million tons)
Antelope Valley Landfills I and II	Palmdale	2041	1,800	12.36
Calabasas Landfill	Unincorporated Area	2028	3,500	5.60
Chiquita Canyon Landfill	Unincorporated Area	2047	6,616	59.1
Lancaster Landfill	Unincorporated Area	2041	5,100	10.27
Sunshine Canyon Landfill	Los Angeles/ Unincorporated Area	2037	12,100	68.04
Total			29,116	155.37

Source: LADPW 2017

Solid waste generation data associated with operation of the project were provided in the CalEEMod modeling outputs (Appendix A). The project could produce up to 30.5 tons of solid waste per year. Note that these estimates represent a conservative, “worst-case” scenario and do not include credit for the diversion requirements set forth by AB 939. Nonetheless, the project’s estimated waste generation (without diversion) equates to a nominal percentage of the County landfills serving the City’s permitted throughput of 29,116 tons per day. LADWP would also comply with federal, state, and local solid waste diversion, reduction, and recycling mandates during operations.

Therefore, the project would not generate solid waste in excess of state or local standards, or in excess of capacity of local infrastructure. Impacts would be less than significant.

**g) *Would the project comply with federal, state, and local management and reduction statutes and regulations related to solid waste?***

**No Impact.** As described above, the construction waste generated by the proposed project would be properly disposed of in existing solid waste facilities. LADWP would comply with the City's Construction and Demolition Ordinance for construction. LADWP would also comply with federal, state, and local solid waste diversion, reduction, and recycling mandates during operations. No impact would occur.

References

CEC (California Energy Commission). 2018a. "Electricity Consumption by County." Accessed October 2019.  
<http://ecdms.energy.ca.gov/elecbycounty.aspx>.

CEC (California Energy Commission). 2018b. "Gas Consumption by County." Accessed October 2019.  
<http://ecdms.energy.ca.gov/gasbycounty.aspx>.

LADPW (Los Angeles Department of Public Works). 2017. Countywide Integrated Waste Management Plan. Accessed, August 28, 2019. <https://pw.lacounty.gov/epd/swims/ShowDoc.aspx?id=6530&hp=yes&type=PDF>

LADPW (Los Angeles Department of Public Works). 2019. Los Angeles County Storm Drain System. Web map application. Accessed August 28, 2019. <http://dpw.lacounty.gov/fcd/stormdrain/index.cfm>.

LADWP (Los Angeles Department of Public Works). 2015. Urban Water Management Plan. Accessed August 28, 2019. [https://www.ladwp.com/ladwp/faces/ladwp/aboutus/a-water/a-w-sourcesofsupply/a-w-sos-uwmp;jsessionid=yv4rbW2RnbGjLyQfGYCjFml7qn11h9WfLyZQw1khfhVZlXpb9PhW!1973966954?\\_afLooop=189949395497148&\\_afWindowMode=0&\\_afWindowId=null#%40%3F\\_afWindowId%3Dnull%26\\_afLoop%3D189949395497148%26\\_afWindowMode%3D0%26\\_adf.ctrl-state%3D9rweinug\\_4](https://www.ladwp.com/ladwp/faces/ladwp/aboutus/a-water/a-w-sourcesofsupply/a-w-sos-uwmp;jsessionid=yv4rbW2RnbGjLyQfGYCjFml7qn11h9WfLyZQw1khfhVZlXpb9PhW!1973966954?_afLooop=189949395497148&_afWindowMode=0&_afWindowId=null#%40%3F_afWindowId%3Dnull%26_afLoop%3D189949395497148%26_afWindowMode%3D0%26_adf.ctrl-state%3D9rweinug_4).

LASAN (City of Los Angeles Department of Sanitation and Environment). 2019. Hyperion Water Reclamation Plant [webpage]. Accessed, November 15, 2019. [https://www.lacitysan.org/san/faces/home/portal/s-lsh-wwd/s-lsh-wwd-cw/s-lsh-wwd-cw-p/s-lsh-wwd-cw-p-hwrp?\\_adf.ctrl-state=a3egp4p47\\_5&\\_afLoop=14905596489343275#!](https://www.lacitysan.org/san/faces/home/portal/s-lsh-wwd/s-lsh-wwd-cw/s-lsh-wwd-cw-p/s-lsh-wwd-cw-p-hwrp?_adf.ctrl-state=a3egp4p47_5&_afLoop=14905596489343275#!).

3.20 Wildfire

If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Substantially impair an adopted emergency response plan or emergency evacuation plan	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**a) *Would the project substantially impair an adopted emergency response plan or emergency evacuation plan?***

**Less Than Significant Impact.** As stated in Section 3.9(f), the City of Los Angeles adopted a multi-hazard emergency response plan in order to respond with maximum feasible speed and efficiency to disaster events (City of Los Angeles 1996). Construction of the proposed project would take place on the project site in one phase, with half the employees relocated to the Palms Yard site and the other half relocated to a LADWP-owned site at Los Angeles World Airports. The proposed project would be constructed in adherence to the requirements set forth in Title 24, Part 9 of the CBC (the Fire Code). During construction of the proposed project, emergency access to the project site and surrounding area would be maintained to provide emergency services to construction workers in the event of an emergency. Furthermore, new access routes would be built according to CBC Section 17.124.070, and thus would be approved by the LAFD and would provide efficient ingress/egress for emergency vehicles.

During operations, the hours of operations of the site would be the same. Although approximately 225 additional employees would be introduced to the site, the operations of the project would not interfere with an adopted emergency response plan or emergency evacuation plans. Department vehicle and emergency vehicle access to and from the site would be provided in both directions from Olympic Boulevard, Centinela Avenue, as well as Nebraska Avenue, to the north of the site. Further, employee vehicle access would be provided in both directions from the southern portion of the site on Nebraska Avenue.

Additionally, the proposed project site is within close proximity to several County-designated disaster routes, which would be utilized for evacuation procedures in a disaster scenario. Namely, the project site is located between Santa Monica Boulevard to the north and Olympic Boulevard and the I-10 to the south, all of which are County-designated Disaster Routes (LADPW 2008). Given the above, the project would not interfere with an adopted response plan or emergency evacuation plan. Impacts would be less than significant.

- b) *Due to slope, prevailing winds, and other factors, would the project exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?*

**Less Than Significant Impact.** The project site is located in a highly urbanized area of the City, is fully developed, and surrounded by urban development, all of which precludes the spread of wildland fire. The site is not located in a designated Very High Severity Fire Zone and the proposed project does not include the construction of any infrastructure or buildings that would exacerbate fire risk (CALFIRE 2011). The proposed project would be constructed in adherence to the requirements set forth in the Fire Code. During construction of the proposed project, emergency access to the project site and surrounding area would be maintained. Furthermore, new access routes would be built according to CBC Section 17.124.070, and thus would be approved by the LAFD and would provide efficient ingress/egress for emergency vehicles. As such, the proposed project would not exacerbate wildfire risks, thereby exposing project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire. Impacts would be less than significant.

- c) *Would the project require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?*

**Less Than Significant Impact.** As stated above, the proposed project would not include the construction of any buildings or infrastructure that would exacerbate fire risks. The proposed project would be constructed in adherence to the requirements set forth in the Fire Code. During construction of the proposed project, emergency access to the project site and surrounding area would be maintained. Furthermore, new access routes would be built according to CBC Section 17.124.070, and thus would be approved by the City's Fire Department and would provide efficient ingress/egress for emergency vehicles. In the unlikely event of a fire emergency at the project site, the LAFD would respond. Specifically, Fire Station 59 located approximately 0.9-mile east of the site would be the first responder to a structural fire. Given the above, the proposed project would not include the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines, or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment.

An above ground fueling station is also located in the access driveway of the project site. This fueling station includes unleaded and diesel fuel tanks, which would remain above ground as part of the proposed project. Although highly flammable, these tanks are already in place and operational under existing conditions and would continue to operate according to local, state, and federal regulations upon project operation. As such, the proposed project would not include the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment. Impact would be less than significant and no mitigation is required.

**d) *Would the project expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?***

**No Impact.** The proposed project is located within a fully developed, urban area and is located on relatively flat terrain. Construction of the proposed project would result in ground surface disruption that could temporarily alter on-site drainage patterns. However, runoff at the project site would be managed through implementation of the BMPs outlined in the project-specific SWPPP and LID Plan as described in Section 3.10, Hydrology and Water Quality. Upon operation, the project site as a whole would maintain the general existing drainage pattern and would remain fully developed. Given the above, the proposed project would not expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes. No impact would occur and no mitigation is required.

## References

- CALFIRE (California Department of Forestry and Fire Protection). 2011. Very High Fire Hazard Severity Zones in the Los Angeles Region [map]. Accessed, August 26, 2019. [https://osfm.fire.ca.gov/media/5830/los\\_angeles.pdf](https://osfm.fire.ca.gov/media/5830/los_angeles.pdf).
- City of Los Angeles. 1996. "Safety Element" in The Los Angeles City General Plan. Department of City Planning. Adopted November 26, 1996. Accessed August 28, 2019. <https://planning.lacity.org/cwd/gnlpln/saftyelt.pdf>
- LADPW (Los Angeles Department of Public Works). 2008. City of Los Angeles: West Area, Disaster Routes [map]. Accessed, August 28, 2019. <https://dpw.lacounty.gov/dsg/DisasterRoutes/map/Los%20Angeles%20West%20Area.pdf>.References



3.21 Mandatory Findings of Significance

	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

a) *Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?*

**Less Than Significant with Mitigation Incorporated.** As discussed in Section 3.4, the proposed project would be located in a highly urbanized area of Los Angeles. The project site is already developed with LADWP facilities. As such, no special-status plant or wildlife species, riparian or sensitive habitats or wetlands, are present on site, and the site is not located within an adopted Habitat Conservation Plan or Natural Community Conservation Plan. Several ornamental trees are present on site, while a few additional ornamental trees are located adjacent to the site to the southwest. In the event that a nesting bird were to be nesting in adjacent trees, tree removal and construction activities could adversely affect or kill migratory nesting birds. As such, mitigation measures **MM-BIO-1**, as described in Section 3.4, would be implemented to ensure impacts to nesting birds are less than significant. These trees are not recognized as protected trees by the City of Los Angeles.

As discussed in Section 3.5, although five existing structures are present on site, these structures are not eligible for historic status under all NRHP, CRHR, and City of Los Angeles HCM designation criteria. Potential impacts

regarding inadvertent discovery of cultural or paleontological resources, or human remains could occur during construction of the project. However, implementation of **M-CUL-1** would ensure that impacts would be less than significant. Overall, impacts would be less than significant with the incorporation of mitigation.

- f) *Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?*

**Less Than Significant with Mitigation Incorporated.** As provided in the analysis in this IS/MND, the proposed project would not result in significant impacts to aesthetics, agriculture and forestry resources, energy, GHG emissions, hydrology and water quality, land use and planning, mineral resources, population and housing, public services, recreation, and utilities and service systems. Mitigation measures recommended for air quality, biological resources, cultural, geology and soils, hazards and hazardous materials, noise, transportation, and tribal cultural resources would reduce impacts to below a level of significance. Furthermore, the Air Quality and Transportation analyses presented in Section 3.3 and Section 3.17 of this IS/MND consider cumulative impacts and have determined that cumulative air and traffic impacts would be less than significant. All reasonably foreseeable future development in the City would be subject to the same land use and environmental regulations that have been described throughout this document. Furthermore, all development projects are guided by the policies identified in the City’s General Plan and by the regulations established in the LAMC. Therefore, compliance with applicable land use and environmental regulations would ensure that environmental effects associated with the proposed project would not combine with effects from reasonably foreseeable future development in the City to cause cumulatively considerable significant impacts. For these reasons, cumulative impacts would be less than significant with mitigation incorporated. No further mitigation is required.

- c) *Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?*

**Less Than Significant with Mitigation Incorporated.** As detailed throughout this IS/MND, the proposed project would not exceed any significance thresholds or result in significant impacts in the environmental categories typically associated with indirect or direct effects to human beings, such as aesthetics, geology and soils (specifically seismic hazards) or public services. However, the proposed project could result in potentially significant impacts in the categories of air quality, hazards and hazardous materials, and noise. With implementation of mitigation measures identified in Sections 3.3, 3.9, and 3.13 of this IS/MND, this impact would be reduced to a less than significant level. As such, impacts would be less than significant with mitigation incorporated. No further mitigation is required.

## 4 REPORT PREPARERS

### Lead Agency

Los Angeles Department of Water and Power  
Environmental Affairs  
111 North Hope Street, Room 1044  
Los Angeles, California 90012

Aiden Leong, Project Manager

### Technical Assistance Provided By

Dudek  
38 North Marengo Avenue  
Pasadena, California 91101

### Contributors

Nicole Cobleigh, Senior Project Manager  
Terrileigh Pellarin, CEQA/NEPA Analyst  
Iulia Roman, CEQA/NEPA Analyst  
Johanna Page, Senior Biologist/Project Manager  
Elizabeth Denniston, Archaeologist  
Nicholas Lorenzen, Air Quality Specialist  
Sabita Tewani, Transportation Planner  
Mike Greene, Environmental Specialist/Acoustician  
Glenna McMahon, Environmental Engineer

INTENTIONALLY LEFT BLANK

# APPENDIX A

Air Quality Greenhouse Gas and Energy Calculations



# Proposed Project CalEEMod Emissions Calculations

LADWP - West LA District Yard Project - South Coast AQMD Air District, Annual

**LADWP - West LA District Yard Project  
South Coast AQMD Air District, Annual**

**1.0 Project Characteristics**

**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	53.69	1000sqft	1.23	53,690.00	0
Unrefrigerated Warehouse-No Rail	15.89	1000sqft	0.36	15,885.00	0
Automobile Care Center	12.68	1000sqft	0.29	12,678.00	0
Enclosed Parking with Elevator	543.00	Space	4.89	217,200.00	0
Parking Lot	12.00	Space	0.11	4,800.00	0
Government Office Building	9.42	1000sqft	0.22	9,421.00	0

**1.2 Other Project Characteristics**

<b>Urbanization</b>	Urban	<b>Wind Speed (m/s)</b>	2.2	<b>Precipitation Freq (Days)</b>	31
<b>Climate Zone</b>	11			<b>Operational Year</b>	2024
<b>Utility Company</b>	Los Angeles Department of Water & Power				
<b>CO2 Intensity (lb/MW hr)</b>	1227.89	<b>CH4 Intensity (lb/MW hr)</b>	0.029	<b>N2O Intensity (lb/MW hr)</b>	0.006

**1.3 User Entered Comments & Non-Default Data**

Project Characteristics - Operational year 2024.

Land Use - Project specific square footage and acreage provided by LADWP

Construction Phase - Construction phasing provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.



Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Grading - 100,000 CY of export is anticipated.

Trips and VMT - Trips were rounded up to the highest even value.

Vehicle Trips - Trip generation rates were modified to be consistent with the trip generation assumptions in the TIA for the project.

Operational Off-Road Equipment - Equipment information provided by LADWP.

Stationary Sources - Emergency Generators and Fire Pumps - NA

Construction Off-road Equipment Mitigation - Compliance with SCAQMD Rule 403 and Mitigation Measure AQ-1: use of Tier 4 final engines in construction equipment.

Energy Mitigation - Onsite Electricity generation from on-site solar is anticipated to meet the project's electricity demand per LADWP.

Water Mitigation - Per LADWP grey water use and water reduction measures were assumed as design features.

Waste Mitigation - Consistent with AB 939 a 50% waste diversion rate was assumed.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	8.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	13.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00

tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstructionPhase	NumDays	20.00	88.00
tblConstructionPhase	NumDays	230.00	564.00
tblConstructionPhase	NumDays	20.00	88.00
tblConstructionPhase	NumDays	20.00	82.00
tblConstructionPhase	NumDays	20.00	56.00
tblConstructionPhase	NumDays	10.00	6.00
tblConstructionPhase	NumDays	20.00	87.00

tblConstructionPhase	NumDays	20.00	31.00
tblConstructionPhase	NumDays	20.00	65.00
tblConstructionPhase	PhaseEndDate	3/24/2021	4/18/2024
tblConstructionPhase	PhaseEndDate	1/27/2021	4/18/2024
tblConstructionPhase	PhaseEndDate	1/29/2020	8/18/2021
tblConstructionPhase	PhaseEndDate	3/11/2020	8/18/2021
tblConstructionPhase	PhaseEndDate	2/24/2021	12/17/2021
tblConstructionPhase	PhaseEndDate	2/12/2020	4/26/2021
tblConstructionPhase	PhaseStartDate	2/25/2021	12/19/2023
tblConstructionPhase	PhaseStartDate	3/12/2020	2/21/2022
tblConstructionPhase	PhaseStartDate	1/2/2020	4/19/2021
tblConstructionPhase	PhaseStartDate	2/13/2020	4/27/2021
tblConstructionPhase	PhaseStartDate	1/28/2021	10/1/2021
tblConstructionPhase	PhaseStartDate	1/30/2020	4/19/2021
tblGrading	MaterialExported	0.00	100,000.00
tblOffRoadEquipment	HorsePower	158.00	0.00
tblOffRoadEquipment	HorsePower	130.00	0.00
tblOffRoadEquipment	HorsePower	80.00	0.00
tblOffRoadEquipment	HorsePower	247.00	0.00
tblOffRoadEquipment	HorsePower	187.00	0.00
tblOffRoadEquipment	HorsePower	97.00	0.00
tblOffRoadEquipment	HorsePower	132.00	0.00
tblOffRoadEquipment	HorsePower	158.00	0.00
tblOffRoadEquipment	HorsePower	187.00	0.00
tblOffRoadEquipment	HorsePower	130.00	0.00
tblOffRoadEquipment	HorsePower	132.00	0.00
tblOffRoadEquipment	HorsePower	247.00	0.00
tblOffRoadEquipment	HorsePower	97.00	0.00
tblOffRoadEquipment	LoadFactor	0.38	0.00
tblOffRoadEquipment	LoadFactor	0.42	0.00

tblOffRoadEquipment	LoadFactor	0.38	0.00
tblOffRoadEquipment	LoadFactor	0.40	0.00
tblOffRoadEquipment	LoadFactor	0.41	0.00
tblOffRoadEquipment	LoadFactor	0.37	0.00
tblOffRoadEquipment	LoadFactor	0.36	0.00
tblOffRoadEquipment	LoadFactor	0.38	0.00
tblOffRoadEquipment	LoadFactor	0.41	0.00
tblOffRoadEquipment	LoadFactor	0.42	0.00
tblOffRoadEquipment	LoadFactor	0.36	0.00
tblOffRoadEquipment	LoadFactor	0.40	0.00
tblOffRoadEquipment	LoadFactor	0.37	0.00
tblOffRoadEquipment	LoadFactor	0.43	0.43
tblOffRoadEquipment	LoadFactor	0.29	0.29
tblOffRoadEquipment	LoadFactor	0.42	0.42
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	LoadFactor	0.29	0.29
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	LoadFactor	0.20	0.20
tblOffRoadEquipment	LoadFactor	0.37	0.37
tblOffRoadEquipment	LoadFactor	0.48	0.48
tblOffRoadEquipment	LoadFactor	0.50	0.50
tblOffRoadEquipment	LoadFactor	0.41	0.41
tblOffRoadEquipment	LoadFactor	0.36	0.36
tblOffRoadEquipment	LoadFactor	0.37	0.37
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Cranes
tblOffRoadEquipment	OffRoadEquipmentType		Other Construction Equipment
tblOffRoadEquipment	OffRoadEquipmentType		Rollers
tblOffRoadEquipment	OffRoadEquipmentType		Cranes
tblOffRoadEquipment	OffRoadEquipmentType		Excavators

tblOffRoadEquipment	OffRoadEquipmentType		Forklifts
tblOffRoadEquipment	OffRoadEquipmentType		Generator Sets
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentType		Welders
tblOffRoadEquipment	OffRoadEquipmentType		Scrapers
tblOffRoadEquipment	OffRoadEquipmentType		Bore/Drill Rigs
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentType		Cement and Mortar Mixers
tblOffRoadEquipment	OffRoadEquipmentType		Graders
tblOffRoadEquipment	OffRoadEquipmentType		Rubber Tired Loaders
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	3.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00

tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOperationalOffRoadEquipment	OperLoadFactor	0.37	0.37
tblOperationalOffRoadEquipment	OperLoadFactor	0.20	0.20
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	4.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	3.00
tblStationaryGeneratorsPumpsEF	CO_EF	2.60	0.44
tblStationaryGeneratorsPumpsEF	NOX_EF	4.56	4.08
tblStationaryGeneratorsPumpsEF	PM10_EF	0.15	0.03
tblStationaryGeneratorsPumpsEF	PM2_5_EF	0.15	0.03
tblStationaryGeneratorsPumpsUse	HorsePowerValue	0.00	600.00
tblStationaryGeneratorsPumpsUse	HoursPerDay	0.00	4.00
tblStationaryGeneratorsPumpsUse	HoursPerYear	0.00	30.00
tblStationaryGeneratorsPumpsUse	Load_Factor	0.73	1.00
tblStationaryGeneratorsPumpsUse	NumberOfEquipment	0.00	2.00
tblTripsAndVMT	HaulingTripNumber	12,500.00	10,000.00
tblTripsAndVMT	WorkerTripNumber	25.00	26.00

tblTripsAndVMT	WorkerTripNumber	25.00	26.00
tblTripsAndVMT	WorkerTripNumber	5.00	6.00
tblTripsAndVMT	WorkerTripNumber	25.00	26.00
tblTripsAndVMT	WorkerTripNumber	3.00	4.00
tblVehicleTrips	ST_TR	23.72	0.00
tblVehicleTrips	ST_TR	2.46	0.00
tblVehicleTrips	ST_TR	1.68	52.50
tblVehicleTrips	SU_TR	11.88	0.00
tblVehicleTrips	SU_TR	1.05	0.00
tblVehicleTrips	SU_TR	1.68	52.50
tblVehicleTrips	WD_TR	23.72	0.00
tblVehicleTrips	WD_TR	11.03	3.65
tblVehicleTrips	WD_TR	68.93	0.00
tblVehicleTrips	WD_TR	1.68	52.50

## 2.0 Emissions Summary

### 2.1 Overall Construction

#### Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.6676	7.8248	4.8018	0.0129	0.8467	0.3015	1.1482	0.3606	0.2799	0.6405	0.0000	1,171.0128	1,171.0128	0.2476	0.0000	1,177.2029
2022	0.3171	2.9256	2.8128	6.7400e-003	0.1892	0.1213	0.3105	0.0511	0.1135	0.1646	0.0000	603.5814	603.5814	0.0986	0.0000	606.0472
2023	0.3847	3.0152	3.1824	7.7100e-003	0.2199	0.1226	0.3425	0.0594	0.1147	0.1741	0.0000	689.3859	689.3859	0.1119	0.0000	692.1840
2024	0.5552	1.2880	1.3736	3.3100e-003	0.0841	0.0505	0.1346	0.0226	0.0472	0.0698	0.0000	293.9861	293.9861	0.0544	0.0000	295.3471
<b>Maximum</b>	<b>0.6676</b>	<b>7.8248</b>	<b>4.8018</b>	<b>0.0129</b>	<b>0.8467</b>	<b>0.3015</b>	<b>1.1482</b>	<b>0.3606</b>	<b>0.2799</b>	<b>0.6405</b>	<b>0.0000</b>	<b>1,171.0128</b>	<b>1,171.0128</b>	<b>0.2476</b>	<b>0.0000</b>	<b>1,177.2029</b>

**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1570	1.8071	5.3209	0.0129	0.4512	0.0181	0.4693	0.1813	0.0179	0.1993	0.0000	1,171.0119	1,171.0119	0.2476	0.0000	1,177.2020
2022	0.1173	0.8624	3.0195	6.7400e-003	0.1892	8.0800e-003	0.1973	0.0511	7.9500e-003	0.0590	0.0000	603.5810	603.5810	0.0986	0.0000	606.0468
2023	0.1753	0.8478	3.4444	7.7100e-003	0.2199	9.0300e-003	0.2290	0.0594	8.9100e-003	0.0683	0.0000	689.3854	689.3854	0.1119	0.0000	692.1835
2024	0.4682	0.3429	1.5419	3.3100e-003	0.0841	6.3000e-003	0.0904	0.0226	6.2500e-003	0.0289	0.0000	293.9859	293.9859	0.0544	0.0000	295.3468
<b>Maximum</b>	<b>0.4682</b>	<b>1.8071</b>	<b>5.3209</b>	<b>0.0129</b>	<b>0.4512</b>	<b>0.0181</b>	<b>0.4693</b>	<b>0.1813</b>	<b>0.0179</b>	<b>0.1993</b>	<b>0.0000</b>	<b>1,171.0119</b>	<b>1,171.0119</b>	<b>0.2476</b>	<b>0.0000</b>	<b>1,177.2020</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Percent Reduction</b>	<b>52.30</b>	<b>74.36</b>	<b>-9.50</b>	<b>0.00</b>	<b>29.51</b>	<b>93.03</b>	<b>49.06</b>	<b>36.31</b>	<b>92.61</b>	<b>66.11</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
6	4-2-2021	7-1-2021	1.8243	0.1494
7	7-2-2021	10-1-2021	2.9061	0.6754
8	10-2-2021	1-1-2022	3.6675	1.0973
9	1-2-2022	4-1-2022	0.4113	0.1239
10	4-2-2022	7-1-2022	0.9336	0.2798
11	7-2-2022	10-1-2022	0.9439	0.2829
12	10-2-2022	1-1-2023	0.9449	0.2846
13	1-2-2023	4-1-2023	0.8270	0.2393
14	4-2-2023	7-1-2023	0.8344	0.2402
15	7-2-2023	10-1-2023	0.8436	0.2429
16	10-2-2023	1-1-2024	0.9049	0.3047



17	1-2-2024	4-1-2024	1.5127	0.6670
18	4-2-2024	7-1-2024	0.2966	0.1259
		Highest	3.6675	1.0973

## 2.2 Overall Operational Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.3920	7.0000e-005	8.2400e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005	0.0000	0.0161	0.0161	4.0000e-005	0.0000	0.0171
Energy	4.8500e-003	0.0441	0.0371	2.6000e-004		3.3500e-003	3.3500e-003		3.3500e-003	3.3500e-003	0.0000	1,327.3613	1,327.3613	0.0311	7.1300e-003	1,330.2650
Mobile	0.2718	1.3790	4.0135	0.0170	1.5293	0.0121	1.5414	0.4098	0.0112	0.4210	0.0000	1,571.8212	1,571.8212	0.0676	0.0000	1,573.5117
Offroad	0.1115	1.0963	1.6044	2.2100e-003		0.0544	0.0544		0.0501	0.0501	0.0000	194.4126	194.4126	0.0629	0.0000	195.9846
Waste						0.0000	0.0000		0.0000	0.0000	24.7771	0.0000	24.7771	1.4643	0.0000	61.3842
Water						0.0000	0.0000		0.0000	0.0000	5.1646	165.8713	171.0359	0.5344	0.0133	188.3692
<b>Total</b>	<b>0.7800</b>	<b>2.5195</b>	<b>5.6632</b>	<b>0.0195</b>	<b>1.5293</b>	<b>0.0699</b>	<b>1.5992</b>	<b>0.4098</b>	<b>0.0647</b>	<b>0.4744</b>	<b>29.9417</b>	<b>3,259.4824</b>	<b>3,289.4241</b>	<b>2.1603</b>	<b>0.0205</b>	<b>3,349.5317</b>

## Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.3920	7.0000e-005	8.2400e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005	0.0000	0.0161	0.0161	4.0000e-005	0.0000	0.0171
Energy	4.8500e-003	0.0441	0.0371	2.6000e-004		3.3500e-003	3.3500e-003		3.3500e-003	3.3500e-003	0.0000	48.0422	48.0422	9.2000e-004	8.8000e-004	48.3277

Mobile	0.2718	1.3790	4.0135	0.0170	1.5293	0.0121	1.5414	0.4098	0.0112	0.4210	0.0000	1,571.8212	1,571.8212	0.0676	0.0000	1,573.5117
Offroad	0.1115	1.0963	1.6044	2.2100e-003		0.0544	0.0544		0.0501	0.0501	0.0000	194.4126	194.4126	0.0629	0.0000	195.9846
Waste						0.0000	0.0000		0.0000	0.0000	6.1943	0.0000	6.1943	0.3661	0.0000	15.3460
Water						0.0000	0.0000		0.0000	0.0000	3.5119	118.4415	121.9534	0.3635	9.1000e-003	133.7516
<b>Total</b>	<b>0.7800</b>	<b>2.5195</b>	<b>5.6632</b>	<b>0.0195</b>	<b>1.5293</b>	<b>0.0699</b>	<b>1.5992</b>	<b>0.4098</b>	<b>0.0647</b>	<b>0.4744</b>	<b>9.7062</b>	<b>1,932.7336</b>	<b>1,942.4398</b>	<b>0.8610</b>	<b>9.9800e-003</b>	<b>1,966.9387</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	67.58	40.70	40.95	60.14	51.25	41.28

### 3.0 Construction Detail

#### Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	4/19/2021	8/18/2021	5	88	
2	Site Preparation	Site Preparation	4/19/2021	4/26/2021	5	6	
3	Grading One - Shoring 1	Grading	4/27/2021	8/18/2021	5	82	
4	Trenching	Trenching	8/19/2021	11/18/2021	5	66	
5	Grading Two - Excavation	Grading	8/19/2021	12/17/2021	5	87	
6	Grading Three - Shoring 2	Grading	8/19/2021	9/30/2021	5	31	
7	Paving One - Concrete Foundations	Paving	10/1/2021	12/17/2021	5	56	
8	Building Construction	Building Construction	2/21/2022	4/18/2024	5	564	
9	Architectural Coating	Architectural Coating	12/19/2023	4/18/2024	5	88	
10	Paving Two - Concrete Paving	Paving	1/19/2024	4/18/2024	5	65	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 5

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 137,511; Non-Residential Outdoor: 45,837; Striped Parking Area:

## OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Building Construction	Cranes	2	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Demolition	Concrete/Industrial Saws	3	8.00	81	0.73
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Demolition	Excavators	3	8.00	158	0.38
Grading One - Shoring 1	Excavators	0	0.00	0	0.00
Grading One - Shoring 1	Rubber Tired Dozers	0	0.00	0	0.00
Grading One - Shoring 1	Tractors/Loaders/Backhoes	0	0.00	0	0.00
Building Construction	Generator Sets	1	8.00	84	0.74
Paving One - Concrete Foundations	Pavers	0	0.00	0	0.00
Paving One - Concrete Foundations	Rollers	0	0.00	0	0.00
Grading One - Shoring 1	Graders	0	0.00	0	0.00
Paving One - Concrete Foundations	Paving Equipment	0	0.00	0	0.00
Site Preparation	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	2	8.00	247	0.40
Building Construction	Welders	1	8.00	46	0.45
Grading Two - Excavation	Excavators	2	8.00	158	0.38
Grading Three - Shoring 2	Excavators	0	0.00	0	0.00
Grading Two - Excavation	Graders	2	8.00	187	0.41
Grading Three - Shoring 2	Graders	0	0.00	0	0.00
Paving Two - Concrete Paving	Pavers	0	0.00	0	0.00
Paving Two - Concrete Paving	Paving Equipment	0	0.00	0	0.00
Paving Two - Concrete Paving	Rollers	2	8.00	80	0.38
Grading Two - Excavation	Rubber Tired Dozers	2	8.00	247	0.40
Grading Three - Shoring 2	Rubber Tired Dozers	0	0.00	0	0.00
Grading Two - Excavation	Tractors/Loaders/Backhoes	3	8.00	97	0.37

Grading Three - Shoring 2	Tractors/Loaders/Backhoes	0	0.00	0	0.00
Demolition	Crawler Tractors	2	8.00	212	0.43
Grading One - Shoring 1	Cranes	1	8.00	231	0.29
Grading One - Shoring 1	Other Construction Equipment	1	8.00	172	0.42
Building Construction	Rollers	1	8.00	80	0.38
Paving One - Concrete Foundations	Cranes	2	8.00	231	0.29
Paving One - Concrete Foundations	Excavators	2	8.00	158	0.38
Paving One - Concrete Foundations	Forklifts	2	8.00	89	0.20
Paving One - Concrete Foundations	Generator Sets	1	8.00	84	0.74
Paving One - Concrete Foundations	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving One - Concrete Foundations	Welders	1	8.00	46	0.45
Grading Two - Excavation	Scrapers	2	8.00	367	0.48
Grading Three - Shoring 2	Bore/Drill Rigs	1	8.00	221	0.50
Trenching	Excavators	1	8.00	158	0.38
Trenching	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving Two - Concrete Paving	Cement and Mortar Mixers	2	6.00	9	0.56
Paving Two - Concrete Paving	Graders	1	8.00	187	0.41
Paving Two - Concrete Paving	Rubber Tired Loaders	1	8.00	203	0.36
Paving Two - Concrete Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

### Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Architectural Coating	1	26.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	11	124.00	51.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Demolition	10	26.00	0.00	138.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading One - Shoring 1	2	6.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving One - Concrete Foundations	10	26.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading Two - Excavation	11	28.00	0.00	10,000.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT



Worker	4.7700e-003	3.5200e-003	0.0399	1.2000e-004	0.0126	9.0000e-005	0.0127	3.3300e-003	9.0000e-005	3.4200e-003	0.0000	10.9328	10.9328	2.9000e-004	0.0000	10.9401
<b>Total</b>	<b>5.2800e-003</b>	<b>0.0215</b>	<b>0.0437</b>	<b>1.7000e-004</b>	<b>0.0137</b>	<b>1.4000e-004</b>	<b>0.0139</b>	<b>3.6600e-003</b>	<b>1.4000e-004</b>	<b>3.8000e-003</b>	<b>0.0000</b>	<b>16.0850</b>	<b>16.0850</b>	<b>6.4000e-004</b>	<b>0.0000</b>	<b>16.1011</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					6.7100e-003	0.0000	6.7100e-003	1.0200e-003	0.0000	1.0200e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0343	0.1487	1.6743	2.9500e-003		4.5700e-003	4.5700e-003		4.5700e-003	4.5700e-003	0.0000	257.4489	257.4489	0.0644	0.0000	259.0597
<b>Total</b>	<b>0.0343</b>	<b>0.1487</b>	<b>1.6743</b>	<b>2.9500e-003</b>	<b>6.7100e-003</b>	<b>4.5700e-003</b>	<b>0.0113</b>	<b>1.0200e-003</b>	<b>4.5700e-003</b>	<b>5.5900e-003</b>	<b>0.0000</b>	<b>257.4489</b>	<b>257.4489</b>	<b>0.0644</b>	<b>0.0000</b>	<b>259.0597</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	5.1000e-004	0.0180	3.8100e-003	5.0000e-005	1.1900e-003	5.0000e-005	1.2400e-003	3.3000e-004	5.0000e-005	3.8000e-004	0.0000	5.1522	5.1522	3.5000e-004	0.0000	5.1610
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.7700e-003	3.5200e-003	0.0399	1.2000e-004	0.0126	9.0000e-005	0.0127	3.3300e-003	9.0000e-005	3.4200e-003	0.0000	10.9328	10.9328	2.9000e-004	0.0000	10.9401
<b>Total</b>	<b>5.2800e-003</b>	<b>0.0215</b>	<b>0.0437</b>	<b>1.7000e-004</b>	<b>0.0137</b>	<b>1.4000e-004</b>	<b>0.0139</b>	<b>3.6600e-003</b>	<b>1.4000e-004</b>	<b>3.8000e-003</b>	<b>0.0000</b>	<b>16.0850</b>	<b>16.0850</b>	<b>6.4000e-004</b>	<b>0.0000</b>	<b>16.1011</b>

**3.3 Site Preparation - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0361	0.0000	0.0361	0.0199	0.0000	0.0199	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	7.4000e-003	0.0772	0.0378	7.0000e-005		3.8700e-003	3.8700e-003		3.5600e-003	3.5600e-003	0.0000	6.1412	6.1412	1.9900e-003	0.0000	6.1909
<b>Total</b>	<b>7.4000e-003</b>	<b>0.0772</b>	<b>0.0378</b>	<b>7.0000e-005</b>	<b>0.0361</b>	<b>3.8700e-003</b>	<b>0.0400</b>	<b>0.0199</b>	<b>3.5600e-003</b>	<b>0.0234</b>	<b>0.0000</b>	<b>6.1412</b>	<b>6.1412</b>	<b>1.9900e-003</b>	<b>0.0000</b>	<b>6.1909</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.3000e-004	9.0000e-005	1.0500e-003	0.0000	3.3000e-004	0.0000	3.3000e-004	9.0000e-005	0.0000	9.0000e-005	0.0000	0.2867	0.2867	1.0000e-005	0.0000	0.2869
<b>Total</b>	<b>1.3000e-004</b>	<b>9.0000e-005</b>	<b>1.0500e-003</b>	<b>0.0000</b>	<b>3.3000e-004</b>	<b>0.0000</b>	<b>3.3000e-004</b>	<b>9.0000e-005</b>	<b>0.0000</b>	<b>9.0000e-005</b>	<b>0.0000</b>	<b>0.2867</b>	<b>0.2867</b>	<b>1.0000e-005</b>	<b>0.0000</b>	<b>0.2869</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Fugitive Dust					0.0163	0.0000	0.0163	8.9400e-003	0.0000	8.9400e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.6000e-004	3.7100e-003	0.0371	7.0000e-005		1.1000e-004	1.1000e-004		1.1000e-004	1.1000e-004	0.0000	6.1412	6.1412	1.9900e-003	0.0000	6.1909
<b>Total</b>	<b>8.6000e-004</b>	<b>3.7100e-003</b>	<b>0.0371</b>	<b>7.0000e-005</b>	<b>0.0163</b>	<b>1.1000e-004</b>	<b>0.0164</b>	<b>8.9400e-003</b>	<b>1.1000e-004</b>	<b>9.0500e-003</b>	<b>0.0000</b>	<b>6.1412</b>	<b>6.1412</b>	<b>1.9900e-003</b>	<b>0.0000</b>	<b>6.1909</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.3000e-004	9.0000e-005	1.0500e-003	0.0000	3.3000e-004	0.0000	3.3000e-004	9.0000e-005	0.0000	9.0000e-005	0.0000	0.2867	0.2867	1.0000e-005	0.0000	0.2869
<b>Total</b>	<b>1.3000e-004</b>	<b>9.0000e-005</b>	<b>1.0500e-003</b>	<b>0.0000</b>	<b>3.3000e-004</b>	<b>0.0000</b>	<b>3.3000e-004</b>	<b>9.0000e-005</b>	<b>0.0000</b>	<b>9.0000e-005</b>	<b>0.0000</b>	<b>0.2867</b>	<b>0.2867</b>	<b>1.0000e-005</b>	<b>0.0000</b>	<b>0.2869</b>

**3.4 Grading One - Shoring 1 - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0338	0.3752	0.2452	4.9000e-004		0.0173	0.0173		0.0159	0.0159	0.0000	42.6639	42.6639	0.0138	0.0000	43.0089
<b>Total</b>	<b>0.0338</b>	<b>0.3752</b>	<b>0.2452</b>	<b>4.9000e-004</b>	<b>0.0000</b>	<b>0.0173</b>	<b>0.0173</b>	<b>0.0000</b>	<b>0.0159</b>	<b>0.0159</b>	<b>0.0000</b>	<b>42.6639</b>	<b>42.6639</b>	<b>0.0138</b>	<b>0.0000</b>	<b>43.0089</b>



**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0300e-003	7.6000e-004	8.5700e-003	3.0000e-005	2.7000e-003	2.0000e-005	2.7200e-003	7.2000e-004	2.0000e-005	7.4000e-004	0.0000	2.3509	2.3509	6.0000e-005	0.0000	2.3525
<b>Total</b>	<b>1.0300e-003</b>	<b>7.6000e-004</b>	<b>8.5700e-003</b>	<b>3.0000e-005</b>	<b>2.7000e-003</b>	<b>2.0000e-005</b>	<b>2.7200e-003</b>	<b>7.2000e-004</b>	<b>2.0000e-005</b>	<b>7.4000e-004</b>	<b>0.0000</b>	<b>2.3509</b>	<b>2.3509</b>	<b>6.0000e-005</b>	<b>0.0000</b>	<b>2.3525</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	5.9900e-003	0.0260	0.2970	4.9000e-004		8.0000e-004	8.0000e-004		8.0000e-004	8.0000e-004	0.0000	42.6639	42.6639	0.0138	0.0000	43.0088
<b>Total</b>	<b>5.9900e-003</b>	<b>0.0260</b>	<b>0.2970</b>	<b>4.9000e-004</b>	<b>0.0000</b>	<b>8.0000e-004</b>	<b>8.0000e-004</b>	<b>0.0000</b>	<b>8.0000e-004</b>	<b>8.0000e-004</b>	<b>0.0000</b>	<b>42.6639</b>	<b>42.6639</b>	<b>0.0138</b>	<b>0.0000</b>	<b>43.0088</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0300e-003	7.6000e-004	8.5700e-003	3.0000e-005	2.7000e-003	2.0000e-005	2.7200e-003	7.2000e-004	2.0000e-005	7.4000e-004	0.0000	2.3509	2.3509	6.0000e-005	0.0000	2.3525
<b>Total</b>	<b>1.0300e-003</b>	<b>7.6000e-004</b>	<b>8.5700e-003</b>	<b>3.0000e-005</b>	<b>2.7000e-003</b>	<b>2.0000e-005</b>	<b>2.7200e-003</b>	<b>7.2000e-004</b>	<b>2.0000e-005</b>	<b>7.4000e-004</b>	<b>0.0000</b>	<b>2.3509</b>	<b>2.3509</b>	<b>6.0000e-005</b>	<b>0.0000</b>	<b>2.3525</b>

### 3.5 Trenching - 2021

#### Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Off-Road	0.0199	0.1962	0.2572	3.8000e-004		0.0108	0.0108		9.9600e-003	9.9600e-003	0.0000	32.9904	32.9904	0.0107	0.0000	33.2572
<b>Total</b>	<b>0.0199</b>	<b>0.1962</b>	<b>0.2572</b>	<b>3.8000e-004</b>		<b>0.0108</b>	<b>0.0108</b>		<b>9.9600e-003</b>	<b>9.9600e-003</b>	<b>0.0000</b>	<b>32.9904</b>	<b>32.9904</b>	<b>0.0107</b>	<b>0.0000</b>	<b>33.2572</b>

#### Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.1000e-003	8.1000e-004	9.2000e-003	3.0000e-005	2.9000e-003	2.0000e-005	2.9200e-003	7.7000e-004	2.0000e-005	7.9000e-004	0.0000	2.5229	2.5229	7.0000e-005	0.0000	2.5246

<b>Total</b>	<b>1.1000e-003</b>	<b>8.1000e-004</b>	<b>9.2000e-003</b>	<b>3.0000e-005</b>	<b>2.9000e-003</b>	<b>2.0000e-005</b>	<b>2.9200e-003</b>	<b>7.7000e-004</b>	<b>2.0000e-005</b>	<b>7.9000e-004</b>	<b>0.0000</b>	<b>2.5229</b>	<b>2.5229</b>	<b>7.0000e-005</b>	<b>0.0000</b>	<b>2.5246</b>
--------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	---------------	---------------	---------------	--------------------	---------------	---------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.6000e-003	0.0200	0.2839	3.8000e-004		6.1000e-004	6.1000e-004		6.1000e-004	6.1000e-004	0.0000	32.9904	32.9904	0.0107	0.0000	33.2572
<b>Total</b>	<b>4.6000e-003</b>	<b>0.0200</b>	<b>0.2839</b>	<b>3.8000e-004</b>		<b>6.1000e-004</b>	<b>6.1000e-004</b>		<b>6.1000e-004</b>	<b>6.1000e-004</b>	<b>0.0000</b>	<b>32.9904</b>	<b>32.9904</b>	<b>0.0107</b>	<b>0.0000</b>	<b>33.2572</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.1000e-003	8.1000e-004	9.2000e-003	3.0000e-005	2.9000e-003	2.0000e-005	2.9200e-003	7.7000e-004	2.0000e-005	7.9000e-004	0.0000	2.5229	2.5229	7.0000e-005	0.0000	2.5246
<b>Total</b>	<b>1.1000e-003</b>	<b>8.1000e-004</b>	<b>9.2000e-003</b>	<b>3.0000e-005</b>	<b>2.9000e-003</b>	<b>2.0000e-005</b>	<b>2.9200e-003</b>	<b>7.7000e-004</b>	<b>2.0000e-005</b>	<b>7.9000e-004</b>	<b>0.0000</b>	<b>2.5229</b>	<b>2.5229</b>	<b>7.0000e-005</b>	<b>0.0000</b>	<b>2.5246</b>

**3.6 Grading Two - Excavation - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.6680	0.0000	0.6680	0.3038	0.0000	0.3038	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.2561	2.8405	1.6971	3.5000e-003		0.1227	0.1227		0.1129	0.1129	0.0000	307.4786	307.4786	0.0994	0.0000	309.9647
<b>Total</b>	<b>0.2561</b>	<b>2.8405</b>	<b>1.6971</b>	<b>3.5000e-003</b>	<b>0.6680</b>	<b>0.1227</b>	<b>0.7907</b>	<b>0.3038</b>	<b>0.1129</b>	<b>0.4167</b>	<b>0.0000</b>	<b>307.4786</b>	<b>307.4786</b>	<b>0.0994</b>	<b>0.0000</b>	<b>309.9647</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0367	1.3031	0.2764	3.8000e-003	0.0860	3.9500e-003	0.0899	0.0236	3.7800e-003	0.0274	0.0000	373.3496	373.3496	0.0256	0.0000	373.9887
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0800e-003	3.7500e-003	0.0425	1.3000e-004	0.0134	1.0000e-004	0.0135	3.5500e-003	9.0000e-005	3.6400e-003	0.0000	11.6399	11.6399	3.1000e-004	0.0000	11.6477
<b>Total</b>	<b>0.0418</b>	<b>1.3068</b>	<b>0.3188</b>	<b>3.9300e-003</b>	<b>0.0993</b>	<b>4.0500e-003</b>	<b>0.1034</b>	<b>0.0272</b>	<b>3.8700e-003</b>	<b>0.0310</b>	<b>0.0000</b>	<b>384.9895</b>	<b>384.9895</b>	<b>0.0259</b>	<b>0.0000</b>	<b>385.6364</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Fugitive Dust					0.3006	0.0000	0.3006	0.1367	0.0000	0.1367	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0429	0.1861	1.8365	3.5000e-003		5.7300e-003	5.7300e-003		5.7300e-003	5.7300e-003	0.0000	307.4783	307.4783	0.0994	0.0000	309.9644
<b>Total</b>	<b>0.0429</b>	<b>0.1861</b>	<b>1.8365</b>	<b>3.5000e-003</b>	<b>0.3006</b>	<b>5.7300e-003</b>	<b>0.3063</b>	<b>0.1367</b>	<b>5.7300e-003</b>	<b>0.1424</b>	<b>0.0000</b>	<b>307.4783</b>	<b>307.4783</b>	<b>0.0994</b>	<b>0.0000</b>	<b>309.9644</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0367	1.3031	0.2764	3.8000e-003	0.0860	3.9500e-003	0.0899	0.0236	3.7800e-003	0.0274	0.0000	373.3496	373.3496	0.0256	0.0000	373.9887
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.0800e-003	3.7500e-003	0.0425	1.3000e-004	0.0134	1.0000e-004	0.0135	3.5500e-003	9.0000e-005	3.6400e-003	0.0000	11.6399	11.6399	3.1000e-004	0.0000	11.6477
<b>Total</b>	<b>0.0418</b>	<b>1.3068</b>	<b>0.3188</b>	<b>3.9300e-003</b>	<b>0.0993</b>	<b>4.0500e-003</b>	<b>0.1034</b>	<b>0.0272</b>	<b>3.8700e-003</b>	<b>0.0310</b>	<b>0.0000</b>	<b>384.9895</b>	<b>384.9895</b>	<b>0.0259</b>	<b>0.0000</b>	<b>385.6364</b>

**3.7 Grading Three - Shoring 2 - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	4.0200e-003	0.0471	0.0323	1.5000e-004		1.4300e-003	1.4300e-003		1.3100e-003	1.3100e-003	0.0000	12.8890	12.8890	4.1700e-003	0.0000	12.9932
<b>Total</b>	<b>4.0200e-003</b>	<b>0.0471</b>	<b>0.0323</b>	<b>1.5000e-004</b>	<b>0.0000</b>	<b>1.4300e-003</b>	<b>1.4300e-003</b>	<b>0.0000</b>	<b>1.3100e-003</b>	<b>1.3100e-003</b>	<b>0.0000</b>	<b>12.8890</b>	<b>12.8890</b>	<b>4.1700e-003</b>	<b>0.0000</b>	<b>12.9932</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.6000e-004	1.9000e-004	2.1600e-003	1.0000e-005	6.8000e-004	1.0000e-005	6.9000e-004	1.8000e-004	0.0000	1.9000e-004	0.0000	0.5925	0.5925	2.0000e-005	0.0000	0.5929
<b>Total</b>	<b>2.6000e-004</b>	<b>1.9000e-004</b>	<b>2.1600e-003</b>	<b>1.0000e-005</b>	<b>6.8000e-004</b>	<b>1.0000e-005</b>	<b>6.9000e-004</b>	<b>1.8000e-004</b>	<b>0.0000</b>	<b>1.9000e-004</b>	<b>0.0000</b>	<b>0.5925</b>	<b>0.5925</b>	<b>2.0000e-005</b>	<b>0.0000</b>	<b>0.5929</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.8200e-003	7.8900e-003	0.0668	1.5000e-004		2.4000e-004	2.4000e-004		2.4000e-004	2.4000e-004	0.0000	12.8890	12.8890	4.1700e-003	0.0000	12.9932
<b>Total</b>	<b>1.8200e-003</b>	<b>7.8900e-003</b>	<b>0.0668</b>	<b>1.5000e-004</b>	<b>0.0000</b>	<b>2.4000e-004</b>	<b>2.4000e-004</b>	<b>0.0000</b>	<b>2.4000e-004</b>	<b>2.4000e-004</b>	<b>0.0000</b>	<b>12.8890</b>	<b>12.8890</b>	<b>4.1700e-003</b>	<b>0.0000</b>	<b>12.9932</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.6000e-004	1.9000e-004	2.1600e-003	1.0000e-005	6.8000e-004	1.0000e-005	6.9000e-004	1.8000e-004	0.0000	1.9000e-004	0.0000	0.5925	0.5925	2.0000e-005	0.0000	0.5929
<b>Total</b>	<b>2.6000e-004</b>	<b>1.9000e-004</b>	<b>2.1600e-003</b>	<b>1.0000e-005</b>	<b>6.8000e-004</b>	<b>1.0000e-005</b>	<b>6.9000e-004</b>	<b>1.8000e-004</b>	<b>0.0000</b>	<b>1.9000e-004</b>	<b>0.0000</b>	<b>0.5925</b>	<b>0.5925</b>	<b>2.0000e-005</b>	<b>0.0000</b>	<b>0.5929</b>

### 3.8 Paving One - Concrete Foundations - 2021

#### Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Off-Road	0.0721	0.6940	0.6375	1.1300e-003		0.0346	0.0346		0.0323	0.0323	0.0000	97.6156	97.6156	0.0262	0.0000	98.2717
Paving	1.4000e-004					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0722</b>	<b>0.6940</b>	<b>0.6375</b>	<b>1.1300e-003</b>		<b>0.0346</b>	<b>0.0346</b>		<b>0.0323</b>	<b>0.0323</b>	<b>0.0000</b>	<b>97.6156</b>	<b>97.6156</b>	<b>0.0262</b>	<b>0.0000</b>	<b>98.2717</b>

#### Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0300e-003	2.2400e-003	0.0254	8.0000e-005	7.9900e-003	6.0000e-005	8.0500e-003	2.1200e-003	6.0000e-005	2.1800e-003	0.0000	6.9572	6.9572	1.9000e-004	0.0000	6.9619

Total	3.0300e-003	2.2400e-003	0.0254	8.0000e-005	7.9900e-003	6.0000e-005	8.0500e-003	2.1200e-003	6.0000e-005	2.1800e-003	0.0000	6.9572	6.9572	1.9000e-004	0.0000	6.9619
-------	-------------	-------------	--------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------	--------	--------	-------------	--------	--------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0138	0.0825	0.7166	1.1300e-003		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	97.6155	97.6155	0.0262	0.0000	98.2715
Paving	1.4000e-004					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0139</b>	<b>0.0825</b>	<b>0.7166</b>	<b>1.1300e-003</b>		<b>1.7500e-003</b>	<b>1.7500e-003</b>		<b>1.7500e-003</b>	<b>1.7500e-003</b>	<b>0.0000</b>	<b>97.6155</b>	<b>97.6155</b>	<b>0.0262</b>	<b>0.0000</b>	<b>98.2715</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.0300e-003	2.2400e-003	0.0254	8.0000e-005	7.9900e-003	6.0000e-005	8.0500e-003	2.1200e-003	6.0000e-005	2.1800e-003	0.0000	6.9572	6.9572	1.9000e-004	0.0000	6.9619
<b>Total</b>	<b>3.0300e-003</b>	<b>2.2400e-003</b>	<b>0.0254</b>	<b>8.0000e-005</b>	<b>7.9900e-003</b>	<b>6.0000e-005</b>	<b>8.0500e-003</b>	<b>2.1200e-003</b>	<b>6.0000e-005</b>	<b>2.1800e-003</b>	<b>0.0000</b>	<b>6.9572</b>	<b>6.9572</b>	<b>1.9000e-004</b>	<b>0.0000</b>	<b>6.9619</b>

**3.9 Building Construction - 2022**

**Unmitigated Construction On-Site**



	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2471	2.3604	2.2338	3.8900e-003		0.1192	0.1192		0.1115	0.1115	0.0000	336.2008	336.2008	0.0869	0.0000	338.3727
<b>Total</b>	<b>0.2471</b>	<b>2.3604</b>	<b>2.2338</b>	<b>3.8900e-003</b>		<b>0.1192</b>	<b>0.1192</b>		<b>0.1115</b>	<b>0.1115</b>	<b>0.0000</b>	<b>336.2008</b>	<b>336.2008</b>	<b>0.0869</b>	<b>0.0000</b>	<b>338.3727</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0153	0.5264	0.1301	1.4300e-003	0.0362	9.7000e-004	0.0371	0.0104	9.3000e-004	0.0114	0.0000	138.8457	138.8457	8.5200e-003	0.0000	139.0589
Worker	0.0546	0.0388	0.4489	1.4200e-003	0.1531	1.1100e-003	0.1542	0.0407	1.0300e-003	0.0417	0.0000	128.5349	128.5349	3.2300e-003	0.0000	128.6156
<b>Total</b>	<b>0.0699</b>	<b>0.5652</b>	<b>0.5790</b>	<b>2.8500e-003</b>	<b>0.1892</b>	<b>2.0800e-003</b>	<b>0.1913</b>	<b>0.0511</b>	<b>1.9600e-003</b>	<b>0.0530</b>	<b>0.0000</b>	<b>267.3806</b>	<b>267.3806</b>	<b>0.0118</b>	<b>0.0000</b>	<b>267.6745</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Off-Road	0.0474	0.2971	2.4405	3.8900e-003		6.0000e-003	6.0000e-003		6.0000e-003	6.0000e-003	0.0000	336.2004	336.2004	0.0869	0.0000	338.3723
<b>Total</b>	<b>0.0474</b>	<b>0.2971</b>	<b>2.4405</b>	<b>3.8900e-003</b>		<b>6.0000e-003</b>	<b>6.0000e-003</b>		<b>6.0000e-003</b>	<b>6.0000e-003</b>	<b>0.0000</b>	<b>336.2004</b>	<b>336.2004</b>	<b>0.0869</b>	<b>0.0000</b>	<b>338.3723</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0153	0.5264	0.1301	1.4300e-003	0.0362	9.7000e-004	0.0371	0.0104	9.3000e-004	0.0114	0.0000	138.8457	138.8457	8.5200e-003	0.0000	139.0589
Worker	0.0546	0.0388	0.4489	1.4200e-003	0.1531	1.1100e-003	0.1542	0.0407	1.0300e-003	0.0417	0.0000	128.5349	128.5349	3.2300e-003	0.0000	128.6156
<b>Total</b>	<b>0.0699</b>	<b>0.5652</b>	<b>0.5790</b>	<b>2.8500e-003</b>	<b>0.1892</b>	<b>2.0800e-003</b>	<b>0.1913</b>	<b>0.0511</b>	<b>1.9600e-003</b>	<b>0.0530</b>	<b>0.0000</b>	<b>267.3806</b>	<b>267.3806</b>	<b>0.0118</b>	<b>0.0000</b>	<b>267.6745</b>

**3.9 Building Construction - 2023**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2642	2.5107	2.5581	4.5000e-003		0.1205	0.1205		0.1127	0.1127	0.0000	388.6014	388.6014	0.0999	0.0000	391.0990
<b>Total</b>	<b>0.2642</b>	<b>2.5107</b>	<b>2.5581</b>	<b>4.5000e-003</b>		<b>0.1205</b>	<b>0.1205</b>		<b>0.1127</b>	<b>0.1127</b>	<b>0.0000</b>	<b>388.6014</b>	<b>388.6014</b>	<b>0.0999</b>	<b>0.0000</b>	<b>391.0990</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0132	0.4577	0.1344	1.6000e-003	0.0418	5.2000e-004	0.0423	0.0121	5.0000e-004	0.0126	0.0000	155.6078	155.6078	8.5600e-003	0.0000	155.8219
Worker	0.0594	0.0406	0.4783	1.5800e-003	0.1769	1.2500e-003	0.1781	0.0470	1.1600e-003	0.0481	0.0000	142.9899	142.9899	3.3600e-003	0.0000	143.0740
<b>Total</b>	<b>0.0726</b>	<b>0.4983</b>	<b>0.6127</b>	<b>3.1800e-003</b>	<b>0.2187</b>	<b>1.7700e-003</b>	<b>0.2204</b>	<b>0.0590</b>	<b>1.6600e-003</b>	<b>0.0607</b>	<b>0.0000</b>	<b>298.5977</b>	<b>298.5977</b>	<b>0.0119</b>	<b>0.0000</b>	<b>298.8958</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0548	0.3434	2.8201	4.5000e-003		6.9300e-003	6.9300e-003		6.9300e-003	6.9300e-003	0.0000	388.6009	388.6009	0.0999	0.0000	391.0986
<b>Total</b>	<b>0.0548</b>	<b>0.3434</b>	<b>2.8201</b>	<b>4.5000e-003</b>		<b>6.9300e-003</b>	<b>6.9300e-003</b>		<b>6.9300e-003</b>	<b>6.9300e-003</b>	<b>0.0000</b>	<b>388.6009</b>	<b>388.6009</b>	<b>0.0999</b>	<b>0.0000</b>	<b>391.0986</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0132	0.4577	0.1344	1.6000e-003	0.0418	5.2000e-004	0.0423	0.0121	5.0000e-004	0.0126	0.0000	155.6078	155.6078	8.5600e-003	0.0000	155.8219
Worker	0.0594	0.0406	0.4783	1.5800e-003	0.1769	1.2500e-003	0.1781	0.0470	1.1600e-003	0.0481	0.0000	142.9899	142.9899	3.3600e-003	0.0000	143.0740
<b>Total</b>	<b>0.0726</b>	<b>0.4983</b>	<b>0.6127</b>	<b>3.1800e-003</b>	<b>0.2187</b>	<b>1.7700e-003</b>	<b>0.2204</b>	<b>0.0590</b>	<b>1.6600e-003</b>	<b>0.0607</b>	<b>0.0000</b>	<b>298.5977</b>	<b>298.5977</b>	<b>0.0119</b>	<b>0.0000</b>	<b>298.8958</b>

### 3.9 Building Construction - 2024

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0753	0.7116	0.7721	1.3700e-003		0.0324	0.0324		0.0303	0.0303	0.0000	118.0935	118.0935	0.0302	0.0000	118.8493
<b>Total</b>	<b>0.0753</b>	<b>0.7116</b>	<b>0.7721</b>	<b>1.3700e-003</b>		<b>0.0324</b>	<b>0.0324</b>		<b>0.0303</b>	<b>0.0303</b>	<b>0.0000</b>	<b>118.0935</b>	<b>118.0935</b>	<b>0.0302</b>	<b>0.0000</b>	<b>118.8493</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.9300e-003	0.1387	0.0397	4.9000e-004	0.0127	1.6000e-004	0.0129	3.6600e-003	1.5000e-004	3.8100e-003	0.0000	47.1138	47.1138	2.5600e-003	0.0000	47.1778
Worker	0.0171	0.0112	0.1355	4.6000e-004	0.0537	3.8000e-004	0.0541	0.0143	3.5000e-004	0.0146	0.0000	42.0172	42.0172	9.4000e-004	0.0000	42.0406

<b>Total</b>	<b>0.0210</b>	<b>0.1500</b>	<b>0.1752</b>	<b>9.5000e-004</b>	<b>0.0664</b>	<b>5.4000e-004</b>	<b>0.0670</b>	<b>0.0179</b>	<b>5.0000e-004</b>	<b>0.0184</b>	<b>0.0000</b>	<b>89.1309</b>	<b>89.1309</b>	<b>3.5000e-003</b>	<b>0.0000</b>	<b>89.2183</b>
--------------	---------------	---------------	---------------	--------------------	---------------	--------------------	---------------	---------------	--------------------	---------------	---------------	----------------	----------------	--------------------	---------------	----------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0167	0.1043	0.8569	1.3700e-003		2.1100e-003	2.1100e-003		2.1100e-003	2.1100e-003	0.0000	118.0934	118.0934	0.0302	0.0000	118.8492
<b>Total</b>	<b>0.0167</b>	<b>0.1043</b>	<b>0.8569</b>	<b>1.3700e-003</b>		<b>2.1100e-003</b>	<b>2.1100e-003</b>		<b>2.1100e-003</b>	<b>2.1100e-003</b>	<b>0.0000</b>	<b>118.0934</b>	<b>118.0934</b>	<b>0.0302</b>	<b>0.0000</b>	<b>118.8492</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.9300e-003	0.1387	0.0397	4.9000e-004	0.0127	1.6000e-004	0.0129	3.6600e-003	1.5000e-004	3.8100e-003	0.0000	47.1138	47.1138	2.5600e-003	0.0000	47.1778
Worker	0.0171	0.0112	0.1355	4.6000e-004	0.0537	3.8000e-004	0.0541	0.0143	3.5000e-004	0.0146	0.0000	42.0172	42.0172	9.4000e-004	0.0000	42.0406
<b>Total</b>	<b>0.0210</b>	<b>0.1500</b>	<b>0.1752</b>	<b>9.5000e-004</b>	<b>0.0664</b>	<b>5.4000e-004</b>	<b>0.0670</b>	<b>0.0179</b>	<b>5.0000e-004</b>	<b>0.0184</b>	<b>0.0000</b>	<b>89.1309</b>	<b>89.1309</b>	<b>3.5000e-003</b>	<b>0.0000</b>	<b>89.2183</b>

**3.10 Architectural Coating - 2023**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0466					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.6000e-004	5.8600e-003	8.1500e-003	1.0000e-005		3.2000e-004	3.2000e-004		3.2000e-004	3.2000e-004	0.0000	1.1490	1.1490	7.0000e-005	0.0000	1.1507
<b>Total</b>	<b>0.0475</b>	<b>5.8600e-003</b>	<b>8.1500e-003</b>	<b>1.0000e-005</b>		<b>3.2000e-004</b>	<b>3.2000e-004</b>		<b>3.2000e-004</b>	<b>3.2000e-004</b>	<b>0.0000</b>	<b>1.1490</b>	<b>1.1490</b>	<b>7.0000e-005</b>	<b>0.0000</b>	<b>1.1507</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.3000e-004	2.9000e-004	3.4700e-003	1.0000e-005	1.2800e-003	1.0000e-005	1.2900e-003	3.4000e-004	1.0000e-005	3.5000e-004	0.0000	1.0378	1.0378	2.0000e-005	0.0000	1.0384
<b>Total</b>	<b>4.3000e-004</b>	<b>2.9000e-004</b>	<b>3.4700e-003</b>	<b>1.0000e-005</b>	<b>1.2800e-003</b>	<b>1.0000e-005</b>	<b>1.2900e-003</b>	<b>3.4000e-004</b>	<b>1.0000e-005</b>	<b>3.5000e-004</b>	<b>0.0000</b>	<b>1.0378</b>	<b>1.0378</b>	<b>2.0000e-005</b>	<b>0.0000</b>	<b>1.0384</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					

Archit. Coating	0.0466					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	8.6000e-004	5.8600e-003	8.1500e-003	1.0000e-005		3.2000e-004	3.2000e-004		3.2000e-004	3.2000e-004	0.0000	1.1490	1.1490	7.0000e-005	0.0000	1.1507
<b>Total</b>	<b>0.0475</b>	<b>5.8600e-003</b>	<b>8.1500e-003</b>	<b>1.0000e-005</b>		<b>3.2000e-004</b>	<b>3.2000e-004</b>		<b>3.2000e-004</b>	<b>3.2000e-004</b>	<b>0.0000</b>	<b>1.1490</b>	<b>1.1490</b>	<b>7.0000e-005</b>	<b>0.0000</b>	<b>1.1507</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.3000e-004	2.9000e-004	3.4700e-003	1.0000e-005	1.2800e-003	1.0000e-005	1.2900e-003	3.4000e-004	1.0000e-005	3.5000e-004	0.0000	1.0378	1.0378	2.0000e-005	0.0000	1.0384
<b>Total</b>	<b>4.3000e-004</b>	<b>2.9000e-004</b>	<b>3.4700e-003</b>	<b>1.0000e-005</b>	<b>1.2800e-003</b>	<b>1.0000e-005</b>	<b>1.2900e-003</b>	<b>3.4000e-004</b>	<b>1.0000e-005</b>	<b>3.5000e-004</b>	<b>0.0000</b>	<b>1.0378</b>	<b>1.0378</b>	<b>2.0000e-005</b>	<b>0.0000</b>	<b>1.0384</b>

**3.10 Architectural Coating - 2024**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.4092					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	7.1400e-003	0.0481	0.0715	1.2000e-004		2.4100e-003	2.4100e-003		2.4100e-003	2.4100e-003	0.0000	10.0854	10.0854	5.7000e-004	0.0000	10.0996
<b>Total</b>	<b>0.4163</b>	<b>0.0481</b>	<b>0.0715</b>	<b>1.2000e-004</b>		<b>2.4100e-003</b>	<b>2.4100e-003</b>		<b>2.4100e-003</b>	<b>2.4100e-003</b>	<b>0.0000</b>	<b>10.0854</b>	<b>10.0854</b>	<b>5.7000e-004</b>	<b>0.0000</b>	<b>10.0996</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.5900e-003	2.3600e-003	0.0284	1.0000e-004	0.0113	8.0000e-005	0.0114	2.9900e-003	7.0000e-005	3.0700e-003	0.0000	8.8101	8.8101	2.0000e-004	0.0000	8.8150
<b>Total</b>	<b>3.5900e-003</b>	<b>2.3600e-003</b>	<b>0.0284</b>	<b>1.0000e-004</b>	<b>0.0113</b>	<b>8.0000e-005</b>	<b>0.0114</b>	<b>2.9900e-003</b>	<b>7.0000e-005</b>	<b>3.0700e-003</b>	<b>0.0000</b>	<b>8.8101</b>	<b>8.8101</b>	<b>2.0000e-004</b>	<b>0.0000</b>	<b>8.8150</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.4092					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	7.1400e-003	0.0481	0.0715	1.2000e-004		2.4100e-003	2.4100e-003		2.4100e-003	2.4100e-003	0.0000	10.0853	10.0853	5.7000e-004	0.0000	10.0995
<b>Total</b>	<b>0.4163</b>	<b>0.0481</b>	<b>0.0715</b>	<b>1.2000e-004</b>		<b>2.4100e-003</b>	<b>2.4100e-003</b>		<b>2.4100e-003</b>	<b>2.4100e-003</b>	<b>0.0000</b>	<b>10.0853</b>	<b>10.0853</b>	<b>5.7000e-004</b>	<b>0.0000</b>	<b>10.0995</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------



Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.5900e-003	2.3600e-003	0.0284	1.0000e-004	0.0113	8.0000e-005	0.0114	2.9900e-003	7.0000e-005	3.0700e-003	0.0000	8.8101	8.8101	2.0000e-004	0.0000	8.8150
<b>Total</b>	<b>3.5900e-003</b>	<b>2.3600e-003</b>	<b>0.0284</b>	<b>1.0000e-004</b>	<b>0.0113</b>	<b>8.0000e-005</b>	<b>0.0114</b>	<b>2.9900e-003</b>	<b>7.0000e-005</b>	<b>3.0700e-003</b>	<b>0.0000</b>	<b>8.8101</b>	<b>8.8101</b>	<b>2.0000e-004</b>	<b>0.0000</b>	<b>8.8150</b>

### 3.11 Paving Two - Concrete Paving - 2024

#### Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0368	0.3746	0.3102	7.2000e-004		0.0150	0.0150		0.0139	0.0139	0.0000	62.8479	62.8479	0.0198	0.0000	63.3437
Paving	1.4000e-004					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0369</b>	<b>0.3746</b>	<b>0.3102</b>	<b>7.2000e-004</b>		<b>0.0150</b>	<b>0.0150</b>		<b>0.0139</b>	<b>0.0139</b>	<b>0.0000</b>	<b>62.8479</b>	<b>62.8479</b>	<b>0.0198</b>	<b>0.0000</b>	<b>63.3437</b>

#### Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.0400e-003	1.3400e-003	0.0162	6.0000e-005	6.4200e-003	4.0000e-005	6.4600e-003	1.7000e-003	4.0000e-005	1.7500e-003	0.0000	5.0184	5.0184	1.1000e-004	0.0000	5.0212

<b>Total</b>	<b>2.0400e-003</b>	<b>1.3400e-003</b>	<b>0.0162</b>	<b>6.0000e-005</b>	<b>6.4200e-003</b>	<b>4.0000e-005</b>	<b>6.4600e-003</b>	<b>1.7000e-003</b>	<b>4.0000e-005</b>	<b>1.7500e-003</b>	<b>0.0000</b>	<b>5.0184</b>	<b>5.0184</b>	<b>1.1000e-004</b>	<b>0.0000</b>	<b>5.0212</b>
--------------	--------------------	--------------------	---------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	---------------	---------------	---------------	--------------------	---------------	---------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	8.4700e-003	0.0367	0.3938	7.2000e-004		1.1300e-003	1.1300e-003		1.1300e-003	1.1300e-003	0.0000	62.8478	62.8478	0.0198	0.0000	63.3437
Paving	1.4000e-004					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>8.6100e-003</b>	<b>0.0367</b>	<b>0.3938</b>	<b>7.2000e-004</b>		<b>1.1300e-003</b>	<b>1.1300e-003</b>		<b>1.1300e-003</b>	<b>1.1300e-003</b>	<b>0.0000</b>	<b>62.8478</b>	<b>62.8478</b>	<b>0.0198</b>	<b>0.0000</b>	<b>63.3437</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.0400e-003	1.3400e-003	0.0162	6.0000e-005	6.4200e-003	4.0000e-005	6.4600e-003	1.7000e-003	4.0000e-005	1.7500e-003	0.0000	5.0184	5.0184	1.1000e-004	0.0000	5.0212
<b>Total</b>	<b>2.0400e-003</b>	<b>1.3400e-003</b>	<b>0.0162</b>	<b>6.0000e-005</b>	<b>6.4200e-003</b>	<b>4.0000e-005</b>	<b>6.4600e-003</b>	<b>1.7000e-003</b>	<b>4.0000e-005</b>	<b>1.7500e-003</b>	<b>0.0000</b>	<b>5.0184</b>	<b>5.0184</b>	<b>1.1000e-004</b>	<b>0.0000</b>	<b>5.0212</b>

**4.0 Operational Detail - Mobile**

**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.2718	1.3790	4.0135	0.0170	1.5293	0.0121	1.5414	0.4098	0.0112	0.4210	0.0000	1,571.8212	1,571.8212	0.0676	0.0000	1,573.5117
Unmitigated	0.2718	1.3790	4.0135	0.0170	1.5293	0.0121	1.5414	0.4098	0.0112	0.4210	0.0000	1,571.8212	1,571.8212	0.0676	0.0000	1,573.5117

#### 4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Automobile Care Center	0.00	0.00	0.00		
Enclosed Parking with Elevator	0.00	0.00	0.00		
General Office Building	195.97	0.00	0.00	450,932	450,932
Government Office Building	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	833.96	833.96	833.96	3,574,127	3,574,127
<b>Total</b>	<b>1,029.93</b>	<b>833.96</b>	<b>833.96</b>	<b>4,025,059</b>	<b>4,025,059</b>

#### 4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Automobile Care Center	16.60	8.40	6.90	33.00	48.00	19.00	21	51	28
Enclosed Parking with Elevator	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Government Office Building	16.60	8.40	6.90	33.00	62.00	5.00	50	34	16
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3

#### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Automobile Care Center	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Enclosed Parking with Elevator	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
General Office Building	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Government Office Building	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Parking Lot	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Unrefrigerated Warehouse-No Rail	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845

#### 5.0 Energy Detail

Historical Energy Use: N

#### 5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	1,279.3190	1,279.3190	0.0302	6.2500e-003	1,281.9373
NaturalGas Mitigated	4.8500e-003	0.0441	0.0371	2.6000e-004		3.3500e-003	3.3500e-003		3.3500e-003	3.3500e-003	0.0000	48.0422	48.0422	9.2000e-004	8.8000e-004	48.3277
NaturalGas Unmitigated	4.8500e-003	0.0441	0.0371	2.6000e-004		3.3500e-003	3.3500e-003		3.3500e-003	3.3500e-003	0.0000	48.0422	48.0422	9.2000e-004	8.8000e-004	48.3277

#### 5.2 Energy by Land Use - NaturalGas

##### Unmitigated

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Automobile Care Center	229472	1.2400e-003	0.0113	9.4500e-003	7.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	12.2455	12.2455	2.3000e-004	2.2000e-004	12.3183
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
General Office Building	558913	3.0100e-003	0.0274	0.0230	1.6000e-004		2.0800e-003	2.0800e-003		2.0800e-003	2.0800e-003	0.0000	29.8257	29.8257	5.7000e-004	5.5000e-004	30.0030
Government Office Building	98072.6	5.3000e-004	4.8100e-003	4.0400e-003	3.0000e-005		3.7000e-004	3.7000e-004		3.7000e-004	3.7000e-004	0.0000	5.2335	5.2335	1.0000e-004	1.0000e-004	5.2646
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No	13820	7.0000e-005	6.8000e-004	5.7000e-004	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.7375	0.7375	1.0000e-005	1.0000e-005	0.7419
<b>Total</b>		<b>4.8500e-003</b>	<b>0.0441</b>	<b>0.0371</b>	<b>2.6000e-004</b>		<b>3.3500e-003</b>	<b>3.3500e-003</b>		<b>3.3500e-003</b>	<b>3.3500e-003</b>	<b>0.0000</b>	<b>48.0422</b>	<b>48.0422</b>	<b>9.1000e-004</b>	<b>8.8000e-004</b>	<b>48.3277</b>

**Mitigated**

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Automobile Care Center	229472	1.2400e-003	0.0113	9.4500e-003	7.0000e-005		8.5000e-004	8.5000e-004		8.5000e-004	8.5000e-004	0.0000	12.2455	12.2455	2.3000e-004	2.2000e-004	12.3183
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
General Office Building	558913	3.0100e-003	0.0274	0.0230	1.6000e-004		2.0800e-003	2.0800e-003		2.0800e-003	2.0800e-003	0.0000	29.8257	29.8257	5.7000e-004	5.5000e-004	30.0030
Government Office Building	98072.6	5.3000e-004	4.8100e-003	4.0400e-003	3.0000e-005		3.7000e-004	3.7000e-004		3.7000e-004	3.7000e-004	0.0000	5.2335	5.2335	1.0000e-004	1.0000e-004	5.2646
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No	13820	7.0000e-005	6.8000e-004	5.7000e-004	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.7375	0.7375	1.0000e-005	1.0000e-005	0.7419

Total		4.8500e-003	0.0441	0.0371	2.6000e-004		3.3500e-003	3.3500e-003		3.3500e-003	3.3500e-003	0.0000	48.0422	48.0422	9.1000e-004	8.8000e-004	48.3277
-------	--	-------------	--------	--------	-------------	--	-------------	-------------	--	-------------	-------------	--------	---------	---------	-------------	-------------	---------

### 5.3 Energy by Land Use - Electricity

#### Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Automobile Care Center	140726	78.3789	1.8500e-003	3.8000e-004	78.5393
Enclosed Parking with Elevator	1.27279e+006	708.8962	0.0167	3.4600e-003	710.3470
General Office Building	697433	388.4434	9.1700e-003	1.9000e-003	389.2384
Government Office Building	122379	68.1603	1.6100e-003	3.3000e-004	68.2998
Parking Lot	1680	0.9357	2.0000e-005	0.0000	0.9376
Unrefrigerated Warehouse-No	61951.5	34.5046	8.1000e-004	1.7000e-004	34.5752
<b>Total</b>		<b>1,279.3190</b>	<b>0.0302</b>	<b>6.2400e-003</b>	<b>1,281.9373</b>

#### Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Automobile Care Center	0	0.0000	0.0000	0.0000	0.0000
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000
General Office Building	0	0.0000	0.0000	0.0000	0.0000



Consumer Products	0.3456					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Landscaping	7.6000e-004	7.0000e-005	8.2400e-003	0.0000		3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005	0.0000	0.0161	0.0161	4.0000e-005	0.0000	0.0171
<b>Total</b>	<b>0.3920</b>	<b>7.0000e-005</b>	<b>8.2400e-003</b>	<b>0.0000</b>		<b>3.0000e-005</b>	<b>3.0000e-005</b>		<b>3.0000e-005</b>	<b>3.0000e-005</b>	<b>0.0000</b>	<b>0.0161</b>	<b>0.0161</b>	<b>4.0000e-005</b>	<b>0.0000</b>	<b>0.0171</b>

### Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
SubCategory	tons/yr										MT/yr						
Architectural Coating	0.0456						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Consumer Products	0.3456						0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Landscaping	7.6000e-004	7.0000e-005	8.2400e-003	0.0000			3.0000e-005	3.0000e-005		3.0000e-005	3.0000e-005	0.0000	0.0161	0.0161	4.0000e-005	0.0000	0.0171
<b>Total</b>	<b>0.3920</b>	<b>7.0000e-005</b>	<b>8.2400e-003</b>	<b>0.0000</b>			<b>3.0000e-005</b>	<b>3.0000e-005</b>		<b>3.0000e-005</b>	<b>3.0000e-005</b>	<b>0.0000</b>	<b>0.0161</b>	<b>0.0161</b>	<b>4.0000e-005</b>	<b>0.0000</b>	<b>0.0171</b>

## 7.0 Water Detail

### 7.1 Mitigation Measures Water

Use Grey Water

Install Low Flow Bathroom Faucet

Install Low Flow Kitchen Faucet

Install Low Flow Toilet

Install Low Flow Shower

Use Water Efficient Irrigation System



	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	121.9534	0.3635	9.1000e-003	133.7516
Unmitigated	171.0359	0.5344	0.0133	188.3692

## 7.2 Water by Land Use

### Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Automobile Care Center	1.19295 / 0.731162	13.5543	0.0392	9.8000e-004	14.8266
Enclosed Parking with Elevator	0 / 0	0.0000	0.0000	0.0000	0.0000
General Office Building	9.54252 / 5.84864	108.4222	0.3134	7.8600e-003	118.5994
Government Office Building	1.87137 / 1.14697	21.2626	0.0615	1.5400e-003	23.2584
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Cold	3.67225 / 0	27.7969	0.1203	2.9600e-003	31.6849
<b>Total</b>		<b>171.0359</b>	<b>0.5344</b>	<b>0.0133</b>	<b>188.3692</b>

### Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
--	--------------------	-----------	-----	-----	------

Land Use	Mgal	MT/yr			
Automobile Care Center	0.811205 / 0.583577	9.7515	0.0267	6.7000e-004	10.6177
Enclosed Parking with Elevator	0 / 0	0.0000	0.0000	0.0000	0.0000
General Office Building	6.48892 / 4.6681	78.0030	0.2132	5.3600e-003	84.9322
Government Office Building	1.27253 / 0.915455	15.2971	0.0418	1.0500e-003	16.6560
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No	2.49713 / 0	18.9019	0.0818	2.0100e-003	21.5457
<b>Total</b>		<b>121.9534</b>	<b>0.3635</b>	<b>9.0900e-003</b>	<b>133.7517</b>

## 8.0 Waste Detail

### 8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

#### Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	6.1943	0.3661	0.0000	15.3460
Unmitigated	24.7771	1.4643	0.0000	61.3842

### 8.2 Waste by Land Use

#### Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Automobile Care Center	48.44	9.8329	0.5811	0.0000	24.3606
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000
General Office Building	49.93	10.1353	0.5990	0.0000	25.1099
Government Office Building	8.76	1.7782	0.1051	0.0000	4.4054
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No	14.93	3.0307	0.1791	0.0000	7.5083
<b>Total</b>		<b>24.7771</b>	<b>1.4643</b>	<b>0.0000</b>	<b>61.3842</b>

### Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Automobile Care Center	12.11	2.4582	0.1453	0.0000	6.0901
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000
General Office Building	12.4825	2.5338	0.1498	0.0000	6.2775
Government Office Building	2.19	0.4446	0.0263	0.0000	1.1014
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No	3.7325	0.7577	0.0448	0.0000	1.8771

Total		6.1943	0.3661	0.0000	15.3460
-------	--	--------	--------	--------	---------

## 9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
Tractors/Loaders/Backhoes	4	8.00	260	97	0.37	Diesel
Forklifts	3	8.00	260	89	0.20	Diesel

### UnMitigated/Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Equipment Type	tons/yr										MT/yr					
Forklifts	0.0369	0.3463	0.4466	6.0000e-004		0.0200	0.0200		0.0184	0.0184	0.0000	52.6355	52.6355	0.0170	0.0000	53.0611
Tractors/Loaders/Backhoes	0.0745	0.7500	1.1578	1.6100e-003		0.0344	0.0344		0.0317	0.0317	0.0000	141.7771	141.7771	0.0459	0.0000	142.9235
<b>Total</b>	<b>0.1115</b>	<b>1.0963</b>	<b>1.6044</b>	<b>2.2100e-003</b>		<b>0.0544</b>	<b>0.0544</b>		<b>0.0501</b>	<b>0.0501</b>	<b>0.0000</b>	<b>194.4126</b>	<b>194.4126</b>	<b>0.0629</b>	<b>0.0000</b>	<b>195.9845</b>

## 10.0 Stationary Equipment

### Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
Emergency Generator	2	4	30	600	1	Diesel

### Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

### User Defined Equipment

Equipment Type	Number
----------------	--------

**11.0 Vegetation**

---

LADWP - West LA District Yard Project - South Coast AQMD Air District, Summer

**LADWP - West LA District Yard Project**  
**South Coast AQMD Air District, Summer**

**1.0 Project Characteristics**

**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	53.69	1000sqft	1.23	53,690.00	0
Unrefrigerated Warehouse-No Rail	15.89	1000sqft	0.36	15,885.00	0
Automobile Care Center	12.68	1000sqft	0.29	12,678.00	0
Enclosed Parking with Elevator	543.00	Space	4.89	217,200.00	0
Parking Lot	12.00	Space	0.11	4,800.00	0
Government Office Building	9.42	1000sqft	0.22	9,421.00	0

**1.2 Other Project Characteristics**

<b>Urbanization</b>	Urban	<b>Wind Speed (m/s)</b>	2.2	<b>Precipitation Freq (Days)</b>	31
<b>Climate Zone</b>	11			<b>Operational Year</b>	2024
<b>Utility Company</b>	Los Angeles Department of Water & Power				
<b>CO2 Intensity (lb/MW hr)</b>	1227.89	<b>CH4 Intensity (lb/MW hr)</b>	0.029	<b>N2O Intensity (lb/MW hr)</b>	0.006

**1.3 User Entered Comments & Non-Default Data**

Project Characteristics - Operational year 2024.

Land Use - Project specific square footage and acreage provided by LADWP

Construction Phase - Construction phasing provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Grading - 100,000 CY of export is anticipated.

Trips and VMT - Trips were rounded up to the highest even value.

Vehicle Trips - Trip generation rates were modified to be consistent with the trip generation assumptions in the TIA for the project.

Operational Off-Road Equipment - Equipment information provided by LADWP.

Stationary Sources - Emergency Generators and Fire Pumps - NA

Construction Off-road Equipment Mitigation - Compliance with SCAQMD Rule 403 and Mitigation Measure AQ-1: use of Tier 4 final engines in construction

Energy Mitigation - Onsite Electricity generation from on-site solar is anticipated to meet the project's electricity demand per LADWP.

Water Mitigation - Per LADWP grey water use and water reduction measures were assumed as design features.

Waste Mitigation - Consistent with AB 939 a 50% waste diversion rate was assumed.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	8.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	13.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00

tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstructionPhase	NumDays	20.00	88.00
tblConstructionPhase	NumDays	230.00	564.00
tblConstructionPhase	NumDays	20.00	88.00
tblConstructionPhase	NumDays	20.00	82.00
tblConstructionPhase	NumDays	20.00	56.00
tblConstructionPhase	NumDays	10.00	6.00
tblConstructionPhase	NumDays	20.00	87.00
tblConstructionPhase	NumDays	20.00	31.00



tblConstructionPhase	NumDays	20.00	65.00
tblConstructionPhase	PhaseEndDate	3/24/2021	4/18/2024
tblConstructionPhase	PhaseEndDate	1/27/2021	4/18/2024
tblConstructionPhase	PhaseEndDate	1/29/2020	8/18/2021
tblConstructionPhase	PhaseEndDate	3/11/2020	8/18/2021
tblConstructionPhase	PhaseEndDate	2/24/2021	12/17/2021
tblConstructionPhase	PhaseEndDate	2/12/2020	4/26/2021
tblConstructionPhase	PhaseStartDate	2/25/2021	12/19/2023
tblConstructionPhase	PhaseStartDate	3/12/2020	2/21/2022
tblConstructionPhase	PhaseStartDate	1/2/2020	4/19/2021
tblConstructionPhase	PhaseStartDate	2/13/2020	4/27/2021
tblConstructionPhase	PhaseStartDate	1/28/2021	10/1/2021
tblConstructionPhase	PhaseStartDate	1/30/2020	4/19/2021
tblGrading	MaterialExported	0.00	100,000.00
tblOffRoadEquipment	HorsePower	158.00	0.00
tblOffRoadEquipment	HorsePower	130.00	0.00
tblOffRoadEquipment	HorsePower	80.00	0.00
tblOffRoadEquipment	HorsePower	247.00	0.00
tblOffRoadEquipment	HorsePower	187.00	0.00
tblOffRoadEquipment	HorsePower	97.00	0.00
tblOffRoadEquipment	HorsePower	132.00	0.00
tblOffRoadEquipment	HorsePower	158.00	0.00
tblOffRoadEquipment	HorsePower	187.00	0.00
tblOffRoadEquipment	HorsePower	130.00	0.00
tblOffRoadEquipment	HorsePower	132.00	0.00
tblOffRoadEquipment	HorsePower	247.00	0.00
tblOffRoadEquipment	HorsePower	97.00	0.00
tblOffRoadEquipment	LoadFactor	0.38	0.00
tblOffRoadEquipment	LoadFactor	0.42	0.00
tblOffRoadEquipment	LoadFactor	0.38	0.00

tblOffRoadEquipment	LoadFactor	0.40	0.00
tblOffRoadEquipment	LoadFactor	0.41	0.00
tblOffRoadEquipment	LoadFactor	0.37	0.00
tblOffRoadEquipment	LoadFactor	0.36	0.00
tblOffRoadEquipment	LoadFactor	0.38	0.00
tblOffRoadEquipment	LoadFactor	0.41	0.00
tblOffRoadEquipment	LoadFactor	0.42	0.00
tblOffRoadEquipment	LoadFactor	0.36	0.00
tblOffRoadEquipment	LoadFactor	0.40	0.00
tblOffRoadEquipment	LoadFactor	0.37	0.00
tblOffRoadEquipment	LoadFactor	0.43	0.43
tblOffRoadEquipment	LoadFactor	0.29	0.29
tblOffRoadEquipment	LoadFactor	0.42	0.42
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	LoadFactor	0.29	0.29
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	LoadFactor	0.20	0.20
tblOffRoadEquipment	LoadFactor	0.37	0.37
tblOffRoadEquipment	LoadFactor	0.48	0.48
tblOffRoadEquipment	LoadFactor	0.50	0.50
tblOffRoadEquipment	LoadFactor	0.41	0.41
tblOffRoadEquipment	LoadFactor	0.36	0.36
tblOffRoadEquipment	LoadFactor	0.37	0.37
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Cranes
tblOffRoadEquipment	OffRoadEquipmentType		Other Construction Equipment
tblOffRoadEquipment	OffRoadEquipmentType		Rollers
tblOffRoadEquipment	OffRoadEquipmentType		Cranes
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblOffRoadEquipment	OffRoadEquipmentType		Forklifts

tblOffRoadEquipment	OffRoadEquipmentType		Generator Sets
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentType		Welders
tblOffRoadEquipment	OffRoadEquipmentType		Scrapers
tblOffRoadEquipment	OffRoadEquipmentType		Bore/Drill Rigs
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentType		Cement and Mortar Mixers
tblOffRoadEquipment	OffRoadEquipmentType		Graders
tblOffRoadEquipment	OffRoadEquipmentType		Rubber Tired Loaders
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	3.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00

tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOperationalOffRoadEquipment	OperLoadFactor	0.37	0.37
tblOperationalOffRoadEquipment	OperLoadFactor	0.20	0.20
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	4.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	3.00
tblStationaryGeneratorsPumpsEF	CO_EF	2.60	0.44
tblStationaryGeneratorsPumpsEF	NOX_EF	4.56	4.08
tblStationaryGeneratorsPumpsEF	PM10_EF	0.15	0.03
tblStationaryGeneratorsPumpsEF	PM2_5_EF	0.15	0.03
tblStationaryGeneratorsPumpsUse	HorsePowerValue	0.00	600.00
tblStationaryGeneratorsPumpsUse	HoursPerDay	0.00	4.00
tblStationaryGeneratorsPumpsUse	HoursPerYear	0.00	30.00
tblStationaryGeneratorsPumpsUse	Load_Factor	0.73	1.00
tblStationaryGeneratorsPumpsUse	NumberOfEquipment	0.00	2.00
tblTripsAndVMT	HaulingTripNumber	12,500.00	10,000.00
tblTripsAndVMT	WorkerTripNumber	25.00	26.00
tblTripsAndVMT	WorkerTripNumber	25.00	26.00

tblTripsAndVMT	WorkerTripNumber	5.00	6.00
tblTripsAndVMT	WorkerTripNumber	25.00	26.00
tblTripsAndVMT	WorkerTripNumber	3.00	4.00
tblVehicleTrips	ST_TR	23.72	0.00
tblVehicleTrips	ST_TR	2.46	0.00
tblVehicleTrips	ST_TR	1.68	52.50
tblVehicleTrips	SU_TR	11.88	0.00
tblVehicleTrips	SU_TR	1.05	0.00
tblVehicleTrips	SU_TR	1.68	52.50
tblVehicleTrips	WD_TR	23.72	0.00
tblVehicleTrips	WD_TR	11.03	3.65
tblVehicleTrips	WD_TR	68.93	0.00
tblVehicleTrips	WD_TR	1.68	52.50

## 2.0 Emissions Summary

### 2.1 Overall Construction (Maximum Daily Emission)

#### Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	10.1658	125.2773	78.0662	0.2270	18.0572	4.4785	22.5357	7.7179	4.1429	11.8607	0.0000	22,958.13 53	22,958.135 3	4.5641	0.0000	23,072.23 69
2022	2.8208	25.9048	25.2665	0.0607	1.7124	1.0776	2.7901	0.4616	1.0086	1.4702	0.0000	5,995.483 4	5,995.4834	0.9655	0.0000	6,019.621 4
2023	13.2400	24.4425	27.2974	0.0655	2.0031	1.0130	3.0161	0.5386	0.9525	1.4911	0.0000	6,453.943 3	6,453.9433	0.9709	0.0000	6,478.216 7
2024	14.2703	34.5836	36.9035	0.0890	2.2043	1.3599	3.5641	0.5920	1.2705	1.8624	0.0000	8,709.620 6	8,709.6206	1.6391	0.0000	8,750.598 3
<b>Maximum</b>	<b>14.2703</b>	<b>125.2773</b>	<b>78.0662</b>	<b>0.2270</b>	<b>18.0572</b>	<b>4.4785</b>	<b>22.5357</b>	<b>7.7179</b>	<b>4.1429</b>	<b>11.8607</b>	<b>0.0000</b>	<b>22,958.13 53</b>	<b>22,958.135 3</b>	<b>4.5641</b>	<b>0.0000</b>	<b>23,072.23 69</b>

**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	2.7191	37.0754	84.9042	0.2270	9.6116	0.3081	9.9196	3.8769	0.3038	4.1806	0.0000	22,958.1353	22,958.1353	4.5641	0.0000	23,072.2369
2022	1.0457	7.5650	27.1039	0.0607	1.7124	0.0717	1.7841	0.4616	0.0705	0.5321	0.0000	5,995.4834	5,995.4834	0.9655	0.0000	6,019.6214
2023	11.6296	7.7704	29.3128	0.0655	2.0031	0.1397	2.1428	0.5386	0.1386	0.6772	0.0000	6,453.9433	6,453.9433	0.9709	0.0000	6,478.2167
2024	11.9153	8.8145	41.6220	0.0890	2.2043	0.1658	2.3700	0.5920	0.1646	0.7566	0.0000	8,709.6206	8,709.6206	1.6391	0.0000	8,750.5983
<b>Maximum</b>	<b>11.9153</b>	<b>37.0754</b>	<b>84.9042</b>	<b>0.2270</b>	<b>9.6116</b>	<b>0.3081</b>	<b>9.9196</b>	<b>3.8769</b>	<b>0.3038</b>	<b>4.1806</b>	<b>0.0000</b>	<b>22,958.1353</b>	<b>22,958.1353</b>	<b>4.5641</b>	<b>0.0000</b>	<b>23,072.2369</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
<b>Percent Reduction</b>	<b>32.56</b>	<b>70.87</b>	<b>-9.20</b>	<b>0.00</b>	<b>35.22</b>	<b>91.36</b>	<b>49.17</b>	<b>41.26</b>	<b>90.81</b>	<b>63.16</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

**2.2 Overall Operational  
Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.1496	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004		2.3000e-004	2.3000e-004		0.1415	0.1415	3.7000e-004		0.1508
Energy	0.0266	0.2418	0.2031	1.4500e-003		0.0184	0.0184		0.0184	0.0184		290.1780	290.1780	5.5600e-003	5.3200e-003	291.9024
Mobile	1.6844	7.6568	24.4939	0.1016	8.9416	0.0692	9.0108	2.3922	0.0643	2.4565		10,350.8970	10,350.8970	0.4329		10,361.7202
Offroad	0.8574	8.4333	12.3412	0.0170		0.4186	0.4186		0.3851	0.3851		1,648.4864	1,648.4864	0.5332		1,661.8152

<b>Total</b>	<b>4.7180</b>	<b>16.3326</b>	<b>37.1041</b>	<b>0.1200</b>	<b>8.9416</b>	<b>0.5064</b>	<b>9.4480</b>	<b>2.3922</b>	<b>0.4681</b>	<b>2.8602</b>		<b>12,289.70</b>	<b>12,289.70</b>	<b>0.9720</b>	<b>5.3200e-003</b>	<b>12,315.58</b>
												<b>29</b>	<b>9</b>		<b>003</b>	<b>86</b>

### Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.1496	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004		2.3000e-004	2.3000e-004		0.1415	0.1415	3.7000e-004		0.1508
Energy	0.0266	0.2418	0.2031	1.4500e-003		0.0184	0.0184		0.0184	0.0184		290.1780	290.1780	5.5600e-003	5.3200e-003	291.9024
Mobile	1.6844	7.6568	24.4939	0.1016	8.9416	0.0692	9.0108	2.3922	0.0643	2.4565		10,350.8970	10,350.8970	0.4329		10,361.7202
Offroad	0.8574	8.4333	12.3412	0.0170		0.4186	0.4186		0.3851	0.3851		1,648.4864	1,648.4864	0.5332		1,661.8152
<b>Total</b>	<b>4.7180</b>	<b>16.3326</b>	<b>37.1041</b>	<b>0.1200</b>	<b>8.9416</b>	<b>0.5064</b>	<b>9.4480</b>	<b>2.3922</b>	<b>0.4681</b>	<b>2.8602</b>		<b>12,289.70</b>	<b>12,289.70</b>	<b>0.9720</b>	<b>5.3200e-003</b>	<b>12,315.58</b>
												<b>29</b>	<b>9</b>		<b>003</b>	<b>86</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Percent Reduction</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

## 3.0 Construction Detail

### Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	4/19/2021	8/18/2021	5	88	
2	Site Preparation	Site Preparation	4/19/2021	4/26/2021	5	6	
3	Grading One - Shoring 1	Grading	4/27/2021	8/18/2021	5	82	
4	Trenching	Trenching	8/19/2021	11/18/2021	5	66	
5	Grading Two - Excavation	Grading	8/19/2021	12/17/2021	5	87	
6	Grading Three - Shoring 2	Grading	8/19/2021	9/30/2021	5	31	

7	Paving One - Concrete Foundations	Paving	10/1/2021	12/17/2021	5	56
8	Building Construction	Building Construction	2/21/2022	4/18/2024	5	564
9	Architectural Coating	Architectural Coating	12/19/2023	4/18/2024	5	88
10	Paving Two - Concrete Paving	Paving	1/19/2024	4/18/2024	5	65

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 5**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 137,511; Non-Residential Outdoor: 45,837; Striped Parking Area:**

**OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Building Construction	Cranes	2	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Demolition	Concrete/Industrial Saws	3	8.00	81	0.73
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Demolition	Excavators	3	8.00	158	0.38
Grading One - Shoring 1	Excavators	0	0.00	0	0.00
Grading One - Shoring 1	Rubber Tired Dozers	0	0.00	0	0.00
Grading One - Shoring 1	Tractors/Loaders/Backhoes	0	0.00	0	0.00
Building Construction	Generator Sets	1	8.00	84	0.74
Paving One - Concrete Foundations	Pavers	0	0.00	0	0.00
Paving One - Concrete Foundations	Rollers	0	0.00	0	0.00
Grading One - Shoring 1	Graders	0	0.00	0	0.00
Paving One - Concrete Foundations	Paving Equipment	0	0.00	0	0.00
Site Preparation	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	2	8.00	247	0.40
Building Construction	Welders	1	8.00	46	0.45



Grading Two - Excavation	Excavators	2	8.00	158	0.38
Grading Three - Shoring 2	Excavators	0	0.00	0	0.00
Grading Two - Excavation	Graders	2	8.00	187	0.41
Grading Three - Shoring 2	Graders	0	0.00	0	0.00
Paving Two - Concrete Paving	Pavers	0	0.00	0	0.00
Paving Two - Concrete Paving	Paving Equipment	0	0.00	0	0.00
Paving Two - Concrete Paving	Rollers	2	8.00	80	0.38
Grading Two - Excavation	Rubber Tired Dozers	2	8.00	247	0.40
Grading Three - Shoring 2	Rubber Tired Dozers	0	0.00	0	0.00
Grading Two - Excavation	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Grading Three - Shoring 2	Tractors/Loaders/Backhoes	0	0.00	0	0.00
Demolition	Crawler Tractors	2	8.00	212	0.43
Grading One - Shoring 1	Cranes	1	8.00	231	0.29
Grading One - Shoring 1	Other Construction Equipment	1	8.00	172	0.42
Building Construction	Rollers	1	8.00	80	0.38
Paving One - Concrete Foundations	Cranes	2	8.00	231	0.29
Paving One - Concrete Foundations	Excavators	2	8.00	158	0.38
Paving One - Concrete Foundations	Forklifts	2	8.00	89	0.20
Paving One - Concrete Foundations	Generator Sets	1	8.00	84	0.74
Paving One - Concrete Foundations	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving One - Concrete Foundations	Welders	1	8.00	46	0.45
Grading Two - Excavation	Scrapers	2	8.00	367	0.48
Grading Three - Shoring 2	Bore/Drill Rigs	1	8.00	221	0.50
Trenching	Excavators	1	8.00	158	0.38
Trenching	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving Two - Concrete Paving	Cement and Mortar Mixers	2	6.00	9	0.56
Paving Two - Concrete Paving	Graders	1	8.00	187	0.41
Paving Two - Concrete Paving	Rubber Tired Loaders	1	8.00	203	0.36
Paving Two - Concrete Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

**Trips and VMT**

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Architectural Coating	1	26.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	11	124.00	51.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Demolition	10	26.00	0.00	138.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading One - Shoring 1	2	6.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving One - Concrete Foundations	10	26.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading Two - Excavation	11	28.00	0.00	10,000.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading Three - Shoring 2	1	4.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving Two - Concrete Paving	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Trenching	3	8.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

### 3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

### 3.2 Demolition - 2021

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.3390	0.0000	0.3390	0.0513	0.0000	0.0513			0.0000			0.0000
Off-Road	5.0335	51.4137	33.7697	0.0670		2.4204	2.4204		2.2684	2.2684		6,449.7544	6,449.7544	1.6142		6,490.1091
Total	5.0335	51.4137	33.7697	0.0670	0.3390	2.4204	2.7595	0.0513	2.2684	2.3197		6,449.7544	6,449.7544	1.6142		6,490.1091

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0114	0.3967	0.0840	1.2000e-003	0.0274	1.2300e-003	0.0286	7.5100e-003	1.1800e-003	8.6900e-003		130.0869	130.0869	8.6800e-003		130.3039
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1098	0.0712	0.9795	2.8900e-003	0.2906	2.1400e-003	0.2928	0.0771	1.9700e-003	0.0790		287.9249	287.9249	7.7400e-003		288.1184
<b>Total</b>	<b>0.1211</b>	<b>0.4679</b>	<b>1.0635</b>	<b>4.0900e-003</b>	<b>0.3180</b>	<b>3.3700e-003</b>	<b>0.3214</b>	<b>0.0846</b>	<b>3.1500e-003</b>	<b>0.0877</b>		<b>418.0118</b>	<b>418.0118</b>	<b>0.0164</b>		<b>418.4223</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.1526	0.0000	0.1526	0.0231	0.0000	0.0231			0.0000			0.0000
Off-Road	0.7798	3.3792	38.0516	0.0670		0.1040	0.1040		0.1040	0.1040	0.0000	6,449.7544	6,449.7544	1.6142		6,490.1091
<b>Total</b>	<b>0.7798</b>	<b>3.3792</b>	<b>38.0516</b>	<b>0.0670</b>	<b>0.1526</b>	<b>0.1040</b>	<b>0.2565</b>	<b>0.0231</b>	<b>0.1040</b>	<b>0.1271</b>	<b>0.0000</b>	<b>6,449.7544</b>	<b>6,449.7544</b>	<b>1.6142</b>		<b>6,490.1091</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day					
Hauling	0.0114	0.3967	0.0840	1.2000e-003	0.0274	1.2300e-003	0.0286	7.5100e-003	1.1800e-003	8.6900e-003		130.0869	130.0869	8.6800e-003		130.3039
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1098	0.0712	0.9795	2.8900e-003	0.2906	2.1400e-003	0.2928	0.0771	1.9700e-003	0.0790		287.9249	287.9249	7.7400e-003		288.1184
<b>Total</b>	<b>0.1211</b>	<b>0.4679</b>	<b>1.0635</b>	<b>4.0900e-003</b>	<b>0.3180</b>	<b>3.3700e-003</b>	<b>0.3214</b>	<b>0.0846</b>	<b>3.1500e-003</b>	<b>0.0877</b>		<b>418.0118</b>	<b>418.0118</b>	<b>0.0164</b>		<b>418.4223</b>

### 3.3 Site Preparation - 2021

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					12.0442	0.0000	12.0442	6.6205	0.0000	6.6205			0.0000			0.0000
Off-Road	2.4673	25.7342	12.5960	0.0233		1.2885	1.2885		1.1854	1.1854		2,256.5045	2,256.5045	0.7298		2,274.7495
<b>Total</b>	<b>2.4673</b>	<b>25.7342</b>	<b>12.5960</b>	<b>0.0233</b>	<b>12.0442</b>	<b>1.2885</b>	<b>13.3326</b>	<b>6.6205</b>	<b>1.1854</b>	<b>7.8058</b>		<b>2,256.5045</b>	<b>2,256.5045</b>	<b>0.7298</b>		<b>2,274.7495</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0422	0.0274	0.3767	1.1100e-003	0.1118	8.2000e-004	0.1126	0.0296	7.6000e-004	0.0304		110.7403	110.7403	2.9800e-003		110.8148

<b>Total</b>	<b>0.0422</b>	<b>0.0274</b>	<b>0.3767</b>	<b>1.1100e-003</b>	<b>0.1118</b>	<b>8.2000e-004</b>	<b>0.1126</b>	<b>0.0296</b>	<b>7.6000e-004</b>	<b>0.0304</b>		<b>110.7403</b>	<b>110.7403</b>	<b>2.9800e-003</b>		<b>110.8148</b>
--------------	---------------	---------------	---------------	--------------------	---------------	--------------------	---------------	---------------	--------------------	---------------	--	-----------------	-----------------	--------------------	--	-----------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Fugitive Dust					5.4199	0.0000	5.4199	2.9792	0.0000	2.9792			0.0000			0.0000
Off-Road	0.2851	1.2353	12.3513	0.0233		0.0380	0.0380		0.0380	0.0380	0.0000	2,256.5045	2,256.5045	0.7298		2,274.7495
<b>Total</b>	<b>0.2851</b>	<b>1.2353</b>	<b>12.3513</b>	<b>0.0233</b>	<b>5.4199</b>	<b>0.0380</b>	<b>5.4579</b>	<b>2.9792</b>	<b>0.0380</b>	<b>3.0172</b>	<b>0.0000</b>	<b>2,256.5045</b>	<b>2,256.5045</b>	<b>0.7298</b>		<b>2,274.7495</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0422	0.0274	0.3767	1.1100e-003	0.1118	8.2000e-004	0.1126	0.0296	7.6000e-004	0.0304		110.7403	110.7403	2.9800e-003		110.8148
<b>Total</b>	<b>0.0422</b>	<b>0.0274</b>	<b>0.3767</b>	<b>1.1100e-003</b>	<b>0.1118</b>	<b>8.2000e-004</b>	<b>0.1126</b>	<b>0.0296</b>	<b>7.6000e-004</b>	<b>0.0304</b>		<b>110.7403</b>	<b>110.7403</b>	<b>2.9800e-003</b>		<b>110.8148</b>

**3.4 Grading One - Shoring 1 - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.8255	9.1505	5.9806	0.0118		0.4222	0.4222		0.3884	0.3884		1,147.0473	1,147.0473	0.3710		1,156.3217
<b>Total</b>	<b>0.8255</b>	<b>9.1505</b>	<b>5.9806</b>	<b>0.0118</b>	<b>0.0000</b>	<b>0.4222</b>	<b>0.4222</b>	<b>0.0000</b>	<b>0.3884</b>	<b>0.3884</b>		<b>1,147.0473</b>	<b>1,147.0473</b>	<b>0.3710</b>		<b>1,156.3217</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0253	0.0164	0.2260	6.7000e-004	0.0671	4.9000e-004	0.0676	0.0178	4.5000e-004	0.0182		66.4442	66.4442	1.7900e-003		66.4889
<b>Total</b>	<b>0.0253</b>	<b>0.0164</b>	<b>0.2260</b>	<b>6.7000e-004</b>	<b>0.0671</b>	<b>4.9000e-004</b>	<b>0.0676</b>	<b>0.0178</b>	<b>4.5000e-004</b>	<b>0.0182</b>		<b>66.4442</b>	<b>66.4442</b>	<b>1.7900e-003</b>		<b>66.4889</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.1460	0.6328	7.2448	0.0118		0.0195	0.0195		0.0195	0.0195	0.0000	1,147.0473	1,147.0473	0.3710		1,156.3217
<b>Total</b>	<b>0.1460</b>	<b>0.6328</b>	<b>7.2448</b>	<b>0.0118</b>	<b>0.0000</b>	<b>0.0195</b>	<b>0.0195</b>	<b>0.0000</b>	<b>0.0195</b>	<b>0.0195</b>	<b>0.0000</b>	<b>1,147.0473</b>	<b>1,147.0473</b>	<b>0.3710</b>		<b>1,156.3217</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0253	0.0164	0.2260	6.7000e-004	0.0671	4.9000e-004	0.0676	0.0178	4.5000e-004	0.0182		66.4442	66.4442	1.7900e-003		66.4889
<b>Total</b>	<b>0.0253</b>	<b>0.0164</b>	<b>0.2260</b>	<b>6.7000e-004</b>	<b>0.0671</b>	<b>4.9000e-004</b>	<b>0.0676</b>	<b>0.0178</b>	<b>4.5000e-004</b>	<b>0.0182</b>		<b>66.4442</b>	<b>66.4442</b>	<b>1.7900e-003</b>		<b>66.4889</b>

**3.5 Trenching - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.6037	5.9450	7.7923	0.0114		0.3280	0.3280		0.3018	0.3018		1,101.9921	1,101.9921	0.3564		1,110.9023
<b>Total</b>	<b>0.6037</b>	<b>5.9450</b>	<b>7.7923</b>	<b>0.0114</b>		<b>0.3280</b>	<b>0.3280</b>		<b>0.3018</b>	<b>0.3018</b>		<b>1,101.9921</b>	<b>1,101.9921</b>	<b>0.3564</b>		<b>1,110.9023</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0338	0.0219	0.3014	8.9000e-004	0.0894	6.6000e-004	0.0901	0.0237	6.1000e-004	0.0243		88.5923	88.5923	2.3800e-003		88.6518
<b>Total</b>	<b>0.0338</b>	<b>0.0219</b>	<b>0.3014</b>	<b>8.9000e-004</b>	<b>0.0894</b>	<b>6.6000e-004</b>	<b>0.0901</b>	<b>0.0237</b>	<b>6.1000e-004</b>	<b>0.0243</b>		<b>88.5923</b>	<b>88.5923</b>	<b>2.3800e-003</b>		<b>88.6518</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1395	0.6045	8.6022	0.0114		0.0186	0.0186		0.0186	0.0186	0.0000	1,101.9921	1,101.9921	0.3564		1,110.9023
<b>Total</b>	<b>0.1395</b>	<b>0.6045</b>	<b>8.6022</b>	<b>0.0114</b>		<b>0.0186</b>	<b>0.0186</b>		<b>0.0186</b>	<b>0.0186</b>	<b>0.0000</b>	<b>1,101.9921</b>	<b>1,101.9921</b>	<b>0.3564</b>		<b>1,110.9023</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------



Category	lb/day										lb/day				
	Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0338	0.0219	0.3014	8.9000e-004	0.0894	6.6000e-004	0.0901	0.0237	6.1000e-004	0.0243	88.5923	88.5923	2.3800e-003	88.6518	
<b>Total</b>	<b>0.0338</b>	<b>0.0219</b>	<b>0.3014</b>	<b>8.9000e-004</b>	<b>0.0894</b>	<b>6.6000e-004</b>	<b>0.0901</b>	<b>0.0237</b>	<b>6.1000e-004</b>	<b>0.0243</b>		<b>88.5923</b>	<b>88.5923</b>	<b>2.3800e-003</b>	<b>88.6518</b>

### 3.6 Grading Two - Excavation - 2021

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					15.3557	0.0000	15.3557	6.9837	0.0000	6.9837			0.0000			0.0000
Off-Road	5.8871	65.2985	39.0137	0.0804		2.8214	2.8214		2.5957	2.5957		7,791.6589	7,791.6589	2.5200		7,854.6584
<b>Total</b>	<b>5.8871</b>	<b>65.2985</b>	<b>39.0137</b>	<b>0.0804</b>	<b>15.3557</b>	<b>2.8214</b>	<b>18.1771</b>	<b>6.9837</b>	<b>2.5957</b>	<b>9.5794</b>		<b>7,791.6589</b>	<b>7,791.6589</b>	<b>2.5200</b>		<b>7,854.6584</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.8340	29.0792	6.1555	0.0881	2.0085	0.0901	2.0986	0.5504	0.0862	0.6367		9,534.9375	9,534.9375	0.6361		9,550.8405
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1182	0.0767	1.0548	3.1100e-003	0.3130	2.3000e-003	0.3153	0.0830	2.1200e-003	0.0851		310.0729	310.0729	8.3400e-003		310.2814

<b>Total</b>	<b>0.9522</b>	<b>29.1558</b>	<b>7.2103</b>	<b>0.0912</b>	<b>2.3215</b>	<b>0.0924</b>	<b>2.4139</b>	<b>0.6334</b>	<b>0.0884</b>	<b>0.7218</b>		<b>9,845.0105</b>	<b>9,845.0105</b>	<b>0.6445</b>		<b>9,861.1219</b>
--------------	---------------	----------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	--	-------------------	-------------------	---------------	--	-------------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Fugitive Dust					6.9101	0.0000	6.9101	3.1427	0.0000	3.1427			0.0000				0.0000
Off-Road	0.9871	4.2773	42.2180	0.0804		0.1316	0.1316		0.1316	0.1316	0.0000	7,791.6589	7,791.6589	2.5200			7,854.6584
<b>Total</b>	<b>0.9871</b>	<b>4.2773</b>	<b>42.2180</b>	<b>0.0804</b>	<b>6.9101</b>	<b>0.1316</b>	<b>7.0417</b>	<b>3.1427</b>	<b>0.1316</b>	<b>3.2743</b>	<b>0.0000</b>	<b>7,791.6589</b>	<b>7,791.6589</b>	<b>2.5200</b>			<b>7,854.6584</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.8340	29.0792	6.1555	0.0881	2.0085	0.0901	2.0986	0.5504	0.0862	0.6367		9,534.9375	9,534.9375	0.6361			9,550.8405
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Worker	0.1182	0.0767	1.0548	3.1100e-003	0.3130	2.3000e-003	0.3153	0.0830	2.1200e-003	0.0851		310.0729	310.0729	8.3400e-003			310.2814
<b>Total</b>	<b>0.9522</b>	<b>29.1558</b>	<b>7.2103</b>	<b>0.0912</b>	<b>2.3215</b>	<b>0.0924</b>	<b>2.4139</b>	<b>0.6334</b>	<b>0.0884</b>	<b>0.7218</b>		<b>9,845.0105</b>	<b>9,845.0105</b>	<b>0.6445</b>			<b>9,861.1219</b>

**3.7 Grading Three - Shoring 2 - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.2595	3.0379	2.0843	9.4700e-003		0.0921	0.0921		0.0847	0.0847		916.6227	916.6227	0.2965		924.0341
<b>Total</b>	<b>0.2595</b>	<b>3.0379</b>	<b>2.0843</b>	<b>9.4700e-003</b>	<b>0.0000</b>	<b>0.0921</b>	<b>0.0921</b>	<b>0.0000</b>	<b>0.0847</b>	<b>0.0847</b>		<b>916.6227</b>	<b>916.6227</b>	<b>0.2965</b>		<b>924.0341</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0169	0.0110	0.1507	4.4000e-004	0.0447	3.3000e-004	0.0450	0.0119	3.0000e-004	0.0122		44.2961	44.2961	1.1900e-003		44.3259
<b>Total</b>	<b>0.0169</b>	<b>0.0110</b>	<b>0.1507</b>	<b>4.4000e-004</b>	<b>0.0447</b>	<b>3.3000e-004</b>	<b>0.0450</b>	<b>0.0119</b>	<b>3.0000e-004</b>	<b>0.0122</b>		<b>44.2961</b>	<b>44.2961</b>	<b>1.1900e-003</b>		<b>44.3259</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.1175	0.5092	4.3090	9.4700e-003		0.0157	0.0157		0.0157	0.0157	0.0000	916.6227	916.6227	0.2965		924.0341
<b>Total</b>	<b>0.1175</b>	<b>0.5092</b>	<b>4.3090</b>	<b>9.4700e-003</b>	<b>0.0000</b>	<b>0.0157</b>	<b>0.0157</b>	<b>0.0000</b>	<b>0.0157</b>	<b>0.0157</b>	<b>0.0000</b>	<b>916.6227</b>	<b>916.6227</b>	<b>0.2965</b>		<b>924.0341</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0169	0.0110	0.1507	4.4000e-004	0.0447	3.3000e-004	0.0450	0.0119	3.0000e-004	0.0122		44.2961	44.2961	1.1900e-003		44.3259
<b>Total</b>	<b>0.0169</b>	<b>0.0110</b>	<b>0.1507</b>	<b>4.4000e-004</b>	<b>0.0447</b>	<b>3.3000e-004</b>	<b>0.0450</b>	<b>0.0119</b>	<b>3.0000e-004</b>	<b>0.0122</b>		<b>44.2961</b>	<b>44.2961</b>	<b>1.1900e-003</b>		<b>44.3259</b>

**3.8 Paving One - Concrete Foundations - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.5741	24.7848	22.7691	0.0402		1.2338	1.2338		1.1545	1.1545		3,842.9567	3,842.9567	1.0331		3,868.7840
Paving	5.1500e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>2.5793</b>	<b>24.7848</b>	<b>22.7691</b>	<b>0.0402</b>		<b>1.2338</b>	<b>1.2338</b>		<b>1.1545</b>	<b>1.1545</b>		<b>3,842.9567</b>	<b>3,842.9567</b>	<b>1.0331</b>		<b>3,868.7840</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1098	0.0712	0.9795	2.8900e-003	0.2906	2.1400e-003	0.2928	0.0771	1.9700e-003	0.0790		287.9249	287.9249	7.7400e-003		288.1184
<b>Total</b>	<b>0.1098</b>	<b>0.0712</b>	<b>0.9795</b>	<b>2.8900e-003</b>	<b>0.2906</b>	<b>2.1400e-003</b>	<b>0.2928</b>	<b>0.0771</b>	<b>1.9700e-003</b>	<b>0.0790</b>		<b>287.9249</b>	<b>287.9249</b>	<b>7.7400e-003</b>		<b>288.1184</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.4917	2.9447	25.5929	0.0402		0.0626	0.0626		0.0626	0.0626	0.0000	3,842.9567	3,842.9567	1.0331		3,868.7840
Paving	5.1500e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>0.4968</b>	<b>2.9447</b>	<b>25.5929</b>	<b>0.0402</b>		<b>0.0626</b>	<b>0.0626</b>		<b>0.0626</b>	<b>0.0626</b>	<b>0.0000</b>	<b>3,842.9567</b>	<b>3,842.9567</b>	<b>1.0331</b>		<b>3,868.7840</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Worker	0.1098	0.0712	0.9795	2.8900e-003	0.2906	2.1400e-003	0.2928	0.0771	1.9700e-003	0.0790		287.9249	287.9249	7.7400e-003		288.1184
<b>Total</b>	<b>0.1098</b>	<b>0.0712</b>	<b>0.9795</b>	<b>2.8900e-003</b>	<b>0.2906</b>	<b>2.1400e-003</b>	<b>0.2928</b>	<b>0.0771</b>	<b>1.9700e-003</b>	<b>0.0790</b>		<b>287.9249</b>	<b>287.9249</b>	<b>7.7400e-003</b>		<b>288.1184</b>

### 3.9 Building Construction - 2022

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.1968	20.9810	19.8560	0.0346		1.0592	1.0592		0.9914	0.9914		3,294.2042	3,294.2042	0.8512		3,315.4851
<b>Total</b>	<b>2.1968</b>	<b>20.9810</b>	<b>19.8560</b>	<b>0.0346</b>		<b>1.0592</b>	<b>1.0592</b>		<b>0.9914</b>	<b>0.9914</b>		<b>3,294.2042</b>	<b>3,294.2042</b>	<b>0.8512</b>		<b>3,315.4851</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1331	4.6172	1.0909	0.0129	0.3264	8.4900e-003	0.3349	0.0940	8.1200e-003	0.1021		1,377.3015	1,377.3015	0.0809		1,379.3244
Worker	0.4910	0.3067	4.3196	0.0133	1.3860	9.9100e-003	1.3959	0.3676	9.1300e-003	0.3767		1,323.9777	1,323.9777	0.0334		1,324.8120

<b>Total</b>	<b>0.6241</b>	<b>4.9238</b>	<b>5.4105</b>	<b>0.0262</b>	<b>1.7124</b>	<b>0.0184</b>	<b>1.7308</b>	<b>0.4616</b>	<b>0.0173</b>	<b>0.4788</b>		<b>2,701.279</b>	<b>2,701.2792</b>	<b>0.1143</b>		<b>2,704.136</b>
												<b>2</b>				<b>4</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Off-Road	0.4216	2.6411	21.6934	0.0346		0.0533	0.0533		0.0533	0.0533	0.0000	3,294.2042	3,294.2042	0.8512		3,315.4851
<b>Total</b>	<b>0.4216</b>	<b>2.6411</b>	<b>21.6934</b>	<b>0.0346</b>		<b>0.0533</b>	<b>0.0533</b>		<b>0.0533</b>	<b>0.0533</b>	<b>0.0000</b>	<b>3,294.2042</b>	<b>3,294.2042</b>	<b>0.8512</b>		<b>3,315.4851</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1331	4.6172	1.0909	0.0129	0.3264	8.4900e-003	0.3349	0.0940	8.1200e-003	0.1021		1,377.3015	1,377.3015	0.0809		1,379.3244
Worker	0.4910	0.3067	4.3196	0.0133	1.3860	9.9100e-003	1.3959	0.3676	9.1300e-003	0.3767		1,323.9777	1,323.9777	0.0334		1,324.8120
<b>Total</b>	<b>0.6241</b>	<b>4.9238</b>	<b>5.4105</b>	<b>0.0262</b>	<b>1.7124</b>	<b>0.0184</b>	<b>1.7308</b>	<b>0.4616</b>	<b>0.0173</b>	<b>0.4788</b>		<b>2,701.2792</b>	<b>2,701.2792</b>	<b>0.1143</b>		<b>2,704.1364</b>

**3.9 Building Construction - 2023**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.0320	19.3132	19.6780	0.0346		0.9266	0.9266		0.8672	0.8672		3,295.0747	3,295.0747	0.8471		3,316.2530
<b>Total</b>	<b>2.0320</b>	<b>19.3132</b>	<b>19.6780</b>	<b>0.0346</b>		<b>0.9266</b>	<b>0.9266</b>		<b>0.8672</b>	<b>0.8672</b>		<b>3,295.0747</b>	<b>3,295.0747</b>	<b>0.8471</b>		<b>3,316.2530</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0993	3.4906	0.9829	0.0125	0.3264	3.9200e-003	0.3303	0.0940	3.7500e-003	0.0977		1,335.5254	1,335.5254	0.0706		1,337.2892
Worker	0.4616	0.2775	3.9890	0.0128	1.3860	9.6500e-003	1.3957	0.3676	8.8900e-003	0.3765		1,274.6334	1,274.6334	0.0301		1,275.3859
<b>Total</b>	<b>0.5609</b>	<b>3.7681</b>	<b>4.9719</b>	<b>0.0253</b>	<b>1.7124</b>	<b>0.0136</b>	<b>1.7260</b>	<b>0.4616</b>	<b>0.0126</b>	<b>0.4742</b>		<b>2,610.1588</b>	<b>2,610.1588</b>	<b>0.1007</b>		<b>2,612.6751</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					



Off-Road	0.4216	2.6411	21.6934	0.0346		0.0533	0.0533		0.0533	0.0533	0.0000	3,295.0747	3,295.0747	0.8471		3,316.2530
<b>Total</b>	<b>0.4216</b>	<b>2.6411</b>	<b>21.6934</b>	<b>0.0346</b>		<b>0.0533</b>	<b>0.0533</b>		<b>0.0533</b>	<b>0.0533</b>	<b>0.0000</b>	<b>3,295.0747</b>	<b>3,295.0747</b>	<b>0.8471</b>		<b>3,316.2530</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0993	3.4906	0.9829	0.0125	0.3264	3.9200e-003	0.3303	0.0940	3.7500e-003	0.0977		1,335.5254	1,335.5254	0.0706		1,337.2892
Worker	0.4616	0.2775	3.9890	0.0128	1.3860	9.6500e-003	1.3957	0.3676	8.8900e-003	0.3765		1,274.6334	1,274.6334	0.0301		1,275.3859
<b>Total</b>	<b>0.5609</b>	<b>3.7681</b>	<b>4.9719</b>	<b>0.0253</b>	<b>1.7124</b>	<b>0.0136</b>	<b>1.7260</b>	<b>0.4616</b>	<b>0.0126</b>	<b>0.4742</b>		<b>2,610.1588</b>	<b>2,610.1588</b>	<b>0.1007</b>		<b>2,612.6751</b>

**3.9 Building Construction - 2024**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.9057	18.0151	19.5464	0.0346		0.8205	0.8205		0.7676	0.7676		3,295.5908	3,295.5908	0.8437		3,316.6819
<b>Total</b>	<b>1.9057</b>	<b>18.0151</b>	<b>19.5464</b>	<b>0.0346</b>		<b>0.8205</b>	<b>0.8205</b>		<b>0.7676</b>	<b>0.7676</b>		<b>3,295.5908</b>	<b>3,295.5908</b>	<b>0.8437</b>		<b>3,316.6819</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000			0.0000
Vendor	0.0972	3.4820	0.9546	0.0124	0.3264	3.8800e-003	0.3303	0.0940	3.7100e-003	0.0977		1,330.6832	1,330.6832	0.0695			1,332.4197
Worker	0.4369	0.2529	3.7263	0.0124	1.3860	9.5200e-003	1.3956	0.3676	8.7700e-003	0.3764		1,232.8191	1,232.8191	0.0276			1,233.5089
<b>Total</b>	<b>0.5341</b>	<b>3.7348</b>	<b>4.6808</b>	<b>0.0248</b>	<b>1.7124</b>	<b>0.0134</b>	<b>1.7258</b>	<b>0.4616</b>	<b>0.0125</b>	<b>0.4740</b>		<b>2,563.5023</b>	<b>2,563.5023</b>	<b>0.0971</b>			<b>2,565.9286</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	0.4216	2.6411	21.6934	0.0346		0.0533	0.0533		0.0533	0.0533	0.0000	3,295.5908	3,295.5908	0.8437			3,316.6819
<b>Total</b>	<b>0.4216</b>	<b>2.6411</b>	<b>21.6934</b>	<b>0.0346</b>		<b>0.0533</b>	<b>0.0533</b>		<b>0.0533</b>	<b>0.0533</b>	<b>0.0000</b>	<b>3,295.5908</b>	<b>3,295.5908</b>	<b>0.8437</b>			<b>3,316.6819</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day				
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0972	3.4820	0.9546	0.0124	0.3264	3.8800e-003	0.3303	0.0940	3.7100e-003	0.0977	1,330.6832	1,330.6832	0.0695	1,332.4197	
Worker	0.4369	0.2529	3.7263	0.0124	1.3860	9.5200e-003	1.3956	0.3676	8.7700e-003	0.3764	1,232.8191	1,232.8191	0.0276	1,233.5089	
<b>Total</b>	<b>0.5341</b>	<b>3.7348</b>	<b>4.6808</b>	<b>0.0248</b>	<b>1.7124</b>	<b>0.0134</b>	<b>1.7258</b>	<b>0.4616</b>	<b>0.0125</b>	<b>0.4740</b>	<b>2,563.5023</b>	<b>2,563.5023</b>	<b>0.0971</b>	<b>2,565.9286</b>	

### 3.10 Architectural Coating - 2023

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	10.3586					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690
<b>Total</b>	<b>10.5503</b>	<b>1.3030</b>	<b>1.8111</b>	<b>2.9700e-003</b>		<b>0.0708</b>	<b>0.0708</b>		<b>0.0708</b>	<b>0.0708</b>		<b>281.4481</b>	<b>281.4481</b>	<b>0.0168</b>		<b>281.8690</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0968	0.0582	0.8364	2.6800e-003	0.2906	2.0200e-003	0.2926	0.0771	1.8600e-003	0.0789		267.2618	267.2618	6.3100e-003		267.4196

<b>Total</b>	<b>0.0968</b>	<b>0.0582</b>	<b>0.8364</b>	<b>2.6800e-003</b>	<b>0.2906</b>	<b>2.0200e-003</b>	<b>0.2926</b>	<b>0.0771</b>	<b>1.8600e-003</b>	<b>0.0789</b>		<b>267.2618</b>	<b>267.2618</b>	<b>6.3100e-003</b>		<b>267.4196</b>
--------------	---------------	---------------	---------------	--------------------	---------------	--------------------	---------------	---------------	--------------------	---------------	--	-----------------	-----------------	--------------------	--	-----------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Archit. Coating	10.3586					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708	0.0000	281.4481	281.4481	0.0168		281.8690
<b>Total</b>	<b>10.5503</b>	<b>1.3030</b>	<b>1.8111</b>	<b>2.9700e-003</b>		<b>0.0708</b>	<b>0.0708</b>		<b>0.0708</b>	<b>0.0708</b>	<b>0.0000</b>	<b>281.4481</b>	<b>281.4481</b>	<b>0.0168</b>		<b>281.8690</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0968	0.0582	0.8364	2.6800e-003	0.2906	2.0200e-003	0.2926	0.0771	1.8600e-003	0.0789		267.2618	267.2618	6.3100e-003		267.4196
<b>Total</b>	<b>0.0968</b>	<b>0.0582</b>	<b>0.8364</b>	<b>2.6800e-003</b>	<b>0.2906</b>	<b>2.0200e-003</b>	<b>0.2926</b>	<b>0.0771</b>	<b>1.8600e-003</b>	<b>0.0789</b>		<b>267.2618</b>	<b>267.2618</b>	<b>6.3100e-003</b>		<b>267.4196</b>

**3.10 Architectural Coating - 2024**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	10.3586					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
<b>Total</b>	<b>10.5394</b>	<b>1.2188</b>	<b>1.8101</b>	<b>2.9700e-003</b>		<b>0.0609</b>	<b>0.0609</b>		<b>0.0609</b>	<b>0.0609</b>		<b>281.4481</b>	<b>281.4481</b>	<b>0.0159</b>		<b>281.8443</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0916	0.0530	0.7813	2.5900e-003	0.2906	2.0000e-003	0.2926	0.0771	1.8400e-003	0.0789		258.4943	258.4943	5.7900e-003		258.6390
<b>Total</b>	<b>0.0916</b>	<b>0.0530</b>	<b>0.7813</b>	<b>2.5900e-003</b>	<b>0.2906</b>	<b>2.0000e-003</b>	<b>0.2926</b>	<b>0.0771</b>	<b>1.8400e-003</b>	<b>0.0789</b>		<b>258.4943</b>	<b>258.4943</b>	<b>5.7900e-003</b>		<b>258.6390</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Archit. Coating	10.3586					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
<b>Total</b>	<b>10.5394</b>	<b>1.2188</b>	<b>1.8101</b>	<b>2.9700e-003</b>		<b>0.0609</b>	<b>0.0609</b>		<b>0.0609</b>	<b>0.0609</b>	<b>0.0000</b>	<b>281.4481</b>	<b>281.4481</b>	<b>0.0159</b>		<b>281.8443</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0916	0.0530	0.7813	2.5900e-003	0.2906	2.0000e-003	0.2926	0.0771	1.8400e-003	0.0789		258.4943	258.4943	5.7900e-003		258.6390
<b>Total</b>	<b>0.0916</b>	<b>0.0530</b>	<b>0.7813</b>	<b>2.5900e-003</b>	<b>0.2906</b>	<b>2.0000e-003</b>	<b>0.2926</b>	<b>0.0771</b>	<b>1.8400e-003</b>	<b>0.0789</b>		<b>258.4943</b>	<b>258.4943</b>	<b>5.7900e-003</b>		<b>258.6390</b>

**3.11 Paving Two - Concrete Paving - 2024**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.1316	11.5252	9.5439	0.0223		0.4616	0.4616		0.4264	0.4264		2,131.6275	2,131.6275	0.6728		2,148.4468
Paving	4.4300e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>1.1361</b>	<b>11.5252</b>	<b>9.5439</b>	<b>0.0223</b>		<b>0.4616</b>	<b>0.4616</b>		<b>0.4264</b>	<b>0.4264</b>		<b>2,131.6275</b>	<b>2,131.6275</b>	<b>0.6728</b>		<b>2,148.4468</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0634	0.0367	0.5409	1.7900e-003	0.2012	1.3800e-003	0.2026	0.0534	1.2700e-003	0.0546		178.9576	178.9576	4.0100e-003		179.0577
<b>Total</b>	<b>0.0634</b>	<b>0.0367</b>	<b>0.5409</b>	<b>1.7900e-003</b>	<b>0.2012</b>	<b>1.3800e-003</b>	<b>0.2026</b>	<b>0.0534</b>	<b>1.2700e-003</b>	<b>0.0546</b>		<b>178.9576</b>	<b>178.9576</b>	<b>4.0100e-003</b>		<b>179.0577</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2608	1.1300	12.1154	0.0223		0.0348	0.0348		0.0348	0.0348	0.0000	2,131.6275	2,131.6275	0.6728		2,148.4468
Paving	4.4300e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>0.2652</b>	<b>1.1300</b>	<b>12.1154</b>	<b>0.0223</b>		<b>0.0348</b>	<b>0.0348</b>		<b>0.0348</b>	<b>0.0348</b>	<b>0.0000</b>	<b>2,131.6275</b>	<b>2,131.6275</b>	<b>0.6728</b>		<b>2,148.4468</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day					
	Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	
Worker	0.0634	0.0367	0.5409	1.7900e-003	0.2012	1.3800e-003	0.2026	0.0534	1.2700e-003	0.0546	178.9576	178.9576	4.0100e-003		179.0577	
<b>Total</b>	<b>0.0634</b>	<b>0.0367</b>	<b>0.5409</b>	<b>1.7900e-003</b>	<b>0.2012</b>	<b>1.3800e-003</b>	<b>0.2026</b>	<b>0.0534</b>	<b>1.2700e-003</b>	<b>0.0546</b>	<b>178.9576</b>	<b>178.9576</b>	<b>4.0100e-003</b>		<b>179.0577</b>	

## 4.0 Operational Detail - Mobile

### 4.1 Mitigation Measures Mobile

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	lb/day					
	lb/day										Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Mitigated	1.6844	7.6568	24.4939	0.1016	8.9416	0.0692	9.0108	2.3922	0.0643	2.4565		10,350.8970	10,350.8970	0.4329		10,361.7202
Unmitigated	1.6844	7.6568	24.4939	0.1016	8.9416	0.0692	9.0108	2.3922	0.0643	2.4565		10,350.8970	10,350.8970	0.4329		10,361.7202

### 4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Automobile Care Center	0.00	0.00	0.00		
Enclosed Parking with Elevator	0.00	0.00	0.00		
General Office Building	195.97	0.00	0.00	450,932	450,932
Government Office Building	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	833.96	833.96	833.96	3,574,127	3,574,127



Total	1,029.93	833.96	833.96	4,025,059	4,025,059
-------	----------	--------	--------	-----------	-----------

### 4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Automobile Care Center	16.60	8.40	6.90	33.00	48.00	19.00	21	51	28
Enclosed Parking with Elevator	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Government Office Building	16.60	8.40	6.90	33.00	62.00	5.00	50	34	16
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3

### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Automobile Care Center	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Enclosed Parking with Elevator	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
General Office Building	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Government Office Building	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Parking Lot	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Unrefrigerated Warehouse-No	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845

### 5.0 Energy Detail

Historical Energy Use: N

### 5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day									lb/day						
NaturalGas Mitigated	0.0266	0.2418	0.2031	1.4500e-003		0.0184	0.0184		0.0184	0.0184		290.1780	290.1780	5.5600e-003	5.3200e-003	291.9024
NaturalGas Unmitigated	0.0266	0.2418	0.2031	1.4500e-003		0.0184	0.0184		0.0184	0.0184		290.1780	290.1780	5.5600e-003	5.3200e-003	291.9024

## 5.2 Energy by Land Use - NaturalGas

### Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day									lb/day						
Automobile Care Center	628.69	6.7800e-003	0.0616	0.0518	3.7000e-004		4.6800e-003	4.6800e-003		4.6800e-003	4.6800e-003		73.9635	73.9635	1.4200e-003	1.3600e-003	74.4030
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
General Office Building	1531.27	0.0165	0.1501	0.1261	9.0000e-004		0.0114	0.0114		0.0114	0.0114		180.1492	180.1492	3.4500e-003	3.3000e-003	181.2197
Government Office Building	268.692	2.9000e-003	0.0263	0.0221	1.6000e-004		2.0000e-003	2.0000e-003		2.0000e-003	2.0000e-003		31.6108	31.6108	6.1000e-004	5.8000e-004	31.7987
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No	37.8629	4.1000e-004	3.7100e-003	3.1200e-003	2.0000e-005		2.8000e-004	2.8000e-004		2.8000e-004	2.8000e-004		4.4545	4.4545	9.0000e-005	8.0000e-005	4.4809
<b>Total</b>		<b>0.0266</b>	<b>0.2418</b>	<b>0.2031</b>	<b>1.4500e-003</b>		<b>0.0184</b>	<b>0.0184</b>		<b>0.0184</b>	<b>0.0184</b>		<b>290.1780</b>	<b>290.1780</b>	<b>5.5700e-003</b>	<b>5.3200e-003</b>	<b>291.9024</b>

### Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day									lb/day						

Automobile Care Center	0.62869	6.7800e-003	0.0616	0.0518	3.7000e-004	4.6800e-003	4.6800e-003	4.6800e-003	4.6800e-003	73.9635	73.9635	1.4200e-003	1.3600e-003	74.4030
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
General Office Building	1.53127	0.0165	0.1501	0.1261	9.0000e-004	0.0114	0.0114	0.0114	0.0114	180.1492	180.1492	3.4500e-003	3.3000e-003	181.2197
Government Office Building	0.268692	2.9000e-003	0.0263	0.0221	1.6000e-004	2.0000e-003	2.0000e-003	2.0000e-003	2.0000e-003	31.6108	31.6108	6.1000e-004	5.8000e-004	31.7987
Parking Lot	0	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Fuel	0.0378629	4.1000e-004	3.7100e-003	3.1200e-003	2.0000e-005	2.8000e-004	2.8000e-004	2.8000e-004	2.8000e-004	4.4545	4.4545	9.0000e-005	8.0000e-005	4.4809
<b>Total</b>		<b>0.0266</b>	<b>0.2418</b>	<b>0.2031</b>	<b>1.4500e-003</b>	<b>0.0184</b>	<b>0.0184</b>	<b>0.0184</b>	<b>0.0184</b>	<b>290.1780</b>	<b>290.1780</b>	<b>5.5700e-003</b>	<b>5.3200e-003</b>	<b>291.9024</b>

## 6.0 Area Detail

### 6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Mitigated	2.1496	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004		2.3000e-004	2.3000e-004		0.1415	0.1415	3.7000e-004			0.1508
Unmitigated	2.1496	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004		2.3000e-004	2.3000e-004		0.1415	0.1415	3.7000e-004			0.1508

### 6.2 Area by SubCategory

#### Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

SubCategory	lb/day										lb/day					
Architectural Coating	0.2497					0.0000	0.0000			0.0000	0.0000			0.0000		0.0000
Consumer Products	1.8938					0.0000	0.0000			0.0000	0.0000			0.0000		0.0000
Landscaping	6.0900e-003	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004			2.3000e-004	2.3000e-004	0.1415	0.1415	3.7000e-004		0.1508
<b>Total</b>	<b>2.1496</b>	<b>6.0000e-004</b>	<b>0.0659</b>	<b>0.0000</b>		<b>2.3000e-004</b>	<b>2.3000e-004</b>			<b>2.3000e-004</b>	<b>2.3000e-004</b>	<b>0.1415</b>	<b>0.1415</b>	<b>3.7000e-004</b>		<b>0.1508</b>

### Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
SubCategory	lb/day										lb/day						
Architectural Coating	0.2497					0.0000	0.0000			0.0000	0.0000			0.0000			0.0000
Consumer Products	1.8938					0.0000	0.0000			0.0000	0.0000			0.0000			0.0000
Landscaping	6.0900e-003	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004			2.3000e-004	2.3000e-004	0.1415	0.1415	3.7000e-004			0.1508
<b>Total</b>	<b>2.1496</b>	<b>6.0000e-004</b>	<b>0.0659</b>	<b>0.0000</b>		<b>2.3000e-004</b>	<b>2.3000e-004</b>			<b>2.3000e-004</b>	<b>2.3000e-004</b>	<b>0.1415</b>	<b>0.1415</b>	<b>3.7000e-004</b>			<b>0.1508</b>

## 7.0 Water Detail

### 7.1 Mitigation Measures Water

Use Grey Water

Install Low Flow Bathroom Faucet

Install Low Flow Kitchen Faucet

Install Low Flow Toilet

Install Low Flow Shower

Use Water Efficient Irrigation System

## 8.0 Waste Detail

### 8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

## 9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
Tractors/Loaders/Backhoes	4	8.00	260	97	0.37	Diesel
Forklifts	3	8.00	260	89	0.20	Diesel

### UnMitigated/Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Equipment Type	lb/day										lb/day					
Forklifts	0.2840	2.6638	3.4350	4.6100e-003		0.1538	0.1538		0.1415	0.1415		446.3130	446.3130	0.1444		449.9216
Tractors/Loaders/Backhoes	0.5734	5.7695	8.9062	0.0124		0.2648	0.2648		0.2436	0.2436		1,202.1734	1,202.1734	0.3888		1,211.8936
<b>Total</b>	<b>0.8574</b>	<b>8.4333</b>	<b>12.3412</b>	<b>0.0170</b>		<b>0.4186</b>	<b>0.4186</b>		<b>0.3851</b>	<b>0.3851</b>		<b>1,648.4864</b>	<b>1,648.4864</b>	<b>0.5332</b>		<b>1,661.8152</b>

## 10.0 Stationary Equipment

### Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
Emergency Generator	2	4	30	600	1	Diesel

### Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

## User Defined Equipment

Equipment Type	Number
----------------	--------

## 11.0 Vegetation

---

LADWP - West LA District Yard Project - South Coast AQMD Air District, Winter

**LADWP - West LA District Yard Project**  
**South Coast AQMD Air District, Winter**

**1.0 Project Characteristics**

**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	53.69	1000sqft	1.23	53,690.00	0
Unrefrigerated Warehouse-No Rail	15.89	1000sqft	0.36	15,885.00	0
Automobile Care Center	12.68	1000sqft	0.29	12,678.00	0
Enclosed Parking with Elevator	543.00	Space	4.89	217,200.00	0
Parking Lot	12.00	Space	0.11	4,800.00	0
Government Office Building	9.42	1000sqft	0.22	9,421.00	0

**1.2 Other Project Characteristics**

<b>Urbanization</b>	Urban	<b>Wind Speed (m/s)</b>	2.2	<b>Precipitation Freq (Days)</b>	31
<b>Climate Zone</b>	11			<b>Operational Year</b>	2024
<b>Utility Company</b>	Los Angeles Department of Water & Power				
<b>CO2 Intensity (lb/MW hr)</b>	1227.89	<b>CH4 Intensity (lb/MW hr)</b>	0.029	<b>N2O Intensity (lb/MW hr)</b>	0.006

**1.3 User Entered Comments & Non-Default Data**

Project Characteristics - Operational year 2024.

Land Use - Project specific square footage and acreage provided by LADWP

Construction Phase - Construction phasing provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Off-road Equipment - Construction equipment information provided by LADWP.

Grading - 100,000 CY of export is anticipated.

Trips and VMT - Trips were rounded up to the highest even value.

Vehicle Trips - Trip generation rates were modified to be consistent with the trip generation assumptions in the TIA for the project.

Operational Off-Road Equipment - Equipment information provided by LADWP.

Stationary Sources - Emergency Generators and Fire Pumps - NA

Construction Off-road Equipment Mitigation - Compliance with SCAQMD Rule 403 and Mitigation Measure AQ-1: use of Tier 4 final engines in construction

Energy Mitigation - Onsite Electricity generation from on-site solar is anticipated to meet the project's electricity demand per LADWP.

Water Mitigation - Per LADWP grey water use and water reduction measures were assumed as design features.

Waste Mitigation - Consistent with AB 939 a 50% waste diversion rate was assumed.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	8.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	5.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	3.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	6.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	13.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00



tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	1.00
tblConstEquipMitigation	NumberOfEquipmentMitigated	0.00	2.00
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstEquipMitigation	Tier	No Change	Tier 4 Final
tblConstructionPhase	NumDays	20.00	88.00
tblConstructionPhase	NumDays	230.00	564.00
tblConstructionPhase	NumDays	20.00	88.00
tblConstructionPhase	NumDays	20.00	82.00
tblConstructionPhase	NumDays	20.00	56.00
tblConstructionPhase	NumDays	10.00	6.00
tblConstructionPhase	NumDays	20.00	87.00
tblConstructionPhase	NumDays	20.00	31.00

tblConstructionPhase	NumDays	20.00	65.00
tblConstructionPhase	PhaseEndDate	3/24/2021	4/18/2024
tblConstructionPhase	PhaseEndDate	1/27/2021	4/18/2024
tblConstructionPhase	PhaseEndDate	1/29/2020	8/18/2021
tblConstructionPhase	PhaseEndDate	3/11/2020	8/18/2021
tblConstructionPhase	PhaseEndDate	2/24/2021	12/17/2021
tblConstructionPhase	PhaseEndDate	2/12/2020	4/26/2021
tblConstructionPhase	PhaseStartDate	2/25/2021	12/19/2023
tblConstructionPhase	PhaseStartDate	3/12/2020	2/21/2022
tblConstructionPhase	PhaseStartDate	1/2/2020	4/19/2021
tblConstructionPhase	PhaseStartDate	2/13/2020	4/27/2021
tblConstructionPhase	PhaseStartDate	1/28/2021	10/1/2021
tblConstructionPhase	PhaseStartDate	1/30/2020	4/19/2021
tblGrading	MaterialExported	0.00	100,000.00
tblOffRoadEquipment	HorsePower	158.00	0.00
tblOffRoadEquipment	HorsePower	130.00	0.00
tblOffRoadEquipment	HorsePower	80.00	0.00
tblOffRoadEquipment	HorsePower	247.00	0.00
tblOffRoadEquipment	HorsePower	187.00	0.00
tblOffRoadEquipment	HorsePower	97.00	0.00
tblOffRoadEquipment	HorsePower	132.00	0.00
tblOffRoadEquipment	HorsePower	158.00	0.00
tblOffRoadEquipment	HorsePower	187.00	0.00
tblOffRoadEquipment	HorsePower	130.00	0.00
tblOffRoadEquipment	HorsePower	132.00	0.00
tblOffRoadEquipment	HorsePower	247.00	0.00
tblOffRoadEquipment	HorsePower	97.00	0.00
tblOffRoadEquipment	LoadFactor	0.38	0.00
tblOffRoadEquipment	LoadFactor	0.42	0.00
tblOffRoadEquipment	LoadFactor	0.38	0.00

tblOffRoadEquipment	LoadFactor	0.40	0.00
tblOffRoadEquipment	LoadFactor	0.41	0.00
tblOffRoadEquipment	LoadFactor	0.37	0.00
tblOffRoadEquipment	LoadFactor	0.36	0.00
tblOffRoadEquipment	LoadFactor	0.38	0.00
tblOffRoadEquipment	LoadFactor	0.41	0.00
tblOffRoadEquipment	LoadFactor	0.42	0.00
tblOffRoadEquipment	LoadFactor	0.36	0.00
tblOffRoadEquipment	LoadFactor	0.40	0.00
tblOffRoadEquipment	LoadFactor	0.37	0.00
tblOffRoadEquipment	LoadFactor	0.43	0.43
tblOffRoadEquipment	LoadFactor	0.29	0.29
tblOffRoadEquipment	LoadFactor	0.42	0.42
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	LoadFactor	0.29	0.29
tblOffRoadEquipment	LoadFactor	0.38	0.38
tblOffRoadEquipment	LoadFactor	0.20	0.20
tblOffRoadEquipment	LoadFactor	0.37	0.37
tblOffRoadEquipment	LoadFactor	0.48	0.48
tblOffRoadEquipment	LoadFactor	0.50	0.50
tblOffRoadEquipment	LoadFactor	0.41	0.41
tblOffRoadEquipment	LoadFactor	0.36	0.36
tblOffRoadEquipment	LoadFactor	0.37	0.37
tblOffRoadEquipment	OffRoadEquipmentType		Crawler Tractors
tblOffRoadEquipment	OffRoadEquipmentType		Cranes
tblOffRoadEquipment	OffRoadEquipmentType		Other Construction Equipment
tblOffRoadEquipment	OffRoadEquipmentType		Rollers
tblOffRoadEquipment	OffRoadEquipmentType		Cranes
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblOffRoadEquipment	OffRoadEquipmentType		Forklifts

tblOffRoadEquipment	OffRoadEquipmentType		Generator Sets
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentType		Welders
tblOffRoadEquipment	OffRoadEquipmentType		Scrapers
tblOffRoadEquipment	OffRoadEquipmentType		Bore/Drill Rigs
tblOffRoadEquipment	OffRoadEquipmentType		Excavators
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentType		Cement and Mortar Mixers
tblOffRoadEquipment	OffRoadEquipmentType		Graders
tblOffRoadEquipment	OffRoadEquipmentType		Rubber Tired Loaders
tblOffRoadEquipment	OffRoadEquipmentType		Tractors/Loaders/Backhoes
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	3.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00

tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOperationalOffRoadEquipment	OperLoadFactor	0.37	0.37
tblOperationalOffRoadEquipment	OperLoadFactor	0.20	0.20
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	4.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	3.00
tblStationaryGeneratorsPumpsEF	CO_EF	2.60	0.44
tblStationaryGeneratorsPumpsEF	NOX_EF	4.56	4.08
tblStationaryGeneratorsPumpsEF	PM10_EF	0.15	0.03
tblStationaryGeneratorsPumpsEF	PM2_5_EF	0.15	0.03
tblStationaryGeneratorsPumpsUse	HorsePowerValue	0.00	600.00
tblStationaryGeneratorsPumpsUse	HoursPerDay	0.00	4.00
tblStationaryGeneratorsPumpsUse	HoursPerYear	0.00	30.00
tblStationaryGeneratorsPumpsUse	Load_Factor	0.73	1.00
tblStationaryGeneratorsPumpsUse	NumberOfEquipment	0.00	2.00
tblTripsAndVMT	HaulingTripNumber	12,500.00	10,000.00
tblTripsAndVMT	WorkerTripNumber	25.00	26.00
tblTripsAndVMT	WorkerTripNumber	25.00	26.00

tblTripsAndVMT	WorkerTripNumber	5.00	6.00
tblTripsAndVMT	WorkerTripNumber	25.00	26.00
tblTripsAndVMT	WorkerTripNumber	3.00	4.00
tblVehicleTrips	ST_TR	23.72	0.00
tblVehicleTrips	ST_TR	2.46	0.00
tblVehicleTrips	ST_TR	1.68	52.50
tblVehicleTrips	SU_TR	11.88	0.00
tblVehicleTrips	SU_TR	1.05	0.00
tblVehicleTrips	SU_TR	1.68	52.50
tblVehicleTrips	WD_TR	23.72	0.00
tblVehicleTrips	WD_TR	11.03	3.65
tblVehicleTrips	WD_TR	68.93	0.00
tblVehicleTrips	WD_TR	1.68	52.50

## 2.0 Emissions Summary

### 2.1 Overall Construction (Maximum Daily Emission)

#### Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	10.2138	125.6391	78.2820	0.2250	18.0572	4.4799	22.5370	7.7179	4.1442	11.8621	0.0000	22,737.2887	22,737.2887	4.5897	0.0000	22,852.0306
2022	2.8747	25.9153	24.9521	0.0595	1.7124	1.0779	2.7904	0.4616	1.0089	1.4704	0.0000	5,869.5801	5,869.5801	0.9692	0.0000	5,893.8090
2023	13.3005	24.4517	26.8890	0.0642	2.0031	1.0132	3.0163	0.5386	0.9527	1.4913	0.0000	6,315.7118	6,315.7118	0.9730	0.0000	6,340.0376
2024	14.3358	34.5944	36.4605	0.0876	2.2043	1.3600	3.5643	0.5920	1.2706	1.8626	0.0000	8,563.2645	8,563.2645	1.6410	0.0000	8,604.2882
<b>Maximum</b>	<b>14.3358</b>	<b>125.6391</b>	<b>78.2820</b>	<b>0.2250</b>	<b>18.0572</b>	<b>4.4799</b>	<b>22.5370</b>	<b>7.7179</b>	<b>4.1442</b>	<b>11.8621</b>	<b>0.0000</b>	<b>22,737.2887</b>	<b>22,737.2887</b>	<b>4.5897</b>	<b>0.0000</b>	<b>22,852.0306</b>

**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	2.7671	37.4372	85.1200	0.2250	9.6116	0.3095	9.9210	3.8769	0.3051	4.1819	0.0000	22,737.2887	22,737.2887	4.5897	0.0000	22,852.0306
2022	1.0996	7.5755	26.7895	0.0595	1.7124	0.0720	1.7844	0.4616	0.0708	0.5324	0.0000	5,869.5801	5,869.5801	0.9692	0.0000	5,893.8090
2023	11.6901	7.7796	28.9045	0.0642	2.0031	0.1399	2.1430	0.5386	0.1388	0.6774	0.0000	6,315.7118	6,315.7118	0.9730	0.0000	6,340.0376
2024	11.9808	8.8252	41.1790	0.0876	2.2043	0.1659	2.3702	0.5920	0.1647	0.7567	0.0000	8,563.2645	8,563.2645	1.6410	0.0000	8,604.2882
<b>Maximum</b>	<b>11.9808</b>	<b>37.4372</b>	<b>85.1200</b>	<b>0.2250</b>	<b>9.6116</b>	<b>0.3095</b>	<b>9.9210</b>	<b>3.8769</b>	<b>0.3051</b>	<b>4.1819</b>	<b>0.0000</b>	<b>22,737.2887</b>	<b>22,737.2887</b>	<b>4.5897</b>	<b>0.0000</b>	<b>22,852.0306</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
<b>Percent Reduction</b>	<b>32.38</b>	<b>70.74</b>	<b>-9.25</b>	<b>0.00</b>	<b>35.22</b>	<b>91.33</b>	<b>49.17</b>	<b>41.26</b>	<b>90.79</b>	<b>63.15</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

**2.2 Overall Operational  
Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.1496	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004		2.3000e-004	2.3000e-004		0.1415	0.1415	3.7000e-004		0.1508
Energy	0.0266	0.2418	0.2031	1.4500e-003		0.0184	0.0184		0.0184	0.0184		290.1780	290.1780	5.5600e-003	5.3200e-003	291.9024
Mobile	1.5983	7.8260	22.6432	0.0962	8.9416	0.0694	9.0110	2.3922	0.0646	2.4567		9,814.4915	9,814.4915	0.4305		9,825.2535
Offroad	0.8574	8.4333	12.3412	0.0170		0.4186	0.4186		0.3851	0.3851		1,648.4864	1,648.4864	0.5332		1,661.8152

<b>Total</b>	<b>4.6319</b>	<b>16.5018</b>	<b>35.2534</b>	<b>0.1147</b>	<b>8.9416</b>	<b>0.5067</b>	<b>9.4483</b>	<b>2.3922</b>	<b>0.4683</b>	<b>2.8605</b>		<b>11,753.2974</b>	<b>11,753.2974</b>	<b>0.9696</b>	<b>5.3200e-003</b>	<b>11,779.1218</b>
--------------	---------------	----------------	----------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	--	--------------------	--------------------	---------------	--------------------	--------------------

### Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	2.1496	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004		2.3000e-004	2.3000e-004		0.1415	0.1415	3.7000e-004		0.1508
Energy	0.0266	0.2418	0.2031	1.4500e-003		0.0184	0.0184		0.0184	0.0184		290.1780	290.1780	5.5600e-003	5.3200e-003	291.9024
Mobile	1.5983	7.8260	22.6432	0.0962	8.9416	0.0694	9.0110	2.3922	0.0646	2.4567		9,814.4915	9,814.4915	0.4305		9,825.2535
Offroad	0.8574	8.4333	12.3412	0.0170		0.4186	0.4186		0.3851	0.3851		1,648.4864	1,648.4864	0.5332		1,661.8152
<b>Total</b>	<b>4.6319</b>	<b>16.5018</b>	<b>35.2534</b>	<b>0.1147</b>	<b>8.9416</b>	<b>0.5067</b>	<b>9.4483</b>	<b>2.3922</b>	<b>0.4683</b>	<b>2.8605</b>		<b>11,753.2974</b>	<b>11,753.2974</b>	<b>0.9696</b>	<b>5.3200e-003</b>	<b>11,779.1218</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Percent Reduction</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

## 3.0 Construction Detail

### Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	4/19/2021	8/18/2021	5	88	
2	Site Preparation	Site Preparation	4/19/2021	4/26/2021	5	6	
3	Grading One - Shoring 1	Grading	4/27/2021	8/18/2021	5	82	
4	Trenching	Trenching	8/19/2021	11/18/2021	5	66	
5	Grading Two - Excavation	Grading	8/19/2021	12/17/2021	5	87	
6	Grading Three - Shoring 2	Grading	8/19/2021	9/30/2021	5	31	



7	Paving One - Concrete Foundations	Paving	10/1/2021	12/17/2021	5	56
8	Building Construction	Building Construction	2/21/2022	4/18/2024	5	564
9	Architectural Coating	Architectural Coating	12/19/2023	4/18/2024	5	88
10	Paving Two - Concrete Paving	Paving	1/19/2024	4/18/2024	5	65

**Acres of Grading (Site Preparation Phase): 0**

**Acres of Grading (Grading Phase): 0**

**Acres of Paving: 5**

**Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 137,511; Non-Residential Outdoor: 45,837; Striped Parking Area:**

**OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Building Construction	Cranes	2	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Demolition	Concrete/Industrial Saws	3	8.00	81	0.73
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Demolition	Excavators	3	8.00	158	0.38
Grading One - Shoring 1	Excavators	0	0.00	0	0.00
Grading One - Shoring 1	Rubber Tired Dozers	0	0.00	0	0.00
Grading One - Shoring 1	Tractors/Loaders/Backhoes	0	0.00	0	0.00
Building Construction	Generator Sets	1	8.00	84	0.74
Paving One - Concrete Foundations	Pavers	0	0.00	0	0.00
Paving One - Concrete Foundations	Rollers	0	0.00	0	0.00
Grading One - Shoring 1	Graders	0	0.00	0	0.00
Paving One - Concrete Foundations	Paving Equipment	0	0.00	0	0.00
Site Preparation	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Site Preparation	Rubber Tired Dozers	2	8.00	247	0.40
Building Construction	Welders	1	8.00	46	0.45

Grading Two - Excavation	Excavators	2	8.00	158	0.38
Grading Three - Shoring 2	Excavators	0	0.00	0	0.00
Grading Two - Excavation	Graders	2	8.00	187	0.41
Grading Three - Shoring 2	Graders	0	0.00	0	0.00
Paving Two - Concrete Paving	Pavers	0	0.00	0	0.00
Paving Two - Concrete Paving	Paving Equipment	0	0.00	0	0.00
Paving Two - Concrete Paving	Rollers	2	8.00	80	0.38
Grading Two - Excavation	Rubber Tired Dozers	2	8.00	247	0.40
Grading Three - Shoring 2	Rubber Tired Dozers	0	0.00	0	0.00
Grading Two - Excavation	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Grading Three - Shoring 2	Tractors/Loaders/Backhoes	0	0.00	0	0.00
Demolition	Crawler Tractors	2	8.00	212	0.43
Grading One - Shoring 1	Cranes	1	8.00	231	0.29
Grading One - Shoring 1	Other Construction Equipment	1	8.00	172	0.42
Building Construction	Rollers	1	8.00	80	0.38
Paving One - Concrete Foundations	Cranes	2	8.00	231	0.29
Paving One - Concrete Foundations	Excavators	2	8.00	158	0.38
Paving One - Concrete Foundations	Forklifts	2	8.00	89	0.20
Paving One - Concrete Foundations	Generator Sets	1	8.00	84	0.74
Paving One - Concrete Foundations	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving One - Concrete Foundations	Welders	1	8.00	46	0.45
Grading Two - Excavation	Scrapers	2	8.00	367	0.48
Grading Three - Shoring 2	Bore/Drill Rigs	1	8.00	221	0.50
Trenching	Excavators	1	8.00	158	0.38
Trenching	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving Two - Concrete Paving	Cement and Mortar Mixers	2	6.00	9	0.56
Paving Two - Concrete Paving	Graders	1	8.00	187	0.41
Paving Two - Concrete Paving	Rubber Tired Loaders	1	8.00	203	0.36
Paving Two - Concrete Paving	Tractors/Loaders/Backhoes	1	8.00	97	0.37

**Trips and VMT**

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Architectural Coating	1	26.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	11	124.00	51.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Demolition	10	26.00	0.00	138.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading One - Shoring 1	2	6.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving One - Concrete Foundations	10	26.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading Two - Excavation	11	28.00	0.00	10,000.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading Three - Shoring 2	1	4.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving Two - Concrete Paving	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Trenching	3	8.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

### 3.1 Mitigation Measures Construction

Use Cleaner Engines for Construction Equipment

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

### 3.2 Demolition - 2021

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.3390	0.0000	0.3390	0.0513	0.0000	0.0513			0.0000			0.0000
Off-Road	5.0335	51.4137	33.7697	0.0670		2.4204	2.4204		2.2684	2.2684		6,449.7544	6,449.7544	1.6142		6,490.1091
Total	5.0335	51.4137	33.7697	0.0670	0.3390	2.4204	2.7595	0.0513	2.2684	2.3197		6,449.7544	6,449.7544	1.6142		6,490.1091

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0117	0.4015	0.0902	1.1800e-003	0.0274	1.2500e-003	0.0287	7.5100e-003	1.1900e-003	8.7000e-003		127.6806	127.6806	9.0500e-003		127.9068
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1199	0.0779	0.8802	2.7000e-003	0.2906	2.1400e-003	0.2928	0.0771	1.9700e-003	0.0790		269.2737	269.2737	7.2200e-003		269.4541
<b>Total</b>	<b>0.1316</b>	<b>0.4794</b>	<b>0.9704</b>	<b>3.8800e-003</b>	<b>0.3180</b>	<b>3.3900e-003</b>	<b>0.3214</b>	<b>0.0846</b>	<b>3.1600e-003</b>	<b>0.0877</b>		<b>396.9543</b>	<b>396.9543</b>	<b>0.0163</b>		<b>397.3608</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.1526	0.0000	0.1526	0.0231	0.0000	0.0231			0.0000			0.0000
Off-Road	0.7798	3.3792	38.0516	0.0670		0.1040	0.1040		0.1040	0.1040	0.0000	6,449.7544	6,449.7544	1.6142		6,490.1091
<b>Total</b>	<b>0.7798</b>	<b>3.3792</b>	<b>38.0516</b>	<b>0.0670</b>	<b>0.1526</b>	<b>0.1040</b>	<b>0.2565</b>	<b>0.0231</b>	<b>0.1040</b>	<b>0.1271</b>	<b>0.0000</b>	<b>6,449.7544</b>	<b>6,449.7544</b>	<b>1.6142</b>		<b>6,490.1091</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day				
	Hauling	0.0117	0.4015	0.0902	1.1800e-003	0.0274	1.2500e-003	0.0287	7.5100e-003	1.1900e-003	8.7000e-003	127.6806	127.6806	9.0500e-003	127.9068
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Worker	0.1199	0.0779	0.8802	2.7000e-003	0.2906	2.1400e-003	0.2928	0.0771	1.9700e-003	0.0790	269.2737	269.2737	7.2200e-003	269.4541	
<b>Total</b>	<b>0.1316</b>	<b>0.4794</b>	<b>0.9704</b>	<b>3.8800e-003</b>	<b>0.3180</b>	<b>3.3900e-003</b>	<b>0.3214</b>	<b>0.0846</b>	<b>3.1600e-003</b>	<b>0.0877</b>	<b>396.9543</b>	<b>396.9543</b>	<b>0.0163</b>	<b>397.3608</b>	

### 3.3 Site Preparation - 2021

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					12.0442	0.0000	12.0442	6.6205	0.0000	6.6205			0.0000			0.0000
Off-Road	2.4673	25.7342	12.5960	0.0233		1.2885	1.2885		1.1854	1.1854		2,256.5045	2,256.5045	0.7298		2,274.7495
<b>Total</b>	<b>2.4673</b>	<b>25.7342</b>	<b>12.5960</b>	<b>0.0233</b>	<b>12.0442</b>	<b>1.2885</b>	<b>13.3326</b>	<b>6.6205</b>	<b>1.1854</b>	<b>7.8058</b>		<b>2,256.5045</b>	<b>2,256.5045</b>	<b>0.7298</b>		<b>2,274.7495</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0461	0.0300	0.3385	1.0400e-003	0.1118	8.2000e-004	0.1126	0.0296	7.6000e-004	0.0304		103.5668	103.5668	2.7800e-003		103.6362

<b>Total</b>	<b>0.0461</b>	<b>0.0300</b>	<b>0.3385</b>	<b>1.0400e-003</b>	<b>0.1118</b>	<b>8.2000e-004</b>	<b>0.1126</b>	<b>0.0296</b>	<b>7.6000e-004</b>	<b>0.0304</b>		<b>103.5668</b>	<b>103.5668</b>	<b>2.7800e-003</b>		<b>103.6362</b>
--------------	---------------	---------------	---------------	--------------------	---------------	--------------------	---------------	---------------	--------------------	---------------	--	-----------------	-----------------	--------------------	--	-----------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Fugitive Dust					5.4199	0.0000	5.4199	2.9792	0.0000	2.9792			0.0000			0.0000
Off-Road	0.2851	1.2353	12.3513	0.0233		0.0380	0.0380		0.0380	0.0380	0.0000	2,256.5045	2,256.5045	0.7298		2,274.7495
<b>Total</b>	<b>0.2851</b>	<b>1.2353</b>	<b>12.3513</b>	<b>0.0233</b>	<b>5.4199</b>	<b>0.0380</b>	<b>5.4579</b>	<b>2.9792</b>	<b>0.0380</b>	<b>3.0172</b>	<b>0.0000</b>	<b>2,256.5045</b>	<b>2,256.5045</b>	<b>0.7298</b>		<b>2,274.7495</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0461	0.0300	0.3385	1.0400e-003	0.1118	8.2000e-004	0.1126	0.0296	7.6000e-004	0.0304		103.5668	103.5668	2.7800e-003		103.6362
<b>Total</b>	<b>0.0461</b>	<b>0.0300</b>	<b>0.3385</b>	<b>1.0400e-003</b>	<b>0.1118</b>	<b>8.2000e-004</b>	<b>0.1126</b>	<b>0.0296</b>	<b>7.6000e-004</b>	<b>0.0304</b>		<b>103.5668</b>	<b>103.5668</b>	<b>2.7800e-003</b>		<b>103.6362</b>

**3.4 Grading One - Shoring 1 - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.8255	9.1505	5.9806	0.0118		0.4222	0.4222		0.3884	0.3884		1,147.0473	1,147.0473	0.3710		1,156.3217
<b>Total</b>	<b>0.8255</b>	<b>9.1505</b>	<b>5.9806</b>	<b>0.0118</b>	<b>0.0000</b>	<b>0.4222</b>	<b>0.4222</b>	<b>0.0000</b>	<b>0.3884</b>	<b>0.3884</b>		<b>1,147.0473</b>	<b>1,147.0473</b>	<b>0.3710</b>		<b>1,156.3217</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0277	0.0180	0.2031	6.2000e-004	0.0671	4.9000e-004	0.0676	0.0178	4.5000e-004	0.0182		62.1401	62.1401	1.6700e-003		62.1817
<b>Total</b>	<b>0.0277</b>	<b>0.0180</b>	<b>0.2031</b>	<b>6.2000e-004</b>	<b>0.0671</b>	<b>4.9000e-004</b>	<b>0.0676</b>	<b>0.0178</b>	<b>4.5000e-004</b>	<b>0.0182</b>		<b>62.1401</b>	<b>62.1401</b>	<b>1.6700e-003</b>		<b>62.1817</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.1460	0.6328	7.2448	0.0118		0.0195	0.0195		0.0195	0.0195	0.0000	1,147.0473	1,147.0473	0.3710		1,156.3217
<b>Total</b>	<b>0.1460</b>	<b>0.6328</b>	<b>7.2448</b>	<b>0.0118</b>	<b>0.0000</b>	<b>0.0195</b>	<b>0.0195</b>	<b>0.0000</b>	<b>0.0195</b>	<b>0.0195</b>	<b>0.0000</b>	<b>1,147.0473</b>	<b>1,147.0473</b>	<b>0.3710</b>		<b>1,156.3217</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0277	0.0180	0.2031	6.2000e-004	0.0671	4.9000e-004	0.0676	0.0178	4.5000e-004	0.0182		62.1401	62.1401	1.6700e-003		62.1817
<b>Total</b>	<b>0.0277</b>	<b>0.0180</b>	<b>0.2031</b>	<b>6.2000e-004</b>	<b>0.0671</b>	<b>4.9000e-004</b>	<b>0.0676</b>	<b>0.0178</b>	<b>4.5000e-004</b>	<b>0.0182</b>		<b>62.1401</b>	<b>62.1401</b>	<b>1.6700e-003</b>		<b>62.1817</b>

**3.5 Trenching - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.6037	5.9450	7.7923	0.0114		0.3280	0.3280		0.3018	0.3018		1,101.9921	1,101.9921	0.3564		1,110.9023
<b>Total</b>	<b>0.6037</b>	<b>5.9450</b>	<b>7.7923</b>	<b>0.0114</b>		<b>0.3280</b>	<b>0.3280</b>		<b>0.3018</b>	<b>0.3018</b>		<b>1,101.9921</b>	<b>1,101.9921</b>	<b>0.3564</b>		<b>1,110.9023</b>



**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0369	0.0240	0.2708	8.3000e-004	0.0894	6.6000e-004	0.0901	0.0237	6.1000e-004	0.0243		82.8534	82.8534	2.2200e-003		82.9089
<b>Total</b>	<b>0.0369</b>	<b>0.0240</b>	<b>0.2708</b>	<b>8.3000e-004</b>	<b>0.0894</b>	<b>6.6000e-004</b>	<b>0.0901</b>	<b>0.0237</b>	<b>6.1000e-004</b>	<b>0.0243</b>		<b>82.8534</b>	<b>82.8534</b>	<b>2.2200e-003</b>		<b>82.9089</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.1395	0.6045	8.6022	0.0114		0.0186	0.0186		0.0186	0.0186	0.0000	1,101.9921	1,101.9921	0.3564		1,110.9023
<b>Total</b>	<b>0.1395</b>	<b>0.6045</b>	<b>8.6022</b>	<b>0.0114</b>		<b>0.0186</b>	<b>0.0186</b>		<b>0.0186</b>	<b>0.0186</b>	<b>0.0000</b>	<b>1,101.9921</b>	<b>1,101.9921</b>	<b>0.3564</b>		<b>1,110.9023</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Worker	0.0369	0.0240	0.2708	8.3000e-004	0.0894	6.6000e-004	0.0901	0.0237	6.1000e-004	0.0243		82.8534	82.8534	2.2200e-003		82.9089
<b>Total</b>	<b>0.0369</b>	<b>0.0240</b>	<b>0.2708</b>	<b>8.3000e-004</b>	<b>0.0894</b>	<b>6.6000e-004</b>	<b>0.0901</b>	<b>0.0237</b>	<b>6.1000e-004</b>	<b>0.0243</b>		<b>82.8534</b>	<b>82.8534</b>	<b>2.2200e-003</b>		<b>82.9089</b>

### 3.6 Grading Two - Excavation - 2021

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					15.3557	0.0000	15.3557	6.9837	0.0000	6.9837			0.0000			0.0000
Off-Road	5.8871	65.2985	39.0137	0.0804		2.8214	2.8214		2.5957	2.5957		7,791.6589	7,791.6589	2.5200		7,854.6584
<b>Total</b>	<b>5.8871</b>	<b>65.2985</b>	<b>39.0137</b>	<b>0.0804</b>	<b>15.3557</b>	<b>2.8214</b>	<b>18.1771</b>	<b>6.9837</b>	<b>2.5957</b>	<b>9.5794</b>		<b>7,791.6589</b>	<b>7,791.6589</b>	<b>2.5200</b>		<b>7,854.6584</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.8578	29.4249	6.6080	0.0865	2.0085	0.0915	2.1000	0.5504	0.0876	0.6380		9,358.5669	9,358.5669	0.6630		9,375.1415
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1291	0.0839	0.9479	2.9100e-003	0.3130	2.3000e-003	0.3153	0.0830	2.1200e-003	0.0851		289.9870	289.9870	7.7700e-003		290.1813

<b>Total</b>	<b>0.9869</b>	<b>29.5089</b>	<b>7.5559</b>	<b>0.0894</b>	<b>2.3215</b>	<b>0.0938</b>	<b>2.4153</b>	<b>0.6334</b>	<b>0.0897</b>	<b>0.7231</b>		<b>9,648.5539</b>	<b>9,648.5539</b>	<b>0.6708</b>		<b>9,665.3228</b>
--------------	---------------	----------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	--	-------------------	-------------------	---------------	--	-------------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					6.9101	0.0000	6.9101	3.1427	0.0000	3.1427			0.0000			0.0000
Off-Road	0.9871	4.2773	42.2180	0.0804		0.1316	0.1316		0.1316	0.1316	0.0000	7,791.6589	7,791.6589	2.5200		7,854.6584
<b>Total</b>	<b>0.9871</b>	<b>4.2773</b>	<b>42.2180</b>	<b>0.0804</b>	<b>6.9101</b>	<b>0.1316</b>	<b>7.0417</b>	<b>3.1427</b>	<b>0.1316</b>	<b>3.2743</b>	<b>0.0000</b>	<b>7,791.6589</b>	<b>7,791.6589</b>	<b>2.5200</b>		<b>7,854.6584</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.8578	29.4249	6.6080	0.0865	2.0085	0.0915	2.1000	0.5504	0.0876	0.6380		9,358.5669	9,358.5669	0.6630		9,375.1415
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1291	0.0839	0.9479	2.9100e-003	0.3130	2.3000e-003	0.3153	0.0830	2.1200e-003	0.0851		289.9870	289.9870	7.7700e-003		290.1813
<b>Total</b>	<b>0.9869</b>	<b>29.5089</b>	<b>7.5559</b>	<b>0.0894</b>	<b>2.3215</b>	<b>0.0938</b>	<b>2.4153</b>	<b>0.6334</b>	<b>0.0897</b>	<b>0.7231</b>		<b>9,648.5539</b>	<b>9,648.5539</b>	<b>0.6708</b>		<b>9,665.3228</b>

**3.7 Grading Three - Shoring 2 - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.2595	3.0379	2.0843	9.4700e-003		0.0921	0.0921		0.0847	0.0847		916.6227	916.6227	0.2965		924.0341
<b>Total</b>	<b>0.2595</b>	<b>3.0379</b>	<b>2.0843</b>	<b>9.4700e-003</b>	<b>0.0000</b>	<b>0.0921</b>	<b>0.0921</b>	<b>0.0000</b>	<b>0.0847</b>	<b>0.0847</b>		<b>916.6227</b>	<b>916.6227</b>	<b>0.2965</b>		<b>924.0341</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0185	0.0120	0.1354	4.2000e-004	0.0447	3.3000e-004	0.0450	0.0119	3.0000e-004	0.0122		41.4267	41.4267	1.1100e-003		41.4545
<b>Total</b>	<b>0.0185</b>	<b>0.0120</b>	<b>0.1354</b>	<b>4.2000e-004</b>	<b>0.0447</b>	<b>3.3000e-004</b>	<b>0.0450</b>	<b>0.0119</b>	<b>3.0000e-004</b>	<b>0.0122</b>		<b>41.4267</b>	<b>41.4267</b>	<b>1.1100e-003</b>		<b>41.4545</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.1175	0.5092	4.3090	9.4700e-003		0.0157	0.0157		0.0157	0.0157	0.0000	916.6227	916.6227	0.2965		924.0341
<b>Total</b>	<b>0.1175</b>	<b>0.5092</b>	<b>4.3090</b>	<b>9.4700e-003</b>	<b>0.0000</b>	<b>0.0157</b>	<b>0.0157</b>	<b>0.0000</b>	<b>0.0157</b>	<b>0.0157</b>	<b>0.0000</b>	<b>916.6227</b>	<b>916.6227</b>	<b>0.2965</b>		<b>924.0341</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0185	0.0120	0.1354	4.2000e-004	0.0447	3.3000e-004	0.0450	0.0119	3.0000e-004	0.0122		41.4267	41.4267	1.1100e-003		41.4545
<b>Total</b>	<b>0.0185</b>	<b>0.0120</b>	<b>0.1354</b>	<b>4.2000e-004</b>	<b>0.0447</b>	<b>3.3000e-004</b>	<b>0.0450</b>	<b>0.0119</b>	<b>3.0000e-004</b>	<b>0.0122</b>		<b>41.4267</b>	<b>41.4267</b>	<b>1.1100e-003</b>		<b>41.4545</b>

**3.8 Paving One - Concrete Foundations - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.5741	24.7848	22.7691	0.0402		1.2338	1.2338		1.1545	1.1545		3,842.9567	3,842.9567	1.0331		3,868.7840
Paving	5.1500e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>2.5793</b>	<b>24.7848</b>	<b>22.7691</b>	<b>0.0402</b>		<b>1.2338</b>	<b>1.2338</b>		<b>1.1545</b>	<b>1.1545</b>		<b>3,842.9567</b>	<b>3,842.9567</b>	<b>1.0331</b>		<b>3,868.7840</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1199	0.0779	0.8802	2.7000e-003	0.2906	2.1400e-003	0.2928	0.0771	1.9700e-003	0.0790		269.2737	269.2737	7.2200e-003		269.4541
<b>Total</b>	<b>0.1199</b>	<b>0.0779</b>	<b>0.8802</b>	<b>2.7000e-003</b>	<b>0.2906</b>	<b>2.1400e-003</b>	<b>0.2928</b>	<b>0.0771</b>	<b>1.9700e-003</b>	<b>0.0790</b>		<b>269.2737</b>	<b>269.2737</b>	<b>7.2200e-003</b>		<b>269.4541</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.4917	2.9447	25.5929	0.0402		0.0626	0.0626		0.0626	0.0626	0.0000	3,842.9567	3,842.9567	1.0331		3,868.7840
Paving	5.1500e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>0.4968</b>	<b>2.9447</b>	<b>25.5929</b>	<b>0.0402</b>		<b>0.0626</b>	<b>0.0626</b>		<b>0.0626</b>	<b>0.0626</b>	<b>0.0000</b>	<b>3,842.9567</b>	<b>3,842.9567</b>	<b>1.0331</b>		<b>3,868.7840</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Worker	0.1199	0.0779	0.8802	2.7000e-003	0.2906	2.1400e-003	0.2928	0.0771	1.9700e-003	0.0790		269.2737	269.2737	7.2200e-003		269.4541
<b>Total</b>	<b>0.1199</b>	<b>0.0779</b>	<b>0.8802</b>	<b>2.7000e-003</b>	<b>0.2906</b>	<b>2.1400e-003</b>	<b>0.2928</b>	<b>0.0771</b>	<b>1.9700e-003</b>	<b>0.0790</b>		<b>269.2737</b>	<b>269.2737</b>	<b>7.2200e-003</b>		<b>269.4541</b>

### 3.9 Building Construction - 2022

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.1968	20.9810	19.8560	0.0346		1.0592	1.0592		0.9914	0.9914		3,294.2042	3,294.2042	0.8512		3,315.4851
<b>Total</b>	<b>2.1968</b>	<b>20.9810</b>	<b>19.8560</b>	<b>0.0346</b>		<b>1.0592</b>	<b>1.0592</b>		<b>0.9914</b>	<b>0.9914</b>		<b>3,294.2042</b>	<b>3,294.2042</b>	<b>0.8512</b>		<b>3,315.4851</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1401	4.5988	1.2214	0.0125	0.3264	8.7700e-003	0.3352	0.0940	8.3800e-003	0.1024		1,337.1905	1,337.1905	0.0868		1,339.3616
Worker	0.5378	0.3356	3.8747	0.0124	1.3860	9.9100e-003	1.3959	0.3676	9.1300e-003	0.3767		1,238.1853	1,238.1853	0.0311		1,238.9623

<b>Total</b>	<b>0.6780</b>	<b>4.9343</b>	<b>5.0961</b>	<b>0.0249</b>	<b>1.7124</b>	<b>0.0187</b>	<b>1.7311</b>	<b>0.4616</b>	<b>0.0175</b>	<b>0.4791</b>		<b>2,575.3758</b>	<b>2,575.3758</b>	<b>0.1179</b>		<b>2,578.3239</b>
--------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	--	-------------------	-------------------	---------------	--	-------------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Off-Road	0.4216	2.6411	21.6934	0.0346		0.0533	0.0533		0.0533	0.0533	0.0000	3,294.2042	3,294.2042	0.8512		3,315.4851
<b>Total</b>	<b>0.4216</b>	<b>2.6411</b>	<b>21.6934</b>	<b>0.0346</b>		<b>0.0533</b>	<b>0.0533</b>		<b>0.0533</b>	<b>0.0533</b>	<b>0.0000</b>	<b>3,294.2042</b>	<b>3,294.2042</b>	<b>0.8512</b>		<b>3,315.4851</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1401	4.5988	1.2214	0.0125	0.3264	8.7700e-003	0.3352	0.0940	8.3800e-003	0.1024		1,337.1905	1,337.1905	0.0868		1,339.3616
Worker	0.5378	0.3356	3.8747	0.0124	1.3860	9.9100e-003	1.3959	0.3676	9.1300e-003	0.3767		1,238.1853	1,238.1853	0.0311		1,238.9623
<b>Total</b>	<b>0.6780</b>	<b>4.9343</b>	<b>5.0961</b>	<b>0.0249</b>	<b>1.7124</b>	<b>0.0187</b>	<b>1.7311</b>	<b>0.4616</b>	<b>0.0175</b>	<b>0.4791</b>		<b>2,575.3758</b>	<b>2,575.3758</b>	<b>0.1179</b>		<b>2,578.3239</b>

**3.9 Building Construction - 2023**

**Unmitigated Construction On-Site**



	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.0320	19.3132	19.6780	0.0346		0.9266	0.9266		0.8672	0.8672		3,295.0747	3,295.0747	0.8471		3,316.2530
<b>Total</b>	<b>2.0320</b>	<b>19.3132</b>	<b>19.6780</b>	<b>0.0346</b>		<b>0.9266</b>	<b>0.9266</b>		<b>0.8672</b>	<b>0.8672</b>		<b>3,295.0747</b>	<b>3,295.0747</b>	<b>0.8471</b>		<b>3,316.2530</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1046	3.4682	1.0800	0.0121	0.3264	4.1200e-003	0.3305	0.0940	3.9300e-003	0.0979		1,297.2445	1,297.2445	0.0752		1,299.1241
Worker	0.5072	0.3035	3.5711	0.0120	1.3860	9.6500e-003	1.3957	0.3676	8.8900e-003	0.3765		1,192.0076	1,192.0076	0.0280		1,192.7076
<b>Total</b>	<b>0.6118</b>	<b>3.7718</b>	<b>4.6512</b>	<b>0.0241</b>	<b>1.7124</b>	<b>0.0138</b>	<b>1.7262</b>	<b>0.4616</b>	<b>0.0128</b>	<b>0.4744</b>		<b>2,489.2520</b>	<b>2,489.2520</b>	<b>0.1032</b>		<b>2,491.8318</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Off-Road	0.4216	2.6411	21.6934	0.0346		0.0533	0.0533		0.0533	0.0533	0.0000	3,295.0747	3,295.0747	0.8471		3,316.2530
<b>Total</b>	<b>0.4216</b>	<b>2.6411</b>	<b>21.6934</b>	<b>0.0346</b>		<b>0.0533</b>	<b>0.0533</b>		<b>0.0533</b>	<b>0.0533</b>	<b>0.0000</b>	<b>3,295.0747</b>	<b>3,295.0747</b>	<b>0.8471</b>		<b>3,316.2530</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1046	3.4682	1.0800	0.0121	0.3264	4.1200e-003	0.3305	0.0940	3.9300e-003	0.0979		1,297.2445	1,297.2445	0.0752		1,299.1241
Worker	0.5072	0.3035	3.5711	0.0120	1.3860	9.6500e-003	1.3957	0.3676	8.8900e-003	0.3765		1,192.0076	1,192.0076	0.0280		1,192.7076
<b>Total</b>	<b>0.6118</b>	<b>3.7718</b>	<b>4.6512</b>	<b>0.0241</b>	<b>1.7124</b>	<b>0.0138</b>	<b>1.7262</b>	<b>0.4616</b>	<b>0.0128</b>	<b>0.4744</b>		<b>2,489.2520</b>	<b>2,489.2520</b>	<b>0.1032</b>		<b>2,491.8318</b>

**3.9 Building Construction - 2024**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.9057	18.0151	19.5464	0.0346		0.8205	0.8205		0.7676	0.7676		3,295.5908	3,295.5908	0.8437		3,316.6819
<b>Total</b>	<b>1.9057</b>	<b>18.0151</b>	<b>19.5464</b>	<b>0.0346</b>		<b>0.8205</b>	<b>0.8205</b>		<b>0.7676</b>	<b>0.7676</b>		<b>3,295.5908</b>	<b>3,295.5908</b>	<b>0.8437</b>		<b>3,316.6819</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1023	3.4607	1.0491	0.0121	0.3264	4.0600e-003	0.3305	0.0940	3.8800e-003	0.0978		1,292.8323	1,292.8323	0.0740		1,294.6810
Worker	0.4815	0.2765	3.3295	0.0116	1.3860	9.5200e-003	1.3956	0.3676	8.7700e-003	0.3764		1,152.7319	1,152.7319	0.0256		1,153.3729
<b>Total</b>	<b>0.5838</b>	<b>3.7372</b>	<b>4.3786</b>	<b>0.0236</b>	<b>1.7124</b>	<b>0.0136</b>	<b>1.7260</b>	<b>0.4616</b>	<b>0.0127</b>	<b>0.4742</b>		<b>2,445.5643</b>	<b>2,445.5643</b>	<b>0.0996</b>		<b>2,448.0539</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.4216	2.6411	21.6934	0.0346		0.0533	0.0533		0.0533	0.0533	0.0000	3,295.5908	3,295.5908	0.8437		3,316.6819
<b>Total</b>	<b>0.4216</b>	<b>2.6411</b>	<b>21.6934</b>	<b>0.0346</b>		<b>0.0533</b>	<b>0.0533</b>		<b>0.0533</b>	<b>0.0533</b>	<b>0.0000</b>	<b>3,295.5908</b>	<b>3,295.5908</b>	<b>0.8437</b>		<b>3,316.6819</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Vendor	0.1023	3.4607	1.0491	0.0121	0.3264	4.0600e-003	0.3305	0.0940	3.8800e-003	0.0978		1,292.8323	1,292.8323	0.0740		1,294.6810
Worker	0.4815	0.2765	3.3295	0.0116	1.3860	9.5200e-003	1.3956	0.3676	8.7700e-003	0.3764		1,152.7319	1,152.7319	0.0256		1,153.3729
<b>Total</b>	<b>0.5838</b>	<b>3.7372</b>	<b>4.3786</b>	<b>0.0236</b>	<b>1.7124</b>	<b>0.0136</b>	<b>1.7260</b>	<b>0.4616</b>	<b>0.0127</b>	<b>0.4742</b>		<b>2,445.5643</b>	<b>2,445.5643</b>	<b>0.0996</b>		<b>2,448.0539</b>

### 3.10 Architectural Coating - 2023

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	10.3586					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708		281.4481	281.4481	0.0168		281.8690
<b>Total</b>	<b>10.5503</b>	<b>1.3030</b>	<b>1.8111</b>	<b>2.9700e-003</b>		<b>0.0708</b>	<b>0.0708</b>		<b>0.0708</b>	<b>0.0708</b>		<b>281.4481</b>	<b>281.4481</b>	<b>0.0168</b>		<b>281.8690</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1064	0.0636	0.7488	2.5100e-003	0.2906	2.0200e-003	0.2926	0.0771	1.8600e-003	0.0789		249.9371	249.9371	5.8700e-003		250.0839

<b>Total</b>	<b>0.1064</b>	<b>0.0636</b>	<b>0.7488</b>	<b>2.5100e-003</b>	<b>0.2906</b>	<b>2.0200e-003</b>	<b>0.2926</b>	<b>0.0771</b>	<b>1.8600e-003</b>	<b>0.0789</b>		<b>249.9371</b>	<b>249.9371</b>	<b>5.8700e-003</b>		<b>250.0839</b>
--------------	---------------	---------------	---------------	--------------------	---------------	--------------------	---------------	---------------	--------------------	---------------	--	-----------------	-----------------	--------------------	--	-----------------

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Archit. Coating	10.3586					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1917	1.3030	1.8111	2.9700e-003		0.0708	0.0708		0.0708	0.0708	0.0000	281.4481	281.4481	0.0168		281.8690
<b>Total</b>	<b>10.5503</b>	<b>1.3030</b>	<b>1.8111</b>	<b>2.9700e-003</b>		<b>0.0708</b>	<b>0.0708</b>		<b>0.0708</b>	<b>0.0708</b>	<b>0.0000</b>	<b>281.4481</b>	<b>281.4481</b>	<b>0.0168</b>		<b>281.8690</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Category</b>	<b>lb/day</b>										<b>lb/day</b>					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1064	0.0636	0.7488	2.5100e-003	0.2906	2.0200e-003	0.2926	0.0771	1.8600e-003	0.0789		249.9371	249.9371	5.8700e-003		250.0839
<b>Total</b>	<b>0.1064</b>	<b>0.0636</b>	<b>0.7488</b>	<b>2.5100e-003</b>	<b>0.2906</b>	<b>2.0200e-003</b>	<b>0.2926</b>	<b>0.0771</b>	<b>1.8600e-003</b>	<b>0.0789</b>		<b>249.9371</b>	<b>249.9371</b>	<b>5.8700e-003</b>		<b>250.0839</b>

**3.10 Architectural Coating - 2024**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	10.3586					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
<b>Total</b>	<b>10.5394</b>	<b>1.2188</b>	<b>1.8101</b>	<b>2.9700e-003</b>		<b>0.0609</b>	<b>0.0609</b>		<b>0.0609</b>	<b>0.0609</b>		<b>281.4481</b>	<b>281.4481</b>	<b>0.0159</b>		<b>281.8443</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1010	0.0580	0.6981	2.4200e-003	0.2906	2.0000e-003	0.2926	0.0771	1.8400e-003	0.0789		241.7019	241.7019	5.3800e-003		241.8363
<b>Total</b>	<b>0.1010</b>	<b>0.0580</b>	<b>0.6981</b>	<b>2.4200e-003</b>	<b>0.2906</b>	<b>2.0000e-003</b>	<b>0.2926</b>	<b>0.0771</b>	<b>1.8400e-003</b>	<b>0.0789</b>		<b>241.7019</b>	<b>241.7019</b>	<b>5.3800e-003</b>		<b>241.8363</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					

Archit. Coating	10.3586					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
<b>Total</b>	<b>10.5394</b>	<b>1.2188</b>	<b>1.8101</b>	<b>2.9700e-003</b>		<b>0.0609</b>	<b>0.0609</b>		<b>0.0609</b>	<b>0.0609</b>	<b>0.0000</b>	<b>281.4481</b>	<b>281.4481</b>	<b>0.0159</b>		<b>281.8443</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1010	0.0580	0.6981	2.4200e-003	0.2906	2.0000e-003	0.2926	0.0771	1.8400e-003	0.0789		241.7019	241.7019	5.3800e-003		241.8363
<b>Total</b>	<b>0.1010</b>	<b>0.0580</b>	<b>0.6981</b>	<b>2.4200e-003</b>	<b>0.2906</b>	<b>2.0000e-003</b>	<b>0.2926</b>	<b>0.0771</b>	<b>1.8400e-003</b>	<b>0.0789</b>		<b>241.7019</b>	<b>241.7019</b>	<b>5.3800e-003</b>		<b>241.8363</b>

**3.11 Paving Two - Concrete Paving - 2024**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.1316	11.5252	9.5439	0.0223		0.4616	0.4616		0.4264	0.4264		2,131.6275	2,131.6275	0.6728		2,148.4468
Paving	4.4300e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>1.1361</b>	<b>11.5252</b>	<b>9.5439</b>	<b>0.0223</b>		<b>0.4616</b>	<b>0.4616</b>		<b>0.4264</b>	<b>0.4264</b>		<b>2,131.6275</b>	<b>2,131.6275</b>	<b>0.6728</b>		<b>2,148.4468</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0699	0.0401	0.4833	1.6800e-003	0.2012	1.3800e-003	0.2026	0.0534	1.2700e-003	0.0546		167.3321	167.3321	3.7200e-003		167.4251
<b>Total</b>	<b>0.0699</b>	<b>0.0401</b>	<b>0.4833</b>	<b>1.6800e-003</b>	<b>0.2012</b>	<b>1.3800e-003</b>	<b>0.2026</b>	<b>0.0534</b>	<b>1.2700e-003</b>	<b>0.0546</b>		<b>167.3321</b>	<b>167.3321</b>	<b>3.7200e-003</b>		<b>167.4251</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.2608	1.1300	12.1154	0.0223		0.0348	0.0348		0.0348	0.0348	0.0000	2,131.6275	2,131.6275	0.6728		2,148.4468
Paving	4.4300e-003					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>0.2652</b>	<b>1.1300</b>	<b>12.1154</b>	<b>0.0223</b>		<b>0.0348</b>	<b>0.0348</b>		<b>0.0348</b>	<b>0.0348</b>	<b>0.0000</b>	<b>2,131.6275</b>	<b>2,131.6275</b>	<b>0.6728</b>		<b>2,148.4468</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------



Category	lb/day										lb/day					
	Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	
Worker	0.0699	0.0401	0.4833	1.6800e-003	0.2012	1.3800e-003	0.2026	0.0534	1.2700e-003	0.0546	167.3321	167.3321	3.7200e-003		167.4251	
<b>Total</b>	<b>0.0699</b>	<b>0.0401</b>	<b>0.4833</b>	<b>1.6800e-003</b>	<b>0.2012</b>	<b>1.3800e-003</b>	<b>0.2026</b>	<b>0.0534</b>	<b>1.2700e-003</b>	<b>0.0546</b>		<b>167.3321</b>	<b>167.3321</b>	<b>3.7200e-003</b>	<b>167.4251</b>	

## 4.0 Operational Detail - Mobile

### 4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.5983	7.8260	22.6432	0.0962	8.9416	0.0694	9.0110	2.3922	0.0646	2.4567		9,814.4915	9,814.4915	0.4305		9,825.2535
Unmitigated	1.5983	7.8260	22.6432	0.0962	8.9416	0.0694	9.0110	2.3922	0.0646	2.4567		9,814.4915	9,814.4915	0.4305		9,825.2535

### 4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated Annual VMT	Mitigated Annual VMT
	Weekday	Saturday	Sunday		
Automobile Care Center	0.00	0.00	0.00		
Enclosed Parking with Elevator	0.00	0.00	0.00		
General Office Building	195.97	0.00	0.00	450,932	450,932
Government Office Building	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	833.96	833.96	833.96	3,574,127	3,574,127

Total	1,029.93	833.96	833.96	4,025,059	4,025,059
-------	----------	--------	--------	-----------	-----------

### 4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Automobile Care Center	16.60	8.40	6.90	33.00	48.00	19.00	21	51	28
Enclosed Parking with Elevator	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Government Office Building	16.60	8.40	6.90	33.00	62.00	5.00	50	34	16
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3

### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Automobile Care Center	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Enclosed Parking with Elevator	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
General Office Building	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Government Office Building	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Parking Lot	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845
Unrefrigerated Warehouse-No	0.550809	0.042355	0.203399	0.115606	0.014562	0.005806	0.021810	0.035336	0.002134	0.001736	0.004891	0.000712	0.000845

### 5.0 Energy Detail

Historical Energy Use: N

### 5.1 Mitigation Measures Energy

Percent of Electricity Use Generated with Renewable Energy

ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day									lb/day						
NaturalGas Mitigated	0.0266	0.2418	0.2031	1.4500e-003		0.0184	0.0184		0.0184	0.0184		290.1780	290.1780	5.5600e-003	5.3200e-003	291.9024
NaturalGas Unmitigated	0.0266	0.2418	0.2031	1.4500e-003		0.0184	0.0184		0.0184	0.0184		290.1780	290.1780	5.5600e-003	5.3200e-003	291.9024

## 5.2 Energy by Land Use - NaturalGas

### Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day									lb/day						
Automobile Care Center	628.69	6.7800e-003	0.0616	0.0518	3.7000e-004		4.6800e-003	4.6800e-003		4.6800e-003	4.6800e-003		73.9635	73.9635	1.4200e-003	1.3600e-003	74.4030
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
General Office Building	1531.27	0.0165	0.1501	0.1261	9.0000e-004		0.0114	0.0114		0.0114	0.0114		180.1492	180.1492	3.4500e-003	3.3000e-003	181.2197
Government Office Building	268.692	2.9000e-003	0.0263	0.0221	1.6000e-004		2.0000e-003	2.0000e-003		2.0000e-003	2.0000e-003		31.6108	31.6108	6.1000e-004	5.8000e-004	31.7987
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No	37.8629	4.1000e-004	3.7100e-003	3.1200e-003	2.0000e-005		2.8000e-004	2.8000e-004		2.8000e-004	2.8000e-004		4.4545	4.4545	9.0000e-005	8.0000e-005	4.4809
<b>Total</b>		<b>0.0266</b>	<b>0.2418</b>	<b>0.2031</b>	<b>1.4500e-003</b>		<b>0.0184</b>	<b>0.0184</b>		<b>0.0184</b>	<b>0.0184</b>		<b>290.1780</b>	<b>290.1780</b>	<b>5.5700e-003</b>	<b>5.3200e-003</b>	<b>291.9024</b>

### Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day									lb/day						

Automobile Care Center	0.62869	6.7800e-003	0.0616	0.0518	3.7000e-004		4.6800e-003	4.6800e-003		4.6800e-003	4.6800e-003		73.9635	73.9635	1.4200e-003	1.3600e-003	74.4030
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
General Office Building	1.53127	0.0165	0.1501	0.1261	9.0000e-004		0.0114	0.0114		0.0114	0.0114		180.1492	180.1492	3.4500e-003	3.3000e-003	181.2197
Government Office Building	0.268692	2.9000e-003	0.0263	0.0221	1.6000e-004		2.0000e-003	2.0000e-003		2.0000e-003	2.0000e-003		31.6108	31.6108	6.1000e-004	5.8000e-004	31.7987
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Fuel	0.0378629	4.1000e-004	3.7100e-003	3.1200e-003	2.0000e-005		2.8000e-004	2.8000e-004		2.8000e-004	2.8000e-004		4.4545	4.4545	9.0000e-005	8.0000e-005	4.4809
<b>Total</b>		<b>0.0266</b>	<b>0.2418</b>	<b>0.2031</b>	<b>1.4500e-003</b>		<b>0.0184</b>	<b>0.0184</b>		<b>0.0184</b>	<b>0.0184</b>		<b>290.1780</b>	<b>290.1780</b>	<b>5.5700e-003</b>	<b>5.3200e-003</b>	<b>291.9024</b>

## 6.0 Area Detail

### 6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Mitigated	2.1496	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004		2.3000e-004	2.3000e-004		0.1415	0.1415	3.7000e-004			0.1508
Unmitigated	2.1496	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004		2.3000e-004	2.3000e-004		0.1415	0.1415	3.7000e-004			0.1508

### 6.2 Area by SubCategory

#### Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

SubCategory	lb/day										lb/day					
Architectural Coating	0.2497					0.0000	0.0000			0.0000	0.0000			0.0000		0.0000
Consumer Products	1.8938					0.0000	0.0000			0.0000	0.0000			0.0000		0.0000
Landscaping	6.0900e-003	6.0000e-004	0.0659	0.0000		2.3000e-004	2.3000e-004			2.3000e-004	2.3000e-004	0.1415	0.1415	3.7000e-004		0.1508
<b>Total</b>	<b>2.1496</b>	<b>6.0000e-004</b>	<b>0.0659</b>	<b>0.0000</b>		<b>2.3000e-004</b>	<b>2.3000e-004</b>			<b>2.3000e-004</b>	<b>2.3000e-004</b>	<b>0.1415</b>	<b>0.1415</b>	<b>3.7000e-004</b>		<b>0.1508</b>

### Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.2497						0.0000	0.0000		0.0000			0.0000			0.0000
Consumer Products	1.8938						0.0000	0.0000		0.0000			0.0000			0.0000
Landscaping	6.0900e-003	6.0000e-004	0.0659	0.0000			2.3000e-004	2.3000e-004		2.3000e-004	2.3000e-004	0.1415	0.1415	3.7000e-004		0.1508
<b>Total</b>	<b>2.1496</b>	<b>6.0000e-004</b>	<b>0.0659</b>	<b>0.0000</b>			<b>2.3000e-004</b>	<b>2.3000e-004</b>		<b>2.3000e-004</b>	<b>2.3000e-004</b>	<b>0.1415</b>	<b>0.1415</b>	<b>3.7000e-004</b>		<b>0.1508</b>

## 7.0 Water Detail

### 7.1 Mitigation Measures Water

Use Grey Water

Install Low Flow Bathroom Faucet

Install Low Flow Kitchen Faucet

Install Low Flow Toilet

Install Low Flow Shower

Use Water Efficient Irrigation System

## 8.0 Waste Detail

### 8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

## 9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
Tractors/Loaders/Backhoes	4	8.00	260	97	0.37	Diesel
Forklifts	3	8.00	260	89	0.20	Diesel

### UnMitigated/Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Equipment Type	lb/day										lb/day					
Forklifts	0.2840	2.6638	3.4350	4.6100e-003		0.1538	0.1538		0.1415	0.1415		446.3130	446.3130	0.1444		449.9216
Tractors/Loaders/Backhoes	0.5734	5.7695	8.9062	0.0124		0.2648	0.2648		0.2436	0.2436		1,202.1734	1,202.1734	0.3888		1,211.8936
Total	0.8574	8.4333	12.3412	0.0170		0.4186	0.4186		0.3851	0.3851		1,648.4864	1,648.4864	0.5332		1,661.8152

## 10.0 Stationary Equipment

### Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
Emergency Generator	2	4	30	600	1	Diesel

### Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

## User Defined Equipment

Equipment Type	Number
----------------	--------

## 11.0 Vegetation

---

# Existing Site CalEEMod Emissions Calculations



LADWP - West LA District Yard Project - South Coast AQMD Air District, Annual

**LADWP - West LA District Yard Project Existing Setting**  
**South Coast AQMD Air District, Annual**

**1.0 Project Characteristics**

**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	9.61	1000sqft	0.22	9,610.00	0
Unrefrigerated Warehouse-No Rail	14.56	1000sqft	0.33	14,560.00	0
Automobile Care Center	6.16	1000sqft	0.14	6,161.00	0

**1.2 Other Project Characteristics**

<b>Urbanization</b>	Urban	<b>Wind Speed (m/s)</b>	2.2	<b>Precipitation Freq (Days)</b>	31
<b>Climate Zone</b>	11			<b>Operational Year</b>	2020
<b>Utility Company</b>	Los Angeles Department of Water & Power				
<b>CO2 Intensity (lb/MW hr)</b>	1227.89	<b>CH4 Intensity (lb/MW hr)</b>	0.029	<b>N2O Intensity (lb/MW hr)</b>	0.006

**1.3 User Entered Comments & Non-Default Data**

- Project Characteristics - Operational year 2020.
- Land Use - Land Use Statistics provided by LADWP.
- Construction Phase - No construction.
- Trips and VMT - No construction.
- Demolition - No construction.
- Grading - No construction.
- Vehicle Trips - No construction.

Construction Off-road Equipment Mitigation - No construction.

Operational Off-Road Equipment - Equipment information provided by LADWP.

Fleet Mix - CalEEMod defaults.

Vehicle Emission Factors - CalEEMod defaults.

Vehicle Emission Factors - CalEEMod defaults.

Vehicle Emission Factors - CalEEMod defaults.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	5.00	0.00
tblConstructionPhase	NumDays	100.00	0.00
tblConstructionPhase	NumDays	10.00	0.00
tblConstructionPhase	NumDays	2.00	0.00
tblConstructionPhase	NumDays	5.00	0.00
tblConstructionPhase	NumDays	1.00	0.00
tblGrading	AcresOfGrading	0.00	0.50
tblLandUse	LandUseSquareFeet	6,160.00	6,161.00
tblOperationalOffRoadEquipment	OperHoursPerDay	8.00	6.00
tblOperationalOffRoadEquipment	OperHoursPerDay	8.00	6.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	2.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	3.00
tblTripsAndVMT	HaulingTripNumber	0.00	40.00
tblTripsAndVMT	HaulingTripNumber	0.00	40.00
tblVehicleTrips	ST_TR	23.72	0.00
tblVehicleTrips	ST_TR	1.68	17.31
tblVehicleTrips	SU_TR	11.88	0.00
tblVehicleTrips	SU_TR	1.68	17.31
tblVehicleTrips	WD_TR	23.72	0.00
tblVehicleTrips	WD_TR	11.03	26.25
tblVehicleTrips	WD_TR	1.68	17.36

## 2.0 Emissions Summary

### 2.1 Overall Construction

#### Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2020	0.0000	0.0000	0.0000	0.0000	1.4100e-003	0.0000	1.4100e-003	3.5000e-004	0.0000	3.5000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Maximum</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>1.4100e-003</b>	<b>0.0000</b>	<b>1.4100e-003</b>	<b>3.5000e-004</b>	<b>0.0000</b>	<b>3.5000e-004</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2020	0.0000	0.0000	0.0000	0.0000	1.4100e-003	0.0000	1.4100e-003	3.5000e-004	0.0000	3.5000e-004	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Maximum</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>1.4100e-003</b>	<b>0.0000</b>	<b>1.4100e-003</b>	<b>3.5000e-004</b>	<b>0.0000</b>	<b>3.5000e-004</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Percent Reduction</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)

	Highest	
--	---------	--

## 2.2 Overall Operational Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1237	0.0000	3.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	7.5000e-004	7.5000e-004	0.0000	0.0000	8.0000e-004
Energy	1.2100e-003	0.0110	9.2300e-003	7.0000e-005		8.4000e-004	8.4000e-004		8.4000e-004	8.4000e-004	0.0000	151.2085	151.2085	3.5200e-003	9.0000e-004	151.5646
Mobile	0.1589	0.9142	2.2751	7.9600e-003	0.6377	8.0900e-003	0.6458	0.1709	7.5900e-003	0.1785	0.0000	734.1216	734.1216	0.0369	0.0000	735.0442
Offroad	0.0894	0.8688	0.8970	1.2100e-003		0.0578	0.0578		0.0532	0.0532	0.0000	105.9962	105.9962	0.0343	0.0000	106.8532
Waste						0.0000	0.0000		0.0000	0.0000	9.3701	0.0000	9.3701	0.5538	0.0000	23.2139
Water						0.0000	0.0000		0.0000	0.0000	1.7939	49.6837	51.4776	0.1854	4.5900e-003	57.4821
<b>Total</b>	<b>0.3732</b>	<b>1.7940</b>	<b>3.1817</b>	<b>9.2400e-003</b>	<b>0.6377</b>	<b>0.0667</b>	<b>0.7044</b>	<b>0.1709</b>	<b>0.0616</b>	<b>0.2325</b>	<b>11.1640</b>	<b>1,041.0107</b>	<b>1,052.1747</b>	<b>0.8139</b>	<b>5.4900e-003</b>	<b>1,074.1589</b>

## Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.1237	0.0000	3.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	7.5000e-004	7.5000e-004	0.0000	0.0000	8.0000e-004
Energy	1.2100e-003	0.0110	9.2300e-003	7.0000e-005		8.4000e-004	8.4000e-004		8.4000e-004	8.4000e-004	0.0000	151.2085	151.2085	3.5200e-003	9.0000e-004	151.5646
Mobile	0.1589	0.9142	2.2751	7.9600e-003	0.6377	8.0900e-003	0.6458	0.1709	7.5900e-003	0.1785	0.0000	734.1216	734.1216	0.0369	0.0000	735.0442

Offroad	0.0894	0.8688	0.8970	1.2100e-003		0.0578	0.0578		0.0532	0.0532	0.0000	105.9962	105.9962	0.0343	0.0000	106.8532
Waste						0.0000	0.0000		0.0000	0.0000	9.3701	0.0000	9.3701	0.5538	0.0000	23.2139
Water						0.0000	0.0000		0.0000	0.0000	1.7939	49.6837	51.4776	0.1854	4.5900e-003	57.4821
<b>Total</b>	<b>0.3732</b>	<b>1.7940</b>	<b>3.1817</b>	<b>9.2400e-003</b>	<b>0.6377</b>	<b>0.0667</b>	<b>0.7044</b>	<b>0.1709</b>	<b>0.0616</b>	<b>0.2325</b>	<b>11.1640</b>	<b>1,041.0107</b>	<b>1,052.1747</b>	<b>0.8139</b>	<b>5.4900e-003</b>	<b>1,074.1589</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

### 3.0 Construction Detail

#### Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/2/2020	1/1/2020	5	0	
2	Site Preparation	Site Preparation	1/16/2020	1/15/2020	5	0	
3	Grading	Grading	1/17/2020	1/16/2020	5	0	
4	Building Construction	Building Construction	1/21/2020	1/20/2020	5	0	
5	Paving	Paving	6/9/2020	6/8/2020	5	0	
6	Architectural Coating	Architectural Coating	6/16/2020	6/15/2020	5	0	

Acres of Grading (Site Preparation Phase): 0.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 45,497; Non-Residential Outdoor: 15,166; Striped Parking Area: 0

#### OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	1.00	247	0.40

Demolition	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Grading	Concrete/Industrial Saws	1	8.00	81	0.73
Grading	Rubber Tired Dozers	1	1.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Building Construction	Cranes	1	4.00	231	0.29
Building Construction	Forklifts	2	6.00	89	0.20
Building Construction	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving	Cement and Mortar Mixers	4	6.00	9	0.56
Paving	Pavers	1	7.00	130	0.42
Paving	Rollers	1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

### Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	4	10.00	0.00	138.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	2	5.00	0.00	40.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	40.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	5	11.00	5.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	2.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

### 3.1 Mitigation Measures Construction

Water Exposed Area

Reduce Vehicle Speed on Unpaved Roads

### 3.2 Demolition - 2020

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	tons/yr										MT/yr					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**3.3 Site Preparation - 2020**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000



<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
--------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

### 3.4 Grading - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					



### 3.5 Building Construction - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Mitigated Construction On-Site



Paving	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Paving	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

### 3.7 Architectural Coating - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					





## 4.0 Operational Detail - Mobile

### 4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1589	0.9142	2.2751	7.9600e-003	0.6377	8.0900e-003	0.6458	0.1709	7.5900e-003	0.1785	0.0000	734.1216	734.1216	0.0369	0.0000	735.0442
Unmitigated	0.1589	0.9142	2.2751	7.9600e-003	0.6377	8.0900e-003	0.6458	0.1709	7.5900e-003	0.1785	0.0000	734.1216	734.1216	0.0369	0.0000	735.0442

### 4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Automobile Care Center	0.00	0.00	0.00		
General Office Building	252.26	23.64	10.09	595,990	595,990
Unrefrigerated Warehouse-No Rail	252.76	252.03	252.03	1,082,373	1,082,373
Total	505.02	275.67	262.12	1,678,364	1,678,364

### 4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Automobile Care Center	16.60	8.40	6.90	33.00	48.00	19.00	21	51	28
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Unrefrigerated Warehouse-No	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3

### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Automobile Care Center	0.547828	0.043645	0.199892	0.122290	0.016774	0.005862	0.020637	0.032653	0.002037	0.001944	0.004777	0.000705	0.000956
General Office Building	0.547828	0.043645	0.199892	0.122290	0.016774	0.005862	0.020637	0.032653	0.002037	0.001944	0.004777	0.000705	0.000956
Unrefrigerated Warehouse-No Rail	0.547828	0.043645	0.199892	0.122290	0.016774	0.005862	0.020637	0.032653	0.002037	0.001944	0.004777	0.000705	0.000956

## 5.0 Energy Detail

Historical Energy Use: N

## 5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	139.2432	139.2432	3.2900e-003	6.8000e-004	139.5281
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	139.2432	139.2432	3.2900e-003	6.8000e-004	139.5281
NaturalGas Mitigated	1.2100e-003	0.0110	9.2300e-003	7.0000e-005		8.4000e-004	8.4000e-004		8.4000e-004	8.4000e-004	0.0000	11.9653	11.9653	2.3000e-004	2.2000e-004	12.0364
NaturalGas Unmitigated	1.2100e-003	0.0110	9.2300e-003	7.0000e-005		8.4000e-004	8.4000e-004		8.4000e-004	8.4000e-004	0.0000	11.9653	11.9653	2.3000e-004	2.2000e-004	12.0364

## 5.2 Energy by Land Use - NaturalGas

### Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Automobile Care Center	111514	6.0000e-004	5.4700e-003	4.5900e-003	3.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004	0.0000	5.9508	5.9508	1.1000e-004	1.1000e-004	5.9862

General Office Building	100040	5.4000e-004	4.9000e-003	4.1200e-003	3.0000e-005		3.7000e-004	3.7000e-004		3.7000e-004	3.7000e-004	0.0000	5.3385	5.3385	1.0000e-004	1.0000e-004	5.3702
Unrefrigerated Warehouse-No	12667.2	7.0000e-005	6.2000e-004	5.2000e-004	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.6760	0.6760	1.0000e-005	1.0000e-005	0.6800
<b>Total</b>		<b>1.2100e-003</b>	<b>0.0110</b>	<b>9.2300e-003</b>	<b>6.0000e-005</b>		<b>8.4000e-004</b>	<b>8.4000e-004</b>		<b>8.4000e-004</b>	<b>8.4000e-004</b>	<b>0.0000</b>	<b>11.9653</b>	<b>11.9653</b>	<b>2.2000e-004</b>	<b>2.2000e-004</b>	<b>12.0364</b>

**Mitigated**

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Automobile Care Center	111514	6.0000e-004	5.4700e-003	4.5900e-003	3.0000e-005		4.2000e-004	4.2000e-004		4.2000e-004	4.2000e-004	0.0000	5.9508	5.9508	1.1000e-004	1.1000e-004	5.9862
General Office Building	100040	5.4000e-004	4.9000e-003	4.1200e-003	3.0000e-005		3.7000e-004	3.7000e-004		3.7000e-004	3.7000e-004	0.0000	5.3385	5.3385	1.0000e-004	1.0000e-004	5.3702
Unrefrigerated Warehouse-No	12667.2	7.0000e-005	6.2000e-004	5.2000e-004	0.0000		5.0000e-005	5.0000e-005		5.0000e-005	5.0000e-005	0.0000	0.6760	0.6760	1.0000e-005	1.0000e-005	0.6800
<b>Total</b>		<b>1.2100e-003</b>	<b>0.0110</b>	<b>9.2300e-003</b>	<b>6.0000e-005</b>		<b>8.4000e-004</b>	<b>8.4000e-004</b>		<b>8.4000e-004</b>	<b>8.4000e-004</b>	<b>0.0000</b>	<b>11.9653</b>	<b>11.9653</b>	<b>2.2000e-004</b>	<b>2.2000e-004</b>	<b>12.0364</b>

**5.3 Energy by Land Use - Electricity**

**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Automobile Care Center	68387.1	38.0890	9.0000e-004	1.9000e-004	38.1669
General Office Building	124834	69.5277	1.6400e-003	3.4000e-004	69.6700
Unrefrigerated Warehouse-No	56784	31.6265	7.5000e-004	1.5000e-004	31.6912
<b>Total</b>		<b>139.2432</b>	<b>3.2900e-003</b>	<b>6.8000e-004</b>	<b>139.5282</b>

## Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Automobile Care Center	68387.1	38.0890	9.0000e-004	1.9000e-004	38.1669
General Office Building	124834	69.5277	1.6400e-003	3.4000e-004	69.6700
Unrefrigerated Warehouse-No Post	56784	31.6265	7.5000e-004	1.5000e-004	31.6912
<b>Total</b>		<b>139.2432</b>	<b>3.2900e-003</b>	<b>6.8000e-004</b>	<b>139.5282</b>

## 6.0 Area Detail

### 6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.1237	0.0000	3.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	7.5000e-004	7.5000e-004	0.0000	0.0000	8.0000e-004
Unmitigated	0.1237	0.0000	3.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	7.5000e-004	7.5000e-004	0.0000	0.0000	8.0000e-004

## 6.2 Area by SubCategory

### Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0141					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1096					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	4.0000e-005	0.0000	3.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	7.5000e-004	7.5000e-004	0.0000	0.0000	8.0000e-004
<b>Total</b>	<b>0.1237</b>	<b>0.0000</b>	<b>3.9000e-004</b>	<b>0.0000</b>		<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>7.5000e-004</b>	<b>7.5000e-004</b>	<b>0.0000</b>	<b>0.0000</b>	<b>8.0000e-004</b>

### Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.0141					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.1096					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	4.0000e-005	0.0000	3.9000e-004	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	7.5000e-004	7.5000e-004	0.0000	0.0000	8.0000e-004
<b>Total</b>	<b>0.1237</b>	<b>0.0000</b>	<b>3.9000e-004</b>	<b>0.0000</b>		<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>7.5000e-004</b>	<b>7.5000e-004</b>	<b>0.0000</b>	<b>0.0000</b>	<b>8.0000e-004</b>

## 7.0 Water Detail

### 7.1 Mitigation Measures Water

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	51.4776	0.1854	4.5900e-003	57.4821
Unmitigated	51.4776	0.1854	4.5900e-003	57.4821

## 7.2 Water by Land Use

### Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Automobile Care Center	0.57954 / 0.355202	6.5847	0.0190	4.8000e-004	7.2028
General Office Building	1.70802 / 1.04685	19.4065	0.0561	1.4100e-003	21.2282
Unrefrigerated Warehouse-No	3.367 / 0	25.4863	0.1103	2.7100e-003	29.0512
<b>Total</b>		<b>51.4776</b>	<b>0.1854</b>	<b>4.6000e-003</b>	<b>57.4821</b>

### Mitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
--	--------------------	-----------	-----	-----	------

Land Use	Mgal	MT/yr			
Automobile Care Center	0.57954 / 0.355202	6.5847	0.0190	4.8000e-004	7.2028
General Office Building	1.70802 / 1.04685	19.4065	0.0561	1.4100e-003	21.2282
Unrefrigerated Warehouse-No	3.367 / 0	25.4863	0.1103	2.7100e-003	29.0512
<b>Total</b>		<b>51.4776</b>	<b>0.1854</b>	<b>4.6000e-003</b>	<b>57.4821</b>

## 8.0 Waste Detail

---

### 8.1 Mitigation Measures Waste

#### Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	9.3701	0.5538	0.0000	23.2139
Unmitigated	9.3701	0.5538	0.0000	23.2139

### 8.2 Waste by Land Use

#### Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			

Automobile Care Center	23.53	4.7764	0.2823	0.0000	11.8333
General Office Building	8.94	1.8147	0.1073	0.0000	4.4959
Unrefrigerated Warehouse-No	13.69	2.7790	0.1642	0.0000	6.8847
<b>Total</b>		<b>9.3701</b>	<b>0.5538</b>	<b>0.0000</b>	<b>23.2139</b>

**Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Automobile Care Center	23.53	4.7764	0.2823	0.0000	11.8333
General Office Building	8.94	1.8147	0.1073	0.0000	4.4959
Unrefrigerated Warehouse-No	13.69	2.7790	0.1642	0.0000	6.8847
<b>Total</b>		<b>9.3701</b>	<b>0.5538</b>	<b>0.0000</b>	<b>23.2139</b>

**9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
Forklifts	2	6.00	260	89	0.20	Diesel
Tractors/Loaders/Backhoes	3	6.00	260	97	0.37	Diesel

**UnMitigated/Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------



Equipment Type	tons/yr										MT/yr					
	Forklifts	0.0281	0.2530	0.2302	3.0000e-004		0.0189	0.0189		0.0173	0.0173	0.0000	26.1868	26.1868	8.4700e-003	0.0000
Tractors/Loaders/Backhoes	0.0613	0.6158	0.6668	9.1000e-004		0.0389	0.0389		0.0358	0.0358	0.0000	79.8094	79.8094	0.0258	0.0000	80.4547
<b>Total</b>	<b>0.0894</b>	<b>0.8688</b>	<b>0.8970</b>	<b>1.2100e-003</b>		<b>0.0578</b>	<b>0.0578</b>		<b>0.0532</b>	<b>0.0532</b>	<b>0.0000</b>	<b>105.9962</b>	<b>105.9962</b>	<b>0.0343</b>	<b>0.0000</b>	<b>106.8532</b>

## 10.0 Stationary Equipment

---

### Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

### Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

### User Defined Equipment

Equipment Type	Number
----------------	--------

## 11.0 Vegetation

---

LADWP - West LA District Yard Project - South Coast AQMD Air District, Summer

**LADWP - West LA District Yard Project**  
**South Coast AQMD Air District, Summer**

**1.0 Project Characteristics**

**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	9.61	1000sqft	0.22	9,610.00	0
Unrefrigerated Warehouse-No Rail	14.56	1000sqft	0.33	14,560.00	0
Automobile Care Center	6.16	1000sqft	0.14	6,161.00	0

**1.2 Other Project Characteristics**

<b>Urbanization</b>	Urban	<b>Wind Speed (m/s)</b>	2.2	<b>Precipitation Freq (Days)</b>	31
<b>Climate Zone</b>	11			<b>Operational Year</b>	2020
<b>Utility Company</b>	Los Angeles Department of Water & Power				
<b>CO2 Intensity (lb/MW hr)</b>	1227.89	<b>CH4 Intensity (lb/MW hr)</b>	0.029	<b>N2O Intensity (lb/MW hr)</b>	0.006

**1.3 User Entered Comments & Non-Default Data**

Project Characteristics - Operational year 2020.

Land Use - Land Use Statistics provided by LADWP.

Construction Phase - No construction.

Trips and VMT - No construction.

Demolition - No construction.

Grading - No construction.

Vehicle Trips - No construction.

Construction Off-road Equipment Mitigation - No construction.

Operational Off-Road Equipment - Equipment information provided by LADWP.

Fleet Mix - CalEEMod defaults.

Vehicle Emission Factors - CalEEMod defaults.

Vehicle Emission Factors - CalEEMod defaults.

Vehicle Emission Factors - CalEEMod defaults.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	5.00	0.00
tblConstructionPhase	NumDays	100.00	0.00
tblConstructionPhase	NumDays	10.00	0.00
tblConstructionPhase	NumDays	2.00	0.00
tblConstructionPhase	NumDays	5.00	0.00
tblConstructionPhase	NumDays	1.00	0.00
tblGrading	AcresOfGrading	0.00	0.50
tblLandUse	LandUseSquareFeet	6,160.00	6,161.00
tblOperationalOffRoadEquipment	OperHoursPerDay	8.00	6.00
tblOperationalOffRoadEquipment	OperHoursPerDay	8.00	6.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	2.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	3.00
tblTripsAndVMT	HaulingTripNumber	0.00	40.00
tblTripsAndVMT	HaulingTripNumber	0.00	40.00
tblVehicleTrips	ST_TR	23.72	0.00
tblVehicleTrips	ST_TR	1.68	17.31
tblVehicleTrips	SU_TR	11.88	0.00
tblVehicleTrips	SU_TR	1.68	17.31
tblVehicleTrips	WD_TR	23.72	0.00
tblVehicleTrips	WD_TR	11.03	26.25
tblVehicleTrips	WD_TR	1.68	17.36

## 2.0 Emissions Summary

### 2.1 Overall Construction (Maximum Daily Emission)

#### Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2020	0.0000	0.0000	0.0000	0.0000	0.0000	2.4967	0.0000	0.0000	2.3481	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Maximum</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>2.4967</b>	<b>0.0000</b>	<b>0.0000</b>	<b>2.3481</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2020	0.0000	0.0000	0.0000	0.0000	0.0000	2.4967	0.0000	0.0000	2.3481	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Maximum</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>2.4967</b>	<b>0.0000</b>	<b>0.0000</b>	<b>2.3481</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Percent Reduction</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

### 2.2 Overall Operational



### 3.0 Construction Detail

#### Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/2/2020	1/1/2020	5	0	
2	Site Preparation	Site Preparation	1/16/2020	1/15/2020	5	0	
3	Grading	Grading	1/17/2020	1/16/2020	5	0	
4	Building Construction	Building Construction	1/21/2020	1/20/2020	5	0	
5	Paving	Paving	6/9/2020	6/8/2020	5	0	
6	Architectural Coating	Architectural Coating	6/16/2020	6/15/2020	5	0	

Acres of Grading (Site Preparation Phase): 0.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 45,497; Non-Residential Outdoor: 15,166; Striped Parking Area: 0

#### OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	1.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Grading	Concrete/Industrial Saws	1	8.00	81	0.73
Grading	Rubber Tired Dozers	1	1.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Building Construction	Cranes	1	4.00	231	0.29
Building Construction	Forklifts	2	6.00	89	0.20
Building Construction	Tractors/Loaders/Backhoes	2	8.00	97	0.37



<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
--------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction Off-Site**



	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

### 3.3 Site Preparation - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					



### 3.4 Grading - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Mitigated Construction On-Site



<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
--------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

### 3.6 Paving - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Paving	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					



### 3.7 Architectural Coating - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Mitigated Construction On-Site



	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**4.0 Operational Detail - Mobile**

**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day			
Mitigated	1.0665	5.4772	14.9358	0.0515	4.0313	0.0502	4.0815	1.0787	0.0472	1.1259	5,234.8708	5,234.8708	0.2561	5,241.2722
Unmitigated	1.0665	5.4772	14.9358	0.0515	4.0313	0.0502	4.0815	1.0787	0.0472	1.1259	5,234.8708	5,234.8708	0.2561	5,241.2722

#### 4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated Annual VMT	Mitigated Annual VMT
	Weekday	Saturday	Sunday		
Automobile Care Center	0.00	0.00	0.00		
General Office Building	252.26	23.64	10.09	595,990	595,990
Unrefrigerated Warehouse-No Rail	252.76	252.03	252.03	1,082,373	1,082,373
<b>Total</b>	<b>505.02</b>	<b>275.67</b>	<b>262.12</b>	<b>1,678,364</b>	<b>1,678,364</b>

#### 4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Automobile Care Center	16.60	8.40	6.90	33.00	48.00	19.00	21	51	28
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Unrefrigerated Warehouse-No Rail	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3

#### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Automobile Care Center	0.547828	0.043645	0.199892	0.122290	0.016774	0.005862	0.020637	0.032653	0.002037	0.001944	0.004777	0.000705	0.000956
General Office Building	0.547828	0.043645	0.199892	0.122290	0.016774	0.005862	0.020637	0.032653	0.002037	0.001944	0.004777	0.000705	0.000956
Unrefrigerated Warehouse-No Rail	0.547828	0.043645	0.199892	0.122290	0.016774	0.005862	0.020637	0.032653	0.002037	0.001944	0.004777	0.000705	0.000956

#### 5.0 Energy Detail

Historical Energy Use: N

#### 5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	6.6200e-003	0.0602	0.0506	3.6000e-004		4.5800e-003	4.5800e-003		4.5800e-003	4.5800e-003		72.2712	72.2712	1.3900e-003	1.3200e-003	72.7007
NaturalGas Unmitigated	6.6200e-003	0.0602	0.0506	3.6000e-004		4.5800e-003	4.5800e-003		4.5800e-003	4.5800e-003		72.2712	72.2712	1.3900e-003	1.3200e-003	72.7007

## 5.2 Energy by Land Use - NaturalGas

### Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Automobile Care Center	305.518	3.2900e-003	0.0300	0.0252	1.8000e-004		2.2800e-003	2.2800e-003		2.2800e-003	2.2800e-003		35.9433	35.9433	6.9000e-004	6.6000e-004	36.1569
General Office Building	274.082	2.9600e-003	0.0269	0.0226	1.6000e-004		2.0400e-003	2.0400e-003		2.0400e-003	2.0400e-003		32.2450	32.2450	6.2000e-004	5.9000e-004	32.4366
Unrefrigerated Warehouse-No	34.7047	3.7000e-004	3.4000e-003	2.8600e-003	2.0000e-005		2.6000e-004	2.6000e-004		2.6000e-004	2.6000e-004		4.0829	4.0829	8.0000e-005	7.0000e-005	4.1072
<b>Total</b>		<b>6.6200e-003</b>	<b>0.0602</b>	<b>0.0506</b>	<b>3.6000e-004</b>		<b>4.5800e-003</b>	<b>4.5800e-003</b>		<b>4.5800e-003</b>	<b>4.5800e-003</b>		<b>72.2712</b>	<b>72.2712</b>	<b>1.3900e-003</b>	<b>1.3200e-003</b>	<b>72.7007</b>

### Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	----------------	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Land Use	kBTU/yr	lb/day										lb/day				
Automobile Care Center	0.305518	3.2900e-003	0.0300	0.0252	1.8000e-004	2.2800e-003	2.2800e-003	2.2800e-003	2.2800e-003	2.2800e-003	2.2800e-003	35.9433	35.9433	6.9000e-004	6.6000e-004	36.1569
General Office Building	0.274082	2.9600e-003	0.0269	0.0226	1.6000e-004	2.0400e-003	2.0400e-003	2.0400e-003	2.0400e-003	2.0400e-003	2.0400e-003	32.2450	32.2450	6.2000e-004	5.9000e-004	32.4366
Unrefrigerated Warehouse-No	0.0347047	3.7000e-004	3.4000e-003	2.8600e-003	2.0000e-005	2.6000e-004	2.6000e-004	2.6000e-004	2.6000e-004	2.6000e-004	2.6000e-004	4.0829	4.0829	8.0000e-005	7.0000e-005	4.1072
<b>Total</b>		<b>6.6200e-003</b>	<b>0.0602</b>	<b>0.0506</b>	<b>3.6000e-004</b>	<b>4.5800e-003</b>	<b>4.5800e-003</b>	<b>4.5800e-003</b>	<b>4.5800e-003</b>	<b>4.5800e-003</b>	<b>4.5800e-003</b>	<b>72.2712</b>	<b>72.2712</b>	<b>1.3900e-003</b>	<b>1.3200e-003</b>	<b>72.7007</b>

## 6.0 Area Detail

### 6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.6779	3.0000e-005	3.1200e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.6400e-003	6.6400e-003	2.0000e-005		7.0800e-003
Unmitigated	0.6779	3.0000e-005	3.1200e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.6400e-003	6.6400e-003	2.0000e-005		7.0800e-003

### 6.2 Area by SubCategory

#### Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					

Architectural Coating	0.0770					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.6006					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	2.9000e-004	3.0000e-005	3.1200e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.6400e-003	6.6400e-003	2.0000e-005		7.0800e-003
<b>Total</b>	<b>0.6779</b>	<b>3.0000e-005</b>	<b>3.1200e-003</b>	<b>0.0000</b>		<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>6.6400e-003</b>	<b>6.6400e-003</b>	<b>2.0000e-005</b>		<b>7.0800e-003</b>

**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0770					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.6006					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	2.9000e-004	3.0000e-005	3.1200e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.6400e-003	6.6400e-003	2.0000e-005		7.0800e-003
<b>Total</b>	<b>0.6779</b>	<b>3.0000e-005</b>	<b>3.1200e-003</b>	<b>0.0000</b>		<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>6.6400e-003</b>	<b>6.6400e-003</b>	<b>2.0000e-005</b>		<b>7.0800e-003</b>

**7.0 Water Detail**

**7.1 Mitigation Measures Water**

**8.0 Waste Detail**

**8.1 Mitigation Measures Waste**

**9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
Forklifts	2	6.00	260	89	0.20	Diesel

Tractors/Loaders/Backhoes	3	6.00	260	97	0.37	Diesel
---------------------------	---	------	-----	----	------	--------

**UnMitigated/Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Equipment Type	lb/day										lb/day					
Forklifts	0.2160	1.9463	1.7704	2.2900e-003		0.1450	0.1450		0.1334	0.1334		222.0463	222.0463	0.0718		223.8416
Tractors/Loaders/Backhoes	0.4714	4.7366	5.1293	6.9900e-003		0.2995	0.2995		0.2756	0.2756		676.7291	676.7291	0.2189		682.2008
<b>Total</b>	<b>0.6874</b>	<b>6.6828</b>	<b>6.8997</b>	<b>9.2800e-003</b>		<b>0.4445</b>	<b>0.4445</b>		<b>0.4090</b>	<b>0.4090</b>		<b>898.7754</b>	<b>898.7754</b>	<b>0.2907</b>		<b>906.0424</b>

**10.0 Stationary Equipment**

**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

**Boilers**

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

**User Defined Equipment**

Equipment Type	Number
----------------	--------

**11.0 Vegetation**

LADWP - West LA District Yard Project - South Coast AQMD Air District, Winter

**LADWP - West LA District Yard Project**  
**South Coast AQMD Air District, Winter**

**1.0 Project Characteristics**

**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	9.61	1000sqft	0.22	9,610.00	0
Unrefrigerated Warehouse-No Rail	14.56	1000sqft	0.33	14,560.00	0
Automobile Care Center	6.16	1000sqft	0.14	6,161.00	0

**1.2 Other Project Characteristics**

<b>Urbanization</b>	Urban	<b>Wind Speed (m/s)</b>	2.2	<b>Precipitation Freq (Days)</b>	31
<b>Climate Zone</b>	11			<b>Operational Year</b>	2020
<b>Utility Company</b>	Los Angeles Department of Water & Power				
<b>CO2 Intensity (lb/MW hr)</b>	1227.89	<b>CH4 Intensity (lb/MW hr)</b>	0.029	<b>N2O Intensity (lb/MW hr)</b>	0.006

**1.3 User Entered Comments & Non-Default Data**

Project Characteristics - Operational year 2020.

Land Use - Land Use Statistics provided by LADWP.

Construction Phase - No construction.

Trips and VMT - No construction.

Demolition - No construction.

Grading - No construction.

Vehicle Trips - No construction.

Construction Off-road Equipment Mitigation - No construction.

Operational Off-Road Equipment - Equipment information provided by LADWP.

Fleet Mix - CalEEMod defaults.

Vehicle Emission Factors - CalEEMod defaults.

Vehicle Emission Factors - CalEEMod defaults.

Vehicle Emission Factors - CalEEMod defaults.

Table Name	Column Name	Default Value	New Value
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	5.00	0.00
tblConstructionPhase	NumDays	100.00	0.00
tblConstructionPhase	NumDays	10.00	0.00
tblConstructionPhase	NumDays	2.00	0.00
tblConstructionPhase	NumDays	5.00	0.00
tblConstructionPhase	NumDays	1.00	0.00
tblGrading	AcresOfGrading	0.00	0.50
tblLandUse	LandUseSquareFeet	6,160.00	6,161.00
tblOperationalOffRoadEquipment	OperHoursPerDay	8.00	6.00
tblOperationalOffRoadEquipment	OperHoursPerDay	8.00	6.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	2.00
tblOperationalOffRoadEquipment	OperOffRoadEquipmentNumber	0.00	3.00
tblTripsAndVMT	HaulingTripNumber	0.00	40.00
tblTripsAndVMT	HaulingTripNumber	0.00	40.00
tblVehicleTrips	ST_TR	23.72	0.00
tblVehicleTrips	ST_TR	1.68	17.31
tblVehicleTrips	SU_TR	11.88	0.00
tblVehicleTrips	SU_TR	1.68	17.31
tblVehicleTrips	WD_TR	23.72	0.00
tblVehicleTrips	WD_TR	11.03	26.25
tblVehicleTrips	WD_TR	1.68	17.36



## 2.0 Emissions Summary

### 2.1 Overall Construction (Maximum Daily Emission)

#### Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2020	0.0000	0.0000	0.0000	0.0000	0.0000	2.4997	0.0000	0.0000	2.3509	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Maximum</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>2.4997</b>	<b>0.0000</b>	<b>0.0000</b>	<b>2.3509</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2020	0.0000	0.0000	0.0000	0.0000	0.0000	2.4997	0.0000	0.0000	2.3509	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Maximum</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>2.4997</b>	<b>0.0000</b>	<b>0.0000</b>	<b>2.3509</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
<b>Percent Reduction</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>

### 2.2 Overall Operational



### 3.0 Construction Detail

#### Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/2/2020	1/1/2020	5	0	
2	Site Preparation	Site Preparation	1/16/2020	1/15/2020	5	0	
3	Grading	Grading	1/17/2020	1/16/2020	5	0	
4	Building Construction	Building Construction	1/21/2020	1/20/2020	5	0	
5	Paving	Paving	6/9/2020	6/8/2020	5	0	
6	Architectural Coating	Architectural Coating	6/16/2020	6/15/2020	5	0	

Acres of Grading (Site Preparation Phase): 0.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 45,497; Non-Residential Outdoor: 15,166; Striped Parking Area: 0

#### OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	1.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Grading	Concrete/Industrial Saws	1	8.00	81	0.73
Grading	Rubber Tired Dozers	1	1.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Building Construction	Cranes	1	4.00	231	0.29
Building Construction	Forklifts	2	6.00	89	0.20
Building Construction	Tractors/Loaders/Backhoes	2	8.00	97	0.37



<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
--------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

### 3.3 Site Preparation - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					



### 3.4 Grading - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Mitigated Construction On-Site





<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>
--------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

### 3.6 Paving - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Paving	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					



### 3.7 Architectural Coating - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

#### Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**4.0 Operational Detail - Mobile**

**4.1 Mitigation Measures Mobile**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------

Category	lb/day										lb/day			
	1.0173	5.6156	13.9318	0.0488	4.0313	0.0505	4.0818	1.0787	0.0474	1.1261	4,956.9829	4,956.9829	0.2546	4,963.3482
Mitigated	1.0173	5.6156	13.9318	0.0488	4.0313	0.0505	4.0818	1.0787	0.0474	1.1261	4,956.9829	4,956.9829	0.2546	4,963.3482
Unmitigated	1.0173	5.6156	13.9318	0.0488	4.0313	0.0505	4.0818	1.0787	0.0474	1.1261	4,956.9829	4,956.9829	0.2546	4,963.3482

#### 4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Automobile Care Center	0.00	0.00	0.00		
General Office Building	252.26	23.64	10.09	595,990	595,990
Unrefrigerated Warehouse-No Rail	252.76	252.03	252.03	1,082,373	1,082,373
Total	505.02	275.67	262.12	1,678,364	1,678,364

#### 4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Automobile Care Center	16.60	8.40	6.90	33.00	48.00	19.00	21	51	28
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Unrefrigerated Warehouse-No Rail	16.60	8.40	6.90	59.00	0.00	41.00	92	5	3

#### 4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Automobile Care Center	0.547828	0.043645	0.199892	0.122290	0.016774	0.005862	0.020637	0.032653	0.002037	0.001944	0.004777	0.000705	0.000956
General Office Building	0.547828	0.043645	0.199892	0.122290	0.016774	0.005862	0.020637	0.032653	0.002037	0.001944	0.004777	0.000705	0.000956
Unrefrigerated Warehouse-No Rail	0.547828	0.043645	0.199892	0.122290	0.016774	0.005862	0.020637	0.032653	0.002037	0.001944	0.004777	0.000705	0.000956

#### 5.0 Energy Detail

Historical Energy Use: N

#### 5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	6.6200e-003	0.0602	0.0506	3.6000e-004		4.5800e-003	4.5800e-003		4.5800e-003	4.5800e-003		72.2712	72.2712	1.3900e-003	1.3200e-003	72.7007
NaturalGas Unmitigated	6.6200e-003	0.0602	0.0506	3.6000e-004		4.5800e-003	4.5800e-003		4.5800e-003	4.5800e-003		72.2712	72.2712	1.3900e-003	1.3200e-003	72.7007

## 5.2 Energy by Land Use - NaturalGas Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Automobile Care Center	305.518	3.2900e-003	0.0300	0.0252	1.8000e-004		2.2800e-003	2.2800e-003		2.2800e-003	2.2800e-003		35.9433	35.9433	6.9000e-004	6.6000e-004	36.1569
General Office Building	274.082	2.9600e-003	0.0269	0.0226	1.6000e-004		2.0400e-003	2.0400e-003		2.0400e-003	2.0400e-003		32.2450	32.2450	6.2000e-004	5.9000e-004	32.4366
Unrefrigerated Warehouse-No	34.7047	3.7000e-004	3.4000e-003	2.8600e-003	2.0000e-005		2.6000e-004	2.6000e-004		2.6000e-004	2.6000e-004		4.0829	4.0829	8.0000e-005	7.0000e-005	4.1072
<b>Total</b>		<b>6.6200e-003</b>	<b>0.0602</b>	<b>0.0506</b>	<b>3.6000e-004</b>		<b>4.5800e-003</b>	<b>4.5800e-003</b>		<b>4.5800e-003</b>	<b>4.5800e-003</b>		<b>72.2712</b>	<b>72.2712</b>	<b>1.3900e-003</b>	<b>1.3200e-003</b>	<b>72.7007</b>

## Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
--	----------------	-----	-----	----	-----	---------------	--------------	------------	----------------	---------------	-------------	----------	-----------	-----------	-----	-----	------



Land Use	kBTU/yr	lb/day									lb/day				
Automobile Care Center	0.305518	3.2900e-003	0.0300	0.0252	1.8000e-004	2.2800e-003	2.2800e-003	2.2800e-003	2.2800e-003	2.2800e-003	35.9433	35.9433	6.9000e-004	6.6000e-004	36.1569
General Office Building	0.274082	2.9600e-003	0.0269	0.0226	1.6000e-004	2.0400e-003	2.0400e-003	2.0400e-003	2.0400e-003	2.0400e-003	32.2450	32.2450	6.2000e-004	5.9000e-004	32.4366
Unrefrigerated Warehouse-No	0.0347047	3.7000e-004	3.4000e-003	2.8600e-003	2.0000e-005	2.6000e-004	2.6000e-004	2.6000e-004	2.6000e-004	2.6000e-004	4.0829	4.0829	8.0000e-005	7.0000e-005	4.1072
<b>Total</b>		<b>6.6200e-003</b>	<b>0.0602</b>	<b>0.0506</b>	<b>3.6000e-004</b>	<b>4.5800e-003</b>	<b>4.5800e-003</b>	<b>4.5800e-003</b>	<b>4.5800e-003</b>	<b>4.5800e-003</b>	<b>72.2712</b>	<b>72.2712</b>	<b>1.3900e-003</b>	<b>1.3200e-003</b>	<b>72.7007</b>

## 6.0 Area Detail

### 6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.6779	3.0000e-005	3.1200e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.6400e-003	6.6400e-003	2.0000e-005		7.0800e-003
Unmitigated	0.6779	3.0000e-005	3.1200e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.6400e-003	6.6400e-003	2.0000e-005		7.0800e-003

### 6.2 Area by SubCategory

#### Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					

Architectural Coating	0.0770					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.6006					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	2.9000e-004	3.0000e-005	3.1200e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.6400e-003	6.6400e-003	2.0000e-005		7.0800e-003
<b>Total</b>	<b>0.6779</b>	<b>3.0000e-005</b>	<b>3.1200e-003</b>	<b>0.0000</b>		<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>6.6400e-003</b>	<b>6.6400e-003</b>	<b>2.0000e-005</b>		<b>7.0800e-003</b>

**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0770					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.6006					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	2.9000e-004	3.0000e-005	3.1200e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.6400e-003	6.6400e-003	2.0000e-005		7.0800e-003
<b>Total</b>	<b>0.6779</b>	<b>3.0000e-005</b>	<b>3.1200e-003</b>	<b>0.0000</b>		<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>6.6400e-003</b>	<b>6.6400e-003</b>	<b>2.0000e-005</b>		<b>7.0800e-003</b>

**7.0 Water Detail**

**7.1 Mitigation Measures Water**

**8.0 Waste Detail**

**8.1 Mitigation Measures Waste**

**9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
Forklifts	2	6.00	260	89	0.20	Diesel

Tractors/Loaders/Backhoes	3	6.00	260	97	0.37	Diesel
---------------------------	---	------	-----	----	------	--------

**UnMitigated/Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Equipment Type	lb/day										lb/day					
Forklifts	0.2160	1.9463	1.7704	2.2900e-003		0.1450	0.1450		0.1334	0.1334		222.0463	222.0463	0.0718		223.8416
Tractors/Loaders/Backhoes	0.4714	4.7366	5.1293	6.9900e-003		0.2995	0.2995		0.2756	0.2756		676.7291	676.7291	0.2189		682.2008
<b>Total</b>	<b>0.6874</b>	<b>6.6828</b>	<b>6.8997</b>	<b>9.2800e-003</b>		<b>0.4445</b>	<b>0.4445</b>		<b>0.4090</b>	<b>0.4090</b>		<b>898.7754</b>	<b>898.7754</b>	<b>0.2907</b>		<b>906.0424</b>

**10.0 Stationary Equipment**

**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

**Boilers**

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

**User Defined Equipment**

Equipment Type	Number
----------------	--------

**11.0 Vegetation**

# Proposed Project Energy Demand Calculations

## LADWP West Yard

### Project Operational Energy Demand

#### Mobile Source Gasoline Demand

Project Facility	Vehicle MT CO <sub>2</sub>	Kg CO <sub>2</sub> /Gallon	Gallons
Corporate Yard	1,458.01	8.78	166,060.21

#### Mobile Source Diesel Demand

Project Facility	Vehicle MT CO <sub>2</sub>	Kg CO <sub>2</sub> /Gallon	Gallons
Corporate Yard	113.81	10.21	11,146.89

#### Electricity Demand

Project Consumption	kWh/Year
Project Buildings	569,720.00
Water/Wastewater	15,242.14
<b>Total</b>	<b>584,962.14</b>

#### Natural Gas Demand

Project Facility	kBTu/Year
Corporate Yard	624,600.00
<b>Total</b>	<b>624,600.00</b>

**LADWP West Yard Project**  
**Project Construction Energy Demand**

**Construction Worker Gasoline Demand**

Phase	Trips	Vehicle CO <sub>2</sub> (MT)	Kg CO2/Gallon	Gallons
Demolition	26	10.93	8.78	1,245.19
Site Preparation	10	0.29	8.78	32.65
Grading One - Shoring 1	6	2.35	8.78	267.76
Trenching	8	2.52	8.78	287.35
Grading Two - Excavation	28	11.64	8.78	1,325.73
Grading Three - Shoring 2	4	0.59	8.78	67.48
Paving One - Concrete Foundations	26	36.49	8.78	4,156.15
Building Construction	124	313.55	8.78	35,711.96
Architectural Coating	26	9.85	8.78	1,121.63
Paving Two - Concrete Paving	18	5.02	8.78	571.57
<b>Total</b>				<b>44,787.47</b>

**Construction Vendor Diesel Demand**

Phase	Trips	Vehicle CO <sub>2</sub> (MT)	Kg CO2/Gallon	Gallons
Demolition	0	0	10.21	0.00
Site Preparation	0	0	10.21	0.00
Grading One - Shoring 1	0	0	10.21	0.00
Trenching	0	0	10.21	0.00
Grading Two - Excavation	0	0	10.21	0.00
Grading Three - Shoring 2	0	0	10.21	0.00
Paving One - Concrete Foundations	0	0	10.21	0.00
Building Construction	51	341.57	10.21	33,454.19
Architectural Coating	0	0	10.21	0.00
Paving Two - Concrete Paving	0	0	10.21	0.00
<b>Total</b>				<b>33,454.19</b>

**Construction Haul Diesel Demand**

Phase	Trips	Vehicle CO <sub>2</sub> (MT)	Kg CO2/Gallon	Gallons
Demolition	138	5.1522	10.21	504.62
Site Preparation	0	0	10.21	0.00
Grading One - Shoring 1	0	0	10.21	0.00
Trenching	0	0	10.21	0.00
Grading Two - Excavation	10,000	373.35	10.21	36,567.05
Grading Three - Shoring 2	0	0	10.21	0.00
Paving One - Concrete Foundations	0	0	10.21	0.00
Building Construction	0	0	10.21	0.00
Architectural Coating	0	0	10.21	0.00
Paving Two - Concrete Paving	0	0	10.21	0.00
<b>Total</b>				<b>37,071.67</b>

**Construction Equipment Diesel Demand**

Phase	Pieces of Equipment	Equipment CO <sub>2</sub> (MT)	Kg CO2/Gallon	Gallons
Demolition	10	257.45	10.21	25,215.40
Site Preparation	4	6.14	10.21	601.49
Grading One - Shoring 1	2	42.66	10.21	4,178.64
Trenching	3	32.99	10.21	3,231.19
Grading Two - Excavation	11	307.48	10.21	30,115.44
Grading Three - Shoring 2	1	12.89	10.21	1,262.39
Paving One - Concrete Foundations	10	97.62	10.21	9,560.78
Building Construction	11	842.90	10.21	82,555.90
Architectural Coating	1	11.23	10.21	1,100.33
Paving Two - Concrete Paving	7	62.85	10.21	6,155.52
<b>Total</b>				<b>163,977.07</b>

**Construction Equipment Usage**

Phase	Hours of Use
Grading Two - Excavation	192
Grading Three - Shoring 2	656
Paving One - Concrete Foundations	0
Building Construction	0
Architectural Coating	0
Paving Two - Concrete Paving	0
<b>Total</b>	<b>848</b>

# APPENDIX B

## Cultural Report





# CULTURAL RESOURCES REPORT FOR THE LOS ANGELES DEPARTMENT OF WATER AND POWER WEST LOS ANGELES DISTRICT YARD PROJECT

City of Los Angeles, Los Angeles County, California

PREPARED FOR:

LOS ANGELES DEPARTMENT OF WATER AND POWER

Environmental Services

111 North Hope Street, Room 1044

Los Angeles, California 90012

PREPARED BY:

Kate Kaiser, MSHP and Samantha Murray, MA

DUDEK

38 North Marengo Avenue

Pasadena, California 91101

NOVEMBER 2017



# TABLE OF CONTENTS

SECTION	PAGE
ACRONYMS AND ABBREVIATIONS .....	III
EXECUTIVE SUMMARY .....	V
1 INTRODUCTION .....	1
1.1 Project Description .....	1
1.2 Project Location .....	1
1.3 Project Personnel.....	1
1.4 Regulatory Setting.....	2
2 HISTORIC CONTEXT .....	15
2.1 Historical Overview of Los Angeles.....	15
2.2 The Sawtelle Neighborhood and West Los Angeles.....	16
2.3 LADWP and the Development of Municipal Power .....	18
2.4 LADWP West Los Angeles District Headquarters.....	23
3 BACKGROUND RESEARCH .....	33
3.1 California Historical Resources Information Systems Records Search.....	33
3.2 NAHC and Native American Correspondence .....	36
3.3 Building Development Research.....	37
4 FIELD SURVEY .....	39
4.1 Description of Surveyed Resources.....	39
5 SIGNIFICANCE EVALUATION .....	55
5.1 LADWP West Los Angeles District Headquarters.....	55
6 FINDINGS AND RECOMMENDATIONS.....	61
6.1 Summary of Findings.....	61
6.2 Management Recommendations.....	62
7 REFERENCES CITED .....	63

## APPENDICES

- A **CONFIDENTIAL** Records Search Results
- B NAHC and Tribal Outreach
- C Select Historical Photographs from the LADWP Archives
- D DPR Forms

## FIGURES

1	Regional Map.....	3
2	Project Location Map.....	5
3	Site Map.....	7
4	Sawtelle in 1911 (LAT 1911).....	17
5	Monumental Art Deco-style municipal water and power building, Hollywood, designed by S. Charles Lee. September 1932.....	20
6	Receiving Station G, at 2625 Fletcher Drive, built 1954. November 24, 1969. Modestly scaled and landscaped like other LADWP buildings built between 1945-1955.....	21
7	Bird’s eye view of the General Office Building (John Ferraro Building), designed by A.C. Martin and Associates.....	22
8	Bird’s eye view of the Olympic Drive-In Theater with the Department of Water and Power headquarters highlighted, and the Receiving Station K and transformer yard to the left.....	24
9	View to Building 1 (Locker Room) construction progress. July 23, 1953.....	25
10	Receiving Station K at 1840 Centinela Avenue, built 1954, energized 1955.....	26
11	Plan map for subject property, 1966. (LADBS permit 1966LA33644).....	29
12	Scaled plan map for subject property, 1984. Drawn by O. Sedlak, LADWP drafting office (LADWP Drawing No. Q27-CA25370).....	30
13	Properties Evaluated.....	41
14	View of the northeast (main) and southeast elevations, looking west. 10/11/2017 (IMG 4050).....	43
15	Building 2, view of the northeast (main) and northwest elevations, looking south. 10/11/2017 (IMG 4077).....	45
16	Building 3, view of the northeast (main) and southeast elevations, looking west. 10/11/2017 (IMG 0014).....	47
17	Building 4, view of the southwest (main) and southeast elevations, looking north. 10/11/2017 (IMG 4138).....	50
18	View to northwest (left) and southwest (right) elevations, looking east. 10/11/2017 (IMG 4013)....	52

## TABLES

1	Previously Conducted Cultural Resources Studies Within 0.5 Miles of Project Area.....	33
2	Previously Recorded Cultural Resources Within 0.5 Miles of the Project Area.....	35
3	Summary of Property Significance Evaluations.....	61

## ACRONYMS AND ABBREVIATIONS

ADA	Americans with Disabilities Act
CEQA	California Environmental Quality Act
CHRIS	California Historical Resources Information System
CRHR	California Register of Historical Resources
DPR	Department of Parks and Recreation
HCM	Historic-Cultural Monument
HPOZ	Historic Preservation Overlay Zone
LACHS	Los Angeles City Historical Society
LADBS	Los Angeles Department of Buildings and Safety
LADWP	Los Angeles Department of Water and Power
MLD	most likely descendant
NAHC	Native American Heritage Commission
NRHP	National Register of Historic Places
SCCIC	South Central Coastal Information Center
SLF	Sacred Lands File
WWII	World War II

INTENTIONALLY LEFT BLANK

## EXECUTIVE SUMMARY

Dudek was retained by Los Angeles Department of Water and Power (LADWP) to complete a cultural resources study for a project that proposes to demolish five buildings on the West Los Angeles District Yard Headquarters property in the City of Los Angeles, Los Angeles County, California (project site). The study involved completion of a California Historical Resources Information System (CHRIS) records search, outreach with the Native American Heritage Commission (NAHC) and local tribes/groups, a pedestrian survey of the project area for built environment resources, and recordation and evaluation of the property for historical significance. The significance evaluation included conducting archival and building development research for each building on the property; outreach with local libraries, historical societies, and advocacy groups; and completion of a historic context.

This study was conducted in accordance with Section 15064.5(a)(2)-(3) of the California Environmental Quality Act (CEQA) Guidelines, and the project site was evaluated in consideration of National Register of Historic Places (NRHP), California Register of Historical Resources (CRHR), and City of Los Angeles Historical-Cultural Monument eligibility and integrity requirements.

No archaeological resources were identified within the project site as a result of the CHRIS records search, Native American coordination, or survey. One Native American contact requested the presence of a Native American monitor during all ground-disturbing activities. No specific archaeological resources or sensitivity concerns were identified by any sources consulted. However, it is always possible that intact archaeological deposits are present at subsurface levels. For these reasons, the project site should be treated as potentially sensitive for archaeological resources. Management recommendations to reduce potential impacts to unanticipated archaeological resources and human remains during campus construction activities are provided in Section 6.2 (Management Recommendations).

The LADWP yard buildings located at 12300 Nebraska Avenue were evaluated for historical significance and do not appear eligible for inclusion in the NRHP, CRHR, or local register (6Z) due to a lack of significant historical associations. These properties are not considered historical resources for the purposes CEQA. Therefore, the proposed project would have a less-than-significant impact on historical resources for the purposes of CEQA.

INTENTIONALLY LEFT BLANK



# 1 INTRODUCTION

Dudek was retained by Los Angeles Department of Water and Power (LADWP) to complete a cultural resources study for a project that proposes demolition of five LADWP-owned administrative buildings and warehouses at the West Los Angeles District Headquarters located at 12300 West Nebraska Avenue, Los Angeles, Los Angeles County, California (project site) (Figure 1, Regional Map and Figure 2, Project Location). The study involved completion of a CHRIS records search, outreach with the NAHC and local tribes/groups, a pedestrian survey of the project area, and evaluation of the property for historical significance. The significance evaluation included conducting archival and building development research for each property; outreach with local libraries, historical societies, and advocacy groups; and completion of a historic context.

This study was conducted in accordance with Section 15064.5(a)(2)-(3) of the CEQA Guidelines, and the project site was evaluated in consideration of NRHP, CRHR, and City of Los Angeles Historical-Cultural Monument eligibility and integrity requirements.

## 1.1 Project Description

The West Los Angeles District Yard Project (proposed project) is a facility improvement project proposed by LADWP. The project would demolish five structures on site, including the district office, warehouse, break room, locker room, and fleet shop. Three new buildings would be constructed in their place: a warehouse, district office, and fleet shop. These new buildings would consolidate all of the functions of the demolished buildings. Beneath the proposed new buildings would be a single-level underground parking structure with a total of 204 parking stalls. Additionally, the existing straddle crane located within the yard would be relocated toward the southeast section of the district yard closer to the driveway along Olympic Boulevard. At the existing on-site fueling station, also in along the access driveway connecting the project site to Olympic Boulevard, the existing unleaded and diesel fuel tanks would remain above ground, and a new compressed natural gas (CNG) tank would be installed aboveground. All fleet vehicle parking, a total of 32 oversized parking spaces, would be relocated on a surface parking lot.

## 1.2 Project Location

The 6.3-acre project site is located at 12300 Nebraska Avenue, in the City of Los Angeles. The project site is generally bounded by Nebraska Avenue to the northwest, Bundy Drive to the northeast, Centinela Avenue to the southwest, and Olympic Boulevard to the southeast (Figure 3, Site Map). The project is located in Council District No. 11 and in the West Los Angeles Community Planning Area.

## 1.3 Project Personnel

All cultural resources technical work in support of this report was completed by Dudek staff. This report was authored by Dudek Architectural Historians Kate Kaiser, MSHP and Samantha Murray, MA. The

cultural resources fieldwork was completed by Ms. Kaiser and Sarah Corder, MFA. Ms. Kaiser also completed the archival research the Department of Parks and Recreation (DPR) forms, and prepared the associated significance evaluation. Dudek Archaeologist Adriane Dorrler contributed to archaeological components of this report, including review and summary of CHRIS records search results. All project staff meet or exceed the Secretary of the Interior's Professional Qualification Standards (36 CFR Part 61) in architectural history and archaeology.

## 1.4 Regulatory Setting

This section includes a discussion of the applicable state and local laws, ordinances, regulations, and standards governing cultural resources, which must be adhered to before and during construction of the proposed project.

### Federal



Although there is no federal nexus for this project, resources were evaluated in consideration of NRHP designation criteria.

The NRHP is the United States' official list of districts, sites, buildings, structures, and objects worthy of preservation. Overseen by the National Park Service under the U.S. Department of the Interior, the NRHP was authorized under the National Historic Preservation Act, as amended. Its listings encompass all National Historic Landmarks and historic areas administered by the National Park Service.

NRHP guidelines for the evaluation of historic significance were developed to be flexible and to recognize the accomplishments of all who have made significant contributions to the nation's history and heritage. Its criteria are designed to guide state and local governments, federal agencies, and others in evaluating potential entries in the NRHP. For a property to be listed in or determined eligible for listing, it must be demonstrated to possess integrity and to meet at least one of the following criteria:

The quality of significance in American history, architecture, archaeology, engineering, and culture is present in districts, sites, buildings, structures, and objects that possess integrity of location, design, setting, materials, workmanship, feeling, and association, and:

- A. That are associated with events that have made a significant contribution to the broad patterns of our history; or
- B. That are associated with the lives of persons significant in our past; or
- C. That embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- D. That have yielded, or may be likely to yield, information important in prehistory or history.



**DUDEK**


SOURCE: Esri Basemaps

LADWP West LA Yards

**FIGURE 1**  
Regional Map

INTENTIONALLY LEFT BLANK





SOURCE: Esri Basemaps

FIGURE 2

Project Location Map

LADWP West LA Yards



INTENTIONALLY LEFT BLANK



FIGURE 2  
Site Map

LADWP West LA Yards

SOURCE: Bing Maps (Accessed 2017)

**DUDEK**



0 100 200 Feet

INTENTIONALLY LEFT BLANK



Integrity is defined in NRHP guidance, *How to Apply the National Register Criteria*, as “the ability of a property to convey its significance. To be listed in the NRHP, a property must not only be shown to be significant under the NRHP criteria, but it also must have integrity” (NPS 1990). NRHP guidance further asserts that properties be completed at least 50 years ago to be considered for eligibility. Properties completed fewer than 50 years before evaluation must be proven to be “exceptionally important” (criteria consideration G) to be considered for listing.

A historic property is defined as “any prehistoric or historic district, site, building, structure, or object included in, or eligible for inclusion in, the NRHP maintained by the Secretary of the Interior. This term includes artifacts, records, and remains that are related to and located within such properties. The term includes properties of traditional religious and cultural importance to an Indian tribe or Native Hawaiian organization and that meet the NRHP criteria” (36 Code of Federal Regulations (CFR) Sections 800.16(i)(1)).

Effects on historic properties under Section 106 of the National Historic Preservation Act are defined in the assessment of adverse effects in 36 CFR Sections 800.5(a)(1).

State

*CRHR (California Public Resources Code Section 5020 et seq.)*

In California, the term “historical resource” includes “any object, building, structure, site, area, place, record, or manuscript which is historically or archaeologically significant, or is significant in the architectural, engineering, scientific, economic, agricultural, educational, social, political, military, or cultural annals of California” (California Public Resources Code (PRC), Section 5020.1(j)). In 1992, the California legislature established the CRHR “to be used by state and local agencies, private groups, and citizens to identify the state’s historical resources and to indicate what properties are to be protected, to the extent prudent and feasible, from substantial adverse change” (PRC Section 5024.1(a)). The criteria for listing resources in the CRHR were expressly developed to be in accordance with previously established criteria developed for listing in the NRHP, enumerated below. According to PRC Section 5024.1(c)(1–4), a resource is considered historically significant if it (i) retains “substantial integrity,” and (ii) meets at least one of the following criteria:

- (1) Is associated with events that have made a significant contribution to the broad patterns of California's history and cultural heritage.
- (2) Is associated with the lives of persons important in our past.
- (3) Embodies the distinctive characteristics of a type, period, region, or method of construction, or represents the work of an important creative individual, or possesses high artistic values.
- (4) Has yielded, or may be likely to yield, information important in prehistory or history.

To understand the historic importance of a resource, sufficient time must have passed to obtain a scholarly perspective on the events or individuals associated with the resource. A resource less than 50 years old may be considered for listing in the CRHR if it can be demonstrated that sufficient time has passed to understand its historical importance (see 14 California Code of Regulations Section 4852(d)(2)).

The CRHR protects cultural resources by requiring evaluations of the significance of prehistoric and historic resources. The criteria for the CRHR are nearly identical to those for the NRHP, and properties listed in or formally designated as eligible for listing in the NRHP are automatically listed in the CRHR, as are state landmarks and points of interest. The CRHR also includes properties designated under local ordinances or identified through local historical resource surveys.

### *CEQA*

As described further, the following CEQA statutes and CEQA Guidelines are of relevance to the analysis of archaeological, historic, and tribal cultural resources:

- PRC Section 21083.2(g) defines “unique archaeological resource.”
- PRC Section 21084.1 and CEQA Guidelines Section 15064.5(a) defines “historical resources.” In addition, CEQA Guidelines Section 15064.5(b) defines the phrase “substantial adverse change in the significance of an historical resource”; it also defines the circumstances when a project would materially impair the significance of an historical resource.
- PRC Section 21074(a) defines “tribal cultural resources.”
- PRC Section 5097.98 and CEQA Guidelines Section 15064.5(e) set forth standards and steps to be employed following the accidental discovery of human remains in any location other than a dedicated ceremony.
- PRC Sections 21083.2(b) and 21083.2(c) and CEQA Guidelines Section 15126.4 provide information regarding the mitigation framework for archaeological and historic resources, including examples of preservation-in-place mitigation measures. Preservation-in-place is the preferred manner of mitigating impacts to significant archaeological sites because it maintains the relationship between artifacts and the archaeological context and may also help avoid conflict with religious or cultural values of groups associated with the archaeological site(s).

More specifically, under CEQA, a project may have a significant impact on the environment if it may cause “a substantial adverse change in the significance of an historical resource” (PRC Section 21084.1; CEQA Guidelines Section 15064.5(b)). If a site is either listed in or eligible for listing in the CRHR, included in a local register of historic resources, or identified as significant in a historical resources survey (meeting the requirements of PRC Section 5024.1(q)), it is a “historical resource” and is presumed to be historically or culturally significant for the purposes of CEQA (PRC Section 21084.1; CEQA Guidelines Section

15064.5(a)). The lead agency is not precluded from determining that a resource is a historical resource even if it does not fall within this presumption (PRC Section 21084.1; CEQA Guidelines Section 15064.5(a)).

A “substantial adverse change in the significance of an historical resource”—indicating a significant effect under CEQA—means “physical demolition, destruction, relocation, or alteration of the resource or its immediate surroundings such that the significance of an historical resource would be materially impaired” (CEQA Guidelines Section 15064.5(b)(1); PRC Section 5020.1(q)). In turn, the significance of a historical resource is materially impaired when a project does any of the following (CEQA Guidelines Section 15064.5(b)(2)):

1. Demolishes or materially alters in an adverse manner those physical characteristics of an historical resource that convey its historical significance and that justify its inclusion in, or eligibility for, inclusion in the California Register; or
2. Demolishes or materially alters in an adverse manner those physical characteristics that account for its inclusion in a local register of historical resources pursuant to Section 5020.1(k) of the PRC or its identification in an historical resources survey meeting the requirements of Section 5024.1(g) of the PRC, unless the public agency reviewing the effects of the project establishes by a preponderance of evidence that the resource is not historically or culturally significant; or
3. Demolishes or materially alters in an adverse manner those physical characteristics of a historical resource that convey its historical significance and that justify its eligibility for inclusion in the California Register as determined by a lead agency for purposes of CEQA.

Pursuant to these sections, the CEQA inquiry begins with evaluating whether a project site contains any “historical resources,” then evaluates whether that project would cause a substantial adverse change in the significance of an historical resource such that the resource’s historical significance would be materially impaired.

If it can be demonstrated that a project would cause damage to a unique archaeological resource, the lead agency may require reasonable efforts be made to permit any or all of these resources to be preserved in place or left in an undisturbed state. To the extent that they cannot be left undisturbed, mitigation measures are required (PRC Sections 21083.2(a), (b), and (c)).

PRC Section 21083.2(g) defines a unique “archaeological resource” as an “archaeological artifact, object, or site about which it can be clearly demonstrated that without merely adding to the current body of knowledge, there is a high probability that it meets any of the following criteria:

1. Contains information needed to answer important scientific research questions and that there is a demonstrable public interest in that information.
2. Has a special and particular quality such as being the oldest of its type or the best available example of its type.
3. Is directly associated with a scientifically recognized important prehistoric or historic event or person.”

Impacts to non-unique archaeological resources are generally not considered a significant environmental impact (PRC Section 21083.2(a); CEQA Guidelines Section 15064.5(c)(4)). However, if a non-unique archaeological resource qualifies as a tribal cultural resource (PRC Section 21074(c); 21083.2(h)), further consideration of significant impacts is required.

CEQA Guidelines Section 15064.5 assigns special importance to human remains and specifies procedures to be used when Native American remains are discovered. These procedures, described as follows, are detailed in PRC Section 5097.98.

#### *California Health and Safety Code*

California law protects Native American burials, skeletal remains, and associated grave goods, regardless of their antiquity, and provides for the sensitive treatment and disposition of those remains. Health and Safety Code Section 7050.5 requires that if human remains are discovered in any place other than a dedicated cemetery, no further disturbance or excavation of the site or nearby area reasonably suspected to contain human remains can occur until the County Coroner has examined the remains (Health and Safety Code Section 7050.5b). PRC Section 5097.98 outlines the process to be followed in the event that remains are discovered. If the coroner determines or has reason to believe the remains are those of a Native American, the coroner must contact the NAHC within 24 hours (Health and Safety Code Section 7050.5c). The NAHC would notify the most likely descendant (MLD). With the permission of the landowner, the MLD may inspect the site of discovery. The inspection must be completed within 48 hours of notification of the MLD by the NAHC. The MLD may recommend means of treating or disposing of, with appropriate dignity, the human remains and items associated with Native Americans.

#### Local

##### *Los Angeles Historic-Cultural Monuments*

Local landmarks in the City of Los Angeles are known as Historic-Cultural Monuments (HCMs) and are under the aegis of the Planning Department, Office of Historic Resources. They are defined in the Cultural Heritage Ordinance as follows (Los Angeles Municipal Code Section 22.171.7, added by Ordinance No. 178,402, effective April 2, 2007):

Historic-Cultural Monument (Monument) is any site (including significant trees or other plant life located on the site), building or structure of particular historic or cultural significance to the City of Los Angeles, including historic structures or sites in which the broad cultural, economic or social history of the nation, State or community is reflected or exemplified; or which is identified with historic personages or with important events in the main currents of national, State or local history; or which embodies the distinguishing characteristics of an architectural type specimen, inherently valuable for a study of a period,

style or method of construction; or a notable work of a master builder, designer, or architect whose individual genius influenced his or her age.

For the purposes of SurveyLA, this definition has been broken down into the following four HCM designation criteria that closely parallel the existing NRHP and CRHR criteria:

1. Is identified with important events in the main currents of national, State or local history, or exemplifies significant contributions to the broad cultural, political, economic or social history of the nation, state, city, or community; or
2. Is associated with the lives of Historic Personages important to national, state, city, or local history; or
3. Embodies the distinctive characteristics of a style, type, period, or method of construction; or represents a notable work of a master designer, builder or architect whose genius influenced his or her age; or possesses high artistic values; or
4. Has yielded, or has the potential to yield, information important to the pre-history or history of the nation, state, city or community.

#### *Historic Preservation Overlay Zones*

As described by the City of Los Angeles Office of Historic Resources, the Historic Preservation Overlay Zone (HPOZ) Ordinance was adopted in 1979 and amended in 2004 to identify and protect neighborhoods with distinct architectural and cultural resources. HPOZs, commonly known as historic districts, provide for review of proposed exterior alterations and additions to historic properties within designated districts.

Regarding HPOZ eligibility, City of Los Angeles Ordinance Number 175891 states (Los Angeles Municipal Code, Section 12.20.3):

Features designated as contributing shall meet one or more of the following criteria:

1. adds to the Historic architectural qualities or Historic associations for which a property is significant because it was present during the period of significance, and possesses Historic integrity reflecting its character at that time; or
2. owing to its unique location or singular physical characteristics, represents an established feature of the neighborhood, community or city; or
3. retaining the building, structure, Landscaping, or Natural Feature, would contribute to the preservation and protection of an Historic place or area of Historic interest in the City.

Regarding effects on federal and locally significant properties, Los Angeles Municipal Code states the following (Section 91.106.4.5, Permits for Historical and Cultural Buildings):

The department shall not issue a permit to demolish, alter or remove a building or structure of historical, archaeological or architectural consequence if such building or structure has been officially designated, or has been determined by state or federal action to be eligible for designation, on the National Register of Historic Places, or has been included on the City of Los Angeles list of historic cultural monuments, without the department having first determined whether the demolition, alteration or removal may result in the loss of or serious damage to a significant historical or cultural asset. If the department determines that such loss or damage may occur, the applicant shall file an application and pay all fees for the California Environmental Quality Act Initial Study and Check List, as specified in Section 19.05 of the Los Angeles Municipal Code. If the Initial Study and Check List identifies the historical or cultural asset as significant, the permit shall not be issued without the department first finding that specific economic, social or other considerations make infeasible the preservation of the building or structure.

## 2 HISTORIC CONTEXT

### 2.1 Historical Overview of Los Angeles

Settlement in the Los Angeles area began in the 18th century. In 1781, a group of 11 Mexican families traveled from Mission San Gabriel Arcángel to establish a new pueblo called El Pueblo de la Reyna de Los Angeles (The Pueblo of the Queen of the Angels). This settlement consisted of a small group of adobe-brick houses and streets and would eventually be known as the Ciudad de Los Angeles (City of Angels), which incorporated on April 4, 1850, only 2 years after the Mexican–American War and 5 months prior to California achieving statehood. Settlement of the Los Angeles region continued in the early American Period. The County of Los Angeles was established on February 18, 1850, one of 27 counties established in the months prior to California acquiring official statehood in the United States. Many of the ranchos in the area now known as Los Angeles County remained intact after the United States took possession of California; however, a severe drought in the 1860s resulted in many of the ranchos being sold or otherwise acquired by Americans. Most of these ranchos were subdivided into agricultural parcels or towns. Nonetheless, ranching retained its importance, and by the late 1860s, Los Angeles was one of the top dairy production centers in the country. By 1876, Los Angeles County reportedly had a population of 30,000 persons (Dumke 1944; Caughey 1977; Dudek 2016).

Los Angeles maintained its role as a regional business center, and the development of citriculture in the late 1800s and early 1900s further strengthened this status. These factors, combined with the expansion of port facilities and railroads throughout the region, contributed to the impact of the real estate boom of the 1880s on Los Angeles. By the late 1800s, government leaders recognized the need for water to sustain the growing population in the Los Angeles area. Irish immigrant William Mulholland personified the city's efforts for a stable water supply. By 1913, the City of Los Angeles had purchased large tracts of land in the Owens Valley, and Mr. Mulholland planned and completed the construction of the 240-mile aqueduct that brought the valley's water to the city (Dumke 1944; Caughey and Caughey 1977; Fogelson 1993; Nadeau 1997). Power utilities followed on the heels of water utilities. At the beginning of the 20th century, the Progressive movement provided reform that allowed water and power utilities to thrive and gain municipal ownership. The City of Los Angeles' population grew and subsequently demanded water and power in their homes and businesses. The first power plant at Alameda and Banning Streets, built in 1882, powered the city's first electric streetlights. Private power utilities provided power to individual customers as the century drew to a close, gaining more and more business (Fogelson 1993; Prosser 2017).

Los Angeles' population and urban boundaries continued to grow in the 20th century, in part due to the discovery of oil in the area and its strategic location as a wartime port. The county's mild climate and successful economy continued to draw new residents in the late 1900s, with much of the county transformed from ranches and farms into residential subdivisions surrounding commercial and industrial centers. Hollywood's development into the entertainment capital of the world and Southern California's

booming aerospace industry were key factors in the county's growth in the 20th century. The City of Los Angeles also incorporated many formerly independent, self-governing cities in the 20th century. These include Wilmington (consolidated 1909), San Pedro (1909), Hollywood (1910), Sawtelle (1918), Eagle Rock (1923), Hyde Park (1923), Venice (1925), Watts (1926), and Tujunga (1932) (Prosser 2016). Many of these independent cities saw incorporation as a way to gain access to the City of Los Angeles' existing power and water utilities without paying excessive prices (Fogelson 1993; Prosser 2016).

## 2.2 The Sawtelle Neighborhood and West Los Angeles

The Los Angeles Neighborhood of Sawtelle is located in the western portion of the City of Los Angeles. Beginning as land of the Rancho San Jose de Buenos Ayres, the Land and Water Company acquired the parcel that would become Sawtelle in 1896 and subdivided an area called the Artesian Tract of Barrett Villa. Barrett Villa was incorporated as the town of Sawtelle in 1899. By 1901, the town had a post office, 150 houses, and a trolley station meant to service the nearby Pacific Branch of the National Home for Disabled Veteran Soldiers. The Soldier's Home veterans were key to developing early Sawtelle, as the community originally consisted of veteran's families, Soldier's Home staff, and veterans living independently of the Home. Later, it served surrounding agricultural landowners and neighboring Santa Monica (Figure 4) (LAT 1899, 1900, 1901, 1911, 1978; NPS 2017; Prosser 2016).






Figure 4. Sawtelle in 1911 (LAT 1911)

By the turn of the 20th century, Sawtelle had a modest commercial core along Sawtelle and Santa Monica Boulevards, government and religious establishments, and residential areas, but no business except for the Soldier’s Home took precedence over Sawtelle’s agricultural businesses. As the town’s population grew and urbanized, the interurban rail became a key factor in the survival of the agricultural industry by shipping staple crops such as potatoes, barley, strawberries, and lima beans. Canneries in Sawtelle, particularly lima bean canneries, produced crops in the 1910s until 1920. Sawtelle also contained plant nurseries, with larger nurseries spanning several acres. These nurseries provided employment for Japanese immigrants, and eventually led to the establishment of a large Japanese community and accompanying commercial district in Sawtelle (Sanborn 1907, 1912; Prosser 2016).

In 1917, Sawtelle citizens voted in favor of annexation by the City of Los Angeles. However, due to poor execution and legal challenges, the State Supreme Court at San Francisco ruled the annexation was illegal in 1921. Voters immediately applied for annexation again in 1922 and were successful in the second round.

Between annexation in 1922 and 1925, the total population of the Sawtelle neighborhood ballooned from 3,500 to 10,770 (Huang et. al. 2015; LAT 1917, 1919, 1921, 1922, 1978, 2016).

Sawtelle saw its fair share of residential neighborhood development between the 1928 and 1944 Sanborn Fire Insurance maps. Frame dwellings with shingle roofs are sparse but present in the neighborhoods bordering the subject property in 1928. More notable are the many greenhouses throughout the surrounding blocks. By 1944, the residential neighborhood north of Nebraska Avenue has been subdivided, and nearly all lots contain a single-story, framed dwelling with shingle roof (Sanborn 1928, 1944).

The Sawtelle neighborhood also saw an increase in industrial zones replacing former agricultural tracts and threatening the residential sector. Shipping of goods along railroad lines and increased access through streetcars in the early 20th century made industrial development profitable, particularly along the Southern Pacific Railroad line (now a Metro Line along Exposition Boulevard). By the 1950s, the Sawtelle neighborhood in West Los Angeles saw increased development, with many light industrial businesses established and operating in both industrial and commercial areas. No single industry dominated the industrial zones—West Los Angeles intermingled a variety of industries, including machine shops, garment factories, tool and die, furniture manufacturers, oil and petroleum manufacturers, warehouse, utilities, shipping and distribution centers, and building material manufacturers (ARG 2015; Prosser 2016).

In the latter half of the 20th century, the Sawtelle neighborhood became less distinguishable from its neighbors, sharing infrastructure, government buildings, and businesses that still characterize the area today. West Los Angeles City Hall (1961) and the West Los Angeles Civic Center (1965) further solidified the increasing influence of the City of Los Angeles. Other cultural groups established enclaves in the area, including the Jewish community, and Mexican–Americans community. Development of the West Los Angeles area grew to include Mid-Century Modern homes and commercial centers, Googie-themed automobile establishments, Corporate International-style high-rise office buildings, New Formalist hotels, Late Modern residential high-rise towers (including one designed by I.M. Pei and Welton Becket and Associates), high-tech (Structural Expressionism) commercial high-rise towers, Brutalist buildings, and entertainment industry studios that became typical building types throughout the Los Angeles region. The area known as Japantown, or Little Osaka, along Sawtelle Boulevard was formally recognized by the Los Angeles City Council in 2015 (Sapphos 2012; LAT 2015; Los Angeles City Council 2015).

### 2.3 LADWP and the Development of Municipal Power

Municipal power in Los Angeles came as a direct product of hydroelectric power created by the Los Angeles- Owens River Aqueduct, bringing water from Owens Valley to reservoirs in the San Fernando Valley at the beginning of the 20th century. Mr. Mullholland, engineer of the aqueduct and superintendent of the Los Angeles City Water Company, successfully alleviated drought conditions in Los Angeles and brought secondary water sources to the Los Angeles area by 1913. This act enabled the explosive population

and industrial growth of Los Angeles, which was previously limited by the amount of water available in the local Los Angeles River (LADWP 2002).

With the water came the promise of hydroelectric power, and at Mullholland's recommendation. Ezra F. Scattergood was hired as a consulting electrical engineer for the Los Angeles City Water Company. By 1908, Mr. Scattergood was supervising the construction of the city's first hydroelectric plant at San Francisquito Canyon. Los Angeles had electrical power and power plants since the late 19th century. The first power plant in the city was built by then-private company California Electric Light Company in 1882, with the Los Angeles Electric Company right on their heels in 1883. In 1896, West Side Lighting Company began serving the western side of Los Angeles (Sawtelle, Venice, and Santa Monica). In 1902, West Side Lighting Company merged with Los Angeles Edison Company (later Southern California Edison). In 1911, city bonds allowed the Bureau of Power and Light to become the first city-owned power utility, distributing power from the San Francisquito hydroelectric power plant. The Bureau of Power and Light, as well as the Bureau of Water Works and Supply, worked under the city's Department of Public Services and often held offices in the same location (LADWP 2002; Prosser 2017).

Between the 1920s and 1930s, most privately owned water and power utilities in Los Angeles were incorporated into the municipally owned system. Notably, the Bureau of Power and Light absorbed Southern California Edison-owned generating and delivery facilities and the Los Angeles Gas and Electric Company facilities at the end of the 1930s. As it bought out private competitors, the Bureau of Power and Light also expanded its systems, adding administrative buildings, transformer facilities, and distribution stations. In the 1920s, the architecture of these distribution stations took on Classical Revival and other historical revival architectural designs and in the 1930s to more modern Art Deco and Moderne styles. Use of these grandiose styles was intended to establish and make visible the presence of a benevolent government service, in keeping with Progressive attitudes and politics of the era. Notable architects used by the Bureau of Power and Light were Frederick Roehrig and S. Charles Lee (Figure 5). In 1937, the Bureau of Power and Light officially combined with the Bureau of Water Works and Supply to create the LADWP (Prosser 2017; LADWP 1990).



Figure 5. Monumental Art Deco-style municipal water and power building, Hollywood, designed by S. Charles Lee. September 1932. (LAPL Barcode 1001788)

The post-World War II (WWII) decade was characterized by LADWP power acquisition and neighborhood expansion. With the water and power utilities combined, the City of Los Angeles pursued far-reaching projects to bring water and hydroelectric power from the Colorado River and Owens Valley. Acquiring these properties took nearly 20 years to finance, build, and deliver to Los Angeles. Between 1940 and 1950, the Los Angeles population grew by over 400,000 people, meaning a substantial increase in demand for power. In 1945, the LADWP announced the launch of a 10-year building program, expanding service to underserved areas, particularly on the West Side and San Fernando Valley. Samuel B. Morris, then-general manager of LADWP cites the “demands of the constantly growing city” to initiate the project and hire between 2000 and 4000 workers (LAT 1945). Unlike previous building campaigns, LADWP relied on internal engineers and construction staff to design and build new facilities. They created modestly scaled structures that fit seamlessly into their neighborhoods, rather than rely on the benevolent-government architecture or the 1920s and 1930s (Figure 5). From 1945–1955, LADWP dedicated 22 distribution

stations, 5 receiving stations, 1 high voltage switching station, 3 power plants, and 2 hydroelectric plants (Figure 6). The first buildings at West Los Angeles District Office were built in this period, and it opened for service in 1954 (LAT 1945; LADWP 1978, 1990; Prosser 2017).



Figure 6. Receiving Station G, at 2625 Fletcher Drive, built 1954. November 24, 1969. Modestly scaled and landscaped like other LADWP buildings built between 1945-1955. (LAPL Barcode 1005626)

After the decade of growth promised by Morris, the construction of new facilities continues, adding more distribution stations, receiving stations, high voltage stations, power plants, hydroelectric plants, steam plants, solar, and thermal plants. LADWP also focused on acquiring property rights to existing facilities or private utilities that leased, rented, or sold power to LADWP. While this was occurring, the LADWP slowly began building and acquiring steam generation plants, to add to the existing group of hydroelectric plants far from Los Angeles. LADWP's first steam plant was at Seal Beach electricity station in 1928, but four new

steam powered generating stations were built between 1943 and 1961. LADWP continued in the 1950s and 1960s to build new dams (Pleasant Valley Dam), new hydroelectric facilities for the Owens Gorge Project and the Castaic Power Plant, and the Pacific Intertie, which sent electricity produced in Oregon to Los Angeles (LADWP 1990, 2002; Dudek 2017; Soifer 2017).

In 1965, the Department of Water and Power completed construction on the General Office Building (John Ferraro Building) in the Bunker Hill area of downtown Los Angeles. This notable project was designed by architecture firm A.C. Martin and Associates and is an impressive, 17 story, corporate internationalist style office building with subterranean parking lot, reflecting pool and fountains on its grounds. In 2012, the General Office Building was accepted by City Council as a Los Angeles HCM (Prosser 2017; LACMC 2012) (Figure 7).



Figure 7. **Bird's** eye view of the General Office Building (John Ferraro Building), designed by A.C. Martin and Associates. January 28, 1969. (LAPL Barcode 1006127)

## 2.4 LADWP West Los Angeles District Headquarters

### Acquiring and Planning the Site

The LADWP acquired several parcels of land in the West Los Angeles/Sawtelle neighborhood in the 1940s. These lots had once belonged to Anthony Frabisilio and Michael Frabisilio, who kept agricultural fields and some outbuildings on the property, moving a barn from a property along West Pico Boulevard and erecting a new house on the lot. Since aerial photographs of the area only go back as far as 1947, Sanborn insurance maps do not picture the property, and there are no other permits on file at City of Los Angeles, it was not possible to reconstruct the property chronology or establish a pattern of ownership beyond the 1940s (Los Angeles Department of Buildings and Safety (LADBS) permits 1943LA03992, 1944WL70482; Ancestry 2017).

LADWP began acquiring land for a Distribution Station at 11700 Nebraska Avenue, several blocks away from the subject property. Distribution Station 28 was completed in 1947 and was an imposing Art Moderne-style structure. Distribution stations are used to transfer power from the transmission system to a specific service area. Distribution Station 28 served the industrial and residential areas in West Long Angeles, where locally owned and distributed city utilities were in high demand. Before the West Los Angeles District Office was built, Distribution Station 28 acted as the West Los Angeles headquarters (LADWP 1954).





Figure 8. **Bird's eye view of the Olympic Drive-In Theater** with the Department of Water and Power headquarters highlighted, and the Receiving Station K and transformer yard to the left. Note that Building 5 had not yet been built. Photographer: Howard D. Kelly. January 15, 1962. (LAPL 00103040)

In 1953, LADWP acquired the property at 12300 West Nebraska Avenue, the subject property. Prior to its acquisition, the lot held an agricultural field, adjacent to many other fields around it. A drive-in movie theater named the Olympic Drive-in Theater was located east of the property. West of the property was a residential neighborhood (Figure 8). The site's original plan included five buildings that faced each other along a corridor of vehicle parking. The first two buildings built on the lot were a locker room for employees and a warehouse completed in 1953 (Figure 9). In 1954, Department of Water and Power began construction on Receiving Station K at 1840 Centinela Avenue (located south of the project site) and its transformer yard. These were adjacent to the subject property and likely planned, built, and opened at the same time. Receiving Station K went into service in 1955 (Figure 10) (Permit 1954LA02220). In 1956, a third structure was constructed on the site, this time a fleet shop for vehicle storage. In 1959, the main



office building was finished. In 1966, a fifth building, then characterized as a tool room, was added. According to each building permit, all buildings were designed and built by engineers and journeymen already employed by the LADWP (LADWP 1954; NETR 2017).



Figure 9. View to Building 1 (Locker Room) construction progress. July 23, 1953. (LADWP Record Center, Box WP24-24, File 13, Title “Underground Headquarters & Overhead Districts, 1953–1954 (Book 118)”, Photo Number 34585)



Figure 10. Receiving Station K at 1840 Centinela Avenue, built 1954, energized 1955. No date. (LAPL Barcode 1005633)

### The Engineers

Though the engineers listed on the Department of Water and Power permits were employees, they were responsible for several buildings on site. Very little career information could be found for the engineers. Because they were not contracted, there is no engineering or architecture firm associated with their work. No architects, licensed or not, were associated with the five buildings at the West Los Angeles District Headquarters. The following four LADWP engineers are responsible for the design of the buildings at the West Los Angeles District Headquarters.

- J.S. Dorfman, CA License 6948, Locker Room (Building 1) and Warehouse (Building 2), 1953

- J. Case, CA License 5249, Fleet Shop (Building 3), 1956
- R.L. White, MA License, 4-4211, Office Building (Building 4), 1959
- James H. Anthony, CE 15318, Break Room (Building 5), 1966

### The Original Planned Buildings

Based on review of the permit drawings provided by the LADBS and archival research, the following detailed information was found about the original period of construction. The 1966 Building No. 5 permit map (Figure 11) shows the layout of the site at the close of the original period of construction. Archival research and permits provided by the City of Los Angeles indicate that the original 1953 construction period included two buildings within the project site (Buildings 1 and 2). This construction period also included development of the adjacent site at Receiving Station K and the transformer yard at 1840 Centinela Avenue. Construction details for the original Department of Water and Power Headquarters buildings are provided below.

#### *Building 1*

Building 1 fronts West Nebraska Avenue and is situated at the west corner of the parcel. According to the original City of Los Angeles Building Permit, the building was a one-story concrete block building, originally measuring 50 feet by 56 feet with concrete foundation and a composition roof. The permit shows that Building 1 was intended to function as a locker room for Department of Water and Power employees as well as a washroom and office (LADBS Permit 1953LA53732).

#### *Building 2*

Building 2 is located immediately southeast of Building 1 and against the dividing southwest property line separating the headquarters yard from the transformer yard for 1840 Centinela Avenue. According to the original City of Los Angeles Building Permit, the building was a one-story concrete block building, originally measuring 171 feet by 51 feet with concrete foundation and a composition roof. The one-story warehouse reaches a height of 21 feet from ground level and features a bowstring truss on the interior. The permit shows that Building 2 was intended to warehouse electrical supplies and hazardous materials (LADBS Permit 1953LA64593).

#### *Building 3*

Building 3 is located southeast of and in line with Buildings 1 and 2 and against the dividing southwest property line separating the headquarters yard from the transformer yard for 1840 Centinela Avenue. According to the original City of Los Angeles Building Permit, the building was a one-story steel-framed shed clad in metal sheets with a concrete foundation, originally measuring 310 feet by 40 feet. The permit shows that Building 3 was intended as a truck shed (LADBS Permit 1956WL18771).

#### *Building 4*

Building 4 is located northeast of Building 1, across a parking area and entry road, and fronts west Nebraska Avenue. According to the original City of Los Angeles Building Permit, the building was a two-story concrete block building, originally measuring 40 feet by 48 feet with concrete foundation and a composition roof. The permit shows that Building 4 was intended to replace the office in Building 1 and operate thereafter as the official office (LADBS Permit 1959LA47000).

#### *Building 5*

Building 5 is located southeast of Building 4 and across a parking area and entry road from Building 2. According to the original City of Los Angeles Building Permit, the building was a two-story concrete block building, originally measuring 40 feet by 72 feet with a concrete foundation and a composition roof. The permit shows that Building 5 was intended as another warehouse and tool room. Today it is used as a break room and employee classroom (LADBS Permit 1966LA33644).

Figure 11 shows the original Buildings 1, 2, 3, and 4 as they stood in 1966, preparing for the construction of Building 5. Figure 12 shows the site according to a scaled site plan published in 1984.





Figure 11. Plan map for subject property, 1966. (LADBS permit 1966LA33644)

CULTURAL RESOURCES REPORT  
 LADWP WEST LOS ANGELES DISTRICT YARD PROJECT



### *Buildings No Longer Extant*

#### Cement Storage

The Cement Storage building was located southeast of Building 5 and northeast east of Building 3, at the east most corner of the lot. The original building permit describes it as a one-story building with metal walls, metal roof, and a concrete slab floor; it originally measured 12 feet by 20 feet. This building was constructed in 1968. It was moved or demolished between 2006 and 2011 (LADBS Permit 1968LA78376; NETR 2017).

#### Saw Shed

The saw shed was located along the road extending south from the southernmost corner of the parcel, south of Building 3 and east of the transformer yard at 1840 Centinela Avenue. The original building permit describes the saw shed as a one-story building with concrete block walls, a wood roof, and concrete slab floor; it originally measured 12 feet by 10 feet. This building was constructed in 1984. It was moved between 2006 and 2011 to its current location, further southwest. (LADBS Permit 1984LA80157).

#### Modern Development at the City Yards (1972–Present)

Construction of new buildings and modifications to existing buildings within the subject property continued throughout the remaining decades of the 20th century and to the present. The aerial photographs show that there were numerous portable structures and parking areas also created in the last 45 years to support the storage needs of the Department of Water and Power. One of the most significant areas for parking and staging appears in the 2012 aerial photograph when the Department of Water and Power acquires the lot to the northeast, demolishes all buildings and expands storage and staff parking into the lot. In addition to the temporary buildings and the parking areas, there were numerous permanent buildings and structures constructed on the site during this period of development (LADBS permits; NETR 2017). The following provides a list of City Yards buildings and structures that were constructed less than 45 years ago:

- Fence wall and mechanical gate, 2000 (LADBS Permit 00020-10000-00533)
- Gasoline and diesel tank foundations, 1995 (LADBS Permit 1995LA35484)
- Guard/Entrance Building, circa 1995 (NETR 2017, no permit available)
- Prefabricated trailer building, circa 1995 (NETR 2017, no permit available)
- Oil Storage Shed, 1992 (LADBS Permit 1992WL02099)
- Oil Storage Shed, 1992 (LADBS Permit 1992WL02100)
- Concrete Material Bins, 1982 (LADBS Permit 1982WL54417)
- Movable crane, Mi-Jack Travelift model, circa 1976 (NETR 2017)
- Temporary perimeter storage shelving, circa 1976 (NETR 2017)

## Architectural Style of the Project Area

### *Mid-Century Modern (1933–1965)*

Mid-Century Modern style is reflective of International and Bauhaus styles popular in Europe in the early 20th century. This style and its living designers (e.g., Mies Van der Rohe and Gropius) were disrupted by WWII and moved to the United States. During WWII, the United States established itself as a burgeoning manufacturing and industrial leader, with incredible demand for modern buildings to reflect modern products in the mid-20th century. As a result, many industrial buildings are often “decorated boxes”—plain buildings with applied ornament to suit the era and appear more modern without detracting from the importance of the activity *inside* the building. Following WWII, the United States had a focus on forward thinking, which sparked architectural movements like Mid-Century Modern. Practitioners of the style were focused on the most cutting-edge materials and techniques. Architects throughout Southern California implemented the design aesthetics made famous by early Modernists like Richard Neutra and Frank Lloyd Wright, who created a variety of modern architectural forms throughout Southern California. Like other buildings of this era, Mid-Century Modern buildings had to be quickly assembled, and use modern materials that could be mass-produced (McAlester 2014; Morgan 2004).

Key characteristics of the Mid-Century Modern style of architecture are the following (McAlester 2014; Morgan 2004; Gebhard and Winter 2003):

- Low, boxy, horizontal proportions
- Mass-produced materials
- Flat, smooth sheathing
- Flat roofed without coping at roof line; flat roofs hidden behind parapets
- Lack of exterior decoration or abstract geometrical motif
- Simple windows (metal or wood)
- Industrially plain doors
- Large window groupings
- Commonly asymmetrical
- Whites, buffs and pale pastel colors



## 3 BACKGROUND RESEARCH

### 3.1 California Historical Resources Information Systems Records Search

Dudek requested a CHRIS records search from the South Central Coastal Information Center (SCCIC), which houses cultural resources records for Los Angeles County. Dudek received the results on September 14, 2017. The CHRIS search included any previously recorded cultural resources and investigations within a 0.5-mile radius of the project site. Additional consulted sources included historical maps of the project area; the NRHP; the CRHR; the California Historic Property Data File; and the lists of California State Historical Landmarks, California Points of Historical Interest, and the Archaeological Determinations of Eligibility. Confidential Appendix A provides the confidential results of the records search and a bibliography of prior cultural resources studies.

#### Previous Technical Studies

Results of the CHRIS search indicate that 15 previously conducted studies were identified within the 0.5-mile records search radius between 1977 and 2013. Of these studies, one overlaps the current project area: LA-12500 (Table 1). The following paragraph provides a brief summary of the study.

*Report No. LA-12500*

*Final Archaeological Resources Monitoring Report for the Los Angeles Department of Water and Power Scattergood–Olympic Transmission Line Project, Vault Investigations, Los Angeles County, California* (Vader 2013), documents the results of archaeological monitoring conducted during the installation of 11.4 miles of underground transmission line located in the western portion of the City of Los Angeles. The study’s northernmost terminus originated within the southeastern portion of the project area. Archaeological monitoring was conducted during potholing investigations to identify areas of cultural sensitivity along the alignment. No cultural resources were identified in the direct project area as a result of the study. Cultural material was recovered at the southern end of the alignment where the proposed right-of-way (ROW) traversed the coast.

Table 1. Previously Conducted Cultural Resources Studies Within 0.5 Miles of Project Area

SCCIC Report No.	Title of Study	Date	Author(s)	In Project Area?
LA-03729	Historic Property Survey Bundy Drive–North of Wilshire Boulevard to South of La Grange Avenue	1977	Department of Public Works	No
LA-05031	Cultural Resource Assessment for Pacific Bell Wireless Facility LA 910-01, County of Los Angeles, California	2000	Lapin, Philippe	No
LA-05036	Cultural Resource Assessment for AT&T Wireless Facility Number R328, County of Los Angeles, California	2000	Lapin, Philippe	No
LA-05732	1517 Franklin Street Housing Project, Santa Monica	2002	Maki, Mary K.	No

Table 1. Previously Conducted Cultural Resources Studies Within 0.5 Miles of Project Area

SCCIC Report No.	Title of Study	Date	Author(s)	In Project Area?
LA-06498	Highway Project Involving Upgrading of Intersection within the City of Santa Monica Located Between San Vicente Boulevard (north); Ocean Park (south); 9th Street (west); and 30th Street (east)	2002	McKenna, Jeanette A.	No
LA-06505	Highway Project of Replacing the Existing Overhead Reflective Sign Panels In-kind with Retro-reflective Panels	2000	Smith, Philomene C.	No
LA-07119	Cultural Resource Assessment for Cingular Wireless Facility SM171-01, City of Los Angeles, California	2002	Kyle, Carolyn E.	No
LA-09414	2320 34th Street Renovation Project, City of Santa Monica	2008	Maki, Mary K.	No
LA-09453	Exposition Corridor Transit Project Phase 2 Archaeological Survey Report	2009	Ehringer, Candice and Monica Strauss	No
LA-11114	Archaeological Investigation, Partial Inventory Secondary Sewer Renewal Program Bundy and San Vicente Project	2011	Foster, John M.	No
LA-11184	Exposition Corridor Project Phase 2 (FTA 070320A), Request for Concurrence–Detailed Reconnaissance Survey	2008	Born, Monica	No
LA-11305	Historical Resources Evaluation Report for the Exposition Corridor Transit Project Phase 2, Los Angeles County, California	2009	Meiser, M.K.	No
LA-11793	Addendum to the Historical Resources Evaluation Report and Archeological Survey Report for Project Changes and Design Options the Exposition Corridor Transit Project Phase 2, Los Angeles County, California	2009	Meiser, M.K.	No
LA-12500	Final Archaeological Resources Monitoring Report for the LADWP Scattergood-Olympic Transmission Line Project, Vault Investigations, Los Angeles County, California	2013	Vader, Michael	Yes
LA-12796	Cultural Resources Assessment Mountain View Mobile Home Park, Santa Monica, Los Angeles County, California	2010	Brunzell, David	No

Previously Recorded Cultural Resources

No previously recorded cultural resources were identified within the project area as a result of the SCCIC records search. Nine previously recorded resources were identified within a 0.5-mile-radius of the project area (Table 2). All of the previously recorded resources are south of the project site and clustered along

resource P-19-003803, the historic Southern Pacific Railroad right-of-way, which at its closest point, is located approximately 0.1 miles from the project area.

All of the previously recorded resources are historic period with the exception of a prehistoric handstone identified as the prehistoric component of P-19-004669, located approximately 0.1 miles from the project area. Two of the resources are historic period archaeological deposits: P-19-004668 and P-19-004669. The mean date of occupation at these sites ranges from the early to mid-20th century to the 1960s.

There are also seven previously recorded built environment resources within the 0.5-mile radius of the project area, including the previously mentioned Southern Pacific Railroad segment (P-19-003803), two single-family properties from the early 1900s (P-19-189757 and P-19-189768), two industrial properties (P-19-189767 and P-19-190027), and the Mountain View Mobile Home Park (P-19-190932). There are an additional 35 unmapped built environment resources within 0.5 miles of the project site listed in the Office of Historic Properties Directory.

Table 2. Previously Recorded Cultural Resources Within 0.5 Miles of the Project Area

Primary No.	Trinomial	Age	Resource Name/Description	Resource Type	Date (Recorder: Firm)
P-19-003803	CA-LAN-003803H	Historic	Six-mile segment of the historic Southern Pacific Railroad/Santa Monica Air Line right-of-way	Structure	2008 (Strauss, Monica et al.: EDAW)
P-19-004668	CA-LAN-004668H	Historic	Historic deposit consisting primarily of glass and metal cosmetic-related containers dating from the 1940s to the 1960s. Historic research indicates that five cosmetic companies occupied the property until the early 1960s.	Site	2012 (Mort, Janell Mort: Cogstone)
P-19-004669	CA-LAN-004669H	Prehistoric, Historic	The historic component of the site consists of brick-lined well and a large diffuse refuse scatter with artifacts dating from the 1910s to the 1960s. Many of the artifacts suggest refuse from an Asian restaurant from the mid-20th century. A prehistoric bifacial handstone was also recovered at the site.	Site	2014 (Knight, Al: Cogstone)
P-19-189757	—	Historic	2200 Wellesley Avenue is a single-family property constructed in 1925. The property is not eligible for NRHP, CRHR, or Local designation.	Building	2008 (Meiser, M.K.: EDAW)

Table 2. Previously Recorded Cultural Resources Within 0.5 Miles of the Project Area

Primary No.	Trinomial	Age	Resource Name/Description	Resource Type	Date (Recorder: Firm)
P-19-189767	—	Historic	12414 Exposition Boulevard is an industrial warehouse building constructed in 1927. The property is not eligible for NRHP, CRHR, or Local designation.	Building	2008 (Meiser, M.K.: EDAW)
P-19-189768	—	Historic	11928 Exposition Boulevard is a single-family property constructed in 1939. The property is not eligible for NRHP, CRHR, or Local designation.	Building	2008 (Meiser, M.K.: EDAW)
P-19-190027	—	Historic	3401 Exposition Boulevard is an industrial warehouse and office building constructed in 1961. The property is not eligible for NRHP, CRHR, or Local designation.	Building	2009 (Meiser, M.K.: EDAW)
P-19-190932	—	Historic	Mountain View Mobile Home Park/Mountain View Trailer Inn was constructed in 1948. The property is not eligible for NRHP, CRHR, or Local designation.	Building	2010 (Brunzell, David: BCR Consultants)

### 3.2 NAHC and Native American Correspondence

Dudek contacted the NAHC on September 1, 2017, to request a search of its Sacred Lands File (SLF) for the proposed project site and surrounding area. The NAHC responded on September 7, 2017, indicating that the search did not identify any Native American resources in the vicinity of the project site but that the surrounding area is sensitive for cultural resources. Because the SLF search does not include an exhaustive list of Native American cultural resources, the NAHC suggested contacting Native American individuals and/or tribal organizations who may have direct knowledge of cultural resources in or near the project. The NAHC provided the contact information of the five persons and entities to contact along with the SLF search results.

Dudek prepared and sent letters to each of the individuals on the contact list requesting information about cultural sites and resources in or near the project site. These letters, mailed on September 11, 2017, provided a brief description of the proposed project, a summary of the SLF search results, and reference maps. Recipients were asked to reply within 15 days of receipt of the letter should they have any knowledge of cultural resources in the area.

Dudek has received one response to date. On October 11, 2017, Andrew Salas of the Gabrieleno Band of Mission Indians – Kizh Nation emailed the following comment/request: “The project location is within our

Ancestral territory which may have potential for discoveries of our cultural resources. Therefore, we would like to request that one of our Native Monitors be present during any and all ground disturbances.”

The complete Record of Dudek’s Coordination with NAHC and Tribes (located in Appendix B, Tribal Outreach).

### 3.3 Building Development Research

Extensive archival research was conducted in support of the historical significance evaluation of the West Los Angeles Department of Water and Power Yards. Short descriptions of all research efforts are provided as follows.

#### Los Angeles Public Library

Dudek staff reviewed a number of online resources available through the Los Angeles Public Library. These tools include accessing online Sanborn Maps, online LADWP photo collections, online historical photograph collections, and online historical newspaper collections, which were all used in the preparation of the historic context (Section 2).

#### LADWP Photograph Collection

Dudek contacted Angela Tatum, archivist for the Department of Water and Power Photograph Collection, hosted online by the Los Angeles Public Library on October 23, 2017. Ms. Tatum forwarded Dudek’s research request to Paul Soifer, PhD, the Consulting Historian for the Department of Water and Power. On November 1, 2017, Ms. Tatum procured copies of official LADWP line drawings and site plans.

#### LADWP Records Center

Dudek visited the Department of Water and Power Records Center in person on November 1, 2017, and met with Dr. Soifer. Dr. Soifer procured pages from LADWP internal publications pertaining to the utility’s history in the 1950s, 1960s, and 1970s that were used in the preparation of the historical context (Section 2). The collection included photographs, department directories, annual reports, independent survey notes, and articles from the employee magazine *Intake*, which were all used in the preparation of the historic context (Section 2). Select photographs are included in Appendix C

#### Los Angeles City Historical Society

Dudek contacted the Los Angeles City Historical Society (LACHS) via email and inquired about the subject properties on October 24, 2017. LACHS responded that they did not locate any information related to the subject properties, but recommended a request be made to the Los Angeles City Archivist Michael Holland.

#### Los Angeles City Archives

Dudek visited the Los Angeles City Archives on November 1, 2017, after contacting the City Archivist Mr. Holland (at the suggestion of LACHS) on October 24, 2017, and again on October 27, 2017. Mr. Holland

procured requested items from the LADWP collection, including internally published histories, articles from employee magazine *Intake*, and reports of the Los Angeles City Engineer on Water and Power properties, which were used in the preparation of the historic context (Section 2).

#### Los Angeles Department of Building and Safety

Dudek used the Los Angeles Department of Building and Safety online building records search on October 9, 2017, to obtain building permits and establish a building chronology and alteration chronology that were used in the preparation of the historical context (Section 2), field survey (Section 4), and significance evaluations (Section 5).

#### Aerial Photograph and Historic Map Review

Sanborn Fire Insurance Company maps for the City of West Los Angeles were prepared in 1944. Sanborn maps for the City of Sawtelle were also prepared for the following years: 1905, 1907, 1912, 1921, 1924, and 1928. The Sanborn maps reviewed did not include the project area, which is likely due to later development in this area. Historic aerial photographs for the project area were available for the following years: 1947, 1952, 1964, 1967, 1972, 1980, 1989, 1994, 2002, 2003, 2004, 2005, 2006, 2009, 2010, 2011, 2012, and 2014 (NETR 2017; CSM 2017). The 1947 aerial photograph shows the project area prior to development. In 1947, the property appears to be undeveloped land or an agricultural field, surrounded by other undeveloped lots, and bounded to the northwest by a residential neighborhood, and the Olympic Drive-In movie theater is visible southeast of the site. The 1952 aerial photograph also shows the site prior to development; however, the 12270-72 lot immediately northeast was being used as a light industrial area and contained three structures. Residential areas still surround the site to the northwest and southwest.

The first historic aerial photograph in which the LADWP West Los Angeles District Headquarters appears is the 1964 aerial photograph. This aerial has four buildings visible in their current locations: the locker room, warehouse/tool room, warehouse/fleet shop, and district office. Immediately southwest is the LADWP transformer yard. The 12270-72 lot immediately northeast gains one new building and a designated parking lot. In the 1967 aerial photograph, the break room (then recorded as another tool room) appears southeast of the district office and north of the warehouse/tool room.

There are few notable additions to the site after the 1967 aerial photograph. Various small storage structures appear on the 1972 aerial photograph, including four storage structures in the southeast locus of the site and small structures between the five other buildings. Between the 1972 and 1980 aerial photographs, the crane feature northeast of the warehouse/fleet shop appears. Between the 1980 aerial photograph and the 1989 aerial photograph, all buildings in the 12270-72 lot are demolished. This is supported by demolition permits recorded at the Los Angeles Building and Safety online database. One new building does appear on the 12270-72 lot in the 1994 aerial photograph, but there are no discernable changes to the 12300 lot or transformer yard. The building on the 12270-72 lot is demolished sometime after 2014 (the most recent available aerial photograph for the area); the building was not present during the site visit (NETR 2017; CSM 2017).

## 4 FIELD SURVEY

Dudek Architectural Historians Ms. Corder, MFA, and Ms. Kaiser, MSHP, conducted a pedestrian survey of the project site on October 11, 2017. The project site includes two tax lots with five LADWP buildings, outdoor storage, and parking, which are adjacent to an LADWP electrical substation located in a mixed-residential neighborhood and light industry area. All buildings were photographed, researched, and evaluated in consideration of NRHP, CRHR, and local designation criteria and integrity requirements and in consideration of potential impacts to historical resources under CEQA. The survey entailed walking all sides of the buildings and the surrounding site.

Dudek documented the subject property using field notes, digital photography, and close-scale field maps. Photographs of the project area were taken with a Canon Power Shot ELPH180 digital camera with 20 megapixels and 8x optical zoom. All field notes, photographs, and records related to the current study are on file at Dudek's Pasadena, California office.

### 4.1 Description of Surveyed Resources

The project site is located at 12300 Nebraska Avenue on Assessor's Identification Number 4259018902. The property contains five LADWP buildings that were constructed more than 50 years ago between 1953 and 1966. Figure 13 numbers each building on the site. These buildings numbers are referenced in the discussion of individual buildings that follows.

#### Building 1, Locker Room, 1953

The subject property is a Mid-Century Modern building constructed in 1953, facing northeast towards a central, paved corridor road that runs the length of the tax lot (Figure 14). The one-story building is currently used as a restroom, shower, locker room, and exercise area for employees. The building features a flat roof hidden by a parapet wall topped with a rounded coping; however, the roof structure was not visible. The walls are constructed of painted concrete masonry units arranged in running bond, with a decorative stringer course and water table course that protrude from the wall surface of the building a few inches, and rounded concrete masonry units at the building corners, window openings, and door openings. The walls meet the surrounding pavement without any special decorative or visually distinguished foundation element. Reading from left to right, there are three doors regularly spaced along the main (northeast) elevation and metal two-panel doors, with the upper panel split into a 2-lite, fixed window with frosted glass divided by a metal muntin, within a metal frame. The southeast-most door has two shallow steps leading to the entry, the middle door has a concrete stoop accessed by a steep ramp extending straight to the northeast for three feet, and the northwest-most door has an Americans with Disabilities Act (ADA)-compliant 6-foot-long ramp with a metal railing running perpendicular to the building entry. Along the main elevation, the fenestration is regular, with four 12-lite windows alternating with the three doors (i.e., ABABABA). Each 12-lite window has the middle two rows (six lites) forming an awning window with a row of three fixed

lites above and below. The window panes contain a variety of different types: frosted, stippled, pebbled, wired, and textured privacy glass. Individual panes appear to have been replaced as needed.

The northwest elevation, facing onto West Nebraska Avenue, features the concrete masonry unit in running bond wall construction and decorative rounded edges of the northeast and southeast elevations. It has four, evenly spaced 12-lite windows arranged three wide by four high, with the middle six lites forming an awning window. The three lites below and above the awning are fixed.

The southwest elevation was not readily visible due to access restrictions and vegetation. However, the elevation appears to have regular fenestration consisting of a single multi-pane window and two pairs of two multi-paned windows separated by mullions.

On the southeast elevation, the building features the concrete masonry units in running bond wall construction and decorative rounded edges. From left to right the elevation features a modern, metal fire door with a blue fabric awning over it. To the right of this are two 12-lite windows of which the middle two rows (six lites) form an awning window with a row of three fixed lites above. Leading to the fire door is an ADA-compliant ramp (approximately 10 feet long) and railing. Two more 6-lite awning windows are present to the right (west) of the doors and 12-lite windows (i.e., ABACC). Further right, nearest the west building corner, is a metal gutter and modern floodlight.





SOURCE: Bing Maps (Accessed 2017)

FIGURE 13  
Properties Evaluated  
LADWP West LA Yards

INTENTIONALLY LEFT BLANK





Figure 14. View of the northeast (main) and southeast elevations, looking west. 10/11/2017 (IMG 4050)

Building 1 was constructed in 1953 based on the LADBS Permit filed in that year. According to the original building permit, the building was constructed as a  $56 \times 50 \times 13$ -foot one-story, concrete block building with a composition roof. The original use for the building listed on the permit was as a locker and washroom building with four rooms (LADBS No. 1953LA53732). A permit was found for one set of alterations in 1967 that included the addition of new plumbing facilities and the removal and addition of one wall (LADBS No. 1967LA45064). Observed alterations to the building include panes in some of the windows and ADA-compliant ramps for the building.

A review of historic maps and aerial photographs was conducted as part of the archival research effort for this property. The 1944 Sanborn map does not show a building located on the parcel, which is consistent with a 1953 date of construction provided by the building permit. The following historic aerial photographs were reviewed for the property: 1947, 1952, 1964, 1967, 1972, 1980, 1989, 1994, 2002, 2003, 2004, 2005,

2006, 2009, 2010, 2011, 2012, and 2014 (NETR 2017; CSM 2017). The 1964 aerial photograph shows the building as a one-story building with a rectangular plan. The building appears to retain the scale and massing of the original plan, as shown in the 1964 aerial photograph and all subsequent aerial photographs (NETR 2017; CSM 2017).

#### Building 2, Warehouse – Tool Room, 1953

The subject property is a Mid-Century Modern building constructed in 1953, facing northeast towards a central, paved corridor road that runs the length of the tax lot (Figure 15). The one-story building is currently used as a warehouse for electrical equipment, employee personal protective equipment, and tools. The building features a shallow arched roof with seven wood-and-steel I-beam bowstring trusses supporting diagonally laid wood board sheathing beneath composite roofing material. According to LADWP archival photographs, the roof was sealed with Pioneer C-13-C4 Asphalt emulsion (Appendix C). The walls are painted concrete masonry units laid in running bond and extend above the roof to form a tall parapet wall. At the base of the wall is a smooth, concrete course roughly 3 feet in height that is flush with the rest of the concrete masonry units wall. The warehouse has loading bays, doors, and windows on all its elevations.

The main (northeast) elevation features irregular fenestration with the opening sites above grade to facilitate truck access. Fenestration, from left to right, consists of three loading bay doors; a metal single-leaf entrance door with a blue awning overhead and a loading bay door, both accessed via an elevated concrete stoop reached by short flights of open concrete steps at either end; a single loading bay door; and a metal single-leaf entrance door, a loading bay door, a metal half-lite door with frosted glass divided by a horizontal metal muntin, and a pair of 12-lite metal-framed windows separated by a metal mullion. A tall concrete platform (roughly 25 × 8 feet), with a shallow ramp to the southeast by a shallow ramp and a short flight of integral concrete steps to the northwest, grants access to the three doors on the northwestern end. Each 12-lite window is two lites wide by six lites high. The second and third rows from the top operate as a 4-lite awning window. The bottom is a 2-lite row. The first, fourth, and fifth 2-lite rows are fixed. Miscellaneous modern flood lights, loud speakers, and lamps are affixed to the building at roof height.

The northwest elevation has one pair of 12-lite metal-framed windows separated by a metal mullion. The 12-lite windows are each two lites wide by six lites high. For the northeastern 12-lite window, the second and third rows from the top operate as a 4-lite hopper window, as does the bottom 2-lite row. The first, fourth, and fifth 2-lite rows are fixed. The southwestern 12-lite window is similar but was modified at some point to accommodate a window air conditioning (AC) unit in the bottom four lites. There is also a large metal awning to the right (west) of this window that currently serves as covered parking for employee-owned motorcycles. An in-wall gutter is visible along this elevation from the smooth concrete water table a few inches above ground height. Similar gutters are likely on the other elevations but are visually obstructed.

Fenestration on the southwest elevation is regular, with eight equally spaced pairs of 12-lite windows separated by metal mullions. Each window correlates to a bay between the bowstring trusses. The visible 12-lite windows are each two lites wide by six lites high. The second and third rows from the top operate as a 4-

lite hopper window, as does the bottom row. From the top of the window the first, fourth, and fifth rows are fixed. Not all of these windows were fully visible, so it is possible that some windows were modified to accommodate ventilation systems.

The southeast elevation has a modern, metal fire door at its southern-most end, with a concrete stair and platform leading to it. To the right (east) of this door is a single modern roll-up door loading bay. This elevation also has lamps, floodlights, and a loudspeaker attached at roof level.



Figure 15. Building 2, view of the northeast (main) and northwest elevations, looking south. 10/11/2017 (IMG 4077)

Building 2 was constructed in 1953 based on the LADBS Permit filed in that year. According to the original building permit the building was constructed as a 171 × 51 × 121-foot one-story, concrete block building with a composition roof supported by 2 × 12-inch rafters and concrete floors. The original use for the building listed on the permit is a "warehouse (for general electrical supplies; no hazardous materials" (LADBS No. 1953LA64593). A permit was found for one set of alterations in 1982 that added a loading platform, access door, interior partitions, and interior ceilings, as well as to

comply with Title 24, which refers to California energy efficiency compliance laws passed in 1977 (LADBS No. 1982WL54416). Observed alterations to the building include the following: replacement panes in some of the windows, modification of windows to accommodate ventilation units, and updating loading bay doors to modern standards.

A review of historic maps and aerial photographs was conducted as part of the archival research effort for this property. The 1944 Sanborn map does not show a building located on the parcel, which is consistent with a 1953 date of construction provided by the building permit. The following historic aerial photographs were reviewed for the property: 1947, 1952, 1964, 1967, 1972, 1980, 1989, 1994, 2002, 2003, 2004, 2005, 2006, 2009, 2010, 2011, 2012, and 2014 (NETR 2017; CSM 2017). The 1964 aerial photograph shows a one-story building with a rectangular plan. The building appears to retain the scale and massing of the original plan, as shown in the 1964 aerial photograph and all subsequent aerial photographs (Google Earth 2016; NETR 2017; CSM 2017).

#### Building 3, Warehouse – Fleet Shop, 1956

The subject property is a Mid-Century Modern building constructed in 1956, facing northeast towards a central, paved corridor road that runs the length of the tax lot (Figure 16). The one-story building is currently used as a warehouse for storing fleet vehicles, electrical equipment storage, a wash bay, and as a machine shop for equipment repairs. The building features a low-pitched, side-gabled roof supported by steel I-beam rafters and purlins. There is no sheathing, and the roof is clad in corrugated galvanized steel sheets with no eaves. The roofline is occasionally interrupted by regularly spaced rotating metal roof vents. The walls are clad in vertically oriented, corrugated galvanized steel sheets and attached to a steel I-beam frame system with metal bolts and screws. The structural framing is arranged around I-beam posts that attach to I-beam principal rafters at the roof, effectively dividing the building into 16 bays. Each of these I-beam bents have horizontal metal studs bracing and connecting them, as well as I-beam purlins bracing the structure in the roof. The I-beam bents are attached to the ground at small concrete plinths.

On the northeast (main) elevation, the building is divided into three sections: a central open area with five bays, flanked on either end by a closed section with multiple doors. From left to right, the first section contains a corrugated metal up-and-over garage door; a metal two-panel doors with the upper panel split into a 2-lite, fixed window with frosted glass divided by a metal muntin; a corrugated metal up-and-over garage door with a centered wicket gate; and a corrugated metal up-and-over garage door with a wicket gate on the left side. The middle open section comprises six bays separated by I-beam bents. The third section has seven bays with the following fenestration arrangement: four corrugated metal roll-up garage doors; an 8-lite metal-framed window with the middle four lites forming an operable awning window and a full-bay-width metal shed roof attached on a level with the lower window muntin (directly below the awning window); and two corrugated metal roll-up garage doors. The garage door on the last bay was open, and an LADWP employee confirmed that this bay was used for washing vehicles.

The northwest elevation is gable ended and clad entirely in corrugated metal sheets. It has a single metal door as fenestration near the north side. This elevation also has floodlights and a utility box attached to the exterior wall.

The southwest elevation was not readily visible due to access restrictions and vegetation. However, the elevation appears to have irregular fenestration (from left to right): two square 16-lite windows with central operable sections, a rectangular multi-paned window, four multiple-paned windows (possibly a 4 × 3 grid), an expanse of corrugated metal-clad wall roughly corresponding to one bay-width, an opening of some sort (window or door is unclear), an expanse of corrugated metal-clad wall roughly corresponding to five bay widths, a square 16-lite window with central operable section adapted to house a fan, and a square 16-lite window with a central 4-lite horizontal pivot section.

The southeast elevation is gable ended and lacks fenestration, presenting as an expanse of corrugated metal cladding. The southern part has a low shed-roofed wood-framed addition, while the eastern part sports six vertical metal posts with regularly spaced horizontal arms that serve as open-air shelving.



Figure 16. Building 3, view of the northeast (main) and southeast elevations, looking west. 10/11/2017 (IMG 0014)

Building 3 was constructed in 1956 based on the LADBS Permit filed in that year. According to the original building permit, the building was constructed as a 310 × 40 × 14-foot one-story building. The original use

for the building listed on the permit is a "truck shed" (LADBS No. 1956WL18771). Several permits were found for alterations, and the first of these was dated 1959 that added an interior partition measuring 40 feet by 16 feet at the southeast end of the building (LADBS No. 1959LA44642). This partition closed off the southeastern most 40 feet of the 310-foot-long building, likely creating the three closed bays at that side of the building. The next permit was dated 1965 and included enclosing an unknown 20 × 40-foot area with sheet metal and steel framing (LADBS No. 1965LA91336). The next permit was dated 1970 and included updating an existing shed roof, enclosing a truck stall at the north end of the building with corrugated metal siding, and the construction of a new concrete floor at the north end of the building (LADBS No. 1970LA08254). The final recorded permit for alterations was in 2010, and based on the attached work map, the intent was grading and pouring concrete within the footprint of Building 3 (LADBS No. 10016-30000-06428). Observed alterations to the building include the following: modified windows, updated roll-up garage doors, and replacement corrugated metal roofing and siding at the north end of the building.

A review of historic maps and aerial photographs was conducted as part of the archival research effort for this property. The 1944 Sanborn map does not show a building located on the parcel, which is consistent with a 1956 date of construction provided by the building permit. The following historic aerial photographs were reviewed for the property: 1947, 1952, 1964, 1967, 1972, 1980, 1989, 1994, 2002, 2003, 2004, 2005, 2006, 2009, 2010, 2011, 2012, and 2014 (NETR 2017; CSM 2017). The 1964 aerial photograph shows a one-story building with a rectangular plan. The building appears to retain the scale and massing of the original plan, as shown in the 1964 aerial photograph and all subsequent aerial photographs (Google Earth 2016; NETR 2017; CSM 2017).

#### Building 4, District Office, 1959

The subject property is a Mid-Century Modern building constructed in 1959, facing southwest towards a central, paved corridor road that runs the length of the tax lot (Figure 17). The two-story building is currently used as an office and record storage area. The building features a flat roof behind a low parapet wall, but the roof structure was not visible. The walls are painted concrete masonry units laid in uniform running bonds from roof to foundation. The building foundation is a concrete pad. Building 4 has several distinctive modernistic decorative character-defining features: modern sans-serif metal lettering on the northwest elevation, horizontal metal awning screens running the length of buildings over the tops of windows as a screen on three of four elevations, and a pierced concrete block privacy wall on the southwest elevation.

On the main (southwest) elevation, there is a variety of fenestration. From left to right, on the first floor, there are three 2 wide × 3 tall, have the bottom two lites fixed, and have the top four operating as an awning window. To the right (south) of the windows is the main entry, which consists of a modern metal fire door with a thin, vertical fixed window with wire glass. Projecting from the south corner, perpendicular to the southeast elevation, is the pierced concrete block privacy wall. The wall extends out about 5 feet and runs from ground level to the flat metal awning over the first floor windows. The pattern on the pierced privacy



shade is simple alternating a square pierced block with a solid block every other course of the wall. There is a flat metal awning above the first floor windows and door. The flat metal awning on the first floor projects outward a few extra feet in front of the door to encompass the width of the privacy screen. The windows on the upper floor are spaced evenly with the first floor. From left to right, there are two 6-lite metal windows, which are arranged 2 wide  $\times$  3 tall, have the bottom two lites fixed, and have the top four operating as an awning window. Right of this, there is a 2-lite window in a metal frame. The opening style of the window is unknown. Then there is another two 6-lite windows, which are arranged 2 wide  $\times$  3 tall, have the bottom two lites fixed, and have the top four operating as a an awning window.

On the northwest elevation, which faces West Nebraska Avenue, from left to right, there are three 3-lite metal windows arranged 1 wide  $\times$  3 high in a ribbon on the first floor and identically spaced windows and identical window types on the second floor. Each floor has a flat metal awning shade running the length of the building immediately over the tops of the windows. Between the first and second floor, in sans-serif, all-capitals, metal lettering reads: "Department of Water and Power / City of Los Angeles / West Los Angeles Distribution Headquarters."

Along the southeast elevation, the window and door schedule becomes irregular. From left to right, on the first level, there is an ADA-compliant 10-foot concrete ramp with a railing, leading to a modern metal fire door. There is a shed-roof metal awning over the door. To the right (east) of the door are two windows: first is a 3-lite metal window, which is arranged 1 wide  $\times$  3 high with a fixed bottom lite and the top two lites operating together as an awning window; further right is a 2-lite (vertically arranged), metal awning window. There is a short, flat metal awning over these two windows, but unlike awnings on the northwest and southwest elevations, the awning does not extend the length of the building. On the upper floor, from left to right, there is a ribbon of three 3-lite windows in metal frames, a second ribbon of three 3-lite windows in metal frames, a painted metal fire escape ladder and metal guard, and an offset 2-lite metal awning window at the left-most side. Over the two window ribbons is a short, flat metal awning that does not extend the length of the building. The 2-lite window has no awning.

The northeast elevation also has an irregular window and door schedule. From left to right, the left side of the building on both levels is devoid of windows, doors, awnings, railings, or any decorative element. Windows are grouped at the right (north) side of the building. On the lower floor, from left (east) to right (north), there is a 2-lite (vertically arranged) metal awning window; a 3-lite window, which is arranged 1 wide  $\times$  3 high with a fixed bottom lite and the top two lites operating together as an awning window; and a ribbon of three 3-lite, metal windows where the top two lites operate as an awning window and the bottom lite is fixed. On the upper floor are three 6-lite metal window, which are arranged 2 wide  $\times$  3 high where the top four lites operate as an awning window, and the bottom two lites are fixed.



Figure 17. Building 4, view of the southwest (main) and southeast elevations, looking north. 10/11/2017 (IMG 4138)

Building 4 was constructed in 1959 based on the LADBS Permit filed in that year. According to the original building permit, the building was constructed as a 40 × 48 × 22-foot two-story building. The original use for the building listed on the permit is an “office” (LADBS No. 1959LA47000). Only two permits were found for alterations, and the first of these was dated 1982 and called for a remodeling of the office, new ceilings, and the addition of AC and bathrooms (LADBS No. 1982WL54413). The next permit was dated 1988 and called for external storage structures to be attached to the building (LADBS No. 1988WL77658). These structures were not extant in the 2017 survey. Observed alterations to the building include the following: replacing windows along the southwest (main) elevation, replacing doors, and adding an ADA-compliant ramp.

A review of historic maps and aerial photographs was conducted as part of the archival research effort for this property. The 1944 Sanborn map does not show a building located on the parcel, which is consistent with a 1959 date of construction provided by the building permit. The following historic aerial photographs

were reviewed for the property: 1947, 1952, 1964, 1967, 1972, 1980, 1989, 1994, 2002, 2003, 2004, 2005, 2006, 2009, 2010, 2011, 2012, and 2014 (NETR 2017; CSM 2017). The 1964 aerial photograph shows a two-story building with a nearly square plan. The building appears to retain the scale and massing of the original plan, as shown in the 1964 aerial photograph and all subsequent aerial photographs (Google Earth 2016; NETR 2017; CSM 2017).

#### Building 5, Break Room, 1966

The subject property is a Mid-Century Modern building constructed in 1966, facing southwest towards a central, paved corridor road that runs the length of the tax lot (Figure 18). The one-story building is currently used as a break room, kitchen, vehicle storage, and employee classroom. The building features a flat roof behind a low parapet wall, but the roof structure was not visible. The walls are painted concrete masonry units blocks laid in uniform running bonds from roof to foundation. The building foundation is a concrete pad. Each elevation features a different window and door schedule, as well as some flat, metal awnings that recall the design of the horizontal metal window awnings at Building 4, District Office.

On the southwest (main) elevation, from left to right, is a metal, unpainted 3-lite window with the top two lites operating as an awning window and the bottom lite is fixed. Over the window is a flat-roofed metal awning that wraps the corner of the building and extends slightly into the northwest elevation. Right of the window and awning is a modern, metal fire door. There is a single concrete stoop, one step high, leading to the fire door. Above the level of the 3-lite window is another window just to the right of the door. This is a ribbon of three metal, unpainted, 3-lite windows with the top two lites operating as an awning window and the bottom lite fixed. Beside this window ribbon is a roll-up metal garage door, wide enough for one standard-sized vehicle. Over the garage door is a wide, flat, metal awning that shades only the door and does not wrap around the corner. A shallow ramp, about 6 feet in length and rising no more than 6 inches, leads to the garage door.

Along the northwest elevation, from left the right, there is a metal fire door. Right of this is a metal, unpainted, 3-lite window, which is arrange one wide by three high and has been modified to fit an exhaust fan for the stove on the interior, which fits out of the awning window opening. Right of this window is an observed alteration where an original window has been removed and infilled with concrete masonry units. Right of this are two utility lines and boxes. Further right of this is a 3-lite window that has all lites fixed. Over this right-most window is the awning that wrapped the corner extending from the main elevation.

The northeast elevation, from left to right, has three ribbons of three 3-lite windows, evenly spaced along the elevation. Each 3-lite window has a fixed lower lite, and the top two lites operate as an awning window. There are several utility pipes and boxes running from box to roof along the northeast elevation. Two in-wall AC units are also attached to the northeast elevation and have utility wire pipes running away from them. There is an electric car charging station attached to the right-most side of the building as well.

On the southeast elevation, from left to right is a basketball hoop, attached directly to the masonry. Right of this is an in-wall, AC unit. Right of this is a vinyl, sliding, 2-lite window. Right of this is a modern, metal fire door with a blue fabric and metal shed-roof awning over it. Leading to the door parallel to the elevation wall is an ADA-compliant ramp and railing.



Figure 18. View to northwest (left) and southwest (right) elevations, looking east. 10/11/2017 (IMG 4013)

Building 5 was constructed in 1966 based on the LADBS Permit filed in that year. According to the original building permit, the building was constructed as a 40 × 72 × 20-foot one-story building. The original use for the building listed on the permit is a “(tool room) warehouse” (LADBS No. 1966LA33644), indicating that the current use for the building was not intended by its builders. Only one permit was found for alterations, in 1982, that called for AC and the addition of partitions (LADBS No. 1982WL54414). Observed alterations to the building include the following: infilling and altering windows along the northwest elevation, replacing doors, adding an ADA-compliant ramp, and adding utilities, including the electric car charging station.

A review of historic maps and aerial photographs was conducted as part of the archival research effort for this property. The 1944 Sanborn map does not show a building located on the parcel, which is consistent with a 1966 date of construction provided by the building permit. The building does not appear on the 1964 aerial with the other four main buildings on the lot. The following historic aerial photographs were reviewed for the property: 1947, 1952, 1964, 1967, 1972, 1980, 1989, 1994, 2002, 2003, 2004, 2005, 2006, 2009, 2010, 2011, 2012, and 2014 (NETR 2017; CSM 2017). The 1967 aerial photograph shows a one-story building with a nearly square plan. The building appears to retain the scale and massing of the original plan, as shown in the 1964 aerial photograph and all subsequent aerial photographs (Google Earth 2016; NETR 2017; CSM 2017).

INTENTIONALLY LEFT BLANK

## 5 SIGNIFICANCE EVALUATION

### 5.1 LADWP West Los Angeles District Headquarters

This significance evaluation considers the eligibility requirements presented in the SurveyLA Citywide Historic Context Statement for Municipal Water and Power (Prosser 2017). The context provides guidance for identifying and evaluating potential historical resources related to water and power, and outlines the requirements for various property types. The LADWP West Los Angeles Yard falls under the property type: Administration Buildings and Service Yards. This property type has a period of significance of 1902–1980. The context statement also includes eligibility standards, character defining/associative features, and integrity consideration for the property type, which were all considered in the evaluation.

#### NRHP/CRHR Statement of Significance

In consideration of the project site’s history and requisite integrity, Dudek finds the West Los Angeles Department of Water and Power Yards not eligible for listing in the NRHP or CRHR based on the following significance evaluation and in consideration of national and state eligibility criteria.

*Criterion A/1: Associated with events that have made a significant contribution to the broad patterns of our history.*

Archival research did not identify any associations with events that have made a significant contribution to the broad patterns of local or regional history. The subject property is one of at least 33 LADWP buildings from approximately the same period of construction (1945-1955) and lacks “a direct association with the physical growth of the City of Los Angeles during the 1902–1980 period” (Prosser 2017). These buildings are unrelated to major events in Los Angeles or LADWP history and do not clearly reflect the transition from architect-designed, monumental public utility buildings, to the more simplified and scaled down public utility buildings. The buildings are not associated with any locally important events in the Sawtelle neighborhood history. Although the increase in LADWP facilities does correlate with the post-WWII population boom that occurred in the mid-century, the headquarters themselves did not provide power for the West Los Angeles area, and appear to have played a supporting role for the nearby Distribution Center and for workers and journeymen stationed in the area. The site is most strongly related to equipment and vehicle storage. Due to a lack of significant associations with events important to history, the subject property does not appear eligible under NRHP/CRHR Criteria A/1.

*Criterion B/2: Associated with the lives of persons significant in our past.*

All engineers and worker names identified with the subject property were researched for possible significance. Archival research failed to indicate any associations with significant persons. This building has no known associations with any important figures in LADWP or City of Los Angeles history. For these reasons, the subject property does not appear eligible under NRHP/CRHR Criteria B/2.

*Criterion C/3: Embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction.*

There is a corresponding Los Angeles Citywide Historic Context statement available for Municipal Water and Power Buildings against which this site was evaluated. Under the property type “Administrative Buildings and Service Yards,” the subject property does fall within the period of significance (1902–1980) and is associated with water and power administration and maintenance, per the eligibility standards. However, the buildings lack many of the character defining and associative features required. This includes “retaining a significant lobby,” which no building on this property has. This building also lacks prominent signage. Although Building 4 does have signage that faces out onto West Nebraska Avenue, this signage is unobtrusive, sans-serif all-capitals lettering made of unadorned metal and attached directly to the side of the building. The site has no significant landscape features and a wall obscures most of the buildings from the street. The site is not related to a significant architectural or engineering theme because notable architects or engineers did not design the site. There are other public utility buildings built during the 1953–1966 period of construction that better suit the criteria laid out in the Los Angeles Citywide Historic Context for Water and Power (Prosser 2017).

In broader terms, during the mid-20th century, the simple aesthetic of Modern-style architecture began to overshadow the more ornate revival styles, signaling a shift in focus from art to function. Affordable, mass-produced materials, simple, boxy forms, and an emphasis on sleekness over applied ornament are hallmarks of the Mid-Century Modern style. The subject property is a collection of buildings built between 1953 and 1966, at a time when the LADWP was expanding to meet the demands of a rapidly growing Los Angeles population that was expanding westward. The LADWP would have keenly felt the appeal of buildings that could be built cheaply, quickly, and remain functional. Nearly all LADWP buildings built between 1945 and 1965 have modernism references or embody the simple and functional elements of the Mid-Century Modern style.

Each building on the subject property has experienced little alteration in plan or function and retains moderate levels of integrity in location, setting, feeling, and association. Integrity of design, materials, and workmanship is partially diminished due to changes in some original materials and use changes in the buildings. All buildings retain their original locations and orientations, and all buildings remain associated with the LADWP as they are set within an operational and active LADWP Yard. Buildings 1, 2, 4, and 5 have no major changes to the design/intention of the buildings, with only minor material and workmanship compromises for changes to windows or doors. Building 3 exhibits the most alterations and retains lower integrity of materials, design, and workmanship and has visibly distinguished new metal cladding materials. Integrity of design is also compromised on Building 3, as interior alterations have closed some bays and changed their intended function. The style is relatively unremarkable and may be indistinguishable from other LADWP neighborhood headquarters throughout Los Angeles. The buildings are not the work of a master architect or important creative individual, and the subject property does not appear eligible as a



contributor to a historic district. For all of these reasons, the subject property does not appear eligible under NRHP/CRHR Criteria C/3.

*Criterion D/4: Have yielded, or may be likely to yield, information important in prehistory or history.*

There is no evidence to suggest that this property has the potential to yield information important to state or local history, nor is it associated with a known archaeological resource. Therefore, the property is recommended not eligible under NRHP/CRHR Criterion D/4.

City of Los Angeles HCM Criteria

Per the City of Los Angeles Office of Heritage Resources website:

Historic-Cultural Monument designation is reserved for those resources that have a special aesthetic, architectural, or engineering interest or value of a historic nature. The Cultural Heritage Ordinance establishes criteria for designation; these criteria are contained in the definition of a Monument in the Ordinance. A historical or cultural monument is any site (including significant trees or other plant life located thereon), building, or structure of particular historical or cultural significance to the City of Los Angeles, such as historic structures or sites:

- in which the broad cultural, political, economic, or social history of the nation, state, or community is reflected or exemplified; OR
- which are identified with historic personages or with important events in the main currents of national, state, or local history; OR
- which embody the distinguishing characteristics of an architectural-type specimen, inherently valuable for a study of a period, style, or method of construction; OR
- which are a notable work of a master builder, designer, or architect whose individual genius influenced his or her age.

A proposed resource may be eligible for designation if it meets at least one of the criteria above. (LAOHR 2017)

Because the City of Los Angeles HCM criteria closely follow that of the NRHP and CRHR, the national and state significance evaluation previously presented is also relevant here. The subject property is not an example of outstanding craftsmanship, was not created by a “master” architect, builder, or designer, did not influence the design of other architecture in the City of Los Angeles, and does not have a role in the development or history of Los Angeles. It retains a moderate amount of integrity; however, alterations detract from integrity of materials and design. The site is not associated with a person or event important to Los Angeles history. The site is not associated with important movements or trends shaping the development of Los Angeles. Therefore, the subject property is recommended not eligible for listing as a City of Los Angeles HCM.

## Integrity Discussion

Integrity is the authenticity of a historical resource's physical identity as evidenced by the survival of characteristics that existed during the resource's period of significance, and the historical resource's ability to convey that significance. To be listed in the NRHP, a property must not only be shown to be significant under the NRHP criteria, but it also must have integrity. Similar stipulations apply to listing at the state level, but the threshold is lower for the CRHR, particularly if the site has potential to yield significant scientific or historic information. The evaluation of integrity is sometimes a subjective judgment, but it must always be grounded in an understanding of a property's physical features and how they relate to its significance. In consideration of the NRHP, historic properties either retain integrity or they do not. Seven aspects or qualities, in various combinations, define integrity: location, design, setting, materials, workmanship, feeling, and association (NPS 1990). To retain historic integrity, a property generally possesses several, if not most, of the aspects. The retention of specific aspects of integrity is paramount for a property to convey its significance. The subject property's integrity is as follows:

**Location:** The building is sited on the original location of construction in its original orientation. Therefore, the subject property retains integrity of location.

**Design:** The five buildings were subjected to several alterations over time that have compromised its integrity of design, including reconfiguration of entry points; accessibility additions such as ramps and larger compliant entry points; reconfiguration of interior spaces (most apparent and well documented at Building 3); removal of windows (most apparent at Building 5); and additions of lights, speakers, basketball hoops, awnings, HVAC, and modern utility boxes, to the building exteriors. Exterior spaces fluidly transition from parking areas to roads, roads to material storage spaces, and storage areas to parking areas again with little regard for original intention or design. Therefore, the buildings and grounds at the subject property do not maintain integrity of design.

**Setting:** The subject property does not maintain its original property boundaries, extending north into the 12272 West Nebraska Avenue lot sometime in the last decade. This area, now an employee vehicle parking lot, is not well documented. The southern boundary along the 1840 Centinela Avenue transformer yard is also historically fluid and changed to include parking spaces, storage buildings, and even roads before reverting to two separate distinct spaces. The setting within the larger neighborhood context is largely unaltered. The area to the northwest is still a predominantly single-family residential neighborhood. The area to the northeast and southeast is still light industrial. The area to the southwest is still occupied by the LADWP transformer yard. Therefore, the property's retains diminished integrity of setting, by the reconfiguration of the yards over time.

**Materials:** Numerous alterations to the buildings have compromised the property's material integrity, including the addition of metal replacement windows, addition of metal awnings, addition of fire-compliant and ADA-compliant doors, and replacement metal doors for loading bays. All of these alterations introduced new materials to the subject property that were not part of the original design. Therefore, the property does not retain integrity of materials.

**Workmanship:** Similar to the issue with materials, the physical evidence of a craftsman's skills in constructing the original building was compromised by the exterior alterations to the buildings. Therefore, the property no longer retains its integrity of workmanship.

**Feeling:** The alterations made to the subject property do not significantly impact the buildings' ability to correlate to a Mid-Century Modern working yard for the use of LADWP journeymen and their supporting staff. It retains high levels of functionality that it would have had since the site was developed in the 1950s and 1960s. For the most part, buildings retain their original roles, and the feeling of individual buildings has not changed. Changes to the layout of the property and setting, however do affect integrity of feeling. The significant addition of outdoor storage obstructs the original feeling of a working yard. The creation and addition of lots for parking spaces further degrades integrity of feeling. Therefore, the subject property retains diminished integrity of feeling.

**Association:** No important historical associations with events and people were identified for the subject property.

In summary, the subject property appears not eligible under all NRHP, CRHR, and City of Los Angeles HCM designation criteria. Further, the property exhibits moderate integrity of location, setting, and feeling, and low integrity of design, materials, or workmanship. No important historical associations with events and people were identified. Consequently, the property does not maintain the requisite integrity to warrant listing in the NRHP, CRHR, or as a City of Los Angeles HCM.

INTENTIONALLY LEFT BLANK

## 6 FINDINGS AND RECOMMENDATIONS

### 6.1 Summary of Findings

#### Built Environment Resources

Dudek surveyed one LADWP utility yard property built over 50 years ago and containing five buildings, numerous outdoor storage structures, gas and fuel pads, and equipment/vehicle parking. Each building/structure on the site was photographed, researched, and recorded on the appropriate set of DPR forms (Appendix D). The entire West Los Angeles LADWP Yard was evaluated for historical significance in consideration of NRHP, CRHR, and City of Los Angeles HCM designation criteria and integrity requirements. Table 3 presents a summary of each building within the yard. As a result of the significance evaluation, the West Los Angeles LADWP Yard appears not eligible for inclusion in the NRHP, CRHR, or local register (status code 6Z) due to a lack of significant historical associations and compromised integrity. Therefore, the buildings located within the proposed project site are not considered historical resources for the purposes of CEQA.

Table 3. Summary of Property Significance Evaluations

Map No.*	Street Address	City	Assessor's Parcel Number	Year Built (per County Assessor)	Evaluation Findings**
1	12300 West Nebraska Avenue	Los Angeles	4259018902	1953	6Z
2	12300 West Nebraska Avenue	Los Angeles	4259018902	1953	6Z
3	12300 West Nebraska Avenue	Los Angeles	4259018902	1956	6Z
4	12300 West Nebraska Avenue	Los Angeles	4259018902	1959	6Z
5	12300 West Nebraska Avenue	Los Angeles	4259018902	1966	6Z

\* Corresponds to Figure 13

\*\* Status Code 6Z = not eligible for inclusion in the NRHP, CRHR, or local designation.

#### Archaeological Resources

No archaeological resources were identified within the project site as a result of the CHRIS records search, Native American coordination, or survey. One Native American contact requested the presence of a Native American monitor during all ground-disturbing activities. However, no specific archaeological resources or sensitivity concerns were identified by any sources consulted. However, it is always possible that intact archaeological deposits are present at subsurface levels. For these reasons, the project site should be treated as potentially sensitive for archaeological resources. Management recommendations to reduce potential impacts to unanticipated archaeological resources and human remains during campus construction activities are provided below.

The findings of this cultural resources study indicate that the proposed project will have a less-than-significant impact on historical resources under CEQA.

## 6.2 Management Recommendations

### *Unanticipated Discovery of Archaeological Resources*

In the event that archaeological resources (sites, features, or artifacts) are exposed during construction activities for the proposed project, all construction work occurring within 100 feet of the find shall immediately stop until a qualified archaeologist, meeting the Secretary of the Interior's Professional Qualification Standards, can evaluate the significance of the find and determine whether or not additional study is warranted. Should it be required, temporary flagging may be installed around a resource to avoid any disturbances from construction equipment. Depending upon the significance of the find under CEQA (14 California Code of Regulations Section 15064.5(f); PRC Section 21082), the archaeologist may record the find to appropriate standards (thereby addressing any data potential) and allow work to continue. If the archaeologist observes the discovery to be potentially significant under CEQA, additional treatment may be required.

### *Unanticipated Discovery of Human Remains*

In accordance with Section 7050.5 of the California Health and Safety Code, if potential human remains are found, the lead agency staff and the County Coroner must be immediately notified of the discovery. The coroner would provide a determination within 48 hours of notification. No further excavation or disturbance of the identified material, or any area reasonably suspected to overlie additional remains, can occur until a determination has been made. If the County Coroner determines that the remains are, or are believed to be, Native American, the coroner would notify the NAHC within 24 hours. In accordance with PRC Section 5097.98, the NAHC must immediately notify those persons it believes to be the MLD from the deceased Native American. Within 48 hours of this notification, the MLD would recommend to the lead agency her/his preferred treatment of the remains and associated grave goods.

## 7 REFERENCES CITED

- Ancestry. 2017. *California, Voter Registrations, 1900–1968* [database on-line]. Provo, UT, USA: Ancestry.com Operations Inc, 2017. Accessed 10/26/2017 [http://search.ancestry.com/cgi-bin/sse.dll?indiv=1&dbid=61066&h=59450452&tid=&pid=&usePUB=true&\\_phsrc=CZS39&\\_phstart=successSource](http://search.ancestry.com/cgi-bin/sse.dll?indiv=1&dbid=61066&h=59450452&tid=&pid=&usePUB=true&_phsrc=CZS39&_phstart=successSource) .
- ARG (Architectural Resources Group). 2015. “Supplemental Historic Resources Survey Report: Industrial Zone Properties in the West Los Angeles Community Plan Area.” *Survey LA: Los Angeles Historic Resource Survey*. Los Angeles, CA: Department of City Planning, Office of Historic Resources.
- Caughey, J., and L. Caughey. 1977. *Los Angeles: Biography of a City*. Berkeley, California: University of California Press.
- Ching, F.D.K. 2011. *A Visual Dictionary of Architecture*. 2nd ed. Hoboken, New Jersey: Wiley.
- Caughey, John, and LaRee Caughey. 1977. *Los Angeles: Biography of a City*. Berkeley, CA: University of California Press.
- CSM (City of Santa Monica). 2017. “City of Santa Monica Aerial.” Accessed October 10, 2017. [http://csmgisweb.smgov.net/Html5Viewer/Index.html?configBase=http://csmgisweb.smgov.net/Geocortex/Essentials/REST/sites/laco\\_test/viewers/LACO\\_base\\_test\\_html5/virtualdirectory/Resources/Config/Default](http://csmgisweb.smgov.net/Html5Viewer/Index.html?configBase=http://csmgisweb.smgov.net/Geocortex/Essentials/REST/sites/laco_test/viewers/LACO_base_test_html5/virtualdirectory/Resources/Config/Default).
- Dudek. 2016. “Cultural Resources Assessment for the Upper Stone Canyon Reservoir Water Quality Improvement Project, City of Los Angeles, California.” Prepared for Los Angeles Department of Water and Power Environmental Affairs. Pasadena, California: Dudek. November 2016.
- Dumke, G.S. 1944. *The Boom of the Eighties in Southern California*. San Marino, California: Huntington Library Publications.
- Fogelson, R.M. 1993. *The Fragmented Metropolis: Los Angeles, 1850–1930*. 2nd ed. Los Angeles, CA: University of California Press.
- Gebhard, D., and R. Winter. 2003. *An Architectural Guidebook to Los Angeles*. Layton, Utah: Gibbs Smith Publishing.
- Huang, J., J. Kweon, J. Park, and T. Zhang. 2015. “Sawtelle Japantown: The Trajectory of Japanese American Neighborhoods.” Spring, 2015. Accessed October 24, 2017. [http://asianam.ucla.edu/sites/default/files/media/assets/sawtelle\\_group1\\_preserve\\_1.pdf](http://asianam.ucla.edu/sites/default/files/media/assets/sawtelle_group1_preserve_1.pdf) .

- LACMC (Los Angeles Conservancy Modern Committee). 2012. "Historic-Cultural Monument Application for the Los Angeles Department of Water and Power General Office Building (John Ferraro Building)." Los Angeles Department of City Planning recommendation Report CHC-2012-1944-HCM. Accessed October 25, 2017. [http://clkrep.lacity.org/onlinedocs/2012/12-1306\\_RPT\\_CHC\\_08-13-12.pdf](http://clkrep.lacity.org/onlinedocs/2012/12-1306_RPT_CHC_08-13-12.pdf).
- LADWP (Los Angeles Department of Water and Power). 1954. "Underground Gets Headquarters for West Los Angeles." *Intake*. Vol. 31, No. 7. July 1954.
- LADWP. 1978. *Water for Los Angeles*. Los Angeles, CA: Los Angeles Department of Water and Power.
- LADWP. 1990. "Significant Dates in Department History" *Facts and Figures*. Los Angeles, CA: Los Angeles Department of Water and Power.
- LADWP. 2002. *Water, Power, and the Growth of Los Angeles: a 100-year perspective*. Los Angeles: Los Angeles Department of Water and Power. Accessed at Los Angeles City Archives (LACA), Erwin C. Piper Technical Center, Box No. C-1505, November 1, 2017.
- LAOHR (Los Angeles Office of Historic Resources). 2017. "What Makes a Resource Historically Significant?" Los Angeles Office of Historic Resources website. Accessed October, 31, 2017 <https://preservation.lacity.org/commission/what-makes-resource-historically-significant>.
- LAT (Los Angeles Times). 1899. "Santa Monica: Road to Sawtelle – Chinaman's Farewell Reception – County Division." Newspapers.com *Los Angeles Times*. October 12, 1899. 13.
- LAT. 1900. "Pensions and Post Offices." Newspapers.com *Los Angeles Times*. January 7, 1900, 11.
- LAT. 1901. "Soldiers Home. Coming of the Trolley." Newspapers.com *Los Angeles Times*. June 30, 1901, 11.
- LAT. 1911. "The City of Sawtelle and the Soldiers' Home." Newspapers.com *Los Angeles Times*. September 10, 1911, IV -2.
- LAT. 1917. "Sawtelle to Vote on Annexation." Newspapers.com *Los Angeles Times*. May 4, 1917, III-4
- LAT. 1919. "Contest Sawtelle Annexation Vote?" Newspapers.com *Los Angeles Times*. May 21, 1919, II-1.
- LAT. 1921. "Sawtelle Vote Hit By Court." Newspapers.com *Los Angeles Times*. September 16, 1921, II-1.
- LAT. 1922. "To Be or Not to Be Sawtelle?" Newspapers.com *Los Angeles Times*. June 3, 1922, II-1.
- LAT. 1945. "City Launches 10-Year Utility Building Plan." Newspapers.com *Los Angeles Times*. September 14, 1945, 14-2.



- LAT. 1978. "Sawtelle: a pioneer Los Angeles Community." Newspapers.com *Los Angeles Times*. October 29, 1978, advertising supplement, pg 1, 13.
- LAT. 2015. "Regaining an Identity: Neighborhood's signs will reflect tightknit past." Newspapers.com *Los Angeles Times*. March 29, 2015, pg B3.
- LAT. 2016. "Bloom and Boom on the Westside." Newspapers.com *Los Angeles Times*. April 2, 2016. J6.
- Los Angeles City Council. 2015. "Agenda: Wednesday, February 25, 2015" Accessed October 27, 2017. [http://ens.lacity.org/clk/councilagendas/clkcouncilagendas393665\\_02252015.html](http://ens.lacity.org/clk/councilagendas/clkcouncilagendas393665_02252015.html).
- McAlester, V.S. 2014. *A Field Guide to American Houses (Revised): The Definitive Guide to Identifying and Understanding America's Domestic Architecture*. New York City, New York: Alfred A Knopf.
- Morgan, W. 2004. *The Abrams Guide to American House Styles*. New York City, New York: Harry N Abrams Inc.
- Nadeau, R. 1997. *The Water Seekers*. Revised 4th ed. Crest Publishers, Santa Barbara, California. Office of Historic Preservation. 1995. "Instructions for Recording Historical Resources." California State Parks, Office of Historic Preservation. March 1995. <http://ohp.parks.ca.gov/pages/1054/files/manual95.pdf>.
- NETR (Nationwide Environmental Title Research LLC). 2017. Historic aerial photographs of 12300 W. Nebraska Avenue dating from 1947, 1952, 1964, 1967, 1972, 1980, 1989, 1994. Accessed October 10, 2017. <https://www.historicaerials.com/viewer>.
- NPS (National Park Service). 1990. *National Register Bulletin: How to Apply The National Register Criteria for Evaluation*. Bulletin No. 15. Accessed November 1, 2017. <https://www.nps.gov/nr/publications/bulletins/pdfs/nrb15.pdf>.
- NPS. 2017. "Veterans Affairs National Home for Disabled Volunteer Soldiers: Pacific Branch, Los Angeles, California." National Park Service. Accessed: October 17, 2017. [https://www.nps.gov/nr/travel/veterans\\_affairs/pacific\\_branch.html](https://www.nps.gov/nr/travel/veterans_affairs/pacific_branch.html).
- Prosser, D. 2016. "LOS ANGELES CITYWIDE HISTORIC CONTEXT STATEMENT Context: Pre-Consolidation Communities of Los Angeles, 1862–1932." *Survey LA: Los Angeles Historic Resource Survey*. Los Angeles, CA: Department of City Planning, Office of Historic Resources.
- Prosser, D. 2017. "LOS ANGELES CITYWIDE HISTORIC CONTEXT STATEMENT Context: Public and Private Institutional Development, 1850–1980 Sub-Context: Municipal Infrastructure and Services, 1900–1980 Theme: Municipal Water and Power, 1902–1980." *Survey LA: Los Angeles Historic Resource Survey*. Los Angeles, CA: Department of City Planning, Office of Historic Resources.
- Sanborn (Sanborn Fire Insurance Company Maps). 1905. "Sawtelle." [map].

Sanborn. 1907. "Sawtelle." [map].

Sanborn. 1912. "Sawtelle." [map].

Sanborn. 1921. "Sawtelle." [map].

Sanborn. 1924. "Sawtelle." [map].

Sanborn. 1928. "Sawtelle." [map].

Sanborn. 1944. "City of West Los Angeles." [map]

Sapphos (Sapphos Environmental). 2012. "Historic Resources Survey Report: West Los Angeles Community Plan Area." *Survey LA: Los Angeles Historic Resource Survey*. Los Angeles, CA: Department of City Planning, Office of Historic Resources.

Soifer, P. 2017. Personal communication regarding the West Los Angeles Underground Distribution District Headquarters.

Vader, M. 2013. *Final Archaeological Resources Monitoring Report for the Los Angeles Department of Water and Power Scattergood–Olympic Transmission Line Project, Vault Investigations, Los Angeles County, California*.

# APPENDIX A

**CONFIDENTIAL** Records Search Results



# APPENDIX B

## NAHC and Tribal Outreach



**NATIVE AMERICAN HERITAGE COMMISSION**

Environmental and Cultural Department  
1550 Harbor Blvd., Suite 100  
West Sacramento, CA 95691  
(916) 373-3710



September 7, 2017

Samantha Murray  
Dudek

Sent by E-mail: smurray@dudek.com

RE: Proposed LADWP West LA Yard (#8584-50) Project, City of Los Angeles; Beverly Hills  
USGS Quadrangle, Los Angeles County, California

Dear Ms. Murray:

A record search of the Native American Heritage Commission (NAHC) *Sacred Lands File* was completed for the area of potential project effect (APE) referenced above with negative results however the area is sensitive for cultural resources. Please note that the absence of specific site information in the *Sacred Lands File* does not indicate the absence of Native American cultural resources in any APE.

Attached is a list of tribes culturally affiliated to the project area. I suggest you contact all of the listed Tribes. If they cannot supply information, they might recommend others with specific knowledge. The list should provide a starting place to locate areas of potential adverse impact within the APE. By contacting all those on the list, your organization will be better able to respond to claims of failure to consult. If a response has not been received within two weeks of notification, the NAHC requests that you follow-up with a telephone call to ensure that the project information has been received.

If you receive notification of change of addresses and phone numbers from any of these individuals or groups, please notify me. With your assistance we are able to assure that our lists contain current information. If you have any questions or need additional information, please contact via email: [gayle.totton@nahc.ca.gov](mailto:gayle.totton@nahc.ca.gov).

Sincerely,

A handwritten signature in blue ink that reads "Gayle Totton".

Gayle Totton, M.A., PhD.  
Associate Governmental Program Analyst

**CONFIDENTIALITY NOTICE:** This communication with its contents may contain confidential and/or legally privileged information. It is solely for the use of the intended recipient(s). Unauthorized interception, review, use or disclosure is prohibited and may violate applicable laws including the Electronic Communications Privacy Act. If you are not the intended recipient, please contact the sender and destroy all copies of the communication.

Native American Heritage Commission  
Native American Contact List  
Los Angeles County  
9/7/2017

**Gabrieleno Band of Mission  
Indians - Kizh Nation**

Andrew Salas, Chairperson  
P.O. Box 393 Gabrieleno  
Covina, CA, 91723  
Phone: (626) 926 - 4131  
gabrielenoindians@yahoo.com

**Gabrieleno/Tongva San Gabriel  
Band of Mission Indians**

Anthony Morales, Chairperson  
P.O. Box 693 Gabrieleno  
San Gabriel, CA, 91778  
Phone: (626) 483 - 3564  
Fax: (626) 286-1262  
GTTribalcouncil@aol.com

**Gabrielino /Tongva Nation**

Sandonne Goad, Chairperson  
106 1/2 Judge John Aiso St., Gabrielino  
#231  
Los Angeles, CA, 90012  
Phone: (951) 807 - 0479  
sgoad@gabrielino-tongva.com

**Gabrielino Tongva Indians of  
California Tribal Council**

Robert Dorame, Chairperson  
P.O. Box 490 Gabrielino  
Bellflower, CA, 90707  
Phone: (562) 761 - 6417  
Fax: (562) 761-6417  
gtongva@gmail.com

**Gabrielino-Tongva Tribe**

Charles Alvarez,  
23454 Vanowen Street Gabrielino  
West Hills, CA, 91307  
Phone: (310) 403 - 6048  
roadkingcharles@aol.com

This list is current only as of the date of this document. Distribution of this list does not relieve any person of statutory responsibility as defined in Section 7050.5 of the Health and Safety Code, Section 5097.94 of the Public Resource Section 5097.98 of the Public Resources Code.

This list is only applicable for contacting local Native Americans with regard to cultural resources assessment for the proposed LADWP West LA Yard (#8584-50) Project, Los Angeles County.



September 11, 2017

8584-50

Mr. Charles Alvarez, Councilman  
Gabrielino Tongva Tribe  
23454 Vanowen St.  
West Hills, CA 91307

***Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California***

Dear Mr. Alvarez:

The Los Angeles Department of Water and Power (LADWP) retained Dudek to conduct a cultural resources study in support of the proposed West Los Angeles District Yard Demolition and Construction Project (project) located in the City of Los Angeles, Los Angeles County, California. The project proposes the demolition of all existing structures at the West Los Angeles District Yard and construction of three new buildings in their place, as well as an underground and surface parking lot. The West Los Angeles District Yard is located at 12300 Nebraska Avenue, Los Angeles, CA 90025. The project falls within Section 33 of Township 1 South, Range 15 West of the *Beverly Hills* U.S. Geological Service 7.5-minute series topographic Quadrangle map (see attached map).

As part of the cultural resources study prepared for the proposed project, Dudek contacted the California Native American Heritage Commission (NAHC) to request a Sacred Lands File (SLF) search and a list of Native American individuals and/or tribal organizations who may have knowledge of cultural resources in or near the proposed project area. The SLF search failed to indicate the presence of Native American cultural resources in the immediate project area; however, the NAHC noted that the area is sensitive for cultural resources.

The NAHC recommended that we contact you regarding your knowledge of the presence of cultural resources that may be impacted by this project. If you have any knowledge of cultural resources that may exist within or near the proposed project area, please contact me directly at (760) 840-7556, [adorrler@dudek.com](mailto:adorrler@dudek.com), or at 3544 University Avenue, Riverside, CA 92501 within 15 days of receipt of this letter.

Please note that this letter does not constitute Assembly Bill (AB) 52 notification or initiation of consultation. AB 52 is a process between the lead agency and California Native American Tribes concerning potential impacts to tribal cultural resources. Tribes that wish to be notified of

*Mr. Alvarez:*


*Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California*

---

projects for the purposes of AB 52 must contact the lead agency, the LADWP, in writing (pursuant to Public Resources Code Section 21080.3.1 (b)).

Thank you for your assistance.

Sincerely,




---

Adriane Dorrlor  
Archaeologist

*Attachment: Records Search Map*

Mr. Alvarez:

Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California



SOURCE: USGS USA Topo 7.5 Series Quadrangle Beverly Hills, Township 1S / Range 15W / Section 33



Cultural Records Search Map  
LADWP West LA District Yard



September 11, 2017

8584-50

Mr. Robert F. Dorame, Tribal Chair/Cultural Resources  
Gabrieleno Tongva Indians of California Tribal Council  
P.O. Box 490  
Bellflower, CA 90707

***Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California***

Dear Mr. Dorame:

The Los Angeles Department of Water and Power (LADWP) retained Dudek to conduct a cultural resources study in support of the proposed West Los Angeles District Yard Demolition and Construction Project (project) located in the City of Los Angeles, Los Angeles County, California. The project proposes the demolition of all existing structures at the West Los Angeles District Yard and construction of three new buildings in their place, as well as an underground and surface parking lot. The West Los Angeles District Yard is located at 12300 Nebraska Avenue, Los Angeles, CA 90025. The project falls within Section 33 of Township 1 South, Range 15 West of the *Beverly Hills* U.S. Geological Service 7.5-minute series topographic Quadrangle map (see attached map).

As part of the cultural resources study prepared for the proposed project, Dudek contacted the California Native American Heritage Commission (NAHC) to request a Sacred Lands File (SLF) search and a list of Native American individuals and/or tribal organizations who may have knowledge of cultural resources in or near the proposed project area. The SLF search failed to indicate the presence of Native American cultural resources in the immediate project area; however, the NAHC noted that the area is sensitive for cultural resources.

The NAHC recommended that we contact you regarding your knowledge of the presence of cultural resources that may be impacted by this project. If you have any knowledge of cultural resources that may exist within or near the proposed project area, please contact me directly at (760) 840-7556, [adorrler@dudek.com](mailto:adorrler@dudek.com), or at 3544 University Avenue, Riverside, CA 92501 within 15 days of receipt of this letter.

Please note that this letter does not constitute Assembly Bill (AB) 52 notification or initiation of consultation. AB 52 is a process between the lead agency and California Native American Tribes concerning potential impacts to tribal cultural resources. Tribes that wish to be notified of projects for the purposes of AB 52 must contact the lead agency, the LADWP, in writing (pursuant to Public Resources Code Section 21080.3.1 (b)).


*Mr. Dorame:*

*Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California*

---

Thank you for your assistance.

Sincerely,




---

Adriane Dorrler  
Archaeologist

*Attachment: Records Search Map*

Mr. Dorame:

Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California



SOURCE: USGS USA Topo 7.5 Series Quadrangle Beverly Hills, Township 15 / Range 15W / Section 33



Cultural Records Search Map  
LADWP West LA District Yard



September 11, 2017

8584-50

Ms. Sandonne Goad, Chairperson  
Gabrielino-Tongva Nation  
106 1/2 Judge John Also St.  
Los Angeles, CA 90012

***Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California***

Dear Ms. Goad:

The Los Angeles Department of Water and Power (LADWP) retained Dudek to conduct a cultural resources study in support of the proposed West Los Angeles District Yard Demolition and Construction Project (project) located in the City of Los Angeles, Los Angeles County, California. The project proposes the demolition of all existing structures at the West Los Angeles District Yard and construction of three new buildings in their place, as well as an underground and surface parking lot. The West Los Angeles District Yard is located at 12300 Nebraska Avenue, Los Angeles, CA 90025. The project falls within Section 33 of Township 1 South, Range 15 West of the *Beverly Hills* U.S. Geological Service 7.5-minute series topographic Quadrangle map (see attached map).

As part of the cultural resources study prepared for the proposed project, Dudek contacted the California Native American Heritage Commission (NAHC) to request a Sacred Lands File (SLF) search and a list of Native American individuals and/or tribal organizations who may have knowledge of cultural resources in or near the proposed project area. The SLF search failed to indicate the presence of Native American cultural resources in the immediate project area; however, the NAHC noted that the area is sensitive for cultural resources.

The NAHC recommended that we contact you regarding your knowledge of the presence of cultural resources that may be impacted by this project. If you have any knowledge of cultural resources that may exist within or near the proposed project area, please contact me directly at (760) 840-7556, [adorrler@dudek.com](mailto:adorrler@dudek.com), or at 3544 University Avenue, Riverside, CA 92501 within 15 days of receipt of this letter.

Please note that this letter does not constitute Assembly Bill (AB) 52 notification or initiation of consultation. AB 52 is a process between the lead agency and California Native American Tribes concerning potential impacts to tribal cultural resources. Tribes that wish to be notified of projects for the purposes of AB 52 must contact the lead agency, the LADWP, in writing (pursuant to Public Resources Code Section 21080.3.1 (b)).


*Ms. Goad:*

*Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California*

---

Thank you for your assistance.

Sincerely,



---


Adriane Dorrlor  
Archaeologist

*Attachment: Records Search Map*



Ms. Goad:

Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California



SOURCE: USGS USA Topo 7.5 Series Quadrangle Beverly Hills, Township 15 / Range 15W / Section 33



Cultural Records Search Map  
LADWP West LA District Yard

September 11, 2017

8584-50

Mr. Anthony Morales, Chairperson  
Gabieleno/Tongva San Gabriel Band of Mission Indians  
P.O. Box 693  
San Gabriel, CA 91778

***Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California***

Dear Mr. Morales:

The Los Angeles Department of Water and Power (LADWP) retained Dudek to conduct a cultural resources study in support of the proposed West Los Angeles District Yard Demolition and Construction Project (project) located in the City of Los Angeles, Los Angeles County, California. The project proposes the demolition of all existing structures at the West Los Angeles District Yard and construction of three new buildings in their place, as well as an underground and surface parking lot. The West Los Angeles District Yard is located at 12300 Nebraska Avenue, Los Angeles, CA 90025. The project falls within Section 33 of Township 1 South, Range 15 West of the *Beverly Hills* U.S. Geological Service 7.5-minute series topographic Quadrangle map (see attached map).

As part of the cultural resources study prepared for the proposed project, Dudek contacted the California Native American Heritage Commission (NAHC) to request a Sacred Lands File (SLF) search and a list of Native American individuals and/or tribal organizations who may have knowledge of cultural resources in or near the proposed project area. The SLF search failed to indicate the presence of Native American cultural resources in the immediate project area; however, the NAHC noted that the area is sensitive for cultural resources.

The NAHC recommended that we contact you regarding your knowledge of the presence of cultural resources that may be impacted by this project. If you have any knowledge of cultural resources that may exist within or near the proposed project area, please contact me directly at (760) 840-7556, [adorrler@dudek.com](mailto:adorrler@dudek.com), or at 3544 University Avenue, Riverside, CA 92501 within 15 days of receipt of this letter.

Please note that this letter does not constitute Assembly Bill (AB) 52 notification or initiation of consultation. AB 52 is a process between the lead agency and California Native American Tribes concerning potential impacts to tribal cultural resources. Tribes that wish to be notified of projects for the purposes of AB 52 must contact the lead agency, the LADWP, in writing (pursuant to Public Resources Code Section 21080.3.1 (b)).


*Mr. Morales:*

*Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California*

---

Thank you for your assistance.

Sincerely,



---


Adriane Dorrlor  
Archaeologist

*Attachment: Records Search Map*



Mr. Morales:

Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California



SOURCE: USGS USA Topo 7.5 Series Quadrangle Beverly Hills, Township 15 / Range 15W / Section 33



Cultural Records Search Map  
LADWP West LA District Yard

September 11, 2017

8584-50

Mr. Andrew Salas, Chairperson  
Gabrieleno Band of Mission Indians  
P.O. Box 393  
Covina, CA 91723

***Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California***

Dear Mr. Salas:

The Los Angeles Department of Water and Power (LADWP) retained Dudek to conduct a cultural resources study in support of the proposed West Los Angeles District Yard Demolition and Construction Project (project) located in the City of Los Angeles, Los Angeles County, California. The project proposes the demolition of all existing structures at the West Los Angeles District Yard and construction of three new buildings in their place, as well as an underground and surface parking lot. The West Los Angeles District Yard is located at 12300 Nebraska Avenue, Los Angeles, CA 90025. The project falls within Section 33 of Township 1 South, Range 15 West of the *Beverly Hills* U.S. Geological Service 7.5-minute series topographic Quadrangle map (see attached map).

As part of the cultural resources study prepared for the proposed project, Dudek contacted the California Native American Heritage Commission (NAHC) to request a Sacred Lands File (SLF) search and a list of Native American individuals and/or tribal organizations who may have knowledge of cultural resources in or near the proposed project area. The SLF search failed to indicate the presence of Native American cultural resources in the immediate project area; however, the NAHC noted that the area is sensitive for cultural resources.

The NAHC recommended that we contact you regarding your knowledge of the presence of cultural resources that may be impacted by this project. If you have any knowledge of cultural resources that may exist within or near the proposed project area, please contact me directly at (760) 840-7556, [adorrler@dudek.com](mailto:adorrler@dudek.com), or at 3544 University Avenue, Riverside, CA 92501 within 15 days of receipt of this letter.

Please note that this letter does not constitute Assembly Bill (AB) 52 notification or initiation of consultation. AB 52 is a process between the lead agency and California Native American Tribes concerning potential impacts to tribal cultural resources. Tribes that wish to be notified of projects for the purposes of AB 52 must contact the lead agency, the LADWP, in writing (pursuant to Public Resources Code Section 21080.3.1 (b)).


*Mr. Salas:*

*Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California*

---

Thank you for your assistance.

Sincerely,



---


Adriane Dorrlor  
Archaeologist

*Attachment: Records Search Map*



Mr. Salas:

Subject: West Los Angeles District Yard Demolition and Construction Project, City of Los Angeles, Los Angeles County, California



SOURCE: USGS USA Topo 7.5 Series Quadrangle Beverly Hills, Township 15 / Range 15W / Section 33



Cultural Records Search Map  
LADWP West LA District Yard



# Gabrieleno Band of Mission Indians – Kizh Nation

Historically known as The San Gabriel Band of Mission Indians  
recognized by the State of California as the aboriginal tribe of the Los Angeles basin

October 11, 2017

**Regarding: West Los Angeles District Yard Demolition and Construction Project City of Los Angeles**

Dear Adriane Dorrlor,

This email is in response to the above referenced project located at 12300 Nebraska Ave Los Angeles . The project location is within our Ancestral territory which may have potential for discoveries of our cultural resources . Therefore, we would like to request that one of our Native Monitors be present during any and all ground disturbances.

Should you have any questions or concerns, please contact our office at 844-390-0787.

Thank you,

Andrew Salas  
Chairman, Gabrieleno Band of Mission Indians-Kizh Nation



# APPENDIX C

Select Historical Photographs from the LADWP  
Archives



APPENDIX C  
SELECT HISTORICAL PHOTOGRAPHS FROM THE LADWP

---



Clearing site at LADWP West Los Angeles Headquarters, May 8, 1953. (LADWP No. 34562)



West Los Angeles Headquarters, Building 1, foundation; May 22, 1953 (LADWP No. 34566)



West Los Angeles Headquarters, Building 1, foundation; May 22, 1953 (LADWP No. 34566)



West Los Angeles Headquarters, Building 1, compacting backfill; June 1, 1953 (LADWP No. 34576)



West Los Angeles Headquarters, Building 1, roofless; June 8, 1953 (LADWP No. 34576)



West Los Angeles Headquarters, Building 1 (locker room) in background, clearing foundation for Building 2 (warehouse); October 21, 1953 (LADWP No. 34654)



West Los Angeles Headquarters, Building 2 (warehouse), north end of fill showing footing and reinforced steel for foundation wall ; November 4, 1953 (LADWP No. 34662)



West Los Angeles Headquarters, Building 2 (warehouse), exterior form for west foundation wall; November 4, 1953 (LADWP No. 34664)





West Los Angeles Headquarters, Building 2 (warehouse), setting of roof truss – Arch Rib Truss Co;  
December 17, 1953 (LADWP No. 38818)



West Los Angeles Headquarters, Building 2 (warehouse), brushing on Wesco X-tite Coater on west  
wall; February 10, 1954 (LADWP No. 38835)



West Los Angeles Headquarters, Building 2 (warehouse), placing of floor slab; February 10, 1954  
(LADWP No. 38837A)



West Los Angeles Headquarters, Building 2 (warehouse), mopping roof with Pioneer C-13-C4  
Asphalt emulsion (Pioneer); February 17, 1954 (LADWP No. 38842)



# APPENDIX D

## DPR Forms



State of California & The Resources Agency  
 DEPARTMENT OF PARKS AND RECREATION  
**PRIMARY RECORD**

Primary #  
 HRI #  
 Trinomial  
 NRHP Status Code 6Z

Other Listings  
 Review Code

Reviewer

Date

Page 1 of 13 \*Resource Name or #: (Assigned by recorder) 12300 West Nebraska Avenue.

P1. Other Identifier: West Los Angeles Department of Water and Power Yards

\*P2. Location:  Not for Publication  Unrestricted

\*a. County Los Angeles and (P2c, P2e, and P2b or P2d. Attach a Location Map as necessary.)

\*b. USGS 7.5' Quad Beverly Hills Date 2015 T 1S ; R 16W ; SE ¼ of SE ¼ of Sec 0 ; SB B.M.

c. Address 12300 West Nebraska Avenue City Los Angeles Zip 90025

d. UTM: (Give more than one for large and/or linear resources) Zone 11S, 365257 mE/ 3766921 mN

e. Other Locational Data: (e.g., parcel #, directions to resource, elevation, decimal degrees, etc., as appropriate)

AINs: 4259018902. The subject property is bound by Nebraska Avenue to the northwest; a light industrial property to the northeast; a light industrial property and parking garage to the southeast; and the LADWP 1840 Centinela Avenue transformer yard to the southwest. The subject property is located at 12300 West Nebraska Avenue, in the City of West Los Angeles.

\*P3a. Description: (Describe resource and its major elements. Include design, materials, condition, alterations, size, setting, and boundaries)

The subject property is located on the southwest side of West Nebraska Avenue on a large, industrial parcel. The site contains five buildings and structures, outdoor storage, several temporary structures, a crane, and parking areas. The northwestern portion of the property contains five buildings/structures that date from the 1953 to 1966 (Figure 1, see Continuation Sheet): 1) the locker room (1953); 2) the warehouse (1953); 3) the fleet shop (1956); 4) the district office building (1959); 5) the break room (1966). **See Continuation Sheet.**

\*P3b. Resource Attributes: (List attributes and codes) HP8 Industrial Building; HP9 Public Utility Building

\*P4. Resources Present:  Building  Structure  Object  Site  District  Element of District  Other (Isolates, etc.)

P5b. Description of Photo: (view, date, accession #) View of property from west Nebraska Avenue; looking southeast (10-11-2017; IMG 3881)

\*P6. Date Constructed/Age and Source:  Historic  Prehistoric  
 Both  
1953-1966

\*P7. Owner and Address:  
Los Angeles Department of Water and Power  
12300 West Nebraska Avenue  
Los Angeles, CA 90025

\*P8. Recorded by:  
Kate Kaiser and Sarah Corder, Dudek  
38 N Marengo Ave.  
Pasadena, CA 91101

\*P9. Date Recorded: 10/11/17

\*P10. Survey Type: (Describe)  
Intensive pedestrian

\*P11. Report Citation: (Cite survey report and other sources, or enter "none.")  
Cultural Resources Report for the Los Angeles Department of Water and Power West Los Angeles

P5a. Photograph or Drawing (Photograph required for buildings, structures, and objects.)




District Yard Project, Los Angeles, California. Dudek 2017.

\*Attachments:  NONE  Location Map  Continuation Sheet  Building, Structure, and Object Record

Archaeological Record  District Record  Linear Feature Record  Milling Station Record  Rock Art Record  Artifact Record  
 Photograph Record  Other (List): \_\_\_\_\_







State of California & The Resources Agency Primary #  
 DEPARTMENT OF PARKS AND RECREATION HRI#  
**BUILDING, STRUCTURE, AND OBJECT RECORD**

\*Resource Name or # (Assigned by recorder) 12300 West Nebraska Avenue \*NRHP Status Code 6Z  
 Page 3 of 13

B1. Historic Name: West Los Angeles Underground Headquarters  
 B2. Common Name: West Los Angeles Department of Water and Power Yards  
 B3. Original Use: Office operations, equipment storage, vehicle storage and maintenance  
 B4. Present Use: Office operations, equipment storage, vehicle storage and maintenance

\*B5. Architectural Style: Industrial; Mid-Century Modern

\*B6. Construction History: (Construction date, alterations, and date of alterations)  
 Original construction began on the property circa 1953 and continued through present.  
 (see continuation sheets for detailed information pertaining to construction history)

\*B7. Moved?  No  Yes  Unknown Date: \_\_\_\_\_ Original Location: \_\_\_\_\_

\*B8. Related Features:

B9a. Architect: \_\_\_\_\_  
 b. Builder: \_\_\_\_\_

\*B10. Significance: Theme n/a Area n/a

Period of Significance n/a Property Type Industrial Applicable Criteria N/A  
 (Discuss importance in terms of historical or architectural context as defined by theme, period, and geographic scope. Also address integrity.)

Historic aerial photographs for the project area were available for the following years: 1947, 1952, 1964, 1967, 1972, 1980, 1989, 1994, 2002, 2003, 2004, 2005, 2006, 2009, 2010, 2011, 2012, and 2014 (NETR 2017; CSM 2017). The 1947 aerial photograph shows the project area prior to development. In 1947, the property appears to be undeveloped land or an agricultural field, surrounded by other undeveloped lots, and bounded to the northwest by a residential neighborhood, and the Olympic Drive-In movie theater is visible southeast of the site. The 1952 aerial photograph also shows the site prior to development; however, the 12270-72 lot immediately northeast was being used as a light industrial area and contained three structures. Residential areas still surround the site to the northwest and southwest.

The first historic aerial photograph in which the LADWP West Los Angeles District Headquarters appears is the 1964 aerial photograph. This aerial has four buildings visible in their current locations: the locker room, warehouse/tool room, warehouse/fleet shop, and district office. Immediately southwest is the LADWP transformer yard. The 12270-72 lot immediately northeast gains one new building and a (see Continuation Sheet).

B11. Additional Resource Attributes: (List attributes and codes) \_\_\_\_\_

B12. References: See Continuation Sheet

B13. Remarks:

\*B14. Evaluator: Kate Kaiser

\*Date of Evaluation: November 13, 2017

(This space reserved for official comments.)



# CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue  
Page 4 of 13

\*P3a. Description: (continued)



Figure 1. Overview of Site Showing Buildings 1 through 5 and other structures

## CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue

Page 5 of 13

### Building 1, Locker Room, 1953

The subject property is a Mid-Century Modern building constructed in 1953, facing northeast towards a central, paved corridor road that runs the length of the tax lot (Figure 2). The one-story building is currently used as a restroom, shower, locker room, and exercise area for employees. The building features a flat roof hidden by a parapet wall topped with a rounded coping; however, the roof structure was not visible. The walls are constructed of painted concrete masonry units arranged in running bond, with a decorative stringer course and water table course that protrude from the wall surface of the building a few inches, and rounded concrete masonry units at the building corners, window openings, and door openings. The walls meet the surrounding pavement without any special decorative or visually distinguished foundation element.



**Figure 2. Building 1, Locker Room. View to west. 10/11/2017 (IMG 4050)**

### Building 2, Warehouse - Tool Room, 1953

The subject property is a Mid-Century Modern building constructed in 1953, facing northeast towards a central, paved corridor road that runs the length of the tax lot (Figure 3). The one-story building is currently used as a warehouse for electrical equipment, employee personal protective equipment, and tools. The building features a shallow arched roof with seven wood-and-steel I-beam bowstring trusses supporting diagonally laid wood board sheathing beneath composite roofing material. According to LADWP archival photographs, the roof was sealed with Pioneer C-13-C4 Asphalt emulsion (Appendix C). The walls are painted concrete masonry units laid in running bond and extend above the roof to form a tall parapet wall. At the base of the wall is a



## CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue

Page 6 of 13

smooth, concrete course roughly 3 feet in height that is flush with the rest of the concrete masonry units wall. The warehouse has loading bays, doors, and windows on all its elevations.



Figure 3. Building 2. View to south. 10/11/2017 (IMG 4077)

### Building 3, Warehouse - Fleet Shop, 1956

The subject property is a Mid-Century Modern building constructed in 1956, facing northeast towards a central, paved corridor road that runs the length of the tax lot (Figure 4). The one-story building is currently used as a warehouse for storing fleet vehicles, electrical equipment storage, a wash bay, and as a machine shop for equipment repairs. The building features a low-pitched, side-gabled roof supported by steel I-beam rafters and purlins. There is no sheathing, and the roof is clad in corrugated galvanized steel sheets with no eaves. The roofline is occasionally interrupted by regularly spaced rotating metal roof vents. The walls are clad in vertically oriented, corrugated galvanized steel sheets and attached to a steel I-beam frame system with metal bolts and screws. The structural framing is arranged around I-beam posts that attach to I-beam principal rafters at the roof, effectively dividing the building into 16 bays. Each of these I-beam bents have horizontal metal studs bracing and connecting them, as well as I-beam purlins bracing the structure in the roof. The I-beam bents are attached to the ground at small concrete plinths.



## CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue

Page 7 of 13



Figure 4. Building 3. View to west. 10/11/2017 (IMG 0014)

### Building 4, District Office, 1959

The subject property is a Mid-Century Modern building constructed in 1959, facing southwest towards a central, paved corridor road that runs the length of the tax lot (Figure 5). The two-story building is currently used as an office and record storage area. The building features a flat roof behind a low parapet wall, but the roof structure was not visible. The walls are painted concrete masonry units laid in uniform running bonds from roof to foundation. The building foundation is a concrete pad. Building 4 has several distinctive modernistic decorative character-defining features: modern sans-serif metal lettering on the northwest elevation, horizontal metal awning screens running the length of buildings over the tops of windows as a screen on three of four elevations, and a pierced concrete block privacy wall on the southwest elevation.

## CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue

Page 8 of 13



Figure 5. Overview of Building 4. View to North. 10/11/2017 (IMG 4138)

### Building 5, Break Room, 1966

The subject property is a Mid-Century Modern building constructed in 1966, facing southwest towards a central, paved corridor road that runs the length of the tax lot (Figure 6). The one-story building is currently used as a break room, kitchen, vehicle storage, and employee classroom. The building features a flat roof behind a low parapet wall, but the roof structure was not visible. The walls are painted concrete masonry units blocks laid in uniform running bonds from roof to foundation. The building foundation is a concrete pad. Each elevation features a different window and door schedule, as well as some flat, metal awnings that recall the design of the horizontal metal window awnings at Building 4, District Office.

## CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue  
Page 9 of 13



Figure 6. Building 5. View to east. 10/11/2017 (IMG 4013)

### \*B10. Significance (Continued):

designated parking lot. In the 1967 aerial photograph, the break room (then recorded as another tool room) appears southeast of the district office and north of the warehouse/tool room.

There are few notable additions to the site after the 1967 aerial photograph. Various small storage structures appear on the 1972 aerial photograph, including four storage structures in the southeast locus of the site and small structures between the five other buildings. Between the 1972 and 1980 aerial photographs, the crane feature northeast of the warehouse/fleet shop appears. Between the 1980 aerial photograph and the 1989 aerial photograph, all buildings in the 12270-72 lot are demolished. This is supported by demolition permits recorded at the Los Angeles Building and Safety online database. One new building does appear on the 12270-72 lot in the 1994 aerial photograph, but there are no discernable changes to the 12300 lot or transformer yard. The building on the 12270-72 lot is demolished sometime after 2014 (the most recent available aerial photograph for the area); the building was not present during the site visit (NETR 2017; CSM 2017).

### Construction and Ownership History

The LADWP acquired several parcels of land in the West Los Angeles/Sawtelle neighborhood in the 1940s. These lots had once belonged to Anthony Frabisilio and Michael Frabisilio, who kept agricultural fields and some outbuildings on the property, moving a barn from a property along West Pico Boulevard and erecting a new house on the lot. Since aerial photographs of the area only go back as far as 1947,

## CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue

Page 10 of 13

Sanborn insurance maps do not picture the property, and there are no other permits on file at City of Los Angeles, it was not possible to reconstruct the property chronology or establish a pattern of ownership beyond the 1940s (Los Angeles Department of Buildings and Safety (LADBS) permits 1943LA03992, 1944WL70482; Ancestry 2017).

LADWP began acquiring land for a Distribution Station at 11700 Nebraska Avenue, several blocks away from the subject property. Distribution Station 28 was completed in 1947 and was an imposing Art Moderne-style structure. Distribution stations are used to transfer power from the transmission system to a specific service area. Distribution Station 28 served the industrial and residential areas in West Long Angeles, where locally owned and distributed city utilities were in high demand. Before the West Los Angeles District Office was built, Distribution Station 28 acted as the West Los Angeles headquarters (LADWP 1954).

In 1953, LADWP acquired the property at 12300 West Nebraska Avenue, the subject property. Prior to its acquisition, the lot held an agricultural field, adjacent to many other fields around it. A drive-in movie theater named the Olympic Drive-in Theater was located east of the property. West of the property was a residential neighborhood. The site's original plan included five buildings that faced each other along a corridor of vehicle parking. The first two buildings built on the lot were a locker room for employees and a warehouse completed in 1953. In 1954, Department of Water and Power began construction on Receiving Station K at 1840 Centinela Avenue (located south of the project site) and its transformer yard. These were adjacent to the subject property and likely planned, built, and opened at the same time. Receiving Station K went into service in 1955 (Permit 1954LA02220). In 1956, a third structure was constructed on the site, this time a fleet shop for vehicle storage. In 1959, the main office building was finished. In 1966, a fifth building, then characterized as a tool room, was added. According to each building permit, all buildings were designed and built by engineers and journeymen already employed by the LADWP (LADWP 1954; NETR 2017).

Though the engineers listed on the Department of Water and Power permits were employees, they were responsible for several buildings on site. Very little career information could be found for the engineers. Because they were not contracted, there is no engineering or architecture firm associated with their work. No architects, licensed or not, were associated with the five buildings at the West Los Angeles District Headquarters. The following four LADWP engineers are responsible for the design of the buildings at the West Los Angeles District Headquarters.

- J.S. Dorfman, CA License 6948, Locker Room (Building 1) and Warehouse (Building 2), 1953
- J. Case, CA License 5249, Fleet Shop (Building 3), 1956
- R.L. White, MA License, 4-4211, Office Building (Building 4), 1959
- James H. Anthony, CE 15318, Break Room (Building 5), 1966

## CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue

Page 11 of 13

### Significance Evaluations

#### NRHP/CRHR Criteria

The development of the West Los Angeles Department of Water and Power Yards site began in the early 1953 and has historically operated as LADWP yard since. The property continued to develop, grow, and change throughout its history, with the addition of numerous buildings, temporary structures, parking areas, and storage areas to support the use of the property as a working LADWP yard. The following provides an evaluation of the concrete batch plant at 12300 West Nebraska Avenue in consideration of NRHP/CRHR designation criteria and integrity requirements.

*Criterion A/1: Associated with events that have made a significant contribution to the broad patterns of our history.*

Archival research did not identify any associations with events that have made a significant contribution to the broad patterns of local or regional history. The subject property is one of at least 33 LADWP buildings from approximately the same period of construction (1945-1955) and lacks "a direct association with the physical growth of the City of Los Angeles during the 1902-1980 period" (Prosser 2017). These buildings are unrelated to major events in Los Angeles or LADWP history and do not clearly reflect the transition from architect-designed, monumental public utility buildings, to reducing the scale to make less impressive buildings. The buildings are not associated with any locally important events in the Sawtelle neighborhood history. Although the increase in LADWP facilities does correlate with the post-WWII population boom that occurred in the mid-century, the headquarters themselves did not provide power for the West Los Angeles area, and appear to have played a supporting role for the nearby Distribution center and for workers and journeymen stationed in the area. The role the site plays is strongly related to equipment and vehicle storage. Due to a lack of significant associations with events important to history, the subject property does not appear eligible under NRHP/CRHR Criteria A/1.

*Criterion B/2: Associated with the lives of persons significant in our past.*

All engineers and worker names identified with the subject property were researched for possible significance. Archival research failed to indicate any associations with significant persons. This building has no known associations with any important figures in LADWP or City of Los Angeles history. For these reasons, the subject property does not appear eligible under NRHP/CRHR Criteria B/2.

*Criterion C/3: Embody the distinctive characteristics of a type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction.*

There is a corresponding Los Angeles Citywide Historic Context statement available for Municipal Water and Power Buildings against which this site was evaluated. Under the property type "Administrative Buildings and Service Yards," the subject property does fall within the period of significance (1902-1980) and is associated with water and power administration and maintenance, per the eligibility standards. However, the

## CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue

Page 12 of 13

buildings lack many of the character defining and associative features required. This includes "retaining a significant lobby," which no building on this property has. This building also lacks prominent signage. Though Building 4 does have signage that faces out onto West Nebraska Avenue but this signage is unobtrusive, sans-serif all-capitals lettering made of unadorned metal and attached directly to the side of the building. The site has no significant landscape features and a wall obscured most buildings from the street. The site is not related to a significant architectural or engineering theme because notable architects or engineers did not design the site. There are other buildings built by LADWP during the 1953-1966 period of construction that better suit the criteria laid out in the Los Angeles Citywide Historic Context for Water and Power (Prosser 2017).

In broader terms, during the mid-20th century, the simple aesthetic of Modern-style architecture began to overshadow the more ornate revival styles, signaling a shift in focus from art to function. Affordable, mass-produced materials, simple, boxy forms, and an emphasis on sleekness over applied ornament are hallmarks of the Mid-Century Modern style. The subject property is a collection of buildings built between 1953 and 1966, at a time when the LADWP was expanding to meet the demands of a rapidly growing Los Angeles population that was expanding westward. The LADWP would have keenly felt the appeal of buildings that could be built cheaply, quickly, and remain functional. Nearly all LADWP buildings built between 1945 and 1965 have modernism references or embody the simple and functional elements of the Mid-Century Modern style.

Each building on the subject property has experienced little alteration in plan or function and retains moderate levels of integrity in location, setting, feeling, and association. Integrity of design, material, and workmanship is lower due to material changes and use changes in these buildings. All buildings retain their original locations and orientations, and all buildings remain associated with the LADWP as they are set within an operational and active LADWP Yard. Buildings 1, 2, 4, and 5 have no major changes to the design/intention of the buildings, with only minor material and workmanship compromises for changes to windows or doors. Building 3 exhibits the most alterations and retains lower integrity of materials, design, and workmanship and has visibly distinguished new metal cladding materials. Integrity of design is also compromised on Building 3, as interior alterations have closed some bays and changed their intended function. The style is relatively unremarkable and may be indistinguishable from other Department of Water and Power neighborhood headquarters throughout Los Angeles. The buildings are not the work of a master architect or important creative individual, and the subject property does not appear eligible as a contributor to a historic district. For all of these reasons, the subject property does not appear eligible under NRHP/CRHR Criteria C/3.

*Criterion D/4: Have yielded, or may be likely to yield, information important in prehistory or history.*

There is no evidence to suggest that this property has the potential to yield information important to state or local history, nor is it associated with a known archaeological resource. Therefore, the property is recommended not eligible under NRHP/CRHR Criterion D/4.

## CONTINUATION SHEET

Property Name: 12300 West Nebraska Avenue

Page 13 of 13

### \*B12. References:

- Ancestry. 2017. *California, Voter Registrations, 1900-1968* [database on-line]. Provo, UT, USA: Ancestry.com Operations Inc, 2017. Accessed 10/26/2017  
[http://search.ancestry.com/cgi-bin/sse.dll?indiv=1&dbid=61066&h=59450452&tid=&pid=&usePUB=true&\\_phsrc=CZS39&\\_phstart=successSource](http://search.ancestry.com/cgi-bin/sse.dll?indiv=1&dbid=61066&h=59450452&tid=&pid=&usePUB=true&_phsrc=CZS39&_phstart=successSource)
- CSM (City of Santa Monica). 2017. "City of Santa Monica Aerial." Accessed October 10, 2017.  
[http://csmgisweb.smgov.net/Html5Viewer/Index.html?configBase=http://csmgisweb.smgov.net/Geocortex/Essentials/REST/sites/laco test/viewers/LACO base test html5/virtualdirectory/Resources/Config/Default](http://csmgisweb.smgov.net/Html5Viewer/Index.html?configBase=http://csmgisweb.smgov.net/Geocortex/Essentials/REST/sites/laco%20test/viewers/LACO%20base%20test/html5/virtualdirectory/Resources/Config/Default)
- LADWP (Los Angeles Department of Water and Power). 1954. "Underground Gets Headquarters for West Los Angeles." *Intake*. Vol. 31, No. 7. July 1954.
- LADWP. 1990. "Significant Dates in Department History" *Facts and Figures*. Los Angeles, CA: Los Angeles Department of Water and Power.
- NETR (Nationwide Environmental Title Research LLC). 2017. Historic aerial photographs of 13950 Princeton Ave dating from 1947, 1969, 1978, 1980, 1994, 2005, 2009, 2010, 2012. Accessed November 2, 2017. <https://www.historicaerials.com/viewer>.





# APPENDIX C

Geotechnical Investigation Report and  
Paleontological Records Search



City of Los Angeles  
Department of Water and Power  
Power Engineering Division  
Geology and Soils Group

**GEOTECHNICAL INVESTIGATION REPORT**

West Los Angeles District Yard Improvement Project  
12300 West Nebraska Avenue  
Los Angeles, California 90025

February 28, 2018

Prepared by:

Anthony Dombrowski, Civil Engineering Associate  
Liping Yan, Geotechnical Specialist  
César H. Larios, Engineering Geologist Associate

Under the Supervision of:  
Steven R. Kehrmeyer, Civil Engineer  
Geology and Soils Group

## TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
<b>1.0 INTRODUCTION.....</b>	<b>1</b>
1.1 Purpose.....	1
1.2 Site and Project Description.....	1
1.3 Scope of Work .....	2
<b>2.0 FIELD INVESTIGATION AND LABORATORY TESTING.....</b>	<b>3</b>
2.1 Previously Available Geotechnical Information.....	3
2.2 Field Investigation .....	3
2.3 Laboratory Testing.....	4
<b>3.0 GEOLOGICAL AND GEOTECHNICAL FINDINGS.....</b>	<b>5</b>
3.1 Regional Geologic and Seismic Setting.....	5
3.2 Site Geology and Geologic Materials .....	5
3.2.1 Artificial Fill .....	6
3.2.2 Alluvium .....	6
3.3 Groundwater .....	6
<b>4.0 GEOLOGIC HAZARDS .....</b>	<b>8</b>
4.1 Faulting and Surface Fault Rupture .....	8
4.2 Strong Ground Motion.....	9
4.3 Liquefaction Potential.....	10
4.4 Lateral Spread .....	10
4.5 Earthquake Induced Flooding.....	10
4.6 Seismic Settlement.....	11
4.7 Ground Lurching.....	11
4.8 Seiches .....	11
4.9 Tsunamis .....	11
4.10 Flooding.....	11
4.11 Subsidence .....	12
4.12 Oil Fields.....	12
4.13 Methane.....	12
<b>5.0 GEOTECHNICAL ANALYSES AND DESIGN RECOMMENDATIONS.....</b>	<b>13</b>
5.1 Summary.....	13
5.2 Soil Profile and Design Strength Parameters.....	13
5.2.1 Soil Classification.....	13
5.2.2 Moisture Content and In-place Unit Weight.....	13
5.2.3 Idealized Soil Profile .....	13
5.3 Seismic Design Parameters.....	14

5.4	Foundation Design .....	16
	5.4.1 Shallow Foundations.....	16
	5.4.2 Deep Foundations .....	16
5.5	Retaining Wall Design.....	17
	5.5.1 Foundation Type, Bearing Capacity and Settlement .....	17
	5.5.2 Lateral Earth Loading .....	17
	5.5.3 Lateral Pressure Due to Surcharge.....	18
	5.5.4 Resistance to Lateral Loads .....	18
	5.5.5 Drainage behind Walls.....	18
5.6	Pavement Design .....	19
	5.6.1 Rigid Pavement.....	19
	5.6.2 Flexible Pavement.....	19
<b>6.0</b>	<b>CONSTRUCTION RECOMMENDATIONS .....</b>	<b>20</b>
6.1	Earthwork.....	20
	6.1.1 Site Preparation and Grading.....	20
	6.1.2 Fill Material and Placement.....	20
	6.1.3 Temporary Excavations .....	21
6.2	Foundation Construction.....	21
	6.2.1 Shallow Foundations.....	21
	6.2.2 Deep Foundations .....	21
6.3	Retaining Wall Construction.....	22
6.4	Pavement Construction .....	22
6.5	Utility Trench Bedding and Backfill.....	22
6.6	Permanent Cut and Fill Slopes.....	23
6.7	Surface Drainage and Erosion Control .....	23
6.8	Soil Corrosivity and Cement Types .....	23
6.9	Temporary Shoring.....	23
	6.9.1 Lateral Earth Loading .....	23
	6.9.2 Lateral Resistance .....	24
6.10	Review of Construction Plans.....	24
6.11	Geotechnical Observation and Testing .....	25
<b>7.0</b>	<b>LIMITATIONS .....</b>	<b>26</b>

## TABLES

	<u>Page</u>
Table 1. Exploratory Boring Information .....	3
Table 2. Historical Earthquakes .....	9
Table 3. Soil Profile and Design Strength Parameters.....	14
Table 4. Code-Based Seismic Design Parameters .....	15
Table 5. Static Lateral Earth Loading for Retaining Walls .....	17
Table 6. Seismic Lateral Earth Loading for Retaining Walls .....	17
Table 7. Recommended Rigid Pavement Structural Sections .....	19
Table 8. Recommended Flexible Pavement Structural Sections .....	19
Table 9. Lateral Earth Pressures for Temporary Shoring .....	24

## FIGURES

Figure 1. Location Map
Figure 2. Site Plan
Figure 3. Topographic Site Location Map
Figure 4. Aerial Geologic Map
Figure 5. Aerial Geologic Map Legend
Figure 6. Local Geologic Map
Figure 7. Local Geologic Map Legend
Figure 8. Regional Fault Map
Figure 9. Regional Fault Map Legend
Figure 10. Regional Fault Map Legend
Figure 11. Seismic Hazard Zone Map
Figure 12. Seismic Hazard Zone Map Legend
Figure 13. Flood Insurance Rate Map

## APPENDICES

Appendix A. Previous Boring Logs and Lab Testing Results
Appendix B. Boring Logs
Appendix C. Laboratory Testing Results
Appendix D. USGS Design Map Detailed Report

## **1.0 INTRODUCTION**

### **1.1 PURPOSE**

This report presents the results of a geotechnical investigation for the design and construction of the West Los Angeles District Yard Improvement Project, which will replace the existing facility in the Los Angeles Department of Water and Power (LADWP) West Los Angeles District Yard with three new buildings, an underground parking structure, and an underground gas tank. The purpose of this investigation was to evaluate the subsurface soil and geologic conditions underlying the site, and provide conclusions and recommendations pertaining to the geotechnical aspects of the proposed structures based on the conditions encountered.

### **1.2 SITE AND PROJECT DESCRIPTION**

The West Los Angeles District Yard is located at 12300 West Nebraska Avenue in the Sawtelle District of the City of Los Angeles, California (see Location Map, Figure 1). The property information is as follows:

- Parcel Tract Santa Monica-Sawtelle, Lots 20 (east half), 21 and 25; and
- Assessor's Parcel Number (APN) 4259-018-901, 4259-018-902 (east half) and 4259-019-900.

The yard consists of a 6.34-acre irregular shaped parcel and is bounded by West Nebraska Avenue to the northwest, LADWP Receiving Station "K" and 3 single-story commercial/industrial structures to the southwest, West Olympic Boulevard and a two-story commercial/industrial structure to the southeast, and 2 single-story commercial/industrial structures and a three-story parking structure to the northeast.

The yard is currently occupied by the following structures: 1) a two-story office structure, 2) a single-story office structure, 3) a single-story locker structure, 4) 2 single-story warehouse structures, 5) a single-story garage (fleet) structure, 6) a loading crane and control room, 7) 3 fuel stations, and 8) various asphalt or concrete paved parking lots, driveways and storage areas. All the existing structures appear to be at or near present grade. The site is relatively level to gently sloping to the south with 10 feet of total vertical relief across the site. Surface water drainage appears to be by sheet flow along the ground surface toward storm drains and the city streets. Vegetation at the site is non-existent due to the paved nature of the site.

Based on a review of preliminary architectural plans provided by the LADWP Power Engineering Division (PED) Architectural Engineering Design Group, the purpose of this project is to enhance the workplace quality, improve safety, provide functional efficacy and efficiency, integrate sustainability into the project design, and enhance site aesthetics. The current structures on site are aging and will be unable to support the planned increase in staff at the facility. Furthermore, the current site layout does not allow for much room for fleet vehicles to maneuver. The proposed project will provide additional capacity for employees and more room for vehicles, thereby reducing congestion at the facility and improving overall operating conditions.

This project will involve the demolition of all existing structures and construction of new structures on the same site as the existing West Los Angeles District Yard.

The structures to be demolished are the existing district office, warehouse, break room, locker room, and fleet shop. Three new buildings will be constructed in their place: 1) a warehouse and fleet shop (22,915 square feet), 2) a district yard office (19,900 square feet), and 3) an exterior storage area (18,500 square feet). These new buildings will consolidate all of the functions of the demolished buildings. Additionally, the existing straddle crane will be relocated closer to the entrance along Olympic Boulevard. The proposed structures will be one to two stories in height. All buildings will include photovoltaic solar panels on rooftops.

One existing fueling station is present at the yard site. It will be removed. New unleaded and diesel fuel tanks will be placed underground, and a new compressed natural gas (CNG) tank will be placed aboveground. Additionally, an approximate 75,284-square foot underground parking structure will be constructed. The one story underground parking lot will contain a total of 204 parking spaces to be used by employee vehicles. The lot will also include new electric vehicle charging stations. A surface parking lot will also be constructed and will contain 61 parking spaces for a variety of LADWP service vehicles. All fleet vehicle parking, consisting of a total of 32 oversized parking spaces, will be located in the surface parking lot.

### **1.3 SCOPE OF WORK**

The geotechnical scope of work for this project included the following tasks:

- Review and interpretation of available relevant information;
- Site reconnaissance;
- Field investigation consisting of drilling, sampling, and logging 7 exploratory borings;
- Laboratory testing of selected bulk and relatively undisturbed soil samples;
- Engineering analyses to develop design and construction recommendations; and
- Preparation of this report presenting our findings, conclusions, and recommendations.



## 2.0 FIELD INVESTIGATION AND LABORATORY TESTING

### 2.1 PREVIOUSLY AVAILABLE GEOTECHNICAL INFORMATION

In 2004 for a proposed new administration building in the yard, the LADWP PED Geology and Soils Group performed a field investigation that consisted of three hollow-stem auger (HSA) boreholes (HSA-1 through HSA-3) and six cone penetrometer test (CPT) soundings (CPT-1 through CPT-6). Laboratory testing was conducted on the samples obtained from the three boreholes. The results of the field investigation and laboratory testing were presented in an unpublished report prepared by the LADWP PED Geology and Soils Group.

The logs of the boreholes and CPTs and results of the laboratory testing are included in Appendix A.

### 2.2 FIELD INVESTIGATION

Existing soil data was deemed insufficient for design of the proposed project. Therefore, a field investigation program was performed under the supervision of the LADWP PED Geology and Soils Group. This program consisted of drilling and sampling seven exploratory borings (B-1 through B-7) on July 6, 10, and 11, 2017 by the Los Angeles Department of General Services – Standards Division (General Services) with a truck-mounted Central Mine Equipment (CME) Model-75HT drill rig using 7-inch diameter hollow stem augers.

The borings were located throughout the West Los Angeles District Yard and advanced to depths between 20½ and 50½ feet below the existing ground surface (bgs). The approximate locations of the exploratory borings are shown on the Site Plan, Figure 2. Boring information (including boring number, date drilled, ground surface elevation, depth and approximate location) is summarized in Table 1.

**TABLE 1. EXPLORATORY BORING INFORMATION**

Boring No.	Date of Drilling	GSE (feet)	Depth bgs (feet)	Approximate Location of Boring	
				Latitude (°)	Longitude (°)
B-1	7/10/17	165	40.5	34° 2' 5.5788"	-118° 27' 33.199"
B-2	7/10/17	162	50.5	34° 2' 3.0696"	-118° 27' 30.294"
B-3	7/6/17	163	40.5	34° 2' 3.2964"	-118° 27' 35.327"
B-4	7/6/17	161	40.5	34° 2' 2.8284"	-118° 27' 33.138"
B-5	7/11/17	160	50.5	34° 2' 0.7764"	-118° 27' 32.148"
B-6	7/11/17	159	25.5	34° 2' 0.4488"	-118° 27' 30.737"
B-7	7/11/17	158	20.5	34° 1' 57.054"	-118° 27' 30.852"
<b>Notes:</b>					
(1) GSE = Ground Surface Elevation.					
(2) bgs = below ground surface.					

Representative and relatively “undisturbed” samples were obtained from the test borings at various intervals utilizing a 3½-inch outside diameter (O.D.) by 3-inch inside diameter (I.D.) California Modified Split Spoon sampler (Cal-Mod) lined with 2⅞-inch I.D. by 1-inch high brass rings. The sampler was driven into the soil with the weight of a 140-pound automatic trip hammer falling approximately 30 inches. Standard Penetration Tests (SPTs), per the American Society for Testing and Materials (ASTM) D1586 standard, were also performed at various intervals utilizing a 2-inch O.D. by 1⅜-inch I.D. split spoon sampler driven 18 inches. The driving energy was provided by a 140-pound automatic trip hammer dropped 30 inches. The Cal-Mod and SPT blow counts were recorded and bulk samples were obtained.

The soil conditions encountered in the borings were visually examined, classified, and logged in general accordance with the Unified Soil Classification System (USCS). The boring logs depict the soil and geologic conditions encountered and the depth at which samples were obtained. All samples were then sealed, labeled, and transported to the LADWP Water System Soil & Materials Test Lab (SMTL) for testing. The boring logs are included in Appendix B.

### **2.3 LABORATORY TESTING**

The Water System SMTL performed laboratory tests on selected samples from the field investigation. Laboratory tests were conducted in accordance with current ASTM standards. The following laboratory tests were conducted:

- Soil Classification (ASTM D-2487)
- Moisture Content (ASTM D-2216)
- In-Place Density (ASTM D-2937)
- Grain Size Distribution (ASTM D-422)
- Atterberg Limits (ATM D-4318)
- No. 200 Wash (ASTM D-1140)
- Direct Shear (ASTM D-3080)
- Soil Corrosivity (ASTM G-57)
- One-dimensional Consolidation (ASTM-D2435)
- Compaction (ASTM-D1557)
- Permeability (ASTM-D5084)

The test results are presented in Appendix C. In-situ moisture content and dry density test results are also shown on the boring logs.

### **3.0 GEOLOGICAL AND GEOTECHNICAL FINDINGS**

#### **3.1 REGIONAL GEOLOGIC AND SEISMIC SETTING**

The site is located along the northwestern portion of the Los Angeles Basin within an area known as the Santa Monica Plain. The Los Angeles Basin is a coastal plain between the Santa Monica Mountains to the north, the Puente Hills and Whittier fault to the east, the Palos Verdes Peninsula and Pacific Ocean on the west, and the Santa Ana Mountains and San Joaquin Hills on the south. The Los Angeles Basin is located in the northern portion of the Peninsular Ranges geomorphic province and is northwest-trending alluviated lowland plain, sometimes called the Coastal Plain of Los Angeles. The basin is underlain by a deep structural depression, which has been filled by both marine and continental sedimentary deposits, which rest on a basement complex of presumably igneous and metamorphic composition (Yerkes et al., 1965). The basement surface within the central portion of the basin extends to a maximum depth of 32,000 feet below sea level. The prominent structural features within the Los Angeles Basin include the central lowland plain, the uplifted Palos Verdes Hills, and the northwest trending line of low hills and mesas (underlain by the Newport-Inglewood fault zone).

The late Pleistocene age Santa Monica Plain extends from the Pacific Ocean inland to the Newport-Inglewood belt of hills (Cheviot Hills) and from the Santa Monica Mountains on the north to the Ballona escarpment on the south. The Santa Monica Plain is underlain by upper Pleistocene age Lakewood Formation, which consists of older alluvial fan material deposited as a result of uplift of the Santa Monica Mountains and dissected by various channels draining from the Santa Monica Mountains. Renewed uplift has caused erosion of these materials, leaving an incised Lakewood surface locally blanketed with younger alluvium.

Topography at the LADWP West Los Angeles District Yard is relatively flat to gently sloping down to the south. Topographic elevations across the subject site ranges from a topographic high of 166 feet above mean sea level (MSL) along the northern corner of the site to a topographic low of 156 feet MSL along the southern most corner of the site (LADPW, 2017). A topographic map of the site is presented in Figure 3.

#### **3.2 SITE GEOLOGY AND GEOLOGIC MATERIALS**

Based on our field exploration and published geologic maps of the area, the yard site is underlain by a thin layer of artificial fill over Holocene age alluvial deposits consisting of poorly consolidated sand, silt, clay and gravel extending approximately 60 feet below the existing ground surface (CDWR, 1961). The Holocene sediments are underlain by marine and continental sediments of the Pleistocene Age Lakewood Formation (CDWR, 1961). The Pleistocene age sediments were not encountered during our field exploration. The site is shown with respect to local geologic features in Figures 4 through 7, Local Geologic Maps. The soil and geologic units encountered are discussed hereon. Stratigraphic profiles are provided on the Boring Logs in Appendix B.

### **3.2.1 Artificial Fill**

A thin layer of artificial fill was observed in all of our field explorations to a maximum depth of 2 feet bgs. The artificial fill generally consists of a mix of dark brown to dark reddish brown sandy silt and sandy clay with various amounts of gravel and construction debris. The fill is generally characterized as soft to firm and slightly moist to moist. The fill is likely the result of past grading, construction and/or demolition activities at the site. Deeper fill may exist in other portions of the site that were not directly explored.

### **3.2.2 Alluvium**

The artificial fill is underlain by poorly consolidated Holocene age alluvial deposits (CDWR, 1961; Dibblee, 1991). As observed during our field investigation the alluvium generally consists of interbedded dark brown to dark olive brown to dark reddish brown poorly graded sand, silty sand, sandy silt, silt, sandy clay and clay with varied amounts of gravel. The soils are primarily slightly moist to wet and soft to hard or loose to dense and become denser with increased depth. The soils consist primarily of sediments and fragments derived from the Santa Monica Slate in the nearby Santa Monica Mountains and other sediments from associated drainages.

## **3.3 GROUNDWATER**

Based on a review of the California Division of Mines and Geology (CDMG) Seismic Hazard Evaluation of the Beverly Hills 7.5 Minute Quadrangle, Los Angeles County, California (CDMG, 1998), the historically highest groundwater level beneath the site is approximately 32 feet bgs. Groundwater information presented in this document is generated from data collected in the early 1900s to the present. However, based on current groundwater basin management practices, it is unlikely that groundwater levels will ever reach or exceed the historically highest levels. In 2001, the California Division of Mines and Geology changed its official name to the California Geological Survey (CGS).

The Los Angeles County Department of Public Works (LACDPW) maintains various wells in the vicinity of the subject site. The closest active wells to the site are Well No. 2546K and 2546L located approximately 100 feet east and 130 feet west of the site, respectively (LACDPW, 2017).

Review of the monitoring data over the past 42 years for Well No. 2546K indicates that the depth to groundwater has fluctuated between 95.8 and 239.8 feet bgs. The most recent groundwater level measurement for Well No. 2546K was taken in April 2009 at a depth of 175.8 feet bgs (LACDPW, 2017).

Review of the monitoring data over the past 33 years for Well No. 2546L indicates that the depth to groundwater has fluctuated between 114.0 and 173.0 feet bgs. The most recent groundwater level measurement for Well No. 2546L was measured in April 2009 at a depth of 115.0 feet bgs (LACDPW, 2017).

A static groundwater table was not encountered in any our exploratory borings, drilled to a maximum depth of 50½ feet bgs. However, minor seepage was encountered in borings B-2 and

B-5 at depths of 45 feet and 40 feet bgs, respectively.

Based on these considerations and current groundwater management practices, the static groundwater table is expected to be encountered below a depth of 90 feet bgs. Therefore, groundwater is not expected to be encountered during construction or to have a detrimental effect on the project. However, it is not uncommon for groundwater levels to vary seasonally or for groundwater seepage conditions to develop where none previously existed, especially in impermeable fine-grained soils that are subjected to excessive irrigation or heavy precipitation. Proper surface drainage of irrigation and precipitation will be critical to future performance of the proposed facility.

## **4.0 GEOLOGIC HAZARDS**

### **4.1 FAULTING AND SURFACE FAULT RUPTURE**

Faults in Southern California include active, potentially active, and inactive faults. The determination for these major groups is based on the criteria developed by the CGS for the Alquist-Priolo Earthquake Fault Zone Program (Bryant and Hart, 2007). By definition, an active fault is one that has had surface displacement within Holocene time (about the last 11,000 years). A potentially active fault has demonstrated surface displacement during Quaternary time (approximately the last 1.6 million years), but has had no known Holocene movement. Faults that have not moved in the last 1.6 million years are considered inactive.

The site is not within a currently established Alquist-Priolo Earthquake Fault Zone for surface fault rupture hazards. No active or potentially active faults with the potential for surface fault rupture are known to pass directly beneath the site. Therefore, the potential for surface rupture due to faulting occurring beneath the site during the design life of the proposed development is considered low. The site, however, is located in the seismically active Southern California region, and could be subjected to moderate to strong ground shaking in the event of an earthquake on one of the many active Southern California faults. Active and potentially active faults in the vicinity of the site are shown in Figures 8 through 10, Regional Fault Map.

The closest surface trace of an active fault to the site is the north strand of the Santa Monica Fault Zone located approximately 2,260 feet (0.428 miles) north of the site (LADPW, 2017). The Santa Monica Fault is an east-west trending, north-dipping fault located along the southern edge of the Santa Monica Mountains extending from the Santa Monica coastline on the west to the west Beverly Hills escarpment on the east. Current research by Dolan et al. (1992, 1997, and 2000), Pratt et al. (1998), Catchings et al. (2008) and other investigators indicate that the Santa Monica fault is separated into a northern strand and a southern strand, which dip to the north and merge at a depth of approximately 2 kilometers. The northern strand of the Santa Monica fault is a steeply dipping fault (60°-70°) exhibiting a prominent south facing scarp and Holocene activity (Dolan et al., 2000). The north strand of the Santa Monica fault is considered active by the State Geologist and there is documented Holocene activity at several locations including the nearby VA Hospital and University High School. The southern strand of the Santa Monica fault, located 6,000 feet (1.14 miles) west of the site (LADPW, 2017), is a moderately dipping fault with activity calculated between late Miocene to late Pliocene with the southern strand terminating at a depth of about 1 km below the ground surface. No known Quaternary activity has been documented along the south strand of the Santa Monica fault, therefore the fault is not considered “active” by the State Geologist.

Other nearby active faults are the Newport-Inglewood fault zone, the Hollywood fault, the Palos Verdes fault and an “unnamed” fault located approximately 3.5 miles east, 4.4 miles northeast, 9.5 miles southwest and 9.5 miles southwest of the site, respectively (Jennings et al., 2010). The active San Andreas fault zone is located approximately 41 miles northeast of the site (Jennings et al., 2010).

The closest potentially active fault to the site is the Overland fault located approximately 2.3 miles east of the site (Jennings et al., 2010). Other nearby potentially active faults are the Charnock fault, the Anacapa fault, and the MacArthur Park fault located approximately 4.0 miles south-southeast, 5.0 miles west (Jennings et al., 2010) and 9.1 miles northeast (Dolan, 1997) of the site, respectively.

Several buried thrust faults, commonly referred to as “blind” thrusts, underlie the Los Angeles Basin and the Orange County Coastal Plain, at depth. These faults are not exposed at the ground surface and are typically identified at depths greater than three kilometers. The October 1, 1987 moment magnitude (Mw) 5.9 Whittier Narrows earthquake and the January 17, 1994 Mw 6.7 Northridge earthquake were a result of movement on buried thrust faults. These thrust faults are not exposed at the surface and do not present a potential surface fault rupture hazard; however, these features are considered active and are capable of generating future earthquakes.

## 4.2 STRONG GROUND MOTION

Located within Southern California with its well-known history of seismic activity, the West Los Angeles District Yard is subject to the effects of moderate to large seismic events. An internet database search of the historical seismic record and United States Geological Survey data (USGS, 2017) indicates that between 1900 and 2017, approximately 34 earthquakes of Richter scale magnitude 5.0 or greater occurred along faults within 62 miles (100 km) of the site. A partial list of the most significant moderate to major earthquakes that have occurred in Southern California within the last 100 years is provided in Table 2 (USGS, 2017; SCEDC, 2017).

**TABLE 2. HISTORICAL EARTHQUAKES**

<b>Earthquake (Oldest to Youngest)</b>	<b>Date of Earthquake</b>	<b>Magnitude</b>	<b>Distance to Epicenter (Miles)</b>	<b>Direction to Epicenter</b>
Lake Elsinore area	May 15, 1910	6.0	61	ESE
San Jacinto-Hemet area	April 21, 1918	6.8	93	ESE
Near Redlands	July 23, 1923	6.3	70	E
Long Beach	March 10, 1933	6.4	44	SE
Tehachapi	July 21, 1952	7.5	74	NNW
San Fernando	February 9, 1971	6.6	26	N
Whittier Narrows	October 1, 1987	5.9	22	E
Sierra Madre	June 28, 1991	5.8	22	NE
Landers	June 28, 1992	7.3	118	E
Big Bear	June 28, 1992	6.4	91	E
Northridge	January 17, 1994	6.7	13	NNW

Each of these earthquakes caused significant property damage and resulted in fatalities. In terms of property damage, the Northridge earthquake was one of the worst natural disasters in U.S. history. The earthquake produced unusually strong ground accelerations as large as 1.8g.

The site could be subjected to strong ground shaking in the event of an earthquake. However, this hazard is common in Southern California and the effects of ground shaking can be mitigated

if the proposed structures are designed and constructed in conformance with current building codes and engineering practices.

### **4.3 LIQUEFACTION POTENTIAL**

Liquefaction is a phenomenon in which loose, saturated, relatively cohesionless soil deposits lose shear strength during strong ground motions. Primary factors controlling liquefaction include intensity and duration of ground motion, gradation characteristics of the subsurface soils, in-situ stress conditions, and the depth to groundwater. Liquefaction is typified by a loss of shear strength in the liquefied layers due to rapid increases in pore water pressure generated by earthquake accelerations.

According to the State of California Earthquake Zones of Required Investigation, Beverly Hills Quadrangle Map (CGS, 2017) (see Figures 11 and 12), the southernmost portion of the subject site is located within a liquefaction hazard zone. In addition, according to the County of Los Angeles Seismic Safety Element (Leighton, 1990) and the City of Los Angeles Safety Element (1996), the southernmost portion of the site is located within an area identified as having a potential for liquefaction.

The current standard of practice, as outlined in the “Recommended Procedures for implementation of DMG Special Publication 117A, Guidelines for Analyzing and Mitigating Liquefaction in California” requires liquefaction analysis to a depth of 50 feet below the lowest portion of the proposed structure. Liquefaction typically occurs in areas where the soils below the water table are composed of poorly consolidated, fine to medium-grained, primarily sandy soil. In addition to the requisite soil conditions, the ground acceleration and duration of the earthquake must also be of a sufficient level to induce liquefaction.

As previously discussed in the “Groundwater” section, various LACDPW wells situated near the subject site indicates that the static groundwater table will likely be encountered below a depth of 90 feet bgs. Based on these considerations, the potential for liquefaction of the site soils is low and no surface manifestations of liquefaction are expected at the subject site.

### **4.4 LATERAL SPREAD**

Lateral spread is large lateral displacement of soil mass parallel to a sloping ground surface due to liquefaction of underlying soil layers. Lateral spread results in damage of structures or other improvements due to lateral soil movement and the settlement resulting from such movement. As previously indicated, liquefaction is not expected to occur at the site and the site is not on or near an existing slope. Therefore, the potential for lateral spreading is considered low.

### **4.5 EARTHQUAKE INDUCED FLOODING**

Earthquake-induced flooding is inundation caused by failure of dams or other water-retaining structures due to earthquakes. Based on a review of the Los Angeles County Seismic Safety Element (Leighton, 1990), the site is located within a potential inundation area for an



earthquake-induced dam failure from the Stone Canyon Dam. However, this dam, as well as others in California, are continually monitored by various governmental agencies (such as the State of California Division of Safety of Dams and the U.S. Army Corps of Engineers) to guard against the threat of dam failure. Current design and construction practices and ongoing programs of review, modification, or total reconstruction of existing dams are intended to ensure that all dams are capable of withstanding the maximum considered earthquake (MCE) for the site. Therefore, the potential for inundation at the site as a result of an earthquake-induced dam failure is considered low.

#### **4.6 SEISMIC SETTLEMENT**

Dynamic compaction of dry and loose cohesionless sands may occur during a major earthquake. Typically, settlements occur in thick beds of such soils. The soils underlying the site consist of clayey soils and are underlain by sedimentary bedrock units that are generally dense and well consolidated. Based on these conditions, appreciable seismically induced settlements are not anticipated at the site.

#### **4.7 GROUND LURCHING**

Ground lurching is the forming of cracks and ridges on the ground surface in response to strong ground shaking. Areas underlain by thick alluvium with loose granular soils or clay soils with high moisture are susceptible to ground lurching. Since the site is underlain by generally compacted fill and soft to stiff alluvium, ground lurching is not likely to develop at the site.

#### **4.8 SEICHES**

Seiches are large waves generated in enclosed bodies of water in response to ground shaking. No major water-retaining structures are located immediately up gradient from the project site. Flooding from a seismically-induced seiche is considered unlikely.

#### **4.9 TSUNAMIS**

The site is not located within a coastal area. Therefore, tsunamis, or seismic sea waves, are not considered a significant hazard at the site.

#### **4.10 FLOODING**

The site is in an area of minimal flooding potential (Zone X) as defined by the Federal Emergency Management Agency (FEMA, 2008). FEMA defines Zone X as an area determined to be outside the 500-year flood. A map of the FEMA Flood Insurance Rate Map is presented in Figure 13.

#### **4.11 SUBSIDENCE**

Subsidence occurs when a large portion of land is displaced vertically, usually due to the withdrawal of groundwater, oil, or natural gas. Soils that are particularly subject to subsidence include those with high silt or clay content. The site is not located within an area of known ground subsidence. No large-scale extraction of groundwater, gas, oil, or geothermal energy is occurring or planned at the site. There appears to be little or no potential for ground subsidence due to withdrawal of fluids or gases at the site.

#### **4.12 OIL FIELDS**

Based on a review of the California Division of Oil, Gas and Geothermal Resources (DOGGR) Oil and Gas Well Location Map W1-5 Sheet 117 (DOGGR, 2006), the site is not located within the boundaries of a known oilfield. No oil wells are located in the immediate vicinity of the site. However, due to the voluntary nature of record reporting by the oil well drilling companies, wells may be improperly located or not shown on the location map. Other wells could be encountered during construction. Any wells encountered will need to be properly abandoned in accordance with the current requirements of the DOGGR.

#### **4.13 METHANE**

The site is not located within the boundaries of a methane or methane buffer zone, as defined by the City of Los Angeles (Los Angeles, 2004); therefore, the potential for the presence of methane is considered low.

## **5.0 GEOTECHNICAL ANALYSES AND DESIGN RECOMMENDATIONS**

### **5.1 SUMMARY**

Based on results of the investigation, the development of the site for the proposed project is feasible from a geotechnical standpoint. There are no significant geologic or geotechnical constraints that could preclude using conventional design and construction methods to develop the site. Presented below are conclusions resulting from our analyses and recommendations for the geotechnical aspects of the project for incorporating into the project design, plan, specifications, and construction.

### **5.2 SOIL PROFILE AND DESIGN STRENGTH PARAMETERS**

#### **5.2.1 Soil Classification**

Based on the laboratory results in Appendix B and published geologic maps of the area, the existing subsurface soil consists of a layer of undocumented fill over Holocene age alluvial deposits. The borings indicate that the fill layer extends to a depth of approximately 2 feet bgs. The fill consists of sandy clay (CL) and sandy silt (ML). The alluvial deposits consists of silty sand (SM), clayey sand (SC), clayey gravel (GC), sandy clay (CL), clay with sand (CL) and clay (CL) as classified by the lab.

#### **5.2.2 Moisture Content and In-place Unit Weight**

The moisture contents for the material encountered were taken from the laboratory results in the Soil Classification data and are presented in the boring logs in Appendix A. The test results indicate that for the different layers, the moisture content varied between 4.5% and 28.6%.

The in-place unit weight for the soil ranged from 109.4 pounds per cubic foot (pcf) to 145.0 pcf. The dry density varied from 85.1 pcf to 132.4 pcf.

#### **5.2.3 Idealized Soil Profile**

Table 3 lists the idealized soil profile with pertinent material strength parameters based on the data obtained from the field investigation and laboratory testing and typical values for the geologic units.

**TABLE 3. SOIL PROFILE AND DESIGN STRENGTH PARAMETERS**

<b>Depth (feet)</b>	<b>Geologic Unit</b>	<b>Predominant Soil/Rock Type</b>	<b>USCS Classification</b>	<b>Total Unit Weight (lb/ft<sup>3</sup>)</b>	<b>Drained Friction Angle (degrees)</b>	<b>Drained Cohesion (psf)</b>	<b>Undrained Shear Strength (psf)</b>
0-15	Artificial Fill / Alluvium	Clay/Silt	CL/ML	110	26	400	600
15-20	Alluvium	Clayey Sand	SC	125	30	150	-
20-25	Alluvium	Clay	CL	125	30	500	1500
25-40	Alluvium	Clay	CL	120	28	400	1250
40-50	Alluvium	Clayey Sand/ Clayey Gravel	SC/GC	130	36	150	-

### 5.3 SEISMIC DESIGN PARAMETERS

The West Los Angeles District Yard is likely to experience strong ground motions from earthquakes on local and regional faults. To better account for many of the uncertainties associated with predicting earthquake occurrence, a probabilistic approach was used to estimate the ground motion hazard at the site. The current building code (LABC, 2014) requires all structures be designed to resist the earthquake effects of two-thirds of the corresponding Risk-Targeted Maximum Considered Earthquake ( $MCE_R$ ) effects.  $MCE_R$  is defined as an earthquake that targets a 1% risk of structural collapse in 50 years. Based on the location of the site and the site classification, the code-based design spectral acceleration parameters were developed using the current USGS Seismic Design Maps per the procedures of ASCE/SEI 7-10 (USGS, 2014b).

Based on review and analysis of the available soil properties and information obtained, the site is characterized as **Site Class D**. This is based on Table 20.3-1 of the ASCE 7-10. The mapped acceleration parameters  $S_S$  and  $S_1$  were determined from the 0.2 and 1-second spectral response accelerations shown on Figures 1613.3.1(1) and 1613.3.1(2) of the 2014 Los Angeles Building Code (LABC). As a check, the United States Geologic Survey's (USGS) web-based interactive probabilistic seismic hazard program was also used (USGS, 2017; ASCE 7-10) in which similar values were obtained (see Appendix C).

- $S_S = 2.116$  (0.2 spectral response acceleration)
- $S_1 = 0.784$  (1-second spectral response acceleration)

Based on the 2014 LABC, the maximum considered earthquake spectral response accelerations for short periods,  $S_{MS}$  and at 1-second period,  $S_{M1}$  adjusted for site class effects were determined by equations 16-37 and 16-38 where:

- $S_{MS} = F_a S_s$
- $S_{MI} = F_v S_1$

Given:

- $F_a = 1.0$  [from Table 1613.3.3(1)]
- $F_v = 1.5$  [from Table 1613.3.3(2)]

Then:

- $S_{MS} = 2.116$
- $S_{MI} = 1.176$

The design spectral response acceleration parameters for the five-percent damped design spectral response acceleration at short periods,  $S_{DS}$ , and at 1-second period,  $S_{D1}$  were then determined using equations 16-39 and 16-40 from the 2014 LABC.

Given:

- $S_{DS} = 2/3 S_{MS}$
- $S_{D1} = 2/3 S_{MI}$

Then:

- $S_{DS} = 1.410$
- $S_{D1} = 0.784$

These parameters are presented in Table 4.

**TABLE 4. CODE-BASED SEISMIC DESIGN PARAMETERS**

Site Latitude (°)	34.034420
Site Longitude (°)	-118.459142
Site Class	D
Mapped $MCE_R$ Spectral Response Acceleration Parameter at Short Periods (g), $S_s$	2.116
Mapped $MCE_R$ Spectral Response Acceleration Parameter at 1-sec Period (g), $S_1$	0.784
Short-Period Site Coefficient, $F_a$	1.0
Long-Period Site Coefficient, $F_v$	1.5
Design Spectral Response Acceleration Parameter at Short Periods (g), $S_{DS}$	1.410
Design Spectral Response Acceleration Parameter at 1-sec Period (g), $S_{D1}$	0.784
Long-Period Transition Period (sec.), $T_L$	8
$MCE_G$ Peak Ground Acceleration Adjusted for Site Effects (g), $PGA_M$	0.808
Design Spectral Response Acceleration Parameter at 0 Period (g), $S_0$	0.564
<b>Note:</b> $MCE_G$ = Maximum Considered Earthquake Geometric Mean.	

## **5.4 FOUNDATION DESIGN**

Based on the proposed structural types, all the buildings can be supported either on reinforced concrete spread footings (shallow foundations) or with Cast-in-Drilled-Hole (CIDH) reinforced concrete piers with a pile cap/grade beam (deep foundations).

### **5.4.1 Shallow Foundations**

**Bearing Capacity:** The spread footings should have a minimum embedment of 2 feet below surrounding lowest finish grade and a minimum width of 2 feet. The spread footings with the recommended minimum sizes may be designed for an allowable vertical bearing capacity of 1,500 psf for dead-plus-live loads. This allowable bearing capacity may be increased by 1/3 for wind or earthquake loads. A safety factor of 3 has been incorporated in the bearing capacity calculations.

**Settlement:** The total settlement of a typical spread footing under the anticipated maximum bearing pressure was estimated to be less than 1.0 inch. The differential settlement was estimated to be less than 0.5 inch.

**Lateral Load Resistance:** Resistance to lateral loads may be assumed to be provided by friction acting on the base of the footing or by passive earth pressure on the side of the footing. A frictional coefficient of 0.35 may be used for interface between concrete on undisturbed native soils or compacted subgrade soil. An allowable passive earth pressure of 180 psf per foot of depth up to a maximum of 1,800 psf may be used for the sides of footings poured against undisturbed native soils or properly compacted subgrade soil. The value of the allowable passive earth pressure includes a factor of safety of 1.5.

The total lateral resistance can be either 100% of the frictional resistance or 100% of the passive resistance or the combination of 50% of the frictional resistance and 50% of the passive resistance. The passive earth pressure may be increased by 1/3 for wind or earthquake loads.

### **5.4.2 Deep Foundations**

All CIDH piers shall be designed to be axially supported by skin friction only. End bearing shall not be considered. The CIDH piers shall also be designed as straight shafts (no belled-bottomed). A minimum shaft diameter of 30 inches shall be used. The piers should be spaced at least 3 pier diameters on center. The minimum aspect ratio (depth: diameter) shall be 4:1 and the maximum shall be 10:1.

Settlement shall be no greater than 1 inch. Resistance to lateral loads may be resisted by the piers and the lateral resistance of the soils. The lateral capacity of the piers will depend on the permissible deflection. The total pier head deflection shall be less than ½ -inch.

Lateral response of a single pier can be analyzed with the program LPILE using the soil strength parameters listed in Table 3.

## 5.5 RETAINING WALL DESIGN

### 5.5.1 Foundation Type, Bearing Capacity and Settlement

**Type:** Retaining walls may be supported on spread footings.

**Bearing Capacity:** The spread footings should have a minimum embedment of 2 feet below surrounding lowest finish grade and a minimum width of 2 feet. The spread footings with the recommended minimum sizes may be designed for an allowable vertical bearing capacity of 2,000 psf for dead-plus-live loads. This allowable bearing capacity may be increased by 1/3 for wind or earthquake loads. A safety factor of 3 has been incorporated in the bearing capacity calculations.

**Settlement:** The total settlement of a typical spread footing under the anticipated maximum bearing pressure was estimated to be less than 1.0 inch. The differential settlement was estimated to be less than 0.5 inch.

### 5.5.2 Lateral Earth Loading

**Static Condition:** Under static condition, active earth pressure may be used for designing the retaining walls if outward movement at the top of the wall exceeds approximately 0.1% of its height (i.e., non-restrained condition). Otherwise, the walls should be designed using at-rest earth pressure (i.e., restrained condition). Recommended static lateral earth loading for retaining walls is presented in Table 5.

**TABLE 5. STATIC LATERAL EARTH LOADING FOR RETAINING WALLS**

Back Slope (Horizontal: Vertical)	Active Earth Pressure in Terms of Equivalent Fluid Pressure (psf)	At-Rest Earth Pressure in Terms of Equivalent Fluid Pressure (psf)
Level	$43H$	$62H$
<b>Note:</b> $H$ is the wall height in feet.		

**Seismic Condition:** Under seismic condition, the uniform earth pressure for a level backfill restrained retaining wall was calculated using the method of Mononobe and Okabe (Das, 2006). The horizontal component of the earthquake acceleration was taken as 50% of the  $PGA_M$  from Table 4. The lateral earth pressure from seismic loading was assumed to have a uniform distribution against the wall. The resultant of the lateral earth pressure from seismic loading is applied at  $(1/2)H$  feet above the bottom of the wall ( $H$  is the wall height in feet). Recommended seismic earth pressures are listed in Table 6.

**TABLE 6. SEISMIC LATERAL EARTH LOADING FOR RETAINING WALLS**

Back Slope (Horizontal: Vertical)	Uniform Earth Pressure for Non-restrained Condition (psf)	Uniform Earth Pressure for Restrained Condition (psf)
Level	$48H$	$96H$
<b>Note:</b> $H$ is the wall height in feet.		

The above pressures do not include any hydrostatic pressures. For retaining walls without drainage provisions, water pressure of 62.4 psf per foot depth must be added, but the equivalent fluid earth pressures for materials below the groundwater table may be reduced by 50 percent for the portion of the wall below groundwater table.

### **5.5.3 Lateral Pressure Due to Surcharge**

The West Los Angeles District Yard is surrounded by various buildings, parking structures, and city streets. Surcharge loading from these various facilities will exert an additional lateral earth pressure on the retaining wall.

The lateral earth pressure from surcharge loading is based on the theory of elasticity (Das, 2006). For this analysis, an excavation of 20 feet deep and an offset of 20 feet away from any surrounding building, parking structures, or city street are assumed. A uniform pressure of 250 psf is assumed as the surcharge load from the surrounding facilities. The additional lateral earth pressure acting on the retaining wall was calculated to be 125 psf in a uniform distribution.

Once the final retaining wall plans are complete, LADWP Geology and Soils Group shall be contacted to review the final retaining wall plans to verify the depth and offset of the retaining walls.

### **5.5.4 Resistance to Lateral Loads**

Resistance to lateral loads may be assumed to be provided by friction acting on the base of the footing and by passive earth pressure against the sides of the footing or walls. A frictional coefficient of 0.4 may be used for interface between concrete on undisturbed native soils or compacted subgrade soil. An allowable passive earth pressure of 240 psf per foot of depth up to a maximum of 2,400 psf may be used for the sides of footings or walls poured against undisturbed native soils or properly compacted subgrade soil. The value of the allowable passive earth pressure includes a factor of safety of 1.5.

The frictional resistance and the passive resistance may be used in combination without reduction. The passive earth pressure may be increased by 1/3 for wind or earthquake loads.

### **5.5.5 Drainage behind Walls**

The retaining walls are not designed for hydrostatic pressures. The retaining walls shall be provided with adequate drainage to prevent hydrostatic build-up behind the walls. Backfill behind the walls should be free draining and should satisfy the material requirements of Section 300-3.5.2 of Standard Specification for Public Works Construction (SSPWC) (Greenbook, 2015). Lateral drainage should be provided by installing a perforated drainage pipe behind the base of the walls, or weepholes at 8 feet on-center maximum spacing. If a perforated pipe is used, the pipe should be a Schedule-40 PVC with a minimum diameter of 4 inches, surrounded with at least 1 square foot per linear foot of wall (1 cubic foot) of free draining  $\frac{3}{4}$ -inch crushed rock or gravel. A non-woven geofabric (Mirafi 140NC or better) should be used to prevent fines loss into the drainage material.

Pre-fabricated drainage composites such as Miradrain 5000 or similar products should be placed



behind subterranean walls cast in front of any shoring to provide adequate drainage. Drainage water should be controlled and directed to proper drainage devices in an acceptable manner.

## 5.6 PAVEMENT DESIGN

Pavement design recommendations have been made for rigid and flexible pavements using the design procedure of Caltrans Highway Design Manual (HDM) (Caltrans, 2017). The surficial soils at the project site consist of clay, which usually has low R values. Based on a typical R-value for clay soils from the Caltrans HDM Chapter 610, an R-value of 5 was used to determine preliminary pavement structural sections. A Traffic Index (TI) of 6 was chosen from Caltrans HDM Chapter 610 Table 613.5B.

The pavement designs for this report are only for pavements that rest on in-situ soil. The pavement that is resting on the parking structure will need to be designed by the parking structure engineer.

### 5.6.1 Rigid Pavement

Rigid Pavement consisting of Portland Cement Concrete (PCC) is recommended for the areas of the yard encompassed by the subterranean parking. The rigid pavement was designed using the Caltrans HDM Chapter 620 for Type II subgrade soil. The recommended rigid pavement structure sections are presented in Table 7.

**TABLE 7. RECOMMENDED RIGID PAVEMENT STRUCTURAL SECTIONS**

Traffic Index	Rigid Pavement Section Thickness
6.0	9-inches JPCP over 12-inches AB
<b>Notes:</b> (1) JPCP = Jointed Plain Concrete Pavement. (2) AB= Class II Aggregate Base, as outlined in the Caltrans 2015 Standard Specification, Section 26 (Caltrans, 2015)	

### 5.6.2 Flexible Pavement

The flexible pavement was designed using the Caltrans HDM Chapter 630. Using the empirical method outlined in Topic 633.1, the Gravel Equivalent (GE) for the site is 22 inches. Table 8 presents the recommended flexible pavement structural sections.

**TABLE 8. RECOMMENDED FLEXIBLE PAVEMENT STRUCTURAL SECTIONS**

Traffic Index	Flexible Pavement Section Thickness
6.0	6-inches HMA over 10-inches CAB
<b>Notes:</b> (1) HMA = Hot Mix Asphalt. (2) CAB = Crushed Aggregate Base.	

## **6.0 CONSTRUCTION RECOMMENDATIONS**

### **6.1 EARTHWORK**

Earthwork should be performed in accordance with the applicable sections of the Los Angeles City grading codes, the latest edition of the SSPWC (Greenbook, 2015), and the recommendations of this report. The more stringent requirements of the mentioned documents should prevail.

#### **6.1.1 Site Preparation and Grading**

Prior to construction, the areas planned for new construction should be cleared of existing improvements and any other deleterious materials. Vegetation, trash, and debris, should be properly disposed offsite. Underground Service Alert (USA) of Southern California, also known as Dig Alert, shall be contacted to locate and verify any existing or abandoned utility lines in the area planned for construction. Existing utilities should be either properly abandoned and removed or rerouted around the development area to preserve their function. Excavations that result from the removal of utilities and other existing site improvements should be properly backfilled and compacted.

Based on the current site plan, an excavation on the order of 20 feet is required to achieve the finish grade of the proposed subterranean parking structure. For construction of the proposed fueling station, an excavation on the order of 18 feet is anticipated if the fuel tanks are being stored underground.

LADWP Corporate Environmental Services Group shall be contacted immediately if soil of a questionable environmental quality is encountered during construction. The questionable soil shall then be placed in plastic and labeled as soil not to be used for backfill.

If unsuitable soils are encountered during excavation, additional excavation to remove the unsuitable materials to expose a firm and unyielding surface will be required.

Prior to placing fill, the subgrade should be scarified to a depth of 6 inches, moisture-conditioned to approximately 2 percent above optimum and compacted to at least 90 percent relative compaction. The finish subgrade should be maintained moist at all time prior to placing fill or other improvements.

#### **6.1.2 Fill Material and Placement**

All fill materials should be inorganic soils free of vegetation, debris, and cobbles larger than 3 inches in diameter.

Onsite subsurface soils are not considered suitable for use as engineered fill beneath the structures.

Imported materials shall consist of low expansive soils. The materials should have no more than

35 percent by weight passing the #200 sieve and an Expansion Index no greater than 35. The materials should be tested by the project geotechnical engineer for conformance with the recommendations before transporting to the site.

Engineered fill should be placed in loose lifts not to exceed 8 inches, moisture-conditioned to 2 percent above its optimum moisture, and compacted to at least 90 percent relative compaction in accordance with ASTM D1557 or as specified as in the following sections.

### **6.1.3 Temporary Excavations**

Temporary excavations must be properly sloped or shored in accordance with OSHA standards.

Based on the earth materials encountered in our borings, temporary excavation of 5 feet or less in depth may be performed with vertical sidewalls with some potential for sloughing for prolonged durations. Deeper temporary excavation up to a depth of 20 feet can be accomplished at a 1.5 horizontal to 1 vertical (i.e., 1.5H:1V) temporary slope. Excavated soil should not be stockpiled immediately adjacent to excavations. Stockpiled soil should be set back a distance at least equal to the height of the excavation.

Where space is limited or excavations deeper than 20 feet, shoring may be required.

The contractor is responsible for worker safety in the field during construction. The contractor shall conform to all applicable occupational safety and health standards, rules, regulations, and orders established by the State of California. In addition, other State, County, or Municipal regulations may supersede the recommendations presented in this section.

## **6.2 FOUNDATION CONSTRUCTION**

### **6.2.1 Shallow Foundations**

The soil for the proposed shallow foundation, including the soil extending three feet beyond the extent of the foundation, shall be excavated to one foot below the bottom of foundation. The subgrade should then be scarified to a depth of 6 inches and recompacted. Crushed Aggregate Base (CAB) shall be placed, where necessary, on the recompacted subgrade to establish the new required elevation. CAB shall be placed in 6-inch lifts and compacted to a minimum of 95% of its maximum dry density in accordance to ASTM D1557.

### **6.2.2 Deep Foundations**

Based on the onsite subsurface soil types, drilling for the CIDH reinforced concrete piers should be made possible with a conventional flight power auger. Potential for caving in is low. The CIDH reinforced concrete piers shall be immediately placed after completion of drilling and cleaning of the hole. Concrete shall not be permitted to fall more than six feet without the use of pipes or tremies.

### **6.3 RETAINING WALL CONSTRUCTION**

The method and sequence of construction are crucial in the performance of a retaining wall. The LADWP Geology and Soils Group shall be consulted once the method and sequence of construction as well as the type of retaining wall are selected.

### **6.4 PAVEMENT CONSTRUCTION**

The subgrade soils should be inspected and tested by qualified geotechnical engineer during grading of the road to verify the design R-value, the required relative compaction, and recommended pavement structural sections. The subgrade soils should have R-values at least equal to 5. If subgrade soils are determined to have R-values less than the design value, the soil should be overexcavated to a minimum depth of 1.5 feet below the finish subgrade and replaced with soil having at least the required design value.

Prior to placement of AB or CAB, the subgrade soils should be excavated to a minimum depth of 6 inches below proposed depth and recompacted to a minimum of 90 percent relative compaction based on the maximum dry density determined by ASTM D1557.

AB or CAB should satisfy the specifications contained in the SSPWC (Greenbook, 2015) for gradation and should have a minimum R-value of 78. All gradation and R-value should be confirmed by the geotechnical engineer during construction. All base materials should be compacted to a minimum of 95 percent of the maximum dry density per ASTM D1557.

### **6.5 UTILITY TRENCH BEDDING AND BACKFILL**

Bedding materials consist of sand, gravel, crushed aggregate, or free draining granular material having a Sand Equivalent (SE) of at least 30 should be used to backfill around utility pipe to approximately 1 foot above the top of the pipe. The subgrade of the pipe trench should be firm and unyielding. If the subgrade is loose or unstable, the unsuitable subgrade soil must be excavated and replaced with bedding material. Bedding must be placed uniformly on each side of the pipe and mechanically compacted.

The onsite material provided it is free of debris, organic material, and oversized material (greater than 4 inches in diameter), can be used to backfill the remaining depth of the utility trench to the planned finish subgrade. The fill should be placed in loose lifts not to exceed 8 inches, moisture-conditioned to 2 percent above optimum, and mechanically compacted to at least 90 percent relative compaction or 95 percent relative compaction if located in a future roadway in accordance with ASTM D1557.

Utility trenches should be properly sealed at the entrance points to building pads or improved subgrade to avoid the potential for water entering the areas.

## **6.6 PERMANENT CUT AND FILL SLOPES**

All permanent cut and fill slopes should be constructed at 2H:1V or flatter. During placement of fill slopes, the new engineering fill should be benched into existing native or fill soils if existing ground surfaces have a gradient of 5H:1V or steeper. Fill slopes should be compacted to at least of 90 percent of the maximum dry density.

## **6.7 SURFACE DRAINAGE AND EROSION CONTROL**

The ground surface of the site should be sloped at least 2% to divert water away from the retaining walls and other structures towards suitable, non-erosive drainage devices. Areas where water could pond adjacent to the structures, or depression in walk and drive ways, should be eliminated by the use of area drains. Area drains should not be placed next to, or in contact with, the structures.

The slope should be planted with approved deep-rooted groundcover to assist in stabilization of the surface fills as soon as practical after completion.

For future maintenance of the slope, no irrigation resulting in over-watering and subsequent saturation of the slope surface should be allowed.

## **6.8 SOIL CORROSIVITY AND CEMENT TYPES**

Several samples of the onsite soils were tested for corrosion potential (resistivity). Test results (see Appendix C) indicate that the resistivity ranges from 1,800 to 3,500 ohm/cm. Therefore, the onsite soils have a moderate to severe degree of corrosivity for buried ferrous metals. Based on the onsite soil types, sulfate resistant cement is required for concrete in contact with onsite soils. Type II or Type V Portland cement may be used.

## **6.9 TEMPORARY SHORING**

Temporary shoring systems consisting of cantilever or internally braced soldier piles and steel plates or treated-timber lagging may be used to support temporary excavation and trenching. Typical soldier piles consist of steel H-sections installed in pre-drilled holes and backfilled with structural concrete or gravel below the planned bottom of the excavation. Center-to-center horizontal spacing between soldier piles should be limited to a maximum of 8 feet.

### **6.9.1 Lateral Earth Loading**

Temporary shoring should be designed to resist the lateral earth pressures presented in Table 9.

**TABLE 9. LATERAL EARTH PRESSURES FOR TEMPORARY SHORING**

<b>Cantilever</b>	<b>Braced</b>
A triangular distribution: <ul style="list-style-type: none"> <li>• 0 at the top of excavation;</li> <li>• <math>43H</math> at the bottom of excavation.</li> </ul>	A trapezoidal distribution: <ul style="list-style-type: none"> <li>• 0 at the top of excavation</li> <li>• <math>36H</math> at a depth of <math>0.25H</math>;</li> <li>• <math>36H</math> at a depth of <math>0.75H</math>;</li> <li>• 0 at the bottom of excavation.</li> </ul>
<b>Notes:</b> (1) Pressure is in psf. (2) $H$ is the excavation height in feet.	

A uniform surcharge placed on the soil supported by the shoring causes an equal increase in lateral pressure in addition to the lateral earth pressure listed in Table 9. The increase may be assumed a uniformly distributed lateral pressure equal to 0.39 times the surcharge and must be considered in shoring design. In no case shall the pressure due to surcharge be less than 72 psf, which is a prescribed minimum intended to provide for typical construction loads induced by vehicles, equipment, and materials (Caltrans, 2011).

The above pressures do not include any hydrostatic pressures since it is assumed that groundwater will be maintained at least two feet below the bottom of excavation by dewatering and drainage of possibly perched groundwater pockets by providing weep-holes or cracks in the lagging. It is important to install lagging immediately upon excavation to minimize sloughing or movement of the soils behind the shoring. For any portion of the shoring structure below groundwater table, the shoring design shall include the hydrostatic pressure. Furthermore, soil arching should not be considered for the lagging below the groundwater table.

### **6.9.2 Lateral Resistance**

Soldier piles must extend below the excavation bottom to provide lateral resistance by passive earth pressure. Allowable passive pressures for the native soils and the bedrock may be taken as equivalent to the pressure exerted by a fluid weighing 240 psf per foot of depth, up to a maximum of 2,400 psf . The passive earth pressure incorporates a factor of safety of 1.5. To account for soil arching effects, the lateral passive earth pressure may be assumed to act on over a width of either 2.4 times the drilled-hole diameter for soldier piles backfilled with structural concrete or 2.4 times the flange-width of the beam for soldier piles backfilled with compacted sand or gravel.

### **6.10 REVIEW OF CONSTRUCTION PLANS**

Recommendations contained in this report are based on preliminary conceptual plans. The geotechnical engineer shall review the final design and construction plans and specifications in order to confirm that the general intent of the recommendations contained in this report has been incorporated into the final construction documents. Recommendations contained in this report may require modification or additional recommendations may be necessary based on the final design.

## **6.11 GEOTECHNICAL OBSERVATION AND TESTING**

Qualified geotechnical personnel should perform inspection and testing during the following stages of construction:

- Grading operations, including excavations and placement of compacted fill;
- Footing excavations and/or pad excavations, prior to placement of steel reinforcement;
- Drilling and installation of CIDH reinforced concrete piers;
- Excavations for utility trenches and drainage structures;
- Removal or support of buried utilities or structures;
- Shoring installation;
- Backfilling retaining walls; and subdrain installation; and
- When any unusual conditions are encountered.

### 7.0 LIMITATIONS

This report was prepared using that degree of care and skill ordinarily exercised, under similar circumstances, by reputable geotechnical engineers and geologists practicing in this or similar locations. No other warranty, express or implied, is made about the professional advice included in this report. This report has been prepared for the Los Angeles Department of Water and Power to be used solely in the design and construction of the proposed West Los Angeles District Yard Project. This report has not been prepared for use by other parties, and may not contain sufficient information for the purposes of other parties or other uses.



Steve Kehrmeier 2/28/18  
Date  
Steven Kehrmeier  
California CE 46686



Liping Yan 02/28/2018  
Date  
Liping Yan  
California GE 2554



César H. Larios 2/28/18  
Date  
César H. Larios  
California GEG 2578




## REFERENCES

- American Society for Testing and Materials (ASTM). *Annual Book of Standards. Soil and Rock; Dimension Stone; Geosynthetics*, Vol. 04.08, Latest Version.
- American Society of Civil Engineers (2010). Minimum Design Loads for Buildings and Other Structures. ASCE/SEI Standard 7-10.
- Bryant, William A. and Hart, Earl W. (2007). Special Publication 42 – Fault-Rupture Hazard Zones in California, Alquist-Priolo Earthquake Fault Zoning Act with Index to Earthquake Fault Zone Maps. Interim Revision, California Geological Survey.
- Caltrans (2011). *Trenching and Shoring Manual*, Issued by Offices of Structure Construction, August.
- Caltrans (2015). *2015 Standard Specifications*, Issued by Office of Construction Contract Standards.
- Caltrans (2017). *Highway Design Manual Chapter 610 Pavement Engineering Considerations*, Issued by the Division of Design.
- Caltrans (2017). *Highway Design Manual Chapter 620 Rigid Pavement*, Issued by the Division of Design.
- Caltrans (2017). *Highway Design Manual Chapter 630 Flexible Pavement*, Issued by the Division of Design.
- California Department of Conservation (1998). *Seismic Hazard Evaluation for the Beverly Hills 7.5-Minute Quadrangle, Los Angeles County, California*. Seismic Hazard Zone Report 98-14.
- California Department of Conservation Division of Mines and Geology (CDMG, 1999). *Seismic Hazard Zones Map, Beverly Hills Quadrangle*.
- California Department of Conservation Division of Mines and Geology (CDMG, 1986). *Alquist-Priolo Special Studies Zones, Beverly Hills Quadrangle*.
- California Department of Water Resources (CDWR, 1961). Planned Utilization of Groundwater Basins of the Coastal Plain of Los Angeles County, Bulletin 104, Appendix A. California Division of Mines and Geology (1999). *Earthquake Zones of Required Investigation Beverly Hills Quadrangle, Official Map*, March 25.
- California Geologic Survey (CGS) (2010). Fault Activity Map of California. Interactive Web Site, <http://maps.conservation.ca.gov/cgs/fam/>.



- California Geologic Survey (2017). CGS Information Warehouse: Regulatory Maps, Interactive Web Site, <http://maps.conservation.ca.gov/cgs/informationwarehouse/index.html>.
- Catchings, R.D., Gandhok, G., Goldman, M.R., Okaya, D., Rymer, M. J. and Bawden, G. W. (2008). Near-Surface Location, Geometry, and Velocities of the Santa Monica Fault Zone, Los Angeles, California, Bulletin of the Seismological Society of America, Vol. 98, No. 1, pp. 124–138, February 2008,
- City of Los Angeles, Department of Building and Safety (2014). Contents of Reports for Submittal to the LADBS Grading Division. Information Bulletin / Public – Building Code Document No.: P/BC 2014-113. Effective date 1-1-2014.
- City of Los Angeles Department of Public Works (2004), Methane and Methane Buffer Zones, City of Los Angeles Map. Basic Grid Map, Bureau of Engineering – Ordinance 175,790.
- Das, Braja M. (2006). Principles of Geotechnical Engineering, Thomson. Toronto, Ontario, Canada.
- Das, Braja M. (2007). Principles of Foundation Engineering, Thomson. Toronto, Ontario, Canada.
- Dibblee Jr., T. W, (1991). Geologic Map of the Beverly Hills and Van Nuys (South ½) Quadrangle, Los Angeles County, California, Map DF-31.
- Division of Oil, Gas, and Geothermal Resources (2006). Regional Wildcat Map, W1-5, Sheet 117. Los Angeles and Orange Counties. Department of Conservation.
- Dolan, J. F., Sieh, K., and Rockwell, T. K. (2000). Late Quaternary Activity and Seismic Potential of the Santa Monica Fault System, Los Angeles, California, Geological Society of America Bulletin, Vol. 112, No. 10, October 2000.
- Dolan, J.F., Sieh, K., Rockwell, T.K., Guphill, P., Miller, G. (1997). Active Tectonics, Paleoseismology, and Seismic Hazards of the Hollywood fault, Northern Los Angeles Basin, California. Geological Society of America Bulletin Vol. 109, No. 12.
- Dolan, J. F. and Sieh, K. (1992). Paleoseismology and Geomorphology of the Northern Los Angeles Basin: Evidence for Holocene Activity on the Santa Monica Fault and Identification of New Strike-Slip Faults through Downtown Los Angeles, EOS, Transactions of the American Geophysical Union, Vol. 73, p. 589.
- Federal Emergency Management Agency (FEMA, 2008). FIRM - Flood Insurance Rate Map, Panel 1590 of 2350, Map Number 06037FC1590F. Los Angeles County, California and Incorporated Areas.
- Greenbook (2015). *Standard Specifications for Public Works Construction*.

- International Code Council (2014). City of Los Angeles Building Code. (Based on the 2013 CBC and the 2012 IBC).
- Jennings, C.W., and Bryant, W.A. (2010), Fault Activity Map of California. California Geological Survey, Geologic Data Map Series No. 6, map scale 1:750,000.
- Leighton and Associates, Inc. (1990). Technical Appendix to the Safety Element of the Los Angeles County General Plan, Hazard Reduction in Los Angeles County.
- Los Angeles County of Department of Public Works (LACDPW, 2017). Ground Water Well Data, <http://dpw.lacounty.gov/general/wells/>.
- Los Angeles Department of Public Works (LADPW, 2017). Navigate LA, Interactive Web Site, <http://navigatela.lacity.org/navigatela/>.
- Naval Facilities Engineering Command (NAVFAC, 1986), Foundation and Earth Structures. Design Manual 7.02, United States Department of the Navy.
- Pratt, T. L., Dolan, J. F., Odum, J. K., Stephenson, W. J., Williams, R. A., and Templeton, M. E. (1998). Multiscale Seismic Imaging of Active Fault Zones for Hazard Management: A Case Study of the Santa Monica Fault Zone, Los Angeles, Geophysics, Vol. 63, No. 2.
- Southern California Earthquake Data Center (SCEDC, 2017). Significant Earthquakes and Faults – Historic Earthquakes & Significant Faults in Southern California, <http://scedc.caltech.edu/significant/index.html>.
- United States Geologic Survey (1995). Beverly Hills Quadrangle 7.5-Minute Series. Topographic Map, U.S. Department of the Interior.
- United States Geologic Survey (2017), Earthquake Hazards Program – Latest Earthquakes Map and List web site, <http://earthquake.usgs.gov/earthquakes/map/>.
- United States Geologic Survey (2017), U.S. Seismic Design Maps Application, Interactive Web Site, <http://earthquake.usgs.gov/designmaps/us/application.php>.
- Yerkes, R.F., McCulloh, T.H., Schoellhamer, J.E., and Vedder, J.G. (1965). Geology of the Los Angeles Basin, California – An Introduction: U.S. Geological Survey Professional Paper 420-A.
- Yong, P.M.F. (1985). *Dynamic Earth Pressures Against A Rigid Earth Retaining Wall*, Central Laboratories Report 5-8515, Ministry of Works and Development, Lower Hutt, New Zealand.

## **FIGURES**




BASE MAP: U.S. Geologic Survey  
7.5 Minute Series  
Beverly Hills, CA Quadrangle 2015



West Los Angeles District Yard  
**FIGURE 1 - LOCATION MAP**





WEST LOS ANGELES DISTRICT YARD  
 12300 W. NEBRASKA AVENUE, LOS ANGELES, CA 90025  
 FIGURE 2 - SITE PLAN


**D W P**  
 DEPARTMENT OF WATER AND POWER  
 CITY OF LOS ANGELES

DRAWING NUMBER

207

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15






**Figure 3** - Topographic Site Location Map for West Los Angeles District Yard, 12300 W Nebraska Ave, Los Angeles, CA. LADWP, September 2017




Base Map: Department of Water Resources 1961, Groundwater Geology of the Coastal Plain of Los Angeles County, Scale Shown.



**Figure 4 - Aerial Geology Map for West Los Angeles District Yard, 12300 W Nebraska Ave, Los Angeles, CA.**  
LADWP, September 2017






**Figure 5 - Aerial Geology Map Legend for West Los Angeles District Yard, 12300 W Nebraska Ave, Los Angeles, CA. LADWP, September 2017**




Base Map: Dibblee Geological Foundation, Geologic Map of the Beverly Hills and Van Nuys (South 1/2) Quadrangles, Los Angeles County, CA 1991.




**Figure 6** - Local Geologic Map for West Los Angeles District Yard, 12300 W. Nebraska Ave. Los Angeles, CA. LADWP, September 2017





**Figure 7** - Local Geologic Map Legend for West Los Angeles District Yard, 12300 W. Nebraska Ave. Los Angeles, CA. LADWP, September 2017





Base Map: California Geologic Survey, Department of Conservation, Interactive Website Fault Activity Map of California, 2010, scale shown.











**Figure 8** - Regional Fault Map for West Los Angeles District Yard, 12300 W. Nebraska Ave.  
Los Angeles, CA. LADWP, September 2017







## EXPLANATION

Fault traces on land are indicated by solid lines where well located, by dashed lines where approximately located or inferred, and by dotted lines where concealed by younger rocks or by lakes or bays. Fault traces are queried where continuation or existence is uncertain. Concealed faults in the Great Valley are based on maps of selected subsurface horizons, so locations shown are approximate and may indicate structural trend only. All offshore faults based on seismic reflection profile records are shown as solid lines where well defined, dashed where inferred, queried where uncertain.




### FAULT CLASSIFICATION COLOR CODE (Indicating Recency of Movement)

	<p>Fault along which historic (last 200 years) displacement has occurred and is associated with one or more of the following:</p> <p>(a) a recorded earthquake with surface rupture. (Also included are some well-defined surface breaks caused by ground shaking during earthquakes, e.g. extensive ground breakage, not on the White Wolf fault, caused by the Arvin-Tehachapi earthquake of 1952). The date of the associated earthquake is indicated. Where repeated surface ruptures on the same fault have occurred, only the date of the latest movement may be indicated, especially if earlier reports are not well documented as to location of ground breaks.</p> <p>(b) fault creep slippage - slow ground displacement usually without accompanying earthquakes.</p> <p>(c) displaced survey lines</p>
	<p>A triangle to the right or left of the date indicates termination point of observed surface displacement. Solid red triangle indicates known location of rupture termination point. Open black triangle indicates uncertain or estimated location of rupture termination point.</p>
	<p>Date bracketed by triangles indicates local fault break.</p>
	<p>No triangle by date indicates an intermediate point along fault break.</p>
	<p>Fault that exhibits fault creep slippage. Hachures indicate linear extent of fault creep. Annotation (creep with leader) indicates representative locations where fault creep has been observed and recorded.</p>
	<p>Square on fault indicates where fault creep slippage has occurred that has been triggered by an earthquake on some other fault. Date of causative earthquake indicated. Squares to right and left of date indicate terminal points between which triggered creep slippage has occurred (creep either continuous or intermittent between these end points).</p>
	<p>Holocene fault displacement (during past 11,700 years) without historic record. Geomorphic evidence for Holocene faulting includes sag ponds, scarps showing little erosion, or the following features in Holocene age deposits: offset stream courses, linear scarps, shutter ridges, and triangular faceted spurs. Recency of faulting offshore is based on the interpreted age of the youngest strata displaced by faulting.</p>
	<p>Late Quaternary fault displacement (during past 700,000 years). Geomorphic evidence similar to that described for Holocene faults except features are less distinct. Faulting may be younger, but lack of younger overlying deposits precludes more accurate age classification.</p>
	<p>Quaternary fault (age undifferentiated). Most faults of this category show evidence of displacement sometime during the past 1.5 million years; possible exceptions are faults which displace rocks of undifferentiated Plio-Pleistocene age. Unnumbered Quaternary faults were based on Fault Map of California, 1975. See Bulletin 201, Appendix D for source data.</p>
	<p>Pre-Quaternary fault (older than 1.5 million years) or fault without recognized Quaternary displacement. Some faults are shown in this category because the source of mapping used was of reconnaissance nature, or was not done with the object of dating fault displacements. Faults in this category are not necessarily inactive.</p>

### ADDITIONAL FAULT SYMBOLS

	<p>Bar and ball on downthrown side (relative or apparent).</p>
	<p>Arrows along fault indicate relative or apparent direction of lateral movement.</p>
	<p>Arrow on fault indicates direction of dip.</p>
	<p>Low angle fault (barbs on upper plate). Fault surface generally dips less than 45° but locally may have been subsequently steepened. On offshore faults, barbs simply indicate a reverse fault regardless of steepness of dip.</p>

### OTHER SYMBOLS

	<p>Numbers refer to annotations listed in the appendices of the accompanying report. Annotations include fault name, age of fault displacement, and pertinent references including Earthquake Fault Zone maps where a fault has been zoned by the Alquist-Priolo Earthquake Fault Zoning Act. This Act requires the State Geologist to delineate zones to encompass faults with Holocene displacement.</p>
	<p>Structural discontinuity (offshore) separating differing Neogene structural domains. May indicate discontinuities between basement rocks.</p>
	<p>Brawley Seismic Zone, a linear zone of seismicity locally up to 10 km wide associated with the releasing step between the Imperial and San Andreas faults.</p>


**Figure 9 - Regional Fault Map Legend for West Los Angeles District Yard,  
12300 W. Nebraska Ave. Los Angeles, CA. LADWP, September 2017**

Geologic Time Scale	Years Before Present (Approx.)	Fault Symbol	Recency of Movement	DESCRIPTION	
				ON LAND	OFFSHORE
Quaternary	Historic			Displacement during historic time (e.g. San Andreas fault 1906). Includes areas of known fault creep.	
	Late Quaternary			Displacement during Holocene time	Fault offsets seafloor sediments or strata of Holocene age
	Early Quaternary			Faults showing evidence of displacement during late Quaternary time.	Fault cuts strata of Late Pleistocene age.
Pre-Quaternary	1,600,000*			Undivided Quaternary faults - most faults in this category show evidence of displacement during the last 1,600,000 years. Possible exceptions are faults which displace rocks of undifferentiated Plio-Pleistocene age.	Fault cuts strata of Quaternary age.
	4.5 billion (Age of Earth)			Faults without recognized Quaternary displacement or showing evidence of no displacement during Quaternary time. Not necessarily inactive.	Fault cuts strata of Pliocene or older age.

\* Quaternary now recognized as extending to 2.6 Ma (Walker and Geissman, 2009). Quaternary faults in this map were established using the previous 1.6 Ma criterion.


**Figure 10** - Regional Fault Map Legend for West Los Angeles District Yard, 12300 W. Nebraska Ave. Los Angeles, CA. LADWP, September 2017






**Figure 11** - Seismic Hazard Zones for West Los Angeles District Yard, 12300 W. Nebraska Ave.  
Los Angeles, CA. LADWP, September 2017

## SEISMIC HAZARD ZONES



### **Liquefaction Zones**

Areas where historical occurrence of liquefaction, or local geological, geotechnical and ground water conditions indicate a potential for permanent ground displacements such that mitigation as defined in Public Resources Code Section 2693(c) would be required.



### **Earthquake-Induced Landslide Zones**

Areas where previous occurrence of landslide movement, or local topographic, geological, geotechnical and subsurface water conditions indicate a potential for permanent ground displacements such that mitigation as defined in Public Resources Code Section 2693(c) would be required.

**Figure 12** - Seismic Hazard Zones Map Legend for West Los Angeles District Yard, 12300 W. Nebraska Ave. Los Angeles, CA.  
LADWP, September 2017





MAP SCALE 1" = 1000'



Figure 13-Flood Insurance Rate Map

NATIONAL FLOOD INSURANCE PROGRAM

PFIP PANEL 1590F

**FIRM**  
FLOOD INSURANCE RATE MAP  
LOS ANGELES COUNTY,  
CALIFORNIA  
AND INCORPORATED AREAS

PANEL 1590 OF 2350  
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL SUFFIX
LOS ANGELES COUNTY	065043	F
LOS ANGELES, CITY OF	060137	F
SANTA MONICA, CITY OF	060159	F


Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community.



MAP NUMBER  
06037C1590F  
EFFECTIVE DATE  
SEPTEMBER 26, 2008

Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT On-Line. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at [www.msc.fema.gov](http://www.msc.fema.gov)



**APPENDIX A. PREVIOUS BORING LOGS AND LAB TESTING RESULTS**

# BOREHOLE LOG: HSA-1 (CPT-6)

Project:  
 Drilling Method: Hollow-stem Auger  
 Date Began: 10-13-04  
 Date Completed: 10-14-04  
 Elevation (ft.): 161.7  
 North Coordinate: 4905  
 East Coordinate: 10061

Logged by: JLTO  
 Driller: Paul  
 Drill Rig: City of LA CME 75  
 Borehole Depth (ft.): 43.5  
 Groundwater Depth (ft.): None



City of Los Angeles  
 Department of Water & Power

Depth (ft)	N Value	Sample Number	Recovery (in)	Sample Type	USCS Symbol	Graphic Log	Soil Description
0							Ground Surface
							<b>Asphalt and CAB</b>
	na	1	na	Grab	SC/CL		<b>Sandy Clay to Clayey Sand:</b> Dark grey brown, sl damp, sl plastic, soft.  <b>Notes:</b> SH = Shelby Tube (2 ft) SPT = Standard Penetration Test w/o liners.
5							<b>Silty Clay w. Sand:</b> Dark brown, sl damp, plastic, soft, tr gravel up to 1 inch, tip of Shelby tube is bent.
	3,4,5	3	16	SS	CL		<b>Silty Clay:</b> Medium brown, v sl damp, sl plastic, soft. Bag sample 5 - 10 ft.
10							<b>Gravelly Silty Clay w Sand:</b> Medium brown, v sl damp, sl plastic, soft, cont. 10% Santa Monica Slate (SM) gravel to 1/4 inch. Changes to a Clayey Sand @ 11 ft.
	3,3,4	5	16	SS	CL		<b>Clayey Sand:</b> <b>Silty Sandy Clay:</b> Medium brown, v sl damp, sl plastic soft, cont. vf gr sand, cont. 5-10% SM slate gravel to 1/8 inch. Bag Sample 10-15 ft.
15							<b>Silty Clayey Sand w Gravel:</b> Med brown, v sl damp, vf gr p grded, subrnd, loose, cont. 10% SM slate to 1/8 inch.
	3,5,8	7	17	SS	SC-SM		<b>Clayey Sand w. Gravel:</b> Medium brown, v sl damp, vf gr, p grded, cont. tr SM slate gravel to 1/8 inch. Bag Sample 15-20 ft.
20							<b>Sandy Clay:</b> Changes to Silty clayey sand w gravel (SC) @ 15.25 ft.

# BOREHOLE LOG: HSA-1 (CPT-6)

Project:  
 Drilling Method: Hollow-stem Auger  
 Date Began: 10-13-04  
 Date Completed: 10-14-04  
 Elevation (ft.): 161.7  
 North Coordinate: 4905  
 East Coordinate: 10061

Logged by: JLTO  
 Driller: Paul  
 Drill Rig: City of LA CME 75  
 Borehole Depth (ft.): 43.5  
 Groundwater Depth (ft.): None



City of Los Angeles  
 Department of Water & Power

Depth (ft)	N Value	Sample Number	Recovery (in)	Sample Type	USCS Symbol	Graphic Log	Soil Description
	na	8	10	SH	SC		<b>Clayey Sand w. Gravel:</b> As above.
					GP-GC		<b>Gravel w. Clay and Sand:</b>
	5,6,7	9	15	SS	GP-GC		<b>Gravel w. Clay and Sand:</b> Medium brown, v sl damp, firm, cont. vf gr sand, SM slate to 1/4 inch..
							<b>Silty Clay:</b>
25							
	na	10	26	SH	CL		<b>Clay:</b>
					SW-SC		<b>Sand w. Clay and Gravel:</b> Medium to dark brown, sl damp, vf gr, p grded, subrnd, cont. 20-30% S slate to 3/4 inch.
	6,5,5	11	18	SS	CL		<b>Silty Clay:</b> Medium brown, damp, plastic, soft.
30							
	na	12	27	SH	CL		<b>Silty Clay w. Sand:</b> As above.
					SP-SM		<b>Sand w. Silt and Gravel:</b> Dark brown, v sl damp, vf gr p grded, subrnd,
	23,14,16	13	18	SS	SP-SM		<b>Sand w. Clay and Gravel:</b> As above..
35							
	na	14	27	SH	SM		<b>Silty Sand w. Gravel:</b> Medium grey brown, sl damp, plastic, soft.
					CL		<b>Sandy Clay:</b>
	5,5,9	15	18	SS	CL		<b>Silty Clay w. Gravel:</b> Medium brown, damp, plastic, soft, cont. 5% SM slate to 1 1/4 inch, hard drilling.
40							

# BOREHOLE LOG: HSA-1 (CPT-6)

Project:  
 Drilling Method: Hollow-stem Auger  
 Date Began: 10-13-04  
 Date Completed: 10-14-04  
 Elevation (ft.): 161.7  
 North Coordinate: 4905  
 East Coordinate: 10061

Logged by: JLTO  
 Driller: Paul  
 Drill Rig: City of LA CME 75  
 Borehole Depth (ft.): 43.5  
 Groundwater Depth (ft.): None



City of Los Angeles  
 Department of Water & Power

Depth (ft)	N Value	Sample Number	Recovery (in)	Sample Type	USCS Symbol	Graphic Log	Soil Description
45	na	16	15	SH	GP-GC		<b>Gravel w. Clay and Sand:</b> Dark grey brown, sl damp, sand is vf-m gr, p graded, subang, dense, SM Slate to 1 inch, hard drilling.
	20,29,32	17	18	SS	GP-GC		<b>Gravel w. Clay and Sand:</b> As above.
50							
55							
60							

# BOREHOLE LOG: HSA-2 (CPT-5)

Project:  
 Drilling Method: Hollow-stem Auger  
 Date Began: 10-13-04  
 Date Completed: 10-14-04  
 Elevation (ft.): 160.7  
 North Coordinate: 4857  
 East Coordinate: 10019

Logged by: JLTO  
 Driller: Paul  
 Drill Rig: City of LA CME 75  
 Borehole Depth (ft.): 52  
 Groundwater Depth (ft.): 44



City of Los Angeles  
 Department of Water & Power

Depth (ft)	N Value	Sample Number	Recovery (in)	Sample Type	USCS Symbol	Graphic Log	Soil Description
0							Ground Surface
							<b>Asphalt and CAB:</b>
	na	1	na	Grab	SC/CL		<b>Clayey Sand to Sandy Clay:</b> Dark grey brown, sl damp, sl plastic, soft.  <b>Notes:</b> SH = Shelby Tube (2 ft) SPT = Standard Penetration Test w/o liners. CM = Calif. Mod Split Spoon (2 ft)  Bag Sample 0 - 5 ft.
5	na	2	22	SH	SC		<b>Silty Clayey Sand:</b> Dark brown, sl damp, plastic, soft, tr gravel up to 1 inch, tip of Shelby tube bent.
	4,3,5	3	18	SS	CL		<b>Silty Clay:</b> Medium brown, v sl damp, sl plastic soft. Bag Sample 5 - 10 ft.
10	na	4	25	SH	CL SC		<b>Gravelly Silty Clay w. Sand:</b> Medium brown, v sl damp, sl plastic, soft, cont. 10% Santa Monica (SM) slate gravel to 1/4 inch.
	3,2,4	5	15	SS	CL		<b>Silty Sandy Clay w. Gravel:</b> Medium brown, v sl damp, sl plastic, soft, cont. vf gr sand and 5-10% SM slate gravel to 1/8 inch. Bag Sample 10-15 ft.
15	na	6	26	SH	CL SC-SM		<b>Sandy Clay:</b>
	4,3,5	7	17	SS	SC		<b>Silty Clayey Sand w. Gravel:</b> Medium brown, v sl damp, vf gr, p grded, subrnd, loose, cont. 10% SM slate to 1/8 inch.
							<b>Clayey Sand w. Gravel:</b> Medium brown, v sl damp, vf gr cont. tr SM slate gravel to 1/8 inch. Bag Sample 15-20 ft.
20							

# BOREHOLE LOG: HSA-2 (CPT-5)

Project:  
 Drilling Method: Hollow-stem Auger  
 Date Began: 10-13-04  
 Date Completed: 10-14-04  
 Elevation (ft.): 160.7  
 North Coordinate: 4857  
 East Coordinate: 10019

Logged by: JLTO  
 Driller: Paul  
 Drill Rig: City of LA CME 75  
 Borehole Depth (ft.): 52  
 Groundwater Depth (ft.): 44



City of Los Angeles  
 Department of Water & Power

Depth (ft)	N Value	Sample Number	Recovery (in)	Sample Type	USCS Symbol	Graphic Log	Soil Description
	na	8	25	SH	SC		<b>Clayey Sand w. Gravel:</b> As above.
	5,4,13	9	16	SS	SC		<b>Clayey Sand w. Gravel:</b> As above.
25	na	10	26	SH	GP-GC		<b>Gravel w. Clay and Sand:</b> Medium brown, sl damp, sand is very fine grain.
	5,7,5	11	18	SS	CL		<b>Silty Clay:</b> Mottled grey and medium brown, sl damp, sl plastic soft.
30	na	12	27	SH	GP-GC		<b>Gravel w. Clay and Sand:</b> Medium brown, v sl damp, vf gr p grded, subrnd, loose.
					CL-ML		<b>Sandy Silty Clay:</b>
	6,5,8	13	20	SS	CL-ML		<b>Silty Clay:</b> Mottled grey and medium brown, sl damp, sl plastic, soft.
35	na	14	26	SH	CL		<b>Clay w. Sand:</b> Medium grey brown, sl damp, plastic, soft.
					CL-ML		<b>Silty Clay w. Sand:</b>
	10,6,7	15	16	SS	CL-ML		<b>Silty Clay w. Sand:</b>
					SM		<b>Gravelly Silty Sand:</b> Vf grain, cont. SM slate to 1/8 inch.
40							



# BOREHOLE LOG: HSA-2 (CPT-5)

Project:  
 Drilling Method: Hollow-stem Auger  
 Date Began: 10-13-04  
 Date Completed: 10-14-04  
 Elevation (ft.): 160.7  
 North Coordinate: 4857  
 East Coordinate: 10019

Logged by: JLTO  
 Driller: Paul  
 Drill Rig: City of LA CME 75  
 Borehole Depth (ft.): 52  
 Groundwater Depth (ft.): 44



City of Los Angeles  
 Department of Water & Power

Depth (ft)	N Value	Sample Number	Recovery (in)	Sample Type	USCS Symbol	Graphic Log	Soil Description
	na	16	26	SH	CL		<b>Sandy Clay:</b> Medium brown, sl damp, plastic, stiff, cont. vf gr sand, tr SM slate gravel to 1/8 inch.
	8,12,21	17	22	SS	CL		<b>Sandy Clay:</b> As above.
					SC		<b>Clayey Sand w. Gravel:</b> SM slate gravel to 1 inch, damp, hard drilling.
45	na	18	15	CM	SC		<b>Clayey Sand w. Gravel:</b> As above, wet, Groundwater at 44 ft.
	20,25,36	19	12	SS	SC		<b>Clayey Sand w. Gravel:</b> As above.
50	na	20	4	CM	SC		<b>Clayey Sand w. Gravel:</b> Sample fell out of sampler during recovery, probably a clayey sand as above.
							TD Hole @ 52 ft. Backfilled with native material, sand and bentonite. Patched asphalt with cold patch.
55							
60							



# BOREHOLE LOG: HSA-3 (CPT-2)

Project:  
 Drilling Method: Hollow-stem Auger  
 Date Began: 10-14-04  
 Date Completed: 10-14-04  
 Elevation (ft.): 162.8  
 North Coordinate: 4964  
 East Coordinate: 10090

Logged by: JLTO  
 Driller: Paul  
 Drill Rig: City of LA CME 75  
 Borehole Depth (ft.): 48.5  
 Groundwater Depth (ft.): 44



City of Los Angeles  
 Department of Water & Power

Depth (ft)	N Value	Sample Number	Recovery (in)	Sample Type	USCS Symbol	Graphic Log	Soil Description
0							Ground Surface
							<b>Asphalt and CAB:</b>
	na	1	na	Grab	SC/CL		<b>Silty Clay to Clayey Sand:</b> Dark brown, sl damp, non-sl plastic, soft.  <b>Notes:</b> SH = Shelby Tube (2 ft). SPT = Standard Penetration Test w/o liners. CM = Calif. Mod Split-spoon (2 ft).
5							<b>Silty Clay w. Sand:</b> Dark brown, sl damp, sl plastic, soft.
	na	2	26	SH	CL		
	3,3,5	3	14	SS	CL		<b>Silty Clay:</b> Medium dark brown, v sl damp, sl plastic soft, contains a trace of Santa Monica (SM) slate. Bag Sample 3 - 10 ft.
10							<b>Gravelly Sandy Clay:</b> Dark brown, v sl damp, soft, cont. 20% SM slate to 3/4 inch.
	na	4	27	SH	CL		
					SC		<b>Clayey Sand:</b>
	4,3,7	5	16	SS	CL		<b>Gravelly Sandy Clay:</b> As above.
					SM		<b>Gravelly Silty Sand:</b> Vf - m gr, p grded, subrnd, loose, cont. 20% SM slate to 1/2 inch. Bag Sample 10 - 15 ft.
15							<b>Sandy Clay:</b> Dark brown to black, v sl damp.
	na	6	27	SH	CL		
					SC-SM		<b>Clayey Sand w. Gravel:</b> Dark brown to black, v sl damp, sand is vf grain, SM slate to 1/4 inch. Gravel is angular and platy in shape.
	18,20,18	7	16	SS	SP		<b>Gravelly Sand:</b> Dark brown, to dark grey brown, v sl damp, vf-f gr, p grded subang, dense, cont 30% SM slate to 1 inch.
20							

# BOREHOLE LOG: HSA-3 (CPT-2)

Project:  
 Drilling Method: Hollow-stem Auger  
 Date Began: 10-14-04  
 Date Completed: 10-14-04  
 Elevation (ft.): 162.8  
 North Coordinate: 4964  
 East Coordinate: 10090

Logged by: JLTO  
 Driller: Paul  
 Drill Rig: City of LA CME 75  
 Borehole Depth (ft.): 48.5  
 Groundwater Depth (ft.): 44



City of Los Angeles  
 Department of Water & Power

Depth (ft)	N Value	Sample Number	Recovery (in)	Sample Type	USCS Symbol	Graphic Log	Soil Description
	na	8	26	SH	SC		<b>Clayey Sand:</b>
					SC-SM		<b>Silty Clayey Sand w. Gravel:</b> Medium brown, v sl damp, sl platic, firm, cont. 10% SM slate to 1/4 inch.
	6,5,8	9	16	SS	CL		<b>Gravelly Silty Clay:</b> Medium grey brown, v sl damp, sl plastic to plastic, soft, cont tr of vf gr sand and 5 - 10% SM slate gravel to 1 inch.
25	na	10	27	SH	SC		<b>Gravelly Clayey Sand:</b> Dark grey brown, v sl damp, vf-m gr, p grded, subang, loose, cont. 20% SM slate to 1/2 inch.
	6,7,6	11	18	SS	SC		<b>Gravelly Clayey Sand:</b> As above.
					CL		<b>Clay:</b> Medium grey brown, v sl damp, sl plastic, soft, contains a 1 inch sand lense.
30	na	12	26	SH	CL		<b>Sandy Clay w. Gravel:</b> Medium grey brown, v sl damp, cont vf gr sand.
	16,5,19	13	18	SS	CL		<b>Sandy Clay w. Gravel:</b> As above.
35	na	14	26	SH	CL		<b>Clay w. Sand:</b>
					SC-SM		<b>Silty Clayey Sand w. Gravel:</b> Grey brown, v sl damp, vf - m gr, p grded, subang, dense, cont SM slate to 1/8 inch, tip of Shelby damaged.
	13,13,19	15	23	SS	SC-SM		<b>Silty Clayey Sand w. Gravel:</b> As above.
					CL		<b>Gravelly Silty Clay:</b> Grey brown, damp, sl plastic, cont 20% gravel, tr m gr golden sand.
40							

# BOREHOLE LOG: HSA-3 (CPT-2)

Project:  
 Drilling Method: Hollow-stem Auger  
 Date Began: 10-14-04  
 Date Completed: 10-14-04  
 Elevation (ft.): 162.8  
 North Coordinate: 4964  
 East Coordinate: 10090

Logged by: JLTO  
 Driller: Paul  
 Drill Rig: City of LA CME 75  
 Borehole Depth (ft.): 48.5  
 Groundwater Depth (ft.): 44



City of Los Angeles  
 Department of Water & Power






Depth (ft)	N Value	Sample Number	Recovery (in)	Sample Type	USCS Symbol	Graphic Log	Soil Description
	na	16	22	SH	CL		<b>Sandy Clay:</b>
					SC-SM		<b>Silty Clayey Sand w. Gravel:</b> Dark grey to black, v sl damp, vf - m gr, cont SM slate gravel to 1/2 inch.
	20,30,27	17	18	SS	SC-SM		<b>Silty Clayey Sand w. Gravel:</b> As above.
45							
	na	18	15	CM	SW-SC		<b>Sand w. Clay and Gravel:</b> Dark grey to black, wet, (GW @ 44 ft), gravel is SM slate, planer shaped w rounded edges, size is up to 1 inch. Sand is vf - m gr, dense, hard drilling.
	15,14,17	19	15	SS	SW-SC		<b>Sand w. Clay and Gravel:</b> As above, decreasing silt content.
							TD Hole @ 48.5 ft. Backfilled with native material, sand, and bentonite. Patched asphalt with cold patch.
50							
55							
60							



# LAWDP

Site: WEST LA DIST HQ  
Location: CPT-01

Engineer: J. OHEN  
Date: 09:28:04 10:06








Max. Depth: 50.03 (ft)  
Depth Inc.: 0.184 (ft)

SBT: Soil Behavior Type (Robertson 1990)

# LAWDP

Site: WEST LA DIST HQ  
Location: CPT-01






Engineer: J. QUEN  
Date: 09:28:04 10:06



Max. Depth: 50.03 (ft)  
Depth Inc.: 0.184 (ft)

SBT: Soil Behavior Type (Robertson 1990)






SBT: Soil Behavior Type (Robertson 1990)

Max. Depth: 50.03 (ft)  
Depth Int.: 0.184 (ft)

# LAWDP

Site: WEST LA DIST HQ  
Location: CPT-02

Engineer: J. OWEN  
Date: 09:28:04 10:36



SBT: Soil Behavior Type (Robertson 1990)


Max. Depth: 50.03 (ft)  
Depth Inc.: 0.184 (ft)



# LAWDP

Site: WEST LA DIST HQ  
Location: CPT-03

Engineer: J. OWEN  
Date: 09:28:04 11:00



SBT: Soil Behavior Type (Robertson 1990)


Max. Depth: 50.03 (ft)  
Depth Int.: 0.184 (ft)



# LAWDP


Site: WEST LA DIST HQ  
Location: CPT-03

Engineer: J. OWEN  
Date: 09:28:04 11:00



SBT: Soil Behavior Type (Robertson 1990)

Max. Depth: 50.03 (ft)  
Depth Inc.: 0.184 (ft)



SBT: Soil Behavior Type (Robertson 1990)

Max. Depth: 50.03 (ft)  
Depth Inc.: 0.184 (ft)












# LAWDP

Site: WEST LA DIST HQ  
Location: CPT-05

Engineer: J. QUEN  
Date: 09:28:04 12:33



SBT: Soil Behavior Type (Robertson 1990)

Max. Depth: 50.03 (ft)  
Depth, Inc.: 0.184 (ft)








# LAWDP

Site: WEST LA DIST HQ  
Location: CPT-06

Engineer: J. OWEN  
Date: 09:28:04 11:55



SBT: Soil Behavior Type (Robertson 1990)

Max. Depth: 50.03 (ft)  
Depth Inc.: 0.184 (ft)





LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
 SOILS AND MATERIALS TESTING SQUAD

WEST L.A. DISTRIBUTION HEAD QUARTERS  
 SITE INVESTIGATION TESTING - SELECTIVE PRIMARY TESTING PROCEDURE (SIT-SPTP)

UNIFIED SOIL CLASSIFICATION SYSTEM (ASTM D2487-00), VISUAL-MANUAL PROCEDURE (ASTM D2488-00), WATER CONTENT (ASTM D2216-98), AND IN-PLACE UNIT WEIGHT (ASTM D2937-00).

Sample Type <sup>1</sup>	Hole No.	Depth (ft.) <sup>2</sup>	Maximum Particle Size <sup>3</sup>	Classification of Soils for Engineering Purposes (Unified Soil Classification System) <sup>4</sup>										Reference <sup>8</sup>	Water Content (%)	In-Place Dry Unit Weight (pcf)
				Sieve Analysis-Percent Passing (%)			Coefficients <sup>5</sup>		Atterberg Limits <sup>6</sup>		Soil Classification <sup>7</sup>					
				3/4 in.	No. 4	No. 10	No. 40	No. 200	Uniformity (Cu)	Curvature (Cc)		Liquid Limit (LL)	Plasticity Index (PI)			
B	HSA-1	0.0-5.0	No. 4	100.0	96.3	92.8	85.1	62.4	ND	ND	33	15	CL, SANDY LEAN CLAY		17.0	110.0
S	HSA-1	5.0	No. 4	100.0	98.1	96.3	92.6	77.1	ND	ND	34	14	CL, LEAN CLAY W/SAND			
B	HSA-1	5.0-10.0	No. 4	100.0	96.7	96.9	93.0	76.3	ND	ND	34	18	CL, LEAN CLAY W/SAND	REFERENCE	17.4	102.2
S	HSA-1	10.0 (T)	No. 4	100.0	98.8	96.7	92.1	72.8	ND	ND	37	20	CL, LEAN CLAY W/SAND	REFERENCE	10.7	108.4
S	HSA-1	10.0 (B)	3/8-in.	100.0	87.9	79.6	65.9	42.8	ND	ND	25	9	SC, CLAYEY SAND			
B	HSA-1	10.0-15.0	No. 4	100.0	93.2	88.3	82.2	63.2	ND	ND	31	17	CL, SANDY LEAN CLAY	REFERENCE	14.2	100.7
S	HSA-1	15.0 (T)	No. 4	100.0	96.1	92.4	85.4	63.6	ND	ND	31	14	CL, SANDY LEAN CLAY	REFERENCE	9.2	105.2
S	HSA-1	15.0 (B)	3/8-in.	96.9	80.6	68.1	45.7	27.7	ND	ND	26	7	SC-SM, SILTY CLAYEY SAND W/GRAVEL			
B	HSA-1	15.0-20.0	No. 4	100.0	91.5	81.9	68.9	52.6	ND	ND	30	13	CL, SANDY LEAN CLAY		9.8	(9)
S	HSA-1	20.0 (T)	3/8-in.	100.0	94.6	89.2	75.4	47.6	ND	ND	27	11	SC, CLAYEY SAND	REFERENCE	5.0	(9)
S	HSA-1	20.0 (B)	3/4-in.	84.9	52.7	36.0	23.4	11.4	ND	ND	23	6	GP-GC, POORLY GRADED GRAVEL W/CLAY & SAND		18.5	106.7
S	HSA-1	25.0 (T)	No. 10	100.0	100.0	99.6	97.8	86.3	ND	ND	33	11	CL, LEAN CLAY			
S	HSA-1	25.0 (B)	3/8-in.	100.0	77.1	60.5	29.3	11.3	33.3	1.6	23	7	SW-SC, WELL GRADED SAND W/CLAY & GRAVEL		5.2	120.1
S	HSA-1	30.0 (T)	No. 4	100.0	99.1	97.2	91.6	76.4	ND	ND	31	15	CL, LEAN CLAY W/SAND		16.0	103.2
S	HSA-1	30.0 (B)	3/4-in.	93.4	70.7	56.8	34.1	11.5	ND	ND	NP	NP	SP-SM, POORLY GRADED SAND W/SILT AND GRAVEL		4.8	114.2
S	HSA-1	35.0 (T)	3/8-in.	100.0	78.5	61.6	35.4	21.4	ND	ND	21	3	SM, SILTY SAND W/GRAVEL		5.1	110.8
S	HSA-1	35.0 (B)	3/8-in.	100.0	97.9	97.2	95.9	60.1	ND	ND	27	8	CL, SANDY LEAN CLAY		13.5	102.5
S	HSA-1	40.0	3/4-in.	74.2	22.2	18.6	13.1	5.9	61.9	13.2	24	9	GP-GC, POORLY GRADED GRAVEL W/CLAY & SAND		8.1	125.8

NOTES:

- S = SHELBLY TUBE, B = BULK BAG.
- T = TOP OF SAMPLE, B = BOTTOM OF SAMPLE.
- MAXIMUM NOMINAL PARTICLE SIZE RETAINED ON A US STANDARD SIEVE.
- CELLS LEFT BLANK AND WITH A GROUP SYMBOL AND GROUP NAME (SOIL CLASSIFICATION) INDICATE THAT A SOIL CLASSIFICATION WAS ASSIGNED TO THE SAMPLE. SEE FOOTNOTES NUMBER 7 AND 8.
- ND = NOT DETERMINED. COEFFICIENTS DO NOT HAVE TO BE DETERMINED WHEN MORE THAN 12% OF THE TEST SPECIMEN PASSES THE NO. 200 SIEVE.
- NP = NON-PLASTIC.
- SOIL CLASSIFICATIONS PRESENTED IN BOLD TYPE INDICATE TESTING AS PER USCS. ASTM D2487-00. SOIL CLASSIFICATIONS PRESENTED IN REGULAR TYPE WERE DETERMINED IN GENERAL ACCORDANCE WITH THE VISUAL-MANUAL PROCEDURE. ASTM D2488-00. SEE FOOTNOTE NUMBER 8.
- REFERENCE = SAMPLE SERVES TO ASSIGN A SOIL CLASSIFICATION TO A SIMILAR SOIL TYPE(S) OBSERVED WITHIN THE BORING AND/OR OTHER BORING(S). SEE FOOTNOTE 7.
- ↓ = SAMPLE WAS ASSIGNED A SOIL CLASSIFICATION. ITS REFERENCE IS LOCATED AT A DEEPER DEPTH WITHIN THE BORING.
- ↑ = SAMPLE WAS ASSIGNED A SOIL CLASSIFICATION. ITS REFERENCE IS LOCATED AT A SHALLOWER DEPTH WITHIN THE BORING.
- Boring No. @ Depth = SAMPLE WAS ASSIGNED A SOIL CLASSIFICATION. ITS REFERENCE IS LOCATED AT THE INDICATED BORING NO. AND DEPTH.
- UNABLE TO DETERMINE DUE TO THE POOR QUALITY OF THE SAMPLE.



LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
 SOILS AND MATERIALS TESTING SQUAD

WEST L.A. DISTRIBUTION HEAD QUARTERS  
 SITE INVESTIGATION TESTING - SELECTIVE PRIMARY TESTING PROCEDURE (SIT-SPTP)  
 UNIFIED SOIL CLASSIFICATION SYSTEM (ASTM D2487-00), VISUAL-MANUAL PROCEDURE (ASTM D2488-00), WATER CONTENT (ASTM D2216-98), AND IN-PLACE UNIT WEIGHT (ASTM D2937-00).

Sample Type <sup>1</sup>	Hole No.	Depth (ft.) <sup>2</sup>	Classification of Soils for Engineering Purposes (Unified Soil Classification System) <sup>7</sup>										Water Content (%)	In-Place Dry Unit Weight (pcf)			
			Sieve Analysis-Percent Passing (%) (U.S. Standard Sieve Size)			Coefficients <sup>3</sup>		Atterberg Limits <sup>6</sup>		Soil Classification <sup>7</sup>					Reference <sup>8</sup>		
			Maximum Particle Size <sup>3</sup>	No. 4	No. 10	No. 40	No. 200	Uniformity (Cu)	Curvature (Cc)	Liquid Limit (LL)	Plasticity Index (PI)	Soil Classification <sup>7</sup>					
B	HSA-2	0.0-5.0	No. 4	100.0	91.5	82.1	67.4	47.1	ND	ND	ND	32	13	SC, CLAYEY SAND			
S	HSA-2	5.0	No. 4	100.0	97.4	95.9	91.8	75.2	ND	ND	ND	38	19	CL, LEAN CLAY W/SAND			98.2
B	HSA-2	5.0-10.0	No. 4	100.0	97.4	94.0	85.1	64.2	ND	ND	ND	31	12	CL, SANDY LEAN CLAY			
S	HSA-2	10.0 (T)												CL, LEAN CLAY W/SAND	B-1 @ 10.0 (T)		107.3
B	HSA-2	10.0 (B)												SC, CLAYEY SAND	B-1 @ 10.0 (B)		107.4
B	HSA-2	10.0-15.0	No. 4	100.0	88.1	79.8	69.5	50.4	ND	ND	ND	29	11	CL, SANDY LEAN CLAY			99.7
S	HSA-2	15.0 (T)												CL, SANDY LEAN CLAY	B-1 @ 15.0 (T)		
B	HSA-2	15.0 (B)	No. 4	100.0	88.5	76.1	61.3	42.7	ND	ND	ND	28	13	SC-SM, SILTY CLAYEY SAND W/GRAVEL	B-1 @ 15.0 (B)		105.3
S	HSA-2	20.0	3/4-in.	93.0	80.0	70.5	57.2	33.5	ND	ND	ND	27	9	SC, CLAYEY SAND W/GRAVEL			116.8
S	HSA-2	25.0 (T)												GP-GC, POORLY GRADED GRAVEL W/CLAY & SAND	B-1 @ 20.0 (B)		100.8
S	HSA-2	25.0 (B)												GP-GC, POORLY GRADED GRAVEL W/CLAY & SAND	B-1 @ 20.0 (B)		102.3
S	HSA-2	30.0 (T)												GP-GC, POORLY GRADED GRAVEL W/CLAY & SAND	B-1 @ 20.0 (B)		113.4
S	HSA-2	30.0 (B)	No. 4	100.0	99.6	99.1	96.6	63.8	ND	ND	ND	26	6	CL-ML, SANDY SILTY CLAY			107.1
S	HSA-2	35.0 (T)	No. 4	100.0	98.9	96.8	92.7	76.4	ND	ND	ND	32	12	CL, LEAN CLAY W/SAND			99.9
S	HSA-2	35.0 (B)	No. 10	100.0	100.0	99.9	98.2	73.6	ND	ND	ND	26	5	CL-ML, SILTY CLAY W/SAND			97.0
S	HSA-2	40.0	3/8-in.	100.0	96.9	93.9	86.5	61.3	ND	ND	ND	27	10	CL, SANDY LEAN CLAY			114.6
S	HSA-2	45.0	3/4-in.	93.8	67.6	45.1	31.1	18.0	ND	ND	ND	30	10	SC, CLAYEY SAND W/GRAVEL			121.6

NOTES:

- S = SHELBY TUBE, B = BULK BAG.
  - T = TOP OF SAMPLE, B = BOTTOM OF SAMPLE
  - MAXIMUM NOMINAL PARTICLE SIZE RETAINED ON A US STANDARD SIEVE
  - CELLS LEFT BLANK AND WITH A GROUP SYMBOL AND GROUP NAME (SOIL CLASSIFICATION) INDICATE THAT A SOIL CLASSIFICATION WAS ASSIGNED TO THE SAMPLE. SEE FOOTNOTES NUMBER 7 AND 8
  - ND = NOT DETERMINED. COEFFICIENTS DO NOT HAVE TO BE DETERMINED WHEN MORE THAN 12% OF THE TEST SPECIMEN PASSES THE NO. 200 SIEVE
  - NP = NON-PLASTIC
  - SOIL CLASSIFICATIONS PRESENTED IN BOLD TYPE INDICATE TESTING AS PER USCS. ASTM D2487-00 SOIL CLASSIFICATIONS PRESENTED IN REGULAR TYPE WERE DETERMINED IN GENERAL ACCORDANCE WITH THE VISUAL-MANUAL PROCEDURE. ASTM D2488-00 SEE FOOTNOTE NUMBER 8.
  - REFERENCE = SAMPLE SERVES TO ASSIGN A SOIL CLASSIFICATION TO A SIMILAR SOIL TYPE(S) OBSERVED WITHIN THE BORING AND/OR OTHER BORING(S). SEE FOOTNOTE 7
  - ↓ = SAMPLE WAS ASSIGNED A SOIL CLASSIFICATION. ITS REFERENCE IS LOCATED AT A DEEPER DEPTH WITHIN THE BORING
  - ↑ = SAMPLE WAS ASSIGNED A SOIL CLASSIFICATION. ITS REFERENCE IS LOCATED AT A SHALLOWER DEPTH WITHIN THE BORING
- Boring No. @ Depth = SAMPLE WAS ASSIGNED A SOIL CLASSIFICATION. ITS REFERENCE IS LOCATED AT THE INDICATED BORING NO. AND DEPTH.

LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
 SOILS AND MATERIALS TESTING SQUAD

WEST L.A. DISTRIBUTION HEAD QUARTERS  
 SITE INVESTIGATION TESTING - SELECTIVE PRIMARY TESTING PROCEDURE (SIT-SPTP)  
 UNIFIED SOIL CLASSIFICATION SYSTEM (ASTM D2487-00), VISUAL-MANUAL PROCEDURE (ASTM D2488-00), WATER CONTENT (ASTM D2216-98), AND IN-PLACE UNIT WEIGHT (ASTM D2937-00).

Sample Type <sup>1</sup>	Hole No.	Depth (ft.) <sup>2</sup>	Classification of Soils for Engineering Purposes (Unified Soil Classification System) <sup>3</sup>										Water Content (%)	In-Place Dry Unit Weight (pcf)	
			Sieve Analysis-Percent Passing (%)			Coefficients <sup>5</sup>		Atterberg Limits <sup>6</sup>		Soil Classification <sup>7</sup>	Reference <sup>8</sup>				
			Maximum Particle Size <sup>3</sup>	No. 4	No. 10	No. 40	No. 200	Uniformity (Cu)	Curvature (Cc)			Liquid Limit (LL)			Plasticity Index (PI)
B	HSA-3	0.0-5.0	100.0	93.7	85.5	71.1	50.6	ND	ND	32	15	CL, SANDY LEAN CLAY		18.2	99.2
S	HSA-3	5.0	100.0	96.6	95.7	93.8	71.9	ND	ND	33	12	CL, LEAN CLAY W/SAND			
B	HSA-3	5.0-10.0	100.0	97.8	95.1	90.8	75.6	ND	ND	35	17	CL, LEAN CLAY W/SAND			
S	HSA-3	10.0 (T)	100.0	89.4	84.8	77.7	59.4	ND	ND	34	13	CL, SANDY LEAN CLAY		16.9	103.5
S	HSA-3	10.0 (B)										SC, CLAYEY SAND	B-1 @ 10.0 (B)	9.7	110.3
B	HSA-3	10.0-15.0	100.0	90.8	80.9	69.6	47.1	ND	ND	32	16	SC, CLAYEY SAND			
S	HSA-3	15.0 (T)	100.0	96.4	92.0	83.3	63.1	ND	ND	30	14	CL, SANDY LEAN CLAY		13.2	107.0
S	HSA-3	15.0 (B)	3/4-in.	90.2	58.2	43.4	27.0	ND	ND	27	8	SC/SC-SM, CLAYEY SAND W/GRAVEL		5.3	115.0
B	HSA-3	15.0-20.0	3/4-in.	96.3	66.8	51.4	39.4	ND	ND	30	13	SC, CLAYEY SAND W/GRAVEL			
S	HSA-3	20.0 (T)	3/8-in.	100.0	87.9	73.9	54.1	ND	ND	24	9	SC, CLAYEY SAND		8.3	108.8
S	HSA-3	20.0 (B)	3/8-in.	100.0	82.9	71.1	52.4	ND	ND	23	6	SC-SM, SILTY CLAYEY SAND W/GRAVEL		9.0	108.1
S	HSA-3	25.0 (T)	3/4-in.	97.7	82.3	75.4	64.2	ND	ND	28	12	SC, CLAYEY SAND W/GRAVEL		11.4	109.3
S	HSA-3	25.0 (B)	3/8-in.	100.0	92.1	83.3	61.9	ND	ND	28	11	SC, CLAYEY SAND	REFERENCE	12.1	113.7
S	HSA-3	30.0 (T)	3/8-in.	100.0	94.0	88.0	75.4	ND	ND	29	14	CL, SANDY LEAN CLAY	↑	11.4	114.4
S	HSA-3	30.0 (B)										CL, SANDY LEAN CLAY		17.6	97.6
S	HSA-3	35.0 (T)	No. 4	100.0	99.5	97.8	94.1	82.0	ND	32	13	CL, LEAN CLAY W/SAND		4.9	109.5
S	HSA-3	35.0 (B)	3/8-in.	100.0	84.1	69.8	41.6	19.8	ND	22	5	SC-SM, SILTY CLAYEY SAND W/GRAVEL		9.1	112.8
S	HSA-3	40.0 (2)										CL, SANDY LEAN CLAY	↓		
S	HSA-3	40.0 (1) (T)	3/8-in.	100.0	95.0	86.7	73.4	56.4	ND	29	13	CL, SANDY LEAN CLAY	REFERENCE	12.1	108.2
S	HSA-3	40.0 (1) (B)	3/4-in.	95.4	65.0	51.7	31.0	15.7	ND	26	7	SC-SM, SILTY CLAYEY SAND W/GRAVEL		6.8	113.6
S	HSA-3	45.0	3/4-in.	87.2	59.7	44.0	20.6	9.6	59.4	2.5	4	SW-SC, WELL GRADED SAND W/CLAY & GRAVEL		7.5	128.4

NOTES:

- S = SHELBY TUBE, B = BULK BAG
  - T = TOP OF SAMPLE, B = BOTTOM OF SAMPLE
  - MAXIMUM NOMINAL PARTICLE SIZE RETAINED ON A US STANDARD SIEVE
  - CELLS LEFT BLANK AND WITH A GROUP SYMBOL AND GROUP NAME (SOIL CLASSIFICATION) INDICATE THAT A SOIL CLASSIFICATION WAS ASSIGNED TO THE SAMPLE. SEE FOOTNOTES NUMBER 7 AND 8
  - ND = NOT DETERMINED. COEFFICIENTS DO NOT HAVE TO BE DETERMINED WHEN MORE THAN 12% OF THE TEST SPECIMEN PASSES THE NO. 200 SIEVE
  - NP = NON-PLASTIC
  - SOIL CLASSIFICATIONS PRESENTED IN BOLD TYPE INDICATE TESTING AS PER USCS. ASTM D2487-00. SOIL CLASSIFICATIONS PRESENTED IN REGULAR TYPE WERE DETERMINED IN GENERAL ACCORDANCE WITH THE VISUAL-MANUAL PROCEDURE. ASTM D2488-00. SEE FOOTNOTE NUMBER 8
  - REFERENCE = SAMPLE SERVES TO ASSIGN A SOIL CLASSIFICATION TO A SIMILAR SOIL TYPE(S) OBSERVED WITHIN THE BORING AND/OR OTHER BORING(S). SEE FOOTNOTE 7
  - ↓ = SAMPLE WAS ASSIGNED A SOIL CLASSIFICATION, ITS REFERENCE IS LOCATED AT A DEEPER DEPTH WITHIN THE BORING
  - ↑ = SAMPLE WAS ASSIGNED A SOIL CLASSIFICATION, ITS REFERENCE IS LOCATED AT A SHALLOWER DEPTH WITHIN THE BORING
- Boring No. @ Depth = SAMPLE WAS ASSIGNED A SOIL CLASSIFICATION, ITS REFERENCE IS LOCATED AT THE INDICATED BORING NO. AND DEPTH.




**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES BUSINESS UNIT  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-98)  
 FOR SOIL SCREENED THROUGH THE NUMBER 4 SIEVE (MINUS NO. 4):**

JOB:	WEST LA DISTRICT HEADQUARTERS		
DATE:	9/12/2005	NORMAL	MAX
SAMPLE:	HSA-1 @ 15.0'	STRESS	SHEAR
TEST BY:	S. MACORITTO	(ksf)	FORCE
SOIL TYPE:	SC, CLAYEY SAND		(lb)
DRY UNIT WT.:	100.7 pcf	1	39.0
NOTE:	SAMPLE REMOLDED TO:	2	74.1
	IN-PLACE UNIT WEIGHT	3	106.7
		4	128.5
			2.85

FRICITION ANGLE = 33.7 DEGREES  
 COHESION<sup>1</sup> = 0.26 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



STEPHEN MACORITTC

OCT 20 2005


<sup>1</sup> = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-98)  
 FOR SOIL SCREENED THROUGH THE NUMBER 4 SIEVE (MINUS NO. 4):**

JOB:	WEST LA DISTRICT HEADQUARTERS		
DATE:	9/15/2005	NORMAL	MAX
SAMPLE:	HSA-2 @ 5.0'	STRESS	SHEAR
TEST BY:	S. MACORITTO	(ksf)	FORCE
SOIL TYPE:	SC, CLAYEY SAND		(lb)
DRY UNIT WT.:	98.2 pcf	1	38.4
NOTE:	SAMPLE REMOLDED TO:	2	61.7
	IN-PLACE UNIT WEIGHT	3	89.5
		4	115.8
			MAX
			SHEAR
			STRESS
			(ksf)

FRICITION ANGLE = 30.0 DEGREES  
 COHESION<sup>1</sup> = 0.25 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



STEPHEN MACORITTO  
 OCT 20 2005


<sup>1</sup> = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-98)  
 FOR SOIL SCREENED THROUGH THE NUMBER 4 SIEVE (MINUS NO. 4):**

JOB:	WEST LA DISTRICT HEADQUARTERS			
DATE:	9/12/2005	NORMAL	MAX	MAX
SAMPLE:	HSA-3 @ 25 (TOP OF TUBE)	STRESS	SHEAR	SHEAR
TEST BY:	S. MACORITTO	(ksf)	FORCE	STRESS
SOIL TYPE:	CL, LEAN CLAY W/ SAND		(lb)	(ksf)
DRY UNIT WT.:	97.6 pcf	1	35.0	0.78
NOTE:	SAMPLE REMOLDED TO:	2	61.9	1.37
	IN-PLACE UNIT WEIGHT <sup>2</sup>	3	90.9	2.02
		4	121.2	2.69

FRICITION ANGLE = 32.5 DEGREES  
 COHESION<sup>1</sup> = 0.12 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



STEPHEN MACORITTO  
 OCT 20 2005


1. GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.  
 2. SAMPLE PREPARED 3.8 PCF LOWER THAN THE IN-PLACE DRY UNIT WEIGHT (101.4 PCF).

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-98)  
 FOR SOIL SCREENED THROUGH THE NUMBER 4 SIEVE (MINUS NO. 4):**

JOB:	WEST LA DISTRICT HEADQUARTERS			
DATE:	9/12/2005			
SAMPLE:	BLEND (HSA-1 AND HSA-3 @ 0 - 5')	NORMAL	MAX	MAX
TEST BY:	S. MACORITTO	STRESS	SHEAR	SHEAR
SOIL TYPE:	SC, CLAYEY SAND	(ksf)	FORCE	STRESS
DRY UNIT WT.:	116.5 pcf		(lb)	(ksf)
NOTE:	SAMPLE REMOLDED TO:	1	38.1	0.85
	90 % RELATIVE COMPACTION	2	68.2	1.51
		3	94.8	2.10
		4	131.5	2.92

FRICTION ANGLE = 34.2 DEGREES  
 COHESION<sup>1</sup> = 0.14 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



STEPHEN MACORITTO  
 OCT 20 2005

<sup>1</sup> = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**DIRECT SHEAR TEST RESULTS (ASTM D 3080-98)**

JOB: WEST LA DISTRICT HEADQUARTERS  
 DATE: 9/12/2005  
 SAMPLE: HSA-3 @ 20 (TOP OF TUBE)  
 TEST BY: S. MACORITTO  
 SOIL TYPE: CL, LEAN CLAY W/ SAND  
 DRY UNIT WT.\*: 112.5 pcf  
 NOTE: UNDISTURBED SAMPLE

NORMAL STRESS (ksf)	MAX SHEAR FORCE (lb)	MAX SHEAR STRESS (ksf)
1	40.3	0.89
2	66.0	1.46
3	92.9	2.06
4	119.0	2.64

FRICITION ANGLE = 30.3 DEGREES  
 COHESION<sup>1</sup> = 0.31 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



STEPHEN MACORITTO  
 OCT 20 2005

\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.



LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING & TECHNICAL SERVICES BUSINESS UNIT  
SOILS AND MATERIALS TESTING SQUAD

ASTM D4829-03, EXPANSION INDEX OF SOILS.

JOB: WEST LA DISTRICT HEADQUARTERS  
SAMPLE: BLEND (HSA-1 AND HSA-3 @ 0 - 5').  
DATE: 9/12/2005  
TEST BY: S. MACORITTO  
DESCRIPTION: SC, CLAYEY SAND  
SPECIFIC GRAVITY: 2.69  
NOTE:

SAMPLE PROPERTIES

PLACING REMOVAL

WATER CONTENT (%)	7.9	14.1
DRY UNIT WEIGHT (PCF)	116.9	121.8
SATURATION (%)	49.0	99.8

MEASURED EXPANSION INDEX : 0

MEASURED EXPANSION POTENTIAL = VERY LOW

EXPANSION INDEX @ 50% SAT 0

EXPANSION POTENTIAL @ 50% SAT = VERY LOW

STEPHEN MACORITTO  
OCT 20 2005


LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
 SOILS AND MATERIALS TESTING SQUAD

ASTM D 2435-96 - ONE-DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS.

JOB: WEST LA DISTRICT HEADQUARTERS  
 SAMPLE: HSA - 2 @ 5.0'  
 DATE: 9/9/2005  
 TEST BY: S. MACORITTO  
 DESCRIPTION: SC, CLAYEY SAND  
 SPECIFIC GRAVITY: 2.70  
 NOTE: UNDISTURBED SAMPLE

SAMPLE PROPERTIES:

	PLACING	REMOVAL
WATER CONTENT (%)	14.3	17.7
DRY UNIT WEIGHT (PCF)	106.3	108.1
SATURATION (%)	66.0	85.6
VOID RATIO	0.5864	0.5596




STEPHEN MACORITTO  
 OCT 20 2005

LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
SOILS AND MATERIALS TESTING SQUAD

ASTM D2435 - METHOD B, "ONE DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS."

JOB: WEST LA DISTRICT HEADQUARTERS  
SAMPLE: HSA-2 @ 5.0  
LOAD: 2 KSF  
SOIL TYPE: SC, CLAYEY SAND



STEPHEN MACORITTO


OCT 20 2005

LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
SOILS AND MATERIALS TESTING SQUAD

ASTM D2435 - METHOD B, "ONE DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS."

JOB: WEST LA DISTRICT HEADQUARTERS  
SAMPLE: HSA-2 @ 5.0  
LOAD: 2 KSF  
SOIL TYPE: SC, CLAYEY SAND

DEFORMATION vs SQRT (TIME)




STEPHEN MACCORITTO

OCT 20 2005

LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
SOILS AND MATERIALS TESTING SQUAD

ASTM D2435 - METHOD B, "ONE DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS."

JOB: WEST LA DISTRICT HEADQUARTERS  
SAMPLE: HSA-2 @ 5.0  
LOAD: 4 KSF  
SOIL TYPE: SC, CLAYEY SAND




STEPHEN MACORITTO  
OCT 20 2005

LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
SOILS AND MATERIALS TESTING SQUAD

ASTM D2435 - METHOD B, "ONE DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS."

JOB: WEST LA DISTRICT HEADQUARTERS  
SAMPLE: HSA-2 @ 5.0  
LOAD: 4 KSF  
SOIL TYPE: SC, CLAYEY SAND

DEFORMATION vs SQRT (TIME)




STEPHEN MACORITTO  
OCT 20 2005

LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
SOILS AND MATERIALS TESTING SQUAD

ASTM D2435 - METHOD B, "ONE DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS."

JOB: WEST LA DISTRICT HEADQUARTERS  
SAMPLE: HSA-2 @ 5.0  
LOAD: 1 KSF  
SOIL TYPE: SC, CLAYEY SAND



STEPHEN MACORITTO


OCT 20 2005

LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
SOILS AND MATERIALS TESTING SQUAD

ASTM D2435 - METHOD B, "ONE DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS."

JOB: WEST LA DISTRICT HEADQUARTERS  
SAMPLE: HSA-2 @ 5.0  
LOAD: 1 KSF  
SOIL TYPE: SC, CLAYEY SAND

DEFORMATION vs SQRT (TIME)



STEPHEN MACORITTO

OCT 20 2005



**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING AND TECHNICAL SERVICES BUSINESS UNIT  
 SOILS AND MATERIALS TESTING SQUAD**


JOB: WEST L.A. DISTRICT HEADQUARTERS      SAMPLE: BLEND HSA-1 & HSA-3 @ 0-5'  
 OPERATOR: S. MACORITTO  
 LOCATION: HSA-1 & HSA-3      DATE: 08/03/05  
 ELEVATION: 0-5'  
 SOIL TYPE: SC, CLAYEY SAND      % PLUS NO. 4: 6.3

**LABORATORY COMPACTION CHARACTERISTICS**

TEST METHOD: ASTM D1557A

OPTIMUM WATER CONTENT: 9.7 %  
 MAX. DRY UNIT WEIGHT: 129.4 PCF

REMARKS: SOME ASPHALT FOUND IN % PLUS NO. 4.



STEPHEN MACORITTO

OCT 20 2005

## **APPENDIX B. BORING LOGS**














**Los Angeles  
Department of  
Water & Power**

# BORING 1

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 165 feet MSL  
 Logged By: AD

Excavation Date: July 10, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
				0 --		<b>Asphalt:</b> 4 inches <b>Base:</b> 5 inches		
				-		<b>Artificial Fill:</b> Sandy Silt, soft, moist, dark brown, fine- to medium-grained, trace fine gravel		
				1 --				
				-				
Cal-Mod	B1@2.5	4/4		2 --	CL	<b>Alluvium:</b> Sandy Clay, soft, slightly moist, dark reddish brown, fine-grained, some fine gravel (Santa Monica Slate (SMS))	112.2	16.9
				-				
				3 --				
				-				
SPT	B1@5	2/3/3		4 --				
				5 --		-Clay with Sand, soft, slightly moist, dark reddish brown, fine-grained, trace fine gravel (SMS)	-	12.3
				-				
				6 --				
				-				
				7 --				
				-				
				8 --				
				-				
				9 --				
				-				
Cal-Mod	B1@10	5/10		10 --		-Sandy Clay, firm, moist, dark reddish brown, fine- to coarse-grained, some fine gravel (SMS)	116.8	10.8
				-				
				11 --				
				-				
				12 --				
				-				
				13 --				
				-				
				14 --				
				-				
SPT Bulk	B1@15 B1@15-20	4/5/4		15 --	SC	-Clayey Sand with Gravel, loose, moist, dark reddish brown, fine-grained, fine gravel (SMS)	-	9.9
				-				
				16 --				
				-				
				17 --				
				-				
				18 --				
				-				
				19 --				
				-				
Cal-Mod	B1@20	8/12		20 --	CL	Clay, firm, moist, dark reddish brown, trace fine-grained sand, trace fine gravel (SMS)	115.4	12.2
				-				

-  - California Modified Sampler (Cal-Mod)
-  - Standard Penetration Test (SPT)
-  - Bulk Sample
-  - Disturbed Sample or Bag Sample
-  - No Sample Recovered
-  - Groundwater or Seepage



**Los Angeles  
Department of  
Water & Power**

## BORING 1 (Continued)

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 165 feet MSL  
 Logged By: AD

Excavation Date: July 10, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
SPT	B1@25	4/7/7		20 -- 21 -- 22 -- 23 -- 24 -- 25 -- 26 -- 27 -- 28 -- 29 --		-Sandy Clay, firm, moist, dark reddish brown, fine- to medium-grained	-	11.4
Cal-Mod	B1@30	14/13		30 -- 31 -- 32 -- 33 -- 34 -- 35 --	SP CL	Sand (lens), poorly graded, medium dense, moist, brown, fine-grained Clay, stiff, moist, dark reddish brown, trace fine- to medium-grained sand	104.0	15.4
SPT	B1@35	6/16/29		36 -- 37 -- 38 -- 39 --	SP	Sand, poorly graded, dense, moist, dark reddish brown, fine- to medium-grained with some coarse-grained, some fine- to coarse gravel (SMS) Clayey Sand with Gravel, very dense, moist, gray to dark brown, fine- to coarse-grained, fine gravel (SMS)	-	4.5
Cal-Mod	B1@40	44/31(2")		40 -- 41 -- 42 -- 43 -- 44 --	SC	End boring at 40.5 feet bgs. Artificial fill to 2 feet bgs. No groundwater encountered. Boring backfilled with soil cuttings and tamped. Surface restored with asphalt patch.	124.2	6.2

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage



**Los Angeles  
Department of  
Water & Power**

## BORING 2

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 162 feet MSL  
 Logged By: AD

Excavation Date: July 10, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
SPT	B2@2.5	5/5/3		0 --		<b>Asphalt:</b> 3 inches <b>Base:</b> 6 inches		
				1 --		<b>Artificial Fill:</b> Sandy Silt, soft, moist, dark brown, fine- to medium-grained, trace fine-gravel		
Cal-Mod	B2@5 Disturbed	8/9		2 --	CL	<b>Alluvium:</b> Sandy Clay, soft, moist, dark reddish brown, fine-grained	-	8.8
				3 --				
				4 --	ML	Silt, firm, moist, dark reddish brown, fine- to medium-grained, trace fine gravel (SMS)		
SPT	B2@10	6/5/5		5 --			-	11.1
				6 --				
SPT	B2@15	6/5/5		7 --			-	13.2
				8 --				
Cal-Mod Bulk	B2@15-20	6/7		9 --	CL	Clay, firm, moist, dark brown	-	13.2
				10 --				
SPT	B2@20	2/8/5		11 --			122.2	9.5
				12 --				
SPT	B2@20	2/8/5		13 --	GC	Clayey Gravel with Sand, loose, moist, dark reddish brown, fine- to medium-grained, fine to coarse gravel (SMS)	122.2	9.5
				14 --				
SPT	B2@20	2/8/5		15 --			-	10.1
				16 --				
SPT	B2@20	2/8/5		17 --			-	10.1
				18 --				
SPT	B2@20	2/8/5		19 --	SC	Clayey Sand with Gravel, medium dense, moist, dark reddish brown, fine- to coarse-grained, fine gravel	-	10.1
				20 --				

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage













**Los Angeles  
Department of  
Water & Power**

## BORING 2 (Continued)

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 162 feet MSL  
 Logged By: AD

Excavation Date: July 10, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
Cal-Mod	B2@25	6/9		20 -- 21 -- 22 -- 23 -- 24 --	CL	Clay with Sand, firm, moist, dark brown, fine-grained	100.3	23.1
SPT	B2@30	7/6/6		25 -- 26 -- 27 -- 28 -- 29 -- 30 --	ML	-2 inch Sand lens, fine- to coarse-grained, some fine to coarse gravel Sandy Silt, firm, moist, dark reddish brown, fine-grained, trace fine-gravel (SMS)	-	18.2 (top) 4.9 (bot)
Cal-Mod	B2@35	7/9		31 -- 32 -- 33 -- 34 -- 35 --		-No gravel	96.6	26.5
SPT	B2@40	4/10/13		36 -- 37 -- 38 -- 39 -- 40 --	SP-SM	Sand with Silt, poorly graded, medium dense, moist, dark brown to dark reddish brown, fine- to medium-grained, some fine to coarse gravel (SMS)	-	12.0

-  - California Modified Sampler (Cal-Mod)
-  - Standard Penetration Test (SPT)
-  - Bulk Sample
-  - Disturbed Sample or Bag Sample
-  - No Sample Recovered
-  - Groundwater or Seepage





**Los Angeles  
Department of  
Water & Power**

## BORING 2 (Continued)

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 162 feet MSL  
 Logged By: AD

Excavation Date: July 10, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
Cal-Mod	B2@45	31/42		40 -- 41 -- 42 -- 43 -- 44 -- 45 --	GW-GC	Gravel with Clay and Sand, well graded, dense, wet, dark reddish brown, fine- to medium-grained, fine to coarse gravel (SMS), minor seepage at 45 feet	132.4	9.5
SPT	B2@50	16/26/31		46 -- 47 -- 48 -- 49 -- 50 --		-Very dense, moist, no seepage	-	9.6
				51 -- 52 -- 53 -- 54 -- 55 -- 56 -- 57 -- 58 -- 59 -- 60 --		End boring at 50.5 feet bgs. Artificial fill to 1.5 feet bgs. Minor seepage encountered at 45 feet. Boring backfilled with soil cuttings and tamped. Surface restored with asphalt patch.		



- California Modified Sampler (Cal-Mod)



- Standard Penetration Test (SPT)



- Bulk Sample



- Disturbed Sample or Bag Sample



- No Sample Recovered



- Groundwater or Seepage



**Los Angeles  
Department of  
Water & Power**

## BORING 3

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 163 feet MSL  
 Logged By: CHL & AD

Excavation Date: July 6, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
				0 --		<b>Asphalt:</b> 4 inches <b>Base:</b> 6 inches		
				-		<b>Artificial Fill:</b> Sandy Silt and Sandy Clay, soft, moist, dark brown, fine- to medium-grained, trace fine gravel, trace brick fragments		
				1 --				
				2 --				
SPT	B3@2.5	2/2/3		-	ML	<b>Alluvium:</b> Sandy Silt, soft, moist, dark reddish brown, fine-grained	-	19.4
				3 --				
				4 --				
Cal-Mod	B3@5	4/4		5 --	CL	Clay with Sand, soft, moist, dark reddish brown, fine-grained	101.3	19.4
				6 --				
				7 --		-Sandy Clay, soft, moist, dark reddish brown, fine- to medium-grained, trace fine gravel (SMS)		
SPT	B3@7.5	2/2/3		-			-	13.6
				8 --				
				9 --		-Dark brown		
				10 --				
SPT	B3@10	2/2/3		-			-	15.1
				11 --				
				12 --				
				13 --				
				14 --				
Cal-Mod Bulk	B3@15 B3@10-15	5/8		15 --	SC	Clayey Sand with Gravel, loose, moist, dark reddish brown, fine- to medium-grained, fine gravel (SMS)	117.9	7.3
				16 --				
				17 --				
				18 --				
				19 --				
SPT	B3@20	4/4/3		20 --	ML	Sandy Silt, soft, moist, dark reddish brown, fine- to coarse-grained, trace fine gravel (SMS), moderate plasticity	-	13.0
				-				

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage





**Los Angeles  
Department of  
Water & Power**

## BORING 3 (Continued)

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 163 feet MSL  
 Logged By: CHL & AD

Excavation Date: July 6, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
Cal-Mod	B3@25	10/20		20 -- 21 -- 22 -- 23 -- 24 --	GW-GC	Sandy Gravel with Clay, well graded, medium dense, slightly moist, dark reddish brown, fine- to medium-grained with some coarse-grained, fine gravel with trace coarse gravel (SMS)	120.0	6.3
SPT	B3@30	3/3/4		29 -- 30 -- 31 -- 32 -- 33 --	CL	Clay, soft, moist, dark olive brown with yellowish brown oxidation staining, trace fine-grained sand	-	25.8
Cal-Mod	B3@35	10/21		34 -- 35 -- 36 -- 37 --		-Sandy Clay, stiff, moist, dark olive brown with dark yellowish brown oxidation staining, fine-grained	105.6	16.1
SPT	B3@40	5/8/7		38 -- 39 -- 40 --		-@39' Dark reddish brown, fine-grained with trace medium- to coarse-grained, trace fine gravel	-	14.3
						End boring at 40.5 feet bgs. Artificial fill to 2 feet bgs. No groundwater encountered. Boring backfilled with soil cuttings and tamped. Surface restored with asphalt patch.		

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage



**Los Angeles  
Department of  
Water & Power**

## BORING 4

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 161 feet MSL  
 Logged By: CHL

Excavation Date: July 6, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
SPT	B4@2.5	2/2/2		0 --	CL	<b>Asphalt:</b> 4 inches <b>Base:</b> 6 inches		
				1 --		<b>Artificial Fill:</b> Sandy Silt and Sandy Clay, soft, moist, dark reddish brown, fine- to medium-grained, trace fine to coarse gravel, trace brick and asphalt fragments		
Cal-Mod	B4@5	3/6		2 --	CL	<b>Alluvium:</b> Clay, soft, moist, dark reddish brown, trace fine-grained sand	-	20.5
				3 --				
Cal-Mod	B4@5	3/6		4 --	CL	-Clay with Sand, soft, moist, dark reddish brown, fine-grained	105.7	19.6
				5 --				
SPT	B4@10	3/2/3		6 --	CL	-Clay with Sand, soft, moist, dark reddish brown, fine-grained		
				7 --				
SPT	B4@10	3/2/3		8 --	CL	-Clay with Sand, soft, moist, dark reddish brown, fine-grained		
				9 --				
Cal-Mod Bulk	B4@15 B4@15-20	7/11		10 --	CL	-Fine-grained with trace medium- to coarse-grained, trace fine gravel (SMS)	-	15.5
				11 --				
Cal-Mod Bulk	B4@15 B4@15-20	7/11		12 --	CL	-Clay with Sand, soft, moist, dark reddish brown, fine-grained	105.7	19.6
				13 --				
Cal-Mod Bulk	B4@15 B4@15-20	7/11		14 --	CL	-Clay with Sand, soft, moist, dark reddish brown, fine-grained	105.7	19.6
				15 --				
SPT	B4@20	3/3/5		16 --	SC	-Sandy Clay, firm, moist, dark reddish brown, fine-grained, trace fine gravel (SMS)	117.9	13.5
				17 --				
SPT	B4@20	3/3/5		18 --	SC	-Sandy Clay, firm, moist, dark reddish brown, fine-grained, trace fine gravel (SMS)	117.9	13.5
				19 --				
SPT	B4@20	3/3/5		20 --	SC	Clayey Sand, loose, moist, dark reddish brown, fine to medium-grained with trace coarse-grained, trace fine gravel (SMS)	-	11.9

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage



**Los Angeles  
Department of  
Water & Power**

## BORING 4 (Continued)

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 161 feet MSL  
 Logged By: CHL

Excavation Date: July 6, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
				20 --				
				21 --	ML	Sandy Silt, firm, moist, dark reddish brown, medium- to coarse grained with some fine-grained, some fine to coarse gravel (SMS)		
				22 --				
				23 --				
				24 --				
Cal-Mod	B4@25	11/11		25 --	SM	Silty Sand, medium dense, moist, dark reddish brown, fine- to coarse-grained, some fine to coarse gravel	120.2	7.6
				26 --				
				27 --				
				28 --				
				29 --				
SPT	B4@30	7/9/11		30 --	CL/SM/SP	Interlayered Sandy Clay, Silty Sand and poorly graded Sand, stiff or medium dense, moist, dark reddish brown to dark olive brown, fine-grained (ML & SM) and fine- to coarse-grained (SP), some fine gravel, layers are 2 to 5 inches in thickness	-	8.6
				31 --				
				32 --				
				33 --				
				34 --				
Cal-Mod	B4@35	11/33		35 --	GC	Clayey Gravel with Sand, medium dense, moist, dark reddish brown to dark olive brown, fine- to coarse-grained, fine to coarse gravel, few thin silt lenses (1 inch thick)	126.4	7.2
				36 --				
				37 --				
				38 --				
				39 --				
SPT	B4@40	6/14/23		40 --		End boring at 40.5 feet bgs. Artificial fill to 2 feet bgs. No groundwater encountered. Boring backfilled with soil cuttings and tamped.	-	7.8 (top)
				-		Surface restored with asphalt patch.	-	9.7 (bot)

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage



**Los Angeles  
Department of  
Water & Power**

## BORING 5

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 160 feet MSL  
 Logged By: AD

Excavation Date: July 11, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
Bulk	B5@0-5			0 --		<b>Asphalt:</b> 5 inches <b>Base:</b> 2 inches		
				-		<b>Artificial Fill:</b> Sandy Silt, soft, moist, dark brown, fine- to medium-grained, trace fine gravel		
				1 --				
				2 --	ML	<b>Alluvium:</b> Silt with Sand, soft, moist, dark reddish brown, moist, soft, fine-grained, trace fine-gravel (SMS)	96.7	15.7
Cal-Mod	B5@2.5	3/4		3 --				
				4 --				
				5 --		-moderate plasticity		
SPT	B5@5	2/2/2		6 --				
				7 --				
				8 --				
				9 --				
				10 --				
Cal-Mod	B5@10	5/7		10 --	CL	Clay, firm, moist, dark reddish brown, trace fine gravel (SMS)	104.6	19.4
				11 --				
				12 --				
				13 --				
				14 --				
				15 --	SC	-Clayey Sand, soft, moist, dark reddish brown, fine- to medium-grained with trace coarse-grained, trace fine gravel		13.5
SPT	B5@15	2/2/3		16 --				
Bulk	B5@15-20			17 --				
				18 --				
				19 --				
				20 --	SC-SM	Silty Clayey Sand with Gravel, medium dense, moist, dark reddish brown, fine- to coarse-grained, fine gravel (SMS)	120.7	5.9
Cal-Mod	B5@20	13/11		20 --				

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage

# BORING 5 (Continued)



**Los Angeles  
Department of  
Water & Power**

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 160 feet MSL  
 Logged By: AD

Excavation Date: July 11, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
				20 --				
				21 --	ML	Silt, stiff, moist, dark reddish brown, trace fine gravel (SMS)		
				22 --				
				23 --				
				24 --				
SPT	B5@25	8/5/4		25 --	SM	Silty Sand with Gravel, loose, moist, dark reddish brown, fine- to coarse-grained, fine gravel	-	5.4
				26 --				
				27 --				
				28 --				
				29 --				
Cal-Mod	B5@30	6/11		30 --	CL	Clay with Sand, firm, moist, dark reddish brown, fine-grained	104.8	21.0
				31 --				
				32 --				
				33 --				
				34 --		-Clay, firm, moist, dark reddish brown		
SPT	B5@35	4/5/7		35 --			-	27.6
				36 --				
				37 --				
				38 --				
				39 --				
Cal-Mod	B5@40	31/43		40 --		-Dense, minor seepage at 40 feet bgs	128.6	10.0
				-				

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage

# BORING 5 (Continued)



Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 160 feet MSL  
 Logged By: AD

Excavation Date: July 11, 2017  
 Driller: LA General Services  
 Excavation Method: HSA  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
SPT	B5@45	7/9/12		40 --	SC	Clayey Sand, medium dense, very moist, dark reddish brown, fine- to medium-grained with trace coarse-grained, trace fine gravel	-	14.5
				41 --				
				42 --				
				43 --				
				44 --				
				45 --				
				46 --				
				47 --				
				48 --				
				49 --				
Cal-Mod	B5@50	18/33		50 --		-Clayey Sand with Gravel, dense, very moist, dark reddish brown, fine- to coarse-grained, fine gravel	117.4	15.4
				51 --				
				52 --				
				53 --				
				54 --				
				55 --				
				56 --				
				57 --				
				58 --				
				59 --				
				60 --				
End boring at 50.5 feet bgs. Artificial fill to 1.5 feet bgs. Minor seepage encountered at 40 feet. Boring backfilled with soil cuttings and tamped. Surface restored with asphalt patch.								

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage



**Los Angeles  
Department of  
Water & Power**

## BORING 6

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 159 feet MSL  
 Logged By: AD

Excavation Date: July 11, 2017  
 Driller: LA General Services  
 Excavation Method: Flight Auger  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
				0 --		<b>Asphalt:</b> 6 inches <b>Base:</b> 6 inches		
				-		<b>Artificial Fill:</b> Sandy Silt, soft, moist, dark brown, fine- to medium-grained, trace fine gravel		
SPT	B6@2.5	1/2/2		1 --				
				2 --	CL	<b>Alluvium:</b> Clay, soft, moist, dark reddish brown, trace fine-grained sand	-	28.1
				3 --				
Cal-Mod	B6@5	3/4		4 --				
				5 --		-Clay with Sand, soft, moist, dark reddish brown, fine-grained	102.1	21.3
				6 --				
				7 --				
				8 --				
SPT	B6@10	2/2/3		9 --				
				10 --		- Fine-grained with trace medium- and coarse-grained	-	19.1
				11 --				
				12 --				
				13 --				
Cal-Mod	B6@15	3/8		14 --				
				15 --	GC	-Clayey Gravel with Sand, loose, moist, dark reddish brown, fine-grained with trace-medium and coarse-grained, fine gravel (SMS)	117.1	9.6
				16 --				
				17 --				
				18 --				
SPT	B6@20	8/6/5		19 --				
				20 --	SC	Clayey Sand, medium dense, moist, dark reddish brown, fine- to coarse-grained	-	12.8 (top)
				-		(continued on next sheet)	-	4.7 (bot)

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage


# BORING 6 (Continued)









**Los Angeles  
Department of  
Water & Power**

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 159 feet MSL  
 Logged By: AD

Excavation Date: July 11, 2017  
 Driller: LA General Services  
 Excavation Method: Flight Auger  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
Cal-Mod	B6@25	7/8		20 --	SP-SM	Sand with Silt and Gravel, medium dense, moist, dark reddish brown, fine-to coarse-grained, fine gravel (SMS)	105.2	21.0
				21 --				
				22 --				
				23 --				
				24 --				
				25 --				
				26 --	ML	Silt with Sand, firm, moist, dark reddish brown, fine- to medium-grained, some fine to coarse gravel (SMS)		
				27 --				
				28 --		End boring at 25.5 feet bgs. Artificial fill to 1.5 feet bgs. No groundwater encountered. Boring backfilled with soil cuttings and tamped. Surface restored with asphalt patch.		
				29 --				
				30 --				
				31 --				
				32 --				
				33 --				
				34 --				
				35 --				
				36 --				
				37 --				
				38 --				
				39 --				
				40 --				

-  - California Modified Sampler (Cal-Mod)
-  - Standard Penetration Test (SPT)
-  - Bulk Sample
-  - Disturbed Sample or Bag Sample
-  - No Sample Recovered
-  - Groundwater or Seepage





**Los Angeles  
Department of  
Water & Power**

# BORING 7

Project No.: LCW81  
 Client: LADWP  
 Location: West LA District Yard  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 Elevation: 158 feet MSL  
 Logged By: AD

Excavation Date: July 11, 2017  
 Driller: LA General Services  
 Excavation Method: Flight Auger  
 Boring Diameter: 7"  
 Sampling Method: Cal-Mod, SPT  
 Hammer Drop: 30 inches  
 Hammer Weight: 140 lbs.

Sample Type	Sample ID	Blow Count (Blows/6-in.)	Recovery	Depth (feet)	USCS Class.	Description	Dry Density (P.C.F)	Moisture Content (%)
Bulk	B7@0-5			0 --		<b>Asphalt:</b> 6 inches <b>Base:</b> 6 inches		
				-		<b>Artificial Fill:</b> Sandy Silt, soft, moist, dark brown, fine- to medium-grained, trace fine-gravel		
				1 --				
Cal-Mod	B7@2.5	3/3		2 --	CL	<b>Alluvium:</b> Clay, soft, moist, dark reddish brown	85.1	28.6
				-				
				3 --				
				4 --				
SPT	B7@5	2/2/3		5 --		-Clay with Sand, soft, moist, dark reddish brown, fine-grained	-	20.8
				-				
				6 --				
				7 --				
				8 --				
				9 --				
Cal-Mod	B7@10	5/7		10 --		-Firm	104.2	15.9
				-				
				11 --				
				12 --				
				13 --				
				14 --				
SPT	B7@15	3/2/4		15 --		-Soft	-	17.7
				-				
				16 --				
				17 --				
				18 --	ML	@19.5' Sandy Silt, firm, moist, dark reddish brown, fine- to medium-grained		
				-				
				19 --		End boring at 20.5 feet bgs. Artificial fill to 1.5 feet bgs. No groundwater encountered.		
Cal-Mod	B7@20	5/9		20 --		Boring backfilled with soil cuttings and tamped. Surface restored with asphalt patch.	110.2	16.8
				-				

- California Modified Sampler (Cal-Mod)
- Standard Penetration Test (SPT)
- Bulk Sample
- Disturbed Sample or Bag Sample
- No Sample Recovered
- Groundwater or Seepage

## **APPENDIX C. LABORATORY TESTING RESULTS**

LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
SOILS AND MATERIALS TESTING SQUAD

WEST LA DISTRICT YARD  
STANDARD PENETRATION TEST AND CAL. MODIFIED 2.875 IN. DIA. SAMPLES  
SOIL CLASSIFICATION (ASTM D2487-11), WATER CONTENT (ASTM D2216-10), & IN-PLACE UNIT WEIGHT (ASTM D2937-10).

Sample Type <sup>1</sup>	Boring / Location	Depth (ft.) <sup>2</sup>	Maximum Particle Size <sup>3</sup>	Classification of Soils for Engineering Purposes (Unified Soil Classification System)											Water Content (%)	In-Place Dry Unit Weight (pcf)		
				Sieve Analysis-Percent Passing (%) (US Standard Sieve Size)				Coefficients <sup>4</sup>		Atterberg Limits <sup>5</sup>		Soil Classification <sup>6</sup>						
				1 1/2 in.	3/4 in.	3/8 in.	No. 4	No. 10	No. 40	No. 100	No. 200		Uniformity (Cu)	Curvature (Cc)			Liquid Limit (LL)	Plasticity Index (PI)
SPT	B-1	15.0	3/4-in.	100.0	93.6	86.9	80.9	73.5	63.8	55.0	47.3	ND	ND	29	11	SC, CLAYEY SAND WITH GRAVEL	9.9	
CA	B-1	20.0	3/8-in.	100.0	100.0	98.5	92.2	91.0	89.6	87.7	86.3	ND	ND	39	17	CL, LEAN CLAY	12.2	115.4
SPT	B-1	25.0	3/8-in.	100.0	100.0	99.3	96.5	91.4	80.3	68.5	58.4	ND	ND	26	10	CL, SANDY LEAN CLAY	11.4	
CA	B-1	30.0	No. 4	100.0	100.0	100.0	99.9	99.1	94.5	89.9	87.6	ND	ND	36	14	CL, LEAN CLAY	15.4	104.0
SPT	B-1	35.0 (1)															4.5	
SPT	B-1	35.0 (2)															15.7	
CA	B-1	40.0	3/4-in.	100.0	93.5	85.1	69.2	56.5	38.3	26.3	21.6	ND	ND	26	9	SC, CLAYEY SAND WITH GRAVEL	6.3	124.2
CA	B-2	15.0	3/4-in.	100.0	90.6	73.8	61.5	53.7	44.3	35.7	30.4	ND	ND	29	11	GC, CLAYEY GRAVEL WITH SAND	9.5	122.2
SPT	B-2	20.0	3/4-in.	100.0	98.2	92.2	85.7	70.6	54.6	44.1	38.7	ND	ND	25	9	SC, CLAYEY SAND WITH GRAVEL	10.1	
CA	B-2	25.0	No. 40	100.0	100.0	100.0	100.0	99.8	99.8	97.6	84.5	ND	ND	33	13	CL, LEAN CLAY W/SAND	23.1	100.3
SPT	B-2	30.0 (1)															18.2	
SPT	B-2	30.0 (2)															4.9	
CA	B-2	35.0															26.5	96.6
SPT	B-2	40.0															12.0	
CA	B-2	45.0	3/4-in.	100.0	91.0	64.5	39.7	29.8	14.8	9.1	8.3	47.5	2.8	26	8	GW-GC, WELL-GRADED GRAVEL W/CLAY AND SAND	9.5	132.4
SPT	B-2	50.0	3/4-in.	100.0	95.1	89.5	77.1	60.9	38.1	24.1	19.7	ND	ND	23	7	SC-SM, SILTY, CLAYEY SAND WITH GRAVEL	9.6	
SPT	B-3	7.5	3/4-in.	100.0	99.0	95.1	92.2	86.5	77.4	66.4	59.4	ND	ND	30	13	CL, SANDY LEAN CLAY	13.6	
CA	B-3	15.0	3/8-in.	100.0	100.0	90.4	85.0	70.5	43.4	24.7	19.8	ND	ND	24	9	SC, CLAYEY SAND WITH GRAVEL	7.3	117.9
SPT	B-3	20.0															13.0	
CA	B-3	25.0	3/4-in.	100.0	91.4	69.2	48.3	41.1	26.6	19.2	16.0	ND	ND	28	11	GC, CLAYEY GRAVEL WITH SAND	6.3	120.0
SPT	B-3	30.0	No. 40	100.0	100.0	100.0	100.0	99.7	97.2	90.3	90.3	ND	ND	32	13	CL, LEAN CLAY	25.8	
CA	B-3	35.0	No. 10	100.0	100.0	100.0	100.0	99.8	98.4	82.4	58.3	ND	ND	27	9	CL, SANDY LEAN CLAY	16.1	105.6
SPT	B-3	40.0	3/8-in.	100.0	100.0	93.8	87.1	81.9	73.5	61.5	50.6	ND	ND	28	11	CL, SC, SANDY LEAN CLAY	14.3	

08/29/17

NOTES:

- SPT = STANDARD PENETRATION TEST, CA = CALIFORNIA MODIFIED SAMPLES (2.875 IN. DIA.).
- 1 OR 2 = SAMPLES AT THE SAME DEPTH.
- MAXIMUM NOMINAL PARTICLE SIZE RETAINED ON THE INDICATED US STANDARD SIEVE.
- ND = NOT DETERMINED. COEFFICIENTS DO NOT HAVE TO BE DETERMINED WHEN MORE THAN 12% OF THE TEST SPECIMEN PASSES THE NO. 200 SIEVE.
- NP = NON-PLASTIC
- GROUP SYMBOLS SEPARATED BY A DASH (-) ARE DUAL SYMBOLS. GROUP SYMBOLS SEPARATED BY A BACK SLASH (/) ARE BORDERLINE IN WHICH THE ASSIGNED GROUP SYMBOL IS ON THE LEFT AND THE ADJACENT OR BORDERING SYMBOL IS ON THE RIGHT.

LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
SOILS AND MATERIALS TESTING SQUAD

WEST LA DISTRICT YARD  
STANDARD PENETRATION TEST AND CAL. MODIFIED 2.875 IN. DIA. SAMPLES  
SOIL CLASSIFICATION (ASTM D2487-11), WATER CONTENT (ASTM D2216-10), & IN-PLACE UNIT WEIGHT (ASTM D2937-10).

Sample Type <sup>1</sup>	Boring / Location	Depth (ft.) <sup>2</sup>	Maximum Particle Size <sup>3</sup>	Classification of Soils for Engineering Purposes (Unified Soil Classification System)										Soil Classification <sup>6</sup>	Water Content (%)	In-Place Dry Unit Weight (pcf)		
				Sieve Analysis-Percent Passing (%) (US Standard Sieve Size)														
				1 1/2 in.	3/4 in.	3/8 in.	No. 4	No. 10	No. 40	No. 100	No. 200	Uniformity (Cu)	Curvature (Cc)				Atterberg Limits <sup>5</sup> Liquid Limit (LL)	Plasticity Index (PI)
SPT	B-4	2.5	No. 4	100.0	100.0	100.0	99.7	99.3	98.2	93.5	85.9	ND	ND	37	17	CL, LEAN CLAY	20.5	
CA	B-4	5.0	3.8-in.	100.0	100.0	99.4	99.1	98.8	97.0	91.7	83.5	ND	ND	36	16	CL, LEAN CLAY W/SAND	19.6	105.7
SPT	B-4	10.0	3.8-in.	100.0	100.0	98.3	97.8	96.3	92.7	82.1	71.7	ND	ND	29	13	CL, LEAN CLAY W/SAND	15.5	
CA	B-4	15.0	3.4-in.	100.0	98.4	95.3	89.1	87.4	83.3	75.3	69.4	ND	ND	36	16	CL, SANDY LEAN CLAY	13.5	117.9
SPT	B-4	20.0	3.8-in.	100.0	100.0	98.1	92.9	86.5	73.5	57.9	49.1	ND	ND	26	9	SC/CL, CLAYEY SAND	11.9	
CA	B-4	25.0	3.8-in.	100.0	100.0	94.6	86.8	77.8	64.7	51.3	41.7	ND	ND	26	10	SC, CLAYEY SAND	7.6	120.2
SPT	B-4	30.0	3.4-in.	100.0	91.6	74.3	45.1	43.3	34.4	27.7	21.9	ND	ND	27	10	GC, CLAYEY GRAVEL WITH SAND	8.6	
CA	B-4	35.0	3.4-in.	100.0	96.9	83.1	65.9	52.0	34.7	24.6	21.1	ND	ND	24	8	SC/SC-SM, CLAYEY SAND WITH GRAVEL	7.2	126.4
SPT	B-4	40.0(1)	3.4-in.	100.0	100.0	87.0	72.5	60.3	47.2	37.4	32.2	ND	ND	22	7	SC-SM, SILTY, CLAYEY SAND WITH GRAVEL	7.8	
SPT	B-4	40.0(2)	3.8-in.	100.0	96.8	94.4	86.3	79.9	69.4	57.8	49.0	ND	ND	28	7	SC/CL, CLAYEY SAND	9.7	
SPT	B-5	15.0	3.4-in.	100.0	97.5	86.7	72.0	56.4	34.6	22.0	18.0	ND	ND	23	8	SC/SC-SM, CLAYEY SAND WITH GRAVEL	13.5	
CA	B-5	20.0	3.8-in.	100.0	100.0	90.2	74.8	55.2	29.8	19.7	16.7	ND	ND	NP	NP	SM, SILTY SAND WITH GRAVEL	5.9	120.7
SPT	B-5	25.0	3.8-in.	100.0	100.0	100.0	99.5	99.3	98.1	90.8	80.7	ND	ND	33	15	CL, LEAN CLAY W/SAND	5.4	
CA	B-5	30.0	No. 4	100.0	100.0	100.0	100.0	100.0	99.8	98.9	95.1	ND	ND	34	12	CL, LEAN CLAY	21.0	104.8
SPT	B-5	35.0	No. 40	100.0	100.0	100.0	100.0	100.0	99.8	98.9	95.1	ND	ND	34	12	CL, LEAN CLAY	27.6	
CA	B-5	40.0	No. 40	100.0	100.0	100.0	100.0	100.0	99.8	98.9	95.1	ND	ND	34	12	CL, LEAN CLAY	10.0	128.6
SPT	B-5	45.0	3.8-in.	100.0	100.0	96.8	91.2	82.9	71.9	60.0	49.9	ND	ND	30	13	SC/CL, CLAYEY SAND	14.5	
CA	B-5	50.0	3.8-in.	100.0	100.0	97.8	79.3	68.6	50.4	28.1	20.8	ND	ND	22	7	SC-SM, SILTY, CLAYEY SAND WITH GRAVEL	15.4	117.4
SPT	B-6	2.5	No. 4	100.0	100.0	100.0	99.6	99.4	99.1	97.1	93.3	ND	ND	42	19	CL, LEAN CLAY	28.1	
CA	B-6	5.0	3.8-in.	100.0	100.0	99.2	99.0	98.9	98.1	91.6	82.1	ND	ND	36	16	CL, LEAN CLAY W/SAND	21.3	102.1
SPT	B-6	10.0	3.8-in.	100.0	100.0	98.5	95.9	92.7	89.0	83.3	79.2	ND	ND	38	19	CL, LEAN CLAY W/SAND	19.1	
CA	B-6	15.0	3.4-in.	100.0	98.0	88.4	71.7	68.8	63.5	53.3	45.3	ND	ND	29	11	GC, CLAYEY GRAVEL WITH SAND	9.6	117.1
SPT	B-6	20.0(1)	3.8-in.	100.0	100.0	97.4	89.1	79.0	64.4	53.6	47.2	ND	ND	25	9	SC, CLAYEY SAND	12.8	
SPT	B-6	20.0(2)	3.8-in.	100.0	100.0	90.6	75.7	56.6	28.4	15.8	12.2	ND	ND	NP	NP	SM/SP-SM, SILTY SAND WITH GRAVEL	4.7	
CA	B-6	25.0	3.8-in.	100.0	100.0	90.6	75.7	56.6	28.4	15.8	12.2	ND	ND	NP	NP	SM/SP-SM, SILTY SAND WITH GRAVEL	21.0	105.2

08/29/17

NOTES:

- SPT = STANDARD PENETRATION TEST, CA = CALIFORNIA MODIFIED SAMPLES (2.875 IN. DIA.).
- 1 OR 2 = SAMPLES AT THE SAME DEPTH.
- MAXIMUM NOMINAL PARTICLE SIZE RETAINED ON THE INDICATED US STANDARD SIEVE.
- ND = NOT DETERMINED. COEFFICIENTS DO NOT HAVE TO BE DETERMINED WHEN MORE THAN 12% OF THE TEST SPECIMEN PASSES THE NO. 200 SIEVE.
- NP = NON-PLASTIC
- GROUP SYMBOLS SEPARATED BY A DASH (-) ARE DUAL SYMBOLS. GROUP SYMBOLS SEPARATED BY A BACK SLASH (/) ARE BORDERLINE IN WHICH THE ASSIGNED GROUP SYMBOL IS ON THE LEFT AND THE ADJACENT OR BORDERING SYMBOL IS ON THE RIGHT.



LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD

WEST LA DISTRICT YARD

STANDARD PENETRATION TEST AND CAL. MODIFIED 2.875 IN. DIA. SAMPLES

SOIL CLASSIFICATION (ASTM D2487-11), WATER CONTENT (ASTM D2216-10), & IN-PLACE UNIT WEIGHT (ASTM D2937-10).

Sample Type <sup>1</sup>	Boring / Location	Depth (ft.)	Maximum Particle Size <sup>2</sup>	Classification of Soils for Engineering Purposes (Unified Soil Classification System)											Water Content (%)	In-Place Dry Unit Weight (pcf) <sup>4</sup>		
				Sieve Analysis-Percent Passing (%) (US Standard Sieve Size)						Coefficients <sup>3</sup>		Atterberg Limits					Soil Classification	
				1 1/2 in.	3/4 in.	3/8 in.	No. 4	No. 10	No. 40	No. 100	No. 200	Uniformity (Cu)	Curvature (Cc)	Liquid Limit (LL)				Plasticity Index (PI)
CA	B-1	2.5	No. 4	100.0	100.0	100.0	99.4	98.6	96.9	85.9	72.5	ND	ND	31	11	CL, LEAN CLAY W/SAND	16.9	112.2
SPT	B-1	5.0															12.3	NA
CA	B-1	10.0	3/8-in.	100.0	100.0	98.4	93.2	88.4	77.4	63.1	53.8	ND	ND	27	11	CL, SANDY LEAN CLAY	10.8	116.8
SPT	B-2	2.5															8.8	NA
BAG	B-2	5.0															11.1	NA
SPT	B-2	10.0															13.2	NA
SPT	B-3	2.5																NA
CA	B-3	5.0	3/8-in.	100.0	100.0	99.1	98.1	95.1	91.1	82.2	70.0	ND	ND	29	11	CL, SANDY LEAN CLAY	19.4	101.3
SPT	B-3	10.0															15.1	NA
CA	B-5	2.5															15.7	96.7
SPT	B-5	5.0															19.9	NA
CA	B-5	10.0	No. 4	100.0	100.0	100.0	98.1	96.7	93.5	87.2	79.1	ND	ND	34	16	CL, LEAN CLAY W/SAND	19.4	104.6

NOTES:  
 1. CA = CALIFORNIA MODIFIED SAMPLE (2.875 IN. DIA.), SPT = STANDARD PENETRATION TEST, BAG = SMALL BAG SAMPLE.  
 2. MAXIMUM NOMINAL PARTICLE SIZE RETAINED ON THE INDICATED US STANDARD SIEVE.  
 3. ND = NOT DETERMINED. COEFFICIENTS DO NOT HAVE TO BE DETERMINED WHEN MORE THAN 12% OF THE TEST SPECIMEN PASSES THE NO. 200 SIEVE.  
 4. NA = NOT APPLICABLE


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING AND TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**ASTM D 2435-11 - ONE-DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS.**

JOB: WEST LA DISTRICT YARD  
 SAMPLE: B-5 @ 20.0'  
 DATE: 8/28/2017  
 TEST BY: JML  
 DESCRIPTION: SC/SC-SM, CLAYEY SAND WITH GRAVEL  
 SPECIFIC GRAVITY: 2.74  
 NOTE: UNDISTURBED SAMPLE

**SAMPLE PROPERTIES:**

	PLACING	REMOVAL
WATER CONTENT (%)	7.0	13.2
DRY UNIT WEIGHT (PCF)	117.9	121.7
SATURATION (%)	42.6	89.4
VOID RATIO	0.4513	0.4053




**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING AND TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**ASTM D 2435-11 - ONE-DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS.**

JOB: WEST LA DISTRICT YARD  
 SAMPLE: B-7 @ 2.5'  
 DATE: 8/14/2017  
 TEST BY: JML  
 DESCRIPTION: CL, LEAN CLAY  
 SPECIFIC GRAVITY: 2.70  
 NOTE: UNDISTURBED SAMPLE

**SAMPLE PROPERTIES:**

	PLACING	REMOVAL
WATER CONTENT (%)	30.5	27.8
DRY UNIT WEIGHT (PCF)	85.9	90.0
SATURATION (%)	85.6	85.7
VOID RATIO	0.9625	0.8739






**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING AND TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**ASTM D 2435-11 - ONE-DIMENSIONAL CONSOLIDATION PROPERTIES OF SOILS.**

JOB: WEST LA DISTRICT YARD  
 SAMPLE: B-7 @ 10.0'  
 DATE: 8/14/2017  
 TEST BY: JML  
 DESCRIPTION: CL, LEAN CLAY W/SAND  
 SPECIFIC GRAVITY: 2.72  
 NOTE: UNDISTURBED SAMPLE

**SAMPLE PROPERTIES:**

	PLACING	REMOVAL
WATER CONTENT (%)	16.1	18.3
DRY UNIT WEIGHT (PCF)	104.7	108.6
SATURATION (%)	70.7	88.1
VOID RATIO	0.6211	0.5638



**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**


**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB: WEST LA DISTRICT YARD  
 DATE: 10/11/2017  
 SAMPLE: B-1 @ 2.5'  
 TEST BY: JML  
 SOIL TYPE: CL, LEAN CLAY W/SAND  
 DRY UNIT WT.\*: 93.9 pcf  
 NOTE: UNDISTURBED SAMPLE

NORMAL STRESS (ksf)	MAX SHEAR FORCE (lb)	MAX SHEAR STRESS (ksf)
1	38.7	0.86
2	81.3	1.80
4	145.9	3.24

FRICITION ANGLE = 38.0 DEGREES  
 COHESION<sup>1</sup> = 0.14 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	10/11/2017			
SAMPLE:	B-1 @ 10.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	CL, SANDY LEAN CLAY	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	116.7 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	82.3	1.83
		2	115.7	2.57
		4	169.2	3.75

FRICITION ANGLE = 32.4 DEGREES  
 COHESION<sup>1</sup> = 1.23 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-1 @ 20.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	CL, LEAN CLAY	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	115.2 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	60.1	1.33
		2	96.4	2.14
		4	190.5	4.23

FRICITION ANGLE = 44.3 DEGREES  
 COHESION<sup>1</sup> = 0.29 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-1 @ 30.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	CL, LEAN CLAY	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	105.9 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	40.7	0.90
		2	72.6	1.61
		4	137.0	3.04

FRICITION ANGLE = 35.5 DEGREES  
 COHESION<sup>1</sup> = 0.19 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-2 @ 15.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	GC, CLAYEY GRAVEL WITH SAND	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	122.1 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE.	1	53.4	1.18
	GRAVEL IN THE SHEAR PLANE.	2	126.7	2.81
		4	170.8	3.79

FRICITION ANGLE = 39.1 DEGREES  
 COHESION<sup>1</sup> = 0.70 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/14/2017			
SAMPLE:	B-2 @ 45.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	GW-GC, WELL-GRADED GRAVEL W/CLAY AND SAND	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	129.9 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE.	1	87.3	1.94
	GRAVEL IN SHEAR PLANE HALTED TEST.	2	123.3	2.73
		4	VOID	0.00

FRICITION ANGLE =            DEGREES  
 COHESION<sup>1</sup> =            KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	10/4/2017			
SAMPLE:	B-3 @ 5.0'	NORMAL	MAX	MAX
TEST BY:	JML	STRESS	SHEAR	SHEAR
SOIL TYPE:	CL, SANDY LEAN CLAY	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	101.3 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	40.9	0.91
		2	84.8	1.88
		4	122.7	2.72

FRICITION ANGLE = 30.0 DEGREES  
 COHESION<sup>1</sup> = 0.49 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.




**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-3 @ 25.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	GC, CLAYEY GRAVEL WITH SAND	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	127.9 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE. GRAVEL ON	1	63.2	1.40
	SHEAR PLANE AT 4 KSF NORMAL FORCE.	2	99.3	2.20
		4	261.3	5.80

FRICITION ANGLE =            DEGREES  
 COHESION<sup>1</sup> =            KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-4 @15.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	CL, SANDY LEAN CLAY	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	114.1 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	53.4	1.18
		2	83.9	1.86
		4	147.3	3.27

FRICITION ANGLE = 34.8 DEGREES  
 COHESION<sup>1</sup> = 0.48 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-4 @ 35.0'	NORMAL	MAX	MAX
TEST BY:	JML	STRESS	SHEAR	SHEAR
SOIL TYPE:	GC, CLAYEY GRAVEL WITH SAND	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	124.4 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	61.9	1.37
	GRAVEL ON SHEAR PLANE.	2	141.7	3.14
		4	175.9	3.90

FRICITION ANGLE = 37.8 DEGREES  
 COHESION<sup>1</sup> = 0.99 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	10/11/2017			
SAMPLE:	B-5 @ 10.0'	NORMAL	MAX	MAX
TEST BY:	JML	STRESS	SHEAR	SHEAR
SOIL TYPE:	CL, LEAN CLAY W/SAND	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	104.2 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	46.8	1.04
		2	65.6	1.46
		4	102.8	2.28

FRICITION ANGLE = 22.5 DEGREES  
 COHESION<sup>1</sup> = 0.62 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-5 @ 20.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	SC/SC-SM, CLAYEY SAND WITH GRAVEL	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	119.1 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	82.9	1.84
		2	140.4	3.11
		4	227.7	5.05

FRICITION ANGLE = 46.6 DEGREES  
 COHESION<sup>1</sup> = 0.87 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.

**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**


**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB: WEST LA DISTRICT YARD  
 DATE: 8/28/2017  
 SAMPLE: B-5 @ 30.0'  
 TEST BY: JML  
 SOIL TYPE: CL, LEAN CLAY W/SAND  
 DRY UNIT WT.\*: 104.5 pcf  
 NOTE: UNDISTURBED SAMPLE

NORMAL STRESS (ksf)	MAX SHEAR FORCE (lb)	MAX SHEAR STRESS (ksf)
1	48.3	1.07
2	78.7	1.75
4	143.7	3.19

FRICITION ANGLE = 35.3 DEGREES  
 COHESION<sup>1</sup> = 0.35 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-5 @ 50.0'	NORMAL	MAX	MAX
TEST BY:	JML	STRESS	SHEAR	SHEAR
SOIL TYPE:	SC-SM, SILTY, CLAYEY SAND WITH GRAVEL	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	116.4 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	65.5	1.45
		2	100.7	2.23
		4	191.7	4.25

FRICITION ANGLE = 43.4 DEGREES  
 COHESION<sup>1</sup> = 0.44 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-6 @ 5.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	CL, LEAN CLAY W/SAND	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	101.0 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	34.1	0.76
		2	62.5	1.39
		4	123.3	2.74

FRICITION ANGLE = 33.5 DEGREES  
 COHESION<sup>1</sup> = 0.08 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.




**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-6 @ 15.0'	NORMAL	MAX	MAX
TEST BY:	GP	STRESS	SHEAR	SHEAR
SOIL TYPE:	GC, CLAYEY GRAVEL WITH SAND	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	117.8 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	50.4	1.12
	GRAVEL PRESENT IN SAMPLE.	2	84.8	1.88
		4	160.0	3.55

FRICITION ANGLE = 39.1 DEGREES  
 COHESION<sup>1</sup> = 0.28 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.


**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING & TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**DIRECT SHEAR TEST RESULTS (ASTM D 3080-11)**

JOB:	WEST LA DISTRICT YARD			
DATE:	8/28/2017			
SAMPLE:	B-7 @ 2.5'	NORMAL	MAX	MAX
TEST BY:	JML	STRESS	SHEAR	SHEAR
SOIL TYPE:	CL, LEAN CLAY	(ksf)	FORCE	STRESS
DRY UNIT WT.*:	86.9 pcf		(lb)	(ksf)
NOTE:	UNDISTURBED SAMPLE	1	41.7	0.93
		2	73.9	1.64
		4	134.4	2.98

FRICITION ANGLE = 34.3 DEGREES  
 COHESION<sup>1</sup> = 0.25 KSF

**MAXIMUM SHEAR STRESS vs NORMAL STRESS**



\* THE DRY UNIT WEIGHT IS THE AVERAGE OF THE TESTED SPECIMENS.  
 1 = GEOTECHNICAL ENGINEER TO USE PROPER JUDGEMENT IN DETERMINING AN APPROPRIATE COHESION VALUE.

**LOS ANGELES DEPARTMENT OF WATER AND POWER  
 WATER ENGINEERING AND TECHNICAL SERVICES DIVISION  
 SOILS AND MATERIALS TESTING SQUAD**

**ASTM D 2850-03a - UNCONSOLIDATED-UNDRAINED TRIAXIAL COMPRESSION TEST.**

JOB: WEST LA DISTRICT YARD  
 SAMPLE LOCATION: B-2 @ 25.0'  
 DATE: 8/29/2017  
 TEST BY: JML  
 DESCRIPTION: CL, LEAN CLAY W/SAND  
 LIQUID LIMIT: 33  
 PLASTIC LIMIT: 13  
 SPECIFIC GRAVITY: 2.74  
 NOTE: NONE

**FAILURE SKETCH**




**SAMPLE PROPERTIES:**

DIAMETER (in.)	2.865
HEIGHT (in.)	5.750
WATER CONTENT (%)	23.1
DRY UNIT WEIGHT (pcf)	100.7
SATURATION (%)	90.5
VOID RATIO	0.6990

**TEST PROPERTIES**

RATE (% AXIAL STRAIN/MIN.)	1%
CONFINING PRESSURE, ksf.	3.0
AXIAL STRAIN AT FAILURE, %	15.00
MAJOR PRINCIPAL STRESS, $\sigma_1$ , AT FAILURE, psi.	50.11
MINOR PRINCIPAL STRESS, $\sigma_3$ AT FAILURE, psi.	20.83
DEVIATOR STRESS ( $\sigma_1 - \sigma_3$ ) AT FAILURE, psi.*	29.27



\* Rubber membrane correction per ASTM D2850-03 used, Young's modulus = 198.81 lb./in., 0.012 in. thick membrane.

**LOS ANGELES DEPARTMENT OF WATER AND POWER  
WATER ENGINEERING AND TECHNICAL SERVICES DIVISION  
SOILS AND MATERIALS TESTING SQUAD**

**ASTM D 2850-03a - UNCONSOLIDATED-UNDRAINED TRIAXIAL COMPRESSION TEST.**

JOB: WEST LA DISTRICT YARD  
 SAMPLE LOC.: B-2 @ 25.0'  
 DATE: 8/29/2017  
 TEST BY: JML  
 DESCRIPTION: CL, LEAN CLAY W/SAND  
 CONFINING PRES. 20.83 psi (3.00 ksf)  
 SPECIFIC GRAVITY: 2.74  
 NOTE: NONE

LIQUID LIMIT:	33
PLASTIC LIMIT:	13

DENSITY OF WATER= 1 gm/cc  
 SAMPLE VOL.= 607.45 cc  
 DRY WT.= 979.61 gm  
 Vs = 357.52 cc  
 Vv= 249.92 cc  
 Void Ratio, e = 0.6990  
 SATURATION= 0.905

**SAMPLE PROPERTIES:**

WEIGHT (GM)		DIAMETER (IN.)	HEIGHT (IN.)	WATER CONTENT, WC	
1205.9	1	2.865	5.751	TARE (gm) :	87.7
	2	2.864	5.748	WET (gm) :	1293.6
	3	2.866	5.751	DRY (gm) :	1067.1
	AVE.:	2.865	5.750	W.C (%)	23.1

RATE OF AXIAL STRAIN/MIN.	1	1% OR 0.3%
MEMBRANE STIFFNESS FACTOR ( LB./IN.)		198.81
INITIAL DISPLACEMENT AT T=0, (IN.)		0.01654
AXIAL STRAIN AT FAILURE, %		14.9958
MAJOR PRINCIPAL STRESS, $\sigma_1$ , AT FAILURE*		50.11
MINOR PRINCIPAL STRESS, $\sigma_3$ AT FAILURE*		20.83
DEVIATOR STRESS AT FAILURE, psi		29.27

INITIAL VALUES	
HEIGHT, $H_o$ (IN.)	5.720
AREA, $A_o$ (SQ. IN.)	6.4467
DRY UNIT WT. (PCF)	100.7
SATURATION (%)	90.5
VOID RATIO	0.6990

$V_o$ = 36.878 CU. IN.  
 $V_c$ = 36.802 CU. IN.  
 $H_c$ = 5.691 IN.  
 $A_c$ = 6.467 SQ. IN.

**SAMPLE 1**

TIME (MIN.)	LOAD (LB.)	DISPL. (IN.)	CELL PRESS. (psi)	AXIAL STRAIN (%)	AREA CORR. (cu. In.)	DEVIATOR LOAD (lb.)	MEMBRANE CORR. (psi) (per ASTM)	DEVIATOR STRESS (psi)	$\sigma_1$ (psi)
0.000	4.55	0.04614	20.82	0.0000	6.4669	-0.24	0.00	-0.04	20.78
0.017	8.03	0.04675	20.79	0.0106	6.4676	3.25	0.00	0.50	21.29
0.035	11.38	0.04770	20.79	0.0272	6.4686	6.59	0.00	1.02	21.81
0.053	13.92	0.04891	20.77	0.0484	6.4700	9.14	0.00	1.41	22.18
0.071	16.06	0.05004	20.82	0.0681	6.4713	11.27	0.00	1.74	22.56
0.084	17.27	0.05086	20.79	0.0825	6.4722	12.48	0.00	1.93	22.71
0.101	19.00	0.05151	20.79	0.0938	6.4729	14.22	0.00	2.19	22.98
0.119	20.48	0.05268	20.81	0.1143	6.4743	15.69	0.00	2.42	23.23
0.137	22.08	0.05385	20.79	0.1347	6.4756	17.30	0.00	2.67	23.46
0.150	23.02	0.05450	20.75	0.1460	6.4763	18.25	0.00	2.81	23.56
0.168	24.36	0.05562	20.81	0.1657	6.4776	19.57	0.01	3.02	23.83
0.185	25.56	0.05670	20.79	0.1846	6.4788	20.78	0.01	3.20	23.99
0.203	26.77	0.05770	20.78	0.2020	6.4800	21.99	0.01	3.39	24.16
0.221	27.84	0.05887	20.82	0.2224	6.4813	23.05	0.01	3.55	24.37
0.234	28.51	0.05960	20.79	0.2353	6.4821	23.72	0.01	3.65	24.45
0.252	29.85	0.06077	20.79	0.2558	6.4835	25.06	0.01	3.86	24.65
0.270	30.65	0.06185	20.82	0.2747	6.4847	25.86	0.01	3.98	24.80
0.287	31.59	0.06263	20.81	0.2883	6.4856	26.80	0.01	4.12	24.93
0.301	32.25	0.06311	20.81	0.2966	6.4861	27.47	0.01	4.23	25.04
0.318	33.19	0.06462	20.78	0.3231	6.4878	28.41	0.01	4.37	25.15
0.336	33.86	0.06545	20.82	0.3375	6.4888	29.07	0.01	4.47	25.29
0.367	35.47	0.06774	20.81	0.3776	6.4914	30.68	0.01	4.71	25.52
0.402	36.94	0.06921	20.80	0.4033	6.4931	32.15	0.01	4.94	25.74
0.438	38.68	0.07151	20.79	0.4434	6.4957	33.90	0.01	5.20	26.00
0.469	39.88	0.07345	20.80	0.4774	6.4979	35.10	0.02	5.39	26.19
0.505	41.49	0.07519	20.79	0.5077	6.4999	36.71	0.02	5.63	26.42
0.535	42.83	0.07696	20.79	0.5388	6.5019	38.04	0.02	5.83	26.63
0.571	44.17	0.07921	20.79	0.5781	6.5045	39.38	0.02	6.04	26.83
0.602	45.50	0.08081	20.81	0.6061	6.5063	40.72	0.02	6.24	27.05
0.637	46.84	0.08319	20.80	0.6477	6.5090	42.06	0.02	6.44	27.24
0.668	48.05	0.08475	20.81	0.6750	6.5108	43.26	0.02	6.62	27.43
0.703	49.39	0.08635	20.80	0.7029	6.5127	44.60	0.02	6.83	27.63
0.734	50.59	0.08847	20.79	0.7400	6.5151	45.81	0.02	7.01	27.80
0.770	51.79	0.09008	20.78	0.7680	6.5169	47.02	0.03	7.19	27.97
0.801	53.00	0.09198	20.82	0.8013	6.5191	48.21	0.03	7.37	28.19
0.836	54.34	0.09367	20.79	0.8308	6.5210	49.55	0.03	7.57	28.36
0.867	55.41	0.09557	20.79	0.8641	6.5232	50.63	0.03	7.73	28.52
0.903	56.75	0.09795	20.82	0.9057	6.5260	51.96	0.03	7.93	28.75
0.934	57.82	0.09973	20.82	0.9368	6.5280	53.03	0.03	8.09	28.91
0.969	59.16	0.10142	20.79	0.9663	6.5300	54.37	0.03	8.29	29.09

TIME (MIN.)	LOAD (LB.)	DISPL. (IN.)	CELL PRESS. (psi)	AXIAL STRAIN (%)	AREA CORR. (cu. In.)	DEVIATOR LOAD (lb.)	MEMBRANE CORR. (psi) (per ASTM)	DEVIATOR STRESS (psi)	σ1 (psi)
1.001	60.23	0.10319	20.83	0.9973	6.5320	55.44	0.03	8.45	29.28
1.085	63.17	0.10839	20.79	1.0882	6.5380	58.39	0.04	8.89	29.69
1.169	65.98	0.11280	20.80	1.1653	6.5431	61.20	0.04	9.31	30.12
1.253	68.79	0.11804	20.82	1.2569	6.5492	64.00	0.04	9.73	30.55
1.337	71.60	0.12258	20.83	1.3362	6.5545	66.81	0.04	10.15	30.98
1.421	74.41	0.12769	20.83	1.4256	6.5604	69.62	0.05	10.57	31.39
1.501	76.96	0.13245	20.83	1.5088	6.5659	72.16	0.05	10.94	31.77
1.585	79.50	0.13717	20.83	1.5913	6.5714	74.71	0.05	11.32	32.15
1.669	82.04	0.14184	20.83	1.6729	6.5769	77.25	0.06	11.69	32.52
1.754	84.58	0.14678	20.84	1.7593	6.5827	79.79	0.06	12.06	32.91
1.837	87.13	0.15163	20.82	1.8441	6.5884	82.34	0.06	12.44	33.25
1.917	89.54	0.15583	20.86	1.9175	6.5933	84.74	0.06	12.79	33.65
2.002	91.81	0.16080	20.87	2.0044	6.5991	87.01	0.07	13.12	33.99
2.086	94.22	0.16487	20.87	2.0755	6.6039	89.42	0.07	13.47	34.34
2.169	96.49	0.17011	20.86	2.1671	6.6101	91.70	0.07	13.80	34.66
2.254	98.64	0.17431	20.86	2.2405	6.6151	93.84	0.07	14.11	34.97
2.334	100.91	0.17994	20.87	2.3390	6.6218	96.11	0.08	14.44	35.30
2.418	103.05	0.18405	20.85	2.4108	6.6266	98.25	0.08	14.75	35.60
2.502	105.33	0.18907	20.83	2.4986	6.6326	100.54	0.08	15.08	35.91
2.586	107.74	0.19405	20.88	2.5856	6.6385	102.94	0.08	15.42	36.30
2.670	109.61	0.19863	20.84	2.6657	6.6440	104.82	0.09	15.69	36.53
2.755	111.75	0.20331	20.87	2.7475	6.6496	106.95	0.09	15.99	36.86
2.834	113.76	0.20790	20.85	2.8277	6.6551	108.96	0.09	16.28	37.13
2.918	115.77	0.21236	20.85	2.9057	6.6604	110.97	0.10	16.57	37.42
3.003	117.77	0.21720	20.85	2.9903	6.6662	112.97	0.10	16.85	37.70
3.087	119.65	0.22222	20.86	3.0781	6.6722	114.85	0.10	17.11	37.97
3.170	121.66	0.22690	20.82	3.1599	6.6779	116.87	0.10	17.40	38.22
3.251	123.26	0.23162	20.87	3.2424	6.6836	118.46	0.11	17.62	38.49
3.335	124.73	0.23616	20.87	3.3218	6.6891	119.93	0.11	17.82	38.69
3.419	126.47	0.24118	20.85	3.4095	6.6951	121.67	0.11	18.06	38.91
3.503	128.08	0.24616	20.84	3.4966	6.7012	123.29	0.11	18.28	39.13
3.587	129.82	0.25079	20.85	3.5775	6.7068	125.02	0.12	18.52	39.37
3.671	131.43	0.25577	20.85	3.6646	6.7129	126.63	0.12	18.74	39.59
3.751	132.76	0.26036	20.87	3.7448	6.7185	127.96	0.12	18.92	39.79
3.835	134.37	0.26512	20.86	3.8280	6.7243	129.57	0.12	19.14	40.00
3.919	135.98	0.26997	20.86	3.9128	6.7302	131.18	0.13	19.36	40.22
4.004	137.45	0.27395	20.85	3.9824	6.7351	132.65	0.13	19.57	40.42
4.088	138.79	0.27893	20.83	4.0694	6.7412	134.00	0.13	19.74	40.58
4.167	140.12	0.28334	20.86	4.1465	6.7466	135.32	0.14	19.92	40.78
4.252	141.60	0.28797	20.87	4.2275	6.7523	136.80	0.14	20.12	40.99
4.336	143.07	0.29161	20.85	4.2911	6.7568	138.27	0.14	20.32	41.17
4.420	144.27	0.29689	20.84	4.3834	6.7633	139.48	0.14	20.48	41.32
4.504	145.48	0.30209	20.84	4.4743	6.7698	140.69	0.15	20.64	41.48
4.584	146.82	0.30633	20.85	4.5484	6.7750	142.02	0.15	20.82	41.67
4.668	147.75	0.31139	20.83	4.6369	6.7813	142.96	0.15	20.93	41.76
4.752	149.22	0.31667	20.83	4.7292	6.7879	144.43	0.15	21.12	41.96
4.836	150.56	0.32113	20.86	4.8072	6.7934	145.76	0.16	21.30	42.16
4.920	151.63	0.32585	20.87	4.8897	6.7993	146.83	0.16	21.44	42.30
5.005	153.11	0.33048	20.86	4.9706	6.8051	148.31	0.16	21.63	42.49
5.084	154.18	0.33446	20.86	5.0402	6.8101	149.38	0.16	21.77	42.63
5.168	155.38	0.33987	20.86	5.1348	6.8169	150.58	0.17	21.92	42.78
5.253	156.59	0.34433	20.85	5.2127	6.8225	151.79	0.17	22.08	42.93
5.337	157.66	0.34987	20.85	5.3096	6.8295	152.86	0.17	22.21	43.06
5.421	159.13	0.35398	20.85	5.3814	6.8347	154.33	0.17	22.41	43.26
5.501	160.20	0.35857	20.84	5.4617	6.8405	155.41	0.18	22.54	43.38
5.585	161.27	0.36260	20.85	5.5321	6.8456	156.47	0.18	22.68	43.53
5.669	162.47	0.36822	20.83	5.6303	6.8527	157.68	0.18	22.83	43.66
5.753	163.55	0.37255	20.87	5.7060	6.8582	158.75	0.18	22.96	43.83
5.837	164.62	0.37766	20.85	5.7954	6.8647	159.82	0.19	23.09	43.94
5.921	165.69	0.38216	20.86	5.8740	6.8704	160.89	0.19	23.23	44.09
6.001	166.76	0.38640	20.86	5.9482	6.8759	161.96	0.19	23.36	44.22
6.085	167.96	0.39181	20.84	6.0427	6.8828	163.17	0.19	23.51	44.35
6.169	169.03	0.39567	20.85	6.1102	6.8877	164.23	0.20	23.65	44.50
6.254	170.10	0.40116	20.86	6.2062	6.8948	165.30	0.20	23.78	44.63
6.338	171.31	0.40597	20.85	6.2903	6.9010	166.51	0.20	23.93	44.78
6.417	172.38	0.41077	20.84	6.3742	6.9071	167.59	0.21	24.06	44.90
6.502	173.18	0.41566	20.83	6.4597	6.9135	168.39	0.21	24.15	44.98
6.586	174.39	0.42021	20.83	6.5392	6.9193	169.60	0.21	24.30	45.13
6.670	175.46	0.42536	20.86	6.6292	6.9260	170.66	0.21	24.43	45.29
6.754	176.66	0.43038	20.85	6.7170	6.9325	171.86	0.22	24.58	45.43
6.834	177.60	0.43532	20.86	6.8033	6.9390	172.80	0.22	24.68	45.54
6.918	178.40	0.44025	20.84	6.8895	6.9454	173.61	0.22	24.77	45.62
7.002	179.34	0.44549	20.85	6.9811	6.9522	174.54	0.22	24.88	45.73
7.086	180.01	0.44999	20.86	7.0598	6.9581	175.21	0.23	24.95	45.81
7.170	180.94	0.45527	20.87	7.1521	6.9650	176.14	0.23	25.06	45.93
7.255	182.01	0.46055	20.84	7.2444	6.9719	177.22	0.23	25.19	46.03
7.334	182.68	0.46536	20.85	7.3285	6.9783	177.88	0.23	25.26	46.11
7.418	183.49	0.47072	20.84	7.4222	6.9853	178.70	0.24	25.34	46.19

TIME (MIN.)	LOAD (LB.)	DISPL. (IN.)	CELL PRESS. (psi)	AXIAL STRAIN (%)	AREA CORR. (cu. In.)	DEVIATOR LOAD (lb.)	MEMBRANE CORR. (psi) (per ASTM)	DEVIATOR STRESS (psi)	σ1 (psi)
7.503	184.42	0.47518	20.83	7.5001	6.9912	179.63	0.24	25.45	46.29
7.587	185.09	0.48042	20.85	7.5918	6.9982	180.29	0.24	25.52	46.37
7.671	186.03	0.48535	20.87	7.6779	7.0047	181.23	0.25	25.63	46.49
7.751	186.43	0.49042	20.86	7.7666	7.0114	181.63	0.25	25.66	46.52
7.835	187.37	0.49561	20.88	7.8573	7.0183	182.57	0.25	25.76	46.64
7.919	188.17	0.50016	20.85	7.9368	7.0244	183.37	0.25	25.85	46.70
8.003	188.71	0.50531	20.85	8.0269	7.0313	183.91	0.26	25.90	46.75
8.087	189.78	0.50968	20.86	8.1033	7.0371	184.98	0.26	26.03	46.89
8.171	190.18	0.51522	20.85	8.2001	7.0445	185.38	0.26	26.05	46.90
8.251	190.85	0.51916	20.84	8.2690	7.0498	186.06	0.26	26.13	46.97
8.335	191.38	0.52435	20.86	8.3597	7.0568	186.58	0.27	26.17	47.03
8.419	192.05	0.52933	20.86	8.4468	7.0635	187.25	0.27	26.24	47.10
8.504	192.99	0.53414	20.86	8.5308	7.0700	188.19	0.27	26.35	47.21
8.588	193.52	0.53851	20.85	8.6072	7.0759	188.72	0.27	26.40	47.25
8.667	194.19	0.54279	20.85	8.6821	7.0817	189.39	0.28	26.47	47.32
8.752	195.00	0.54768	20.86	8.7675	7.0883	190.20	0.28	26.55	47.41
8.836	195.67	0.55232	20.88	8.8487	7.0947	190.87	0.28	26.62	47.50
8.920	196.20	0.55725	20.83	8.9348	7.1014	191.41	0.28	26.67	47.50
9.004	197.00	0.56149	20.84	9.0090	7.1072	192.21	0.29	26.76	47.60
9.084	197.54	0.56643	20.85	9.0953	7.1139	192.74	0.29	26.81	47.66
9.168	198.21	0.57049	20.84	9.1663	7.1195	193.42	0.29	26.88	47.72
9.252	198.88	0.57547	20.86	9.2534	7.1263	194.08	0.29	26.94	47.80
9.336	199.68	0.57967	20.86	9.3268	7.1321	194.88	0.30	27.03	47.89
9.420	200.22	0.58443	20.87	9.4100	7.1386	195.42	0.30	27.08	47.94
9.505	200.62	0.58867	20.84	9.4841	7.1445	195.83	0.30	27.11	47.95
9.584	201.02	0.59383	20.85	9.5743	7.1516	196.22	0.30	27.14	47.99
9.668	201.96	0.59872	20.85	9.6598	7.1584	197.16	0.31	27.24	48.09
9.753	202.76	0.60378	20.87	9.7482	7.1654	197.96	0.31	27.32	48.19
9.837	203.29	0.60850	20.85	9.8308	7.1719	198.49	0.31	27.37	48.22
9.921	203.96	0.61335	20.85	9.9155	7.1787	199.16	0.31	27.43	48.28
10.001	204.36	0.61819	20.84	10.0002	7.1854	199.57	0.32	27.46	48.30
10.085	205.03	0.62339	20.83	10.0911	7.1927	200.24	0.32	27.52	48.35
10.169	205.57	0.62845	20.84	10.1795	7.1998	200.78	0.32	27.57	48.41
10.253	206.37	0.63295	20.84	10.2582	7.2061	201.58	0.32	27.65	48.49
10.337	206.91	0.63832	20.87	10.3521	7.2136	202.11	0.33	27.69	48.56
10.421	207.58	0.64343	20.87	10.4414	7.2208	202.78	0.33	27.75	48.62
10.501	208.11	0.64771	20.86	10.5162	7.2269	203.31	0.33	27.80	48.66
10.585	208.78	0.65304	20.83	10.6094	7.2344	203.99	0.33	27.86	48.70
10.669	209.32	0.65754	20.84	10.6880	7.2408	204.53	0.34	27.91	48.75
10.754	209.85	0.66330	20.84	10.7887	7.2489	205.06	0.34	27.95	48.79
10.838	210.12	0.66789	20.84	10.8690	7.2555	205.33	0.34	27.96	48.80
10.917	210.92	0.67291	20.83	10.9567	7.2626	206.13	0.34	28.04	48.87
11.002	211.46	0.67784	20.86	11.0429	7.2697	206.66	0.35	28.08	48.94
11.086	211.99	0.68243	20.85	11.1232	7.2762	207.19	0.35	28.13	48.98
11.170	212.66	0.68806	20.83	11.2216	7.2843	207.87	0.35	28.18	49.02
11.254	212.80	0.69282	20.86	11.3048	7.2911	208.00	0.35	28.17	49.03
11.334	213.20	0.69689	20.83	11.3759	7.2970	208.41	0.36	28.20	49.04
11.418	213.60	0.70152	20.86	11.4569	7.3036	208.80	0.36	28.23	49.09
11.502	214.27	0.70689	20.84	11.5507	7.3114	209.48	0.36	28.29	49.13
11.586	214.80	0.71208	20.86	11.6415	7.3189	210.00	0.36	28.33	49.19
11.670	214.94	0.71701	20.85	11.7277	7.3260	210.14	0.37	28.32	49.17
11.755	215.47	0.72199	20.85	11.8147	7.3333	210.67	0.37	28.36	49.21
11.834	215.87	0.72645	20.86	11.8927	7.3398	211.07	0.37	28.39	49.24
11.918	216.28	0.73108	20.85	11.9736	7.3465	211.48	0.37	28.41	49.26
12.003	216.54	0.73541	20.87	12.0493	7.3528	211.74	0.38	28.42	49.29
12.087	216.68	0.74039	20.86	12.1364	7.3601	211.88	0.38	28.41	49.27
12.171	217.48	0.74467	20.85	12.2112	7.3664	212.68	0.38	28.49	49.34
12.251	217.88	0.75008	20.85	12.3058	7.3743	213.08	0.38	28.51	49.36
12.335	218.28	0.75437	20.87	12.3808	7.3807	213.48	0.39	28.54	49.41
12.419	218.95	0.75961	20.87	12.4724	7.3884	214.15	0.39	28.60	49.46
12.503	219.22	0.76393	20.84	12.5479	7.3948	214.43	0.39	28.61	49.45
12.587	219.62	0.76813	20.84	12.6213	7.4010	214.83	0.39	28.63	49.48
12.671	219.89	0.77315	20.84	12.7091	7.4084	215.10	0.39	28.64	49.48
12.751	220.69	0.77705	20.84	12.7772	7.4142	215.90	0.40	28.72	49.56
12.835	221.23	0.78190	20.84	12.8620	7.4214	216.44	0.40	28.76	49.61
12.919	221.50	0.78627	20.84	12.9384	7.4279	216.71	0.40	28.77	49.62
13.004	222.03	0.79177	20.85	13.0346	7.4361	217.23	0.40	28.81	49.66
13.088	222.43	0.79627	20.85	13.1132	7.4429	217.63	0.41	28.83	49.68
13.167	222.97	0.80086	20.84	13.1935	7.4498	218.18	0.41	28.88	49.72
13.252	223.24	0.80527	20.86	13.2706	7.4564	218.44	0.41	28.89	49.74
13.336	223.77	0.81003	20.84	13.3538	7.4635	218.98	0.41	28.93	49.77
13.420	224.31	0.81501	20.86	13.4408	7.4710	219.51	0.42	28.97	49.82
13.504	224.57	0.82021	20.83	13.5317	7.4789	219.78	0.42	28.97	49.80
13.584	225.11	0.82449	20.84	13.6065	7.4854	220.32	0.42	29.01	49.85
13.668	225.64	0.82955	20.86	13.6950	7.4930	220.84	0.42	29.05	49.91
13.752	226.05	0.83497	20.83	13.7898	7.5013	221.26	0.43	29.07	49.90
13.836	226.31	0.83981	20.83	13.8744	7.5086	221.52	0.43	29.07	49.91
13.920	226.71	0.84427	20.86	13.9523	7.5155	221.91	0.43	29.10	49.96

TIME (MIN.)	LOAD (LB.)	DISPL. (IN.)	CELL PRESS. (psi)	AXIAL STRAIN (%)	AREA CORR. (cu. In.)	DEVIATOR LOAD (lb.)	MEMBRANE CORR. (psi) (per ASTM)	DEVIATOR STRESS (psi)	σ1 (psi)
14.005	227.38	0.84951	20.83	14.0439	7.5235	222.59	0.43	29.15	49.99
14.084	227.52	0.85427	20.83	14.1271	7.5308	222.73	0.44	29.14	49.97
14.168	227.79	0.85890	20.85	14.2081	7.5379	222.99	0.44	29.15	50.00
14.253	228.32	0.86397	20.85	14.2967	7.5457	223.52	0.44	29.18	50.03
14.337	228.72	0.86899	20.85	14.3845	7.5534	223.92	0.44	29.20	50.05
14.421	229.12	0.87371	20.85	14.4670	7.5607	224.32	0.44	29.22	50.07
14.501	229.12	0.87899	20.83	14.5593	7.5688	224.33	0.45	29.19	50.02
14.585	229.53	0.88280	20.86	14.6259	7.5747	224.73	0.45	29.22	50.08
14.669	230.06	0.88855	20.84	14.7264	7.5837	225.27	0.45	29.25	50.09
14.753	230.19	0.89340	20.83	14.8112	7.5912	225.40	0.45	29.24	50.07
14.837	230.73	0.89855	20.85	14.9012	7.5993	225.93	0.46	29.27	50.12
14.921	231.00	0.90396	20.83	14.9958	7.6077	226.21	0.46	29.27	50.11
15.001	231.13	0.90803	20.86	15.0669	7.6141	226.33	0.46	29.26	50.12
15.085	231.53	0.91314	20.87	15.1563	7.6221	226.73	0.46	29.28	50.15
15.169	231.40	0.91768	20.85	15.2356	7.6292	226.60	0.47	29.24	50.09
15.253	232.07	0.92279	20.85	15.3250	7.6373	227.27	0.47	29.29	50.14
15.337	232.34	0.92729	20.86	15.4036	7.6444	227.54	0.47	29.29	50.15
15.417	232.47	0.93223	20.87	15.4900	7.6522	227.67	0.47	29.28	50.15
15.502	233.01	0.93638	20.87	15.5625	7.6588	228.21	0.48	29.32	50.19
15.585	232.87	0.94132	20.86	15.6489	7.6666	228.07	0.48	29.27	50.13
15.669	233.27	0.94577	20.85	15.7267	7.6737	228.47	0.48	29.29	50.14
15.754	233.41	0.95071	20.85	15.8130	7.6816	228.61	0.48	29.28	50.13
15.833	233.67	0.95525	20.86	15.8924	7.6888	228.87	0.48	29.28	50.14
15.917	234.08	0.96015	20.83	15.9781	7.6966	229.29	0.49	29.30	50.14
16.002	234.21	0.96560	20.85	16.0733	7.7054	229.41	0.49	29.28	50.13
16.086	234.88	0.97027	20.85	16.1550	7.7129	230.08	0.49	29.34	50.19
16.170	235.01	0.97573	20.86	16.2504	7.7217	230.21	0.49	29.32	50.18
16.254	235.15	0.98010	20.85	16.3268	7.7287	230.35	0.50	29.31	50.16
16.334	235.41	0.98469	20.83	16.4071	7.7361	230.62	0.50	29.31	50.15
16.418	235.68	0.98819	20.85	16.4682	7.7418	230.88	0.50	29.32	50.17
16.502	236.35	0.99339	20.84	16.5591	7.7502	231.56	0.50	29.37	50.22
16.586	236.62	0.99798	20.85	16.6394	7.7577	231.82	0.51	29.38	50.23
16.670	237.02	1.00270	20.85	16.7219	7.7654	232.22	0.51	29.40	50.25
16.755	237.42	1.00740	20.83	16.8041	7.7731	232.63	0.51	29.42	50.25
16.834	237.56	1.01210	20.85	16.8862	7.7807	232.76	0.51	29.40	50.25
16.918	237.96	1.01670	20.83	16.9666	7.7883	233.17	0.51	29.42	50.25
17.003	237.96	1.02150	20.84	17.0505	7.7962	233.17	0.52	29.39	50.23
17.087	238.63	1.02680	20.86	17.1432	7.8049	233.83	0.52	29.44	50.30
17.171	238.89	1.03150	20.85	17.2254	7.8126	234.09	0.52	29.44	50.29
17.251	239.30	1.03580	20.86	17.3005	7.8197	234.50	0.52	29.47	50.32
17.335	239.56	1.04100	20.85	17.3914	7.8283	234.76	0.53	29.46	50.31
17.419	239.70	1.04580	20.84	17.4753	7.8363	234.91	0.53	29.45	50.29
17.503	239.70	1.05130	20.83	17.5715	7.8454	234.91	0.53	29.41	50.25
17.587	239.83	1.05630	20.86	17.6589	7.8538	235.03	0.53	29.39	50.25
17.667	240.23	1.06070	20.88	17.7358	7.8611	235.43	0.53	29.41	50.29
17.752	240.77	1.06530	20.87	17.8162	7.8688	235.97	0.54	29.45	50.32
17.835	240.77	1.07100	20.84	17.9159	7.8783	235.98	0.54	29.41	50.25
17.919	241.04	1.07500	20.85	17.9858	7.8851	236.24	0.54	29.42	50.27
18.004	241.17	1.08040	20.85	18.0802	7.8941	236.37	0.54	29.40	50.25
18.083	241.44	1.08500	20.84	18.1606	7.9019	236.65	0.55	29.40	50.24
18.167	241.57	1.08980	20.86	18.2445	7.9100	236.77	0.55	29.38	50.24
18.252	241.70	1.09480	20.87	18.3319	7.9185	236.90	0.55	29.37	50.23
18.336	242.11	1.09930	20.84	18.4106	7.9261	237.32	0.55	29.39	50.23
18.420	242.11	1.10440	20.85	18.4997	7.9348	237.31	0.56	29.35	50.20
18.504	242.37	1.10930	20.87	18.5854	7.9431	237.57	0.56	29.35	50.22
18.584	242.64	1.11330	20.85	18.6553	7.9500	237.84	0.56	29.36	50.21
18.668	242.77	1.11870	20.83	18.7497	7.9592	237.98	0.56	29.34	50.17
18.753	242.77	1.12360	20.87	18.8354	7.9676	237.97	0.56	29.30	50.17
18.836	242.77	1.12830	20.85	18.9175	7.9757	237.97	0.57	29.27	50.12
18.920	243.18	1.13300	20.84	18.9997	7.9838	238.39	0.57	29.29	50.13
19.005	243.44	1.13780	20.85	19.0836	7.9920	238.64	0.57	29.29	50.14
19.084	243.58	1.14220	20.84	19.1605	7.9996	238.79	0.57	29.28	50.12
19.168	243.71	1.14750	20.86	19.2532	8.0088	238.91	0.58	29.26	50.11
19.253	243.98	1.15140	20.85	19.3214	8.0156	239.18	0.58	29.26	50.11
19.337	244.25	1.15690	20.84	19.4175	8.0252	239.46	0.58	29.26	50.10
19.421	244.38	1.16090	20.87	19.4874	8.0321	239.58	0.58	29.25	50.11
19.501	244.92	1.16580	20.88	19.5731	8.0407	240.12	0.58	29.28	50.15
19.585	245.05	1.17070	20.85	19.6588	8.0493	240.25	0.59	29.26	50.11
19.669	245.18	1.17530	20.86	19.7392	8.0573	240.38	0.59	29.25	50.10
19.755	245.72	1.17970	20.88	19.8161	8.0650	240.92	0.59	29.28	50.16
19.835	245.99	1.18410	20.84	19.8930	8.0728	241.20	0.59	29.29	50.13
19.919	246.25	1.18860	20.84	19.9717	8.0807	241.46	0.59	29.29	50.13
19.945	246.25	1.19030	20.84	20.0014	8.0837	241.46	0.59	29.27	50.12

# Soil Resistivity Test Report

By the Corrosion Engineering Group of the Water Distribution Division

**Date:** October 14, 2017

**Job Title:** West LA District Yard

**Work Order No:** LCW81 (Power System)

**Requested By:** Soils & Materials Testing Squad of WETS Division

**Introduction:** Soil resistivity is an electrical property of moist soil that indicates its ability to resist current flow. Corrosion is an electrochemical process and resistivity is considered the most comprehensive indicator of a soil's corrosivity, or tendency to facilitate corrosion. Generally, lower resistivity values indicate greater corrosivity. Greater corrosivity means more rapid corrosion degradation of metal structures.

**Test Date:** October 6, 2017

**Test Type:** Measurement of Soil Resistivity

**Reference Test Method:** ASTM G 57 – 95a (Reapproved 2001) which is the Standard Test Method for Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method.

**Test Equipment:** Nilsson Model 400 Soil Resistance Meter with an MC Miller soil box

**Test Sample Preparation:** Saturated with distilled water

## Test Results:

Soil Sample	Soil Resistivity (ohm/cm)	Soil Corrosivity
B1 at 15 to 20 feet	1800	Severe
B2 at 15 to 20 feet	3100	Moderate
B3 at 15 to 20 feet	3500	Moderate
B4 at 15 to 20 feet	2050	Severe
B6 at 0 to 5 feet	1800	Severe
B7 at 0 to 5 feet	1800	Severe



**APPENDIX D. USGS DESIGN MAP DETAILED REPORT**

### Section 11.4.1 — Mapped Acceleration Parameters

Note: Ground motion values provided below are for the direction of maximum horizontal spectral response acceleration. They have been converted from corresponding geometric mean ground motions computed by the USGS by applying factors of 1.1 (to obtain  $S_s$ ) and 1.3 (to obtain  $S_1$ ). Maps in the 2010 ASCE-7 Standard are provided for Site Class B. Adjustments for other Site Classes are made, as needed, in Section 11.4.3.

From [Figure 22-1](#) <sup>[1]</sup>

$$S_s = 2.116 \text{ g}$$

From [Figure 22-2](#) <sup>[2]</sup>

$$S_1 = 0.784 \text{ g}$$

### Section 11.4.2 — Site Class

The authority having jurisdiction (not the USGS), site-specific geotechnical data, and/or the default has classified the site as Site Class D, based on the site soil properties in accordance with Chapter 20.

Table 20.3–1 Site Classification

Site Class	$\bar{v}_s$	$\bar{N}$ or $\bar{N}_{ch}$	$\bar{s}_u$
A. Hard Rock	>5,000 ft/s	N/A	N/A
B. Rock	2,500 to 5,000 ft/s	N/A	N/A
C. Very dense soil and soft rock	1,200 to 2,500 ft/s	>50	>2,000 psf
D. Stiff Soil	600 to 1,200 ft/s	15 to 50	1,000 to 2,000 psf
E. Soft clay soil	<600 ft/s	<15	<1,000 psf
Any profile with more than 10 ft of soil having the characteristics: <ul style="list-style-type: none"> <li>• Plasticity index <math>PI &gt; 20</math>,</li> <li>• Moisture content <math>w \geq 40\%</math>, and</li> <li>• Undrained shear strength <math>\bar{s}_u &lt; 500</math> psf</li> </ul>			
F. Soils requiring site response analysis in accordance with Section 21.1	See Section 20.3.1		

For SI: 1ft/s = 0.3048 m/s 1lb/ft<sup>2</sup> = 0.0479 kN/m<sup>2</sup>

Section 11.4.3 — Site Coefficients and Risk-Targeted Maximum Considered Earthquake ( $MCE_R$ ) Spectral Response Acceleration Parameters

Table 11.4-1: Site Coefficient  $F_a$

Site Class	Mapped $MCE_R$ Spectral Response Acceleration Parameter at Short Period				
	$S_s \leq 0.25$	$S_s = 0.50$	$S_s = 0.75$	$S_s = 1.00$	$S_s \geq 1.25$
A	0.8	0.8	0.8	0.8	0.8
B	1.0	1.0	1.0	1.0	1.0
C	1.2	1.2	1.1	1.0	1.0
D	1.6	1.4	1.2	1.1	1.0
E	2.5	1.7	1.2	0.9	0.9
F	See Section 11.4.7 of ASCE 7				

Note: Use straight-line interpolation for intermediate values of  $S_s$

**For Site Class = D and  $S_s = 2.116$  g,  $F_a = 1.000$**

Table 11.4-2: Site Coefficient  $F_v$

Site Class	Mapped $MCE_R$ Spectral Response Acceleration Parameter at 1-s Period				
	$S_1 \leq 0.10$	$S_1 = 0.20$	$S_1 = 0.30$	$S_1 = 0.40$	$S_1 \geq 0.50$
A	0.8	0.8	0.8	0.8	0.8
B	1.0	1.0	1.0	1.0	1.0
C	1.7	1.6	1.5	1.4	1.3
D	2.4	2.0	1.8	1.6	1.5
E	3.5	3.2	2.8	2.4	2.4
F	See Section 11.4.7 of ASCE 7				

Note: Use straight-line interpolation for intermediate values of  $S_1$

**For Site Class = D and  $S_1 = 0.784$  g,  $F_v = 1.500$**

**Equation (11.4-1):**

$$S_{MS} = F_a S_s = 1.000 \times 2.116 = 2.116 \text{ g}$$

**Equation (11.4-2):**

$$S_{M1} = F_v S_1 = 1.500 \times 0.784 = 1.176 \text{ g}$$

#### Section 11.4.4 — Design Spectral Acceleration Parameters

**Equation (11.4-3):**

$$S_{DS} = \frac{2}{3} S_{MS} = \frac{2}{3} \times 2.116 = 1.410 \text{ g}$$

**Equation (11.4-4):**


$$S_{D1} = \frac{2}{3} S_{M1} = \frac{2}{3} \times 1.176 = 0.784 \text{ g}$$

#### Section 11.4.5 — Design Response Spectrum

From [Figure 22-12](#) <sup>[3]</sup>


$T_L = 8$  seconds

Figure 11.4-1: Design Response Spectrum



# Section 11.4.6 — Risk-Targeted Maximum Considered Earthquake (MCE<sub>R</sub>) Response Spectrum

The MCE<sub>R</sub> Response Spectrum is determined by multiplying the design response spectrum above by 1.5.



Section 11.8.3 — Additional Geotechnical Investigation Report Requirements for Seismic Design Categories D through F

From [Figure 22-7](#) <sup>[4]</sup>

$$PGA = 0.808$$

**Equation (11.8-1):**

$$PGA_M = F_{PGA}PGA = 1.000 \times 0.808 = 0.808 \text{ g}$$

Table 11.8-1: Site Coefficient  $F_{PGA}$

Site Class	Mapped MCE Geometric Mean Peak Ground Acceleration, PGA				
	PGA ≤ 0.10	PGA = 0.20	PGA = 0.30	PGA = 0.40	PGA ≥ 0.50
A	0.8	0.8	0.8	0.8	0.8
B	1.0	1.0	1.0	1.0	1.0
C	1.2	1.2	1.1	1.0	1.0
D	1.6	1.4	1.2	1.1	1.0
E	2.5	1.7	1.2	0.9	0.9
F	See Section 11.4.7 of ASCE 7				

Note: Use straight-line interpolation for intermediate values of PGA

**For Site Class = D and PGA = 0.808 g,  $F_{PGA} = 1.000$**

Section 21.2.1.1 — Method 1 (from Chapter 21 – Site-Specific Ground Motion Procedures for Seismic Design)

From [Figure 22-17](#) <sup>[5]</sup>

$$C_{RS} = 0.953$$

From [Figure 22-18](#) <sup>[6]</sup>

$$C_{R1} = 0.952$$

## Section 11.6 — Seismic Design Category

Table 11.6-1 Seismic Design Category Based on Short Period Response Acceleration Parameter

VALUE OF $S_{DS}$	RISK CATEGORY		
	I or II	III	IV
$S_{DS} < 0.167g$	A	A	A
$0.167g \leq S_{DS} < 0.33g$	B	B	C
$0.33g \leq S_{DS} < 0.50g$	C	C	D
$0.50g \leq S_{DS}$	D	D	D

For Risk Category = I and  $S_{DS} = 1.410 g$ , Seismic Design Category = D

Table 11.6-2 Seismic Design Category Based on 1-S Period Response Acceleration Parameter

VALUE OF $S_{D1}$	RISK CATEGORY		
	I or II	III	IV
$S_{D1} < 0.067g$	A	A	A
$0.067g \leq S_{D1} < 0.133g$	B	B	C
$0.133g \leq S_{D1} < 0.20g$	C	C	D
$0.20g \leq S_{D1}$	D	D	D

For Risk Category = I and  $S_{D1} = 0.784 g$ , Seismic Design Category = D

Note: When  $S_1$  is greater than or equal to 0.75g, the Seismic Design Category is **E** for buildings in Risk Categories I, II, and III, and **F** for those in Risk Category IV, irrespective of the above.

Seismic Design Category  $\equiv$  "the more severe design category in accordance with Table 11.6-1 or 11.6-2" = E

---

Note: See Section 11.6 for alternative approaches to calculating Seismic Design Category.

### References

1. Figure 22-1: [https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010\\_ASCE-7\\_Figure\\_22-1.pdf](https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010_ASCE-7_Figure_22-1.pdf)
2. Figure 22-2: [https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010\\_ASCE-7\\_Figure\\_22-2.pdf](https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010_ASCE-7_Figure_22-2.pdf)
3. Figure 22-12: [https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010\\_ASCE-7\\_Figure\\_22-12.pdf](https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010_ASCE-7_Figure_22-12.pdf)
4. Figure 22-7: [https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010\\_ASCE-7\\_Figure\\_22-7.pdf](https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010_ASCE-7_Figure_22-7.pdf)
5. Figure 22-17: [https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010\\_ASCE-7\\_Figure\\_22-17.pdf](https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010_ASCE-7_Figure_22-17.pdf)
6. Figure 22-18: [https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010\\_ASCE-7\\_Figure\\_22-18.pdf](https://earthquake.usgs.gov/hazards/designmaps/downloads/pdfs/2010_ASCE-7_Figure_22-18.pdf)

## Appendix C2

---

### Paleontological Records Search



THIS PAGE LEFT INTENTIONALLY BLANK

Natural History Museum  
of Los Angeles County  
900 Exposition Boulevard  
Los Angeles, CA 90007

tel 213.763.DINO  
www.nhm.org



Vertebrate Paleontology Section  
Telephone: (213) 763-3325

e-mail: [smcleod@nhm.org](mailto:smcleod@nhm.org)

19 September 2017

Dudek  
605 Third Street  
Encinitas, CA 92024

Attn: Michael J. Williams, Ph.D., Paleontologist

re: Vertebrate Paleontology Records Check for paleontological resources for the proposed LADWP West Los Angeles District Yard Project, Dudek Project # 8584-50, in the City of Los Angeles, Los Angeles County, project area

Dear Michael:

I have conducted a thorough search of our paleontology collection records for the locality and specimen data for the proposed LADWP West Los Angeles District Yard Project, Dudek Project # 8584-50, in the City of Los Angeles, Los Angeles County, project area as outlined on the portion of the Beverly Hills USGS topographic quadrangle map that you sent to me via e-mail on 5 September 2017. We have no fossil vertebrate localities that lie directly within the proposed project area boundaries, but we do have localities nearby from the same sedimentary deposits that occur in the proposed project area.


Surface deposits in all of the proposed project area consist of younger Quaternary Alluvium, derived broadly as alluvial fan deposits from the Santa Monica Mountains to the north. These younger Quaternary deposits typically do not contain significant vertebrate fossils in the very upper-most layers, but at relatively shallow depth may well contain significant fossil vertebrate remains from older Quaternary deposits.. Our closest vertebrate fossil locality in these older Quaternary deposits is LACM 5462, just to the southwest of the proposed project area along Pennsylvania Avenue. Locality LACM 5462 is particularly noteworthy because a specimen of extinct lion, *Felis atrox*, was recovered from this locality at a depth of only six feet below the surface. Our next closest vertebrate fossil locality from these deposits, LACM 7879,

situated due south of the proposed project area near the intersection of Rose Avenue and Penmar Avenue, produced fossil specimens of horse, *Equus*, and ground sloth, *Paramylodon*, at greater than eleven feet in depth.

Surface grading or very shallow excavations in the proposed project area probably will not uncover significant vertebrate fossil remains. Excavations that extend down below about five feet, however, may well encounter significant fossil vertebrate specimens. Any substantial excavations below the uppermost layers in the proposed project area, therefore, should be monitored closely to quickly and professionally recover any fossil remains discovered while not impeding development. Sediment samples from the proposed project area should also be collected and processed to determine the small fossil potential of the site. Any fossils recovered during mitigation should be deposited in an accredited and permanent scientific institution for the benefit of current and future generations.

This records search covers only the vertebrate paleontology records of the Natural History Museum of Los Angeles County. It is not intended to be a thorough paleontological survey of the proposed project area covering other institutional records, a literature survey, or any potential on-site survey.

Sincerely,

A handwritten signature in cursive script that reads "Samuel A. McLeod".

Samuel A. McLeod, Ph.D.  
Vertebrate Paleontology

enclosure: invoice



# APPENDIX D

Phase I ESA




**Phase I Environmental Site Assessment  
West Los Angeles District Yard  
12300 and 12270 Nebraska Avenue  
Los Angeles, California 90064**


*Prepared for:*

**Los Angeles Department of Water and Power**  
111 N. Hope Street, Room 1044  
Los Angeles, California 90012  
*Contact: Aiden Leong*

*Prepared by:*

**DUDEK**  
Corporate Office:  
605 Third Street  
Encinitas, California 92024

  
Glenna McMahon, PE  
Principal Engineer

  
Audrey Herschberger, PE  
Environmental Engineer

**OCTOBER 2018**





**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

**TABLE OF CONTENTS**

<b><u>Section</u></b>	<b><u>Page No.</u></b>
<b>ACRONYMS</b> .....	<b>III</b>
<b>1 EXECUTIVE SUMMARY</b> .....	<b>1</b>
<b>2 INTRODUCTION</b> .....	<b>5</b>
2.1 Assessment Procedure and Scope of Investigation.....	5
2.2 Qualifications of Environmental Professionals .....	6
<b>3 SITE LOCATION</b> .....	<b>7</b>
<b>4 ENVIRONMENTAL SETTING</b> .....	<b>13</b>
<b>5 INTERVIEWS</b> .....	<b>15</b>
5.1 Site Representative Interview .....	15
5.2 User-Provided Information .....	15
5.3 Agency Interviews .....	17
5.3.1 Los Angeles City Fire Department .....	17
5.3.2 Los Angeles County Fire Department – Hazardous Materials Division ..	19
5.3.3 Department of Toxic Substance Control, Chatsworth Regional Office ...	19
5.3.4 South Coast Air Quality Management District.....	20
5.3.5 Los Angeles Regional Water Quality Control Board .....	21
5.3.6 City of Los Angeles .....	22
5.3.7 California Environmental Protection Agency Regulated Site Portal.....	22
5.3.8 National Pipeline Mapping System .....	22
5.3.9 Los Angeles County Tax Assessor .....	23
<b>6 SITE RECONNAISSANCE</b> .....	<b>25</b>
<b>7 REVIEW OF HISTORICAL AERIAL PHOTOGRAPHS</b> .....	<b>29</b>
<b>8 REVIEW OF HISTORICAL TOPOGRAPHIC MAPS</b> .....	<b>31</b>
<b>9 PREVIOUS ENVIRONMENTAL SITE ASSESSMENTS</b> .....	<b>33</b>
<b>10 SITE HISTORY</b> .....	<b>35</b>
10.1 Historical Sanborn Fire Insurance Maps.....	35
10.2 City Directory .....	35
10.3 Review of Title Information/Environmental Liens.....	36
<b>11 VAPOR ENCROACHMENT SCREENING</b> .....	<b>37</b>

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

**TABLE OF CONTENTS (CONTINUED)**

<b><u>Section</u></b>	<b><u>Page No.</u></b>
<b>12 PUBLIC AGENCY RECORDS SEARCH REVIEW .....</b>	<b>39</b>
12.1 Subject Property Database Listings .....	40
12.2 Other Site Database Listings.....	42
12.3 Unmapped Sites .....	44
<b>13 POTENTIAL HAZARDS AND ENVIRONMENTAL CONCERNS.....</b>	<b>45</b>
<b>14 CONCLUSIONS AND RECOMMENDATIONS.....</b>	<b>51</b>
14.1 Recognized Environmental Conditions .....	51
14.2 Controlled Recognized Environmental Conditions .....	54
14.3 Data Gaps.....	54
14.4 Recommendations.....	55
<b>15 LIMITATIONS.....</b>	<b>57</b>
<b>16 REFERENCES.....</b>	<b>59</b>

**APPENDICES**

A	Qualifications of Environmental Professionals
B	Historical Topographic Map Report
C	Site Representative Interview
D	Regulatory Agency Records
E	Site Photographs
F	Historical Aerial Photographs
G	Certified Sanborn Map Report
H	City Directory
I	Vapor Encroachment Screen Report
J	Regulatory Database Search Report

**FIGURES**

1	Regional Map.....	9
2	Subject Property.....	11
3	Areas of Concern .....	49

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

**TABLE OF CONTENTS (CONTINUED)**

**Page No.**

**TABLES**

1	South Coast Air Quality Management District Records for the Subject Property .....	20
2	South Coast Air Quality Management District FIND Records for the Subject Property ..	20
3	Los Angeles County Tax Assessor Records for the Subject Property .....	23
4	Description of Historical Aerial Photographs Reviewed .....	29
5	Summary of Topographical Maps Reviewed .....	31
6	Summary of City Directory Listings .....	36
7	Summary of Vapor Encroachment Screening Findings .....	37
8	Regulatory Database Search Results for the Subject Property .....	39
9	Regulatory Database Records for the Subject Property .....	41
10	Evaluation of Nearby Potential Recognized Environmental Conditions .....	42

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### ACRONYMS

amsl	above mean sea level
APN	assessor's parcel number
AST	aboveground storage tank
ASTM	American Society for Testing and Materials
bgs	below ground surface
CalEPA	California Environmental Protection Agency
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CFR	Code of Federal Regulations
City	City of Santa Monica
DCA	1,1-dichloroethane
DTSC	Department of Toxic Substance Control
EDR	Environmental Data Resources
EPA	U.S. Environmental Protection Agency
ESA	Environmental Site Assessment
LADWP	Los Angeles Department of Water and Power
LACFD	Los Angeles City Fire Department
LUST	leaking underground storage tank
NPMS	National Pipeline Mapping System
PCB	polychlorinated biphenyl
PCE	tetrachloroethylene
pCi/L	pico curies per liter
PRG	Preliminary Remediation Goal
RCRA LQG	Resource Conservation and Recovery Act – Large Quantity Generator
REC	recognized environmental condition
SVOC	semi-volatile organic compounds
SWAT	Solid Waste Assessment Test
TCE	trichloroethylene
TTLC	Total Threshold Limit Concentrations
ug/L	micrograms per liter
UST	underground storage tank
VEC	vapor encroachment condition
VES	Vapor Encroachment Screening
VOC	volatile organic compound
ZIMAS	Zone Information & Map Access System

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 1 EXECUTIVE SUMMARY

A Phase I Environmental Site Assessment (ESA) was conducted for the West Los Angeles District Yard property located at 12270 and 12300 Nebraska Avenue in Los Angeles, California (subject property). The subject property consists of approximately 6.3 acres of land situated on assessor's parcel numbers (APNs) 4259-018-901, 4259-019-900, and a portion of 4259-018-902.

The findings of this investigation are based on a review of historical source information, a search of regulatory agency databases within specified distances, review of available local regulatory agency records, review of previous reports prepared for the subject property, interviews, and a site reconnaissance.

This Phase I ESA revealed the following information:

- The subject property was agricultural land from at least 1928 until 1950 (including operation as Consolidated Nurseries from 1943 to 1950) at which time industrial development began. The majority of the industrial activities occurred on 12270 Nebraska Avenue (APN 4295-018-901). Businesses that operated at the subject property between 1950 and 1989 included Riker Laboratories, Mesa Plastics, Allied Chemical Company, and Plaskon Electronic Materials. Los Angeles Department of Water and Power (LADWP) headquarters occupied the subject property (at 12300 Nebraska Avenue) beginning in 1989. The subject property is currently used as an overhead and underground power distribution and maintenance facility by LADWP.
- The surrounding area was agricultural with some commercial development to the east and west, and residential development to the north, beginning in at least 1928. Clay pits and brick-firing facilities began operations to the west of the subject property in the early 1930s, extending through the early to mid-1950s, at which time the pits were filled with solid waste and subsequently covered. The area was developed with commercial and industrial uses by the mid-1960s to the south, east, and west, and residential development to the north.
- The subject property is zoned City of Los Angeles PF-1XL: Public Facilities.
- The subject property, identified as West Los Angeles Service Center, Facility ID 85332 (FA0000806) is registered with California Environmental Protection Agency (CalEPA) for chemical storage, aboveground petroleum storage, and generating large quantities of hazardous waste (Resource Conservation and Recovery Act – Large Quantity Generator (RCRA LQG)). The most recent facility inspection was July 27, 2018, and violations were received for non-compliance of the Hazardous Materials Release Response Plan. Similar violations were received in December 2016 and April 2018. The chemical storage

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

report lists 42 materials used at the subject property, including greases, oils, paints, propane, and cleaners.

- Chemicals have been handled on the subject property since at least 1959. Chemical handling has included acetone, epoxys, phenols, diallylphthalate, acetone, oils and greases, silicone, silica compounds, tert-butyl peroxybenzoate, silane, resins, diethylaminoethanol, sodium hydroxide, sodium sulfite, kerosene, antimony oxide, diamyl peroxide, and barium carbonate. The manufacturing operations for which these materials were used have ceased on the subject property.
- A 7,500-gallon acetone underground storage tank (UST) was installed in 1959 by Mesa Plastics. It was removed in 1985 and replaced the same year with an 8,000-gallon acetone double-walled UST by Plaskon Electronic. The 8,000-gallon UST was removed in 1989 prior to demolition of all Plaskon buildings and termination of the company operations. Information regarding these tanks was received from the Los Angeles Fire Department and is discussed in Section 5.3.1.
- In February 1991, a 7,500-gallon gasoline UST, 2,000-gallon white gas UST, 500-gallon waste oil UST, an oil/water separator and a fuel island were removed from the subject property. Soil samples were collected after removal of these features. Xylene was detected in soil collected from three locations beneath the fuel tanks and fuel island at a maximum concentration of 26.7 parts per billion, and toluene was detected in soil collected from one location beneath the fuel island at 12.2 parts per billion. The low concentrations at shallow depths in the soil were determined to be de minimus.

Dudek performed this Phase I ESA of the subject property in conformance with the scope and limitations of American Society for Testing and Materials (ASTM) Practice E1527-13. This report summarizes the research and findings of the Phase I ESA.

This assessment revealed the following recognized environmental conditions (RECs) in connection with the subject property:

- Metals in soil above background and regulatory levels as identified in a 2005 site investigation.
- Elevated levels of trichloroethylene (TCE), tetrachloroethylene (PCE), 1,4-dioxane, and 1,1-dichloroethane (DCA) in the groundwater beneath the eastern adjoining property (12333 Olympic Boulevard).
- Elevated levels of volatile organic compounds (VOCs), including TCE, in the groundwater beneath the northern adjoining property (12210 ½ Nebraska Avenue).



## Phase I Environmental Site Assessment West Los Angeles District Yard

---

- Elevated levels of PCE, TCE, 1,4-dioxane, and chloroform in the groundwater within the Olympic Well Field. The radius of influence of this well field encompasses the subject property.

This assessment revealed the following controlled RECs in connection with the subject property:

- Elevated levels of VOCs in the groundwater related to the Boeing Supercharger facility, which received a no further action designation in 2013.

This assessment revealed the following data gaps:

- Incomplete documentation of the “product lagoon” and “unstable materials pit” located on the subject property in 1978.
- Areas of solid waste disposal identified on aerial photographs west of the subject property and deemed potential areas of groundwater contamination by the U.S. Environmental Protection Agency (EPA).
- Potential vapor encroachment conditions due to potential on-site and off-site sources.

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK

# Phase I Environmental Site Assessment West Los Angeles District Yard

---

## 2 INTRODUCTION

This Phase I Environmental Site Assessment (ESA) was performed according to the guidelines stipulated in American Society for Testing and Materials (ASTM) Standard E1527-13, “Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process.” This Phase I ESA was conducted as part of environmental due diligence for the proposed redevelopment of the West Los Angeles District Yard. The redevelopment of the West Los Angeles District Yard includes demolition of existing buildings, excavation activities, and construction of new buildings.

### 2.1 Assessment Procedure and Scope of Investigation

Phase I ESAs assist in identifying past and present land use, including identification of possible releases or disposal of manufacturing or other wastes if such information is contained within regulatory reports or files, and/or is currently visible on site. The assessment reviews local, county, state, and U.S. Environmental Protection Agency (EPA) lists of known or potentially hazardous waste sites, landfills, and sites currently under investigation for environmental violations that may be of concern to a site.

The scope of this environmental investigation consisted of (1) a reconnaissance of the subject property; (2) a search of regulatory agency records; (3) review of available historical aerial photographs, topographic maps, Sanborn fire insurance maps, City Directory listings, and building department records; (4) an environmental lien search; (5) interview of a representative of the property owner; and (6) preparation of this Phase I ESA report detailing the findings of the investigation.

These activities were conducted to identify recognized environmental conditions (RECs). The term “recognized environmental condition” means the presence or likely presence of any hazardous substances or petroleum products on the subject property under conditions that indicate an existing release, a past release, or a material threat of a release into the ground, groundwater, or surface water.

The term “controlled recognized environmental condition” (controlled REC) is an environmental condition that would have been considered a REC in the past, but which has been remediated and received risk-based closure by a regulatory agency (i.e., no further action letter) where residual contamination remains in place. Furthermore, “controlled REC” is used if the property is subject to a control or use restriction (i.e., property use restrictions, activity and use limitations, institutional controls, or engineering controls) due to residual on-site contamination.

The term “historical recognized environmental condition” (historical REC) is an environmental condition that would have been considered a REC in the past, but that has been remediated and

## **Phase I Environmental Site Assessment West Los Angeles District Yard**

---

received unrestricted residential use closure by the regulatory agency. Therefore, no controls or use restrictions have been applied to the property.

The term “recognized environmental condition” is not intended to include de minimus conditions. De minimus conditions are conditions that generally do not present a material risk of harm to public health or the environment and would not be the subject of an enforcement action if brought to the attention of governmental agencies.

### **2.2 Qualifications of Environmental Professionals**

This Phase I ESA was prepared by Susan Smith, geologist, Audrey Herschberger, environmental engineer, and Glenna McMahon, environmental engineer. Qualifications for Ms. Smith, Ms. Herschberger, and Ms. McMahon are presented in Appendix A.

We declare that, to the best of our professional knowledge and belief, we meet the definition of environmental professional as defined in Section 312.10 of 40 Code of Federal Regulations (CFR) Part 312. We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---


### 3 SITE LOCATION

The subject property consists of approximately 6.3 acres of land located at 12270 and 12300 Nebraska Avenue in Los Angeles, California (Figure 1). The subject property is located on assessor's parcel numbers (APNs) 4259-018-901, 4259-019-900, and a portion of 4259-018-902. The subject property is bordered to the north by Nebraska Avenue, to the south by West Olympic Boulevard, and to the east and west by industrial properties (Figure 2). The subject property is currently used as power distribution and maintenance facility, including vehicle maintenance, for the Los Angeles Department of Water and Power (LADWP).

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK



SOURCE: Esri Map Services

FIGURE 1

Regional Map

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK





SOURCE: Bing Imagery 2017



FIGURE 2

Subject Property

West LA District Yard Phase I Environmental Site Assessment



**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 4 ENVIRONMENTAL SETTING

General topographic information for the subject property and the surrounding area was obtained from a review of the Beverly Hills 7.5- x 7.5-minute U.S. Geological Survey topographic map, from the Environmental Data Resources (EDR) report (Appendix B), and from the site visit. The topography of the subject property is characterized by an overall south-southeast gradient, toward Olympic Boulevard. The elevation of the subject property is approximately 160 feet above mean sea level.

No subsurface geologic investigations were performed as part of this Phase I ESA. According to the U.S. Department of Agriculture Natural Cooperative Soil Survey, the subject property is mapped as having a soil component name of Urban Land, which has a variable surface texture. Other soil types in the area may consist of variable loams, clays, and sands. The geology of the subject property is primarily composed of Cenozoic-era quaternary rocks.

Based on sources searched by EDR, 22 water wells were mapped within 1 mile of the subject property; none of the wells are located on the subject property. In all, 4 of the wells were listed as U.S. Geological Survey wells, 1 was listed as a California oil and gas well, and the others are state-listed wells. Additional information regarding these wells is as follows:

- One of the wells is a monitoring well, with reported concentrations of volatile organic compounds (VOCs) from January 2012 until December 2017. This well is located between 0.25 and 0.5 miles southwest of the subject property. The most recent detected concentrations are as follows: chloroform at 4.4 micrograms per liter (ug/L), tetrachloroethylene (PCE) at 29.1 ug/L, 1,1-dichloroethylene (DCE) at 2 ug/L, trichloroethylene (TCE) at 39.9 ug/L, and cis-1,2-DCE at 2.1 ug/L.
- A second monitoring well was identified between 0.25 and 0.5 miles west of the subject property with reported concentrations of metals and other groundwater quality indicators from August 2012 to October 2017. The most recent detected concentrations are as follows: iron at 19.1 ug/L, manganese at 6.8 ug/L, and total trihalomethanes at 0.67 ug/L.
- A third monitoring well was identified 0.5 miles east of the subject property with reported concentrations of VOCs from January 2012 until December 2017. The most recent detected concentrations are as follows: chloroform at 1.1 ug/L, PCE at 8 ug/L, and TCE at 3 ug/L.

Based on sources searched by EDR and the California Division of Oil, Gas, and Geothermal Resources online database, three oil and gas wells are located within 1 mile of the subject property; none are located on the subject property. The closest oil and gas well is located

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

approximately 600 feet southwest of the subject property and is reported as a “dry hole.” Two active producing wells are located approximately 1 mile northwest of the subject property (DOGGR 2018).

Based on available reports and topography of the area, groundwater is expected to flow in a southerly direction, with local variations at shallow depths. Two City of Santa Monica supply wells are located within 0.25 miles of the subject property to the southwest. Groundwater monitoring reports (ICF 2017) conducted on these wells and surrounding associated monitoring wells indicate deep groundwater aquifers flow toward these wells due to a drawdown radius of approximately 5,000 feet from the wells.

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

## 5 INTERVIEWS

### 5.1 Site Representative Interview

On August 14, 2018, Susan Smith of Dudek interviewed Randolph Bowen of LADWP, representative for the subject property. A copy of the completed background questionnaire is included as Appendix C.

Mr. Bowen stated that the subject property is and has been used as an overhead and underground power distribution and maintenance facility.

Minimal vehicle maintenance is conducted in the Service Building. Mr. Bowen stated that damaged transformers are transported from the field to the subject property and the oil is sampled and analyzed for polychlorinated biphenyl (PCB). The damaged transformers are bagged and/or placed on spill pallets pending proper characterization and disposal. The hydraulic oil used in the equipment at the subject property does not contain PCB.

Soil from various excavations is sometimes stored on the subject property to be used as fill for various maintenance/repair activities; the soil is not used for fill material on the subject property.

Mr. Bowen stated that three aboveground storage tanks (ASTs) are located on the subject property; he was not aware of any underground storage tanks (USTs) on the subject property since the LADWP occupation.

Mr. Bowen stated that subject property was included in a lead-based paint and asbestos-containing materials survey in 2017. The interior and exterior of the office building and warehouse were abated for lead-based paint and asbestos-containing materials; the exteriors of the remaining buildings were also abated.

Mr. Bowen was not aware of any land use restrictions or litigation associated with the subject property.

### 5.2 User-Provided Information

In accordance with ASTM Standard E 1527-13, to qualify for one of the landowner liability protections offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001, the user must provide the following information (if available) to the environmental professional. On September 28, 2018, Randolph Bowen of the LADWP provided the answers to Dudek via telephone. The questions and responses are presented below.

1. **Question:** Are you aware of any environmental cleanup liens against the property that are filed or recorded under federal, tribal, state, or local law?

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

**Response:** No.

2. **Question:** Are you aware of any activity and land use limitations, such as engineering controls, land use restrictions, or institutional controls, that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state, or local law?

**Response:** No.

3. **Question:** As the user of this ESA, do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business?

**Response:** I only have knowledge pertaining to the southwestern-adjacent Receiving Station K.

4. **Question:** Does the purchase price being paid for this property reasonably reflect the fair market value of the property? If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property?

**Response:** Not applicable.

5. **Question:** Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example, as user, (a) do you know the past uses of the property, (b) do you know of specific chemicals that are present or once were present at the property, (c) do you know of spills or other chemical releases that have taken place at the property, or (d) do you know of any environmental cleanups that have taken place at the property?

**Response:** (a) the property has been used as a water and power distribution facility for the past 40 years; I am not aware of the previous use; (b) chemicals on the property include gasoline, diesel, motor oil, and cable oil; (c) no; and (d) no.

6. **Question:** As the user of this ESA, based on your knowledge and experience related to the property, are there any obvious indicators that point to the presence or likely presence of contamination at the property?

**Response:** No.

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 5.3 Agency Interviews

Regulatory agency records concerning environmental compliance for the subject property were requested from several agencies. Documents and information obtained from the regulatory agencies are summarized in Sections 5.3.1 through 5.3.9.

#### 5.3.1 Los Angeles City Fire Department

The Los Angeles City Fire Department (LACFD) is the Certified Unified Program Agency for the City of Los Angeles. LACFD provides multiple online resources to find information about ASTs, USTs, and hazardous materials. Dudek accessed these online records on August 14, 2018.

- Active AST, UST, and Hazardous Materials Inventories (by address): The subject property address (12300 West Nebraska Avenue) was listed in the Hazardous Materials inventory under LADWP – West Los Angeles Service Center, Facility ID FA0000806.
- Inactive AST, UST, and Hazardous Materials Inventories: The subject property (12270 West Nebraska Avenue) was listed in the Inactive UST and Inactive Hazardous Materials inventory under Plaskon Electronic Materials Inc., Facility ID FA0001598.
- UST Historic File List: The subject property address was not listed.

Dudek submitted a request for records pertaining to 12270 W Nebraska Avenue. LACFD provided the following:

- A tank inspection form dated April 1959 for Mesa Plastics for the installation of a 7,500-gallon acetone UST. The tank was installed 225 feet south of the north property line, and 80 feet east of the west property line.
- A diagram of an “unstable materials pit” for Allied Chemical Co., dated January 18, 1978. The diagram states the pit will hold tertiary butyl perbenzoate and dicumyl peroxide. The location of this pit is not shown.
- A 1984 Hazardous Materials Inventory list. Materials included acetone, resins, silane, lubricating and hydraulic oils, flammable gases, and catalysts.
- An abandonment notification of a 7,500-gallon UST, dated May 22, 1985. The tank was reportedly 225 feet south of the north property line and 135 feet west of the east property line. This is the same approximate location of the Mesa Plastics acetone tank, installed in 1959.
- A permit application for the installation of an 8,000-gallon double-walled UST, dated April 1985 (completed May 1985).

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

- Final Closure Report for an Underground Solvent Storage Tank Removal (AMI 1989) and associated closure permits. The removal was for one 8,000-gallon double-walled steel tank containing acetone at atmospheric pressure. The tank was located in the approximate center of the former Plaskon Electronics site (APN 4259-018-901), in between the former buildings. Following abatement and removal of the tank, soil samples were collected. Analytical results identified slight acetone concentrations in the soils (maximum 0.56 milligrams per kilogram) below the tank, which were determined to be de minimus and did not indicate impacts to soils. The excavation was backfilled and graded.
- A notice of termination of operation of the Plaskon Electronic Materials manufacturing plant. Operations were noted as scheduled to be terminated on March 1, 1989, with subsequent building demolition.

Dudek submitted a request for records pertaining to 12300 West Nebraska Avenue. LACFD provided the following:

- An UST inspection form, dated September 1953, indicating one 2,000-gallon and one 7,500-gallon gasoline UST, both located 15 feet from the east property line and 200 to 215 feet from the north property line.
- An UST inspection form, dated January 1957, indicates two tanks were located on the subject property: one 2,000-gallon UST and one 7,500-gallon UST. The notes indicate the 2,000-gallon tank was leaking so it was removed, repaired, and replaced in the same location. The tanks contained gasoline and were part of a service station.
- A tank abandonment form, dated February 1957, for one 2,000-gallon UST to be removed from the ground. The tank was repaired and replaced into the ground.
- A tank abandonment form, dated January 1958, for one 2,000-gallon UST to be filled with sand. The tank is located 15 feet west of the east property line and 200 feet south of the north property line.
- An UST inspection form, dated January 1958, indicating the installation of a 1,000-gallon UST to replace the 2,000-gallon UST.
- A tank closure report with soil sampling results dated February 20, 1991. A gasoline UST, white gasoline UST, waste oil UST, and a gasoline island were removed from the site. Based on available information, these two tanks appear to be the same tanks referenced in the 1950s documentation. Subsequent soil samples collected from each excavation area revealed no detections of petroleum hydrocarbons. A figure indicates the approximate locations of these USTs, which are shown on Figure 3 of this report. Xylenes were detected beneath the waste oil tank and beneath the gasoline island (max 26.7 parts per billion). Toluene was also



## Phase I Environmental Site Assessment West Los Angeles District Yard

---

detected beneath the gasoline island (12.2 parts per million). This decommissioning activity is discussed further in Section 9.

- Various permits and authorizations for the 1991 removal of the USTs.
- Disposal confirmations and manifests for the 1991 USTs.
- A 2003 inspection report for the three Convalt ASTs located on the site.

LACFD also provided a link to the California Environmental Protection Agency (CalEPA) Regulated Site Portal. The results of the CalEPA portal are discussed in Section 5.3.7.

### **5.3.2 Los Angeles County Fire Department – Hazardous Materials Division**

Dudek contacted the Los Angeles County Fire Department Hazardous Materials Division to obtain information about potential spills, tanks, or chemical use on the subject property. The county provided various files for the property at 12270 Nebraska Avenue. One set of files was for a health complaint involving contact dermatitis after packaging plastic materials. The second set of files included hazardous materials summaries from Plaskon Materials manufacturing facility. The chemicals identified in these various summaries include epoxys, phenols, diallylphthalate, acetone, oils and greases, silicone, silica compounds, tert-butyl peroxybenzoate, silane, resins, diethylaminoethanol, sodium hydroxide, sodium sulfite, kerosene, antimony oxide, diamyl peroxide, and barium carbonate. Copies of these files are provided in Appendix D.

### **5.3.3 Department of Toxic Substance Control, Chatsworth Regional Office**

#### **5.3.3.1 Office Records**

Dudek contacted the Department of Toxic Substance Control (DTSC), Chatsworth Regional Office, to obtain information about spills, tanks, or chemicals used that may have impacted the environmental conditions on the subject property. As of the date of this report, DTSC has not responded.

#### **5.3.3.2 EnviroStor**

Dudek accessed EnviroStor (EnviroStor 2018), which is an online database of DTSC sites. The subject property was not listed in the EnviroStor database. The adjoining property, 12210 ½ Nebraska Avenue, was listed, and is discussed in Section 12.2.

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

### 5.3.4 South Coast Air Quality Management District

#### 5.3.4.1 Office Records

Dudek contacted the South Coast Air Quality Management District on August 2, 2018, to obtain records regarding hazardous materials, permits, complaints, and code violations for the subject property. The information obtained is presented in the Table 1 and Appendix D.

**Table 1**  
**South Coast Air Quality Management District Records for the Subject Property**

Date	Description
<i>LA City, DWP 12300 Nebraska Ave</i>	
8/8/1984	Permit to operate gasoline storage tanks and dispensing equipment
8/31/1991	Permit to operate two underground storage tanks (one 12,000-gallon gasoline and one 5,000-gallon diesel) and associated fuel dispensers
1995, 2004, 2005, 2012, 2013, 2014	Permit to operate gasoline and diesel aboveground storage tanks
1996, 2006	Permit to operate diesel generator
2007, 2015, 2016	Asbestos abatement notifications
2001, 2009	Notices of compliance – failure to provide copies of pressure test results and place orange sticker on engine
2002, 2011, 2017	Notices of violation – failure to perform vapor recovery recertification on gasoline-powered equipment, operation of emergency generator more than 30 hours per year, and failure to report gasoline throughput
<i>Plaskon Electronic Materials 12270 Nebraska Ave</i>	
1981, 1984	Multiple permits to operate various equipment including roll mills, blenders, mixers, molding, grinders, and various pollution control equipment; solvents were noted to be used on the 1981 roll mill permit
1984, 1984	Permit to operate a 7,500-gallon underground storage tank (acetone)
1985	Permit to operate an 8,000-gallon underground storage tank (acetone)

#### 5.3.4.2 Online Database

Dudek accessed the South Coast Air Quality Management District’s online search tool, FIND, on August 14, 2018 (FIND 2018). The information shown in Table 2 was obtained.

**Table 2**  
**South Coast Air Quality Management District FIND Records for the Subject Property**

Date	Description
<i>LA City, DWP (Facility ID 4471) 12300 Nebraska Ave</i>	
6/12/2014	Active permit to operate a gasoline service station.

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

**Table 2**  
**South Coast Air Quality Management District FIND Records for the Subject Property**

Date	Description
6/22/2006	Active permit to operate a diesel generator.
8/8/1984	Inactive permit to operate amine regeneration and gasoline service station.
8/31/1991	Inactive permit to operate a gasoline storage tank and refinery flare system.
3/13/1995	Inactive permit to operate a gasoline storage tank.
4/16/1996	Inactive permit to operate a diesel generator.
1/19/2000 6/4/2004 12/6/2012	Inactive permit to operate a gasoline service station
<i>Paktank Corp (Facility ID 83184) 12270 Nebraska Ave</i>	
12/20/1990	Application for a stationary diesel generator
3/2/2001	Application for an ERC alteration
<i>Plaskon Electronic Materials Inc. (Facility ID 21406, 45149) 12270 Nebraska Ave</i>	
1982, 1983, 1984, 1986, 1988	Multiple inactive permits to operate plastics and resins blending, size reduction, size classification, extruding, and packaging; dioctyl phthalate rolling; baghouse; miscellaneous material cleaning; and glass fiber size reduction processes.

Notices of violation were received by LADWP in 2002, 2011, and 2017, all of which were later brought into compliance. The violations involved improper paperwork and reporting.

### 5.3.5 Los Angeles Regional Water Quality Control Board

#### 5.3.5.1 Office Records

Dudek contacted the Los Angeles Regional Water Quality Control Board (LARWQCB) on August 2, 2018, to obtain records of spills, tanks, or other releases that may have impacted the environmental conditions on the subject property. On August 9, 2018, the LARWQCB responded that it did not have any records related to the subject property addresses.

#### 5.3.5.2 GeoTracker Records

Dudek accessed GeoTracker, the California Water Board online data management system, on August 14, 2018 (GeoTracker 2018). The subject property was not identified on the GeoTracker online mapping system. However, the EDR Report (Section 12.1) provided a link to a Hazardous Material Storage Container Information Sheet (UST records) that is stored on GeoTracker. Copies of these information sheets are provided in Appendix D.

## **Phase I Environmental Site Assessment West Los Angeles District Yard**

---

### **5.3.6 City of Los Angeles**

Dudek requested records from the City of Los Angeles on August 2, 2018. On August 3, 2018, the Office of the City Clerk responded stating it is “not in possession of any documents or information relating to your request.”

Dudek accessed the City of Los Angeles Department of Planning and Zoning online Zone Information & Map Access System (ZIMAS) on August 14, 2018 (ZIMAS 2018). The subject property is zoned PF-1XL: Public Facilities.

Properties to the east and south are zoned M2-1: Light Manufacturing. Properties to the north are zoned R1-1: Low Residential. Properties to the west of Centinela Avenue are part of the City of Santa Monica, zoned Mixed Use Creative.

### **5.3.7 California Environmental Protection Agency Regulated Site Portal**

Dudek accessed the CalEPA site portal on August 14, 2018 (CalEPA 2018). The following listing was found for the subject property:

- West Los Angeles Service Center, Facility ID 85332 (FA0000806) is listed for chemical storage facilities, aboveground petroleum storage, and generating large quantities of hazardous waste (RCRA LQG). The most recent facility inspection was July 27, 2018, and violations were received for non-compliance of the Hazardous Materials Release Response Plan. Similar violations were received in April 2018 and December 2016. Chemical storage includes 42 reported materials, including greases, oils, paints, propane, and cleaners. A full list is provided in Appendix D.

### **5.3.8 National Pipeline Mapping System**

Dudek accessed the National Pipeline Mapping System (NPMS) online database on August 15, 2018, for information about hazardous materials pipelines, accidents, and other incidents on or near the subject property (NPMS 2018). There are two liquid natural gas pipelines east of the subject property, the closest being approximately 0.25 miles from the subject property. There are two hazardous liquid pipelines, one approximately 0.5 miles east of the subject property, and one approximately 0.8 miles west of the subject property. No accidents or incidents were reported within 1 mile of the subject property.

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

### 5.3.9 Los Angeles County Tax Assessor

Dudek accessed the Los Angeles County Tax Assessor’s online property assessment information system database on August 15, 2018, to obtain information about building construction dates (County of Los Angeles 2018). Results of this search are presented in Table 3.

**Table 3**  
**Los Angeles County Tax Assessor Records for the Subject Property**

APN	Address	Details
4259018901	12270 Nebraska Avenue	A commercial use, government owned parcel with no recorded buildings. The land is 84,867 square feet. The property was recorded sold in 1979, 1983, 1984, and 1989. The APN was changed in 1989 from 4259018001.
4259018902	None	A government owned parcel with no recorded buildings designated “other property type.” The total land is 450,671 square feet. The property was recorded sold in 1967.
4259019900	None	A government owned parcel with no recorded buildings designated “other property type.” The total land is 50,212 square feet. The property was recorded sold in 1967.

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 6 SITE RECONNAISSANCE

A site reconnaissance was conducted on August 14, 2018, by Susan Smith of Dudek. Ms. Smith was accompanied by Randolph Bowen, representative of the subject property. The site reconnaissance consisted of walking the subject property and viewing adjacent properties from the subject property or public rights of way. Photographs are included in Appendix E.

The subject property consists of land used as an overhead and underground power distribution and maintenance facility. The subject property consists of several standalone structures (office building, assembly building, locker room building, warehouse/tool room building, and service building), outdoor storage areas, and parking (Photographs 1 through 6).

The subject property is bound to the northwest by Nebraska Avenue and residential housing (Photograph 7). The subject property is bound to the northeast by commercial businesses including an architecture firm and gaming company (Photograph 8). The subject property is bound to the southwest by Receiving Station K, Centinela Boulevard, and various office buildings (Photographs 5 and 9). The subject property is bound to the southeast by a veterinary clinic and Olympic Boulevard (Photograph 10).

New transformers are stored in two areas on the northeastern portion of the subject property (Photographs 11 and 12). Temporary transformers mounted on trailers are stored on the northeastern portion of the subject property, adjacent to the employee parking lot (Photograph 13). Used and damaged transformers are stored on a concrete pad located on the northeastern portion of the subject property (Photograph 14).

New and dirty oil drums (cable oil and inhibited oil) and cans of diesel fuel are stored in prefabricated buildings equipped with secondary containment (Photograph 15). Empty drums are stored adjacent to the prefabricated buildings (Photograph 16).

ASTs are located on the northern and southeastern portions of the subject property. The ASTs include a diesel generator with day tank and three double-walled tanks (two unleaded gasoline and one diesel).

Dry materials, including gravel and soil, are stored in outdoor bays on the northeastern portion of the subject property (Photograph 17).

#### **Surface Water Discharge**

The subject property slopes gently toward the southwest. A swale is present on the southeastern portion of the subject property and extends toward Centinela Avenue (Photograph 5).

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### **Pits, Ponds, or Lagoons**

No pits, ponds, or lagoons were observed on the subject property.

### **Distressed Vegetation**

Distressed vegetation was not observed on the subject property.

### **Indications of Solid Debris Storage**

Used lead cables coated in cable oil are stored in bins located on the southwestern portion of the subject property (Photograph 18). Damaged transformers are stored on the northeastern portion of the subject property (Photograph 14).

### **Chemical Storage or Use**

Various chemicals were observed in the auto service building. Drums of chemicals include transmission fluid, motor oil, antifreeze, and brake cleaner (Photograph 19). Two parts washers atop drums were also observed in the auto service building (Photograph 20). Drums containing cable oil and inhibited oil were observed in the prefabricated hazardous materials buildings (Photograph 21). Aerosols and other flammable materials were observed in flammable cabinets in the tool room building (Photograph 22). Compressed gasses (acetylene, propane, and nitrogen) were observed in the empty drum storage area (Photograph 23).

### **Pools of Liquid**

No unnaturally discolored pools or flowing water were observed on the subject property.

### **Groundwater Wells, Cisterns, Cesspools, or Septic Tanks**

No groundwater wells, cesspools, cisterns, or septic tanks were observed during the site reconnaissance.

### **Drains and Sumps**

Storm drains were observed on the southeastern portion of the subject property. A wash rack was observed in the auto service building (Photograph 24).



# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### **Transformers and Hydraulic Equipment**

A hydraulic vehicle lift was observed in the auto service building; no staining was observed in the vicinity of the vehicle lift (Photograph 25). Trailer-mounted hydraulic cable pulling tools were observed on the southeastern portion of the subject property; minimal staining was observed on the asphalt adjacent to one of the trailers (Photograph 26). New and used/damaged transformers were observed on the subject property (Photograph 14). The damaged transformers were stored on a cement pad and were typically wrapped in plastic or placed on/within secondary containment. Absorbent materials were observed around the base of one of the transformers (Photograph 27). Minimal oil staining was observed on the asphalt in an area used to load and transport the damaged transformers for disposal (Photograph 28).

### **Abnormal Odor**

Dudek did not notice any abnormal odors on the subject property during the site reconnaissance.

### **Soil Disturbances**

No soil disturbances were observed during the site reconnaissance.

### **Storage Tanks**

Three 2,000-gallon double-walled ASTs (two unleaded and one diesel) located within concrete berms were observed on the southeastern portion of the subject property; de minimus staining was observed in the vicinity of the nozzles, and no staining was observed beneath the tanks (Photographs 29 and 30). A diesel generator equipped with a double-walled day tank was observed in the northeastern portion of the subject property; no staining was observed beneath the tank (Photographs 31 and 32). No evidence of USTs was observed during the site reconnaissance.

### **Staining**

Minimal oil staining was observed on the concrete floor beneath the used/damaged transformers, on the asphalt near the transformer disposal transportation area, and on the asphalt near the cable pulling trailer (Photographs 26 through 28).

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK

## Phase I Environmental Site Assessment West Los Angeles District Yard

### 7 REVIEW OF HISTORICAL AERIAL PHOTOGRAPHS

Dudek reviewed historical aerial photographs from EDR for 1928, 1938, 1947, 1952, 1964, 1967, 1970, 1977, 1981, 1989, 1994, 2002, 2005, 2009, 2012, and 2016 (Appendix F). The photographs provided background information to assess the possibility of past activities that could present environmental concerns. The aerial photographs are described in Table 4.

**Table 4  
Description of Historical Aerial Photographs Reviewed**

Date	Description
1928	The subject property appears to be all row crops with no observable buildings. The properties to the north appear to be developing residential communities. Adjoining to the east, west, and south are more agricultural areas (row crops). Commercial size buildings are observed to the east, west, and south, but are not adjoining the subject property. A disturbed area is observed approximately 500 feet to the west. Nebraska Avenue is observed bordering the subject property to the north, Centinela Ave borders to the west, and a portion of West Olympic Boulevard borders to the south, but does not connect to South Bundy Drive or extend west beyond Centinela Avenue. South Bundy Drive is observed to the east.
1938	No significant changes are observed to the subject property from the 1928 aerial photograph. There is a large commercial property to the west, where 12 large silos/tanks are observed approximately 1,500 feet from the subject property, as well as a large disturbed area. Residential properties are observed adjoining to the north and continue northward. The adjoining properties to the west, east, and south are agricultural. West Olympic Boulevard now extends beyond Centinela Avenue and Bundy Drive.
1947	No significant changes are observed to the subject property from the 1938 aerial photograph. Residential density has increased to the north and northeast, and is developing to the south beyond the adjacent agricultural/commercial areas. The western, eastern, and southern adjoining properties still appear agricultural. A fan-shaped ground disturbance is observed to the southeast, which appears to be an auditorium (topographic maps confirm it is a drive-in theater). Commercial development has increased directly to the south spanning along Olympic Boulevard. The large disturbed area to the west now contains large commercial buildings adjacent to the land disturbance.
1952	The northeastern portion of the subject property (APN 4295-018-901) is now developed with a large, rectangular commercial building along the eastern side, and a second smaller square building just to the south. The northern corner appears to be parking. The southeastern section of the subject property (APN 4259-019-900) appears disturbed with a long row of material down the center. The western portions (APN 4259-018-902) still appear agricultural row crops. The adjoining properties are now developed, with a large parking lot to the west, parking and commercial/industrial buildings to the east and south, a drive-in theater to the southeast, and residential to the north. The outlying areas are now commercially or residentially developed.
1964	The subject property is now developed, with multiple buildings on the northern parcels, as well as paved drive and parking areas. The southern portions of the subject property do not contain buildings, but appear to be paved areas. The southeast leg of the subject property appears to be a long strip of parking spaces. The surrounding area is completely developed, with residential to the north, and commercial/industrial to the east, west, and south. The western adjoining property (APN 4259-018-902) is developed as a substation.
1967	No significant changes are observed from the 1964 aerial photograph.
1970	The subject property contains multiple buildings, all located on the northern portion of the property. The southern leg is parking, and the western leg is paved driveway. Materials are stored outside in multiple areas of the subject property. Significant changes are not observed from the 1967 aerial photograph.
1977	The drive-in theater to the southeast is now being developed with a large commercial building. The subject

## Phase I Environmental Site Assessment West Los Angeles District Yard

**Table 4  
Description of Historical Aerial Photographs Reviewed**

Date	Description
	property appears similar to the 1970 aerial photograph, except there is a large area of stored materials in the center of the northern section of the property, along the western edge of APN 4295-018-901. The surrounding areas also appear similar to the 1977 aerial photograph.
1981	New buildings have been constructed to the southeast, where the former drive-in was located. These buildings appear commercial or industrial. A new structure or material storage area is observed on the top of the southern leg of the subject property, where vehicle parking was previously observed.
1989	The northern portion of the subject property (APN 4295-018-901) has been cleared of all structures and appears either bare dirt or paved. The remainder of the subject property appears unchanged. The surrounding areas appear unchanged.
1994	One new building is observed on the subject property, on the area that was cleared in the 1989 aerial photograph. The remaining area is paved vehicle parking. The remainder of the subject property appears unchanged, as do the surrounding areas.
2002	The subject property layout is unchanged. A concrete patch is observed in the northern portion of the subject property (on APN 4259-018-902), at the northwest end of the outdoor material storage area. Six buildings are observed. The remainder of the site appears paved with vehicle parking and material storage. The surrounding areas also appear unchanged.
2005	No significant changes are observed from the 2002 aerial photograph.
2009	Significant changes are not observed on the subject property from the 2005 aerial photograph. Two new commercial buildings are observed to the south, south of Olympic Boulevard. The buildings appear similar to the surrounding commercial buildings.
2012	No significant changes are observed from the 2009 aerial photograph.
2016	The subject property is commercially developed, with five buildings on the northern portion. The entire site is paved. Vehicle parking is located on the northern portion around the buildings. Exterior material storage is observed along the center line of the southeastern leg of the subject property, and in the northern portion along the southernmost building. The western leg of the subject property appears to be driveway area and some material storage. The surrounding areas are commercially/industrially developed to the east, west, and south, and residentially developed to the north. Nebraska Avenue borders the subject property to the north, and Centinela Avenue and Olympic Boulevard border to the south.

Dudek also reviewed the EPA Aerial Photographic Analysis of the Santa Monica Groundwater Area (EPA 1996). The coverage area included an almost-square area bordered by Santa Monica Boulevard to the north, Rose Avenue to the south, Butler Avenue to the east, and 20th Street to the west, and encompasses the subject property. In summary, clay mining operations were present in the 1930s, west of the subject property, and continued in the northern portion of the area until 1952 to 1958, followed by dumping in the open pit areas. By 1975 all excavations had been filled and commercial and industrial buildings had been constructed. Eight of these sites are located within a 1-mile radius of the subject property, and are shown on Figure 3. These areas were considered potential areas of groundwater contamination by EPA.

## Phase I Environmental Site Assessment West Los Angeles District Yard

### 8 REVIEW OF HISTORICAL TOPOGRAPHIC MAPS

Dudek reviewed historical topographic maps from 1894, 1896, 1898, 1900, 1902, 1920, 1921, 1925, 1934, 1950, 1966, 1972, 1981, 1994, 1995, and 2012 (Appendix B). The topographic maps are a historical source that can be used to document the prior use of the subject property and surrounding area.

The topographic maps are described in Table 5.

**Table 5  
Summary of Topographical Maps Reviewed**

Date	Scale	Description
1894, 1896, 1898, 1900	1:62,500	The subject property and surrounding areas show no development. Southern Pacific Railroad is observed approximately 0.25 miles south and 1 mile east, and Pasadena and Pacific Railroad 0.35 miles north of the subject property. The subject property is in a low-lying flat area south of the Santa Monica Mountains. Santa Monica lies to the west, La Ballona to the south, San Jose de Buenos Ayres to the north, and Rincon de Los Bueyes to the east.
1902	1:62,500	A road is observed along the western border of the subject property. Development is observed beginning approximately 1 mile west and 1 mile north of the subject property.
1920, 1921	1:62,500	The subject property and surrounding areas are now developed with a city-style grid-pattern road system and small buildings throughout. A single building is shown on the western leg of the subject property. A road is now bordering the subject property to the west, then turns and also borders the southern leg of the property. Oil wells are shown approximately 1.25 miles northwest of the subject property. South of the subject property is still largely undeveloped.
1925	1:24,000	The subject property is in the "Sawtelle" area. Hot houses are shown to the east. The Los Angeles City Boundary runs along the road that borders the subject property to the west and south. Contour lines depict a slight southward gradient across the subject property; an elevation benchmark of 153 feet above mean sea level (amsl) is located just south on the railroad. The subject property is undeveloped, with no buildings or other features. The adjoining properties are also undeveloped. Two large pits or depressions are observed 0.5 and 0.75 miles west of the subject property.
1934	1:24,000	Development has increased surrounding the subject property, and now borders the subject property to the north. The municipal airport is observed approximately 0.75 miles to the south. Multiple depressions are depicted west of the subject property, the closest one located less than 0.25 miles west.
1950	1:24,000	The surrounding area is now "built-up area." The eastern adjoining property contains multiple mid-sized buildings (larger than residences). The properties 0.25 to 0.5 miles west of the subject property show depressions and gas tanks. North of the subject property is all built up. Olympic Boulevard borders to the south; Centinela Avenue to the west; Nebraska to the north. The area contains schools, an airport, and parks.

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

**Table 5**  
**Summary of Topographical Maps Reviewed**

Date	Scale	Description
1966	1:24,000	The properties 0.5 miles to the west are now depicted as a "clay pit" mining site. The tanks are no longer depicted. Buildings are now shown on the subject property, eight in all. The adjoining properties all contain mid-sized buildings; a drive-in theater is located less than 1/8 miles to the east. The Santa Monica Freeway is now located approximately 0.25 miles to the south.
1972, 1981, 1994, 1995	1:24,000	No significant changes are observed on the subject property, except one new small building observed in 1981. New buildings are observed in the areas surrounding the subject property, mainly mid-sized to large buildings in commercial areas. The clay pit to the west is no longer depicted.
2012	1:24,000	Only roads and contour lines are depicted; buildings are no longer shown. No significant changes to the subject property or the area are observed.

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 9 PREVIOUS ENVIRONMENTAL SITE ASSESSMENTS

#### Phase I ESA, December 1999

A Phase I ESA was prepared by Parsons Engineering Science Inc. in 1999 for the subject property (Parsons 1999). The 1999 Phase I ESA identified the following RECs: suspect asbestos-containing materials throughout the buildings, the oil/water separator associated with the vehicle wash rack in the truck shed, possible PCB-containing fluorescent light ballasts throughout the buildings, and suspected lead-based paint on the interior and exterior of the buildings. The oil/water separator was identified as a REC because there was no documentation of its installation, the integrity of the separator could not be assessed, and sampling of the environmental media at or near it had not been conducted.

During the 1999 site reconnaissance, two 2,000-gallon gasoline ASTs and one 2,000-gallon diesel AST with attached fuel nozzles, one 500-gallon waste oil AST at the truck shed and vehicle fleet maintenance shop, a three-stage oil/water separator at the wash rack, and a hazardous waste satellite accumulation area at the truck shed were observed on the subject property.

In February 1991, three USTs, a fueling station, and one oil/water separator were removed from the subject property. These tanks included a 7,500-gallon gasoline UST, approximately 10 years old; a 2,000-gallon white gas UST, approximately 20 years old; and a 500-gallon motor oil UST, age unknown.<sup>1</sup> The approximate location of the fuel island and USTs is shown on Figure 3. Soil samples collected after removal of these features showed concentrations of xylene in soil in three locations beneath the fuel tanks and fuel island at a maximum concentration of 26.7 parts per billion, and concentrations of toluene in soil in one location beneath the fuel island at 12.2 parts per billion. A removal report was submitted to the LACFD. The detected concentrations were located 3 feet below ground surface (bgs). Based on Dudek's review of the data, the detected levels of xylene are below the current Environmental Screening Level of 2.3 parts per million and the EPA Regional Screening Level for Residential Soil of 5,800 parts per million.<sup>2</sup> Shallow groundwater has been determined to be approximately 40 feet bgs (Citadel 2017). Based on the low concentrations at shallow depths in the soil and depth to groundwater, these levels appear to be de minimus, and do not pose a REC to the subject property.

---

<sup>1</sup> Documentation received from the LACFD (Section 5.3.1 of this report) indicates these tanks were installed in approximately 1951.

<sup>2</sup> These levels are referenced because they are typical screening levels used to evaluate soil contamination in the State of California. These are not necessarily the screening levels that would be utilized in a remediation activity at the subject property. They are being used to reference the de minimus nature of the reported contamination.

## **Phase I Environmental Site Assessment West Los Angeles District Yard**

---

### **Initial Study/Proposed Mitigated Negative Declaration, February 2005**

A California Environmental Quality Act Initial Study was completed on the subject property by LADPW Environmental Services in 2005. The study was conducted in the proposed location of a new Administration Building at the northeast portion of the subject property, northeast of the current office building. At the time of the study, the area was used as a parking lot. The Initial Study and subsequent Mitigated Negative Declaration did not find any significant environmental impacts due to the proposed construction of the new Administration Building.

### **Final Site Investigation Report, May 2005**

A limited soil investigation was conducted on the subject property, the findings of which were reported in the Final Site Investigation Report prepared by Essentia Management Services in 2005 (Essentia 2005). The investigation was conducted in the proposed location of a new Administration Building at the northeast portion of the subject property, northeast of the current office building. At the time of the study, the area was used as a parking lot. The report states that the site was historically used as a nursery (1943–1950), laboratory (1950–1959), plastics company (1959–1964), chemical company (1964–1979), electronic materials company (1979–1989), and LADPW headquarters (1989–2005).

Eight direct-push borings were advanced to a depth of 8 feet bgs in this area. Samples from each boring were submitted for chemical analysis. The site investigation identified the following:

- VOCs, organophosphorus pesticides, and chlorinated herbicides were not detected; organochlorine pesticides were detected, but not at concentrations exceeding Preliminary Remediation Goals (PRGs) and Total Threshold Limit Concentrations (TTLCs).
- Arsenic was detected above PRG, TTLC, and estimated regional background concentrations; mercury was detected, but not at concentrations above the residential PRG, TTLC, or regional background concentrations.
- Vanadium was detected above residential PRG and regional background concentrations, but not above industrial PRG or TTLC concentrations.
- Beryllium, cadmium, chromium, cobalt, copper, molybdenum, nickel, selenium, and zinc were detected above regional background concentrations.
- Petroleum hydrocarbons were detected, but not above action levels.

Dudek believes the elevated concentrations of metals above background and, for some, above regulatory action levels, represents a REC to the subject property. The detected pesticides and petroleum hydrocarbons are not above regulatory action levels, and therefore represent a de minimus condition to the subject property.



# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 10 SITE HISTORY

Based on review of the historical aerial photographs and topographic maps, agency records, the site representative interview, previous reports, and information obtained online, the subject property was agricultural land from at least 1928 until 1950 (including operation as Consolidated Nurseries from 1943 to 1950), at which time industrial development began. The subject property has been operated under two addresses, 12270 and 12300 Nebraska Avenue. The majority of the industrial activities occurred on 12270 Nebraska Avenue (APN 4295-018-901). The subject property operated as Riker Laboratories from 1950 to 1959, Mesa Plastics from 1959 until 1964, Allied Chemical Company from 1964 until 1979, Plaskon Electronic Materials from 1979 until 1989, and LADWP headquarters (at 12300 Nebraska Avenue) beginning in 1989.

Mesa Plastics installed a 7,500-gallon acetone UST in 1959, which was subsequently removed and replaced by Plaskon Electronic Materials in 1985. Plaskon installed an 8,000-gallon dual-walled steel acetone UST, which was removed in 1989 before demolition of all of the buildings on the Plaskon site. The former Plaskon site is now a paved parking lot (APN 4259-018-901), and operations and buildings for the LADWP headquarters are on the parcel to the west (APN 4259-018-902).

The surrounding area was agricultural with some commercial development to the east and west, and residential development to the north, beginning in at least 1928. Clay pits and brick firing-facilities began to the west of the subject property in the early 1930s, extending through the early to mid-1950s, at which time the pits were filled with solid waste and subsequently covered. The area was commercially and industrially developed by the mid-1960s to the south, east, and west, and residential development continued to the north.

#### 10.1 Historical Sanborn Fire Insurance Maps

Historical Sanborn fire insurance maps were requested from EDR. Sanborn maps provide information regarding the historical uses of the subject property and surrounding properties. Sanborn maps typically exist for cities with populations of 2,000 or more; the coverage is dependent on the location of the subject site within the city limits. A Sanborn map from 1965 was available for a portion of an area adjacent to the subject property; however, the subject property was not mapped (Appendix G).

#### 10.2 City Directory

City Directory listings were requested from EDR. Results included information for the years 1920 through 2014 (Appendix H). Table 6 summarizes the listings for the subject property (12300 West Nebraska was not found; results are for 12270 West Nebraska) and adjoining properties.

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

**Table 6  
Summary of City Directory Listings**

Address	Listing Information	Year(s)
12270 Nebraska Ave	Mesa Plastics Co Los Angeles	1962
	Allied Chemical Corporation; Mesa Products Plastics	1975
	Plaskon Electronic Materials Inc.; Plaskon Products; Plaskon Products div. Allied Chemical Corp.	1980–1990
<i>West of Subject Property</i>		
3216 Nebraska Ave	Art Group International; Purchase Service Ltd; Hirsch/Bedner Int'l Inc.; Elephant Shop	2010–2014
3220 Nebraska Ave	AMC USA LLC; Dellice Group LLC; Walden Structures LLC	2010–2014
3226 Nebraska Ave	Hirsch Product; Tono Studios Inc.	2010–2014
3228 Nebraska Ave	Ecology West Tech; Rated I Creative LLC; Woody Fraser Productions	2010–2014
3232 Nebraska Ave	Oracle Post Inc.; Lot 4 Partners Ltd; Lot 9 LP	2010
<i>East of Subject Property</i>		
12210 Nebraska Ave	Transco Products Inc. (Aircraft Equipment)	1962
	Per Sci Inc.	1980
	Multiple production and film studio companies	1991
	Big Time Picture Co; HDI Consulting; ½ Early Edition; Third Miracle Productions	2000
	Big Time Picture Co	2006
1744–1761 Wellesley Avenue	Various residential listings	1928–2006

### 10.3 Review of Title Information/Environmental Liens

A title report and search for environmental liens and activity use limitations was not performed as part of this Phase I ESA.

# Phase I Environmental Site Assessment West Los Angeles District Yard

---

## 11 VAPOR ENCROACHMENT SCREENING

A vapor encroachment screen report was prepared using EDR’s vapor encroachment worksheet (Appendix I). A “Tier I” Vapor Encroachment Screening (VES) was performed for the site in accordance with ASTM E 2600-10, “Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions.” The Tier I VES was performed to evaluate whether there is a potential for vapors originating from contaminated soil and/or groundwater to occur in the subsurface below the existing and potential future on-site structures. For sites where a vapor encroachment condition (VEC) could not be ruled out but where reports of site sampling were available, those reports were used to evaluate the site (Tier 2 screening).

The EDR vapor encroachment worksheet evaluated types of soils, geology, and hydrology as well as listed contaminated sites as identified in federal, state, and local databases. Table 7 presents a summary of the VEC findings.

**Table 7  
Summary of Vapor Encroachment Screening Findings**

Potential for Vapor Intrusion on Site	
<i>Areas of Concern</i>	<i>Conclusion</i>
Subject property (existing conditions)	VEC can be ruled out.
Subject property (former condition)	VEC cannot be ruled out.
Adjoining property or nearby property operations or existing conditions	VEC cannot be ruled out.
Historical uses of adjoining property or nearby properties	VEC cannot be ruled out.
Regulatory review of sites identified on federal, state, and local databases	VEC cannot be ruled out.

VEC cannot be ruled out for the subject property based on former conditions. Manufacturing occurred on the subject property from at least 1950 until 1989. Soil samples were collected in a limited soil investigation conducted in 2005 (Essentia 2005) in the area of the proposed new administration building. This area was described to be northeast of the existing administration building on the northeast portion of the property. A site map of the sampling was not available for review. The soil sample locations should be identified, and an investigation needs to be completed in potential areas of contamination (i.e., historical tank areas, pit areas, and manufacturing areas) before ruling out the potential for a VEC.

VEC cannot be ruled out for adjoining or nearby properties due to the presence of the Olympic Well Field contamination plume potentially beneath the subject property, Hudson Element groundwater contamination adjoining the subject property to the east, and 12210 ½ Nebraska Avenue Property groundwater, soil, and soil-gas contamination adjoining the subject property to the north.

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

### 12 PUBLIC AGENCY RECORDS SEARCH REVIEW

A regulatory database search gives a listing of sites within a 1-mile radius of the subject property (“target property” is the term used by EDR) that are known to be chemical handlers, hazardous waste generators, or have confirmed or suspected releases of hazardous materials or petroleum products. Information in these listings includes the location of the site relative to the property, type of hazardous material at the site, and the status of the site. The search performed for this Phase I ESA was conducted in August 2018 by EDR. The database search report is included in Appendix J.

Table 8 describes which databases were searched and how many facilities were identified within those databases. The subject property is considered to be listing by addresses 12300 Nebraska Avenue and 12270 Nebraska Avenue.

**Table 8  
Regulatory Database Search Results for the Subject Property**

Acronym	Database	Search Distance	Subject Property Listed?	Number of Sites Listed
NPL	National Priorities List (including proposed NPL sites)	1 mile	No	0
Delisted NPL	National Priority List Deletions	1 mile	No	0
CERCLIS-SEMS	Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) – Superfund Enterprise Management System	0.5 miles	No	1
CERCLIS NFRAP	CERCLIS No Further Remedial Action Planned	0.5 miles	No	30
CORRACTS	Resource Conservation and Recovery Act (RCRA) Corrective Action	1 mile	No	0
RCRA TSDF	RCRA - Transportation, Storage, and Disposal	0.5 miles	No	1
RCRA-LQG	RCRA Large Quantity Generators	0.25 miles	Yes	2
RCRA-SQG	RCRA Small Quantity Generators	0.25 miles	No	18
RCRA-CESQG	RCRA Conditionally Exempt Small Quantity Generators	0.25 miles	No	1
ERNS	Emergency Response Notification System	Target Property	No	0
US ENG CONTROLS	Sites with Engineering Controls	0.5 miles	No	0
US INST CONTROLS	Sites with Institutional Controls	0.5 miles	No	0
RESPONSE	State- and Tribal-Equivalent NPL	1 mile	No	1
ENVIROSTOR	State- and Tribal-Equivalent CERCLIS	1 mile	No	22
SWF/LF	State and Tribal Landfill and/or Solid Waste Disposal Site	0.5 miles	No	0
LUST	State and Tribal Leaking Storage Tank	0.5 miles	No	18

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

**Table 8  
Regulatory Database Search Results for the Subject Property**

Acronym	Database	Search Distance	Subject Property Listed?	Number of Sites Listed
SLIC	State and Tribal Leaking Storage Tank	0.5 miles	No	13
Indian LUST	State and Tribal Leaking Storage Tank	0.5 miles	No	0
UST	State and Tribal Registered Storage Tank	0.25 miles	No	7
AST	State and Tribal Registered Storage Tank	0.25 miles	Yes	7
Indian UST	State and Tribal Registered Storage Tank	0.25 miles	No	0
FEMA UST	State and Tribal Registered Storage Tank	0.25 miles	No	0
LUCIS	Institutional Control/Engineering Control	0.5 miles	No	0
Indian VCP	State and Tribal Voluntary Cleanup	0.5 miles	No	0
VCP	State and Tribal Voluntary Cleanup	0.5 miles	No	2
US Brownfields	State and Tribal Brownfields	0.5 miles	No	0
SWEEPS UST	Statewide Environmental Evaluation and Planning System Underground Storage Tank	0.25 miles	Yes	16
HIST UST	Historical Underground Storage Tank	0.25 miles	Yes	18
FID UST	State Database of Registered USTs from Water Resources Control Board	0.25 miles	Yes	17
HIST CORTESE	Historical Hazardous Waste and Substances List	0.5 miles	No	16
HAZNET	Facility and Manifest Data	Target Property	Yes	2
RGA LUST	Recovered Government Archives Leaking Underground Storage Tank	Target Property	No	0
INDIAN RESERV	Indian Reservations	0.001 miles	No	0
EDR MGP	Manufactured Gas Plants	1 mile	No	0
EDR Hist Auto	Historic Auto Stations	0.125 miles	No	2
EDR Hist Cleaner	Historic Dry Cleaners	0.125 miles	No	2
Additional Environmental Records		Varies	Yes	16

### 12.1 Subject Property Database Listings

The subject property was listed in seven regulatory database records. These databases listings are discussed in Table 9. A determination as to whether or not the case would be considered a REC for the purposes of this Phase I ESA is included in Table 9.

## Phase I Environmental Site Assessment West Los Angeles District Yard

**Table 9  
Regulatory Database Records for the Subject Property**

Database Listing	Summary of Listing	REC?
<i>12300 Nebraska Avenue (LADWP / West LA Service Center / W Los Angeles Distribution HQ)</i>		
CA AST	LADWP has at least one AST registered at the subject property. A discussion of these ASTs is provided in Sections 6 and 13. The presence of the ASTs does not appear to be a REC.	No
CA HAZNET	LADWP reported generation and disposal of over 300 various types of hazardous wastes between 1993 and 2016. There are no violations reported with this listing; the type of waste, disposal method, amount, and year are summarized. This listing does not appear to be a REC.	No
RCRA-LQG	LADWP West LA Service Center reported a large quantity of hazardous waste generated in 2010. Wastes included inorganic solids, low pH liquids, ignitable wastes, and lead. A previous generator report (SQG) was also prepared in 1991, the details of which are not available in the EDR report. No violations were reported with this listing. This listing does not appear to be a REC.	No
FINDS	FINDS identified the subject property as a biennial hazardous waste reporter (also reported in CA HAZNET), and identified the site in ECHO (see entry below). This listing alone does not appear to be a REC.	No
ECHO	Enforcement and compliance history for the subject property includes the RCRA generator status, as described in the CA HAZNET and RCRA-LQG listings above. No violations are reported in this listing. This listing does not appear to be a REC.	No
CA SWEEPS UST CA FID UST	These databases track registered USTs. The site is registered on both sites, but there are no details regarding the type, age, and contents of the UST. The SWEEPS database is no longer updated or maintained. The CA FID UST database, which sources from the CWRCB, indicates an "inactive" status, generally referenced when a UST has been decommissioned or removed. Information obtained from the LACFD (Section 5.3.1) indicates USTs were previously located on the subject property. The 1999 Phase I ESA contains records of the removal of three USTs, an oil/water separator, and a fueling island (Parson 1999). See Section 9 of this report for details.	No
<i>12270 Nebraska Avenue (Plaskon Electronic Matl Co Inc.)</i>		
CA SWEEPS UST CA HIST UST CA FID UST	Hazardous Substance Storage Container Information Sheets were downloaded from GeoTracker (GeoTracker 2018). Those sheets, dated June 1988, indicate a 7,500-gallon acetone UST and a "product lagoon" were registered on the subject property. The tank was installed in 1959, while the lagoon was installed in 1978. The storage container details state the lagoon was 10-gauge double-walled carbon steel with an industrial enamel lining. The tank details are not known. A copy of the Information Sheets are provided in Appendix D. Additional information regarding USTs on this site were received from the LACFD, and are presented in Section 5.3.1. Information regarding the use and/or decommissioning of the "product lagoon" were not found. An "unstable materials pit" design was provided by LACFD, but the location, type of materials stored, and dates of use were not available. It is unknown if this is the same site feature. This represents a data gap.	Data Gap
RCRA NonGen	The site handled, but did not generate hazardous wastes. There are no violations associated with this listing. This listing does not appear to be a REC.	No
CA EMI	The site held an air quality permit in 1987. Additional details are provided in Section 5.3.4, South Coast Air Quality Management District. This listing does not appear to be a REC.	No
FINDS	FINDS identified the air quality permit reported under Toxics Release Inventory and the NonGen status under RCRA. This listing does not appear to be a REC.	No

## Phase I Environmental Site Assessment West Los Angeles District Yard

**Table 9  
Regulatory Database Records for the Subject Property**

Database Listing	Summary of Listing	REC?
ECHO	Enforcement and compliance history for the subject property include a Toxics Release Inventory report from 1988, and an inactive RCRA status. There are no violations reported. This listing does not appear to be a REC.	No

### 12.2 Other Site Database Listings

In all, 205 listings were identified within 1 mile of the subject property. Of these, 5 were determined to be potential RECs. The site name, address, database listings, relative location (approximate distance and direction) as measured from the nearest edge of the subject property, and discussion of the site status are included in Table 10. Based on distance from the subject property, known groundwater gradients, and status of the regulatory listing provided, the remaining sites do not appear to pose a REC to the subject property.

**Table 10  
Evaluation of Nearby Potential Recognized Environmental Conditions**

Site Name and Address	Database Listings	Relative Location	Case Status	Flow Direction and Relative Gradient to Subject Property	REC?
Hudson Element LA UNK AGI Properties Teledyne Controls 12333 Olympic	CPS-SLIC CA SWEEPS UST CA FID UST CA CPS-SLIC RCRA-SQG CA EMI	Adjoining to the east	Open – Site Assessment	Down/cross gradient from subject property (local gradients vary)	Yes
<p>Comments: The site was previously utilized by Packard Bell for manufacturing of radios and televisions. By 1970, the property was operated by Teledyne for manufacturing of electronic aviation devices. Solvents, petroleum hydrocarbons, and other hazardous raw and waste products were handled on site. The site was vacated in September 2007. Remediation activities began in 1996 and have continued through 2018, and included soil vapor extraction, soil excavation, natural attenuation, and soil, soil vapor, and groundwater monitoring. A Limited Conceptual Site Model (LCSM) was submitted to LARWQCB in 2017 (Citadel 2017). Chemicals of concern include 1,1-dichloroethane (DCA), 1,1-dichloroethylene (DCE), 1,1,1-trichloroethane (TCA), chloroform, tetrachloroethylene (PCE), and trichloroethylene (TCE). The highest concentrations of these contaminants were found in groundwater wells located on the west side of the site, and in an off-site well to the south. Based on groundwater monitoring activities conducted between 2005 and 2018, groundwater is found at approximately 40 feet bgs historical gradients have been mostly southerly, with varying localized gradients ranging from eastward to southwestward. Therefore the LCSM suggests off-site, upgradient sources of these contaminants, specifically suggesting migration from the former Plaskon site and LADWP (subject property). The 2018 Annual Groundwater Monitoring Report (Citadel 2018) was submitted to LARWQCB in March 2018, and requested full site closure and a no further action designation for soil and groundwater at the site. The results of this 2018 report show detected concentrations of TCE (max 16.6 ug/L), PCE (max 11.5 ug/L), 1,1-DCA (max 12.0 ug/L), and 1,4-Dioxane (max 2.52 ug/L) above regulatory maximum contaminant levels. The detected concentrations were in wells located within approximately 225 feet of the subject property.</p> <p>Documents available for this listing can be found on GeoTracker</p>					



## Phase I Environmental Site Assessment West Los Angeles District Yard

**Table 10**  
**Evaluation of Nearby Potential Recognized Environmental Conditions**

Site Name and Address	Database Listings	Relative Location	Case Status	Flow Direction and Relative Gradient to Subject Property	REC?
<p>(<a href="http://geotracker.waterboards.ca.gov/profile_report?global_id=SL2046M1652&amp;mytab=esidata#esidata">http://geotracker.waterboards.ca.gov/profile_report?global_id=SL2046M1652&amp;mytab=esidata#esidata</a>).</p> <p>The groundwater contamination identified at this site poses a REC to the subject property.</p>					
<b>12210 ½ Nebraska Avenue Property</b>	<b>CA ENVIROSTAR CA VCP</b>	<b>Adjoining to the north</b>	<b>Open – Site Assessment</b>	<b>Cross-gradient from subject property</b>	<b>Yes</b>
<p>Comments: This site was entered into a voluntary cleanup agreement in 2009, which was later terminated in 2010 due to non-compliance of the agreement. The site was then referred to the LARWQCB, and no further activities have been reported. Sampling on the site identified several volatile organic compounds (VOCs) in soil, soil-gas, and groundwater, including TCE and chloroform. TCE has been identified in groundwater at concentrations as high as 260 ug/L. Groundwater is approximately 40 feet bgs. The contamination is reportedly due to historical site activities, and the current operations are not contributing to the environmental condition of the site. A remedial investigation report was completed in 2010, but no other remediation activities have been reported. Based on groundwater studies completed on adjoining properties (see Hudson Element listing above), groundwater flows generally southward, and this site is up gradient from the subject property. Documents available for this listing can be found on EnviroStor <a href="https://www.envirostor.dtsc.ca.gov/public/profile_report?global_id=60001101">https://www.envirostor.dtsc.ca.gov/public/profile_report?global_id=60001101</a>. The groundwater contamination identified at this site poses a REC to the subject property.</p>					
<b>Boeing Co. - Supercharger Medical Chemical Corporation 1909 Centinela</b>	<b>CA CPS-SLIC CA SWEEPS UST CA HIST UST CA FID UST</b>	<b>Approx. 100 feet south</b>	<b>Closed – NFA received</b>	<b>Downgradient from subject property</b>	<b>HREC</b>
<p>Comments: The site was operated by Douglas Aircraft from 1952 to 1970. Boeing acquired the property in 1997. The facility tested aircraft components. These operations used TCE, an electrical generator, fuel tank, and a clarifier. The site was subsequently operated by Medical Chemical Corporation, who installed a 7,830-gallon IPA UST and seven ASTs. ASTs, USTs and the clarifier previously present on the site are believed to have been removed prior to site redevelopment. Investigations conducted on the site in 1980 and 1981 revealed VOC contamination in the groundwater, including TCE. Investigations continued through 2007, and a Human Health Risk Assessment was conducted in 2008. LARWQCB issued a no further action (NFA) designation for the soils on the site in 2011, stating “significant VOC contamination and other contaminants have not been detected in soil or soil gas samples from the site.” Subsequent groundwater studies were conducted, revealing detected levels of VOCs, including TCE, in groundwater beneath and downgradient from the site. The City of Santa Monica (City) acknowledged that this site was part of a system of aquifers that contribute to the Olympic Well Field. The City developed an Olympic Well Field Management Plan which utilizes two nearby drinking water wells to pump and treat the groundwater in this area. The City and Boeing entered a Settlement and Release Agreement in 2012, and the City took over restoration and replacement of groundwater through the Olympic Well Field Management Plan. The Boeing site subsequently received a NFA letter for groundwater in 2013. Supporting documents for this information can be found on GeoTracker, <a href="http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=SL0603761453">http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=SL0603761453</a>. This individual site is considered a Controlled REC, because the site was closed by the LARWQCB, with the assumption that the groundwater contamination would be managed by the City. However, the Olympic Well Field is considered a REC to the subject property. More information on the Olympic Well Field is provided in Section 13.</p>					

## Phase I Environmental Site Assessment West Los Angeles District Yard

**Table 10**  
**Evaluation of Nearby Potential Recognized Environmental Conditions**

Site Name and Address	Database Listings	Relative Location	Case Status	Flow Direction and Relative Gradient to Subject Property	REC?
<b>CSHV Pen Factory Sanford/Paper Mate Gillette Co 1681 26<sup>th</sup> Street</b>	<b>CA ENVIROSTOR CA CPS-SLIC FINDS ECHO CA ENF CA HIST CORTESE</b>	<b>Approximately ½ mile west</b>	<b>Open – Site Assessment</b>	<b>Cross to downgradient from the subject property</b>	<b>Yes</b>
<p>Comments: This site was a clay quarry and brick firing facility until the mid-1950's. The mining pit was later used as a city landfill. In 1957, Paper Mate began manufacturing operations in one of the buildings on site. Numerous USTs and ASTs were on site, and wastewater was generated, treated, and discharged to the city sanitary sewer. Manufacturing began in 1968, which included plastic extrusion, sintering, grinding, ink manufacturing, product assembly, and nickel plating. Gillette occupied one of the former Paper Mate buildings beginning in 1982. Investigations conducted on the site revealed contamination of soil, soil-gas, and groundwater, including PCE and TCE in shallow and deep groundwater. Nearby City of Santa Monica water supply wells were impacted by this contamination. In-situ remediation of soil gas, groundwater, and soils began in 2009, and the site requested a NFA decision from LARWQCB in 2016. The NFA request letters indicate an agreement was made between Gillette and the City of Santa Monica for continuous groundwater treatment and monitoring through the Olympic Well Field Management Plan. A NFA has not been issued for this site, and land use restrictions have been issued by LARWQCB as part of the post-closure site management requirements. Supporting documents for this information can be found on GeoTracker, <a href="http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000006811">http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000006811</a>, <a href="http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=SL2043C1560">http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=SL2043C1560</a>. Since this site is an open and ongoing case, it is considered a REC to the subject property.</p>					
<b>Santa Monica City Landfill II</b>	<b>CA WMUDS/SWAT</b>	<b>Approximately ½ mile west</b>	<b>Closed</b>	<b>Downgradient</b>	<b>No</b>
<p>The City Landfill is a former clay mining pit. The pit was subsequently used as a landfill by the City of Santa Monica from approximately 1948 to 1970. Municipal solid waste and incinerator ash were accepted. The disposal site was covered with 3 to 5 feet of final cover materials, but the site does not include engineering controls such as a liner, leachate collection and removal system, or landfill gas extraction system. A Solid Waste Assessment Test (SWAT) was completed by the LARWQCB in 1998 (LARWQCB 1998). Soil samples collected adjacent to and below the site did not detect VOCs or semi-volatile organic compounds (SVOCs). Sporadic detections of cis-1,2-DCE and TCE, and downgradient chromium were observed in groundwater, but these levels were below the existing applicable California Maximum Contaminant Levels (MCLs) for drinking water. Landfill gas and leachate indicator parameters indicated that neither leachate nor landfill gas impacted groundwater. Surface water samples did not reveal impacts from the landfill. Based on the information provided in the SWAT, the landfill does not appear to be a REC.</p>					

### 12.3 Unmapped Sites

Unmapped sites are flagged by EDR but not mapped due to insufficient address information. They are usually included in the database search report because they are in the same zip code as the subject property. Two unmapped sites were listed in the EDR report. Both sites were listed in the SEMS-ARCHIVE database. This database tracks previously open cleanup sites. Assessment at these sites, to the best of EPA's knowledge, has been completed. Given EPA's determination regarding these types of sites, it is unlikely that these sites have impacted the environmental conditions of the subject property.

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 13 POTENTIAL HAZARDS AND ENVIRONMENTAL CONCERNS

Information regarding the following potential sources of hazards and hazardous material releases from the interview, site reconnaissance, and review of regulatory agency records is discussed below. Areas of concern are shown on Figure 3.

#### **Agricultural Use**

Based on a review of historical aerial photographs, the subject property was used for agricultural purposes until at least 1952. During this time, at least a portion of the subject property was owned by Consolidated Nurseries from 1943 to 1950 (Parsons 1999). The subject property is now completely developed and the surface soils have been disturbed and paved or constructed upon. Therefore, it is unlikely there are impacts to the subject property from former agricultural use (i.e., pesticides in the soils).

#### **Tanks**

During the Phase I ESA conducted in 1999 (Parsons 1999), two 2,000-gallon gasoline ASTs and one 2,000-gallon diesel AST with attached fuel nozzles, one 500-gallon waste oil AST at the truck shed and vehicle fleet maintenance shop, a three-stage oil/water separator at the wash rack, and a hazardous waste satellite accumulation area at the truck shed were observed on the subject property (Parsons 1999). The gasoline and diesel ASTs were observed during the 2018 site reconnaissance; the waste oil AST was not present during the 2018 site reconnaissance.

In February 1991, three USTs, a fueling station, and one oil/water separator were removed from the subject property (Parsons 1999). The USTs were 7,500-gallon gasoline, 2,000-gallon white gas, and 500-gallon waste oil tanks. Details of this removal are summarized in Section 9 of this report. The approximate tank locations are shown on Figure 3.

A 7,500-gallon acetone UST was installed in 1959 by Mesa Plastics. It was subsequently removed in 1985, to be replaced by an 8,000-gallon acetone double-walled UST installed by Plaskon Electronic the same year. The 8,000-gallon UST was removed in 1989 before demolition of all Plaskon buildings and termination of the company operations. Information regarding these tanks was received from LACFD, and is discussed in Section 5.3.1.

#### **Chemicals**

Based on regulatory records available, chemicals have been handled on the subject property since at least 1959. Chemical handling has included acetone, epoxys, phenols, diallylphthalate, acetone, oils and greases, silicone, silica compounds, tert-butyl peroxybenzoate, silane, resins,

## **Phase I Environmental Site Assessment West Los Angeles District Yard**

---

diethylaminoethanol, sodium hydroxide, sodium sulfite, kerosene, antimony oxide, diamyl peroxide, and barium carbonate. The manufacturing operations that used these materials are no longer occurring on the subject property.

The subject property is currently registered in CalEPA as the West Los Angeles Service Center, Facility ID 85332 (FA0000806). Records include chemical storage facilities, aboveground petroleum storage, and generation of large quantities of hazardous waste (RCRA LQG). Chemical storage includes 42 reported materials, including greases, oils, paints, propane, and cleaners. A full list is provided in Appendix D.

Current operations on the subject property include overhead and underground power distribution and maintenance. Additional operations at the subject property include limited vehicle maintenance and damaged transformer storage pending proper waste characterization and disposal.

### **Asbestos-Containing Materials and Lead-Based Paint**

According to the site representative (Section 5.1), the subject property was included in a lead-based paint and asbestos-containing materials survey in 2017. The interior and exterior of the office building and warehouse were abated for lead-based paint and asbestos-containing materials; the exteriors of the remaining buildings were also abated.

### **Manufacturing**

The subject property was owned by a laboratory from 1950 to 1959, Mesa Plastics from 1959 to 1964, Allied Chemical Corporation from 1964 to 1979, and Plaskon Products/Plaskon Electronic Materials from 1979 until 1989 (Parsons 1999). The operations of these previous owners were reportedly plastic, chemical, and electronic manufacturing and formulation (Essentia 2005).

Adjoining properties have also been used as manufacturing and various industrial facilities since at least the 1960s. Due to these activities, groundwater contamination has been identified in multiple areas adjacent to and nearby the subject property. Details of these impacts are discussed in Section 12.2.

### **Wells**

Groundwater monitoring wells were not discovered on the subject property during this Phase I ESA. Reportedly, there are no groundwater supply wells on the subject property.

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

### Radon

The EDR report presents radon test results for the vicinity of the subject property. Ninety-four sites within zip code 90025 for Los Angeles were evaluated. Six sites had radon results greater than 4 pico curies per liter (pCi/L), which is the established EPA Action Level. The Federal EPA Radon Zone for Los Angeles County is 2, which corresponds with indoor average radon levels of  $\geq 2$  pCi/L and  $\leq 4$  pCi/L.

### Off-Site Sources – Olympic Well Field

The Olympic Well Field is located in an area formerly occupied by a number of industrial facilities, including those within the ASTM search radius for the subject property (see Section 12.2). These industrial activities contributed to elevated levels of VOCs, including TCE, PCE, and 1,4-dioxane. The VOCs eventually impacted the City of Santa Monica (City) supply wells located downgradient of the source areas. Around 2011, The Olympic Well Field Management Plan was implemented by the City to prevent migration of VOCs in the deeper water-bearing zones; it included groundwater monitoring and pumping and treating of the affected production wells. The City entered into settlement agreements with responsible parties located within the Olympic Well Field that were potential or confirmed contributors of the groundwater contamination. These agreements allowed the City to gain full rights and responsibility to replace and restore the groundwater within the Olympic Well Field, with funds provided by the industrial contributors.

Groundwater in the area is found in three zones: A, B, and C. The A-zone aquifer (shallow aquifer) does not appear in the supply wells. However, shallow groundwater has been observed adjacent to the subject property at approximately 40 feet bgs. Groundwater measurements of the supply wells conducted in January 2017 indicate groundwater depths in the B-zone and C-zone aquifers between approximately 106 feet bgs to 182 feet bgs. Due to drawdown from the supply wells, the B- and C-zone groundwater flow trends toward the two wells (southwest from the subject property), and the wells have a combined radius of influence of approximately 5,000 feet. It is estimated that the VOC contamination is located within this radius (ICF 2017).

The subject property is located within the drawdown radius; the closest production well, SM-3, is located approximately 360 feet west of the subject property in Olympic Boulevard. The First Quarter 2017 Olympic Well Field Groundwater Monitoring Report (ICF 2017) shows a map of monitoring wells that are used to monitor the well field. The nearest monitoring wells to the subject property are approximately 90 feet to the south in Olympic Boulevard (OB-13C) and 950 feet to the west in Franklin Street (OB-12B). Concentrations of TCE, PCE, and 1,4-dioxane were not detected in OB-13C in the first quarter monitoring event. Concentrations of chloroform,


## Phase I Environmental Site Assessment West Los Angeles District Yard

---

PCE, and 1,4-dioxane in OB-12B were 2.0 ug/L, 52 ug/L, and 2.9 ug/L, respectively. TCE was not detected.

Based on the radius of influence and proximity of detected concentrations of VOCs in groundwater, the contamination associated with the Olympic Well Field presents a REC to the subject property.





- ▭ Project Boundary
- ▭ 11210 1/2 Property (REC)
- ▭ Hudson Element Property (REC)
- ▭ Historical Dump Sites
- ◆ USTs
- City of Santa Monica Supply Well

SOURCE: NAIP



FIGURE 3

Areas of Concern



**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK



# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 14 CONCLUSIONS AND RECOMMENDATIONS

The subject property consists of approximately 6.3 acres of land located at 12270 and 12300 Nebraska Avenue in Los Angeles, California. The subject property is located on APNs 4259-018-901, 4259-019-900, and a portion of 4259-018-902. The subject property is bordered to the north by Nebraska Avenue, to the south by West Olympic Boulevard, and to the east and west by industrial properties. The subject property is currently used as a vehicle maintenance facility for LADWP.

The subject property was agricultural land from at least 1928 until 1950 (including operation as Consolidated Nurseries from 1943 to 1950), at which time industrial development began. The majority of the industrial activities occurred on 12270 Nebraska Avenue (APN 4295-018-901). The subject property operated as Riker Laboratories from 1950 to 1959, Mesa Plastics from 1959 until 1964, Allied Chemical Company from 1964 until 1979, Plaskon Electronic Materials from 1979 until 1989, and LADWP headquarters (at 12300 Nebraska Avenue) beginning in 1989.

The surrounding area was agricultural with some commercial development to the east and west, and residential development to the north, beginning in at least 1928. Clay pits and brick-firing facilities began to the west of the subject property in the early 1930s, extending through the early to mid-1950s, at which time the pits were filled with solid waste and subsequently covered. The area was commercially and industrially developed by the mid-1960s to the south, east, and west, and residential development continued to the north.

Dudek performed this Phase I ESA of the subject property in conformance with the scope and limitations of ASTM Practice E1527-13. This report summarizes the research and findings of the Phase I ESA. This assessment revealed RECs, Controlled RECs, and data gaps associated with the subject property, as discussed in the sections below.

#### 14.1 Recognized Environmental Conditions

##### On-Site Soil Contamination

A limited soil investigation was conducted on the subject property, the findings of which were reported in the Final Site Investigation Report prepared by Essentia Management Services in 2005 (Essentia 2005). The investigation was conducted in the proposed location of a new Administration Building at the northeast portion of the subject property, northeast of the current office building. At the time of the study, the area was used as a parking lot. Eight direct-push borings were advanced to a depth of 8 feet below ground surface in this area. Samples from each boring were submitted for chemical analysis. The site investigation identified the following:

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

- Arsenic was detected above PRGs and TTLCs, and estimated regional background concentrations.
- Vanadium was detected above residential PRG and regional background concentrations, but not above industrial PRG or TTLC concentrations.
- Beryllium, cadmium, chromium, cobalt, copper, molybdenum, nickel, selenium, and zinc were detected above regional background concentrations.

Thus, the elevated concentrations of metals above background and, for some, above regulatory action levels, represents a REC to the subject property.

### **Hudson Element – Adjoining Property**

A Limited Conceptual Site Model (LCSM) of this site identified 1,1-DCA, 1,1-DCE, 1,1,1-TCA, chloroform, PCE, and TCE in the soil and groundwater beneath the site (Citadel 2017). The highest concentrations of these contaminants were found in groundwater wells located on the west side of the site, and in an off-site well to the south. Groundwater is found at approximately 40 feet bgs, and historical gradients have been mostly southerly, with varying localized gradients ranging from eastward to southwestward. Based on the groundwater gradients, the LCSM suggests off-site, upgradient sources of these contaminants, specifically suggesting migration from the former Plaskon site and LADWP (subject property). A March 2018 groundwater sampling event showed concentrations of TCE (max 16.6 ug/L), PCE (max 11.5 ug/L), 1,1-DCA (max 12.0 ug/L), and 1,4-dioxane (max 2.52 ug/L) above regulatory maximum contaminant levels (Citadel 2018). The detected concentrations were in wells located within approximately 225 feet of the subject property. Thus, the groundwater contamination identified at this site poses a REC to the subject property.

### **12210 ½ Nebraska Avenue – Adjoining Property**

Sampling on the site identified several VOCs in soil, soil-gas, and groundwater, including TCE and chloroform. TCE levels have been identified in groundwater at concentrations as high as 260 ug/L. Groundwater is approximately 40 feet bgs. The contamination is reportedly due to historical site activities, and the current operations are not contributing to the environmental condition of the site. A remedial investigation report was completed in 2010, but no other remediation activities have been reported. This site was entered into a voluntary cleanup agreement in 2009, which was later terminated in 2010 due to non-compliance of the agreement. The site was then referred to the LARWQCB, and no further activities have been reported. Based on groundwater studies completed on adjoining properties, groundwater flows generally

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

southward, and this site is up gradient from the subject property. Thus, the groundwater contamination identified at this site poses a REC to the subject property.

### **CSHV Pen Factory – Nearby Property**

This site was a clay quarry and brick firing facility until the mid-1950s, then a landfill, then manufacturing operations began in 1957. Investigations conducted on the site revealed contamination of soil, soil-gas, and groundwater, including PCE and TCE in shallow and deep groundwater. Nearby City water supply wells were impacted by this contamination. In-situ remediation of soil gas, groundwater, and soils began in 2009, and the site requested a NFA decision from LARWQCB in 2016. The NFA request letters indicate an agreement was made between Gillette and the City for continuous groundwater treatment and monitoring through the Olympic Well Field Management Plan. An NFA has not been issued for this site, and land use restrictions have been issued by LARWQCB as part of the post-closure site management requirements. Since this site is still an open and ongoing case, Dudek believes it is considered a REC to the subject property.

### **Off-Site Sources – Olympic Well Field**

The Olympic Well Field is located in an area formerly occupied by a number of industrial facilities. These industrial activities contributed to elevated levels of VOCs, including TCE, PCE, and 1,4-dioxane. The VOC contamination eventually impacted the City supply wells located downgradient of the contamination. Around 2011, the Olympic Well Field Management Plan was implemented by the City to prevent migration of VOCs in the deeper water-bearing zones. It included pumping and treating the groundwater, and monitoring the VOC contamination plume. Groundwater in the area is found in three zones, A, B, and C (shallow to deep, respectively). Due to drawdown from the supply wells, the B- and C-zone groundwater flow trends toward the two wells (southwest from the subject property), and the wells have a combined radius of influence of approximately 5,000 feet. It is estimated that the VOC contamination is located within this radius (ICF 2017). The subject property is located within the drawdown radius; the closest production well, SM-3, is located approximately 360 feet west of the subject property in Olympic Boulevard. The first quarter 2017 monitoring revealed concentrations of chloroform, PCE, and 1,4-dioxane in OB-12B (950 feet west of the subject property) were 2.0 ug/L, 52 ug/L, and 2.9 ug/L, respectively. TCE was not detected. Based on the radius of influence and proximity of detected concentrations of VOCs in groundwater, the contamination associated with the Olympic Well Field presents a REC to the subject property.

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 14.2 Controlled Recognized Environmental Conditions

#### Boeing Supercharger – Nearby Property

Groundwater studies revealed VOCs, including TCE, in groundwater beneath and downgradient from the site. The City acknowledged that this site was part of the Olympic Well Field. The City and Boeing entered a Settlement and Release Agreement in 2012, and the City took over restoration and replacement of groundwater through the Olympic Well Field Management Plan. The Boeing site subsequently received an NFA letter for groundwater in 2013. This individual site is considered a Controlled REC because it was closed by the LARWQCB, with the assumption that the groundwater contamination would be managed by the City.

### 14.3 Data Gaps

#### Unstable Materials Pit and Product Lagoon

Records indicate a “product lagoon” installed on the subject property in 1978. The lagoon was reportedly 10-gauge double-walled carbon steel with an industrial enamel lining. The tank details are not known.

A diagram of an “unstable materials pit” for Allied Chemical Co., dated January 18, 1978, was on file with the LACFD. The diagram states the pit will hold tertiary butyl perbenzoate and dicumyl peroxide. The location of this pit is not shown.

There is not enough detail regarding these features to determine if they are the same feature, how long they were present on the subject property, or if they had an environmental impact to the subject property. This lack of information presents a data gap; thus, there is not enough information to determine if it would be considered a REC.

#### EPA Aerial Photograph Report

Dudek reviewed the EPA Aerial Photographic Analysis of the Santa Monica Groundwater Area (EPA 1996). The coverage area included the subject property. In summary, clay mining operations were present in the 1930s, west of the subject property, and continued in the northern portion of the area until 1952 to 1958, followed by dumping in the open pit areas. By 1975 all excavations had been filled and commercial and industrial buildings had been constructed. Eight of these sites are located within a 1-mile radius of the subject property. These areas were considered potential areas of groundwater contamination by EPA, but additional information regarding the presence or absence of contamination at these sites was not identified during this

## **Phase I Environmental Site Assessment West Los Angeles District Yard**

---

Phase I ESA. This lack of information presents a data gap; thus, there is not enough information to determine if it would be considered a REC.

### **Vapor Encroachment Condition**

VEC cannot be ruled out for the subject property based on former conditions. Manufacturing occurred on the subject property from at least 1950 until 1989. Soil samples were collected in a limited soil investigation conducted in 2005 (Essentia 2005) in the area of the proposed new administration building. This area was described to be northeast of the existing administration building on the northeast portion of the property. A site map of the sampling was not available for review. The soil sample locations need to be identified, and an investigation should be completed in potential areas of contamination (i.e. historical tank areas, pit areas, and manufacturing areas) before ruling out the potential for VEC.

VEC cannot be ruled out for adjoining or nearby properties due to the presence of the Olympic Well Field contamination plume potentially beneath the subject property, Hudson Element groundwater contamination adjoining the subject property to the east, and 12210 ½ Nebraska Avenue Property groundwater, soil, and soil-gas contamination adjoining the subject property to the north.

These potential VECs present a data gap; thus, there is not enough information to determine if this would be considered a REC.

## **14.4 Recommendations**

Given these RECs and areas of concern, Dudek has the following recommendations.

### **Soil and Groundwater Contamination**

Dudek recommends a subsurface soil and groundwater investigation be conducted on the subject property in order to determine if contamination exists beneath the subject property. The subsurface investigation should include, but may not be limited to, areas of the subject property where hazardous materials, tanks, manufacturing areas, and off-site contamination sources have been identified.

### **Pit/Lagoon Area**

Dudek recommends a subsurface investigation be conducted on the subject property in the area of the former Allied Chemical Company operations to determine the presence or absence of the former “product lagoon” and/or “unstable materials pit.”

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK

# Phase I Environmental Site Assessment

## West Los Angeles District Yard

---

### 15 LIMITATIONS

The following data gaps, which are not considered significant, were identified for this Phase I ESA:

- Dudek did not receive a response from the DTSC regarding a request for records for the subject property.

The findings and conclusions presented in this report are professional opinions based solely on the indicated data described in this report, visual observations of the subject property and vicinity, and our interpretation of the available historical information and documents reviewed. Dudek makes no warranty as to the accuracy of statements made by others or the accuracy of information included in documentation reviewed in connection with this study. This study was not intended to be a definitive investigation of potential contamination at the subject property, and the recommendations do not necessarily include all conditions that may be present. Because the scope of the investigation was limited, it is possible that currently unrecognized conditions or contamination might exist at the subject property.

No warranties or guarantees or representations, expressed or implied, are made by Dudek, except that this report has been prepared in accordance with current generally accepted practices and standards consistent with the level of care and skill exercised under similar circumstances by other professionals performing the same or similar services. The conclusions are intended exclusively for the purpose outlined herein, and may not be suitable to satisfy the needs of other users. Thus, any use or reuse of this document is at the sole risk of said user.

In accordance with ASTM Standard E 1527-13, this Phase I ESA is valid for 180 days. After 180 days, this report, or the information presented in this report, must be updated in accordance with the ASTM Standard.

**Phase I Environmental Site Assessment  
West Los Angeles District Yard**

---

INTENTIONALLY LEFT BLANK



## Phase I Environmental Site Assessment West Los Angeles District Yard

---

### 16 REFERENCES

- CalEPA (California Environmental Protection Agency). 2018. "CalEPA Regulated Site Portal." California Environmental Protection Agency Regulated Sites. Accessed August 14, 2018. <https://siteportal.calepa.ca.gov/>.
- Citadel (Citadel Environmental Services Inc.). 2017. *Limited Conceptual Site Model for Monitoring Well MW-2 and Regulatory Closure Request; Element L.A. Project, 12333 West Olympic Boulevard (RB# 0520A, SL2046M1652), Los Angeles, California 90064*. October 3, 2017.
- Citadel. 2018. *2018 Annual Groundwater Monitoring and Sampling Report and Request for Site Closure; Element L.A., 12333 West Olympic Boulevard (RB#0520A, SL2046M1652) and 1901, 1925, and 1933 South Bundy Drive (RB# 0850B, SL0603705527), Los Angeles, California*. May 8, 2018.
- County of Los Angeles. 2018. Los Angeles County Assessor Portal. Accessed August 15, 2018. <https://portal.assessor.lacounty.gov/>.
- DOGGR (California Department of Conservation, Division of Oil, Gas and Geothermal Resources). Well Finder [online application]. Accessed August 21, 2018. <http://www.conservation.ca.gov/dog/Pages/Wellfinder.aspx>.
- EnviroStor 2018. Department of Toxic Substances Control EnviroStor data management system. Accessed August 14, 2018. <https://www.envirostor.dtsc.ca.gov/public/>.
- EPA 1996. *Aerial Photographic Analysis, Santa Monica Groundwater Area, Santa Monica, California*. EPA Region 9. February 1996.
- Essentia 2005. *Final Site Investigation Report, LADWP Task Assignment #3, West Los Angeles District Headquarters, 12300 Nebraska Avenue, Los Angeles, California*. Essentia Management Services. May 17, 2005.
- FIND. 2018. Facility Information Detail (FIND) database. South Coast Air Quality Management District. Accessed August 14, 2018. <http://www3.aqmd.gov/webappl/fim/prog/search.aspx>.
- GeoTracker. 2018. California State Water Resources Control Board online data management system. Accessed August 14, 2018. <https://geotracker.waterboards.ca.gov/>.
- ICF. 2017. *Olympic Well Field Groundwater Monitoring Report, First Quarter 2017, City of Santa Monica, California*. Prepared for City of Santa Monica, Water Resources Division. April 2017.

## Phase I Environmental Site Assessment West Los Angeles District Yard

---

LARWQCB (Los Angeles Regional Water Quality Control Board). 1998. *SWAT Report Findings – Santa Monica City Landfill No. 2, Santa Monica, California (File No. 92-064)*. Prepared for City of Santa Monica. California Regional Water Quality Control Board, Los Angeles Region. October 21, 1998.

NPMS (National Pipeline Mapping System). 2018. NPMS Public Viewer. Accessed August 15, 2018. <https://pvnpm.phmsa.dot.gov/PublicViewer/>.

Parsons (Parsons Engineering Science, Inc.). 1999. *Phase I Environmental Site Assessment, 12300 Nebraska Avenue, Los Angeles, CA 90025*. December 1999.

ZIMAS (Zone Information & Map Access System). 2018. City of Los Angeles Development Services ZIMAS. Accessed August 14, 2018. <http://zimas.lacity.org/>.

# **APPENDIX A**

## *Qualifications of Environmental Professionals*



## APPENDIX A

### Qualifications of Environmental Professionals

---

Environmental Professional	Professional License	Degree(s)	Years Experience	Task Performed
Glenna McMahon	Professional Engineer, State of California	B.S., Civil Engineering, University of Vermont	19	Report Preparation/Review, QA/QC
Audrey Herschberger	Professional Engineer, State of Oregon	B.S., Chemical Engineering, Oregon State University	8	Report Preparation
Susie Smith	Professional Geologist, State of California	B.S., Geological Sciences, California State University Fullerton	16	Site Reconnaissance, Report Preparation

## APPENDIX A (Continued)

---

INTENTIONALLY LEFT BLANK

# **APPENDIX B**

## *Historical Topographic Map Report*





12300 Nebraska Avenue

12300 Nebraska Avenue

Los Angeles, CA 90025

Inquiry Number: 5381550.4

August 02, 2018

# EDR Historical Topo Map Report

with QuadMatch™



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# EDR Historical Topo Map Report

08/02/18

**Site Name:**

12300 Nebraska Avenue  
12300 Nebraska Avenue  
Los Angeles, CA 90025  
EDR Inquiry # 5381550.4

**Client Name:**

Dudek & Associates  
605 Third Street  
Encinitas, CA 92024  
Contact: Susie Smith



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Dudek & Associates were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

**Search Results:****Coordinates:**

<b>P.O.#</b>	10649	<b>Latitude:</b>	34.033501 34° 2' 1" North
<b>Project:</b>	West LA District Yard	<b>Longitude:</b>	-118.45953 -118° 27' 34" West
		<b>UTM Zone:</b>	Zone 11 North
		<b>UTM X Meters:</b>	365263.02
		<b>UTM Y Meters:</b>	3766831.11
		<b>Elevation:</b>	160.94' above sea level

**Maps Provided:**

2012	1925
1995	1921
1994	1920
1981	1902
1972	1900
1966	1898
1950	1896
1934	1894

**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## **Topo Sheet Key**

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

### **2012 Source Sheets**



Beverly Hills  
2012  
7.5-minute, 24000

### **1995 Source Sheets**




Beverly Hills  
1995  
7.5-minute, 24000  
Aerial Photo Revised 1978

### **1994 Source Sheets**



Beverly Hills  
1994  
7.5-minute, 24000  
Aerial Photo Revised 1978

### **1981 Source Sheets**



Beverly Hills  
1981  
7.5-minute, 24000  
Aerial Photo Revised 1978

## **Topo Sheet Key**


This EDR Topo Map Report is based upon the following USGS topographic map sheets.

### **1972 Source Sheets**



Beverly Hills  
1972  
7.5-minute, 24000  
Aerial Photo Revised 1972

### **1966 Source Sheets**



Beverly Hills  
1966  
7.5-minute, 24000  
Aerial Photo Revised 1964

### **1950 Source Sheets**



Beverly Hills  
1950  
7.5-minute, 24000  
Aerial Photo Revised 1947

### **1934 Source Sheets**



Sawtelle  
1934  
7.5-minute, 24000

## **Topo Sheet Key**


This EDR Topo Map Report is based upon the following USGS topographic map sheets.

### **1925 Source Sheets**




Sawtelle  
1925  
7.5-minute, 24000

### **1921 Source Sheets**



Santa Monica  
1921  
15-minute, 62500

### **1920 Source Sheets**



SANTA MONICA  
1920  
15-minute, 62500

### **1902 Source Sheets**



Santa Monica  
1902  
15-minute, 62500

## ***Topo Sheet Key***

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

### **1900 Source Sheets**




Los Angeles  
1900  
15-minute, 62500

### **1898 Source Sheets**



Santa Monica  
1898  
15-minute, 62500

### **1896 Source Sheets**




Santa Monica  
1896  
15-minute, 62500

### **1894 Source Sheets**



Los Angeles  
1894  
15-minute, 62500





This report includes information from the following map sheet(s).




TP, Beverly Hills, 2012, 7.5-minute

**SITE NAME:** 12300 Nebraska Avenue  
**ADDRESS:** 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
**CLIENT:** Dudek & Associates







This report includes information from the following map sheet(s).




TP, Beverly Hills, 1995, 7.5-minute


SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Beverly Hills, 1994, 7.5-minute

SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Beverly Hills, 1981, 7.5-minute

SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Beverly Hills, 1972, 7.5-minute

SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Beverly Hills, 1966, 7.5-minute

SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Beverly Hills, 1950, 7.5-minute

SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Sawtelle, 1934, 7.5-minute

SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Sawtelle, 1925, 7.5-minute


SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Santa Monica, 1921, 15-minute


SITE NAME: 12300 Nebraska Avenue  
ADDRESS: 12300 Nebraska Avenue  
Los Angeles, CA 90025  
CLIENT: Dudek & Associates








This report includes information from the following map sheet(s).



SITE NAME: 12300 Nebraska Avenue  
ADDRESS: 12300 Nebraska Avenue  
Los Angeles, CA 90025  
CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Santa Monica, 1902, 15-minute

SITE NAME: 12300 Nebraska Avenue  
ADDRESS: 12300 Nebraska Avenue  
Los Angeles, CA 90025  
CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Los Angeles, 1900, 15-minute


SITE NAME: 12300 Nebraska Avenue  
ADDRESS: 12300 Nebraska Avenue  
Los Angeles, CA 90025  
CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Santa Monica, 1898, 15-minute

SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles, CA 90025  
 CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).




TP, Santa Monica, 1896, 15-minute


SITE NAME: 12300 Nebraska Avenue  
ADDRESS: 12300 Nebraska Avenue  
Los Angeles, CA 90025  
CLIENT: Dudek & Associates







This report includes information from the following map sheet(s).



TP, Los Angeles, 1894, 15-minute

SITE NAME: 12300 Nebraska Avenue  
ADDRESS: 12300 Nebraska Avenue  
Los Angeles, CA 90025  
CLIENT: Dudek & Associates



**APPENDIX C**  
*Site Representative Interview*





**Property Background Information Questionnaire for  
Property Owner, Occupant, or Representative**

---

**PLEASE GIVE FURTHER DETAILS FOR ALL "YES" ANSWERS.**

1. Describe the current uses of the Property. How long has the property been used for these purposes, and how long have you occupied the Property?

*Overhead & underground maintenance facility*

2. Describe the past uses, owners, and operators of the Property.

*Always only power distr. & maintenance*

3. Have the Property or adjoining properties been used for industrial activities including the following? (Please note that an adjoining property is a property that is next to your Property, even if it is across the street).

*Gasoline Station*

Yes  No

*Printing Facility*

Yes  No

*Metal Plating Manufacturing*

Yes  No

*Landfill*

Yes  No

*Motor Repair Facility*

Yes  No

*Dry Cleaners*

Yes  No

*Junkyard*

Yes  No

*Waste Treatment*

Yes  No

*Storage, Disposal, or Recycling Facility*

Yes  No

Describe other industrial activities, if any.

4. Have any hazardous substances, petroleum products, unidentified waste materials, tires, automotive or industrial batteries, or other waste materials been dumped above ground, buried, or burned on the Property?  Yes  No

If yes, please describe.

## Property Background Information Questionnaire for Property Owner, Occupant, or Representative

---

5. Have any of the following items been stored on the Property in containers greater than 5 gallons?

Paint             Yes  No

Chemicals       Yes  No

Pesticides      Yes  No

6. Have hazardous substances or petroleum products been stored on the Property or transferred across the Property in pipelines, either above or below ground?

Yes  No  Unknown

7. Have 55-gallon drums or sacks of chemicals been stored on the Property?

Yes  No  Unknown

8. Has fill dirt been brought onto the property from an offsite source? *soil from small excavations - not used as fill*  
 Yes  No  Unknown    If Yes, Source of Fill *on-site*

9. Is there evidence that the fill dirt in Question 8 may be contaminated? *on-site*  
 Yes  No  Unknown    Please provide soil sampling data, if available.

10. Are there currently any pits, ponds, or lagoons on the Property?

Yes  No  Unknown

11. Have any pits, ponds, or lagoons previously existed on the Property?

Yes  No  Unknown

12. Are there currently areas on the Property with stained soil?

Yes  No  Unknown

13. Have stained soils previously existed on the property?

Yes  No  Unknown

**Property Background Information Questionnaire for  
Property Owner, Occupant, or Representative**

---

14. Do underground or above-ground storage tanks exist, or have they existed previously on the Property?  
 Yes  No  Unknown *ASTs only  
NO UITS (no current or previous)*
15. Do fill pipes, vent pipes, or access ways indicating the presence of underground storage tanks exist on the Property?  
 Yes  No  Unknown
16. Have fill pipes or vent pipes which may indicate the presence of an underground storage tank been removed from the Property?  
 Yes  No  Unknown
17. Are floor drains stained with anything other than water in any area on the Property?  
 Yes  No  Unknown
18. Do floor drains on the Property emit foul odors?  
 Yes  No  Unknown
19. Is the Property served by private well or non-public water source?  
 Yes  No  Unknown
20. Are contaminants known to exist in any private well or non-public water system serving the Property?  
 Yes  No  Unknown *NA*
21. Does the Property discharge wastewater, other than domestic wastewater or storm water, into the sewer?  
 Yes  No  Unknown
22. Other than permission for domestic hookup, have any city, county, or local permits for wastewater discharge been issued to the Property?  
 Yes  No  Unknown

**Property Background Information Questionnaire for  
Property Owner, Occupant, or Representative**

---

23. Does a septic tank exist, or has one existed previously at the Property?

Yes  No  Unknown

24. Do cesspools or cisterns currently exist on the Property?

Yes  No  Unknown

25. Have cesspools or cisterns previously existed on the Property?

Yes  No  Unknown

26. Other than storm water, does the Property discharge waste water onto the neighboring Property?

Yes  No  Unknown

27. Is there a transformer or capacitor that may contain PCBs on the Property?

Yes  No  Unknown

*pull old TF, test, has waste pump.*

28. Is there any hydraulic equipment such as automobile lifts or elevators on the property?

Yes  No  Unknown

29. Are PCBs contained in hydraulic oil associated with hydraulic equipment located on the Property?

Yes  No  Unknown

*NON PCB oil*

30. Has an asbestos and/or lead based paint survey been conducted at the Property?

Yes  No  Unknown

*LBP - abated & repainted ~ 18 mos ago  
ACM - Awas ~ 18 mos ago*

31. Have pesticides, herbicides, or insecticides been applied on the Property?

Yes  No  Unknown If Yes, Describe Type: \_\_\_\_\_

32. Are you aware of any environmental liens against the Property that are filed or recorded under federal, tribal, state, or local law?

Yes  No  Unknown

*ok  
blg  
warehouse  
erking  
other blg*

## Property Background Information Questionnaire for Property Owner, Occupant, or Representative

---

33. Have notices from any governmental entity regarding any possible violation of environmental laws or possible liability relating to hazardous substances or petroleum products associated with activities conducted on the Property been issued?

Yes  No  Unknown

34. Has the property been included in any of the following documents (please provide any of the available documents)?

Environmental Assessment Reports	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unknown
Environmental Compliance Audits	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unknown
Environmental Permits <i>Consolidated Annual</i>	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unknown
Underground or Aboveground Tank Registrations	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unknown
Underground Injection System Registrations	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unknown
Safety Data Sheets	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unknown
Community Right-to-Know Plan	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Unknown
Spill Prevention, Control, and Countermeasure Plan	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Unknown
Groundwater Monitoring or Soil Sampling Reports	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unknown
Hazardous Waste Generator Reports	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unknown
Geotechnical Reports	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unknown
Risk Assessment Reports	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Unknown

35. Have other environmental assessments identified hazardous substances or petroleum products that exist, or may have existed on the Property?

Yes  No  Unknown

36. Is there any pending, threatened, or past litigation or administrative proceedings relevant to hazardous substances or petroleum products associated with the Property?

Yes  No  Unknown

37. Are you aware of any activity and land use limitations, such as engineering controls, land use restrictions or institutional controls that are in place at the Property and/or have been filed or recorded in a registry under federal, tribal, state or local law?

Yes  No  Unknown

**Property Background Information Questionnaire for  
Property Owner, Occupant, or Representative**

38. Are you aware of any commonly known or reasonably ascertainable information about the Property that would help the environmental professional to identify conditions indicative of releases or threatened releases?

Yes  No  Unknown

39. Do you have any specialized knowledge or experience related to the Property or nearby properties, including the knowledge of the chemicals and processes used by this type of business?

Yes  No  Unknown

*Risk  
Mineral oil  
pump house - mortar pressure ~  
transmission pipe -*

40. Based on your knowledge or experience related to the Property, are there any obvious indicators that point to the presence or likely presence of contamination?

Yes  No  Unknown

41. Does the purchase price being paid for this property reasonably reflect the fair market value of the property?

Yes  No  Unknown

*NA*

*Answers as dictated  
to S. Smith of Dudek*

Signature

*8/14/18*

Date

*Randy Bowen*

Name (Printed)

Owner  Occupant  Owner Representative

Property Address: *12300 Nebraska Ave*

*Los Angeles, CA*

**APPENDIX D**  
*Regulatory Agency Records*





***Los Angeles City Fire Department  
(LAFD)  
12270 Nebraska Avenue***

Granted 03 23

Expires 03 23 90

Fire Department  
City of Los Angeles  
**PERMIT**

No. 62606

Fee Paid EXEMPT 714

In accordance with terms of the application on file with the Fire Prevention Bureau, permission is granted to: **MUST COMPLY WITH FPB REQUIREMENT NO. 41**

Name **PLASKON ELECTRONIC MATERIALS, INC.**

Mail  
to

AMI ADINI & ASSOCIATES  
1837 N. BERENDO ST.  
LOS ANGELES, CALIF. 90027

**PERMIT GRANTED**

Permit to: **Abandon 1 atmospheric tank(s) as per plans and specifications submitted to the FIRE Prevention Bureau & subject to the FIELD INSPECTOR'S approval at the site.**

Location

12270 NEBRASKA-AVE.  
LOS ANGELES, 90025

BY ORDER OF CHIEF ENGINEER

By:  
SMV

*C. V. Drummond*

Fire Marshal

***Original Documents***

Copies are inside folder.

**DO NOT REMOVE**

**AAKO**

**GEOTECHNICAL  
ENGINEERING  
CONSULTANTS, INC**

**GEOTECHNICAL/ENVIRONMENTAL**

**CRAIG P. BOYD**

**Environmental Technician**

**(714) 773-1232**

**FAX: (714) 773-0465**

**2483 E Orangethorpe Ave • Fullerton, CA 92631-5304**

**AMI ADINI & ASSOCIATES**

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

FINAL CLOSURE REPORT  
FOR  
UNDERGROUND SOLVENT STORAGE TANK REMOVAL

PREPARED FOR  
PLASKON ELECTRONIC MATERIALS, INC.

PERFORMED AT  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA 90025

SUBMITTED TO  
LOS ANGELES CITY FIRE DEPARTMENT  
FIRE PREVENTION BUREAU  
WEST INDUSTRIAL UNIT

APRIL 17, 1989

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

April 17, 1989

Los Angeles City Fire Department  
Fire Prevention Bureau  
West Industrial Unit  
7166 West Manchester Avenue  
Room B  
Los Angeles, California 90045  
Attn: Mr. Tom Kinley  
Fire Inspector I

Subject: FINAL CLOSURE REPORT FOR UNDERGROUND SOLVENT  
STORAGE TANK REMOVAL

Gentlemen:

This closure report is in reference to Permit Number 62606 granted on 03-23-89 for one atmospheric underground solvent storage tank permanent removal at 12270 Nebraska Avenue in Los Angeles, California. A copy of the permit and approved Plan is attached.

Reference: Exhibit #1 - L. A. City Fire Dept. Division  
5 Permit Granted 03-23-89  
Exhibit #2 - L. A. City Fire Dept. Approved  
Plan, Dated 03-23-89

## SITE DESCRIPTION

The site is located at 12270 Nebraska Avenue just west of Bundy Drive in Los Angeles. The site is currently owned and occupied by Plaskon Electronic Materials, Inc. , and consists of several one to two story structures utilized by Plaskon. One underground atmospheric solvent storage tank was located on the site. The tank had a capacity of 8,000 gallons and was used exclusively to store acetone. The tank was of double wall design, with both the primary and secondary tanks of steel construction. The exterior of the outer (secondary) tank was lined with fiberglass for corrosion protection. The tank was installed in the early 1980's according to information obtained from Plaskon.

The attached Site Location Map and Plot Plan detail the location of the site and the underground storage tank.

Reference: Exhibit #3 - Site Location Map  
Exhibit #4 - Plot Plan

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 2

## TANK CLEANING AND REMOVAL PROCEDURES

The 8,000 gallon underground tank was abandoned and removed in accordance with the requirements of the Los Angeles City Fire Department. Prior to removal, the tank contained only a residual amount of product. On March 27, 1989 approximately 400 gallons of remaining acetone liquid was drafted from the tank utilizing a vacuum truck and transported to an appropriate disposal facility. This operation was performed under permit from the Los Angeles City Fire Department. Attached is a copy of the permit.

The residual contents of the acetone storage tank, along with the rinsate used in cleaning the tank was removed and transported under manifest to a legal disposal site on March 27, 1989. All waste material was pumped-out and transported using a vacuum truck. The attached Hazardous Waste Manifest provides documentation of the legal disposal of all waste material removed from the site.

The tank was cleaned on site using high pressure water rinse. The tank was inspected by a Certified Marine Chemist and certified as being clean and vapor free on March 27, 1989. Attached is a copy of the Marine Chemist Certificate.

The tank was removed from the site following on-site inspection and approval by Inspector Tom Kinley of the Los Angeles City Fire Department. Visual inspection of the secondary tank exterior indicated the tank was in excellent condition, with no evidence of corrosion or any holes or cracks in the fiberglass lining. The tank was transported to AMR, located in Ontario, California for disposal on March 27, 1989. Attached is a copy of the certificate of disposal/destruction to document the tank's legal disposal.

Reference: Exhibit #5 - L. A. City Fire Dept. Permit No. 62607, Granted 03-23-89

Exhibit #6 - Hazardous Waste Manifest for Disposal of Tank Contents

Exhibit #7 - Marine Chemist Certificate No. 1117, Dated 03-27-89

Exhibit #8 - Certificate of Disposal/ Destruction for Tank

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 3

## SAMPLING/ANALYTICAL METHODS

During the excavation of the tank, the excavated soil was monitored for VOC (Volatile Organic Compounds) using an organic vapor analyzer in accordance with the requirements of the South Coast Air Quality Management District. All readings were found to be less than 5 ppm.

Following the removal of the underground acetone storage tank, grab samples were collected from soil below the tank invert as follows: Two soil samples were collected approximately one foot into natural soil below the tank invert at each end of where the tank was located. All soil samples were collected in previously undisturbed and unexposed natural soil. The soil samples were collected by excavating with a backhoe. The samples were designated as SP-01 (south) and SP-02 (north). The above samples were obtained on March 27, 1989 in the presence and direction of Inspector Tom Kinley of the Los Angeles City Fire Department. The attached Site Sampling Map indicates the location of the soil samples collected.

The soil samples collected by excavation were placed in stainless steel rings measuring 1-1/2 inches in diameter by six inches long. No headspace was allowed in the rings. The ends of the sample tubes were immediately wrapped with Teflon film, and sealed with plastic caps and vinyl tape. Each sample tube was then placed in double ziplock plastic bags. The soil samples were then immediately refrigerated for transport. Soil sampling equipment was cleaned thoroughly between sampling intervals to prevent cross contamination. Samples were handled and transported to a State certified laboratory using chain-of-custody procedures. Copies of the chain-of-custody forms are attached.

The soil samples SP-01 and SP-02 collected were analyzed as follows: Volatile organic solvent compounds (acetone) using EPA method 8015.

Reference: Exhibit #9 - Site Sampling Map

Exhibit #10 - Laboratory Chain-of-Custody Forms

## RESULTS OF SOIL SAMPLE ANALYSIS

SOIL CONDITIONS: All soil samples collected were observed to be dry, odorless, and without discoloration.



# AMI ADINI & ASSOCIATES

1637 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 4

**ANALYTICAL RESULTS:** The analyses results for SP-01 collected below the south end of the tank were as follows: Acetone was found to be at a level of 0.56 mg/kg, which is slightly above the analytical detection limit of 0.05 mg/kg.

The analyses results for SP-02 collected below the north end of the tank were as follows: Acetone was found to be at a level of 0.17 mg/kg, which is slightly above the analytical detection limit of 0.05 mg/kg.

The attached laboratory analytical reports indicate the results of all soil sample analyses performed.

Reference: Exhibit #11 - Laboratory Analytical Results

## EVALUATION AND CONCLUSIONS

Based on the above results, there is no evidence of contamination in soils adjacent to the underground acetone storage tank to suggest leakage of product has occurred.

## CLOSURE

The excavation at the tank was backfilled and recompactd to a minimum of 90 percent relative compaction on March 28, 1989 and March 29, 1989. A Grading Certificate was secured from the City of Los Angeles, Department of Building and Safety, and the excavation was inspected by the department prior to backfilling. Attached is a copy of the Grading Certificate and Inspection Record.

Soil compaction testing was performed on soil backfilled into the excavation. Attached is a report of the results of the soil compaction testing performed.

Reference: Exhibit #12 - Grading Certificate & Inspection Report

Exhibit #13 - Report of Soil Compaction Testing for Backfill of Excavation

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 5

Please contact the undersigned if you require any further information on this project.


Respectfully submitted,



AMI ADINI  
Registered Environmental Assessor  
R.E.A. # 00363

LSW/lac

cc: Ms. Mandira Simental - Plaskon  
Property Owner



# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 6

## PROFESSIONAL CERTIFICATION

This report (dated April 17, 1989, Permit Number 62606 of the City of Los Angeles Fire Dept.) has been reviewed and approved by the California Registered Geologist whose seal and signature appear hereon.

Stanley E. Karp  
California Registered Geologist  
No. 514



# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 7

## ATTACHMENTS

- Exhibit #1 - L. A. City Fire Dept. Division 5 Permit  
Granted 03-23-89
- Exhibit #2 - L. A. City Fire Dept. Approved Plan, Dated  
03-23-89
- Exhibit #3 - Site Location Map
- Exhibit #4 - Plot Plan
- Exhibit #5 - L. A. City Fire Dept. Permit No. 62607,  
Granted 03-23-89
- Exhibit #6 - Hazardous Waste Manifest for Disposal of Tank  
Contents
- Exhibit #7 - Marine Chemist Certificate No. 1117, Dated  
03-27-89
- Exhibit #8 - Certificate of Disposal/ Destruction for Tank
- Exhibit #9 - Site Sampling Map
- Exhibit #10 - Laboratory Chain-of-Custody Forms
- Exhibit #11 - Laboratory Analytical Results
- Exhibit #12 - Grading Certificate & Inspection Report
- Exhibit #13 - Report of Soil Compaction Testing for Backfill  
of Excavation

EXHIBIT #1  
L. A. CITY FIRE DEPT. DIVISION 5 PERMIT GRANTED 03-23-89  
12270 NEBRASKA AVENUE PROPERTY

F-350

WEST ICU

Granted	03 23 89
Expires	03 23 90

Fire Department  
City of Los Angeles  
**PERMIT**

Reg. No.	62606
Fee Paid	EXEMPT 71


In accordance with terms of the application on file with the Fire Prevention Bureau, permission is granted to: <b>MUST COMPLY WITH FPB REQUIREMENT NO. 41</b>	
Name	PLASKON ELECTRONIC MATERIALS, INC.
Mail to	AMI ADINI & ASSOCIATES 1837 N. BERENDO ST. LOS ANGELES, CA 90027
Permit to:	Abandon 1 atmospheric tank(s) as per plans and specifications submitted to the FIRE Prevention Bureau & subject to the FIELD INSPECTOR'S approval at the site.
Location	12270 NEBRASKA AVE. LOS ANGELES, 90025
By:	BY ORDER OF CHIEF ENGINEER <i>C. V. Drummond</i> Fire Marshal
SMV	

EXHIBIT #2  
L. A. CITY FIRE DEPT. APPROVED PLAN, DATED 03-23-89  
12270 NEBRASKA AVENUE PROPERTY

# PLOT PLAN

EXHIBIT #2

ADDRESS : 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025  
OWNER: PLASKON ELECTRONIC MATERIALS, INC.  
PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE



## SUBJECT TO FIELD INSPECTION

The approval of these plans and/or specifications does not exempt them from strict compliance with all other pertinent laws, codes, ordinances, regulations and other applicable regulations.

**APPROVED**

LOS ANGELES FIRE DEPARTMENT  
BUREAU OF FIRE PREVENTION

BY S. [Signature]  
#62606  
3-23-89

### TANK DATA

T-1; 8000  
GAL ACETONE  
TANK  
8'Ø X 21' L

EXHIBIT #3  
SITE LOCATION MAP  
12270 NEBRASKA AVENUE PROPERTY




REFERENCE: THE THOMAS GUIDE, LOS ANGELES COUNTY, PAGE 41, SECTION D5, 1988



# PLOT PLAN

EXHIBIT #4

ADDRESS : 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025  
OWNER: PLASKON ELECTRONIC MATERIALS, INC.  
PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK:  
ONE (1) 8000 GALLON ACETONE



TANK DATA  
T-1: 8000  
GAL. ACETONE  
TANK  
8'Ø X 21' L

EXHIBIT #5  
L. A. CITY FIRE DEPT. PERMIT NO. 62707, GRANTED 03-23-89  
12270 NEBRASKA AVENUE PROPERTY

F-350

Granted	3-23-89
Expires	3-23-90

Fire Department  
City of Los Angeles  
**PERMIT**

Reg. No.	62607
Fee Paid	\$140.00

In accordance with terms of the application on file with the Fire Prevention Bureau, permission is granted to:

Name

PLASKON ELECTRONIC MATERIALS, INC.

Mail  
to

12270 Nebraska Avenue  
Los Angeles, CA 90025

Permit to:

Transfer of flammable liquids in a manner  
not otherwise regulated by this article.

Location

12270 Nebraska Ave.

BY ORDER OF CHIEF ENGINEER



By:

Fire Marshal

EXHIBIT #6  
HAZARDOUS WASTE MANIFEST FOR DISPOSAL OF TANK CONTENTS  
12270 NEBRASKA AVENUE PROPERTY

Please print or type. (Form designed for use on elite (12-pitch typewriter))

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1 Generator's US EPA ID No <b>C1AD010183171541876101132</b>		Manifest Document No <b>0-0 00</b>		2. Page 1 of 1		Information in the shaded areas is not required by Federal law					
		3 Generator's Name and Mailing Address <b>PLASKON ELECTRONIC MATERIALS, INC 12270 NEBRASKA AVE., LOS ANGELES 9002</b>						A State Manifest Document Number <b>88080130</b>		B State Generator's ID			
4 Generator's Phone <b>(213) 272-4471</b>		5. Transporter 1 Company Name <b>Oil &amp; Solvent Process Co.</b>		6 US EPA ID Number		C State Transporter's ID <b>906353</b>		D Transporter's Phone <b>818/334-5117</b>		E. State Transporter's ID			
7. Transporter 2 Company Name		8 US EPA ID Number		9. Designated Facility Name and Site Address <b>Oil &amp; Solvent Process Co. 1704 W. First St. Azusa, CA 91702</b>		10. US EPA ID Number		G State Facility's ID		H Facility's Phone <b>(818) 334-5117</b>			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) <b>Waste Acetone, Solution of UN1090 WASTE Flammable Liquid, (6003) (DOT 17476)</b>						12 Containers No. Type		13 Total Quantity		14 Unit Wt/Vol		1 Waste No.	
J. Additional Descriptions for Materials Listed Above <b>Waste acetone, water Profile: LAN H19219</b>						K Handling Codes for Wastes Listed Above a. b. c. d.							
15 Special Handling Instructions and Additional Information <b>Wear gloves and goggles</b>													
16 GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment, OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford													
Printed/Typed Name <b>Mardia Semintal</b>				Signature <i>Mardia Semintal</i>				Month Day Year <b>11/21/89</b>					
17 Transporter 1 Acknowledgement of Receipt of Materials													
Printed/Typed Name <b>RUDY J LOPEZ</b>				Signature <i>Rudy Lopez</i>				Month Day Year <b>11/21/89</b>					
18 Transporter 2 Acknowledgement of Receipt of Materials													
Printed/Typed Name				Signature				Month Day Year					
19. Discrepancy Indication Space													
20 Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19													
Printed/Typed Name				Signature				Month Day Year					

Do Not Write Below This Line

Blue GENERATOR SENDS THIS COPY TO DOHS WITHIN 30 DAYS  
 To: P.O. Box 400, Sacramento, CA 95812-0100

EXHIBIT #7  
MARINE CHEMIST CERTIFICATE NO. 1117, DATED 03-27-89  
12270 NEBRASKA AVENUE PROPERTY

EDWIN S. WYNKOOP, P.E. and ASSOCIATES  
CERTIFIED SAFETY PROFESSIONAL  
LICENSE NO. 2960  
(818) 333-0873

EXHIBIT #7

15241 Valdemar Dr.  
Hacienda Heights, CA 91745

CERTIFICATE SERIAL NO 1117

Nixto & Son's  
Survey Requested by  
Tank  
Vessel  
Acetone  
Last Three (3) Cargoes

Plascon  
Vessel Owner or Agent  
Steel  
Type of Vessel  
LEL-O<sub>2</sub>-Visual  
Tests Performed

3-27-89  
Date  
12270 Nebraska Los Angeles  
Specific Location of Vessel  
155 PM  
Time Survey Completed

This underground Tank identified with  
Red Paint - 1117 - LAFD-62603

Safe For Hot Work

Tank Tested 0% LEL / 20.9% Oxygen

Not Safe For Workers  
To Enter

\*1 - Tank 6000 gal. Cap. UL J-227538

Not Tested For  
Specific Toxics

This Tank has been washed "on-site" and Certified as Clean  
and Vapor Free (zero percent of the Lower Explosive Limit)

This cleaned tank is no longer a hazard waste and may  
be transported for either disposal, material recycling or salvage

In the event of any physical or atmospheric changes adversely affecting the STANDARD SAFETY DESIGNATIONS assigned to any of the above spaces or if in any doubt, immediately stop all work and contact the undersigned.

QUALIFICATIONS: Transfer of ballast or manipulation of valves or closure equipment tending to alter conditions in pipe lines, tanks or compartments subject to gas accumulation, unless specifically approved in this Certificate, requires inspection and endorsement or reissue of Certificate for the spaces so affected. All lines, vents, heating coils, valves, and similarly enclosed appurtenances shall be considered "not safe" unless otherwise specifically designated.

STANDARD SAFETY DESIGNATIONS (partial list, paraphrased from NFPA 306 Subsections 1-6.1 through 1-6.4, and Subsection 5-3.2).

SAFE FOR WORKERS. Means that in the compartment or space so designated: (a) the oxygen content of the atmosphere is at least 19.5 percent by volume; and that, (b) toxic materials in the atmosphere are within permissible concentrations; and that, (c) the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Certificate.

NOT SAFE FOR WORKERS. Means that in the compartment or space so designated, the requirements of Safe for Workers have not been met.

ENTER WITH RESTRICTIONS: Means that in any compartment or space so designated, entry for work may be made only if conditions of proper protective equipment, clothing, and time are as specified.

SAFE FOR HOT WORK: Means that in the compartment so designated: (a) oxygen content of the atmosphere is at least 19.5 percent by volume, with the exception of inerted spaces or where external hot work is to be performed; and that, (b) the concentration of flammable materials in the atmosphere is below 10 percent of the lower flammable limit; and that, (c) the residues are not capable of producing a higher concentration permitted by (b) above under existing atmospheric conditions in the presence of fire, and while maintained as directed on the Certificate; and further, that, (d) all adjacent spaces containing or having contained flammable or combustible materials have been cleaned sufficiently to prevent the spread of fire, or are satisfactorily inerted, or, in the case of the fuel tanks or lube oil tanks, or engine room or fire room bilges, have been treated in accordance with the requirements.

NOT SAFE FOR HOT WORK. Means that in the compartment so designated, the requirements of Safe for Hot Work have not been met.

SAFE FOR REPAIR YARD ENTRY. Means that the compartments and spaces of the flammable cryogenic liquid carrier so designated: (a) have been tested by sampling at remote sampling stations, and results indicate the atmosphere tested to be above 19.5 percent oxygen, and less than 10 percent of the lower flammable limit, or (b) are inerted.

CERTIFIED SAFETY PROFESSIONAL'S ENDORSEMENT: This is to certify that I have personally determined that all spaces in the foregoing list are in accordance with NFPA 306 Control of Gas Hazards in tanks, etc., have been found the condition of each to be in accordance with the assigned designation.

The undersigned acknowledges receipt of this Certificate under Section 2-3 of NFPA 306 and understands conditions and limitations under which it was issued.

Signed Jerry S. Whitner 3-27-89  
Name Date  
Company

This Certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

Signed Edwin S. Wynkoop 2960  
Name Certificate No  
Certified Safety Professional

1988 Edition

EXHIBIT #8  
 CERTIFICATE OF DISPOSAL/DESTRUCTION FOR TANK  
 12270 NEBRASKA AVENUE PROPERTY



2202 South Milliken Avenue  
 Ontario, CA 91761  
 (714) 947-2888

No. 30477

**TANK DISPOSAL FORM**

Date: 3-23, 19 89  
 Job # \_\_\_\_\_  
 P. O. # \_\_\_\_\_

CONTRACTOR: Ami Adini & Assoc  
 ADDRESS: 1837 N. Berendo St. L.A., CA 90027  
 JOB SITE: Plaskon  
 ADDRESS: 12270 Nebraska Av. L.A., CA  
 DESTINATION: A.M.R. 2202 S. Milliken Ave., Ontario, CA 91761

DATE: 3-27-89 TIME: 12:00 PROJECTED TANKS: 1-8,000 ORDERED BY: \_\_\_\_\_ LIC NO: 6

SPECIAL INSTRUCTIONS: one truck  
 TIME IN: 11:45 AM  
 TIME OUT: 3:45 PM  
3 Hrs. 45 min. loading time.

Services Rendered	Cost	TANKS RECEIVED				
		QTY.	GALLONS	TYPE F * S *	NET TONS	TOTAL
✓ Disposal Fee	<u>200.00</u>		280	<input type="checkbox"/> <input type="checkbox"/>	.14	
✓ Extensive Loading Time	<u>150.00</u>		500	<input type="checkbox"/> <input type="checkbox"/>	.21	
— Disposal Fee with Permit	300.00		550	<input type="checkbox"/> <input type="checkbox"/>	.24	
— Fiberglass Tank Disposal Fee Per Tank	400.00		1000 - 12 ft.	<input type="checkbox"/> <input type="checkbox"/>	.44	
— Delivered	200.00		1000 - 6 ft	<input type="checkbox"/> <input type="checkbox"/>	.61	
— Bobtail Disposal Fee	250.00		1500	<input type="checkbox"/> <input type="checkbox"/>	.87	
— Cancellation Fee	250.00		2000	<input type="checkbox"/> <input type="checkbox"/>	.97	
			2500	<input type="checkbox"/> <input type="checkbox"/>	1.14	
			3000	<input type="checkbox"/> <input type="checkbox"/>	1.32	
			4000	<input type="checkbox"/> <input type="checkbox"/>	1.64	
			5000	<input type="checkbox"/> <input type="checkbox"/>	2.42	
			6000	<input type="checkbox"/> <input type="checkbox"/>	2.84	
			7500	<input type="checkbox"/> <input type="checkbox"/>	3.26	
			8000	<input checked="" type="checkbox"/> <input type="checkbox"/>	3.44	<u>3.44</u>
			9000	<input type="checkbox"/> <input type="checkbox"/>	3.82	
			10000	<input type="checkbox"/> <input type="checkbox"/>	4.33	
			12000	<input type="checkbox"/> <input type="checkbox"/>	4.93	
<b>TOTAL CHARGES</b>	<u>\$350.00</u>					

All fees incurred are per load unless specified. Terms are net 30 days from date of invoice. Contractor's signature represents acceptance of terms for payment, and confirms that tank removal complies with State laws.

Larry S. Witner  
 CONTRACTOR'S SIGNATURE

NO OF TANKS: 1 TOTAL NET TONS: 3.44  
 \*F - FIBERGLASS \*S - STEEL 105

**CERTIFICATE OF TANK DISPOSAL / DESTRUCTION**  
 THIS IS TO CERTIFY THE RECEIPT AND ACCEPTANCE OF THE TANK(S) AS SPECIFIED ABOVE. ALL MATERIALS SPECIFIED HAVE BEEN COMPLETELY DESTROYED FOR SCRAP PURPOSES ONLY.

A. Patton  
 AUTHORIZED REP

3-27-89  
 DATE

# SITE SAMPLING MAP

EXHIBIT #9

ADDRESS: 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025

OWNER: PLASKON ELECTRONIC MATERIALS, INC.

PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE






EXHIBIT #10  
LABORATORY CHAIN-OF-CUSTODY FORMS  
12270 NEBRASKA AVENUE PROPERTY



**Burmah Technical Services, Inc.**  
Analytical Laboratories Division

408 Auburn Avenue, Pontiac, Michigan 48058   
700 S. Flower St., Burbank, CA 91502

### CHAIN OF CUSTODY

Client: AMI ADINI & ASSOCIATES  
Address: 1837 N. BERENDO ST.  
LOS ANGELES, CA 90027

Contact person: AMI ADINI  
Phone # (213) 667-2087  
PO # VERBAL  
Project: PLASKON ELECTRONIC MATERIALS, INC  
12270 NEBRASKA AVE., LOS ANGELES

Special Handling Request  
 Rush (2-4 HR)  
 Verbal  
 Other

Sample ID	Date	Time	Grab	Comp	No. of Containers	Waste Type	Preservation	Analysis request
SP-01 (SOUTH)	3-27-89	3:15 PM	X		1	SOIL	ICE CHEST	ACETONE VIA 8015
SP-02 (NORTH)	3-27-89	3:32 PM	X		1	SOIL	ICE CHEST	ACETONE VIA 8015

(ok/cold)

Collected by: Larry S. Whitner Date: 3-27-89 Time: 3:15 PM

Delivery by: Larry S. Whitner Date: 3-27-89 Time: 4:27 PM

Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Relinquished by: Larry S. Whitner Date: 3-27-89 Time: 4:27 PM

Received for laboratory by: [Signature] Date: 3-27-89 Time: 4:27 PM

Comments (Precautions/hazards)

Final disposition: [Signature]

EXHIBIT #10

EXHIBIT #11  
LABORATORY ANALYTICAL RESULTS  
12270 NEBRASKA AVENUE PROPERTY



Burmah Technical Services, Inc.  
Analytical Laboratories Division

700 South Flower Street  
Burbank, California 91502

213-849-6591

ANALYTICAL REPORT

Date Received: 03/27/89

Date Reported: 03/29/89

Client : Ami Adini Associates  
1837 N. Berendo St.  
Los Angeles CA 90027  
Attn: Larry Witwer

Sample Description: Soil Samples

Investigation : Plaskon Electronic Materials  
2270 Nebraska Ave. LA

<u>Lab. No.</u>	<u>Sample No.</u>	<u>mg/kg</u>
		<u>Acetone</u>
BSS-5881	SP-01 South	0.56
BSS-5882	SP-02 North	0.17
Detection Limit		0.05

< - Less than detection limit

Acetone - Analyzed by EPA-8015

---

Harold Vernon  
Manager Analytical Services

QUALITY CONTROL DATA

REPORT DATE: 03/29/89

Procedure - 8015

Samples Analyzed in this QC Set

Parameter - Units (mg/kg)

Blank

Lab #: BSS-5881

0/0 Recovery

Relative 0/0 Difference

Surrogate - 0/0 Recovery

Chlorobenzene

93

Parameter - Units (mg/kg)

Blank

Lab #: BSS 882

0/0 Recovery

Relative 0/0 Difference

Surrogate - 0/0 Recovery

Chlorobenzene

94

EXHIBIT #12  
GRADING CERTIFICATE & INSPECTION REPORT  
12270 NEBRASKA AVENUE PROPERTY

**G** APPLICATION FOR INSPECTION CITY OF LOS ANGELES DEPT OF BUILDING AND SAFETY OF GRADING AND FOR GRADING CERTIFICATE

INSTRUCTIONS: 1. Applicant to Complete Numbered Items Only. 2. Plot Plan Required on Back of Original.

1. LEGAL DESCR.	LOT 21	BLK.	TRACT Santa Monica Sawtelle St	COUNCIL DIST. NO. 11	DIST. MAP 123-145 CENSUS TRACT 2675
2. PURPOSE OF GRADING 60) Backfill Excavation from Tank Removal					ZONE M2-1
3. JOB ADDRESS 12270 Nebraska Avenue					FIRE DIST. II
4. BETWEEN CROSS STREETS AND Centinela Bundy Dr					LOT (TYPE) Int
5. OWNER'S NAME Plaskon Electronic Materials, Inc					PHONE 213-272-4471 LOT SIZE Irreg
6. OWNER'S ADDRESS 12270 Nebraska Ave L.A. 90025					CITY L.A. ZIP 90025
7. PLANS BY CIVIL ENGR BUS. LIC. NO. ACTIVE STATE LIC. NO. PHONE					ALLEY
8. CIVIL ENGR. ADDRESS CITY ZIP					BLOG. LINE
9. ENGR. GEOLOGIST BUS LIC NO ACTIVE STATE LIC. NO./CERT. NO. PHONE					AFFIDAVITS ZI 1448
10. SOIL ENGR - TESTING AGENCY Norcal Eng 10036 RGE841 213-267-0125					PHONE 213-267-0125
11. CONTRACTOR Ami Adini & Assoc G99560 523230 213-667-2087					PHONE 213-667-2087
12. CONTRACTOR'S ADDRESS 1937 N. Berendo Street L.A. 90027					CITY L.A. ZIP 90027
13. JOB ADDRESS 12270 Nebraska Avenue					STREET GUIDE DIST OFFICE L.A.
14. NUMBER OF CUBIC YARDS CUT FILL					SEISMIC STUDY ZONE
15. MAXIMUM SLOPE CUT FILL		RETAINING WALL REQUIRED YES (NO)		BOARD FILE NO.	GRADING FLOOD HWY DED CONS. yes
FILL DENSITY TESTS & CERTIFICATION <input checked="" type="checkbox"/> 90% REQUIRED <input type="checkbox"/> NOT REQUIRED					IMPORT/EXPORT REQ.
CALIF. ENVIRONMENTAL QUALITY ACT REQUIREMENTS (EXEMPT) COMPLETED					YARDAGE APPROVED FILE WITH C. Lee
BOND AMOUNT <input type="checkbox"/> CASH <input type="checkbox"/> SURETY DATE POSTED CA #					PLANS CHECKED TYPYST R. Moore INSPECTOR
PC GPI GPI INSPECTOR					CASHIER'S USE ONLY B & S B-100 (R 2/87)
SPC IF Claims for refund of fees paid on permits must be filed 1 Within one year from date of payment of fee, or 2 Within one year from date of expiration of extension for building or grading permits granted by the Dept of B & S SECTIONS 22 12 & 22 13 LAMC					
GP OSS					
DIST OFFICE SOSS					
PC NO					

Unless a shorter period of time has been established by an official action, plan check approval expires one year after the fee is paid and this permit expires two years after the fee is paid or 180 days after the fee is paid if construction is not commenced

**DEPARTMENT OF BUILDING AND SAFETY  
INSPECTION RECORD  
CITY OF LOS ANGELES**

**Do Not Call for Framing Inspection Until Electrical, Plumbing & Heating Approvals have been Obtained.**

ADDRESS OF JOB  
**027400 MR 23 '89**

NATURE OF WORK  
**LA**

**BLDG.  
PERMIT  
NO.**

OWNER

Inspections	Date	Inspector
-------------	------	-----------

**GRADING INSPECTIONS**

Initial Grading		
Toe or Bottom	<i>1-29-89</i>	<i>MD</i>

**DO NOT PLACE FILL UNTIL ABOVE IS SIGNED**

Excavation		
Fill		
Drainage Devices		
Rough Grading		

**BUILDING AND MECHANICAL INSPECTIONS**

Footing Excavation		
Forms		
Reinforcing Steel		
OK to Place Footings		

**DO NOT PLACE CONCRETE UNTIL ABOVE IS SIGNED**

Heating & Refrig. Groundwork		
Electrical Groundwork		
Plumbing Groundwork		
Gas Piping Groundwork		
OK to Place Slab Floor		

**DO NOT PLACE CONCRETE SLAB FLOOR UNTIL ABOVE IS SIGNED**

Inspections	Date	Inspector
-------------	------	-----------

Rough Electrical		
Rough Plumbing		
Rough Heating & Refrig		
Rough Handicapped		
Rough Framing		
Rough Fire Sprinklers		
Insulation		
OK to Cover		

**DO NOT COVER UNTIL ABOVE IS SIGNED**

Exterior Lathing		
Interior Lathing		
OK to Plaster		

**DO NOT PLASTER UNTIL ABOVE IS SIGNED**

**WORK OUTSIDE BUILDING**

Sewer		
Gas		
Heating & Refrigeration		
Electrical Underground		

**FINAL INSPECTIONS**

Final Electrical		
Final Gas		
Final Plumbing		
Final Heating & Refrigeration		
Final Fire Sprinklers		
Final L A F D OK Title 19 Jobs Only		
Final Handicapped		
Final Grading		
Final		



EXHIBIT #13  
REPORT OF SOIL COMPACTION TESTING FOR BACKFILL OF EXCAVATION  
12270 NEBRASKA AVENUE PROPERTY

**NorCal Engineering**  
SOILS AND GEOTECHNICAL CONSULTANTS  
10571 CALLE LEE SUITE 155 LOS ALAMITOS, CA 90720  
(714) 826-4231 (213) 267-0125  
FAX (714) 826-2514

EXHIBIT #13

May 31, 1989

Project Number 1796-89

Ami Adini and Associates  
1837 N. Berendo Street  
Los Angeles, California 90027

Re: Inspection and Testing of Grading Operations - Tank  
Excavation Backfill - Located at 12270 Nebraska Avenue,  
in the City of Los Angeles, California

Dear Sirs:

Pursuant to your request, compaction tests were obtained at the  
above-referenced location.

Results of the compaction tests are attached and locations of  
these tests are shown on the accompanying plot plan.

All work was performed in accordance with the requirements of the  
City of Los Angeles, and with all present day standards of the  
Soils Engineering Industry.

All vegetation and demolition debris was stripped and removed  
from the fill area prior to the placement of any fill soils.

The existing low density soils were removed to competent natural  
ground, the exposed surface scarified, moisture conditioned and  
then recompacted to a minimum of 90% relative compaction.

..

Page 2

Project Number 1796-89


The excavation  $\pm$  12.0 feet in depth was backfilled to within 2.0 feet of grade with 3/4" gravel. The top 2.0 feet was capped off with compacted fill soils to a minimum of 90% relative compaction.

The relative compaction was determined by Sand Cone Method (ASTM:D-1556-64) and by the Drive Tube Method. The maximum density of the fill soils was obtained by the laboratory standard (ASTM:D-1557-78) and results are shown on Table I. Tests were performed a minimum of every 500 cubic yards placed and every 2.0 feet in depth of fill placed.

A backhoe was utilized for compaction control. A water hose provided moisture control.

We appreciate this opportunity to be of service to you. If you have any further questions, please do not hesitate to contact the undersigned.

Respectfully submitted,  
NORCAL ENGINEERING



Keith D. Tucker  
Project Engineer  
R.G.E. 841



Troy D. Norrell  
President

NorCal Engineering


TABLE I  
MAXIMUM DENSITY TESTS  
(ASTM:D-1557-78)

<u>Soil Type</u>	<u>Classification</u>	<u>Optimum Moisture</u>	<u>Maximum Dry Density (lbs./cu.ft.)</u>
I	SAND, fine to medium grained	10.5	119.0

TABLE II  
COMPACTION TESTS RESULTS

Test		Percent	Unit Wt.	Relative	Soil
<u>No.</u>	<u>Depth*</u>	<u>Moisture</u>	<u>lbs/cu.ft.</u>	<u>Compaction</u>	<u>Type</u>
101	1.0-1.5	10.1	109.5	92	I
102	0.0-0.5	9.8	110.7	93	I
103	0.0-0.5	8.5	110.1	92	I

\*Depth below finish grade (in feet)



# APPROXIMATE LOCATION OF COMPACTION TEST

X - COMPACTION TEST


DATE: 5-30-89
SCALE: N.T.S.
PROJECT NO: 1796-89

AMI ADINI

NorCal ENGINEERING
10571 CALLE LEE, SUITE
LOS ALAMITOS, CA. 90803

# PLOT PLAN

ADDRESS : 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025.  
OWNER: PLASKON ELECTRONIC MATERIALS, INC.  
PROJECT : REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE



## SUBJECT TO FIELD INSPECTION

The approval of these plans and/or specifications does not exempt them from strict compliance with all other pertinent sections of the Municipal Code and other laws and regulations.

**APPROVED**

LOS ANGELES FIRE DEPARTMENT  
BUREAU OF FIRE PREVENTION

BY *[Signature]*

# 62606

3-23-86


### TANK DATA

T-1: 8000  
GAL ACETONE  
TANK  
8'Ø X 21' L




NEBRASKA

225'




NO  
C 18,000  
0657





# PLOT PLAN

ADDRESS : 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025  
OWNER: PLASKON ELECTRONIC MATERIALS, INC.  
PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE



## SUBJECT TO FIELD INSPECTION

The approval of these plans and/or specifications shall not exempt them from strict compliance with all other pertinent laws, ordinances, and regulations of the City of Los Angeles.


**A** **D**

TANK DATA  
T-1: 8000  
GAL ACETONE  
TANK  
8'Ø X 21' L

LOS ANGELES FIRE DEPARTMENT  
BUREAU OF FIRE PREVENTION  
BY S. [Signature]  
#62606  
3-23-89

# PLOT PLAN

ADDRESS : 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025  
OWNER: PLASKON ELECTRONIC MATERIALS, INC.  
PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE



## **SUBJECT TO FIELD INSPECTION**

The approval of these plans and/or specifications does not exempt them from strict compliance with all other pertinent regulations of the Municipal Code and other applicable regulations.

**A** **D**

LOS ANGELES FIRE DEPARTMENT  
BUREAU OF FIRE PREVENTION

BY S. [Signature]

#62606

3-23-89

### TANK DATA

T-1: 8000  
GAL ACETONE  
TANK  
8'Ø X 21' L

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

FINAL CLOSURE REPORT  
FOR  
UNDERGROUND SOLVENT STORAGE TANK REMOVAL

PREPARED FOR

PLASKON ELECTRONIC MATERIALS, INC.

PERFORMED AT

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA 90025

SUBMITTED TO

LOS ANGELES CITY FIRE DEPARTMENT  
FIRE PREVENTION BUREAU  
WEST INDUSTRIAL UNIT

APRIL 17, 1989

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

April 17, 1989

Los Angeles City Fire Department  
Fire Prevention Bureau  
West Industrial Unit  
7166 West Manchester Avenue  
Room B  
Los Angeles, California 90045  
Attn: Mr. Tom Kinley  
Fire Inspector I

Subject: FINAL CLOSURE REPORT FOR UNDERGROUND SOLVENT  
STORAGE TANK REMOVAL

Gentlemen:

This closure report is in reference to Permit Number 62606 granted on 03-23-89 for one atmospheric underground solvent storage tank permanent removal at 12270 Nebraska Avenue in Los Angeles, California. A copy of the permit and approved Plan is attached.

Reference: Exhibit #1 - L. A. City Fire Dept. Division  
5 Permit Granted 03-23-89  
Exhibit #2 - L. A. City Fire Dept. Approved  
Plan, Dated 03-23-89

## SITE DESCRIPTION

The site is located at 12270 Nebraska Avenue just west of Bundy Drive in Los Angeles. The site is currently owned and occupied by Plaskon Electronic Materials, Inc. , and consists of several one to two story structures utilized by Plaskon. One underground atmospheric solvent storage tank was located on the site. The tank had a capacity of 8,000 gallons and was used exclusively to store acetone. The tank was of double wall design, with both the primary and secondary tanks of steel construction. The exterior of the outer (secondary) tank was lined with fiberglass for corrosion protection. The tank was installed in the early 1980's according to information obtained from Plaskon.

The attached Site Location Map and Plot Plan detail the location of the site and the underground storage tank.

Reference: Exhibit #3 - Site Location Map  
Exhibit #4 - Plot Plan

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 2

## TANK CLEANING AND REMOVAL PROCEDURES

The 8,000 gallon underground tank was abandoned and removed in accordance with the requirements of the Los Angeles City Fire Department. Prior to removal, the tank contained only a residual amount of product. On March 27, 1989 approximately 400 gallons of remaining acetone liquid was drafted from the tank utilizing a vacuum truck and transported to an appropriate disposal facility. This operation was performed under permit from the Los Angeles City Fire Department. Attached is a copy of the permit.

The residual contents of the acetone storage tank, along with the rinsate used in cleaning the tank was removed and transported under manifest to a legal disposal site on March 27, 1989. All waste material was pumped-out and transported using a vacuum truck. The attached Hazardous Waste Manifest provides documentation of the legal disposal of all waste material removed from the site.

The tank was cleaned on site using high pressure water rinse. The tank was inspected by a Certified Marine Chemist and certified as being clean and vapor free on March 27, 1989. Attached is a copy of the Marine Chemist Certificate.

The tank was removed from the site following on-site inspection and approval by Inspector Tom Kinley of the Los Angeles City Fire Department. Visual inspection of the secondary tank exterior indicated the tank was in excellent condition, with no evidence of corrosion or any holes or cracks in the fiberglass lining. The tank was transported to AMR, located in Ontario, California for disposal on March 27, 1989. Attached is a copy of the certificate of disposal/destruction to document the tank's legal disposal.

Reference: Exhibit #5 - L. A. City Fire Dept. Permit No. 62607, Granted 03-23-89

Exhibit #6 - Hazardous Waste Manifest for Disposal of Tank Contents

Exhibit #7 - Marine Chemist Certificate No. 1117, Dated 03-27-89

Exhibit #8 - Certificate of Disposal/ Destruction for Tank

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 3

## SAMPLING/ANALYTICAL METHODS

During the excavation of the tank, the excavated soil was monitored for VOC (Volatile Organic Compounds) using an organic vapor analyzer in accordance with the requirements of the South Coast Air Quality Management District. All readings were found to be less than 5 ppm.

Following the removal of the underground acetone storage tank, grab samples were collected from soil below the tank invert as follows: Two soil samples were collected approximately one foot into natural soil below the tank invert at each end of where the tank was located. All soil samples were collected in previously undisturbed and unexposed natural soil. The soil samples were collected by excavating with a backhoe. The samples were designated as SP-01 (south) and SP-02 (north). The above samples were obtained on March 27, 1989 in the presence and direction of Inspector Tom Kinley of the Los Angeles City Fire Department. The attached Site Sampling Map indicates the location of the soil samples collected.

The soil samples collected by excavation were placed in stainless steel rings measuring 1-1/2 inches in diameter by six inches long. No headspace was allowed in the rings. The ends of the sample tubes were immediately wrapped with Teflon film, and sealed with plastic caps and vinyl tape. Each sample tube was then placed in double ziplock plastic bags. The soil samples were then immediately refrigerated for transport. Soil sampling equipment was cleaned thoroughly between sampling intervals to prevent cross contamination. Samples were handled and transported to a State certified laboratory using chain-of-custody procedures. Copies of the chain-of-custody forms are attached.

The soil samples SP-01 and SP-02 collected were analyzed as follows: Volatile organic solvent compounds (acetone) using EPA method 8015.

Reference: Exhibit #9 - Site Sampling Map

Exhibit #10 - Laboratory Chain-of-Custody Forms

## RESULTS OF SOIL SAMPLE ANALYSIS

SOIL CONDITIONS: All soil samples collected were observed to be dry, odorless, and without discoloration.

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 4

**ANALYTICAL RESULTS:** The analyses results for SP-01 collected below the south end of the tank were as follows: Acetone was found to be at a level of 0.56 mg/kg, which is slightly above the analytical detection limit of 0.05 mg/kg.

The analyses results for SP-02 collected below the north end of the tank were as follows: Acetone was found to be at a level of 0.17 mg/kg, which is slightly above the analytical detection limit of 0.05 mg/kg.

The attached laboratory analytical reports indicate the results of all soil sample analyses performed.

Reference: Exhibit #11 - Laboratory Analytical Results

## EVALUATION AND CONCLUSIONS

Based on the above results, there is no evidence of contamination in soils adjacent to the underground acetone storage tank to suggest leakage of product has occurred.

## CLOSURE

The excavation at the tank was backfilled and recompactd to a minimum of 90 percent relative compaction on March 28, 1989 and March 29, 1989. A Grading Certificate was secured from the City of Los Angeles, Department of Building and Safety, and the excavation was inspected by the department prior to backfilling. Attached is a copy of the Grading Certificate and Inspection Record.

Soil compaction testing was performed on soil backfilled into the excavation. Attached is a report of the results of the soil compaction testing performed.

Reference: Exhibit #12 - Grading Certificate & Inspection Report

Exhibit #13 - Report of Soil Compaction Testing for Backfill of Excavation

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 5

Please contact the undersigned if you require any further information on this project.


Respectfully submitted,



AMI ADINI  
Registered Environmental Assessor  
R.E.A. # 00363

LSW/lac

cc: Ms. Mandira Simental - Plaskon  
Property Owner





# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE


APRIL 17, 1989

PAGE: 6

## PROFESSIONAL CERTIFICATION

This report (dated April 17, 1989, Permit Number 62606 of the City of Los Angeles Fire Dept.) has been reviewed and approved by the California Registered Geologist whose seal and signature appear hereon.

Stanley E. Karp  
California Registered Geologist  
No. 514



# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 7

## ATTACHMENTS

- Exhibit #1 - L. A. City Fire Dept. Division 5 Permit  
Granted 03-23-89
- Exhibit #2 - L. A. City Fire Dept. Approved Plan, Dated  
03-23-89
- Exhibit #3 - Site Location Map
- Exhibit #4 - Plot Plan
- Exhibit #5 - L. A. City Fire Dept. Permit No. 62607,  
Granted 03-23-89
- Exhibit #6 - Hazardous Waste Manifest for Disposal of Tank  
Contents
- Exhibit #7 - Marine Chemist Certificate No. 1117, Dated  
03-27-89
- Exhibit #8 - Certificate of Disposal/ Destruction for Tank
- Exhibit #9 - Site Sampling Map
- Exhibit #10 - Laboratory Chain-of-Custody Forms
- Exhibit #11 - Laboratory Analytical Results
- Exhibit #12 - Grading Certificate & Inspection Report
- Exhibit #13 - Report of Soil Compaction Testing for Backfill  
of Excavation

EXHIBIT #1  
L. A. CITY FIRE DEPT. DIVISION 5 PERMIT GRANTED 03-23-89  
12270 NEBRASKA AVENUE PROPERTY

F-350

WEST ICU

Granted 03 23 89  
Expires 03 23 90

Fire Department  
City of Los Angeles  
**PERMIT**

Reg. No. 62606  
Fee Paid EXEMPT 714

In accordance with terms of the application on file with the Fire Prevention Bureau, permission is granted to: **MUST COMPLY WITH FPB REQUIREMENT NO. 41**

Name **PLASKON ELECTRONIC MATERIALS, INC.**

Mail to  **AMI ADINI & ASSOCIATES**  
**1837 N. BERENDO ST.**  
**LOS ANGELES, CA 90027**

Permit to: **Abandon 1 atmospheric tank(s) as per plans and specifications submitted to the FIRE Prevention Bureau & subject to the FIELD INSPECTOR'S approval at the site.**

Location **12270 NEBRASKA AVE.**  
**LOS ANGELES, 90025**

BY ORDER OF CHIEF ENGINEER

By: *C. V. Drummond*  
SMV

Fire Marshal

EXHIBIT #2  
L. A. CITY FIRE DEPT. APPROVED PLAN, DATED 03-23-89  
12270 NEBRASKA AVENUE PROPERTY

# PLOT PLAN

EXHIBIT #2

ADDRESS : 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025  
OWNER: PLASKON ELECTRONIC MATERIALS, INC.  
PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE




EXHIBIT #3  
SITE LOCATION MAP  
12270 NEBRASKA AVENUE PROPERTY




REFERENCE: THE THOMAS GUIDE, LOS ANGELES COUNTY, PAGE 41,  
SECTION D5, 1988

# PLOT PLAN

EXHIBIT #4

ADDRESS : 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025  
OWNER: PLASKON ELECTRONIC MATERIALS, INC.  
PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE



TANK DATA  
T-1: 8000  
GAL. ACETONE  
TANK  
8'Ø X 21' L

EXHIBIT #5  
L. A. CITY FIRE DEPT. PERMIT NO. 62707, GRANTED 03-23-89  
12270 NEBRASKA AVENUE PROPERTY

F-350

Granted	3-23-89
Expires	3-23-90

Fire Department  
City of Los Angeles  
**PERMIT**

Reg. No.	62607
Fee Paid	\$140.00

In accordance with terms of the application on file with the Fire Prevention Bureau, permission is granted to:

Name

PLASKON ELECTRONIC MATERIALS, INC.

Mail  
to

12270 Nebraska Avenue  
Los Angeles, CA 90025

Permit to:

Transfer of flammable liquids in a manner  
not otherwise regulated by this article.

Location

12270 Nebraska Ave.

BY ORDER OF CHIEF ENGINEER



By:

Fire Marshal



EXHIBIT #6  
HAZARDOUS WASTE MANIFEST FOR DISPOSAL OF TANK CONTENTS  
12270 NEBRASKA AVENUE PROPERTY

Please print or type (Form designed for use on elite (12-pitch typewriter))

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802, WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR

TRANSPORTER

FACILITY

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No <b>CIND01018137154876101138</b>		Manifest Document No <b>0000</b>		2. Page 1 of 1		Information in the shaded areas is not required by Federal law	
		3. Generator's Name and Mailing Address <b>PLASKON ELECTRONIC MATERIALS, INC 12270 NEBRASKA AVE., LOS ANGELES 9002</b>		A. State Manifest Document Number <b>88000132</b>		B. State Generator's ID			
4. Generator's Phone <b>(213) 272-4471</b>		5. Transporter 1 Company Name <b>Oil &amp; Solvent Process Co.</b>		6. US EPA ID Number		C. State Transporter's ID <b>906353</b>		D. Transporter's Phone <b>(818) 334-7117</b>	
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID		F. Transporter's Phone			
9. Designated Facility Name and Site Address <b>Oil &amp; Solvent Process Co. 1704 W. First St. Azusa, CA 91702</b>		10. US EPA ID Number		G. State Facility's ID		H. Facility's Phone <b>(818) 334-5117</b>			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)			12. Containers		13. Total Quantity		14. Unit Wt/Vol		1. Waste No
Waste Acetone, Solution of <b>UN1090</b> Flammable Liquid, <del>WASTE</del> <b>(3003) (DOT 27476)</b>			No. Type		Quantity		G		State <b>113</b> EPA/Other <b>FR03</b>
b.									State EPA/Other
c.									State EPA/Other
d.									State EPA/Other
J. Additional Descriptions for Materials Listed Above <b>Waste acetone, water Profile: LAM H18219</b>						K. Handling Codes for Wastes Listed Above a. b. c. d.			
15. Special Handling Instructions and Additional Information <b>Wear gloves and goggles</b>									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name <b>Mandira Semintal</b>				Signature <i>Mandira Semintal</i>		Month Day Year <b>1/21/19</b>			
17. Transporter 1 Acknowledgement of Receipt of Materials									
Printed/Typed Name <b>RUDY J LOPEZ</b>				Signature <i>Rudy Lopez</i>		Month Day Year <b>12/31/2019</b>			
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed/Typed Name				Signature		Month Day Year			
19. Discrepancy Indication Space									
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19									
Printed/Typed Name				Signature		Month Day Year			

EXHIBIT #7  
MARINE CHEMIST CERTIFICATE NO. 1117, DATED 03-27-89  
12270 NEBRASKA AVENUE PROPERTY

EDWIN S. WYNKOOP, P.E. and ASSOCIATES  
CERTIFIED SAFETY PROFESSIONAL  
LICENSE NO. 2960  
(818) 333-0873

EXHIBIT #7

15241 Valdemar Dr.  
Hacienda Heights, CA 91745

CERTIFICATE SERIAL NO 1117

Survey Requested by Nieto & Son's Vessel Owner or Agent Plascon Date 3-27-89  
Vessel Tank Type of Vessel Steel Specific Location of Vessel 12270 Nebraska Los Angeles  
Last Three (3) Cargoes Acetone Tests Performed LEL - O<sub>2</sub> - Visual Time Survey Completed 155 PM

This underground Tank identified with Red Point - 1117 - LAFD - 62603 Safe For Hot Work

Tank Tested 0% LEL / 20.9% Oxygen Not Safe For Workers To Enter

\*1 - Tank 6000 gal. cap. UL J-227538 Not Tested For Specific Toxics

This Tank has been Washed "on-site" and Certified as Clean and Vapor Free (zero percent of the Lower Explosive Limit)  
This Cleaned Tank is no longer a hazard waste and may be transported for either disposal, material recycling or salvage

In the event of any physical or atmospheric changes adversely affecting the STANDARD SAFETY DESIGNATIONS assigned to any of the above spaces or if in any doubt, immediately stop all work and contact the undersigned.

QUALIFICATIONS: Transfer of ballast or manipulation of valves or closure equipment tending to alter conditions in pipe lines, tanks or compartments subject to gas accumulation, unless specifically approved in this Certificate, requires inspection and endorsement or reissue of Certificate for the spaces so affected. All lines, vents, heating coils, valves, and similarly enclosed appurtenances shall be considered "not safe" unless otherwise specifically designated.

STANDARD SAFETY DESIGNATIONS (partial list, paraphrased from NFPA 306 Subsections 1-6.1 through 1-6.4, and Subsection 5-3.2).

SAFE FOR WORKERS: Means that in the compartment or space so designated: (a) the oxygen content of the atmosphere is at least 19.5 percent by volume, and that, (b) toxic materials in the atmosphere are within permissible concentrations; and that, (c) the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Certificate

NOT SAFE FOR WORKERS: Means that in the compartment or space so designated, the requirements of Safe for Workers have not been met.

ENTER WITH RESTRICTIONS: Means that in any compartment or space so designated, entry for work may be made only if conditions of proper protective equipment, clothing, and time are as specified

SAFE FOR HOT WORK: Means that in the compartment so designated: (a) oxygen content of the atmosphere is at least 19.5 percent by volume, with the exception of inerted spaces or where external hot work is to be performed; and that, (b) the concentration of flammable materials in the atmosphere is below 10 percent of the lower flammable limit; and that, (c) the residues are not capable of producing a higher concentration permitted by (b) above under existing atmospheric conditions in the presence of fire, and while maintained as directed on the Certificate; and further, that, (d) all adjacent spaces containing or having contained flammable or combustible materials have been cleaned sufficiently to prevent the spread of fire, or are satisfactorily inerted, or, in the case of the fuel tanks or lube oil tanks, or engine room or fire room bilges, have been treated in accordance with the requirements.

NOT SAFE FOR HOT WORK: Means that in the compartment so designated, the requirements of Safe for Hot Work have not been met.

SAFE FOR REPAIR YARD ENTRY: Means that the compartments and spaces of the flammable cryogenic liquid carrier so designated: (a) have been tested by sampling at remote sampling stations, and results indicate the atmosphere tested to be above 19.5 percent oxygen, and less than 10 percent of the lower flammable limit, or (b) are inerted.

CERTIFIED SAFETY PROFESSIONAL'S ENDORSEMENT. This is to certify that I have personally determined that all spaces in the foregoing list are in accordance with NFPA 306 Control of Gas Hazards in tanks, etc., have been found the condition of each to be in accordance with the assigned designation.

The undersigned acknowledges receipt of this Certificate under Sectin 2-3 of NFPA 306 and understands condions and limitations under which it was issued.

Signed Jerry S. White 3-27-89 Date  
Name Company

This Certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions

Signed Edwin Wynkoop 2960 Certificate No  
Name Company

**EXHIBIT #8  
CERTIFICATE OF DISPOSAL/DESTRUCTION FOR TANK  
12270 NEBRASKA AVENUE PROPERTY**



2202 South Milliken Avenue  
Ontario, CA 91761  
(714) 947-2888

No. 30477

**TANK DISPOSAL FORM**

Date: 3-23, 19 89  
Job # \_\_\_\_\_  
P. O. # \_\_\_\_\_

CONTRACTOR: Ami Adini & Assoc  
ADDRESS: 1837 N. Berendo St. L.A., CA 90027  
JOB SITE: Plaskon  
ADDRESS: 12270 Nebraska Av. L.A., CA  
DESTINATION: A.M.R. 2202 S. Milliken Ave., Ontario, CA 91761

DATE: 3-27-89 TIME: 12:00 PROJECTED TANKS: 1-8,000 ORDERED BY: \_\_\_\_\_ LIC NO: 6

SPECIAL INSTRUCTIONS: one truck  
TIME IN: 11:45 AM  
TIME OUT: 3:45 PM  
3 Hrs. 45 min. loading time

Services Rendered	Cost	QTY.	TANKS RECEIVED GALLONS	TYPE F* S*	NET TONS	TOTAL
Disposal Fee	<u>200.00</u>		280	<input type="checkbox"/> <input type="checkbox"/>	.14	3.44
Extensive Loading Time	<u>150.00</u>		500	<input type="checkbox"/> <input type="checkbox"/>	.21	
Disposal Fee with Permit	300.00		550	<input type="checkbox"/> <input type="checkbox"/>	.24	
Fiberglass Tank Disposal Fee Per Tank	400.00		1000 - 12 ft	<input type="checkbox"/> <input type="checkbox"/>	.44	
Delivered	200.00		1000 - 6 ft	<input type="checkbox"/> <input type="checkbox"/>	.61	
Bobtail Disposal Fee	250.00		1500	<input type="checkbox"/> <input type="checkbox"/>	.87	
Cancellation Fee	250.00		2000	<input type="checkbox"/> <input type="checkbox"/>	.97	
TOTAL CHARGES	<u>\$350.00</u>		2500	<input type="checkbox"/> <input type="checkbox"/>	1.14	
			3000	<input type="checkbox"/> <input type="checkbox"/>	1.32	
			4000	<input type="checkbox"/> <input type="checkbox"/>	1.64	
			5000	<input type="checkbox"/> <input type="checkbox"/>	2.42	
			6000	<input type="checkbox"/> <input type="checkbox"/>	2.84	
			7500	<input type="checkbox"/> <input type="checkbox"/>	3.26	
			8000	<input checked="" type="checkbox"/> <input type="checkbox"/>	3.44	
			9000	<input type="checkbox"/> <input type="checkbox"/>	3.82	
			10000	<input type="checkbox"/> <input type="checkbox"/>	4.33	
			12000	<input type="checkbox"/> <input type="checkbox"/>	4.93	

All fees incurred are per load unless specified. Terms are net 30 days from date of invoice. Contractor's signature represents acceptance of terms for payment, and confirms that tank removal complies with State laws.

Larry S. Witmer  
CONTRACTOR'S SIGNATURE

NO. OF TANKS: 1 TOTAL NET TONS: 3.44  
\*F - FIBERGLASS \*S - STEEL 105

**CERTIFICATE OF TANK DISPOSAL / DESTRUCTION**  
THIS IS TO CERTIFY THE RECEIPT AND ACCEPTANCE OF THE TANK(S) AS SPECIFIED ABOVE. ALL MATERIALS SPECIFIED HAVE BEEN COMPLETELY DESTROYED FOR SCRAP PURPOSES ONLY.

K. Cotton AUTHORIZED REP      3-27-89 DATE


# SITE SAMPLING MAP

EXHIBIT #9

ADDRESS: 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025

OWNER: PLASKON ELECTRONIC MATERIALS, INC.

PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE



### LEGEND

⊙ SP-01: SOIL GRAB SAMPLE LOCATION.

### TANK DATA

T-1: 8000 GAL. ACETONE TANK  
8'φ X 21' L

EXHIBIT #10  
LABORATORY CHAIN-OF-CUSTODY FORMS  
12270 NEBRASKA AVENUE PROPERTY



Burmah Technical Services, Inc.  
Analytical Laboratories Division

408 Auburn Avenue, Pontiac, Michigan 48058   
700 S. Flower St., Burbank, CA 91502

### CHAIN OF CUSTODY

Client: AMI ADINI & ASSOCIATES  
Address: 1837 N. BERENDO ST  
LOS ANGELES, CA 90027

Contact person: AMI ADINI  
Phone # (213) 667-2087  
PO # VERBAL  
Project: PLASKON ELECTRONIC MATERIALS, INC  
12270 NEBRASKA AVE., LOS ANGELES

Special Handling Request  
 Rush (2-4 HR)  
 Verbal  
 Other

Sample ID	Date	Time	Grab	Comp	No. of Containers	Waste Type	Preservation	Analysis request
SP-01 (SOUTH)	3-27-89	3:15 PM	X		1	SOIL	ICE CHEST	ACETONE VIA B015
SP-02 (NORTH)	3-27-89	3:35 PM	X		1	SOIL	ICE CHEST	ACETONE VIA B015
								(ok/cold)

Collected by: Larry S. Whitner Date: 3-27-89 Time: 3:15 PM

Delivery by: Larry S. Whitner Date: 3-27-89 Time: 4:27 PM

Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Relinquished by: Larry S. Whitner Date: 3-27-89 Time: 4:27 PM

Received for laboratory by: S. Anderson Date: 3-27-89 Time: 4:27 PM

Comments (Precautions/hazards)

Final disposition: (Signature)

EXHIBIT #10



EXHIBIT #11  
LABORATORY ANALYTICAL RESULTS  
12270 NEBRASKA AVENUE PROPERTY



Burmah Technical Services, Inc  
Analytical Laboratories Division

700 South Flower Street  
Burbank, California 91502

213-849-6591

ANALYTICAL REPORT

Date Received: 03/27/89

Date Reported: 03/29/89

Client : Ami Adini Associates  
1837 N. Berendo St.  
Los Angeles CA 90027  
Attn: Larry Witwer

Sample Description: Soil Samples

Investigation : Plaskon Electronic Materials  
2270 Nebraska Ave. LA

<u>Lab. No.</u>	<u>Sample No.</u>	<u>mg/kg</u>
		<u>Acetone</u>
BSS-5881	SP-01 South	0.56
BSS-5882	SP-02 North	0.17
Detection Limit		0.05

< - Less than detection limit

Acetone - Analyzed by EPA-8015

Harold Vernon  
Manager Analytical Services

QUALITY CONTROL DATA

REPORT DATE: 03/29/89

Procedure - 8015

Samples Analyzed in this QC Set

Parameter - Units (mg/kg)

Blank

Lab #: BSS-5881

0/0 Recovery

Relative 0/0 Difference

Surrogate - 0/0 Recovery

Chlorobenzene

93

Parameter - Units (mg/kg)

Blank

Lab #: CS 882

0/0 Recovery

Relative 0/0 Difference

Surrogate - 0/0 Recovery

Chlorobenzene

94

EXHIBIT #12  
GRADING CERTIFICATE & INSPECTION REPORT  
12270 NEBRASKA AVENUE PROPERTY

**G** APPLICATION FOR INSPECTION CITY OF LOS ANGELES DEPT OF BUILDING AND SAFETY OF GRADING AND FOR GRADING CERTIFICATE

INSTRUCTIONS: 1. Applicant to Complete Numbered Items Only. 2. Plot Plan Required on Back of Original.

1. LEGAL DESCR.	LOT 21	BLK	TRACT Santa Monica Sawtelle St	COUNCIL DIST NO. 11	QUI-MAR 123-145 CENSUS TRACT 2575
2. PURPOSE OF GRADING 60) Backfill Excavation from Tank Removal					ZONE M2-1
3. JOB ADDRESS 12270 Nebraska Avenue					FIRE DIST. II
4. BETWEEN CROSS STREETS AND Centinela Bundy Dr					LOT (TYPE) Int
5. OWNER'S NAME Plaskon Electronic Materials, Inc					PHONE 213-272-4471 LOT SIZE
6. OWNER'S ADDRESS 12270 Nebraska Ave L.A. 90025					ZIP 90025 Irreg
7. PLANS BY CIVIL ENGR BUS LIC. NO. ACTIVE STATE LIC. NO. PHONE					ALLEY
8. CIVIL ENGR. ADDRESS CITY ZIP					BLOG LINE
9. ENGR. GEOLOGIST BUS. LIC NO ACTIVE STATE LIC. NO /CERT NO. PHONE					AFFIDAVITS
10. SOIL ENGR—TESTING AGENCY BUS LIC NO. ACTIVE STATE LIC NO PHONE Norcal Eng 10036 RGE841 213-267-0125					21 1449
11. CONTRACTOR Ami Adini & Assoc G99560 523290 213-667-2087					PHONE
12. CONTRACTOR'S ADDRESS 1937 N. Berendo Street L.A. 90027					CITY ZIP CITY ZIP PC REQ'D
13. JOB ADDRESS 12270 Nebraska Avenue					STREET GUIDE DIST OFFICE L.A.
14. NUMBER OF CUBIC YARDS CUT FILL					SEISMIC STUDY ZONE
15. MAXIMUM SLOPE CUT FILL		RETAINING WALL REQUIRED YES (NO)		BOARD FILE NO	GRADING FLOOD HWY BED CONS yes
FILL DENSITY TESTS & CERTIFICATION <input checked="" type="checkbox"/> 90% REQUIRED <input type="checkbox"/> NOT REQUIRED					IMPORT/EXPORT REQ. ZONED BY C. Lea
CALIF. ENVIRONMENTAL QUALITY ACT REQUIREMENTS (EXEMPT) COMPLETED					YARDAGE APPROVED FILE WITH
BOND AMOUNT <input type="checkbox"/> CASH DATE POSTED <input type="checkbox"/> SURETY CA #					PLANS CHECKED TYPIST R. Moore APPLICATION APPROVED INSPECTOR
PC	GPI	GPI INSPECTOR			
SPC	IF	Claims for refund of fees paid on permits must be filed 1 Within one year from date of payment of fee, or 2 Within one year from date of expiration of extension for building or grading permits granted by the Dept of B & S SECTIONS 22.12 & 22.13 LAMC			
GP	OSS				
DIST OFFICE	SOSS				
PC NO					

Unless a shorter period of time has been established by an official action, plan check approval expires one year after the fee is paid and this permit expires two years after the fee is paid or 180 days after the fee is paid if construction is not commenced

CASHIER'S USE ONLY

B & S B-100 (R 2/87)

**DEPARTMENT OF BUILDING AND SAFETY  
INSPECTION RECORD  
CITY OF LOS ANGELES**

ADDRESS OF JOB <b>027400 MAR 23 '09</b>			Do Not Call for Framing Inspection Until Electrical, Plumbing & Heating Approvals have been Obtained.		
NATURE OF WORK <b>LA</b>			<b>Inspections</b>	<b>Date</b>	<b>Inspector</b>
<b>BLDG. PERMIT NO.</b>	OWNER		Rough Electrical		
	<b>Inspections</b>	<b>Date</b>	<b>Inspector</b>		
<b>GRADING INSPECTIONS</b>			Rough Plumbing		
Initial Grading			Rough Heating & Refrig		
Toe or Bottom			Rough Handicapped		
<b>DO NOT PLACE FILL UNTIL ABOVE IS SIGNED</b>			Rough Framing		
Excavation			Rough Fire Sprinklers		
Fill			Insulation		
Drainage Devices			OK to Cover		
Rough Grading			<b>DO NOT COVER UNTIL ABOVE IS SIGNED</b>		
<b>BUILDING AND MECHANICAL INSPECTIONS</b>			Exterior Lathing		
Footing Excavation			Interior Lathing		
Forms			OK to Plaster		
Reinforcing Steel			<b>DO NOT PLASTER UNTIL ABOVE IS SIGNED</b>		
OK to Place Footings			<b>WORK OUTSIDE BUILDING</b>		
<b>DO NOT PLACE CONCRETE UNTIL ABOVE IS SIGNED</b>			Sewer		
Heating & Refrig. Groundwork			Gas		
Electrical Groundwork			Heating & Refrigeration		
Plumbing Groundwork			Electrical Underground		
Gas Piping Groundwork					
OK to Place Slab Floor			<b>FINAL INSPECTIONS</b>		
<b>DO NOT PLACE CONCRETE SLAB FLOOR UNTIL ABOVE IS SIGNED</b>			Final Electrical		
			Final Gas		
			Final Plumbing		
			Final Heating & Refrigeration		
			Final Fire Sprinklers		
			Final L.A.F.D. OK Title 19 Jobs Only		
			Final Handicapped		
			Final Grading		
			Final		

EXHIBIT #13  
REPORT OF SOIL COMPACTION TESTING FOR BACKFILL OF EXCAVATION  
12270 NEBRASKA AVENUE PROPERTY

**NorCal Engineering**  
SOILS AND GEOTECHNICAL CONSULTANTS  
10571 CALLE LEE SUITE 155 LOS ALAMITOS, CA 90720  
(714) 826-4231 (213) 267-0125  
FAX (714) 826-2514

EXHIBIT #13

May 31, 1989

Project Number 1796-89

Ami Adini and Associates  
1837 N. Berendo Street  
Los Angeles, California 90027

Re: Inspection and Testing of Grading Operations - Tank  
Excavation Backfill - Located at 12270 Nebraska Avenue,  
in the City of Los Angeles, California

Dear Sirs:

Pursuant to your request, compaction tests were obtained at the  
above-referenced location.

Results of the compaction tests are attached and locations of  
these tests are shown on the accompanying plot plan.

All work was performed in accordance with the requirements of the  
City of Los Angeles, and with all present day standards of the  
Soils Engineering Industry.

All vegetation and demolition debris was stripped and removed  
from the fill area prior to the placement of any fill soils.

The existing low density soils were removed to competent natural  
ground, the exposed surface scarified, moisture conditioned and  
then recompactd to a minimum of 90% relative compaction.



Page 2

Project Number 1796-89


The excavation  $\pm$  12.0 feet in depth was backfilled to within 2.0 feet of grade with 3/4" gravel. The top 2.0 feet was capped off with compacted fill soils to a minimum of 90% relative compaction.

The relative compaction was determined by Sand Cone Method (ASTM:D-1556-64) and by the Drive Tube Method. The maximum density of the fill soils was obtained by the laboratory standard (ASTM:D-1557-78) and results are shown on Table I. Tests were performed a minimum of every 500 cubic yards placed and every 2.0 feet in depth of fill placed.


A backhoe was utilized for compaction control. A water hose provided moisture control.

We appreciate this opportunity to be of service to you. If you have any further questions, please do not hesitate to contact the undersigned.

Respectfully submitted,  
NORCAL ENGINEERING



Keith D. Tucker  
Project Engineer  
R.G.E. 841



Troy D. Norrell  
President

NorCal Engineering


TABLE I  
MAXIMUM DENSITY TESTS  
(ASTM:D-1557-78)

<u>Soil Type</u>	<u>Classification</u>	<u>Optimum Moisture</u>	<u>Maximum Dry Density (lbs./cu.ft.)</u>
I	SAND, fine to medium grained	10.5	119.0

TABLE II  
COMPACTION TESTS RESULTS

<u>Test</u> <u>No.</u>	<u>Depth*</u>	<u>Percent</u> <u>Moisture</u>	<u>Unit Wt.</u> <u>lbs/cu.ft.</u>	<u>Relative</u> <u>Compaction</u>	<u>Soil</u> <u>Type</u>
101	1.0-1.5	10.1	109.5	92	I
102	0.0-0.5	9.8	110.7	93	I
103	0.0-0.5	8.5	110.1	92	I

\*Depth below finish grade (in feet)



# APPROXIMATE LOCATION OF COMPACTION TEST

X = COMPACTION TEST

DATE: 5-30-89
SCALE: N.T.S.
PROJECT NO: 1796-89

AMI ADINI

NorCal ENGINEERING 10571 CALLE LEE, SUITE LOS ALAMITOS, CA. 90
--

**AMI ADINI & ASSOCIATES**

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

FINAL CLOSURE REPORT  
FOR  
UNDERGROUND SOLVENT STORAGE TANK REMOVAL

PREPARED FOR

PLASKON ELECTRONIC MATERIALS, INC.

PERFORMED AT

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA 90025

SUBMITTED TO

LOS ANGELES CITY FIRE DEPARTMENT  
FIRE PREVENTION BUREAU  
WEST INDUSTRIAL UNIT

APRIL 17, 1989

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

April 17, 1989

Los Angeles City Fire Department  
Fire Prevention Bureau  
West Industrial Unit  
7166 West Manchester Avenue  
Room B  
Los Angeles, California 90045  
Attn: Mr. Tom Kinley  
Fire Inspector I

Subject: FINAL CLOSURE REPORT FOR UNDERGROUND SOLVENT  
STORAGE TANK REMOVAL

Gentlemen:

This closure report is in reference to Permit Number 62606 granted on 03-23-89 for one atmospheric underground solvent storage tank permanent removal at 12270 Nebraska Avenue in Los Angeles, California. A copy of the permit and approved Plan is attached.

Reference: Exhibit #1 - L. A. City Fire Dept. Division  
5 Permit Granted 03-23-89

Exhibit #2 - L. A. City Fire Dept. Approved  
Plan, Dated 03-23-89

## SITE DESCRIPTION

The site is located at 12270 Nebraska Avenue just west of Bundy Drive in Los Angeles. The site is currently owned and occupied by Plaskon Electronic Materials, Inc. , and consists of several one to two story structures utilized by Plaskon. One underground atmospheric solvent storage tank was located on the site. The tank had a capacity of 8,000 gallons and was used exclusively to store acetone. The tank was of double wall design, with both the primary and secondary tanks of steel construction. The exterior of the outer (secondary) tank was lined with fiberglass for corrosion protection. The tank was installed in the early 1980's according to information obtained from Plaskon.

The attached Site Location Map and Plot Plan detail the location of the site and the underground storage tank.

Reference: Exhibit #3 - Site Location Map

Exhibit #4 - Plot Plan

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 2

## TANK CLEANING AND REMOVAL PROCEDURES

The 8,000 gallon underground tank was abandoned and removed in accordance with the requirements of the Los Angeles City Fire Department. Prior to removal, the tank contained only a residual amount of product. On March 27, 1989 approximately 400 gallons of remaining acetone liquid was drafted from the tank utilizing a vacuum truck and transported to an appropriate disposal facility. This operation was performed under permit from the Los Angeles City Fire Department. Attached is a copy of the permit.

The residual contents of the acetone storage tank, along with the rinsate used in cleaning the tank was removed and transported under manifest to a legal disposal site on March 27, 1989. All waste material was pumped-out and transported using a vacuum truck. The attached Hazardous Waste Manifest provides documentation of the legal disposal of all waste material removed from the site.

The tank was cleaned on site using high pressure water rinse. The tank was inspected by a Certified Marine Chemist and certified as being clean and vapor free on March 27, 1989. Attached is a copy of the Marine Chemist Certificate.

The tank was removed from the site following on-site inspection and approval by Inspector Tom Kinley of the Los Angeles City Fire Department. Visual inspection of the secondary tank exterior indicated the tank was in excellent condition, with no evidence of corrosion or any holes or cracks in the fiberglass lining. The tank was transported to AMR, located in Ontario, California for disposal on March 27, 1989. Attached is a copy of the certificate of disposal/destruction to document the tank's legal disposal.

Reference: Exhibit #5 - L. A. City Fire Dept. Permit No. 62607, Granted 03-23-89

Exhibit #6 - Hazardous Waste Manifest for Disposal of Tank Contents

Exhibit #7 - Marine Chemist Certificate No. 1117, Dated 03-27-89

Exhibit #8 - Certificate of Disposal/ Destruction for Tank

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 3

## SAMPLING/ANALYTICAL METHODS

During the excavation of the tank, the excavated soil was monitored for VOC (Volatile Organic Compounds) using an organic vapor analyzer in accordance with the requirements of the South Coast Air Quality Management District. All readings were found to be less than 5 ppm.

Following the removal of the underground acetone storage tank, grab samples were collected from soil below the tank invert as follows: Two soil samples were collected approximately one foot into natural soil below the tank invert at each end of where the tank was located. All soil samples were collected in previously undisturbed and unexposed natural soil. The soil samples were collected by excavating with a backhoe. The samples were designated as SP-01 (south) and SP-02 (north). The above samples were obtained on March 27, 1989 in the presence and direction of Inspector Tom Kinley of the Los Angeles City Fire Department. The attached Site Sampling Map indicates the location of the soil samples collected.

The soil samples collected by excavation were placed in stainless steel rings measuring 1-1/2 inches in diameter by six inches long. No headspace was allowed in the rings. The ends of the sample tubes were immediately wrapped with Teflon film, and sealed with plastic caps and vinyl tape. Each sample tube was then placed in double ziplock plastic bags. The soil samples were then immediately refrigerated for transport. Soil sampling equipment was cleaned thoroughly between sampling intervals to prevent cross contamination. Samples were handled and transported to a State certified laboratory using chain-of-custody procedures. Copies of the chain-of-custody forms are attached.

The soil samples SP-01 and SP-02 collected were analyzed as follows: Volatile organic solvent compounds (acetone) using EPA method 8015.

Reference: Exhibit #9 - Site Sampling Map

Exhibit #10 - Laboratory Chain-of-Custody Forms

## RESULTS OF SOIL SAMPLE ANALYSIS

SOIL CONDITIONS: All soil samples collected were observed to be dry, odorless, and without discoloration.



# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 4

**ANALYTICAL RESULTS:** The analyses results for SP-01 collected below the south end of the tank were as follows: Acetone was found to be at a level of 0.56 mg/kg, which is slightly above the analytical detection limit of 0.05 mg/kg.

The analyses results for SP-02 collected below the north end of the tank were as follows: Acetone was found to be at a level of 0.17 mg/kg, which is slightly above the analytical detection limit of 0.05 mg/kg.

The attached laboratory analytical reports indicate the results of all soil sample analyses performed.

Reference: Exhibit #11 - Laboratory Analytical Results

## EVALUATION AND CONCLUSIONS

Based on the above results, there is no evidence of contamination in soils adjacent to the underground acetone storage tank to suggest leakage of product has occurred.

## CLOSURE

The excavation at the tank was backfilled and recompactd to a minimum of 90 percent relative compaction on March 28, 1989 and March 29, 1989. A Grading Certificate was secured from the City of Los Angeles, Department of Building and Safety, and the excavation was inspected by the department prior to backfilling. Attached is a copy of the Grading Certificate and Inspection Record.

Soil compaction testing was performed on soil backfilled into the excavation. Attached is a report of the results of the soil compaction testing performed.

Reference: Exhibit #12 - Grading Certificate & Inspection Report

Exhibit #13 - Report of Soil Compaction Testing for Backfill of Excavation

# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 5

Please contact the undersigned if you require any further information on this project.


Respectfully submitted,



AMI ADINI  
Registered Environmental Assessor  
R.E.A. # 00363

LSW/lac

cc: Ms. Mandira Simental - Plaskon  
Property Owner



# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/867-2087

12270 NEBRASKA AVENUE


APRIL 17, 1989

PAGE: 6

## PROFESSIONAL CERTIFICATION

This report (dated April 17, 1989, Permit Number 62606 of the City of Los Angeles Fire Dept.) has been reviewed and approved by the California Registered Geologist whose seal and signature appear hereon.

Stanley E. Karp  
California Registered Geologist  
No. 514



# AMI ADINI & ASSOCIATES

1837 N. BERENDO ST • LOS ANGELES, CALIFORNIA 90027 • TELEPHONE 213/667-2087

12270 NEBRASKA AVENUE

APRIL 17, 1989

PAGE: 7

## ATTACHMENTS

- Exhibit #1 - L. A. City Fire Dept. Division 5 Permit  
Granted 03-23-89
- Exhibit #2 - L. A. City Fire Dept. Approved Plan, Dated  
03-23-89
- Exhibit #3 - Site Location Map
- Exhibit #4 - Plot Plan
- Exhibit #5 - L. A. City Fire Dept. Permit No. 62607,  
Granted 03-23-89
- Exhibit #6 - Hazardous Waste Manifest for Disposal of Tank  
Contents
- Exhibit #7 - Marine Chemist Certificate No. 1117, Dated  
03-27-89
- Exhibit #8 - Certificate of Disposal/ Destruction for Tank
- Exhibit #9 - Site Sampling Map
- Exhibit #10 - Laboratory Chain-of-Custody Forms
- Exhibit #11 - Laboratory Analytical Results
- Exhibit #12 - Grading Certificate & Inspection Report
- Exhibit #13 - Report of Soil Compaction Testing for Backfill  
of Excavation

EXHIBIT #1  
L. A. CITY FIRE DEPT. DIVISION 5 PERMIT GRANTED 03-23-89  
12270 NEBRASKA AVENUE PROPERTY

F-350

WEST ICU

Granted	03 23 89
Expires	03 23 90

Fire Department  
City of Los Angeles  
**P E R M I T**

Reg. No.	62606
Fee Paid	EXEMPT 71

In accordance with terms of the application on file with the Fire Prevention Bureau, permission is granted to: MUST COMPLY WITH FPB REQUIREMENT NO. 41

Name PLASKON ELECTRONIC MATERIALS, INC.

Mail to 

AMI ADINI & ASSOCIATES
1837 N. BERENDO ST.
LOS ANGELES, CA 90027

Permit to: Abandon 1 atmospheric tank(s) as per plans and specifications submitted to the FIRE Prevention Bureau & subject to the FIELD INSPECTOR'S approval at the site.

Location 12270 NEBRASKA AVE.  
LOS ANGELES, 90025


BY ORDER OF CHIEF ENGINEER  
*C. V. Drummond*  
By: SMV Fire Marshal

EXHIBIT #2  
L. A. CITY FIRE DEPT. APPROVED PLAN, DATED 03-23-89  
12270 NEBRASKA AVENUE PROPERTY

# PLOT PLAN

EXHIBIT #2

ADDRESS : 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025  
OWNER: PLASKON ELECTRONIC MATERIALS, INC.  
PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE



## SUBJECT TO FIELD INSPECTION

The approval of these plans and/or specifications does not exempt them from strict compliance with all other pertinent laws and all Municipal Code and other applicable regulations

**APPROVED**

LOS ANGELES FIRE DEPARTMENT  
BUREAU OF FIRE PREVENTION

BY S. Williams  
#62606  
3-23-89

## TANK DATA

T-1: 8000  
GAL ACETONE  
TANK  
8'Ø X 21' L

EXHIBIT #3  
 SITE LOCATION MAP  
 12270 NEBRASKA AVENUE PROPERTY



REFERENCE: THE THOMAS GUIDE, LOS ANGELES COUNTY, PAGE 41, SECTION D5, 1988



# PLOT PLAN

EXHIBIT #4

ADDRESS: 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025  
OWNER: PLASKON ELECTRONIC MATERIALS, INC.  
PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK:  
ONE (1) 8000 GALLON ACETONE




EXHIBIT #5  
L. A. CITY FIRE DEPT. PERMIT NO. 62707, GRANTED 03-23-89  
12270 NEBRASKA AVENUE PROPERTY

F-350

Granted	3-23-89
Expires	3-23-90

Fire Department  
City of Los Angeles  
**PERMIT**

Reg. No.	62607
Fee Paid	\$140.00

In accordance with terms of the application on file with the Fire Prevention Bureau, permission is granted to:

Name

PLASKON ELECTRONIC MATERIALS, INC.

Mail  
to

12270 Nebraska Avenue  
Los Angeles, CA 90025

Permit to:

Transfer of flammable liquids in a manner  
not otherwise regulated by this article.

Location

12270 Nebraska Ave.

BY ORDER OF CHIEF ENGINEER

By:



Fire Marshal

EXHIBIT #6  
HAZARDOUS WASTE MANIFEST FOR DISPOSAL OF TANK CONTENTS  
12270 NEBRASKA AVENUE PROPERTY

Please print or type (Form designed for use on elite (12-pitch typewriter))

**UNIFORM HAZARDOUS WASTE MANIFEST**

1. Generator's US EPA ID No  
 C1ND001813715487610113R

Manifest Document No  
 0000

2. Page 1 of 1 Information in the shaded areas is not required by Federal law

3. Generator's Name and Mailing Address  
 PLASKON ELECTRONIC MATERIALS, INC  
 12270 NEBRASKA AVE, LOS ANGELES 9002

4. Generator's Phone (213) 272-4471

5. Transporter 1 Company Name  
 Oil & Solvent Process Co.

6. US-EPA ID Number

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address  
 Oil & Solvent Process Co.  
 1704 W. First St.  
 Azusa, CA 91702

10. US EPA ID Number

A. State Manifest Document Number  
 88060130

B. State Generator's ID

C. State Transporter's ID  
 906353

D. Transporter's Phone  
 618/334-5117

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

H. Facility's Phone  
 (618) 334-5117

11 US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12 Containers		13 Total Quantity	14 Unit WT/Vol	1 Waste No.
	No	Type			
a. Waste Acetone, Solution of WASTE Flammable Liquid, <del>Class</del> (6003) (DOT 27476)	01	UN	00450	G	State 213 EPA/Other 6003
b.					State EPA/Other
c.					State EPA/Other
d.					State EPA/Other

J. Additional Descriptions for Materials Listed Above  
 Waste acetone, water  
 Profile: LAX H18219

K. Handling Codes for Wastes Listed Above  
 a. X  
 b. X  
 c. X

15. Special Handling Instructions and Additional Information  
 Wear gloves and goggles

16. *Rec # 124-29*

**GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford

Printed/Typed Name: *Mandira Semintal* Signature: *Mandira Semintal* Month Day Year: 11/21/11

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: *RUDY J LOPEZ* Signature: *Rudy Lopez* Month Day Year: 11/21/11

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name: Signature: Month Day Year:

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19

Printed/Typed Name: Signature: Month Day Year:

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802, WITHIN CALIFORNIA CALL 1-800-852-7550  
 GENERATOR  
 TRANSPORTER  
 FACILITY

EXHIBIT #7  
MARINE CHEMIST CERTIFICATE NO. 1117, DATED 03-27-89  
12270 NEBRASKA AVENUE PROPERTY

EDWIN S. WYNKOOP, P.E. and ASSOCIATES  
CERTIFIED SAFETY PROFESSIONAL  
LICENSE NO. 2960  
(818) 333-0873

EXHIBIT #7

15241 Valdemar Dr.  
Hacienda Heights, CA 91745

CERTIFICATE SERIAL NO 1117

Nieto & Son's Plascon 3-27-89  
Survey Requested by Vessel Owner or Agent Date  
Tank Steel 12270 Nebraska Los Angeles  
Vessel Type of Vessel Specific Location of Vessel  
Acetone LEL-O<sub>2</sub>-Visual 155 PM  
Last Three (3) Cargoes Tests Performed Time Survey Completed

This underground Tank identified with  
Red Point - 1117 - LAFD - 62603 Safe For Hot Work

Tank Tested 0% LEL / 20.9% Oxygen Not Safe For Workers  
To Enter

\* 1 - Tank 6000 gal. Cap. UL J-227538  
Not Tested For  
Specific Toxics

This Tank has been washed "on-site" and Certified as Clean  
and Vapor Free (zero percent OF The Lower Explosive Limit)  
This Cleaned Tank is No longer a hazard waste and may  
Be Transported For either disposal, material recycling or Salvage

In the event of any physical or atmospheric changes adversely affecting the STANDARD SAFETY DESIGNATIONS assigned to any of the above spaces, or if in any doubt, immediately stop all work and contact the undersigned.

QUALIFICATIONS: Transfer of ballast or manipulation of valves or closure equipment tending to alter conditions in pipe lines, tanks or compartments subject to gas accumulation, unless specifically approved in this Certificate, requires inspection and endorsement or reissue of Certificate for the spaces so affected. All lines, vents, heating coils, valves, and similarly enclosed appurtenances shall be considered "not safe" unless otherwise specifically designated.

STANDARD SAFETY DESIGNATIONS (partial list, paraphrased from NFPA 306 Subsections 1-6.1 through 1-6.4, and Subsection 5-3.2).

-SAFE FOR WORKERS: Means that in the compartment or space so designated (a) the oxygen content of the atmosphere is at least 19.5 percent by volume, and that, (b) toxic materials in the atmosphere are within permissible concentrations; and that, (c) the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Certificate.

NOT SAFE FOR WORKERS Means that in the compartment or space so designated, the requirements of Safe for Workers have not been met.

ENTER WITH RESTRICTIONS: Means that in any compartment or space so designated, entry for work may be made only if conditions of proper protective equipment, clothing, and time are as specified.

SAFE FOR HOT WORK Means that in the compartment so designated: (a) oxygen content of the atmosphere is at least 19.5 percent by volume, with the exception of inerted spaces or where external hot work is to be performed; and that, (b) the concentration of flammable materials in the atmosphere is below 10 percent of the lower flammable limit; and that, (c) the residues are not capable of producing a higher concentration permitted by (b) above under existing atmospheric conditions in the presence of fire, and while maintained as directed on the Certificate; and further, that, (d) all adjacent spaces containing or having contained flammable or combustible materials have been cleaned sufficiently to prevent the spread of fire, or are satisfactorily inerted, or, in the case of the fuel tanks or lube oil tanks, or engine room or fire room bilges, have been treated in accordance with the requirements.

NOT SAFE FOR HOT WORK: Means that in the compartment so designated, the requirements of Safe for Hot Work have not been met.

SAFE FOR REPAIR YARD ENTRY: Means that the compartments and spaces of the flammable cryogenic liquid carrier so designated: (a) have been tested by sampling at remote sampling stations, and results indicate the atmosphere tested to be above 19.5 percent oxygen, and less than 10 percent of the lower flammable limit, or (b) are inerted

CERTIFIED SAFETY PROFESSIONAL'S ENDORSEMENT This is to certify that I have personally determined that all spaces in the foregoing list are in accordance with NFPA 306 Control of Gas Hazards in tanks, etc., have been found the condition of each to be in accordance with the assigned designation.

The undersigned acknowledges receipt of this Certificate under Sec 2-3 of NFPA 306 and understands conditions and limitations under which it was issued.

Signed Yang S. Winter 3-27-89  
Name Date  
Company

This Certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

Signed Edwin S. Wynkoop  
Edwin Wynkoop 2960  
Certified Safety Professional Certificate No

EXHIBIT #8  
 CERTIFICATE OF DISPOSAL/DESTRUCTION FOR TANK  
 12270 NEBRASKA AVENUE PROPERTY



2202 South Milliken Avenue  
 Ontario, CA 91761  
 (714) 947-2888

No. 30477

**TANK DISPOSAL FORM**

Date: 3-23, 19 89  
 Job # \_\_\_\_\_  
 P. O. # \_\_\_\_\_

CONTRACTOR: Ami Adini & Assoc  
 ADDRESS: 1837 N. Berendo St. L.A., CA 90027  
 JOB SITE: Plaskon  
 ADDRESS: 12270 Nebraska Av. L.A., CA  
 DESTINATION: A.M.R. 2202 S. Milliken Ave., Ontario, CA 91761

DATE: 3-27-89 TIME: 12:00 PROJECTED TANKS: 1-8,000 ORDERED BY: \_\_\_\_\_ LIC NO: 6

SPECIAL INSTRUCTIONS: one truck  
 TIME IN: 11:45 AM  
 TIME OUT: 3:45 PM  
3 Hrs. 45 min. loading time

Services Rendered	Cost	QTY.	TANKS RECEIVED GALLONS	TYPE F * S *	NET TONS	TOTAL
Disposal Fee	<u>200.00</u>		280	<input type="checkbox"/> <input type="checkbox"/>	.14	3.44
Extensive Loading Time	<u>150.00</u>		500	<input type="checkbox"/> <input type="checkbox"/>	.21	
Disposal Fee with Permit	300.00		550	<input type="checkbox"/> <input type="checkbox"/>	.24	
Fiberglass Tank Disposal Fee Per Tank	400.00		1000 - 12 ft	<input type="checkbox"/> <input type="checkbox"/>	.44	
Delivered	200.00		1000 - 6 ft	<input type="checkbox"/> <input type="checkbox"/>	.61	
Bobtail Disposal Fee	250.00		1500	<input type="checkbox"/> <input type="checkbox"/>	.87	
Cancellation Fee	250.00		2000	<input type="checkbox"/> <input type="checkbox"/>	.97	
			2500	<input type="checkbox"/> <input type="checkbox"/>	1.14	
			3000	<input type="checkbox"/> <input type="checkbox"/>	1.32	
			4000	<input type="checkbox"/> <input type="checkbox"/>	1.64	
			5000	<input type="checkbox"/> <input type="checkbox"/>	2.42	
			6000	<input type="checkbox"/> <input type="checkbox"/>	2.84	
			7500	<input type="checkbox"/> <input type="checkbox"/>	3.26	
<b>TOTAL CHARGES</b>	<b>\$350.00</b>	<u>1</u>	8000	<input checked="" type="checkbox"/> <input type="checkbox"/>	3.44	
			9000	<input type="checkbox"/> <input type="checkbox"/>	3.82	
			10000	<input type="checkbox"/> <input type="checkbox"/>	4.33	
			12000	<input type="checkbox"/> <input type="checkbox"/>	4.93	

All fees incurred are per load unless specified. Terms are net 30 days from date of invoice. Contractor's signature represents acceptance of terms for payment, and confirms that tank removal complies with State laws.  
Larry S. Witmer  
 CONTRACTOR'S SIGNATURE

NO. OF TANKS: 1 TOTAL NET TONS: 3.44  
 \*F - FIBERGLASS \*S - STEEL 105

**CERTIFICATE OF TANK DISPOSAL / DESTRUCTION**  
 THIS IS TO CERTIFY THE RECEIPT AND ACCEPTANCE OF THE TANK(S) AS SPECIFIED ABOVE. ALL MATERIALS SPECIFIED  
 HAVE BEEN COMPLETELY DESTROYED FOR SCRAP PURPOSES ONLY

A. Cotton AUTHORIZED REP DATE: 3-27-89


# SITE SAMPLING MAP

EXHIBIT #9

ADDRESS: 12270 NEBRASKA AVENUE, LOS ANGELES, CA 90025

OWNER: PLASKON ELECTRONIC MATERIALS, INC.

PROJECT: REMOVAL OF UNDERGROUND SOLVENT STORAGE TANK  
ONE (1) 8000 GALLON ACETONE



## LEGEND

⊙ SP-01: SOIL GRAB SAMPLE LOCATION.

## TANK DATA

T-1: 8000 GAL. ACETONE TANK 8'Ø X 21' L



EXHIBIT #10  
LABORATORY CHAIN-OF-CUSTODY FORMS  
12270 NEBRASKA AVENUE PROPERTY



**Burmah Technical Services, Inc.**  
**Analytical Laboratories Division**

408 Auburn Avenue, Pontiac, Michigan 48058   
 700 S. Flower St., Burbank, CA 91502

### CHAIN OF CUSTODY

Client: AMI ADINI & ASSOCIATES  
 Address: 1837 N. BERENDO ST.  
LOS ANGELES, CA 90027

Contact person: AMI ADINI  
 Phone # (213) 667-2087  
 PO# VERBAL  
 Project: PLASKON ELECTRONIC MATERIALS, INC  
12270 NEBRASKA AVE., LOS ANGELES

Special Handling Request  
 Rush (2-4 HR)  
 Verbal  
 Other

Sample ID	Date	Time	Grab	Comp	No. of Containers	Waste Type	Preservation	Analysis request
SP-01 (SOUTH)	3-27-89	3:15 PM	X		1	SOIL	ICE CHEST	ACETONE VIA 8015
SP-02 (NORTH)	3-27-89	3:30 PM	X		1	SOIL	ICE CHEST	ACETONE VIA 8015
								(ok/cold)

Collected by: Larry S. Witmer Date: 3-27-89 Time: 3:15 PM

Delivery by: Larry S. Witmer Date: 3-27-89 Time: 4:27 PM

Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

Relinquished by: Larry S. Witmer Date: 3-27-89 Time: 4:27 PM

Received for laboratory by: S. Anderson Date: 3-27-89 Time: 4:27 PM

Comments (Precautions/hazards)

Final disposition: (Signature)

EXHIBIT #10

EXHIBIT #11  
LABORATORY ANALYTICAL RESULTS  
12270 NEBRASKA AVENUE PROPERTY



Burmah Technical Services, Inc.  
Analytical Laboratories Division

700 South Flower Street  
Burbank, California 91502

213-849-6591

ANALYTICAL REPORT

Date Received: 03/27/89

Date Reported: 03/29/89

Client : Ami Adini Associates  
1837 N. Berendo St.  
Los Angeles CA 90027  
Attn: Larry Witwer

Sample Description: Soil Samples

Investigation : Plaskon Electronic Materials  
12270 Nebraska Ave. LA

<u>Lab. No.</u>	<u>Sample No.</u>	<u>mg/kg</u>
		<u>Acetone</u>
BSS-5881	SP-01 South	0.56
BSS-5882	SP-02 North	0.17

Detection Limit 0.05

< - Less than detection limit

Acetone - Analyzed by EPA-8015

---

Harold Vernon  
Manager Analytical Services

QUALITY CONTROL DATA

REPORT DATE: 03/29/89

Procedure - 8015

Samples Analyzed in this QC Set

Parameter - Units (mg/kg)

Blank

Lab #: BSS-5881

0/0 Recovery

Relative 0/0 Difference

Surrogate - 0/0 Recovery

Chlorobenzene

93

Parameter - Units (mg/kg)

Blank

Lab #: BSS 882

0/0 Recovery

Relative 0/0 Difference

Surrogate - 0/0 Recovery

Chlorobenzene

94

EXHIBIT #12  
GRADING CERTIFICATE & INSPECTION REPORT  
12270 NEBRASKA AVENUE PROPERTY

**G** APPLICATION FOR INSPECTION CITY OF LOS ANGELES DEPT OF BUILDING AND SAFETY OF GRADING AND FOR GRADING CERTIFICATE

INSTRUCTIONS: 1. Applicant to Complete Numbered Items Only. 2. Plot Plan Required on Back of Original.

1. LEGAL DESCR.	LOT 21	BLK.	TRACT Santa Monica Sawtelle St	COUNCIL DIST. NO. 11	DIST. MAP 123-145 CENSUS TRACT 2675
2. PURPOSE OF GRADING 60' Backfill Excavation from Tank Removal					ZONE M2-1
3. JOB ADDRESS 12270 Nebraska Avenue					FIRE DIST. II
4. BETWEEN CROSS STREETS AND Centinela Bunfy Dr					LOT (TYPE) Int
5. OWNER'S NAME Plaskon Electronic Materials, Inc					PHONE 213-272-4471 LOT SIZE
6. OWNER'S ADDRESS 12270 Nebraska Ave L.A.					CITY L.A. ZIP 90025 Irreg
7. PLANS BY CIVIL ENGR. BUS. LIC. NO. ACTIVE STATE LIC. NO. PHONE					ALLEY
8. CIVIL ENGR. ADDRESS CITY ZIP					BLDG. LINE
9. ENGR GEOLOGIST BUS. LIC NO ACTIVE STATE LIC. NO./CERT. NO PHONE					AFFIDAVITS
10. SOIL ENGR.—TESTING AGENCY BUS. LIC. NO. ACTIVE STATE LIC. NO. PHONE Norcal Eng 10036 RGE841 213-267-0125					2I 1449
11. CONTRACTOR Ami Adini & Assoc G99560 523290 213-667-2087					PHONE
12. CONTRACTOR'S ADDRESS 1937 N. Berendo Street L.A.					CITY L.A. ZIP 90027 P.C. REQ'D
13. JOB ADDRESS 12270 Nebraska Avenue					STREET GUIDE SIA DIST OFFICE
14. NUMBER OF CUBIC YARDS CUT FILL					SEISMIC STUDY ZONE
15. MAXIMUM SLOPE CUT FILL		RETAINING WALL REQUIRED YES (NO)		BOARD FILE NO.	GRADING FLOOD Hwy DED CONS yes
FILL DENSITY TESTS & CERTIFICATION <input checked="" type="checkbox"/> 90% REQUIRED <input type="checkbox"/> NOT REQUIRED					IMPORT/EXPORT REQ. ZONED BY C. Lee
CALIF. ENVIRONMENTAL QUALITY ACT REQUIREMENTS (EXEMPT) COMPLETED					YARDAGE APPROVED FILE WITH
BOND AMOUNT <input type="checkbox"/> CASH <input type="checkbox"/> SURETY DATE POSTED CA #					PLANS CHECKED TYPIST R. Moore INSPECTOR
PC	GPI	GPI INSPECTOR			
SPC.	IF	Claims for refund of fees paid on permits must be filed 1 Within one year from date of payment of fee, or 2 Within one year from date of expiration of extension for building or grading permits granted by the Dept of B & S SECTIONS 22 12 & 22 13 LAMC			
GP	OSS				
DIST OFFICE	SOSS				
PC NO					

Unless a shorter period of time has been established by an official action, plan check approval expires one year after the fee is paid and this permit expires two years after the fee is paid or 180 days after the fee is paid if construction is not commenced

CASHIER'S USE ONLY

B & S B-100 (R 2/87)

12/11/87

**DEPARTMENT OF BUILDING AND SAFETY  
INSPECTION RECORD  
CITY OF LOS ANGELES**

ADDRESS OF JOB <b>027400 MAR 23 '89</b>			Do Not Call for Framing Inspection Until Electrical, Plumbing & Heating Approvals have been Obtained.																																																																																																																																																																																																																																							
NATURE OF WORK <b>LA</b>			<b>Inspections</b>	<b>Date</b>	<b>Inspector</b>																																																																																																																																																																																																																																					
<b>BLDG. PERMIT NO.</b>	OWNER			Rough Electrical																																																																																																																																																																																																																																						
	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:33%;">Inspections</th> <th style="width:33%;">Date</th> <th style="width:33%;">Inspector</th> </tr> </thead> <tbody> <tr> <td colspan="3" style="text-align: center;"><b>GRADING INSPECTIONS</b></td> </tr> <tr> <td>Initial Grading</td> <td></td> <td></td> </tr> <tr> <td>Toe or Bottom</td> <td><i>1-23-89</i></td> <td><i>JP/MLK</i></td> </tr> <tr> <td colspan="3" style="text-align: center;"><b>DO NOT PLACE FILL UNTIL ABOVE IS SIGNED</b></td> </tr> <tr> <td>Excavation</td> <td></td> <td></td> </tr> <tr> <td>Fill</td> <td></td> <td></td> </tr> <tr> <td>Drainage Devices</td> <td></td> <td></td> </tr> <tr> <td>Rough Grading</td> <td></td> <td></td> </tr> <tr> <td colspan="3" style="text-align: center;"><b>BUILDING AND MECHANICAL INSPECTIONS</b></td> </tr> <tr> <td>Footing Excavation</td> <td></td> <td></td> </tr> <tr> <td>Forms</td> <td></td> <td></td> </tr> <tr> <td>Reinforcing Steel</td> <td></td> <td></td> </tr> <tr> <td>OK to Place Footings</td> <td></td> <td></td> </tr> <tr> <td colspan="3" style="text-align: center;"><b>DO NOT PLACE CONCRETE UNTIL ABOVE IS SIGNED</b></td> </tr> <tr> <td>Heating &amp; Refrig. Groundwork</td> <td></td> <td></td> </tr> <tr> <td>Electrical Groundwork</td> <td></td> <td></td> </tr> <tr> <td>Plumbing Groundwork</td> <td></td> <td></td> </tr> <tr> <td>Gas Piping Groundwork</td> <td></td> <td></td> </tr> <tr> <td>OK to Place Slab Floor</td> <td></td> <td></td> </tr> <tr> <td colspan="3" style="text-align: center;"><b>DO NOT PLACE CONCRETE SLAB FLOOR UNTIL ABOVE IS SIGNED</b></td> </tr> <tr> <td colspan="3"></td> <td>Rough Plumbing</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Rough Heating &amp; Refrig</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Rough Handicapped</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Rough Framing</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Rough Fire Sprinklers</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Insulation</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>OK to Cover</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td colspan="3" style="text-align: center;"><b>DO NOT COVER UNTIL ABOVE IS SIGNED</b></td> </tr> <tr> <td colspan="3"></td> <td>Exterior Lathing</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Interior Lathing</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>OK to Plaster</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td colspan="3" style="text-align: center;"><b>DO NOT PLASTER UNTIL ABOVE IS SIGNED</b></td> </tr> <tr> <td colspan="3"></td> <td colspan="3" style="text-align: center;"><b>WORK OUTSIDE BUILDING</b></td> </tr> <tr> <td colspan="3"></td> <td>Sewer</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Gas</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Heating &amp; Refrigeration</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Electrical Underground</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td colspan="3" style="text-align: center;"><b>FINAL INSPECTIONS</b></td> </tr> <tr> <td colspan="3"></td> <td>Final Electrical</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Final Gas</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Final Plumbing</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Final Heating &amp; Refrigeration</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Final Fire Sprinklers</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Final L.A.F.D. OK Title 19 Jobs Only</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Final Handicapped</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Final Grading</td> <td></td> <td></td> </tr> <tr> <td colspan="3"></td> <td>Final</td> <td></td> <td></td> </tr> </tbody></table>			Inspections	Date	Inspector	<b>GRADING INSPECTIONS</b>			Initial Grading			Toe or Bottom	<i>1-23-89</i>	<i>JP/MLK</i>	<b>DO NOT PLACE FILL UNTIL ABOVE IS SIGNED</b>			Excavation			Fill			Drainage Devices			Rough Grading			<b>BUILDING AND MECHANICAL INSPECTIONS</b>			Footing Excavation			Forms			Reinforcing Steel			OK to Place Footings			<b>DO NOT PLACE CONCRETE UNTIL ABOVE IS SIGNED</b>			Heating & Refrig. Groundwork			Electrical Groundwork			Plumbing Groundwork			Gas Piping Groundwork			OK to Place Slab Floor			<b>DO NOT PLACE CONCRETE SLAB FLOOR UNTIL ABOVE IS SIGNED</b>						Rough Plumbing						Rough Heating & Refrig						Rough Handicapped						Rough Framing						Rough Fire Sprinklers						Insulation						OK to Cover						<b>DO NOT COVER UNTIL ABOVE IS SIGNED</b>						Exterior Lathing						Interior Lathing						OK to Plaster						<b>DO NOT PLASTER UNTIL ABOVE IS SIGNED</b>						<b>WORK OUTSIDE BUILDING</b>						Sewer						Gas						Heating & Refrigeration						Electrical Underground												<b>FINAL INSPECTIONS</b>						Final Electrical						Final Gas						Final Plumbing						Final Heating & Refrigeration						Final Fire Sprinklers						Final L.A.F.D. OK Title 19 Jobs Only						Final Handicapped						Final Grading						Final		
	Inspections	Date	Inspector																																																																																																																																																																																																																																							
	<b>GRADING INSPECTIONS</b>																																																																																																																																																																																																																																									
	Initial Grading																																																																																																																																																																																																																																									
	Toe or Bottom	<i>1-23-89</i>	<i>JP/MLK</i>																																																																																																																																																																																																																																							
	<b>DO NOT PLACE FILL UNTIL ABOVE IS SIGNED</b>																																																																																																																																																																																																																																									
	Excavation																																																																																																																																																																																																																																									
	Fill																																																																																																																																																																																																																																									
	Drainage Devices																																																																																																																																																																																																																																									
Rough Grading																																																																																																																																																																																																																																										
<b>BUILDING AND MECHANICAL INSPECTIONS</b>																																																																																																																																																																																																																																										
Footing Excavation																																																																																																																																																																																																																																										
Forms																																																																																																																																																																																																																																										
Reinforcing Steel																																																																																																																																																																																																																																										
OK to Place Footings																																																																																																																																																																																																																																										
<b>DO NOT PLACE CONCRETE UNTIL ABOVE IS SIGNED</b>																																																																																																																																																																																																																																										
Heating & Refrig. Groundwork																																																																																																																																																																																																																																										
Electrical Groundwork																																																																																																																																																																																																																																										
Plumbing Groundwork																																																																																																																																																																																																																																										
Gas Piping Groundwork																																																																																																																																																																																																																																										
OK to Place Slab Floor																																																																																																																																																																																																																																										
<b>DO NOT PLACE CONCRETE SLAB FLOOR UNTIL ABOVE IS SIGNED</b>																																																																																																																																																																																																																																										
			Rough Plumbing																																																																																																																																																																																																																																							
			Rough Heating & Refrig																																																																																																																																																																																																																																							
			Rough Handicapped																																																																																																																																																																																																																																							
			Rough Framing																																																																																																																																																																																																																																							
			Rough Fire Sprinklers																																																																																																																																																																																																																																							
			Insulation																																																																																																																																																																																																																																							
			OK to Cover																																																																																																																																																																																																																																							
			<b>DO NOT COVER UNTIL ABOVE IS SIGNED</b>																																																																																																																																																																																																																																							
			Exterior Lathing																																																																																																																																																																																																																																							
			Interior Lathing																																																																																																																																																																																																																																							
			OK to Plaster																																																																																																																																																																																																																																							
			<b>DO NOT PLASTER UNTIL ABOVE IS SIGNED</b>																																																																																																																																																																																																																																							
			<b>WORK OUTSIDE BUILDING</b>																																																																																																																																																																																																																																							
			Sewer																																																																																																																																																																																																																																							
			Gas																																																																																																																																																																																																																																							
			Heating & Refrigeration																																																																																																																																																																																																																																							
			Electrical Underground																																																																																																																																																																																																																																							
			<b>FINAL INSPECTIONS</b>																																																																																																																																																																																																																																							
			Final Electrical																																																																																																																																																																																																																																							
			Final Gas																																																																																																																																																																																																																																							
			Final Plumbing																																																																																																																																																																																																																																							
			Final Heating & Refrigeration																																																																																																																																																																																																																																							
			Final Fire Sprinklers																																																																																																																																																																																																																																							
			Final L.A.F.D. OK Title 19 Jobs Only																																																																																																																																																																																																																																							
			Final Handicapped																																																																																																																																																																																																																																							
			Final Grading																																																																																																																																																																																																																																							
			Final																																																																																																																																																																																																																																							



EXHIBIT #13  
REPORT OF SOIL COMPACTION TESTING FOR BACKFILL OF EXCAVATION  
12270 NEBRASKA AVENUE PROPERTY

NorCal Engineering  
SOILS AND GEOTECHNICAL CONSULTANTS  
10571 CALLE LEE SUITE 155 LOS ALAMITOS, CA 90720  
(714) 826-4231 (213) 267-0125  
FAX (714) 826-2514

EXHIBIT #13

May 31, 1989

Project Number 1796-89

Ami Adini and Associates  
1837 N. Berendo Street  
Los Angeles, California 90027

Re: Inspection and Testing of Grading Operations - Tank  
Excavation Backfill - Located at 12270 Nebraska Avenue,  
in the City of Los Angeles, California

Dear Sirs:

Pursuant to your request, compaction tests were obtained at the  
above-referenced location.

Results of the compaction tests are attached and locations of  
these tests are shown on the accompanying plot plan.

All work was performed in accordance with the requirements of the  
City of Los Angeles, and with all present day standards of the  
Soils Engineering Industry.

All vegetation and demolition debris was stripped and removed  
from the fill area prior to the placement of any fill soils.

The existing low density soils were removed to competent natural  
ground, the exposed surface scarified, moisture conditioned and  
then recompacted to a minimum of 90% relative compaction.

..

The excavation  $\pm$  12.0 feet in depth was backfilled to within 2.0 feet of grade with 3/4" gravel. The top 2.0 feet was capped off with compacted fill soils to a minimum of 90% relative compaction.

The relative compaction was determined by Sand Cone Method (ASTM:D-1556-64) and by the Drive Tube Method. The maximum density of the fill soils was obtained by the laboratory standard (ASTM:D-1557-78) and results are shown on Table I. Tests were performed a minimum of every 500 cubic yards placed and every 2.0 feet in depth of fill placed.

A backhoe was utilized for compaction control. A water hose provided moisture control.

We appreciate this opportunity to be of service to you. If you have any further questions, please do not hesitate to contact the undersigned.

Respectfully submitted,  
NORCAL ENGINEERING

*Keith D. Tucker*

Keith D. Tucker  
Project Engineer  
R.G.E. 841



*Troy D. Norrell*

Troy D. Norrell  
President

NorCal Engineering


TABLE I  
MAXIMUM DENSITY TESTS  
(ASTM:D-1557-78)

<u>Soil Type</u>	<u>Classification</u>	<u>Optimum Moisture</u>	<u>Maximum Dry Density (lbs./cu.ft.)</u>
I	SAND, fine to medium grained	10.5	119.0

TABLE II  
COMPACTION TESTS RESULTS

Test <u>No.</u>	<u>Depth*</u>	Percent <u>Moisture</u>	Unit Wt. <u>lbs/cu.ft.</u>	Relative <u>Compaction</u>	Soil <u>Type</u>
101	1.0-1.5	10.1	109.5	92	I
102	0.0-0.5	9.8	110.7	93	I
103	0.0-0.5	8.5	110.1	92	I

\*Depth below finish grade (in feet)



## APPROXIMATE LOCATION OF COMPACTION TEST

X = COMPACTION TEST

DATE: 5-30-89

SCALE: N.T.S.

PROJECT NO:  
1796-89

AMI ADINI

NorCal ENGINEERING  
10571 CALLE LEE, SUITE  
LOS ALAMITOS, CA. 90803

NAME MESA PLASTICS- ADDRESS 12270 Nebraska Ave  
 DBA Mesa Plastics DATE April 21, 1959  
 ON No. Side of Street—between Bundy Dr. and Continela Ave

No. \_\_\_\_\_  
 Code \_\_\_\_\_

BOARD OF FIRE COMMISSIONERS, CITY OF LOS ANGELES:

In conformance with the Ordinances of the City of Los Angeles and under the supervision of the Chief Engineer of the Fire Department or his duly authorized representative, application is hereby made for

AN ORIGINAL PERMIT  A RENEWAL OF PERMIT  A TRANSFER OF PERMIT  to install or maintain  
 PORTABLE ACETYLENE GENERATOR  GRAVITY TANK  PORTABLE BUGGY  UNDERGROUND STORAGE TANK

Applicant is a CORPORATION—ASSOCIATION—PARTNERSHIP—INDIVIDUAL (Indicate by placing an X above type of organization.)

Signature Lewis Sweazy By Don Peterson Title Pipe Fitter Applicant's Phone R1-82139

Mail Address 3131 S. Flower L.A. -

MAIL PERMIT TO: — MESA PLASTICS 12270 NEBRASKA AVE. LOS ANGELES 25,

SPACE BELOW THIS LINE FOR DEPARTMENTAL USE ONLY

Type of Container	No.	Capacity	Contents	Manufacturer and Approval No.	Location of Container
<u>U.G. Tank</u>	<u>1</u>	<u>7500</u>	<u>Acetone</u>	<u>National 1967-50</u>	<u>225' So. of No. P/L 80' E of W P/L</u>

to be used in connection with

First Inspection Date 4-20-59 Last Inspection Date 4-21-59 Inspector Anthony Zippi

Recommendation: APPROVAL—DISAPPROVAL—CANCELLATION—Violation of Ordinance No. \_\_\_\_\_ Section \_\_\_\_\_

Previous Permit Granted \_\_\_\_\_ (date) To Detail \_\_\_\_\_ (date) By \_\_\_\_\_

Former Permittee \_\_\_\_\_ (for use on transfer of permit only) Inspector Completed \_\_\_\_\_ (date)

Remarks: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Raymond Hill  
4-30-59

CHECK SHEET

REMARKS

Height of Bldg..... Class of Bldg.....  
 Open lot only .....  
 Distance from other buildings .....  
 Electric wiring and equipment .....  
 Separating partitions .....  
 Metal receptacles for combustible waste .....  
 Housekeeping *OK* .....  
 Location of pit .....  
 Condition of pit .....  
 Vent pipes *OK* ..... Fill pipes *OK* .....  
 Suction pipe lines *OK* .....  
 Return pipe lines *OK* .....  
 Curb pipe fill lines .....  
 Type of burner .....  
 Standpipe and hose .....  
 Fireproof room .....  
 Fire doors .....

*There is to be an occupancy  
 change at this address - to be  
 changed to "E" occupancy.*  
*A. B. [Signature]*



DIV. 4 - 714 / 715 # 120 548-47

LAFD # 1046

Fire Station District # 59  
62

Field Office W. INDUSTRIAL

F-280

FIRE DEPARTMENT—CITY OF LOS ANGELES

APPLICATION FOR PERMIT—ATMOSPHERIC UNDERGROUND TANK(S)

Reg. No. 62606  
Date 3-23-89

PLEASE TYPE OR PRINT:

Name of Owner <u>PLASKON ELECTRONIC MATERIALS, INC.</u>		Doing Business As <u>SAME</u>	
Address of Owner <u>12270 NEBRASKA AVENUE, LA 90025</u>		Owner's Phone <u>(213) 272-4471</u>	
Address of Site <u>12270 NEBRASKA AVENUE, LA 90025</u>		Phone at Installation <u>(213) 272-4471</u>	
Contractor's Name: <u>AMI ADINI &amp; ASSOCIATES</u>			
Address: <u>1837 N. BERENDO ST., LA</u>		State: <u>CA</u>	Zip: <u>90071</u> Contact: <u>AMI ADINI</u>
Signature of Applicant <u>Larry S. Wilton</u>		Title <u>PROJECT MANAGER</u>	Contractor's Phone <u>(213) 667-2081</u>

QTY.	ITEM	I.D. NO(S)	FEE
<input checked="" type="checkbox"/>	<u>2000 GAL</u> UGT/S ABANDONMENT BY REMOVAL	EPA # <u>CAP 008 375 487</u> State Contractor Type / # <u>A 52320</u> City Business # <u>699566</u>	Exempt—Div. 4 - 714 / 715
<input type="checkbox"/>	UGT/S ABANDONMENT IN PLACE		
<input type="checkbox"/>	UGT/S INSTALLATION		
<input type="checkbox"/>	UGT/S ADD TO / ALTER: MONITORING		
<input type="checkbox"/>	UGT/S ADD TO / ALTER: PIPING		

**SUBJECT TO FIELD INSPECTION**

The approval of these plans and/or specifications does not exempt them from strict compliance with all other pertinent Sections of the Municipal Code and other laws and regulations

**APPROVED**

LOS ANGELES FIRE DEPARTMENT  
BUREAU OF FIRE PREVENTION

Total Fee <b>EXEMPT</b>	Approved <input checked="" type="checkbox"/>	Disapproved <input type="checkbox"/>	Date <u>3-23-89</u>	BY Inspector <u>[Signature]</u> <u>VIZCAINO</u>
----------------------------	--	--------------------------------------	------------------------	---



EDWIN S. WYNKOOP, P.F. and ASSOCIATES  
CERTIFIED SAFETY PRO. SIONAL  
LICENSE NO. 2960  
(818) 333-0873

15241 Valdemar Dr.  
Hacienda Heights, CA 91745

CERTIFICATE SERIAL N<sup>o</sup> 1117

Nieto & Son's Plascon 3-27-89  
Survey Requested by Vessel Owner or Agent Date  
Tank Steel 12270 Nebraska Los Angeles  
Vessel Type of Vessel Specific Location of Vessel  
Acetone LEL - O<sub>2</sub> - Visual 155 PM  
Last Three (3) Cargoes Tests Performed Time Survey Completed

This underground Tank identified with  
Red Paint - 1117 - LAFD - 62603 Safe For Hot Work

Tank Tested 0% LEL / 20.9% Oxygen Not Safe For Workers  
To Enter

#1 - Tank 6000 gal. Cap. UL J-227538  
Not Tested For  
Specific Toxics

This Tank has been Washed "on-site" and Certified as Clean  
and Vapor Free (zero percent of The Lower Explosive Limit)  
This Cleaned Tank is No Longer a hazard waste and may  
Be Transported For either disposal, material recycling or Salvage

In the event of any physical or atmospheric changes adversely affecting the STANDARD SAFETY DESIGNATIONS assigned to any of the above spaces, or if in any doubt, immediately stop all work and contact the undersigned

QUALIFICATIONS: Transfer of ballast or manipulation of valves or closure equipment tending to alter conditions in pipe lines, tanks or compartments subject to gas accumulation, unless specifically approved in this Certificate, requires inspection and endorsement or reissue of Certificate for the spaces so affected. All lines, vents, heating coils, valves, and similarly enclosed appurtenances shall be considered "not safe" unless otherwise specifically designated.

STANDARD SAFETY DESIGNATIONS (partial list, paraphrased from NFPA 306 Subsections 1-6.1 through 1-6.4, and Subsection 5-3.2).

**SAFE FOR WORKERS** Means that in the compartment or space so designated (a) the oxygen content of the atmosphere is at least 19.5 percent by volume, and that, (b) toxic materials in the atmosphere are within permissible concentrations; and that, (c) the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Certificate.

**NOT SAFE FOR WORKERS** Means that in the compartment or space so designated, the requirements of Safe for Workers have not been met.

**ENTER WITH RESTRICTIONS** Means that in any compartment or space so designated, entry for work may be made only if conditions of proper protective equipment, clothing, and time are as specified.

**SAFE FOR HOT WORK** Means that in the compartment so designated: (a) oxygen content of the atmosphere is at least 19.5 percent by volume, with the exception of inerted spaces or where external hot work is to be performed, and that, (b) the concentration of flammable materials in the atmosphere is below 10 percent of the lower flammable limit, and that, (c) the residues are not capable of producing a higher concentration permitted by (b) above under existing atmospheric conditions in the presence of fire, and while maintained as directed on the Certificate, and further, that, (d) all adjacent spaces containing or having contained flammable or combustible materials have been cleaned sufficiently to prevent the spread of fire, or are satisfactorily inerted, or, in the case of the fuel tanks or lube oil tanks, or engine room or fire room bilges, have been treated in accordance with the requirements.

**NOT SAFE FOR HOT WORK:** Means that in the compartment so designated, the requirements of Safe for Hot Work have not been met

**SAFE FOR REPAIR YARD ENTRY:** Means that the compartments and spaces of the flammable cryogenic liquid carrier so designated: (a) have been tested by sampling at remote sampling stations, and results indicate the atmosphere tested to be above 19.5 percent oxygen, and less than 10 percent of the lower flammable limit, or b) are inerted.

**CERTIFIED SAFETY PROFESSIONAL'S ENDORSEMENT** This is to certify that I have personally determined that all spaces in the foregoing list are in accordance with NFPA 306 Control of Gas Hazards in tanks, etc., have been found the condition of each to be in accordance with the assigned designation.

The undersigned acknowledges receipt of this Certificate under Sectin 2-3 of NFPA 306 and understands conditions and limitations under which it was issued.

Signed Lang S. Winters 3-27-89  
Name Date  
Edwin Wynkoop & Assoc.  
Company

This Certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

Signed Edwin S. Wynkoop 2960  
Name Certificate No.  
Certified Safety Professional

1988 Edition



PLASKON ELECTRONIC MATERIALS, INC.  
*Subsidiary of Rohm and Haas Company*

DATE: April 17, 1989

Los Angeles City Fire Department  
7166 West Manchester Ave., Room 5  
Los Angeles, CA 90045

REF: Underground Storage Tank Permit 120548-47

Gentlemen:

This is to inform you that Plaskon Electronic Materials, Inc. stopped manufacturing at its plant at 12270 Nebraska Avenue, Los Angeles, CA 90025 on 3/1/89. The buildings are going to be demolished. Our 8,000 gallon underground acetone storage tank was removed on 3/27/89.

Please cancel our Fire Permit on this tank with the number 120548-47.

If you have any questions, please contact Don Isabelle at Plaskon Electronic Materials, Inc., Toledo, Ohio, at 419/389-5600.

Very truly yours,

A handwritten signature in cursive script that reads "Mandira Simental".

Mandira Simental  
Supervisor Environmental Services

cc: J. Carlyle  
D. Isabelle  
W. Mauter  
B. Master  
J. Mausteller

MAR. 27, 1989  
(Date)

City of Los Angeles Fire Department  
Fire Prevention Bureau  
200 North Main Street, Room 920  
Los Angeles, California 90012

Attention: Records Office

Gentlemen:

This letter is to comply with Fire Department regulations regarding underground tank abandonment. (57.31.16).

The tank(s) was/were located at the following street address:

12270 NEBRASKA AVE.

The tank(s) was/were located from 2 property lines as follows:

SEE REVERSE (ATTACHED SHEET  
(Show sketch on reverse side.)

The number of tank(s) 1 and total capacity in gallons each 8,000

WHEN REMOVED:

The label numbers (or other tank designation numbers) were as follows: VL J 227538

The tank(s), prior to transporting was/were degassed, using CERTIFIED CLEAN pounds of carbon dioxide (dry ice). (One pound CO<sub>2</sub> per hundred gallons capacity of tank).

The tank(s) was/were removed to: A.M.R., ONTARIO

WHEN FILLED:

Approved mixture type \_\_\_\_\_, using \_\_\_\_\_ cu. yards total. The material was supplied by: \_\_\_\_\_


The abandonment work was inspected by: Thomas P. Keilly  
Fire Inspector

Signature of Responsible Person




NEBRASKA

225'



8,000  
UST



ROUTING  
 1st CAPT \_\_\_\_\_  
 2nd QAQC \_\_\_\_\_  
 3rd DATA \_\_\_\_\_  
 4th FILE \_\_\_\_\_

U RG R G R O U N D T A N K E N F O R C E M E N T T  
ABANDONMENT INFORMATION SHEET

Site Address: 12270 NEBRASKA AVE. Div. 5 No: 62606  
 Insp. Name: KINLEY Insp. No.: W.I.C.U. Date: 3/27/89  
 Contractor: AMI ADIANT + ASSOC. Responsible Person: \_\_\_\_\_

**TANK INFORMATION**=====

Tank ID # (UGT)	Size & Metal or FRP	Product	UL # and LAFD G.A.#	Abandonmt Method (Circle)
1. _____	<u>8,000 (M/F)</u>	<u>ACETONE</u>	<u>J-227538</u>	<u>(Wash)</u> HazWast-Fill
2. _____	_____ M/F	_____	_____	Wash-HazWast-Fill
3. _____	_____ M/F	_____	_____	Wash-HazWast-Fill
4. _____	_____ M/F	_____	_____	Wash-HazWast-Fill
5. _____	_____ M/F	_____	_____	Wash-HazWast-Fill

Tank locations from property lines or sketch on plans	# lbs dry ice	Destination or location of tanks
1. <u>SEE PLANS</u>	_____	<u>A.M.R.</u>
2. _____	_____	_____
3. _____	_____	_____
4. _____	_____	_____
5. _____	_____	_____

**CHECK OFF LIST - WHEN FORWARDING A COMPLETED PACKAGE**=====

- Arrange the following items in the order that they are listed below.
- This form and a Xeroxed copy
  - Underground Tank Time Log (site specific invoice)
  - Permit Information (stamped application and lot plan)
  - Cleaning Certificate
  - Certificate of Disposal Form (for washed tank)
  - Uniform Manifest for: (rinse) tank (hazardous waste), or soil
  - Chain of Custody (with site address printed on the form)
  - Soil Results
    - a. Contamination above action levels, per soils analysis... (Yes (NO))
    - b. Highest reported reading per soils analysis (in ppm).... .56 mg/kg
  - Number of tanks remaining onsite..... \_\_\_\_\_
  - a. Are abandoned tanks being replaced (Yes/No), # of tanks. \_\_\_\_\_

ROUTING  
 1st CAPT \_\_\_\_\_  
 2nd QAQC \_\_\_\_\_  
 3rd DATA \_\_\_\_\_  
 4th FILE \_\_\_\_\_

U GROUND TANK ENFORCEMENT T

ABANDONMENT INFORMATION SHEET

Site Address: 12270 NEBRASKA AVE. Div. 5 No: 62606

Insp. Name: KINLEY Insp. No.: W.I.C.U. Date: 3/27/89

Contractor: AMI ANINI + ASSOC Responsible Person: \_\_\_\_\_

**TANK INFORMATION**=====

Tank ID # (UGT)	Size & Metal or FRP	Product	UL # and LAFD G.A.#	Abandonmt Method (Circle)
1. _____	<u>8,000 (M/F)</u>	<u>ACETONE</u>	<u>J-227538</u>	<u>Wash</u> -HazWast-Fill
2. _____	_____ M/F	_____	_____	Wash-HazWast-Fill
3. _____	_____ M/F	_____	_____	Wash-HazWast-Fill
4. _____	_____ M/F	_____	_____	Wash-HazWast-Fill
5. _____	_____ M/F	_____	_____	Wash-HazWast-Fill

Tank locations from property lines or sketch on plans	# lbs dry ice	Destination or location of tanks
1. <u>SEE PLANS</u>	_____	<u>A.M.R</u>
2. _____	_____	_____
3. _____	_____	_____
4. _____	_____	_____
5. _____	_____	_____

**CHECK OFF LIST - WHEN FORWARDING A COMPLETED PACKAGE**=====

Arrange the following items in the order that they are listed below.

- This form and a Xeroxed copy
- Underground Tank Time Log (site specific invoice)
- Permit Information (stamped application and lot plan)
- Cleaning Certificate
- Certificate of Disposal Form (for washed tank)
- Uniform Manifest for: rinse tank (hazardous waste), or soil
- Chain of Custody (with site address printed on the form)
- Soil Results
  - a. Contamination above action levels, per soils analysis... (Yes NO)
  - b. Highest reported reading per soils analysis (in ppm).... 56 mg/kg
- Number of tanks remaining onsite..... \_\_\_\_\_
- a. Are abandoned tanks being replaced (Yes/No), # of tanks. \_\_\_\_\_



ROUTING  
 1st CAPT \_\_\_\_\_  
 2nd QAQC \_\_\_\_\_  
 3rd DATA \_\_\_\_\_  
 4th FILE \_\_\_\_\_

U GROUND TANK ENFORCEMENT T

ABANDONMENT INFORMATION SHEET

Site Address: 12270 NEBRASKA AVE. Div. 5 No: 62606  
 Insp. Name: KINLEY Insp. No.: W.I.C.U. Date: 3/27/89  
 Contractor: AMI ADINI + ASSOC Responsible Person: \_\_\_\_\_

**TANK INFORMATION**=====

Tank ID # (UGT)	Size & Metal or FRP	Product	UL # and LAFD G.A.#	Abandonmt Method (Circle)
1. _____	<u>8,000 (M/F)</u>	<u>ACETONE</u>	<u>J-227538</u>	<u>(Wash)</u> HazWast-Fill
2. _____	_____ M/F	_____	_____	Wash-HazWast-Fill
3. _____	_____ M/F	_____	_____	Wash-HazWast-Fill
4. _____	_____ M/F	_____	_____	Wash-HazWast-Fill
5. _____	_____ M/F	_____	_____	Wash-HazWast-Fill

Tank locations from property lines or sketch on plans	# lbs dry ice	Destination or location of tanks
1. <u>SEE PLANS</u>	_____	<u>A.M.R</u>
2. _____	_____	_____
3. _____	_____	_____
4. _____	_____	_____
5. _____	_____	_____

**CHECK OFF LIST - WHEN FORWARDING A COMPLETED PACKAGE**=====

Arrange the following items in the order that they are listed below.

- This form and a Xeroxed copy
- Underground Tank Time Log (site specific invoice)
- Permit Information (stamped application and lot plan)
- Cleaning Certificate
- Certificate of Disposal Form (for washed tank)
- Uniform Manifest for: (rinse) tank (hazardous waste), or soil
- Chain of Custody (with site address printed on the form)
- Soil Results
  - a. Contamination above action levels, per soils analysis... (Yes/NO)
  - b. Highest reported reading per soils analysis (in ppm).... .56 mg/kg
- Number of tanks remaining onsite..... \_\_\_\_\_
- a. Are abandoned tanks being replaced (Yes/No), # of tanks. \_\_\_\_\_

UNDERGROUND TANK TIME SURV

#62606

1. Facility Address: 2270 NEBRASKA Zip Code: 90025
2. Inspector: \_\_\_\_\_ # \_\_\_\_\_ Unit: West 3. UL # \_\_\_\_\_
4. Installation  Closure  Add To/Alter  Monitoring  Other
5. Private  City  County  State  Federal
6. Remarks: REMOVE 1 UGT 8,000 GAL. ACETONE

	7	8	9	10	11	12
Inspector/ Name	Time At Site	Travel Time To/From Site	Time In Office	Time Totals	Remarks/	Round Trip Mileage
VIZCAINO			.5	.5	PLAN CHECK	
KINLEY 3/27/89	3.5	.5	—	4.0	CLEANED & REMOVED 1 8,000 UGT	
KINLEY 4/7/89	.3	—	—	.3	REVIEW OF CLOSURE REPORT → FORWARD UGT	
5 TOTALS						Division 5 Stub

NOTE: INCLUDE UL#'s AND TANK SIZES UNDER REMARKS (6). (These should also be indicated on the plans.)

All time increments should be calculated in 1/10 hour increments. (i.e., 6 minutes - 1.)

PERMIT NUMBER  
190012-55

City of Los Angeles  
DEPARTMENT OF FIRE  
HAZARDOUS MATERIALS INFORMATION

PLAN CHECK NO.

New .....  
Add. ....  
Alt. ....  
ANNUAL ... X

*No change as of 1-31-84*

Job Address	90025	Owner Plaskon Products, Inc.
12270 Nebraska Ave., Los Angeles, CA		D.B.A.
Size of New Building, Addition or Yard Area		Use of New Building, Addition or Yard Area
Present Use of Existing Building Areas		Since (year)
Raw Material Storage-Manufacture of Plastic Molding Compounds		1959

1. Indicate by a "Yes" or "No" for each of the following hazardous materials whether they are to be used, processed or stored in this building or yard area. (See back for definition)

FLAMMABLE LIQUIDS	A Yes	B No	C No	D No	EXPLOSIVE AND UNSTABLE	Yes (Dust)
FLAMMABLE GASES	Yes	DUSTS	No	FIBERS	CORROSIVE	Yes
COMBUSTIBLE LIQUID	Yes				TOXIC	No
COMBUSTIBLE DUST	Yes	FIBERS	No		OXIDIZERS	Yes

2. Indicate equipment or process involving any of the above material:

Hydraulic Equipment	<input checked="" type="checkbox"/>	Dust Collectors	<input checked="" type="checkbox"/>	Drying Rooms (air)	<input checked="" type="checkbox"/>
Indust./Medical Gas	<input type="checkbox"/>	Electro Plating	<input type="checkbox"/>	Flow Coaters	<input type="checkbox"/>
Picking or Garnetting	<input type="checkbox"/>	Spray Painting	<input type="checkbox"/>	Dip Tanks	<input type="checkbox"/>
Magnesium Processing	<input type="checkbox"/>	Ovens, Process	<input type="checkbox"/>	Baler or Shredder	<input type="checkbox"/>
Molten Salt Baths	<input type="checkbox"/>	Welding/Cutting	<input checked="" type="checkbox"/>	Others	<input checked="" type="checkbox"/>
				(Mixers, Grinders, Roll Mills)	

3. List separately on reverse side any hazardous materials indicated in item 1. Show max. quantities in use, storage or processing and show class of flammable and combustible liquids.

PERSON TO CONTACT FOR HAZARDOUS MATERIAL INFORMATION

Name.....J. W. Carlyle.....Phone.....213-272-4471.....  
FIRE DEPARTMENT USE BUILDING DEPARTMENT USE

Classification.....Date.....Occupancy Classification.....

By.....By.....Date.....

Comments.....Comments.....

*Handwritten notes:*  
12/8/81  
12/8/81

PROCESS LOCATION OR STORAGE LOCATION	TYPE OF HAZARDOUS MATERIALS	MAX QUANTITY USE LBS., PTC.	MAX QUANTITY IN STORAGE LBS., GAL., PTC.	CLASS OF FLAMMABLE LIQUIDS
Underground Storage Tank Outside drum storage	Acetone	75 gal.	7500 gal.	A
Raw Material Warehouse	Dapon Resin	6000 lbs.	80,000 lbs.	
" " "	Dicup R	10 lbs.	550 lbs.	
" " "	Silane	20 lbs.	800 lbs.	
" " "	DMP-30	40 lbs.	120 lbs.	
Catalyst Pit	T.B.P.	25 lbs.	2000 lbs.	
" "	t-butyl Peroxy-2-ethylhexanote 50% in DOP	25 lbs.	2000 lbs.	
" "	Dicup R	-0-	3300 lbs.	
Outside Diked Area	Oil (Lubricating & Hyd)	400 lbs.	4000 lbs.	
Outside - (Near Boiler)	Mogul Water Treatment	5 lbs.	700 lbs.	
Outside Restricted Area	Propane Gas	5 gal.	50 gal.	
Outside Restricted Area	Acetylene Gas	1 cylinder	5 cylinders	
" " "	Oxygen Gas	1 cylinder	2 cylinders	

IN CASE OF ANY TYPE EMERGENCY, IMMEDIATELY CALL FIRE DEPARTMENT


I hereby certify that the use, storage or process of hazardous materials in this building or premises will be limited to quantity as indicated above.

Signature..... *J. W. Carlyle* ..... Date..... 12-8-81  
 Owner or Responsible Agent


HAZARDOUS MATERIAL DEFINITIONS (brief)

**AIR REACTIVE MATERIAL** — Any material which will ignite spontaneously in contact with air.  
**COMBUSTIBLE MATERIALS** — Liquids with a flash point of 150° F. or above and other materials which ignite and actively support combustion when exposed to an environmental temperature of 1500° F. for a period of not less than 5 minutes.  
**CORROSIVE MATERIAL** — Solids, liquids or gases which can damage living tissue or cause fire.  
**EXPLOSIVE MATERIAL** — Any compound which is classed as an A, B, or C Explosive.  
**OXIDIZING MATERIALS** — Any element or compound which yields oxygen or reacts when subjected to water, heat or fire conditions.  
**TOXIC MATERIALS** — Gases, liquids or solids which may create a hazard to life by ingestion, inhalation, etc., under fire conditions.  
**UNSTABLE MATERIALS** — Those materials which react from heat, shock, friction, contamination, etc., and which are capable of violent decomposition or auto reaction, but which are not designed primarily as an explosive.  
**WATER REACTIVE MATERIAL** — React violently or dangerously upon exposure to water or moisture.

**OTHER MATERIALS** — Indicate any material of which you are in doubt as to proper classification.  
**FLAMMABLE LIQUIDS AND MATERIALS** — Gases, liquefied gases, liquids, dusts, fibers, or other materials which are flammable. (57.02 or 91.1005 of the L. A. M. C.)  
**FLAMMABLE LIQUID** — Any liquid having a flash point below 150° F. and a vapor pressure not greater than 27 psi (absolute) at 100° F. Flammable liquids shall be divided into four classes as follows:  
**CLASS A** — Flammable liquids having a flash point below 70° F. and a vapor pressure greater than 14.7 psi (absolute) but not greater than 27 psi (absolute) at 100° F.  
**CLASS B** — Flammable liquids having a flash point below 70° F. and a vapor pressure not greater than 14.7 psi (absolute) at 100° F.  
**CLASS C** — Flammable liquids having a flash point of 70° F. or greater but less than 100° F.  
**CLASS D** — Flammable liquids having a flash point of 100° F. or greater but less than 150° F.



PLAN  
(RIGHT SIDE COVER SHOWN OPEN THIS VIEW ONLY)



NORMAL FULL LOAD  
WILL HOLD 72 CONT. T.B.P. = 2880#  
4 DR. D.C.P. = 110#

MAXIMUM 144 CONT. T.B.P. = 5760#

ALLIED CHEMICAL CO.  
UNSTABLE MATERIALS PIT  
1-'8-78

1  
17  
TBP - TERTIARY BUTYL PERBENZOATE  
44 # CONTAINERS

DI-CUP-R - DICUMYL PEROXIDE  
275 # DRUMS

NOTIFICATION OF UNDERGROUND TANK ABANDONMENT

5/22/85  
(Date)

City of Los Angeles Fire Department  
Fire Prevention Bureau  
200 North Main Street, Room 920  
Los Angeles, California 90012

12270 NEBRASKA

Attention: Records Office

Gentlemen:

This letter is to comply with Fire Department regulations regarding underground tank abandonment. (57.31.16).

The tank(s) are/were located from two property lines as follows:

OVER

\_\_\_\_\_  
(Show sketch on reverse side).

The number of tank(s) 1 and total capacity in gallons  
each 7500 GAL

WHEN REMOVED:

The label numbers (or other tank designation numbers) were as  
follows: UL ~~700D~~ 703321

The tank(s), prior to transporting were degassed, using 150 lbs  
pounds of carbon dioxide (dry ice). (One pound CO<sub>2</sub> per hundred  
gallons capacity of tank).


The tank(s) were removed to: 522 LECUVREUR  
WILMINGTON

WHEN FILLED:

Approved mixture type \_\_\_\_\_, using \_\_\_\_\_ cu. yards  
total. The material was supplied by: \_\_\_\_\_

The abandonment work was inspected by: DON SAWYER  
Fire Inspector

A. F. [Signature]  
Signature of Responsible Person





FIRE DEPARTMENT — CITY OF LOS ANGELES

APPLICATION FOR PERMIT

*West Industries*

Reg. No.	<u>48955</u>
Date	<u>APR 18 1985</u>

Name of Owner <u>Plaskow Elect. Materials</u>	Doing Business As	
Address of Owner <u>12270 Melrose Ave.</u>	Owner's Phone	
Address of Installation <u>Los Angeles, Ca</u>	Phone at Installation	
Mail Permit to <u>Spencer &amp; Jones 247 N. Comina Ln. Industry 91746</u>		
Signature of Applicant <u>Shirley Kirkendall</u>	Title <u>agent</u>	Contractor's Phone <u>(818) 369-1811</u>

Do Not Write Below This Line

NO.	ITEM	FEE
<u>ONE</u>	<u>8000 GAL UNDER GROUND DBL WALL ATMO. TANK</u>	<u>174<sup>00</sup></u>

*u.l. Tank # J227533*

*comp with 5/29/85*

Total Fee <u>174<sup>00</sup></u>	Approved <input checked="" type="checkbox"/>	Disapproved <input type="checkbox"/>	Date <u>APR 18 1985</u>	Inspector <i>[Signature]</i>
--------------------------------------	--	--------------------------------------	----------------------------	---------------------------------

NOTIFICATION OF UNDERGROUND TANK ABANDONMENT

6 Jan 84  
(Date)

City of Los Angeles Fire Department  
Fire Prevention Bureau  
200 North Main Street, Room 920  
Los Angeles, California 90012



Attention: Records Office

Gentlemen:

This letter is to comply with Fire Department regulations regarding underground tank abandonment. (57.31.16).

The tank(s) are/were located from two property lines as follows:

11 Santa Monica Bl West LA.  
(Show sketch on reverse side).

The number of tank(s) 4 and total capacity in gallons  
each ① 16,000 ② 10,000 ③ 10,000 ④ 19,000.

WHEN REMOVED:

The label numbers (or other tank designation numbers) were as  
follows: ① <sup>UL</sup> G-188714 ② <sup>UL</sup> G-188715 ③ <sup>UL</sup> G-188716 ④ <sup>UL</sup> G-188706.

The tank(s), prior to transporting were degassed, using 400  
pounds of carbon dioxide (dry ice). (One pound CO<sub>2</sub> per hundred  
gallons capacity of tank).


The tank(s) were removed to: Carson Ca

WHEN FILLED:

Approved mixture type 7 using 7 cu. yards  
total. The material was supplied by: [Signature]

The abandonment work was inspected by: ROBERT VOWERS  
Fire Inspector

[Signature]  
Signature of Responsible Person



# FIRE PERMIT APPLICATION FOR UNDERGROUND TANKS OR ATMOSPHERIC TANK SYSTEMS

INSTRUCTIONS: Complete all items below. Return page with payment. Type or print neatly.

## SECTION 1

CITY CLERK USE ONLY	PD DT <u>05-26-88</u>
------------------------	-----------------------

CURRENT FIRE PERMIT NO. 120548-47

LEGAL NAME Plaskon Electronic Materials, Inc.

BUSINESS ADDRESS 12270 Nebraska Avenue UNIT # \_\_\_\_\_  
(Where underground tanks are located) Street No. Full Street Name

CITY CLERK USE ONLY	ED	
------------------------	----	--

CITY Los Angeles STATE CA ZIP 90025

DOING BUSINESS AS \_\_\_\_\_

IN CARE OF \_\_\_\_\_ BUSINESS MAILING ADDRESS see above  
P.O. Box, Address, and Street State Zip

NAME OF BUSINESS OWNER Rohm and Haas Company

TELEPHONE NO.: BUSINESS 213/272-4471 24-HOUR EMERGENCY 213/313-3161

NAME OF PROPERTY OWNER Plaskon Elec. Matls MAILING ADDRESS see above

Briefly describe nature of your business (use additional sheet if needed) manufacturer of plastic molding compounds

FOR CITY CLERK USE ONLY	FD <u>F</u>	CLASS <u>714</u>	MG <u>P</u>	PC <u>21</u>	PERIOD <u>A88</u>	AMOUNT \$ <u>123.00</u>
----------------------------	-------------	------------------	-------------	--------------	-------------------	-------------------------

## SECTION 2

FEE CALCULATION		No. of tanks	Subtotal
Permit for Underground Tanks	\$67.00 X	<u>1</u>	= <u>\$67.00</u>
State of California surcharge for Underground Tanks	\$56.00 X	<u>1</u>	= <u>\$56.00</u>

### FEE EXEMPTION:

If your establishment is a government agency, check here \_\_\_\_\_  
Do not fill in fee calculation  
Government agencies must file an application, however  
no fee is required.

Please retain a copy for your records

PAY THIS AMOUNT \$123

MAKE ALL CHECKS PAYABLE TO  
ELIAS MARTINEZ, CITY CLERK

### REMIT TO:

CITY OF LOS ANGELES  
TAX AND PERMIT DIVISION  
P.O. BOX 30626  
LOS ANGELES, CA 90030-0626

Mandira Simental Supv. Environmental Services 5/13/88  
Signature of Owner or Authorized Representative Title Date

FIRE DEPT USE ONLY	MASTER CODE	<input type="checkbox"/>	Date _____	LAFD Signature _____
-----------------------	----------------	--------------------------	------------	----------------------

COVER LETTER *V26*

RECEIVED

JUN 13 1989

ANYTIME correspondence is forwarded to the Underground Tank Unit, this cover letter shall be included.

TO: UNDERGROUND TANK UNIT

FROM: INSPECTOR KINLEY UNIT WICU

SITE ADDRESS: 12270 NEBRASKA AVE.

SITE WITH NO SOIL CONTAMINATION

- Copy FPB 66
- Original time survey sheet (FPB 66-A)
- Copy of soil analysis report

SITE WITH GROUND CONTAMINATION

- Copy FPB 66
- Copy of notices written for soils samples and/or site assessment
- Original time survey sheet (FPB 66-A)
- Copy of soil analysis
- Forward two of the three required copies of the site assessment
- copies of memos regarding the site

ADDITIONAL COMMENTS

- Site closed-no contamination
- Site closed-contamination remediation finished
- Site assessment for review
- Other

*Womy*  
Unit Commander

MAR. 27, 1989  
(Date)

City of Los Angeles Fire Department  
Fire Prevention Bureau  
200 North Main Street, Room 920  
Los Angeles, California 90012

Attention: Records Office  
Gentlemen:

This letter is to comply with Fire Department regulations regarding underground tank abandonment. (57.31.15)

The tank(s) was/were located at the following street address:

12270 NEBRASKA AVE.

The tank(s) was/were located from 2 property lines as follows:

SEE REVERSE (ATTACHED SHEET  
(SHOW SKETCH ON REVERSE SIDE.)

The number of tank(s) 1 and total capacity in gallons each 8,000

WHEN REMOVED:

The label numbers (or other tank designation numbers) were as follows: UL J 227538

The tank(s), prior to transporting was/were degassed, using CERTIFIED CLEAN pounds of carbon dioxide (dry ice). (One pound CO<sub>2</sub> per hundred gallons capacity of tank).

The tank(s) was/were removed to: A.M.R. CENTERIO

WHEN FILLED:

Approved mixture type \_\_\_\_\_, using \_\_\_\_\_ cu. yards total. The material was supplied by: \_\_\_\_\_

The abandonment work was inspected by: Thomas P. Keilly  
Fire Inspector

Signature of Responsible Person

***Los Angeles City Fire Department  
(LAFD)  
12300 Nebraska Avenue***

***Original Documents***

Copies are inside folder.

**DO NOT REMOVE**





482-7432  
(213) 482-7432

EDWARD KING

CIVIL ENGINEERING SECTION  
POWER DESIGN AND  
CONSTRUCTION DIVISION

DEPARTMENT OF WATER & POWER  
CITY OF LOS ANGELES  
RM. 1034, 111 NORTH HOPE ST.  
LOS ANGELES, CALIF. 90051

# HERBERT KAO, MPH

INDUSTRIAL HYGIENIST

• ENVIRONMENTAL CHEMIST

## DAN NAPIER & ASSOCIATES

OCCUPATIONAL HEALTH AND  
SAFETY CONSULTANTS

15342 HAWTHORNE BOULEVARD, SUITE 207  
POST OFFICE BOX 1540  
LAWNDALE, CALIFORNIA 90260-8440

TELEPHONE (213) 644-1924  
TELEFAX (213) 644-8370  
VOICEMAIL (213) 318-1058

Granted 12-04-90

Expires 12-04

Fire Department  
City of Los Angeles  
**P E R M I T**

Reg. No. 326

Fee Paid Exempt-714

In accordance with terms of the application on file with the Fire Prevention Bureau, permission is granted to: MIST FONDLY WITH FPR REQUIREMENT NO. 41

Name

Los Angeles Department of Water and Power

Mail  
to

Los Angeles Department of Water and Power  
111 North Hope Street  
Los Angeles, CA 90004

Permit to:

Abandon Atmospheric tank safety plans and specifications submitted to the Fire Prevention Bureau

Location

and subject to the field inspection BY ORDER OF CHIEF ENGINEER

12300 Nebraska Avenue  
Los Angeles

B:

JG

Fire Marshal

**APPLICATION FOR FIRE PERMIT**  
OF THE CITY CLERK — LOS ANGELES

**F E E S**

NAME OF OWNER(S) <b>OVERLAND PLUMBING INC</b>				Permit Fee \$
DOING BUSINESS AS				Penalty \$
BUSINESS ADDRESS OR LOCATION DESCRIPTION <b>3332 MOTOR AVE ZN 34</b>				Total \$
MAILING ADDRESS <b>SAME</b>				TELEPHONE NUMBER
TYPE OF BUSINESS <b>FUELING STATION</b>				
CLASSIFICATION CODE <b>702</b>	NEW OR TRANSFER	MAXIMUM CAPACITY	QUANTITY—HAZARDOUS MATERIAL	OIL WELL, LAFD No.

**NOTICE TO APPLY:** You are hereby directed to apply and pay the required fee to the City Clerk for a Fire Permit on or before \_\_\_\_\_ or penalty will apply.

Issued by: \_\_\_\_\_

APPROVED: *M. L. Roberts* Date *6/15/71*

**APPLICATION FOR PERMIT:** I hereby declare that I am the owner of the above business or authorized representative of the owner and that I am in charge of the business, operation, occupation or premises described herein. I agree to comply with all Regulations, Laws or Ordinances pertaining to or regulating such business that are now in effect or that may be hereafter adopted.

SIGNATURE OF APPLICANT: \_\_\_\_\_  
DUPLICATE APP.  
Title \_\_\_\_\_ Date \_\_\_\_\_

OFFICE COLLECTION    INSPECTOR REPORT    OFFICE BILLING

Fee \$ 16.50    Fee \$ \_\_\_\_\_    Fee \$ \_\_\_\_\_

Penalty \_\_\_\_\_    Penalty \_\_\_\_\_    Penalty \_\_\_\_\_

Total 16.50    Total \_\_\_\_\_    Total \_\_\_\_\_

**F 613449-702**

**LOREDO 6/2/71**

PERMIT NUMBER

DEPUTY CITY CLERK

TO BILLING UNIT

NO BILLING REQUIRED

INITIAL

DATE

INITIAL

DATE

**JUN 18 1971**

**RECEIVED**

## HOW TO FILE YOUR APPLICATION

IF YOU APPLY IN PERSON: Take this form to the City Clerk's Office at one of the following locations:

DOWNTOWN LOS ANGELES, Room 101, City Hall, 201 N. Main St.

HOLLYWOOD, 6501 Fountain Ave.

8 a.m. to 12 noon, 1 p.m. to 5 p.m.

SAN PEDRO CITY HALL, 638 S. Beacon St., Rm. 303

(Monday, Wednesday and Friday only) 8 a.m. to 12 noon, 1 p.m. to 5 p.m.

VAN NUYS, 14401 Erwin St.

WATTS CITY HALL, Rm. 4, 1513 E. 103rd St.

(Tues. & Thurs. only) 1 p.m. to 4 p.m.

WESTCHESTER, MUNICIPAL BUILDING, Room 1, 7166 Manchester Ave.

(Tues. & Thurs. only) 8 a.m. to 12 noon, 1 p.m. to 5 p.m.

WEST LOS ANGELES, 1650 Purdue Ave., Room 104

IF YOU APPLY BY MAIL: Sign the application and mail with your remittance.

Make check payable to Rex E. Layton, City Clerk

All mail applications must be addressed to:

CITY CLERK'S OFFICE  
Room 101, City Hall  
Los Angeles, Calif. 90012

CHEMISTRY LABORATORY DATA REPORT  
Soil Test  
Gasoline Tank Removal, 12300-Nebraska Avenue

RECEIVED  
MAY 2 - 1991  
UNDERGROUND TANK  
ENFORCEMENT UNIT

Nine soil samples, taken on February 20, 1991, from four excavation sites of underground tanks at 12300 Nebraska Avenue, Los Angeles, were submitted to the Chemistry Laboratory for determination of their Total petroleum hydrocarbons (TPH), volatile petroleum hydrocarbons (VPH) and BTEX. The BTEX are benzene (BEN), toluene (TOL), ethyl benzene (EBZ), and xylenes (XYL).

The methods used for measuring the TPH, VPH and BTEX contents were USEPA methods 418.1, 8015 and 8020 as listed in the California LUFT Manual. The method practical quantitation limits (PQL) are 10 milligrams per kilogram (ppm) for TPH and VPH, and 10 micrograms per kilogram (ppb) for BTEX. The test results are attached.

If you have any questions or if further information is required, please contact Mr. Stanley Kung at (213) 481-6607.

Date Completed: 3/18/91  
Work Order No.: MKC55  
Job Card No.: J83000C  
Copies to: E. I. King (3)  
W. W. Glauz  
H. W. Rupp  
T. B. Hemming  
S. M. Kung

Test Made by: TMH, LNK  
Report by: SMK  
Checked by: *ABC*

Approved: *T. B. Hemming*  
T. B. Hemming,  
Director of  
Chemistry Laboratory

91 000145

Gasoline Tank Removal Site

Log No	Sample	Date Analyzed	ppm VPH	ppb			
				BEN	TOL	EBZ	XYL
G13387	#1, NW End, 3' below	2/25/90	nd*	nd	nd	nd	nd
G13388	#2, SE End, 3' below	2/25/90	nd	nd	nd	nd	nd
G13389	#3, Tank, 3' below	2/25/90	nd	nd	nd	nd	nd

\* nd - not detected.

White Gasoline Tank Removal Site

Log No	Sample	Date Analyzed	ppm VPH	ppb			
				BEN	TOL	EBZ	XYL
G13390	#1, NW End, 3' below	2/25/90	nd	nd	nd	nd	nd
G13391	#2, SE End, 3' below	2/25/90	nd	nd	nd	nd	nd

\* nd - not detected.

Waste Oil Tank Removal Site

Log No	Sample	Date Analyzed	ppm TPH	ppm VPH	ppb			
					BEN	TOL	EBZ	XYL
G13392	#1, Tank, 3' below	2/25/90	nd	nd	nd	nd	nd	26.7

\* nd - not detected.

Gasoline Island and Pipe Trench Site

Log No	Sample	Date Analyzed	ppm VPH	ppb			
				BEN	TOL	EBZ	XYL
G13393	#1, Pipe Trench, 12" below Subsurface	2/25/90	nd	nd	nd	nd	18.5
G13394	#2, Gasoline Island 3' below Subsurface	2/25/90	nd	nd	12.2	nd	20.5
G13395	#3, Gasoline Island 3' below Subsurface	2/25/90	nd	nd	nd	nd	nd

\* nd - not detected.

page 2 of 2  
Lab Data.

---



AD AND TECHNICAL SERVICES  
 Chemistry Laboratory  
 630 W. Main Street, Bldg 7  
 Los Angeles, CA. 90051  
 213) 481-6692  
 213) 482-7259 (fax)

# CHAIN OF CUSTODY RECORD

Department of Water and Power  
 City of Los Angeles

Two Week Turnaround

CHEM LAB USE ONLY

CHEM LAB LOG NOS. G13387-95

PAGE 1 OF 1 CR \_\_\_\_\_ SHELF \_\_\_\_\_

SAMPLE LOCATION / ADDRESS: 12300 NEBRASKA AVE.

Chem Lab use only, CHEMISTRY LOG NUMBERS	SAMPLE DATE	SAMPLE TIME	SAMPLE DESCRIPTION	#/TYPE CONTAINER	SAMPLE TYPE	ANALYSIS REQUIRED
	<u>2/20/91</u>		<u>WLA DISTRIBUTION HEADQUARTER</u>			
			<u>GASOLINE TANK REMOVAL</u>	<u>GLASS JAR</u>	<u>SOIL</u>	<u>EPA #8015 &amp; 8020</u>
<u>G13387</u> (1)		<u>1:40PM</u>	<u>#1, NW END, 3' BELOW TANK</u>	<u>"</u>	<u>"</u>	<u>DO " "</u>
<u>13388</u> (2)		<u>1:55PM</u>	<u>#2, SE END, 3' BELOW TANK</u>	<u>"</u>	<u>"</u>	<u>DO " "</u>
<u>13387</u> (3)		<u>1:50PM</u>	<u>#3 E TANK, 3' BELOW TANK</u>			
			<u>WHITE GASOLINE TANK REMOVAL</u>			<u>EPA #8015 &amp; 8020</u>
<u>13390</u> (4)		<u>1:45PM</u>	<u>#1, NW END, 3' BELOW TANK</u>	<u>"</u>	<u>"</u>	<u>DO " "</u>
<u>13391</u> (5)		<u>1:30PM</u>	<u>#2, SE END, 3' BELOW TANK</u>	<u>"</u>	<u>"</u>	<u>DO " "</u>
<u>13392</u> (6)			<u>WASTE OIL TANK REMOVAL</u>			<u>EPA #418.1</u>
		<u>11:20AM</u>	<u>#1, 3' BELOW E OF TANK</u>	<u>"</u>	<u>"</u>	
			<u>GASOLINE ISLAND &amp; PIPE TRENCH</u>			<u>EPA #8015 &amp; 8020</u>
<u>13393</u> (7)		<u>2:00PM</u>	<u>#1, PIPE TRENCH, 12" BELOW SUBBASE</u>	<u>"</u>	<u>"</u>	<u>DO " "</u>
<u>13394</u> (8)		<u>2:15PM</u>	<u>#2, GASOLINE ISLAND, 3' BELOW SUBBASE</u>	<u>"</u>	<u>"</u>	<u>DO " "</u>
<u>13395</u> (9)		<u>2:10PM</u>	<u>#3, GASOLINE ISLAND, 3' BELOW SUBBASE</u>			

LABORATORY SEARCHED  
 INDEXED  
 SERIALIZED  
 FILED  
 FEB 20 1991  
 CHEMISTRY SECTION

REQUESTED BY WAYNE BAMOSSY ORGANIZATION PD&C CIVIL ENGG  
 REQUESTOR'S ADDRESS 1029 GOB TEL # 481-5516 FAX # 481-8701

PRINTED NAME	SIGNATURE	DATE	TIME
SAMPLED BY: <u>EDWARD KING</u>	<u>Edward King</u>	<u>2/20/91</u>	<u>3:25PM</u>
RECEIVED BY:			
RELINQUISHED BY: <u>EDWARD KING</u>	<u>Edward King</u>	<u>2/20/91</u>	<u>3:25PM</u>
RECEIVED FOR LABORATORY BY:			



2202 South Milliken Avenue  
 Ontario, CA 91761  
 (714) 868-8000

No. 36290

**TANK DISPOSAL FORM**

Date: 2-27 19 91  
 Job # \_\_\_\_\_  
 P.O. # \_\_\_\_\_

CONTRACTOR: ERICKSON, Inc.  
 ADDRESS: 13738 Slover Ave, Fontana, CA 92335  
 JOB SITE: ERICKSON  
 ADDRESS: 13738 Slover Ave, Fontana, Calif.  
 DESTINATION: A.M.R. 2202 S. Milliken Ave., Ontario, CA 91761

DATE \_\_\_\_\_ TIME \_\_\_\_\_ PROJECTED YARDS \_\_\_\_\_ SCHEDULED BY: \_\_\_\_\_ LIC NO. \_\_\_\_\_

SPECIAL INSTRUCTIONS: \_\_\_\_\_  
 TIME IN: 31298/819  
 TIME OUT: 31305/839  
 31296/764  
 31303/831, 832, 833, 834, 835, 836  
 31306/840  
 31309/846

Services Rendered	Cost
Disposal Fee	200.00
Extensive Loading Time	150.00
Disposal Fee with Permit	300.00
Fiberglass Tank Disposal Fee Per Tank	400.00
Fiberglass Tank Delivered	200.00
Bobtail Disposal Fee	250.00
Cancellation Fee	250.00

QTY	TANKS RECEIVED		NET TONS	TOTAL
	GALLONS	TYPE		
	500	<input type="checkbox"/>	.14	
	500	<input type="checkbox"/>	.21	
	500	<input type="checkbox"/>	.26	
	1000	<input type="checkbox"/>	.44	
	1000	<input type="checkbox"/>	.51	
	1000	<input type="checkbox"/>	.57	
	2000	<input type="checkbox"/>	.97	
	2000	<input type="checkbox"/>	1.14	
	2000	<input type="checkbox"/>	1.48	
	2000	<input type="checkbox"/>	1.94	
	2000	<input type="checkbox"/>	2.48	
	2000	<input type="checkbox"/>	2.84	
	7000	<input type="checkbox"/>	3.28	
	6000	<input type="checkbox"/>	3.44	
	8000	<input type="checkbox"/>	3.82	
	10000	<input type="checkbox"/>	4.33	
	12000	<input type="checkbox"/>	4.83	

TOTAL CHARGES \$ 0

All fees incurred are per load unless specified.  
 Terms are net 30 days from date of invoice.  
 Contractor's signature represents acceptance  
 of terms for payment, and confirms that tank  
 removal complies with State laws.

NO. OF TANKS 11 TOTAL NET TONS 4.83  
 \*F - FIBERGLASS \*S - STEEL 105

CONTRACTOR'S SIGNATURE \_\_\_\_\_

CERTIFICATE OF TANK DISPOSAL / DESTRUCTION  
 THIS IS TO CERTIFY THE RECEIPT AND ACCEPTANCE OF THE TANK(S) AS SPECIFIED ABOVE. ALL MATERIALS SPECIFIED  
 HAVE BEEN COMPLETELY DESTROYED FOR SCRAP PURPOSES ONLY.  
Cheryl Rose AUTHORIZED REP DATE February 27, 1991

PAYMENT RECEIVED BY \_\_\_\_\_ CONTRACTOR COPY

© Copyright 1983 & Published by J J SULLIVAN & ASSOCIATES, INC., P.O. Box 808 © Hazmat, Waukesha WI 53187-0808

# STRAIGHT BILL OF LADING ORIGINAL - NOT NEGOTIABLE

Shipper's No. \_\_\_\_\_

Carrier's No. \_\_\_\_\_  
Date 2/26/91

CARRIER: American Metal Recycling, Inc.

SCAC

TO: Consignee American Metal Recycling, Inc.  
Street 2202 S. Milliken Ave.  
Destination Ontario, CA Zip 91761

FROM: Shipper Erickson, Inc.  
Street 13738 Slover Ave.  
Origin Fontana, CA Zip 92335

Route: \_\_\_\_\_

Vehicle Number \_\_\_\_\_

HAZARDOUS MATERIALS (IF APPLICABLE) PROPER SHIPPING NAME	HAZARDOUS CLASSIFICATION	ID Number	WEIGHT (Subject to Tariff)	RATE	LABELS REQUIRED (If any apply)
Non-Dot regulated material gas free, decontaminated underground tanks for scrap	None	N/A	N/A	N/A	None
31303/836 500					
31306/840 300					
31309/846 1,000					

Remit C.O.D. to: Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

C.O.D. FEE: Prepaid  Collect  \$

NOTE - Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property. The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$ \_\_\_\_\_

Subject to Section 7 of the conditions of the agreement to be adhered to by the consignee without recourse as to the carrier. The carrier shall not make delivery of the shipment without payment of freight and all other special charges. (Signature of Consignor)

FREIGHT CHARGES  PREPAID  COLLECT

RECEIVED, subject to the classifications and liability (and limits in effect on the date of issue of this bill of lading, the property described above in separate good order, subject to noted conditions and condition of carriage of carriage (unknown), marked, consigned, and delivered as indicated above which said carrier (the word carrier being understood to include the carrier or carriers in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if as a result, subsequent to delivery to another carrier on the route to said destination, it is mutually agreed as to each carrier of all or any part of said route to destination and as to each party at any time increased in all or any said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of shipment. Shipper hereby certifies that he is familiar with all the bill of lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

This is to certify that the above-named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation

SHIPPER'S SIGNATURE

PREPAID / COLLECT

YES / NO - FURNISHED BY CARRIER DRIVER SIGNATURE

SHIPPER: Erickson, Inc.  
PER: Bruce Alexander  
DATE: \_\_\_\_\_

CARRIER: American Metal Recycling, Inc.  
PER: W. S. Smith  
DATE: \_\_\_\_\_

EMERGENCY RESPONSE TELEPHONE NUMBER: \_\_\_\_\_

Manned 24 hours/day by a person with knowledge of the hazards of the material and emergency response information or who has access to a person with that knowledge

**D. W. RUSSELL CO.**

412 West "B" Street  
Wilmington, CA 90744

(213) 775-1055 (213) 651-4220

Tank Disposal Form.

Date: 2/20/91

Contractor: A. M. Lindberg Tank

Address: 493 G St. Wilmington

Generator: D. W. R.

Address: 12300 NEBRASKA AVE L.A.


Destination: D.W. Russell Co. 412 W. B St. Wilmington, Ca. 90744

Date Received 2/20/91 Projected Tanks: 1

QTY.	GALLONS	Tanks Received TYPE	NET TONS.
	200		.14
	300		.21
	350		.24
	1,000 - 12'		.61
	1,000 - 6'		.61
	1,500		.87
	2,000		.97
	2,500		1.14
	3,000		1.32
	4,000		1.64
	5,000		2.42
	6,000		2.84
	<u>7,500</u>	<u>1 tank D.W. R.</u>	3.26
	8,000		3.44
	9,000		3.82
	10,000		4.33
	12,000		4.93
	15,000		6.71
	20,000		8.64
	25,000		10.16
	30,000		16.19

**Certificate of Tank Disposal**

This is to certify the receipt and acceptance of the tank(s) as specified above.  
All materials specified have been completely destroyed for scrap purposes only.

  
Authorized Rep.

2/20/91  
Date.

03-22-91 FRI 17:57

**D.W. RUSSELL CO.**

412 West 5<sup>th</sup> Street  
Wilmington, CA 90744

(213) 775-1665 (213) 661-4220

Tank Disposal Form

Date: 2/20/91

Contractor: A. J. ...  
Address: ...  
Generator: D.W.R.  
Address: 12300 ...

Destination: D.W. Russell Co. 412 W. 5 St. Wilmington, Ca. 90744

Date Received: 3/20/91 Projected Tanks: 1

QTY.	GALLONS	Tanks Received TYPE	NET TONS.
	200		.14
	500		.21
	550		.24
	1,000 = 12'		.61
	1,000 = 6'		.61
	1,500		.87
	<del>2,000</del>	<u>1000 TANK</u>	.97
	2,500		1.14
	3,000		1.32
	4,000		1.64
	5,000		1.82
	6,000		2.04
	7,500		2.26
	8,000		2.44
	9,000		2.62
	10,000		2.83
	12,000		3.03
	15,000		3.71
	20,000		4.64
	25,000		5.80
	50,000		11.60

**Certificate of Tank Disposal**

This is to certify the receipt and acceptance of the tank(s) as specified above. All materials specified have been completely destroyed for scrap purposes only.

[Signature]  
Authorized Rep.

2/20/91  
Date.

91072588

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR

TRANSPORTER

FACILITY

3. Generator's Name and Mailing Address  
 West L.A. Distrib. Ctr.  
 Dept. of Water and Power  
 12300 Nebraska Ave., Los Angeles, CA  
 4. Generator's Phone (713) 820-1014

6. Transporter 1 Company Name  
 A.M. Pumping Inc.  
 8. US EPA ID Number  
 CA10180112726

7. Transporter 2 Company Name  
 8. US EPA ID Number

9. Designated Facility Name and Site Address  
 Gibson Oil Refining  
 BNO of Commercial Id.  
 Bakersfield Ca. 93308  
 10. US EPA ID Number  
 CA101801885177

B. State Generator's ID  
 CA10180112726

C. State Transporter's ID  
 104945

D. Transporter's Phone  
 213-522-1800

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID  
 CA101801885177

H. Facility's Phone  
 805-327-0418

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers		13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
	No.	Type			
a. Non H.C.R.A. Hazardous Waste Liquid.	001	TIT		G	228 EPA/Other 628MT
b.					State EPA/Other
c.					State EPA/Other
d.					State EPA/Other

J. Additional Descriptions for Materials Listed Above  
 UNDERGROUND  
 RINSATE TNR.

K. Heading Codes for Wastes Listed Above  
 a.  
 b.  
 c.  
 d.

15. Special Handling Instructions and Additional Information  
 USE GLOVES & GOGGLES when Handling.  
 Acct. # 9230-3  
 IN CASE OF SPILL. 213  
 CONTACT: A-M-PUMPING. 522/18

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.  
 If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Russell D. Wilson  
 Signature: [Signature]  
 Month Day Year: 10/22/91

17. Transporter 1 Acknowledgement of Receipt of Materials  
 Printed/Typed Name: DANIEL ZUMAYA  
 Signature: [Signature]  
 Month Day Year: 10/22/91

18. Transporter 2 Acknowledgement of Receipt of Materials  
 Printed/Typed Name  
 Signature  
 Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.  
 Printed/Typed Name  
 Signature  
 Month Day Year

Do Not Write Below This Line

White: TSDF SENDS THIS COPY TO DOHS WITHIN 30 DAYS  
 To: P.O. Box 3000, Sacramento, CA 95812


IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8602, WITHIN CALIFORNIA CALL 1-800-852-7550

3. Generator's Name and Mailing Address <b>L.A. D.W.P WEST L.A. DISTRIBUTION HQ; 12300 NEBRASKA AVE L.A., CA</b>		4. Generator's Phone (213) 820-1014		88430422	
5. Transporter 1 Company Name <b>L.A. DEPT. OF WATER &amp; POWER</b>		6. US EPA ID Number <b>CA D 010632992</b>		B. State Generator's ID <b>H.Y.H. 036008146</b>	
7. Transporter 2 Company Name		8. US EPA ID Number		C. State Transporter's ID <b>110873</b>	
9. Designated Facility Name and Site Address <b>ERICKSON 13738 SLOVERAY FONTANA, CA 92335</b>		10. US EPA ID Number <b>CA D 9812484933</b>		D. Transporter's Phone <b>(213) 481-6561</b>	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type		13. Total Quantity	
a. <b>NON RORA HAZARDOUS SOLID EMPTY UNDERGROUND STORAGE TANK</b>		11 TP		14. Unit Wt/Vol <b>D</b>	
b.				1. Waste No. State <b>572</b> EPA/Other <b>NONE</b>	
c.				State EPA/Other	
d.				State EPA/Other	
J. Additional Descriptions for Materials Listed Above <b>1- EMPTY U/G STORAGE TANK - 500 GAL</b>		K. Handling Codes for Wastes Listed Above a. b. c. d.			
15. Special Handling Instructions and Additional Information <b>EMERGENCY PHONE - ENERGY CONTROL CENTER (818) 352-7864</b>					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name <b>DAVID L. WILSON</b>		Signature <i>David L. Wilson</i>		Month Day Year <b>10/15/91 02/2/91</b>	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name <b>JAMES R. JOYCE</b>		Signature <i>James R. Joyce</i>		Month Day Year <b>10/24/91</b>	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19					
Printed/Typed Name		Signature		Month Day Year	

Do Not Write Below This Line

White: TSDF SENDS THIS COPY TO DOHS WITHIN 30 DAYS.  
To: P.O. Box 3000, Sacramento, CA 95812

WEST LOS ANGELES DISTRIBUTION HEADQUARTER  
 12300 NEBRASKA AVE., LOS ANGELES



POOR QUALITY ORIGINAL


PLOI PLAN



TANK REMOVAL DATA  
 Facility: WLA DISTRIBUTION HQ  
 Tank: GASOLINE TANK

Prepared	EIK	2/20/01
Checked		
Approved		

Fig. 1



Note:  
 Show depth  
 & location  
 of samples.

Tank Size: Diameter: 7'-9" Length: 20'-1"  
 Gallons (Calculated) 7,087 APPROX

Tank Container:  
 Single or Double Walled: SINGLE  
 Composition (Steel, Fiberglass, etc) STEEL  
 Coating (Fiberglass, Asphalt, etc) ASPHALT

Tank Condition: GOOD NO OBVIOUS HOLES OR LEAKS

Date Removed: 2-20-91

Soil Type: CLAY


Comments: DID NOT ENCOUNTER GROUND WATER

CITY OF LOS ANGELES  
 DEPARTMENT OF WATER AND POWER  
 CODE 01091 REV 2/2/00 PD 83 PU VC 6109047

TANK REMOVAL DATA  
 Facility: WLA DISTRIBUTION HQ  
 Tank: WHITE GAS TANK

Prepared	EIK	2/20/01
Checked		
Approved		

Fig. 2



Note:  
 Show depth  
 & location  
 of samples.

Tank Size: Diameter: 3'-8" Length: 12'  
 Gallons (Calculated) 948 APPROX

Tank Container:

Single or Double Walled: SINGLE  
 Composition (Steel, Fiberglass, etc) STEEL  
 Coating (Fiberglass, Asphalt, etc) ASPHALT

Tank Condition: GOOD, NO HOLES OR LEAKS

Date Removed: 2-20-91

Soil Type: CLAY


Comments: DID NOT ENCOUNTER GROUND WATER

CITY OF LOS ANGELES  
 DEPARTMENT OF WATER AND POWER  
 CODE 010931 REV 2/72. 30000 483 P.O. BOX 6109047

TANK REMOVAL DATA  
 Facility: WLA DISTRIBUTION HQ  
 Tank: WASTE OIL TANK

Prepared	EIK	2/20/91
Checked		
Approved		

Fig. 3



Note:  
 Show depth  
 & location  
 of samples.

Tank Size: Diameter: 3'-6" Length: 7'-3"  
 Gallons (Calculated) 516 APPROX

Tank Container:  
 Single or Double Walled: SINGLE  
 Composition (Steel, Fiberglass, etc) STEEL  
 Coating (Fiberglass, Asphalt, etc) ASPHALT

Tank Condition: GOOD, NO HOLES OR LEAK

Date Removed: 2-20-91

Soil Type: CLAY

Comments: DIS NOT E.I.C. UNDER GROUND WATER

CITY OF LOS ANGELES  
 DEPARTMENT OF WATER AND POWER

CODE 03051 REV 2/72 JDU/BD 483 P.O. & VL 8105047

F-280

FIRE DEPARTMENT - CITY OF LOS ANGELES

Reg. No. 01326  
Date 12/4/90

**APPLICATION FOR PERMIT - ATMOSPHERIC UNDERGROUND TANK(S)**

PLEASE TYPE OR PRINT:

Name of Owner <u>Los Angeles Dept Water &amp; Power</u>		Doing Business As <u>Los Angeles Dept Water &amp; Power</u>	
Address of Owner <u>111 N. Hope St.</u>		Owner's Phone <u>481-5516</u> <del>(213) 481-5296</del>	
Address of Site <u>12300 Nebraska Ave L.A. Ca 90025</u>		Phone at Installation <u>E. SAENZ</u> <u>(213) 820-1014</u>	
Contractor's Name: <u>WAYNE BAMOSSY</u> <del>481-5516</del>			
Address <u>Los Angeles Dept. Water &amp; Power</u>		State:	Zip:
Signature of Applicant <u>Robert A. Whitlock</u>		Title <u>Civil Engineer Assoc</u>	Contact: <u>Robert Whitlock</u> Contractor's Phone <u>WAYNE PETERSON</u> <u>(818) 503-1714</u>

QTY.	ITEM	I.D. NO(S)	FEE
<input checked="" type="checkbox"/> <u>3</u>	UGT/S ABANDONMENT BY REMOVAL	EPA # <u>36027431504</u> State Contractor Type / # <u>SEE ATTACHED</u> City Business # <u>SEE ATTACHED</u>	Exempt - Div. 4 - 714 / 715
<input type="checkbox"/>	UGT/S ABANDONMENT IN PLACE		
<input type="checkbox"/>	UGT/S INSTALLATION		
<input type="checkbox"/>	UGT/S ADD TO / ALTER: MONITORING		
<input type="checkbox"/>	UGT/S ADD TO / ALTER: PIPING		

Total Fee <b>EXEMPT</b>	Approved <input checked="" type="checkbox"/>	Disapproved <input type="checkbox"/>	Date <u>12/4/90</u>	Inspector <u>J. Gould</u>
----------------------------	--	--------------------------------------	------------------------	------------------------------

Certified Industrial Hygienist Certificate

Survey Requested by: A&amp;M Pumping

Last known Contents: Gasoline

Owner of UST: D. W. P.

Location of Tank: 12300-NEBRASKA AVE., L.A.

Date of survey: 2-20-'91

Test Method: direct instrument reading

Tank Description: 10 years old

Time Survey Completed: 12:39

Capacity: 7,500 Gallon (one only)

Special Instructions: - Maintain the CO<sub>2</sub> level in the tank, transport with all openings at the top to prevent CO<sub>2</sub> loss. Remove tank and immediately place on the transport vehicle. Immediately transport to site of demolition. Due to the CO<sub>2</sub> Levels the tank is not SAFE for Entry because the oxygen levels are to be maintained below 10%.

In the event of any physical or atmospheric changes adversely affecting the STANDARD SAFETY DESIGNATIONS assigned to any of the above spaces, or if in any doubt, immediately stop all work and contact the undersigned Certified Industrial Hygienist.

**QUALIFICATIONS:** Transfer of ballast or manipulation of valves or closure equipment tending to alter conditions in pipe lines, tanks or compartments subjects to gas accumulation, unless specifically approved in this Certificate, requires inspection and endorsement or reissue of Certificate for the spaces so affected. All lines, vents, heating coils, valves, and similarly enclosed appurtenances shall be considered "not safe" unless otherwise specifically designated.

**STANDARD SAFETY DESIGNATIONS**(partial list, paraphrased from NFPA 306-1980, Subsection 1-6.1 through 1-6.4, and Subsection 5-3.2)

**SAFE FOR WORKERS:** Means that in the compartment or space so designated: (a) the oxygen content of the atmosphere is at least 19.5 percent by volume; and that, (b) toxic materials in the atmosphere are within permissible concentrations; and that, (c) the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Certified Industrial Hygienist's Certificate.

**NOT SAFE FOR WORKERS:** Means that in the compartment or space so designated, the requirements for Safe for Workers has not been met.

**SAFE FOR HOT WORK:** Means that in the compartment so designated; (a) oxygen content of the atmosphere is at least 19.5 percent by volume, with the exception of inerted spaces or where external hot work is to be performed; and that, (b) the concentration of flammable materials in the atmosphere is below 10 percent of the lower flammable limit; and that, (c) the residues are not capable of producing a higher concentration than permitted by (b) above under existing atmospheric conditions in the presence of fire, and while maintained as directed on the Certified Industrial Hygienist's Certificate; and further, that, (d) all adjacent spaces containing or having contained flammable or combustible materials have been cleaned sufficiently to prevent the spread of fire, or are satisfactorily inerted, or, in the case of fuel tanks or lube oil tanks or engine room or fire room bilges, have been treated in accordance with the Certified Industrial Hygienist's requirements.

**NOT SAFE FOR HOT WORK:** Means that in the compartment so designated, the requirements of Safe for Hot Works have not been met.

**CERTIFIED INDUSTRIAL HYGIENIST'S ENDORSEMENT:** This is to certify that I have personally determined that all spaces in the foregoing list are in accordance with NFPA 306-1980 Control of Gas Hazards on Vessels and have found the condition of each to be in accordance with its assigned designation.

"The undersigned acknowledges receipt of this Certificate under Section 2-3 of NFPA 306-1980 and understands conditions and limitations under which it was issued."

Signed Mark Taylor 2-20-91  
Name Company Date

This Certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

Signed [Signature] L.A.F.D. #1326  
DI Cert. Number

03-22-91 FRI 17:56

Certified Industrial Hygienist Certificate

Survey Requested by: A&amp;M Pumping

Last known Contents: White Gas

Owner of UST: D.W.P.

Location of Tank: 12300 NEBRASKA AVE, L.A.

Date of survey: 2-20-91

Test Method: direct instrument reading

Tank Description: About 30 years old

Time Survey Completed: 12:39

Capacity: 2,000 Gallon (one only)

Special Instructions: Maintain the CO<sub>2</sub> level in the tank, transport with all openings at the top to prevent CO<sub>2</sub> loss. Remove tank and immediately place on the transport vehicle. Immediately transport to site of demolition. Due to the CO<sub>2</sub> Levels the tank is not SAFE for Entry because the oxygen levels are to be maintained below 10%.

In the event of any physical or atmospheric changes adversely affecting the STANDARD SAFETY DESIGNATIONS assigned to any of the above spaces, or if in any doubt, immediately stop all work and contact the undersigned Certified Industrial Hygienist.

QUALIFICATIONS: Transfer of ballast or manipulation of valves or closure equipment tending to alter conditions in pipe lines, tanks or compartments subjects to gas accumulation, unless specifically approved in this Certificate, requires inspection and endorsement or reissue of Certificate for the spaces so affected. All lines, vents, heating coils, valves, and similarly enclosed appurtenances shall be considered "not safe" unless otherwise specifically designated.

STANDARD SAFETY DESIGNATIONS (partial list, paraphrased from NFPA 306-1980, Subsection 1-6.1 through 1-6.4, and Subsection 5-3.2)

**SAFE FOR WORKERS:** Means that in the compartment or space so designated: (a) the oxygen content of the atmosphere is at least 19.5 percent by volume; and that, (b) toxic materials in the atmosphere are within permissible concentrations; and that, (c) the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Certified Industrial Hygienist's Certificate.

**NOT SAFE FOR WORKERS:** Means that in the compartment or space so designated, the requirements for Safe for Workers has not been met.

**SAFE FOR HOT WORK:** Means that in the compartment so designated; (a) oxygen content of the atmosphere is at least 19.5 percent by volume, with the exception of inerted spaces or where external hot work is to be performed; and that, (b) the concentration of flammable materials in the atmosphere is below 10 percent of the lower flammable limit; and that, (c) the residues are not capable of producing a higher concentration than permitted by (b) above under existing atmospheric conditions in the presence of fire, and while maintained as directed on the Certified Industrial Hygienist's Certificate; and further, that, (d) all adjacent spaces containing or having contained flammable or combustible materials have been cleaned sufficiently to prevent the spread of fire, or are satisfactorily inerted, or, in the case of fuel tanks or lube oil tanks or engine room or fire room bilges, have been treated in accordance with the Certified Industrial Hygienist's requirements.

**NOT SAFE FOR HOT WORK:** Means that in the compartment so designated, the requirements of Safe for Hot Works have not been met.

**CERTIFIED INDUSTRIAL HYGIENIST'S ENDORSEMENT.** This is to certify that I have personally determined that all spaces in the foregoing list are in accordance with NFPA 306-1980 Control of Gas Hazards on Vessels and have found the condition of each to be in accordance with its assigned designation.

"The undersigned acknowledges receipt of this Certificate under Section 2-3 of NFPA 306-1980 and understands conditions and limitations under which it was issued."

Signed

*Mark Tappan* 2-20-91

Name

Company

Date

This Certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualification and instructions.

Signed

*[Signature]* # 1326

IH

Cert. Number

**CERTIFICATE**

Certified Services Company  
13738 Stover Avenue  
Fontana, California 92335

Day or Night  
Telephone  
(714) 355-5601

No. LA- 840 31235

Western Environmental

For: Trickson, Inc. Tank No.(s.) 843 Location: Fontana, CA Date: 2/26/91 Time: 9:54 AM  
Test Method: Signal/Wastech 1314 Last Product: Waste Oil

This is to certify that I have personally determined that the tank(s) in the following list are in accordance with the American Petroleum Institute and have found the condition of each to be in accordance with its assigned designation. This certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

Tank(s)	Condition
One (1) 500 gallon steel tank	Safe for Fire: < 1% LEL Safe for Men: 20.9% Oxygen
	Hydrocarbon: < 10 PPM

Remarks:

In the event of any physical or atmospheric changes affecting the gas-free condition of the above tanks, or if in any doubt immediately stop all hot work and contact the undersigned. This permit is valid for 24 hours if no physical or atmospheric changes occur.

**Standard Safety Designation:**

**Safe for Men:** Means that in the compartment or space so designated (a) The oxygen content of the atmosphere is at least 19.5 percent by volume; and that (b) Toxic materials in the atmosphere are within permissible concentrations; and (c) in the judgment of the Inspector, the residues are not capable of producing toxic material under existing atmospheric conditions while maintained as directed on the Inspector's certificate.

**Safe for Fire:** Means that in the compartment so designated (a) The concentration of flammable materials in the atmosphere is below 10 per cent of the lower explosive limit; and that (b) in the judgment of the Inspector, the residues are not capable of producing a higher concentration than permitted under existing atmospheric conditions in the presence of fire and while maintained as directed on the Inspector's certificate, and further, (c) All adjacent spaces have either been cleaned sufficiently to prevent the spread of fire, are satisfactorily inerted, or in the case of fuel tanks, have been treated as deemed necessary by the Inspector.

The undersigned representative acknowledges receipt of this certificate and understands the conditions and limitations under which it was issued.

Eric Alexander SUPERVISOR  
Representative Title

[Signature]  
Inspector

#340 P02

TEL NO: 714-999-1341

ID: HYDRO-FLUENT INC

MAR-26-'91 12:42

West Los Angeles Distribution Headquarters  
7,500-Gallon Gasoline, 2,500-Gallon White Gasoline  
and 500-Gallon Waste-Oil Tanks  
REMOVAL REPORT

---

I. Introduction:

On February 20, 1991, the 7,500-gallon gasoline tank, 2,500-gallon white gas tank, and 500-gallon waste-oil tank, located at the Los Angeles Department of Water and Power's (DWP) West Los Angeles Distribution Headquarters were removed from the ground of Los Angeles. The contractor doing the work was Hydro-Fluent, Inc. The subcontractor that triple rinsed the gasoline and white gas tank, then hauled them off was A. M. Pumping, Inc., (213) 522-1800. The waste-oil tank was inerted with dry ice, tested and hauled off by DWP's General Construction Subsection, Power Design and Construction Division. This work was done under the Los Angeles City Fire Department (LACFD) Permit No. 01326 (attached). Chemical results of the soil samples obtained from beneath the three tanks, from the gasoline island and pipe trench, as well as visual inspections, indicate that none of the tanks have leaked.

II. Tank No. 1 - Gasoline Tank:

The 7,500-gallon gasoline tank was a single wall, asphalt-coated, steel tank (see attached "Tank Removal Data Sheet"). Condition of the tank was excellent and showed no signs of leakage. Prior to removal, the top of the tank was cut, and the tank was triple-rinsed and certified as clean by an industrial hygienist. The rinsate from the triple-rinsing operation was pumped into a tanker truck operated by A. M. Pumping Inc., (213) 522-1800, and hauled off to Gibson Oil and Refining, (805) 327-0413, in Bakersfield, California (see attached Uniform Hazardous Waste Manifest No. 91072588). The tank was then lifted out of the excavation and placed on a flatbed truck for transportation to Erickson Company, (714) 255-5601, in Fontana, California for disposal.

After the tank was removed, the excavation was examined and soil samples for chemical analysis were obtained by DWP's engineer, Mr. Edward I. King, from the Power Design and Construction Division. Examination of the excavation indicated that the soil appeared to be free of gasoline contamination. The soil was dark yellow, clay loam. No select fill material was apparent around the



tank; the tank had been set upon and backfilled with native soil. Three soil samples were obtained from beneath the tank (see attached Figure 1) at the request of the Los Angeles City Fire Inspector, Mr. H. D. Golden. Inspector Golden indicated that he would like the United States Environmental Protection Agency (EPA) 8020 and Modified EPA 8015 chemical tests run on the soil samples. The soil samples were obtained by using a backhoe to remove the samples from the tank excavation. In addition, three samples were also obtained from beneath the gasoline island and pipe trench at the request of Inspector Golden. The soil samples were then placed in 9-ounce glass containers, sealed with teflon-lined caps, labeled, and placed in an ice chest for transport to DWP's Chemical Laboratory for analysis. The Chain-of-Custody documents and the Chemical Laboratory test results are attached. Maximum depth of the excavation for the gasoline tank was approximately 15 feet below ground level.

III. Tank No. 2 - 2,000-Gallon White Gas Tank:

The 2,000-gallon white gas tank was a single wall, asphalt-coated, steel tank (see attached "Tank Removal Data Sheet"). Condition of the tank was excellent and showed no signs of leakage. Prior to removal, the top of the tank was cut, and the tank was triple-rinsed and certified as clean by an industrial hygienist. The rinsate from the triple-rinsing operation was pumped into a tanker truck operated by A. M. Pumping Inc., and hauled off to Gibson Oil and Refining, (805) 327-0413, in Bakersfield, California.

After the tank was removed, the excavation was examined and soil samples for chemical analysis were obtained by Mr. Edward I. King. Examination of the excavation indicated that the soil appeared to be free of white gas contamination. The soil was dark yellow, clay loam. No select fill material was apparent around the tank; the tank had been set upon and backfilled with native soil. Two soil samples were obtained from beneath the tank (see attached Figure 2.) at the request of Inspector Golden who indicated that he would like the EPA 8020 and Modified EPA 8015 chemical tests run on the soil samples. The soil samples were obtained by using a backhoe to remove the sample from the tank excavation. The soil samples were then placed in 9-ounce glass containers, sealed with a teflon-line cap, labeled and then placed in an ice chest for transport to DWP's Chemical Laboratory for analysis. The Chain-of-custody documents and the Chemical Laboratory test results are attached.

IV. Tank No. 3 - 500-Gallon Waste-Oil Tank:

The 500-gallon waste-oil tank was a single wall, asphalt-coated, steel tank (see attached "Tank Removal Data Sheet"). Condition of the tank was excellent; there were no visible holes or leaks observed in the tank. Prior to removal, the tank was inerted with dry ice and tested with a Gastechtor until the atmosphere of the tank interior measured less than 10 percent oxygen and 20 percent of the lower explosive limit (LEL), then lifted out of the excavation and placed on a flatbed truck for transportation to Fontana for disposal.

After the tank was removed, the excavation was examined and a soil sample for chemical analysis was obtained by Mr. Edward I. King. Only one soil sample was obtained from beneath the center of the tank (see attached Figure 3) at the request of Inspector Golden, who indicated that he would like the EPA 418.1 chemical test run on the sample. The soil sample was obtained using a backhoe to remove the sample from the tank excavation. The soil sample was then placed in a 9-ounce glass container, sealed with a teflon-lined cap, labeled and then placed in an ice chest for transport to the DWP's Chemical Laboratory for analysis. The Chain-of-custody documents and the Chemical Laboratory test results are attached.

v. Conclusions:

Visual evidence from the gasoline tank, white gas tank, and waste-oil tank, surrounding soil, as well as the chemical test results, indicate that the said three tanks have not leaked. However, the xylene (XYL) constituent from the soil samples under the waste oil tank, the gasoline island, and the pipe trench (see attached Plot Plan) are slightly above the regulatory level. It appears that the waste oil tank may have contained some gasoline, and that there were some small leaks in the piping to the waste-oil tank and in the gasoline island piping system. The amounts of this regulated constituent are minor, with no threat to groundwater or public health. Therefore, we recommend site closure.

**STATUS OF TANKS ON SITE**  
 A. Have all underground tanks been legally abandoned on this site? (circle) **YES** or **NO**  
 B. Are any underground tanks going to be installed on this site in the future? (circle) **YES** or **NO**

**ROUTING/COPIES**  
 INSPECTORS - Insert ONE copy in each of the following: 1. Div 5 package (original) 2. Inspection blue book  
 SECRETARIES - Distribute ONE copy to each of the following: 1. Captain 2. Data entry 3. Haz Mat Section  
 4. Complete and forward a City Clerk AUTHORIZATION form only if the answer to A above is "YES" and the answer to B is "NO"

**GENERAL INFORMATION**  
 Site address 12300 NEBRASKA AVE Inspection District No. 301 Division 5 permit no. 01326  
 Inspector name GOLDEN Inspector No. 301 Date of abandonment 2/20/91  
 Contractor L.A. Dept. VI. Pineda Resp Person WAYNE BARNES Phone no.

**TANK INFORMATION**

Facility/Tank ID no.	Tank size Metal or FRP(circle)	Product	Soils test	No. of samples	Soil color of tank bed, pile, trench, or pit	Tank condition: Holes	Final I/F
1	300 M/F	W/O					
2	2000 M/F	White Gas					
3	7,500 M/F	Gas					
4	M/F						
5	M/F						
6	M/F						

Soils pile \_\_\_\_\_ Destination of tanks:  
 Piping trench \_\_\_\_\_  
 Dispenser pit \_\_\_\_\_  
 Describe excavation: Odor \_\_\_\_\_ Liquid in hole \_\_\_\_\_ Other \_\_\_\_\_

**DOCUMENTS: NECESSARY FOR A COMPLETE PACKAGE**

ABANDONMENT METHOD (CHECK)	<input checked="" type="checkbox"/> WASH	<input type="checkbox"/> HAZARD WASTE	<input type="checkbox"/> FILL IN PLACE	Documents 30 days
Abandonment info sheet	<input checked="" type="checkbox"/>			Due date _____
Time log - Site specific sheet	<input checked="" type="checkbox"/>			
Division 5 permit application and plot plans	<input checked="" type="checkbox"/>			
Cleaning certificates	<input checked="" type="checkbox"/>			Collect on-site
Uniform manifest: rinse liquid or tank	rinse <input checked="" type="checkbox"/>	tank	rinse	Collect on-site
Uniform manifest - Piping that is not flushed	<input checked="" type="checkbox"/>			Collect on-site
Certificate of disposal - Tank	<input checked="" type="checkbox"/>			
Certificate of disposal - Piping	<input checked="" type="checkbox"/>			
Soil Analysis Report	<input checked="" type="checkbox"/>			
Chain of custody	<input checked="" type="checkbox"/>			
Plot plan - showing locations of samples	<input checked="" type="checkbox"/>			

Division 4 fire permit registration - for tanks discovered on site that have not been previously paid for

**SOILS REPORT INFORMATION** mg/kg - per million ug/kg - per billion

Action level	Enter highest reading in mg/kg	Exceeds Action level
TPH 100 PPM (mg/kg)	PPM	YES <b>NO</b>
Benzene 1 PPM (mg/kg)	PPM	YES <b>NO</b>
Toluene 50 PPM (mg/kg)	PPM	YES <b>NO</b>
Xylene 50 PPM (mg/kg)	PPM	YES <b>NO</b>
Ethylene 50 PPM (mg/kg)	PPM	YES <b>NO</b>
Total lead 0-200 PPM above bkgrd	PPM	YES <b>NO</b>
Water samples anything detected	mg/kg ug/kg	YES <b>NO</b>

Check here for comments on back

**CHECK LIST - Contractors and equipment**

Washers <input checked="" type="checkbox"/>	High psi washer <input checked="" type="checkbox"/>
Geologist <input checked="" type="checkbox"/>	Backhoe/Handauger <input checked="" type="checkbox"/>
Chemist <input checked="" type="checkbox"/>	Comb. gas indicator <input checked="" type="checkbox"/>
Degasser <input checked="" type="checkbox"/>	O2 meter <input checked="" type="checkbox"/>
Flatbed <input checked="" type="checkbox"/>	Crane <input checked="" type="checkbox"/>
	Vaccum truck <input checked="" type="checkbox"/>

Package completion & forwarding date: 9/13/91

STATE OF CALIFORNIA  
STATE WATER RESOURCES CONTROL BOARD  
**UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM B**



COMPLETE A SEPARATE FORM FOR EACH TANK SYSTEM.

<b>MARK ONLY ONE ITEM</b>	<input type="checkbox"/> 1 NEW PERMIT	<input type="checkbox"/> 3 RENEWAL PERMIT	<input type="checkbox"/> 5 CHANGE OF INFORMATION	<input type="checkbox"/> 7 PERMANENTLY CLOSED ON SITE
	<input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 6 TEMPORARY TANK CLOSURE	<input type="checkbox"/> 8 TANK REMOVED

DBA OR FACILITY NAME WHERE TANK IS INSTALLED: Los Angeles D.W.P

**I. TANK DESCRIPTION** COMPLETE ALL ITEMS -- SPECIFY IF UNKNOWN

A. OWNER'S TANK I.D.#	B. MANUFACTURED BY:
C. DATE INSTALLED (MO/DAY/YEAR)	D. TANK CAPACITY IN GALLONS. <u>500</u>

**II. TANK CONTENTS** IF A-1 IS MARKED, COMPLETE ITEM C.

A. <input type="checkbox"/> 1 MOTOR VEHICLE FUEL <input type="checkbox"/> 2 PETROLEUM <input type="checkbox"/> 3 CHEMICAL PRODUCT	<input checked="" type="checkbox"/> 4 OIL <input type="checkbox"/> 80 EMPTY <input type="checkbox"/> 95 UNKNOWN	B. <input type="checkbox"/> 1 PRODUCT <input checked="" type="checkbox"/> 2 WASTE
C. <input type="checkbox"/> 1a REGULAR UNLEADED <input type="checkbox"/> 1b PREMIUM UNLEADED <input type="checkbox"/> 2 LEADED		
<input type="checkbox"/> 3 DIESEL <input type="checkbox"/> 4 GASAHOL <input type="checkbox"/> 5 JET FUEL <input type="checkbox"/> 99 OTHER (DESCRIBE IN ITEM D. BELOW)		
D. IF (A.1) IS NOT MARKED, ENTER NAME OF SUBSTANCE STORED <u>WASTE OIL</u>		

**III. TANK CONSTRUCTION** MARK ONE ITEM ONLY IN BOXES A, B, AND C, AND ALL THAT APPLIES IN BOX D AND E

A. TYPE OF SYSTEM <input type="checkbox"/> 1 DOUBLE WALL <input checked="" type="checkbox"/> 2 SINGLE WALL <input type="checkbox"/> 3 SINGLE WALL WITH EXTERIOR LINER <input type="checkbox"/> 4 SECONDARY CONTAINMENT (VAULTED TANK) <input type="checkbox"/> 95 UNKNOWN <input type="checkbox"/> 99 OTHER	B. TANK MATERIAL (Primary Tank) <input checked="" type="checkbox"/> 1 BARE STEEL <input type="checkbox"/> 2 STAINLESS STEEL <input type="checkbox"/> 3 FIBERGLASS <input type="checkbox"/> 4 STEEL CLAD W/ FIBERGLASS REINFORCED PLASTIC <input type="checkbox"/> 5 CONCRETE <input type="checkbox"/> 6 POLYVINYL CHLORIDE <input type="checkbox"/> 7 ALUMINUM <input type="checkbox"/> 8 100% METHANOL COMPATIBLE W/FRP <input type="checkbox"/> 9 BRONZE <input type="checkbox"/> 10 GALVANIZED STEEL <input type="checkbox"/> 95 UNKNOWN <input type="checkbox"/> 99 OTHER	C. INTERIOR LINING <input type="checkbox"/> 1 RUBBER LINED <input type="checkbox"/> 2 ALKYD LINING <input type="checkbox"/> 3 EPOXY LINING <input type="checkbox"/> 4 PHENOLIC LINING <input type="checkbox"/> 5 GLASS LINING <input checked="" type="checkbox"/> 6 UNLINED <input type="checkbox"/> 95 UNKNOWN <input type="checkbox"/> 99 OTHER IS LINING MATERIAL COMPATIBLE WITH 100% METHANOL? YES ___ NO ___
D. CORROSION PROTECTION <input type="checkbox"/> 1 POLYETHYLENE WRAP <input type="checkbox"/> 2 COATING <input type="checkbox"/> 3 VINYL WRAP <input type="checkbox"/> 4 FIBERGLASS REINFORCED PLASTIC <input type="checkbox"/> 5 CATHODIC PROTECTION <input checked="" type="checkbox"/> 91 NONE <input type="checkbox"/> 95 UNKNOWN <input type="checkbox"/> 99 OTHER		
E. SPILL AND OVERFILL SPILL CONTAINMENT INSTALLED (YEAR) _____ OVERFILL PREVENTION EQUIPMENT INSTALLED (YEAR) _____		

**IV. PIPING INFORMATION** CIRCLE A IF ABOVE GROUND OR U IF UNDERGROUND, BOTH IF APPLICABLE

A. SYSTEM TYPE	A U 1 SUCTION	A U 2 PRESSURE	A <u>U</u> 3 GRAVITY	A U 99 OTHER
B. CONSTRUCTION	A <u>U</u> 1 SINGLE WALL	A U 2 DOUBLE WALL	A U 3 LINED TRENCH	A U 95 UNKNOWN A U 99 OTHER
C. MATERIAL AND CORROSION PROTECTION	A <u>U</u> 1 BARE STEEL	A U 2 STAINLESS STEEL	A U 3 POLYVINYL CHLORIDE (PVC)	A U 4 FIBERGLASS PIPE
	A U 5 ALUMINUM	A U 6 CONCRETE	A U 7 STEEL W/ COATING	A U 8 100% METHANOL COMPATIBLE W/FRP
	A U 9 GALVANIZED STEEL	A U 10 CATHODIC PROTECTION	A U 95 UNKNOWN	A U 99 OTHER
D. LEAK DETECTION	<input type="checkbox"/> 1 AUTOMATIC LINE LEAK DETECTOR	<input type="checkbox"/> 2 LINE TIGHTNESS TESTING	<input type="checkbox"/> 3 INTERSTITIAL MONITORING	<input checked="" type="checkbox"/> 99 OTHER

**V. TANK LEAK DETECTION**

<input type="checkbox"/> 1 VISUAL CHECK	<input type="checkbox"/> 2 INVENTORY RECONCILIATION	<input type="checkbox"/> 3 VADOZE MONITORING	<input type="checkbox"/> 4 AUTOMATIC TANK GAUGING	<input type="checkbox"/> 5 GROUND WATER MONITORING
<input type="checkbox"/> 6 TANK TESTING	<input type="checkbox"/> 7 INTERSTITIAL MONITORING	<input checked="" type="checkbox"/> 91 NONE	<input type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 99 OTHER

**VI. TANK CLOSURE INFORMATION**

1. ESTIMATED DATE LAST USED (MO/DAY/YR) <u>2/20/91</u>	2. ESTIMATED QUANTITY OF SUBSTANCE REMAINING <u>0</u> GALLONS	3. WAS TANK FILLED WITH INERT MATERIAL? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
---	---	---

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

APPLICANT'S NAME (PRINTED & SIGNATURE)	DATE
--	------

**LOCAL AGENCY USE ONLY** THE STATE I.D. NUMBER IS COMPOSED OF THE FOUR NUMBERS BELOW

STATE I.D.#	COUNTY #	JURISDICTION #	FACILITY #	TANK #
PERMIT NUMBER	PERMIT APPROVED BY/DATE		PERMIT EXPIRATION DATE	

## INSTRUCTIONS FOR COMPLETING FORM "B"

### GENERAL INSTRUCTIONS:

1. One FORM "B" shall be completed for each tank for all **NEW PERMITS, PERMIT CHANGES, REMOVALS** and/or any other **TANK INFORMATION CHANGE**.
2. This form should be completed by either the **PERMIT APPLICANT** or the **LOCAL AGENCY UNDERGROUND TANK INSPECTOR**.
3. Please type or print clearly all requested information.
4. Use a hard point writing instrument, you are making 3 copies.

### TOP OF FORM: "MARK ONLY ONE ITEM"

1. Mark an (X) in the box next to the item that best describes the reason the form is being completed.
2. Indicate the DBA or Facility name where the tank is installed.

### I. TANK DESCRIPTION - COMPLETE ALL ITEMS - IF UNKNOWN - SO SPECIFY

- A. Indicate owners tank ID # - If there is a tank number that is used by the owner to identify the tank (ex AB70789).
- B. Indicate the name of the company that manufactured the tank (ex ACME TANK MFG.).
- C. Indicate the year the tank was installed (ex. 1987).
- D. Indicate the tank capacity in gallons (ex. 25,000 or 10,000 etc.).

### II. TANK CONTENTS

- A. 1. If **MOTOR VEHICLE FUEL**, check box 1 and complete items B & C.  
2. If not **MOTOR VEHICLE FUEL**, check the appropriate box in section A and complete items B & D.
- B. Check the appropriate box.
- C. Check the type of **MOTOR VEHICLE FUEL** (if box 1 is checked in A).
- D. Print the chemical name of the hazardous substance stored in the tank and the C.A.S.#. (Chemical Abstract Service number), if box 1 is NOT checked in A.

### III. TANK CONSTRUCTION - MARK ONE ITEM ONLY IN BOX A, B, C & D

1. Check only one item in **TYPE OF SYSTEM, TANK MATERIAL, INTERIOR LINING** and **CORROSION PROTECTION**.
2. If **OTHER**, print in the space provided.

### IV. PIPING INFORMATION

1. Circle **A** if above ground; circle **U** if underground; and circle both if applicable.
2. If **UNKNOWN**, circle; or if **OTHER**, print in space provided
3. Indicate the **LEAK DETECTION** system(s) used to comply with the monitoring requirement for the piping.

### V. TANK LEAK DETECTION

1. Indicate the **LEAK DETECTION** system(s) used to comply with the monitoring requirements for the tank.

### VI. INFORMATION ON TANK PERMANENTLY CLOSED IN PLACE

1. **ESTIMATED DATE LAST USED** - MONTH/YEAR (January, 1988 or 01/88).
2. **ESTIMATED QUANTITY** of **HAZARDOUS SUBSTANCE** remaining in the tank (in Gallons).
3. **WAS TANK FILLED WITH INERT MATERIAL?** Check "Yes" or "NO".

**APPLICANT MUST SIGN AND DATE THE FORM AS INDICATED.**

### INSTRUCTION FOR THE LOCAL AGENCIES

The state underground storage tank identification number is composed of the two digit county number, the three digit jurisdiction number, the six digit facility number and the six digit tank number. The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916)739-2421. The facility number must be the same as shown in form "A". The tank number may be assigned by the local agency; however, this number must be numerical and cannot contain an alphabet. If the local agency prefers the State Board to assign the tank number, please leave it blank.

**IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(s) TO THE FOLLOWING ADDRESS.**

STATE OF CALIFORNIA  
STATE WATER RESOURCES CONTROL BOARD  
C/O S.W.E.E.P.S.  
DATA PROCESSING CENTER  
P.O. BOX 527  
PARAMOUNT, CA 90723

STATE OF CALIFORNIA  
STATE WATER RESOURCES CONTROL BOARD  
**UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM B**



COMPLETE A SEPARATE FORM FOR EACH TANK SYSTEM.

<b>MARK ONLY ONE ITEM</b>	<input type="checkbox"/> 1 NEW PERMIT	<input type="checkbox"/> 3 RENEWAL PERMIT	<input type="checkbox"/> 5 CHANGE OF INFORMATION	<input type="checkbox"/> 7 PERMANENTLY CLOSED ON SITE
	<input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 6 TEMPORARY TANK CLOSURE	<input type="checkbox"/> 8 TANK REMOVED

DBA OR FACILITY NAME WHERE TANK IS INSTALLED: Los Angeles DWP

**I. TANK DESCRIPTION** COMPLETE ALL ITEMS -- SPECIFY IF UNKNOWN

A. OWNER'S TANK I.D.#	B. MANUFACTURED BY:
C. DATE INSTALLED (MO/DAY/YEAR)	D. TANK CAPACITY IN GALLONS <u>2000</u>

**II. TANK CONTENTS** IF A-1 IS MARKED, COMPLETE ITEM C

A. <input checked="" type="checkbox"/> 1 MOTOR VEHICLE FUEL <input type="checkbox"/> 2 PETROLEUM <input type="checkbox"/> 3 CHEMICAL PRODUCT	B. <input type="checkbox"/> 4 OIL <input type="checkbox"/> 80 EMPTY <input type="checkbox"/> 95 UNKNOWN <input checked="" type="checkbox"/> 1 PRODUCT <input type="checkbox"/> 2 WASTE	C. <input checked="" type="checkbox"/> 1a REGULAR UNLEADED <input type="checkbox"/> 1b PREMIUM UNLEADED <input type="checkbox"/> 2 LEADED <input type="checkbox"/> 3 DIESEL <input type="checkbox"/> 4 GASAHOL <input type="checkbox"/> 5 JET FUEL <input type="checkbox"/> 6 AVIATION GAS <input type="checkbox"/> 7 METHANOL <input type="checkbox"/> 99 OTHER (DESCRIBE IN ITEM D BELOW)
D. IF (A.1) IS NOT MARKED, ENTER NAME OF SUBSTANCE STORED		E. C.A.S.#

**III. TANK CONSTRUCTION** MARK ONE ITEM ONLY IN BOXES A, B, AND C, AND ALL THAT APPLIES IN BOX D AND E

A. TYPE OF SYSTEM <input type="checkbox"/> 1 DOUBLE WALL <input checked="" type="checkbox"/> 2 SINGLE WALL <input type="checkbox"/> 3 SINGLE WALL WITH EXTERIOR LINER <input type="checkbox"/> 4 SECONDARY CONTAINMENT (VAULTED TANK) <input type="checkbox"/> 95 UNKNOWN <input type="checkbox"/> 99 OTHER	B. TANK MATERIAL (Primary Tank) <input checked="" type="checkbox"/> 1 BARE STEEL <input type="checkbox"/> 2 STAINLESS STEEL <input type="checkbox"/> 3 FIBERGLASS <input type="checkbox"/> 4 STEEL CLAD W/ FIBERGLASS REINFORCED PLASTIC <input type="checkbox"/> 5 CONCRETE <input type="checkbox"/> 6 POLYVINYL CHLORIDE <input type="checkbox"/> 7 ALUMINUM <input type="checkbox"/> 8 100% METHANOL COMPATIBLE W/FRP <input type="checkbox"/> 9 BRONZE <input type="checkbox"/> 10 GALVANIZED STEEL <input type="checkbox"/> 95 UNKNOWN <input type="checkbox"/> 99 OTHER	C. INTERIOR LINING <input type="checkbox"/> 1 RUBBER LINED <input type="checkbox"/> 2 ALKYD LINING <input type="checkbox"/> 3 EPOXY LINING <input type="checkbox"/> 4 PHENOLIC LINING <input type="checkbox"/> 5 GLASS LINING <input checked="" type="checkbox"/> 6 UNLINED <input type="checkbox"/> 95 UNKNOWN <input type="checkbox"/> 99 OTHER IS LINING MATERIAL COMPATIBLE WITH 100% METHANOL? YES ___ NO ___
D. CORROSION PROTECTION <input type="checkbox"/> 1 POLYETHYLENE WRAP <input type="checkbox"/> 2 COATING <input type="checkbox"/> 3 VINYL WRAP <input type="checkbox"/> 4 FIBERGLASS REINFORCED PLASTIC <input type="checkbox"/> 5 CATHODIC PROTECTION <input checked="" type="checkbox"/> 91 NONE <input type="checkbox"/> 95 UNKNOWN <input type="checkbox"/> 99 OTHER		
E. SPILL AND OVERFILL		

**IV. PIPING INFORMATION** CIRCLE A IF ABOVE GROUND OR U IF UNDERGROUND, BOTH IF APPLICABLE

A. SYSTEM TYPE	A U 1 SUCTION	A U 2 PRESSURE	A U 3 GRAVITY	A U 99 OTHER
B. CONSTRUCTION	A U 1 SINGLE WALL	A U 2 DOUBLE WALL	A U 3 LINED TRENCH	A U 95 UNKNOWN A U 99 OTHER
C. MATERIAL AND CORROSION PROTECTION	A U 1 BARE STEEL	A U 2 STAINLESS STEEL	A U 3 POLYVINYL CHLORIDE (PVC)	A U 4 FIBERGLASS PIPE A U 5 ALUMINUM A U 6 CONCRETE A U 7 STEEL W/ COATING A U 8 100% METHANOL COMPATIBLE W/FRP A U 9 GALVANIZED STEEL A U 10 CATHODIC PROTECTION A U 95 UNKNOWN A U 99 OTHER
D. LEAK DETECTION	<input type="checkbox"/> 1 AUTOMATIC LINE LEAK DETECTOR	<input type="checkbox"/> 2 LINE TIGHTNESS TESTING	<input type="checkbox"/> 3 INTERSTITIAL MONITORING	<input checked="" type="checkbox"/> 99 OTHER

**V. TANK LEAK DETECTION**

<input type="checkbox"/> 1 VISUAL CHECK	<input type="checkbox"/> 2 INVENTORY RECONCILIATION	<input type="checkbox"/> 3 VADOZE MONITORING	<input type="checkbox"/> 4 AUTOMATIC TANK GAUGING	<input type="checkbox"/> 5 GROUND WATER MONITORING
<input type="checkbox"/> 6 TANK TESTING	<input type="checkbox"/> 7 INTERSTITIAL MONITORING	<input checked="" type="checkbox"/> 91 NONE	<input type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 99 OTHER

**VI. TANK CLOSURE INFORMATION**

1. ESTIMATED DATE LAST USED (MO/DAY/YR) <u>2/20/91</u>	2. ESTIMATED QUANTITY OF SUBSTANCE REMAINING <u>0</u> GALLONS	3. WAS TANK FILLED WITH INERT MATERIAL? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
---	---	---

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

APPLICANT'S NAME (PRINTED & SIGNATURE)	DATE
--	------

**LOCAL AGENCY USE ONLY** THE STATE I.D. NUMBER IS COMPOSED OF THE FOUR NUMBERS BELOW

STATE I.D.#	COUNTY #	JURISDICTION #	FACILITY #	TANK #
PERMIT NUMBER	PERMIT APPROVED BY/DATE		PERMIT EXPIRATION DATE	

## INSTRUCTIONS FOR COMPLETING FORM "B"

### GENERAL INSTRUCTIONS:

1. One FORM "B" shall be completed for each tank for all **NEW PERMITS, PERMIT CHANGES, REMOVALS** and/or any other **TANK INFORMATION CHANGE**.
2. This form should be completed by either the **PERMIT APPLICANT** or the **LOCAL AGENCY UNDERGROUND TANK INSPECTOR**.
3. Please type or print clearly all requested information.
4. Use a hard point writing instrument, you are making 3 copies.

### TOP OF FORM: "MARK ONLY ONE ITEM"

1. Mark an (X) in the box next to the item that best describes the reason the form is being completed.
2. Indicate the DBA or Facility name where the tank is installed.

### I. TANK DESCRIPTION - COMPLETE ALL ITEMS - IF UNKNOWN - SO SPECIFY

- A. Indicate owners tank ID # - If there is a tank number that is used by the owner to identify the tank (ex. AB70789).
- B. Indicate the name of the company that manufactured the tank (ex. ACME TANK MFG.).
- C. Indicate the year the tank was installed (ex. 1987).
- D. Indicate the tank capacity in gallons (ex. 25,000 or 10,000 etc.)

### II. TANK CONTENTS

- A. 1. If **MOTOR VEHICLE FUEL**, check box 1 and complete items B & C.  
2. If not **MOTOR VEHICLE FUEL**, check the appropriate box in section A and complete items B & D.
- B. Check the appropriate box.
- C. Check the type of **MOTOR VEHICLE FUEL** (if box 1 is checked in A).
- D. Print the chemical name of the hazardous substance stored in the tank and the C.A.S.# (Chemical Abstract Service number), if box 1 is NOT checked in A.

### III. TANK CONSTRUCTION - MARK ONE ITEM ONLY IN BOX A, B, C & D

1. Check only one item in **TYPE OF SYSTEM, TANK MATERIAL, INTERIOR LINING** and **CORROSION PROTECTION**.
2. If **OTHER**, print in the space provided.

### IV. PIPING INFORMATION

1. Circle **A** if above ground; circle **U** if underground; and circle both if applicable.
2. If **UNKNOWN**, circle; or if **OTHER**, print in space provided.
3. Indicate the **LEAK DETECTION** system(s) used to comply with the monitoring requirement for the piping.

### V. TANK LEAK DETECTION

1. Indicate the **LEAK DETECTION** system(s) used to comply with the monitoring requirements for the tank.

### VI. INFORMATION ON TANK PERMANENTLY CLOSED IN PLACE

1. **ESTIMATED DATE LAST USED - MONTH/YEAR** (January, 1988 or 01/88).
2. **ESTIMATED QUANTITY** of **HAZARDOUS SUBSTANCE** remaining in the tank (in Gallons).
3. **WAS TANK FILLED WITH INERT MATERIAL?** Check "Yes" or "NO".

### APPLICANT MUST SIGN AND DATE THE FORM AS INDICATED.

### INSTRUCTION FOR THE LOCAL AGENCIES

The state underground storage tank identification number is composed of the two digit county number, the three digit jurisdiction number, the six digit facility number and the six digit tank number. The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916)739-2421. The facility number must be the same as shown in form "A". The tank number may be assigned by the local agency; however, this number must be numerical and cannot contain an alphabet. If the local agency prefers the State Board to assign the tank number, please leave it blank.

**IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(s) TO THE FOLLOWING ADDRESS.**

STATE OF CALIFORNIA  
STATE WATER RESOURCES CONTROL BOARD  
C/O S.W.I.E.P.S.  
DATA PROCESSING CENTER  
P.O. BOX 527  
PARAMOUNT, CA 90723

STATE OF CALIFORNIA  
STATE WATER RESOURCES CONTROL BOARD  
**UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM B**



COMPLETE A SEPARATE FORM FOR EACH TANK SYSTEM.

MARK ONLY ONE ITEM	<input type="checkbox"/> 1 NEW PERMIT	<input type="checkbox"/> 3 RENEWAL PERMIT	<input type="checkbox"/> 5 CHANGE OF INFORMATION	<input type="checkbox"/> 7 PERMANENTLY CLOSED ON SITE
	<input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 6 TEMPORARY TANK CLOSURE	<input type="checkbox"/> 8 TANK REMOVED

DBA OR FACILITY NAME WHERE TANK IS INSTALLED: Los Angeles D.W.P

**I. TANK DESCRIPTION** COMPLETE ALL ITEMS - SPECIFY IF UNKNOWN

A. OWNER'S TANK I. D. #	B. MANUFACTURED BY:
C. DATE INSTALLED (MO/DAY/YEAR)	D. TANK CAPACITY IN GALLONS <u>7500-</u>

**II. TANK CONTENTS** IFA-1 IS MARKED, COMPLETE ITEM C.

A. <input checked="" type="checkbox"/> 1 MOTOR VEHICLE FUEL	<input type="checkbox"/> 4 OIL	B. <input checked="" type="checkbox"/> 1 PRODUCT	C. <input checked="" type="checkbox"/> 1a REGULAR UNLEADED	<input type="checkbox"/> 3 DIESEL	<input type="checkbox"/> 6 AVIATION GAS
<input type="checkbox"/> 2 PETROLEUM	<input type="checkbox"/> 80 EMPTY	<input type="checkbox"/> 2 WASTE	<input type="checkbox"/> 1b PREMIUM UNLEADED	<input type="checkbox"/> 4 GASAHOL	<input type="checkbox"/> 7 METHANOL
<input type="checkbox"/> 3 CHEMICAL PRODUCT	<input type="checkbox"/> 95 UNKNOWN		<input type="checkbox"/> 2 LEADED	<input type="checkbox"/> 5 JET FUEL	<input type="checkbox"/> 99 OTHER (DESCRIBE IN ITEM D BELOW)
D. IF (A.1) IS NOT MARKED, ENTER NAME OF SUBSTANCE STORED					C. A. S. #:

**III. TANK CONSTRUCTION** MARK ONE ITEM ONLY IN BOXES A, B, AND C, AND ALL THAT APPLIES IN BOX D AND E

A. TYPE OF SYSTEM	<input type="checkbox"/> 1 DOUBLE WALL	<input type="checkbox"/> 3 SINGLE WALL WITH EXTERIOR LINER	<input type="checkbox"/> 95 UNKNOWN
	<input checked="" type="checkbox"/> 2 SINGLE WALL	<input type="checkbox"/> 4 SECONDARY CONTAINMENT (VAULTED TANK)	<input type="checkbox"/> 99 OTHER
B. TANK MATERIAL (Primary Tank)	<input checked="" type="checkbox"/> 1 BARE STEEL	<input type="checkbox"/> 2 STAINLESS STEEL	<input type="checkbox"/> 3 FIBERGLASS
	<input type="checkbox"/> 5 CONCRETE	<input type="checkbox"/> 6 POLYVINYL CHLORIDE	<input type="checkbox"/> 7 ALUMINUM
	<input type="checkbox"/> 9 BRONZE	<input type="checkbox"/> 10 GALVANIZED STEEL	<input type="checkbox"/> 95 UNKNOWN
C. INTERIOR LINING	<input type="checkbox"/> 1 RUBBER LINED	<input type="checkbox"/> 2 ALKYD LINING	<input type="checkbox"/> 3 EPOXY LINING
	<input type="checkbox"/> 5 GLASS LINING	<input checked="" type="checkbox"/> 6 UNLINED	<input type="checkbox"/> 4 PHENOLIC LINING
	IS LINING MATERIAL COMPATIBLE WITH 100% METHANOL? YES ___ NO ___		
D. CORROSION PROTECTION	<input type="checkbox"/> 1 POLYETHYLENE WRAP	<input type="checkbox"/> 2 COATING	<input type="checkbox"/> 3 VINYL WRAP
	<input type="checkbox"/> 5 CATHODIC PROTECTION	<input checked="" type="checkbox"/> 91 NONE	<input type="checkbox"/> 4 FIBERGLASS REINFORCED PLASTIC
		<input type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 99 OTHER
E. SPILL AND OVERFILL	SPILL CONTAINMENT INSTALLED (YEAR) _____		OVERFILL PREVENTION EQUIPMENT INSTALLED (YEAR) _____

**IV. PIPING INFORMATION** CIRCLE A IF ABOVE GROUND OR U IF UNDERGROUND, BOTH IF APPLICABLE

A. SYSTEM TYPE	A U 1 SUCTION	A U 2 PRESSURE	<input checked="" type="checkbox"/> A U GRAVITY	A U 99 OTHER
B. CONSTRUCTION	<input checked="" type="checkbox"/> A U 1 SINGLE WALL	A U 2 DOUBLE WALL	A U 3 LINED TRENCH	A U 95 UNKNOWN A U 99 OTHER
C. MATERIAL AND CORROSION PROTECTION	<input checked="" type="checkbox"/> A U 1 BARE STEEL	A U 2 STAINLESS STEEL	A U 3 POLYVINYL CHLORIDE (PVC)	A U 4 FIBERGLASS PIPE
	A U 5 ALUMINUM	A U 6 CONCRETE	A U 7 STEEL W/ COATING	A U 8 100% METHANOL COMPATIBLE W/FRP
	A U 9 GALVANIZED STEEL	A U 10 CATHODIC PROTECTION	A U 95 UNKNOWN	A U 99 OTHER
D. LEAK DETECTION	<input type="checkbox"/> 1 AUTOMATIC LINE LEAK DETECTOR	<input type="checkbox"/> 2 LINE TIGHTNESS TESTING	<input type="checkbox"/> 3 INTERSTITIAL MONITORING	<input checked="" type="checkbox"/> 99 OTHER

**V. TANK LEAK DETECTION**

<input checked="" type="checkbox"/> 1 VISUAL CHECK	<input type="checkbox"/> 2 INVENTORY RECONCILIATION	<input type="checkbox"/> 3 VADOZE MONITORING	<input type="checkbox"/> 4 AUTOMATIC TANK GAUGING	<input type="checkbox"/> 5 GROUND WATER MONITORING
<input type="checkbox"/> 6 TANK TESTING	<input type="checkbox"/> 7 INTERSTITIAL MONITORING	<input type="checkbox"/> 91 NONE	<input type="checkbox"/> 95 UNKNOWN	<input type="checkbox"/> 99 OTHER

**VI. TANK CLOSURE INFORMATION**

1. ESTIMATED DATE LAST USED (MO/DAY/YR) <u>2/20/91</u>	2. ESTIMATED QUANTITY OF SUBSTANCE REMAINING <u>0</u> GALLONS	3. WAS TANK FILLED WITH INERT MATERIAL? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
---	---	---

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

APPLICANT'S NAME (PRINTED & SIGNATURE)	DATE
--	------

**LOCAL AGENCY USE ONLY** THE STATE I.D. NUMBER IS COMPOSED OF THE FOUR NUMBERS BELOW

STATE I.D.#	COUNTY #	JURISDICTION #	FACILITY #	TANK #
PERMIT NUMBER	PERMIT APPROVED BY/DATE	PERMIT EXPIRATION DATE		



## INSTRUCTIONS FOR COMPLETING FORM "B"

### GENERAL INSTRUCTIONS:

1. One FORM "B" shall be completed for each tank for all **NEW PERMITS, PERMIT CHANGES, REMOVALS** and/or any other **TANK INFORMATION CHANGE**.
2. This form should be completed by either the **PERMIT APPLICANT** or the **LOCAL AGENCY UNDERGROUND TANK INSPECTOR**.
3. Please type or print clearly all requested information.
4. Use a hard point writing instrument, you are making 3 copies.

### TOP OF FORM: "MARK ONLY ONE ITEM"

1. Mark an (X) in the box next to the item that best describes the reason the form is being completed.
2. Indicate the DBA or Facility name where the tank is installed.

### I. TANK DESCRIPTION - COMPLETE ALL ITEMS - IF UNKNOWN - SO SPECIFY

- A. Indicate owners tank ID # - If there is a tank number that is used by the owner to identify the tank (ex. AB70789).
- B. Indicate the name of the company that manufactured the tank (ex. ACME TANK MFG.).
- C. Indicate the year the tank was installed (ex. 1987).
- D. Indicate the tank capacity in gallons (ex. 25,000 or 10,000 etc.).

### II. TANK CONTENTS

- A. 1. If **MOTOR VEHICLE FUEL**, check box 1 and complete items B & C.  
2. If not **MOTOR VEHICLE FUEL**, check the appropriate box in section A and complete items B & D.
- B. Check the appropriate box.
- C. Check the type of **MOTOR VEHICLE FUEL** (if box 1 is checked in A).
- D. Print the chemical name of the hazardous substance stored in the tank and the C.A.S.#. (Chemical Abstract Service number), if box 1 is NOT checked in A

### III. TANK CONSTRUCTION - MARK ONE ITEM ONLY IN BOX A, B, C & D

1. Check only one item in **TYPE OF SYSTEM, TANK MATERIAL, INTERIOR LINING** and **CORROSION PROTECTION**.
2. If **OTHER**, print in the space provided.

### IV. PIPING INFORMATION

1. Circle **A** if above ground; circle **U** if underground; and circle both if applicable.
2. If **UNKNOWN**, circle; or if **OTHER**, print in space provided.
3. Indicate the **LEAK DETECTION** system(s) used to comply with the monitoring requirement for the piping.

### V. TANK LEAK DETECTION

1. Indicate the **LEAK DETECTION** system(s) used to comply with the monitoring requirements for the tank.

### VI. INFORMATION ON TANK PERMANENTLY CLOSED IN PLACE

1. **ESTIMATED DATE LAST USED - MONTH/YEAR** (January, 1988 or 01/88).
2. **ESTIMATED QUANTITY** of **HAZARDOUS SUBSTANCE** remaining in the tank (in Gallons).
3. **WAS TANK FILLED WITH INERT MATERIAL?** Check 'Yes' or 'NO'.

### APPLICANT MUST SIGN AND DATE THE FORM AS INDICATED.

### INSTRUCTION FOR THE LOCAL AGENCIES

The state underground storage tank identification number is composed of the two digit county number, the three digit jurisdiction number, the six digit facility number and the six digit tank number. The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916)739-2421. The facility number must be the same as shown in form "A". The tank number may be assigned by the local agency; however, this number must be numerical and cannot contain an alphabet. If the local agency prefers the State Board to assign the tank number, please leave it blank.

**IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(c) TO THE FOLLOWING ADDRESS.**

STATE OF CALIFORNIA  
STATE WATER RESOURCES CONTROL BOARD  
C/O S.W.R.E.P.S.  
DATA PROCESSING CENTER  
P.O. BOX 527  
PARAMOUNT, CA 90723

STATE OF CALIFORNIA  
STATE WATER RESOURCES CONTROL BOARD  
**UNDERGROUND STORAGE TANK PERMIT APPLICATION - FORM A**



COMPLETE THIS FORM FOR EACH FACILITY/SITE

MARK ONLY ONE ITEM	<input type="checkbox"/> 1 NEW PERMIT <input type="checkbox"/> 2 INTERIM PERMIT	<input type="checkbox"/> 3 RENEWAL PERMIT <input type="checkbox"/> 4 AMENDED PERMIT	<input type="checkbox"/> 5 CHANGE OF INFORMATION <input type="checkbox"/> 6 TEMPORARY SITE CLOSURE	<input type="checkbox"/> 7 PERMANENTLY CLOSED SITE
-----------------------	--	--	---	--

**I. FACILITY/SITE INFORMATION & ADDRESS - (MUST BE COMPLETED)**

DBA OR FACILITY NAME <b>Los Angeles Dept. Water &amp; Power</b>		NAME OF OPERATOR <b>L.A. DWP</b>			
ADDRESS <b>12300 Nebraska Ave</b>		NEAREST CROSS STREET	PARCEL # (OPTIONAL)		
CITY NAME <b>Los Angeles</b>		STATE <b>CA</b>	ZIP CODE <b>90025</b>	SITE PHONE # WITH AREA CODE	
<input checked="" type="checkbox"/> BOX TO INDICATE <input type="checkbox"/> CORPORATION <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> PARTNERSHIP <input checked="" type="checkbox"/> LOCAL-AGENCY DISTRICTS <input type="checkbox"/> COUNTY-AGENCY <input type="checkbox"/> STATE-AGENCY <input type="checkbox"/> FEDERAL-AGENCY					
TYPE OF BUSINESS		<input type="checkbox"/> 1 GAS STATION <input type="checkbox"/> 2 DISTRIBUTOR <input type="checkbox"/> 3 FARM <input type="checkbox"/> 4 PROCESSOR <input checked="" type="checkbox"/> 5 OTHER		<input type="checkbox"/> IF INDIAN RESERVATION OR TRUST LANDS # OF TANKS AT SITE <b>0</b>	E.P.A. ID # (optional)

**EMERGENCY CONTACT PERSON (PRIMARY)**

**EMERGENCY CONTACT PERSON (SECONDARY) - optional**

DAYS	NAME (LAST, FIRST)	PHONE # WITH AREA CODE	DAYS	NAME (LAST, FIRST)	PHONE # WITH AREA CODE
NIGHTS	NAME (LAST, FIRST)	PHONE # WITH AREA CODE	NIGHTS	NAME (LAST, FIRST)	PHONE # WITH AREA CODE

**II. PROPERTY OWNER INFORMATION - (MUST BE COMPLETED)**

NAME <b>Los Angeles Dept. of Water &amp; Power</b>		CARE OF ADDRESS INFORMATION		
MAILING OR STREET ADDRESS <b>111 N. Hope St</b>		<input checked="" type="checkbox"/> box to indicate <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> LOCAL-AGENCY <input type="checkbox"/> STATE-AGENCY <input type="checkbox"/> CORPORATION <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> COUNTY-AGENCY <input type="checkbox"/> FEDERAL-AGENCY		
CITY NAME <b>Los Angeles</b>		STATE <b>CA</b>	ZIP CODE <b>90025</b>	PHONE # WITH AREA CODE

**III. TANK OWNER INFORMATION - (MUST BE COMPLETED)**

NAME OF OWNER <b>SAME AS ABOVE</b>		CARE OF ADDRESS INFORMATION		
MAILING OR STREET ADDRESS		<input checked="" type="checkbox"/> box to indicate <input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> LOCAL-AGENCY <input type="checkbox"/> STATE-AGENCY <input type="checkbox"/> CORPORATION <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> COUNTY-AGENCY <input type="checkbox"/> FEDERAL-AGENCY		
CITY NAME		STATE	ZIP CODE	PHONE # WITH AREA CODE

**IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER - Call (916) 323-9555 if questions arise.**

TY (TK) HQ **44** - [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]

**V. PETROLEUM UST FINANCIAL RESPONSIBILITY - (MUST BE COMPLETED) - IDENTIFY THE METHOD(S) USED**

<input checked="" type="checkbox"/> box to indicate	<input type="checkbox"/> 1 SELF-INSURED	<input type="checkbox"/> 2 GUARANTEE	<input type="checkbox"/> 3 INSURANCE	<input type="checkbox"/> 4 SURETY BOND
	<input type="checkbox"/> 5 LETTER OF CREDIT	<input type="checkbox"/> 6 EXEMPTION	<input type="checkbox"/> 99 OTHER	

**VI. LEGAL NOTIFICATION AND BILLING ADDRESS** Legal notification and billing will be sent to the tank owner unless box I or II is checked.

CHECK ONE BOX INDICATING WHICH ABOVE ADDRESS SHOULD BE USED FOR LEGAL NOTIFICATIONS AND BILLING    I     II     III

THIS FORM HAS BEEN COMPLETED UNDER PENALTY OF PERJURY, AND TO THE BEST OF MY KNOWLEDGE, IS TRUE AND CORRECT

APPLICANT'S NAME (PRINTED & SIGNATURE)	APPLICANT'S TITLE	DATE    MONTH/DAY/YEAR
--	-------------------	------------------------

**LOCAL AGENCY USE ONLY**

COUNTY # [ ] [ ]	JURISDICTION # [ ] [ ] [ ]	FACILITY # [ ] [ ] [ ] [ ] [ ] [ ]
LOCATION CODE - OPTIONAL	CENSUS TRACT # - OPTIONAL	SUPVISOR - DISTRICT CODE - OPTIONAL

## INSTRUCTIONS FOR COMPLETING FORM "A"

### GENERAL INSTRUCTIONS:

1. One FORM "A" shall be completed for all **NEW PERMITS, PERMIT CHANGES** or any **FACILITY/SITE INFORMATION CHANGES**.
2. **SUBMIT ONLY ONE (1) FORM "A"** for a Facility/Site, regardless of the number of tanks located at the site.
3. This form should be completed by either the **PERMIT APPLICANT** or the **LOCAL AGENCY UNDERGROUND TANK INSPECTOR**.
4. Please type or print clearly all requested information.
5. If using a hand-print writing instrument, you are making 3 copies.

### TOP OF FORM: "MARK ONLY ONE ITEM"

Mark an (X) in the box next to the item that best describes the reason the form is being completed.

#### I. FACILITY/SITE INFORMATION & ADDRESS (MUST BE COMPLETED)

1. Record name and address (physical location) of the underground tank(s).  
NOTE: Address MUST have a valid physical location including city, state, and zip code.  
**P.O. BOX NUMBERS ARE NOT ACCEPTABLE.**  
Include nearest cross street and name of the operator.
2. Phone number must have an area code. If the right number is the same, write "SAME" in proper location.
3. Check the appropriate box for TYPE OF BUSINESS OWNERSHIP (ex. CORPORATION, INDIVIDUAL, etc.).
4. Check the appropriate box for TYPE OF BUSINESS.
5. If Facility/Site is located within an Indian reservation or other Indian trust lands, check the box marked "YES".
6. Indicate the NUMBER of TANKS at this SITE.
7. Record the E.P.A. ID # or write "NONE" in the space provided.

#### II. PROPERTY OWNER INFORMATION & ADDRESS (MUST BE COMPLETED)

Complete all items in this section, unless all items are the same as SECTION I; if the same, write "SAME AS SITE" for this section. Be sure to check PROPERTY OWNERSHIP TYPE box.

#### III. TANK OWNER INFORMATION & ADDRESS (MUST BE COMPLETED)

Complete all items in this section, unless all items are the same as SECTION I; if the same, write "SAME AS SITE" for this section. Be sure to check TANK OWNERSHIP TYPE box.

#### IV. BOARD OF EQUALIZATION UST STORAGE FEE ACCOUNT NUMBER (MUST BE COMPLETED)

Enter your Board of Equalization (BOE) UST storage fee account number which is required before your permit application can be processed. Registration with the BOE will ensure that you will receive a quarterly storage fee return in amounting to \$0.006 (6 mills) per gallon fee due on the number of gallons placed in your USTs. The BOE will code persons exempt from paying the storage fee so returns will not be sent. If you do not have an account number with the BOE or if you have any questions regarding the fee or exemptions, please call the BOE at 916-323-9555 or write to the BOE at the following address: Board of Equalization, Environmental Fees Unit, P.O. Box 942879, Sacramento, CA 94279-0001.

#### V. PETROLEUM UST FINANCIAL RESPONSIBILITY (MUST BE COMPLETED)

Identify the method(s) used by the owner and/or operator in meeting the Federal and State financial responsibility requirements. USTs owned by any Federal or State agency are exempt from this requirement.

#### VI. LEGAL NOTIFICATION AND BILLING ADDRESS

Check ONE BOX for the address that will be used for BOTH LEGAL AND BILLING NOTIFICATIONS.

**APPLICANT MUST SIGN AND DATE THE FORM AS INDICATED.**

#### INSTRUCTION FOR THE LOCAL AGENCIES

The county and jurisdiction numbers are predetermined and can be obtained by calling the State Board (916)759-2421. The facility number may be assigned by the local agency; however, this number must be numerical and cannot contain any alphabetical. If the local agency prefers the State Board to assign the facility number, please leave it blank.

**IT IS THE RESPONSIBILITY OF THE LOCAL AGENCY THAT INSPECTS THE FACILITY TO VERIFY THE ACCURACY OF THE INFORMATION. THIS APPLICATION CANNOT BE PROCESSED IF THE BOE ACCOUNT NUMBER IS NOT INCLUDED. THE LOCAL AGENCY IS RESPONSIBLE FOR THE COMPLETION OF THE "LOCAL AGENCY USE ONLY" INFORMATION BOX AND FOR FORWARDING ONE FORM "A" AND ASSOCIATED FORM "B"(6) TO THE FOLLOWING ADDRESS.**

STATE OF CALIFORNIA  
STATE WATER RESOURCES CONTROL BOARD  
C/O S.W.R.F.P.S.  
DATA PROCESSING CENTER  
P.O. BOX 527  
PARAMOUNT, CA 90723

DIV. 5 - 714, 715 # 553028

LAFD # 6108

Fire Station District # 59

Field Office Golden

F-280

FIRE DEPARTMENT - CITY OF LOS ANGELES

APPLICATION FOR PERMIT - ATMOSPHERIC UNDERGROUND TANK(S)

Reg No. 01326  
Date 12/4/90

PLEASE TYPE OR PRINT:

Name of Owner <u>Los Angeles Dept Water &amp; Power</u>		Doing Business As <u>Los Angeles Dept Water &amp; Power</u>	
Address of Owner <u>111 N. Hope St.</u>		Owner's Phone <u>481-5516</u> <del>(213) 481-5296</del>	
Address of Site <u>12300 Nebraska Ave L A Ca 90025</u>		Phone at Installation <u>E. SAENZ</u> <u>(213) 820-1014</u>	
Contractor's Name: <u>Los Angeles Dept. Water &amp; Power</u>		Contact: <u>WAYNE BAMOSSY</u> <del>ROBERT WHITTOCK</del>	
Address: <u>Los Angeles Dept. Water &amp; Power</u>		State: _____	Zip: _____
Signature of Applicant <u>Robert A. Whittock</u>		Title <u>Civil Engineer Assoc.</u>	Contractor's Phone <u>DAVE PETERSON</u> <u>(818) 503-1719</u>

QTY.	ITEM	I.D. NO(S)	FEE
<input checked="" type="checkbox"/> <u>3</u>	UGT/S ABANDONMENT BY REMOVAL	EPA # <u>CA0099450504</u>	Exempt - Div. 4 - 714 / 715
		State Contractor Type / # <u>SEE ATTACHED</u>	
		City Business # <u>SEE ATTACHED</u>	
<input type="checkbox"/>	UGT/S ABANDONMENT IN PLACE		
<input type="checkbox"/>	UGT/S INSTALLATION		
<input type="checkbox"/>	UGT/S ADD TO / ALTER: MONITORING		
<input type="checkbox"/>	UGT/S ADD TO / ALTER: PIPING		

Total Fee <b>EXEMPT</b>	Approved <input checked="" type="checkbox"/>	Disapproved <input type="checkbox"/>	Date <u>12/4/90</u>	Inspector <u>J. Gould</u>
----------------------------	--	--------------------------------------	------------------------	------------------------------

# Department of Water and Power



# the City of Los Angeles

TOM BRADLEY  
Mayor

Commission  
RICK J. CARUSO, *President*  
JACK W. LEENEY, *Vice President*  
ANGEL M. ECHEVARRIA  
CAROL WHEELER  
WALTER A. ZELMAN  
JUDITH K. DAVISON, *Secretary*

NORMAN E. NICHOLS, *General Manager and Chief Engineer*  
ELDON A. COTTON, *Assistant General Manager - Power*  
DUANE L. GEORGESON, *Assistant General Manager - Water*  
DANIEL W. WATERS, *Assistant General Manager - External Affairs*  
NORMAN J. POWERS, *Chief Financial Officer*

September 7, 1989

Captain Roy Kozaki  
Los Angeles Fire Department  
Underground Tank Unit  
200 North Main Street, City Hall East  
Los Angeles, California 90012

Dear Captain Kozaki:

Department of Water and Power  
Underground Storage Tanks  
Power System Tank Removals/Installations  
MEP: D4860; AFE: MFW67

This letter is to certify that the following personnel are qualified to perform all field work involved in removing and installing underground storage tanks on Los Angeles Department of Water and Power, Power System's property:

David E. Peterson (employee no. 697134); Construction and Maintenance Supervisor - Second Level.

William T. Booth (employee no. 088844); Construction and Maintenance Supervisor - First Level.

Gregory W. Wood (employee no. 980248); Construction and Maintenance Supervisor - First Level.

Arthur F. Nolan (employee no. 655020); Construction Labor Foreman.

If you have any questions or if further information is required, please have your staff contact Mr. W. H. Beckley of our Civil Engineering Subsection at (213) 481-5487.

Sincerely,

LUIS E. ESCALANTE  
Manager

Civil, Structural Engineering  
and Services

c: Mr. W. H. Beckley

**WASTE MANIFEST**

AL0000411111

1 of 1 is not required by Federal law

3. Generator's Name and Mailing Address  
 L.A. D.W.P  
 WEST L.A. DISTRIBUTION HQ; 12300 NEBRASKA AVE  
 L.A., CA  
 4. Generator's Phone (213) 820-1014

A. State Manifest Document Number  
 88430422  
 B. State Generator's ID  
 H-YHQ3160081416  
 C. State Transporter's ID  
 110873  
 D. Transporter's Phone  
 (213) 481-6561  
 E. State Transporter's ID  
 F. Transporter's Phone

5. Transporter 1 Company Name  
 L.A. DEPT. OF WATER & POWER  
 6. US EPA ID Number  
 CA D 0100632992  
 7. Transporter 2 Company Name  
 8. US EPA ID Number

9. Designated Facility Name and Site Address  
 ERICKSON  
 13738 SLOVERAY  
 FONTANA, CA 92335  
 10. US EPA ID Number  
 CA D 9824849313

G. State Facility's ID  
 H. Facility's Phone

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers		13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
	No.	Type			
a. NON RORA HAZARDOUS SOLID EMPTY UNDERGROUND STORAGE TANK	11	TP		P	State 572 EPA/Other NONE
b.					State EPA/Other
c.					State EPA/Other
d.					State EPA/Other

J. Additional Descriptions for Materials Listed Above  
 1 - EMPTY U/G STORAGE TANK - 500 GAL

K. Handling Codes for Wastes Listed Above  
 a. b. c. d.

15. Special Handling Instructions and Additional Information  
 EMERGENCY PHONE: ENERGY CONTROL CENTER  
 (818) 352-7864

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations  
 If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment. OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: DAVID L WILSON FOR RUS WILSON  
 Signature: David L Wilson FOR RUS WILSON  
 Month Day Year: 10/15/09 02/2/09/1

17. Transporter 1 Acknowledgement of Receipt of Materials  
 Printed/Typed Name: JAMES R. JOYCE  
 Signature: James R. Joyce  
 Month Day Year: 10/22/09/1

18. Transporter 2 Acknowledgement of Receipt of Materials  
 Printed/Typed Name: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Month Day Year: \_\_\_\_\_

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19  
 Printed/Typed Name: \_\_\_\_\_  
 Signature: \_\_\_\_\_  
 Month Day Year: \_\_\_\_\_

88430422

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR  
TRANSPORTER  
FACILITY

WASTE MANIFEST

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

91072588

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR

TRANSPORTER

FACILITY

3. Generator's Name and Mailing Address West L.A. District Ctr. L.A. Dept. of Water and Power 12300 Nebraska Ave, Los Angeles, CA		A. State Manifest Document Number 91072588			
4. Generator's Phone (213) 820-1014		B. State Generator's ID CA101010104211271			
5. Transporter 1 Company Name A.M. Pumping Inc.		C. State Transporter's ID 104945			
6. US EPA ID Number CA1010101042112716		D. Transporter's Phone 213-522-1800			
7. Transporter 2 Company Name		E. State Transporter's ID			
8. US EPA ID Number		F. Transporter's Phone			
9. Designated Facility Name and Site Address Gibson Oil & Refining END of Commercial Rd. Bakersfield Ca. 93308		G. State Facility's ID CA10198018831177			
10. US EPA ID Number CA10198018831177		H. Facility's Phone 805-327-0413			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
	a. No. Type				State 228
	b. No. Type				EPA/Other EXEMPT
	c. No. Type				State
	d. No. Type				EPA/Other
J. Additional Descriptions for Materials Listed Above UNDERGROUND RUNSATE TRK.		K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information USE GLOVES & GOGGLES when Handling.		Acct. # 9236-3 IN CASE OF SPILL, 213 CONTACT: A-M-PUMPING, 522-1800			
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Russell D. Wilson		Signature <i>Russell D. Wilson</i>		Month Day Year 10/23/91	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name DANIEL ZUMAYA		Signature <i>Daniel Zumaya</i>		Month Day Year 10/22/91	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19					
Printed/Typed Name		Signature		Month Day Year	

Do Not Write Below This Line

White: TSDF SENDS THIS COPY TO DOHS WITHIN 30 DAYS  
To: P.O. Box 3000, Sacramento, CA 95812

✓ FILE

# Department of Water and Power the City of Los Angeles

TOM BRADLEY  
Mayor

Commission  
MICHAEL J. GAGE, *President*  
RICK J. CARUSO, *Vice President*  
ANGEL M. ECHEVARRIA  
DOROTHY GREEN  
MARY D. NICHOLS  
JUDITH K. DAVISON, *Secretary*

DANIEL W. WATERS, *General Manager and Chief Engineer*  
ELDON A. COTTON, *Assistant General Manager - Power*  
JAMES F. WICKSER, *Assistant General Manager - Water*  
NORMAN L. BUEHRING, *Assistant General Manager - External Affairs*  
NORMAN J. POWERS, *Chief Financial Officer*

April 29, 1991

Inspector H. O. Golden  
Los Angeles City Fire Department  
Underground Storage Tank Unit  
200 North Main Street, Room 920  
Los Angeles, California 90012

**RECEIVED**  
MAY 2 - 1991  
UNDERGROUND TANK  
REINFORCEMENT UNIT

Dear Inspector Golden:

Tank Closure Report and  
Preliminary Site Assessment  
7,500-Gallon Gasoline Tank, 2,500-Gallon White Gas Tank  
and 500-Gallon Waste-Oil Tank  
West Los Angeles Distribution Headquarters  
12300 Nebraska Avenue

In accordance with the Los Angeles City Fire Department (LAFD) Requirement No. 41, Abandonment of Underground Tanks, the Los Angeles Department of Water and Power is submitting three copies each of the following underground storage tank closure information for its facility located at 12300 Nebraska Avenue in West Los Angeles:

1. Tank Removal Data Sheet
2. Field Observation Log
3. Uniform Hazardous Waste Manifests (to transport tank rinsate and soil)
4. Chain of Custody Record
5. Chemistry Laboratory Data Report
6. LAFD Division 4 Permit Application
7. Tank Removal Certificate
8. Soil Sample Location - Plot Plan

The field observations and laboratory results indicate that the three tanks were sound upon removal with no associated contamination. It appears that this site is basically clean and poses no threat to the groundwater, public health, or the environment. Due to the overall cleanliness of the site, we recommend site closure.

## Water and Power Conservation . . . a way of life

111 North Hope Street, Los Angeles, California  Mailing address. Box 111, Los Angeles 90051-0100  
Telephone (213) 481-4211 Cable address DEWAPOLA FAX (213) 481-8701



Inspector H. O. Golden

- 2 -


April 29, 1991

Please send your reply to:

Manager of Environmental and Governmental Affairs  
Los Angeles Department of Water and Power  
P.O. Box 111, Room 1121  
Los Angeles, California 90051-0100

If you have any questions, please contact Mr. Arthur G. Saginian of my staff at (213) 7962.

Sincerely,



EDWARD KARAPETIAN  
Manager of Environmental and  
Governmental Affairs

Enclosures

Certified Industrial Hygienist Certificate

Copy for L.A.F.D.

Survey Requested by: A&M Pumping

Last known Contents: White Gas, Gasoline

Owner of UST: D.W.P.

Location of Tank: 12300 NEBRASKA AVE., L.A.

Date of survey: 2-20-91

Test Method: direct instrument reading

Tank Description:

Time Survey Completed: 1239

Capacity: 2,000 Gallon & 7,500 Gallon each one.

Special Instructions: Maintain the CO<sub>2</sub> level in the tank, transport with all openings at the top to prevent CO<sub>2</sub> loss. Remove tank and immediately place on the transport vehicle. Immediately transport to site of demolition. Due to the CO<sub>2</sub> Levels the tank is not SAFE for Entry because the oxygen levels are to be maintained below 10%.

In the event of any physical or atmospheric changes adversely affecting the STANDARD SAFETY DESIGNATIONS assigned to any of the above spaces, or if in any doubt, immediately stop all work and contact the undersigned Certified Industrial Hygienist.

QUALIFICATIONS: Transfer of ballast or manipulation of valves or closure equipment tending to alter conditions in pipe lines, tanks or compartments subjects to gas accumulation, unless specifically approved in this Certificate, requires inspection and endorsement or reissue of Certificate for the spaces so affected. All lines, vents, heating coils, valves, and similarly enclosed appurtenances shall be considered "not safe" unless otherwise specifically designated.

STANDARD SAFETY DESIGNATIONS (partial list, paraphrased from NFPA 306-1980, Subsection 1-6.1 through 1-6.4, and Subsection 5-3.2)

SAFE FOR WORKERS: Means that in the compartment or space so designated: (a) the oxygen content of the atmosphere is at least 19.5 percent by volume; and that, (b) toxic materials in the atmosphere are within permissible concentrations; and that, (c) the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Certified Industrial Hygienist's Certificate.

NOT SAFE FOR WORKERS: Means that in the compartment or space so designated, the requirements for Safe for Workers has not been met.

SAFE FOR HOT WORK: Means that in the compartment so designated; (a) oxygen content of the atmosphere is at least 19.5 percent by volume, with the exception of inerted spaces or where external hot work is to be performed; and that, (b) the concentration of flammable materials in the atmosphere is below 10 percent of the lower flammable limit; and that, (c) the residues are not capable of producing a higher concentration than permitted by (b) above under existing atmospheric conditions in the presence of fire, and while maintained as directed on the Certified Industrial Hygienist's Certificate; and further, that, (d) all adjacent spaces containing or having contained flammable or combustible materials have been cleaned sufficiently to prevent the spread of fire, or are satisfactorily inerted, or, in the case of fuel tanks or lube oil tanks or engine room or fire room bilges, have been treated in accordance with the Certified Industrial Hygienist's requirements.

NOT SAFE FOR HOT WORK: Means that in the compartment so designated, the requirements of Safe for Hot Works have not been met.

CERTIFIED INDUSTRIAL HYGIENIST'S ENDORSEMENT. This is to certify that I have personally determined that all spaces in the foregoing list are in accordance with NFPA 306-1980 Control of Gas Hazards on Vessels and have found the condition of each to be in accordance with its assigned designation.

"The undersigned acknowledges receipt of this Certificate under Section 2-3 of NFPA 306-1980 and understands conditions and limitations under which it was issued."

Signed Mark Vergara 2-20-91  
Name Company Date

This Certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualification and instructions.

Signed [Signature] L.A.F.D. # 1326  
IH Cert. Number

6108  
Fs# 59

# FIRE PERMIT APPLICATION FOR UNDERGROUND TANKS OR ATMOSPHERIC TANK SYSTEMS

INSTRUCTIONS: Complete all items below. Return page with payment. Type or print neatly.

## SECTION 1

CURRENT FIRE PERMIT NO. 553028-79 CITY CLERK USE ONLY PD DT 12-14-89

LEGAL NAME LOS ANGELES DEPT. OF WATER & POWER, West L.A. DISTRIBUTION HEADQUARTERS

BUSINESS ADDRESS 12300 NEBRASKA AVENUE UNIT # \_\_\_\_\_  
(Where underground tanks are located) Street No. Full Street Name

CITY CLERK USE ONLY ED (W)

CITY LOS ANGELES STATE CA ZIP \_\_\_\_\_

DOING BUSINESS AS L.A. DEPT. OF WATER & POWER

IN CARE OF ROOM 1029 GDB BUSINESS MAILING ADDRESS P.O. BOX 111, L.A., CA 90051  
KDBA P.O. Box, Address, and Street State Zip

NAME OF BUSINESS OWNER CITY OF L.A., DEPT. OF WATER & POWER

TELEPHONE NO.: BUSINESS (213) 481-5516 24-HOUR EMERGENCY (213) 481-7200

NAME OF PROPERTY OWNER L.A. DEPT. OF WATER & POWER MAILING ADDRESS P.O. BOX 111, LA, CA 90051  
ROOM 1029

Briefly describe nature of your business (use additional sheet if needed) ELECTRIC & WATER UTILITY

FOR CITY CLERK USE ONLY	FD F	CLASS 714	MC P	PC 21	PERIOD A 90	AMOUNT \$	<u>0</u>
-------------------------	---------	--------------	---------	----------	----------------	-----------	----------

## SECTION 2

FEE CALCULATION		No. of tanks	Subtotal
Permit for Underground Tanks	\$192.00 X	<u>3</u>	- <u>0</u>
State of California surcharge for Underground Tanks	\$56.00 X		- <u>0</u>

### FEE EXEMPTION:

If your establishment is a government agency, check here   
Do not fill in fee calculation  
Government agencies must file an application, however no fee is required.

PAY THIS AMOUNT

MAKE ALL CHECKS PAYABLE TO ELIAS MARTINEZ, CITY CLERK

Please retain a copy for your records

ENTERED  
JAN 10 1990  
DATA ENTRY

REMIT TO:  
CITY OF LOS ANGELES  
TAX AND PERMIT DIVISION  
P.O. BOX 30626  
LOS ANGELES, CA 90030-0626

Wayne A Bamossy CIVIL ENGG ASSOCIATE 14 DEC 89  
Signature of Owner or Authorized Representative Title Date

FIRE DEPT USE ONLY	MASTER CODE	<input type="checkbox"/>	Date _____	LAFD Signature _____
--------------------	-------------	--------------------------	------------	----------------------

TANK ABANDONMENT FORM

ADDRESS 12300 Nebraska Ave.

DATE Jan. 15, 1958

NO. OF TANKS	CAPACITY	METHOD OF ABANDONMENT
1	2,000 gal.	Filled with sand.

LOCATION OF TANK: 15' West of East P/L & Approx. 200' So. of No. P/L

REMARKS:

Anthony Zippi  
Signature of Inspector

FPB STENCIL

#91  
1/26/50

TANK ABANDONMENT FORM

ADDRESS 12300 Nebraska

DATE 2/14/57

NO. OF TANKS	CAPACITY	METHOD OF ABANDONMENT
<u>1</u>	<u>2000</u>	<u>Removed From Ground</u>

LOCATION OF TANK: Water & Power Equipment yard

REMARKS: Tank filled with CO<sub>2</sub> & capped. Removed and  
set alongside site. ~~that tank was labeled as~~  
~~the contents of tank.~~ Tank repaired and  
replaced in ground.

Wayne H. Brouil  
Signature of Inspector

NAME DEPT. OF WATER AND POWER ADDRESS 12300 NEBRASKA  
 DBA PUBLIC UTILITY DATE JANUARY 15, 1957  
 ON SOUTH Side of Street—between BUNDY and CENTINELA

No. ....  
 Code 3A3

BOARD OF FIRE COMMISSIONERS, CITY OF LOS ANGELES:

In conformance with the Ordinances of the City of Los Angeles and under the supervision of the Chief Engineer of the Fire Department or his duly authorized representative, application is hereby made for

AN ORIGINAL PERMIT  A RENEWAL OF PERMIT  A TRANSFER OF PERMIT  to install or maintain

- AIRCRAFT FUELING POST
- AIR VEHICLE FACTORY
- AIR VEHICLE HANGAR
- AUTO FILLING STATION *(Private Use)*
- AUTO PARKING STATION
- PUBLIC FILLING STATION
- PUBLIC GARAGE
- PUBLIC OIL DEPOT
- TENANT GARAGE

Applicant is a ~~CORPORATION~~ <sup>PUBLIC UTILITY</sup> ASSOCIATION—PARTNERSHIP—INDIVIDUAL (Indicate by placing an X above type of organization.)

Signature *R. G. Beate* Title SURT OF TRANSPORTATION Applicant's Phone MI 4211 STA. 8516  
 Mail Address 1630 NO. MAIN ST., LOS ANGELES 12, CALIFORNIA

SPACE BELOW THIS LINE FOR DEPARTMENTAL USE ONLY

Perimeter of property in linear feet: 400 +

and to install or maintain in connection therewith TANKS AND DISPENSING APPARATUS AS FOLLOWS:

No. of Tanks	Capacity	Contents	Make & Symbol	LAFC No.	Location
1	2000	gas	See Files		—
1	7500	gas			

1 TANKS 7000 GALS. UNDERGROUND STORAGE—AND PORTABLE TANKS OF \_\_\_\_\_ Gallons Capacity.

First Inspection Date 2-14-57 Last Inspection Date 6-6-57 Inspector *Wagon K. B. ...*

Recommendation: APPROVAL—DISAPPROVAL—CANCELLATION—Violation of Ordinance No. \_\_\_\_\_ Section \_\_\_\_\_

Previous Permit Granted \_\_\_\_\_ (date) To Detail \_\_\_\_\_ (date) By \_\_\_\_\_

Former Permittee \_\_\_\_\_ (for use on transfer of permit only) Inspector Completed \_\_\_\_\_ (date)

Prepared for Comm. \_\_\_\_\_ (date) By \_\_\_\_\_

Remarks: 2000 gal tank was leaking. It was removed from ground—repaired and tested, and replaced back in same location.

JAN 18 1957  
*Raymond M. Hill*

**DISPENSING APPARATUS**

No. 2      Make and Symbol Bennett      LAFC See Files      Location

2 Dispensing Units of which  are Visible 2 are Meter and  are Blind.

**CHECK SHEET**

**GARAGES AND PARKING STATIONS**

Area Used ..... Square Feet  
 Open Lot Only .....  
 Height of Bldg. .... Type  
 Basement ..... Sub-Basement  
 Basement Openings Protected .....  
 Basement Ventilation .....  
 CO<sup>2</sup> ..... CTC ..... S & A  
 Foam ..... Dry Powder  
 Condition of Extinguishers .....  
 Condition of Sprinkler System .....  
 Occupancy Separation .....  
 Partitions Separating Repair Shop from  
     Storage and Gasoline Dispensing .....  
 Housekeeping ..... Wall Vents .....  
 Condition of Wiring & Elec. Equip. ....  
 Suction System for Tire Buffers .....  
 Location & Condition of Pit .....  
 Storage of Flammable Liquids for:  
 Cleansing Parts .....  
 Spraying with Flammable Liquids .....  
 Approved Automobile Spray Booth .....  
 Spot Painting Only .....  
 Storage of Rubber Solvent, Cement .....  
 Mixing of Rubber Cement .....  
 Storage of Lube Oil .....  
 "No Smoking" Signs .....  
 Metal Containers for Combustible Waste .....  
 Disposal of Waste Oil .....  
 Canvas and/or Paper Covers over Motor Vehicles .....  
 Type of Open Flame .....

**AIRCRAFT FUELING POST  
 FILLING STATION**

Perimeter of Property, linear ft. 400 +  
 Height of Bldg. none Type of Bldg. none  
 Open Lot Only .....  
 Distance between Dispenser & Property Line 50'  
 Electric Wiring and Equipment OK  
 Location of Power Control dry pump, out of premises  
 Type of Power Control remote - Elect. Manual  
 Occupancy Separation OK  
 Vapor-Proof Globes .....  
 Fluorescent Lights .....  
 Neon Lights .....  
 CO<sup>2</sup> ..... CTC ..... S & A  
 Foam ..... Dry Powder 1  
 Condition of Extinguishers OK  
 Signs ("No Smoking—Stop Motor") OK  
 Metal Receptacles for Combustible Waste OK  
 Disposal of Waste Oil .....  
 Housekeeping OK  
 Condition of Pit or Lube Rack .....  
 Amount of Lube Oil .....  
 Capacity of Lube Oil Container .....  
 Type of Containers .....  
 Amount of Kerosene—Solvent .....  
 Type of Containers .....  
 Vent Pipes OK Fill Pipes OK  
 Suction Pipe Lines .....  
 Return Pipe Lines .....  
 Overflow Pipe Lines .....  
 Air Exhaust Pipe Lines .....  
 Curb Pipe Fill Line .....  
 Illegal Repairing Being Performed .....  
 Was C. of O. Granted? .....  
 Location & Type of Heater .....

NAME Los Angeles City Department of water & Power ADDRESS 12300 Nebraska Ave.  
 BA Same DATE Jan. 22, 1958  
 ON So. Side of Street—between Bundy Drive & and Olympic Blvd.

No. \_\_\_\_\_  
 Code 3-A-3

CHIEF ENGINEER, CITY OF LOS ANGELES:

In conformance with the Ordinances of the City of Los Angeles and under the supervision of the Chief Engineer of the Fire Department or his duly authorized representative, application is hereby made for

AN ORIGINAL PERMIT  A RENEWAL OF PERMIT  A TRANSFER OF PERMIT  to install or maintain

- AIRCRAFT FUELING POST
- AIR VEHICLE FACTORY
- AIR VEHICLE HANGAR
- AUTO FILLING STATION Pvt. use
- AUTO PARKING STATION
- PUBLIC FILLING STATION
- PUBLIC GARAGE
- PUBLIC OIL DEPOT
- TENANT GARAGE

Applicant is a CORPORATION—ASSOCIATION—PARTNERSHIP—INDIVIDUAL (Indicate by placing an X above type of organization.)

Signature Martin Holmes Title Foreman Applicant's Phone Mi. 4211-578231  
 Mail Address 12300 Nebraska Ave. LA 25

SPACE BELOW THIS LINE FOR DEPARTMENTAL USE ONLY

Perimeter of property in linear feet: \_\_\_\_\_

and to install or maintain in connection therewith TANKS AND DISPENSING APPARATUS AS FOLLOWS:

No. of Tanks	Capacity	Contents	Make & Symbol	LAFD No.	Location
1-	1000	White gasoline	National	156-53	10' w. of E. P/L & 200' So. of No. P/L
( NEW INSTALLATION )					

RECORD

TANKS \_\_\_\_\_ GALS. UNDERGROUND STORAGE—AND \_\_\_\_\_ PORTABLE TANKS OF \_\_\_\_\_ Gallons Capacity.

First Inspection Date \_\_\_\_\_ Last Inspection Date Jan. 22, 1958 Inspector Anthony [Signature]

Recommendation: APPROVAL—DISAPPROVAL—CANCELLATION—Violation of Ordinance No. \_\_\_\_\_ Section \_\_\_\_\_

Previous Permit Granted \_\_\_\_\_ (date) \_\_\_\_\_ To Detail \_\_\_\_\_ (date) \_\_\_\_\_ By \_\_\_\_\_

Former Permittee \_\_\_\_\_ (for use on transfer of permit only) \_\_\_\_\_ Inspector Completed \_\_\_\_\_ (date)

Remarks: One 2000 gallon tank removed and this 1000 gallon tank installed..

Raymond W. Hill  
 FEB 19 1958

FEB 19 1958

Chief Engineer



DISPENSING APPARATUS

Make and Symbol

LAFC

Location

.....  
 .....  
 .....  
 .....

..... Dispensing Units of which ..... are Visible ..... are Meter and ..... are Blind.

CHECK SHEET

GARAGES AND PARKING STATIONS

AIRCRAFT FUELING POST  
 FILLING STATION

Area Used ..... Square Feet  
 Open Lot Only .....  
 Height of Bldg. .... Type .....  
 Basement ..... Sub-Basement .....  
 Basement Openings Protected .....  
 Basement Ventilation .....  
 CO<sup>2</sup> ..... CTC ..... S & A .....  
 Foam ..... Dry Powder .....  
 Condition of Extinguishers .....  
 Condition of Sprinkler System .....  
 Occupancy Separation .....  
 Partitions Separating Repair Shop from  
 Storage and Gasoline Dispensing .....  
 Housekeeping ..... Wall Vents .....  
 Condition of Wiring & Elec. Equip. ....  
 .....  
 Suction System for Tire Buffers .....  
 .....  
 Location & Condition of Pit .....  
 Storage of Flammable Liquids for:  
 Cleansing Parts .....  
 Spraying with Flammable Liquids .....  
 Approved Automobile Spray Booth .....  
 Spot Painting Only .....  
 Storage of Rubber Solvent, Cement .....  
 Mixing of Rubber Cement .....  
 Storage of Lube Oil .....  
 "No Smoking" Signs .....  
 Metal Containers for Combustible Waste .....  
 .....  
 Disposal of Waste Oil .....  
 Canvas and/or Paper Covers over Motor Vehicles .....  
 .....  
 Type of Open Flame .....

Perimeter of Property, linear feet.....  
 Height of Bldg. .... Type of Bldg.....  
 Open Lot Only .....  
 Distance between Dispenser & Property Line .....  
 Electric Wiring and Equipment .....  
 Location of Power Control .....  
 Type of Power Control .....  
 Occupancy Separation .....  
 Vapor-Proof Globes .....  
 Fluorescent Lights .....  
 Neon Lights .....  
 CO<sup>2</sup> ..... CTC ..... S & A .....  
 Foam ..... Dry Powder .....  
 Condition of Extinguishers .....  
 Signs ("No Smoking—Stop Motor") .....  
 Metal Receptacles for Combustible Waste .....  
 .....  
 Disposal of Waste Oil .....  
 Housekeeping .....  
 Condition of Pit or Lube Rack .....  
 Amount of Lube Oil .....  
 Capacity of Lube Oil Container .....  
 Type of Containers .....  
 Amount of Kerosene—Solvent .....  
 Type of Containers .....  
 Vent Pipes ..... Fill Pipes .....  
 Suction Pipe Lines .....  
 Return Pipe Lines .....  
 Overflow Pipe Lines .....  
 Air Exhaust Pipe Lines .....  
 Curb Pipe Fill Line .....  
 Illegal Repairing Being Performed .....  
 Was C. of O. Granted? .....  
 Location & Type of Heater .....

NAME Dept. of Water & Power ADDRESS 12300 Nebraska Ave.

No. ....

DBA Same DATE 9-3-53

Code J-A-19

ON So Side of Street—between Bundy and Centinella

BOARD OF FIRE COMMISSIONERS, CITY OF LOS ANGELES:

In conformance with the Ordinances of the City of Los Angeles and under the supervision of the Chief Engineer of the Fire Department or his duly authorized representative, application is hereby made for

AN ORIGINAL PERMIT  A RENEWAL OF PERMIT  A TRANSFER OF PERMIT  to install or maintain

- AIRCRAFT FUELING POST
- AIR VEHICLE FACTORY
- AIR VEHICLE HANGAR
- AUTO FILLING STATION priv. use
- AUTO PARKING STATION
- PUBLIC FILLING STATION
- PUBLIC GARAGE
- PUBLIC OIL DEPOT
- TENANT GARAGE

Applicant is a CORPORATION—ASSOCIATION—PARTNERSHIP—INDIVIDUAL (Indicate by placing an X above type of organization.)

Signature Rolland M. Garrett Title Plumber Foreman Applicant's Phone MI. 4211

Mail Address C/O R.M. Garrett 1212 Calumetta St. (78) 514-2859

SPACE BELOW THIS LINE FOR DEPARTMENTAL USE ONLY

Perimeter of property in linear feet: 400+

and to install or maintain in connection therewith TANKS AND DISPENSING APPARATUS AS FOLLOWS:

No. of Tanks	Capacity	Contents	Make & Symbol	LAFC No.	Location
<u>1</u>	<u>750 gal.</u>	<u>gasoline</u>	<u>Advance</u>	<u>2269-51</u>	<u>15' E.P.B., 200' N.P.P.</u>
<u>1</u>	<u>2000 gal.</u>	<u>gasoline</u>	<u>11</u>	<u>2262-51</u>	<u>11 11, 215' 11</u>

2 TANKS 9500 GALS. UNDERGROUND STORAGE—AND PORTABLE TANKS OF Gallons Capacity.

First Inspection Date 9-4-53 Last Inspection Date 8-5-14-54 Inspector Joe W. Shaw

Recommendation: APPROVAL DISAPPROVAL—CANCELLATION—Violation of Ordinance No. Section

Previous Permit Granted New (date) To Detail (date) By

Former Permittee (for use on transfer of permit only) Inspector Completed (date)

Remarks: Prepared for Comm. By M-2 (date) MAY 27 1954

Inspector of Public Safety

Superintendent of Building

by Ruth... Date SEP 11 1953

**DISPENSING APPARATUS**

No. 2 Make and Symbol Bennett Model 647 LAFC Location on Island

2 Dispensing Units of which are Visible 2 are Meter and are Blind.

**CHECK SHEET**

**GARAGES AND PARKING STATIONS**

Area Used ..... Square Feet  
 Open Lot Only .....  
 Height of Bldg. .... Type .....  
 Basement ..... Sub-Basement .....  
 Basement Openings Protected .....  
 Basement Ventilation .....  
 CO<sup>2</sup> ..... CTC ..... S & A .....  
 Foam ..... Dry Powder .....  
 Condition of Extinguishers .....  
 Condition of Sprinkler System .....  
 Occupancy Separation .....  
 Partitions Separating Repair Shop from  
 Storage and Gasoline Dispensing .....  
 Housekeeping ..... Wall Vents .....  
 Condition of Wiring & Elec. Equip. ....  
 Suction System for Tire Buffers .....  
 Location & Condition of Pit .....  
 Storage of Flammable Liquids for:  
 Cleansing Parts .....  
 Spraying with Flammable Liquids .....  
 Approved Automobile Spray Booth .....  
 Spot Painting Only .....  
 Storage of Rubber Solvent, Cement .....  
 Mixing of Rubber Cement .....  
 Storage of Lube Oil .....  
 "No Smoking" Signs .....  
 Metal Containers for Combustible Waste .....  
 Disposal of Waste Oil .....  
 Canvas and/or Paper Covers over Motor Vehicles .....  
 Type of Open Flame .....

**AIRCRAFT FUELING POST FILLING STATION**

Perimeter of Property, linear ft. 400 +  
 Height of Bldg. 1 Type of Bldg. 3  
 Open Lot Only no  
 Distance between Dispenser & Property Line OK  
 Electric Wiring and Equipment OK  
 Location of Power Control on compressed  
 Type of Power Control manual  
 Occupancy Separation OK  
 Vapor-Proof Globes OK  
 Fluorescent Lights OK  
 Neon Lights OK  
 CO<sup>2</sup> ..... CTC ..... S & A .....  
 Foam 1 Dry Powder .....  
 Condition of Extinguishers OK  
 Signs ("No Smoking—Stop Motor") OK  
 Metal Receptacles for Combustible Waste OK  
 Disposal of Waste Oil Drums  
 Housekeeping good  
 Condition of Pit or Lube Rack none  
 Amount of Lube Oil 200  
 Capacity of Lube Oil Container 240  
 Type of Containers drums  
 Amount of Kerosene—Solvent none  
 Type of Containers .....  
 Vent Pipes OK Fill Pipes OK  
 Suction Pipe Lines .....  
 Return Pipe Lines .....  
 Overflow Pipe Lines .....  
 Air Exhaust Pipe Lines .....  
 Curb Pipe Fill Line .....  
 Illegal Repairing Being Performed no  
 Was C. of O. Granted? 1  
 Location & Type of Heater none

NAME HARVEY SCHOOL BUS SERVICE ADDRESS 13332 MOTOR AVE PALM DIST No. 6362  
 DBA " " " " DATE 1-24-52 Code 3-A3  
 ON E Side of Street—between ROSE and WOODBINE

BOARD OF FIRE COMMISSIONERS, CITY OF LOS ANGELES:

In conformance with the Ordinances of the City of Los Angeles and under the supervision of the Chief Engineer of the Fire Department or his duly authorized representative, application is hereby made for

- AN ORIGINAL PERMIT  A RENEWAL OF PERMIT  A TRANSFER OF PERMIT  to install or maintain
- AIRCRAFT FUELING POST
  - AIR VEHICLE FACTORY
  - AIR VEHICLE HANGAR
  - AUTO FILLING STATION *Put. use*
  - AUTO PARKING STATION
  - PUBLIC FILLING STATION
  - PUBLIC GARAGE
  - PUBLIC OIL DEPOT
  - TENANT GARAGE

Applicant is a CORPORATION—ASSOCIATION—PARTNERSHIP—INDIVIDUAL (Indicate by placing an X above type of organization.)

Signature CRANE SERVICE Co *FBI, Holcom* Title Contractor Applicant's Phone ADAMS 12191

Mail Address: ~~4627 WEDDIN AVE LA CAE 1~~  
SAME AS ABOVE (34)  
 SPACE BELOW THIS LINE FOR DEPARTMENTAL USE ONLY

Perimeter of property in linear feet: \_\_\_\_\_

and to install or maintain in connection therewith TANKS AND DISPENSING APPARATUS AS FOLLOWS:

No. of Tanks	Capacity	Contents	Make & Symbol	LAFD No.	Location
1	7500	GASOLINE	(PRINT NO. 1678)	1967-50	15' FROM E.P.L.
1	550	<del>GASOLINE</del>			40' FROM N.P.L.
		GASOLINE		existing	

2 TANKS 8050 ~~7500~~ GALS. UNDERGROUND STORAGE—AND \_\_\_\_\_ PORTABLE TANKS OF \_\_\_\_\_ Gallons Capacity.

First Inspection Date 3-11-52 Last Inspection Date 6-20-52 Inspector Sumner V. Blaha

Recommendation: APPROVAL—DISAPPROVAL—CANCELLATION—Violation of Ordinance No. \_\_\_\_\_ Section \_\_\_\_\_

Previous Permit Granted NEW (date) \_\_\_\_\_ To Detail \_\_\_\_\_ (date) \_\_\_\_\_ By \_\_\_\_\_

Former Permittee \_\_\_\_\_ (for use on transfer of permit only) Inspector Completed \_\_\_\_\_ (date) \_\_\_\_\_

Prepared for Comm. \_\_\_\_\_ (date) \_\_\_\_\_ By \_\_\_\_\_

Remarks: APPROVED FOR ZONING ONLY

Department of Building and Safety.  
 G. E. MORRIS,  
 Superintendent of Building.

EB Date 2/18/52

JUN 26 1952

M-1

**DISPENSING APPARATUS**

No.	Make and Symbol	LAFC	Location
1	BENNET Borman	94519 37-9160	ISLAND

1 Dispensing Units of which X are Visible 2 are Meter and X are Blind.

**CHECK SHEET**

**GARAGES AND PARKING STATIONS**

Area Used \_\_\_\_\_ Square Feet

Open Lot Only \_\_\_\_\_

Height of Bldg. \_\_\_\_\_ Type \_\_\_\_\_

Basement \_\_\_\_\_ Sub-Basement \_\_\_\_\_

Basement Openings Protected \_\_\_\_\_

Basement Ventilation \_\_\_\_\_

CO<sup>2</sup> \_\_\_\_\_ CTC \_\_\_\_\_ S & A \_\_\_\_\_

Foam \_\_\_\_\_ Dry Powder \_\_\_\_\_

Condition of Extinguishers \_\_\_\_\_

Condition of Sprinkler System \_\_\_\_\_

Occupancy Separation \_\_\_\_\_

Partitions Separating Repair Shop from \_\_\_\_\_

Storage and Gasoline Dispensing \_\_\_\_\_

Housekeeping \_\_\_\_\_ Wall Vents \_\_\_\_\_

Condition of Wiring & Elec. Equip. \_\_\_\_\_

Suction System for Tire Buffers \_\_\_\_\_

Location & Condition of Pit \_\_\_\_\_

Storage of Flammable Liquids for: \_\_\_\_\_

Cleansing Parts \_\_\_\_\_

Spraying with Flammable Liquids \_\_\_\_\_

Approved Automobile Spray Booth \_\_\_\_\_

Spot Painting Only \_\_\_\_\_

Storage of Rubber Solvent, Cement \_\_\_\_\_

Mixing of Rubber Cement \_\_\_\_\_

Storage of Lube Oil \_\_\_\_\_

"No Smoking" Signs \_\_\_\_\_

Metal Containers for Combustible Waste \_\_\_\_\_

Disposal of Waste Oil \_\_\_\_\_

Canvas and/or Paper Covers over Motor Vehicles \_\_\_\_\_

Type of Open Flame \_\_\_\_\_

**AIRCRAFT FUELING POST FILLING STATION**

Perimeter of Property, linear ft. 400+

Height of Bldg. 1 Type of Bldg. V

Open Lot Only NO

Distance between Dispenser & Property Line 20'

Electric Wiring and Equipment OK

Location of Power Control REMOTE

Type of Power Control MANUAL

Occupancy Separation OK

Vapor-Proof Globes NO

Fluorescent Lights NO

Neon Lights NO

CO<sup>2</sup> \_\_\_\_\_ CTC \_\_\_\_\_ S & A \_\_\_\_\_

Foam \_\_\_\_\_ Dry Powder 1

Condition of Extinguishers OK

Signs ("No Smoking—Stop Motor") OK

Metal Receptacles for Combustible Waste NO

Disposal of Waste Oil UGT

Housekeeping FAIR

Condition of Pit or Lube Rack NO

Amount of Lube Oil 200

Capacity of Lube Oil Container 250

Type of Containers DRUMS

Amount of Kerosene—Solvent NO

Type of Containers NO

Vent Pipes OK Fill Pipes OK

Suction Pipe Lines OK

Return Pipe Lines NO

Overflow Pipe Lines NO

Air Exhaust Pipe Lines NO


Curb Pipe Fill Line NO

Illegal Repairing Being Performed NO

Was C. of O. Granted? ?

Location & Type of Heater NO





**SUBJECT TO FIELD INSPECTION**  
 The approval of these plans and/or specifications does not exempt them from strict compliance with all other pertinent sections of the Municipal Code and other laws and regulations.

**APPROVED**  
 12/4/70  
 LOS ANGELES FIRE DEPARTMENT  
 BUREAU OF FIRE PREVENTION  
 BY *J. Gould*  
 #01326

**SITE PLAN**  
 SCALE 1" = 20'

- NOTES**
1. Prior to removing slabs and pavement, sawcut all edges.
  2. Cap air and water piping. ~~Remove existing fuel and waste oil tanks and piping.~~
  3. Backfill tank excavations with pea gravel to within 4 or 5 feet of finish grade. Fill remainder with native soil compacted to 90%, topped with 6 inches of CAS compacted to 95% and hot-mix asphaltic concrete, grade D2-AR8000. A.C. to match thickness of existing, but 3 inches minimum.
  4. Tank removal work in accordance with Fire Prevention Bureau Requirement No. 41 and applicable AORD rules.
  5. Degassing, cleaning, transport and disposal of gasoline and white gas tanks under PO# 31665-0, Hydro-Fluent, Inc.
  6. Disposal of waste oil tank and residuals under PO# 01573-0, Hydro-Fluent, Inc. Transport to Hydro-Fluent by DWP trucks.

EIS DESCRIPTION: REMOVE UNDERGROUND TANKS & FUEL ISLAND WEST L.A. DISTRIBUTION HEADQUARTERS 12300 NEBRASKA AVE., L.A.		OWNER/AGENT APPROVAL   
SCALE (UNLESS NOTED): As Noted FACILITY: DES ENGR 12/10/70 WAYNE A. BAMOSSY	EIS RELEASE APPROVAL  	
DWGS TO BE REVISED: ENGINEERING APPROVAL Wayne A. Bamossy RCE 37865 W.A. Bamossy	EIS NUMBER 69-63-90-48	
DEPARTMENT OF WATER AND POWER CITY OF LOS ANGELES		

# ***AESE***

**8100 Balboa Place, Van Nuys, CA 91406**

**(818) 786-2373**  
**fax (818) 786-5440**

---

Inspection Date: April 17, 2003  
Site Name: W.LA2 Nebraska  
Site Facility: General Fueling  
Site Number: 51  
Site Address: 12300 Nebraska.  
Los Angeles, CA 90026  
AESE Job Number: 034117

RE: SB989 Testing and Inspections

At this site AESE inspected three 2,000-gallon above ground Convalt tanks. While AESE was on site, we checked all nozzle and retractors and the system is operating properly.

Based on our inspection, AESE would recommend that no further testing be required.

# DAILY WORK RECORD

A.E. SCHMIDT ENVIRONMENTAL  
 8100 BALBOA PLACE  
 VAN NUYS, CALIFORNIA 91406

DATE: April 17, 2003

DAY	S	M	T	W	<b>TH</b>	F	S
-----	---	---	---	---	-----------	---	---

TEMP 65

PROJECT: Site 51

JOB NO: 034117

CLIENT: Department Of Water & Power

PROJECT MANAGER: Jerry Chesnut

WEATHER

CLR	HZY	CLDY	RAIN
			X

EQUIPMENT RENTAL-ITEM	TIME IN	TIME OUT	SUPPLIER	REMARKS

**CONTRACTORS ON SITE**

CONTRACTOR	NO. EMPLOYEES	Hours On Site/ Travel Time
AESE	2	1      1

**VISITORS/INSPECTIONS**

TIME	NAME	REPRESENTING	REMARKS

**CONSTRUCTION ACTIVITIES**

AT this site AESE observed the above ground tanks. AESE tested all nozzle and retractors. The systemsystem appeared to be working properly at this time.

**SUBCONTRACTOR TASKS COMPLETED**

CHANGE ORDER WORK-DESCRIPTION	AESE HOURS	SUB HOURS



<b>SITE NAME:</b> West LA 2 Nebraska						<b>DATE:</b> April 17, 2003		
<b>SITE NUMBER:</b> 51								
<b>SITE ADDRESS:</b> 12300 Nebraska								
<b>JOB NUMBER:</b> 0'34117								
<b>UNDERGROUND STORAGE TANK</b>								
<b>UST SIZE:</b> 2,000			<b>PRODUCT:</b> Unleaded			<b>MODEL:</b> Convault		
	<b>FILL</b>	<b>PIPING</b>	<b>SIPHON</b>	<b>DEPTH</b>	<b>DIA.</b>	<b>BOOTS</b>	<b>TURBINE</b>	<b>P/F</b>
<b>SUMP 1</b>								
<b>SUMP 2:</b>								
<b>SUMP 3:</b>								
<b>SUMP 4:</b>								
<b>UNDERGROUND STORAGE TANK</b>								
<b>UST SIZE:</b> 2,000			<b>PRODUCT:</b> Unleaded			<b>MODEL:</b> Convault		
	<b>FILL</b>	<b>PIPING</b>	<b>SIPHON</b>	<b>DEPTH</b>	<b>DIA.</b>	<b>BOOTS</b>	<b>TURBINE</b>	<b>P/F</b>
<b>SUMP 1</b>								
<b>SUMP 2:</b>								
<b>SUMP 3:</b>								
<b>SUMP 4:</b>								
<b>UNDERGROUND STORAGE TANK</b>								
<b>UST SIZE:</b> 2,000			<b>PRODUCT:</b> Diesel			<b>MODEL:</b> Convault		
	<b>FILL</b>	<b>PIPING</b>	<b>SIPHON</b>	<b>DEPTH</b>	<b>DIA.</b>	<b>BOOTS</b>	<b>TURBINE</b>	<b>P/F</b>
<b>SUMP 1</b>								
<b>SUMP 2:</b>								
<b>SUMP 3:</b>								
<b>SUMP 4:</b>								
<b>UNDERGROUND STORAGE TANK</b>								
<b>UST SIZE:</b>			<b>PRODUCT:</b>			<b>MODEL:</b>		
	<b>FILL</b>	<b>PIPING</b>	<b>SIPHON</b>	<b>DEPTH</b>	<b>DIA.</b>	<b>BOOTS</b>	<b>TURBINE</b>	<b>P/F</b>
<b>SUMP 1</b>								
<b>SUMP 2:</b>								
<b>SUMP 3:</b>								
<b>SUMP 4:</b>								


<b>FUELING ISLAND</b>				
	<b>NO CONTAINMENT</b>	<b>CONTAINMENT</b>	<b>TEST BOOTS</b>	<b>P/F</b>
<b>DISPENSER 1:</b>				
<b>DISPENSER 2:</b>				
<b>DISPENSER 3:</b>				
<b>DISPENSER 4:</b>				
<b>DISPENSER 5:</b>				
<b>DISPENSER 6:</b>				



A/G Fuel Tank



Gas Boy Dispenser



**Tank Top Fills**



**A/G Fuel Tank**

***Los Angeles County Fire Department – Hazardous  
Materials Division (LACFD)  
12270 Nebraska Avenue***



34-A3

PLANT SURVEY TELEPHONE REQUEST  
PUBLIC HEALTH PROGRAMS - OCCUPATIONAL HEALTH  
COUNTY OF LOS ANGELES DEPARTMENT OF HEALTH SERVICES

DATE 7/1/82 RECEIVED BY [Signature]

NAME OF PLANT Allied Chemicals PERSON TO CONTACT

ADDRESS OF PLANT ? TELEPHONE NO.

NATURE OF REQUEST These oil companies are emitting sulfur dioxide = it gets worse in the latter afternoon = family members are tired = trees leaves are turning yellow = bird bath water has brownish green film on it = Wants someone to come out & see will have to make an appointment to get in = spec gate = call before 1pm.

EXACT SITE IN PLANT INVOLVED

SERVICE REQUESTED BY ADDRESS Telephone number TELEPHONE NO.

REFERRED TO:

DISPOSITION 7/9/82 Contacted Complaisance who stated that she scrubbed her bird baths and feels that there is no need for me to take a sample. She will call back if problem persists.

# REPORT OF ACTIVITIES

FOLLOW-UP DATE

Occupational Health  
COUNTY OF LOS ANGELES HEALTH DEPARTMENT

MONTH	DAY	YEAR
11	15	69

PLANT NUMBER	PROJECT NUMBER	DISTRICT
26012		65

PLANT NAME  
**Allied Chem Co**

PLANT ADDRESS  
**12270 NEBRASKA W L A**

PLANT PHONE NO.      TYPE OF OPERATION

TOY OR LINE NUMBER	TITLE	PERSON INTERVIEWED	TITLE

DATE OF SEATTLE **10/24/69**      WORKERS EMPLOYED      WORKERS AT RISK      TYPE OF EMPLOYEE RENDERING SERVICE (CHECK ONE)

IND.     GEN.     OPER.     SANIT.     INURE.     OTHER

CHEM LAB		Circle appropriate items (MAY BE MORE THAN ONE)		Enter number in appropriate box.		Circle appropriate item (ONE ONLY)	
	RECOMMENDATIONS MADE	01	Atmospheric Contaminant	1	NUMBER OF DETERMINATIONS	Extension	01
	Industrial Hygiene Survey	02	Industrial Sanitation	2		Refer	02
	Technical Study of Hazards	03	Ordinance Compliance	3		Continue Study	03
	Advisory Consultation	04	Reports	4	SAMPLES COLLECTED	Study to be made	04
	Follow-up on Recommendations	05	Gases	1	PLANS REVIEWED	Office Hearing	05
	Plans reviewed	06	Ventilation	2	TIME UNITS	Court Hearing	06
	Promotion of Plant Hth. Prog.	07	Dusts	3	WORKER NUMBER	CA/DA Hearing	07
	Occ. Disease Investigation	08	Vapors	4	S.I.C. CODE	Phone Request	08
	Tech. Investigation - Air Pollution	09	Physical Factor	5	12	2H10	Abate
Tech. Investigation - Non Occ. Hth.	10	Maintenance	1			Close.	10
Chemical Analysis	01	Calibration	2			Assist	11
Calibration	02	Dust Count	3				
Maintenance	03						

(Enter number in appropriate box)

Disease - Hazard Code	1	2	3	4	5	6	7	8	9	10	11
DISEASE-1 HAZARD-2	1	2									

**Physical Factors - Nature + Control**

Toxic Substances	Nature of Control or Study Indicated

REMARKS **DUST COLLECTION SYSTEMS (3)**

CONTINUE ON REVERSE

SUPERVISOR'S SIGNATURE



LOS ANGELES COUNTY HEALTH DEPARTMENT  
DIVISION OF OCCUPATIONAL HEALTH

PLAN CORRECTION SHEET

Date 10-22-68

Plans submitted by Allied Chemical Co.

Plan Check No. \_\_\_\_\_

Owner do


Phone 

Address 12270 Nebraska, West Los Angeles

Architect or Engineer Ross Elow Pipe Mfg. Co.

Phone 

Address 

Job Address 

Use of Building new installation dust collection systems (3)

Items for correction \_\_\_\_\_

Plan reviewed

Approved

D. J. S. 3087  
3087A  
3087B  
3087C  
3087D

Plans checked by 

Completion date: 15 Jan 69

Phone 

cc: Building & Safety (2)  
Fire Department (1)  
Industrial Hygienist (1)  
File (1)  


1110

LOS ANGELES COUNTY HEALTH DEPARTMENT  
Division of Occupational Health  
PLANT SURVEY

OP Survey  
65

HS19N - Cdb-7-65  
-432 (3-65)

NAME OF PLANT alled chemical DISTRICT 65  
ADDRESS 12270 Nebraska PHONE [REDACTED]  
TOP OFFICIAL [REDACTED] TITLE [REDACTED]  
PERSON INTERVIEWED [REDACTED] TITLE [REDACTED]  
INDUSTRY, PRODUCT OR SERVICE Provides new materials  
DESCRIPTION OF OPERATIONS plastic industry

TOTAL EMPLOYEES: 50 MALE: 38 FEMALE: 12  
SOURCE:  SI  OD  MGMT.  LABOR  OTHER

TYPE OF SURVEY  
 INTRODUCTORY  SURVEY  
 STUDY  OTHER

POTENTIAL OCCUPATIONAL HEALTH HAZARDS

CODE REGULATIONS	AGENT INVOLVED	CONTROL MEASURES	STUDY	
			YES	NO
TOXIC SUBSTANCES	<u>none</u>			
PAINT (A) Spray (B) Dip	<u>none</u>			
METAL FINISHING (A) Plating, Anodizing, Metalizing (B) Cleaning, Pickling, Etching	<u>none</u>			
DEGREASING (A) Vapor (B) Other	<u>none</u>			
FUMES				
CHEMICAL STORAGE	<u>outside separate warehouse</u>			
PHYSICAL FACTORS	<u>chopping &amp; grinding of materials</u>			
OTHER	<u>Hand plastic</u>			

RESPIRATOR TYPE - STORAGE - SANITIZED -  
MECHANICAL EXHAUST SYSTEMS  
(A) Adequate  
(B) Cleanouts, Maintenance, etc.

HOUSEKEEPING

ENVIRONMENTAL SANITATION

	MALE	FEMALE	APP.	NOT APP.	MAINTENANCE		REMARKS:
					OK	NOK	
WATER CLOSETS							
URINALS							
LAVATORIES							
LUNCH ROOM AREA							
DRINKING WATER:	<input type="checkbox"/> FOUNTAIN <input type="checkbox"/> BOTTLED <input type="checkbox"/> OTHER						

WATER SOURCES: Public \_\_\_\_\_ Private \_\_\_\_\_

OFFICIAL NOTICE

IND. HYGIE [REDACTED] DATE 1-30-68 CODE NO. 2820



INVESTIGATION OF DOCTOR'S FIRST REPORT OF WORK INJURY

Employer <i>allied chemical</i>	Business (mf., shoes, retail store, bldg. construction) <i>grinding &amp; packaging Blucher granule</i>	No. of Employees <i>50</i>
Address <i>12270 Nebraska WLA</i>		Telephone No. <i>272-4477</i>
Employee Name [Redacted]	Occupation [Redacted]	<input checked="" type="checkbox"/> Male <input type="checkbox"/> Female
Address [Redacted]	Length of Experience / Date Injured <i>9-11-67</i>	Time Lost From Work
Reporting Physician <i>BK Zee MD</i>	Address <i>11665 W Olympic Blvd</i>	Date Investigated <i>1-30-68</i>
Type of Investigation: Plant Visit <input checked="" type="checkbox"/> Work Site Visit <input checked="" type="checkbox"/> Phone <input type="checkbox"/> Mail <input type="checkbox"/>		

PERSONS INTERVIEWED

Name and Title	Name and Title
1. [Redacted]	3.
2.	4.

Reconstruction of Events (include duties and materials used and resulting illness or symptoms)  
*Employee weigh plastic granules prior to shipping to bagging or adding granules to barrel weight. occasionally fiberglass packing is used to occupy empty space employee developed dermatitis when fiberglass was used.*

Causal Agent(s) [Redacted]	Exposure Time of Injured Employee <i>occasional</i>
	No. of Employees Exposed <i>2</i>

Comments and Conclusions (Corrective measures taken?)  
*protective clothing is now worn (Gloves)*

Study indicated?  No  Yes  Environmental  Medical-Nursing  Combined

Investigator: [Redacted]  
 Date: *1-30-68*

Reporting physician's opinion through follow-up of doctor's report:  
 Final diagnosis and outcome (sequelae)

Confirmation: Clinical  Lab.  X-Ray  R.N.  M.D.

Evaluation: Not occupational \_\_\_\_\_ Possible \_\_\_\_\_ Probable \_\_\_\_\_

Initialled \_\_\_\_\_

DOCTOR'S FIRST REPORT

OF

#9658

WORK INJURY

WEST END MEDICAL GROUP

11665 West Olympic Blvd.  
Los Angeles, California 90064  
GRanite 8-0866 BRadshaw 2-9316  
24 HOUR SERVICE

IMMEDIATELY after first examination mail one copy DIRECTLY to the Division of Labor Statistics and Research, P. O. Box 965, San Francisco 1, and two copies to the INSURANCE CARRIER. Failure to file a report with the Division is a misdemeanor. (Labor Code, Sections 6407-6413.) Answer all questions fully.

A. INSURANCE CARRIER Travelers

1. EMPLOYER Allied Chemical Tel. No. \_\_\_\_\_  
 Address (No., St. & City) 12270 Nebraska  
 Business (Manufacturing shoes, building construction, retailing men's clothes, etc.) \_\_\_\_\_

2. EMPLOYEE (First name, middle initial, last name) \_\_\_\_\_ Tel. No. \_\_\_\_\_  
 Address (No., St. & City) \_\_\_\_\_ Marital Status Married SS# 432-60151

3. Date injured 9-11-67 Hour A M Date last worked 10-2-67 Sex Male  
 Injured at (No., St. & City) Above County Los Angeles  
 Date of your first examination 10-2-67 Hour 2:30P M Who engaged your services? Employer  
 Name other doctors who treated employee for this injury None

11. ACCIDENT OR EXPOSURE: Did employee notify employer of this injury? Yes Employee's statement of cause of injury or illness: I work with a raw plastic compound and fibre glass and my hands are broken out.

12. NATURE AND EXTENT OF INJURY OR DISEASE (Include all objective findings, subjective complaints, and diagnoses. If occupational disease state date of onset, occupational history, and exposures.)  
Maculo-papular reaction of palma.  
(1) Contact dermatitis, hands.  
 DIAGNOSIS

13. X-rays: By whom taken? (State if none) None  
 Findings: \_\_\_\_\_

14. Treatment: Examined; Hytona creme; Rx. Prednisone tabs.

15. Kind of case (Office, home, or hospital) office If hospitalized, date \_\_\_\_\_ Estimated stay \_\_\_\_\_  
 Name and address of hospital: \_\_\_\_\_

16. Further treatment (Estimated frequency and duration) 1-2 weeks  
 17. Estimated period of disability for: Regular work 7 days Modified work None

18. Describe any permanent disability or disfigurement expected (State if none) None

19. If death ensued, give date \_\_\_\_\_

20. REMARKS (Note any pre-existing injuries or diseases, need for special examination or laboratory tests, other pertinent information)  
None.

Name \_\_\_\_\_  
Date of report 10-2-67 Address (No., St. & City) \_\_\_\_\_  
PERSONAL SIGNATURE OF DOCTOR \_\_\_\_\_  
Use reverse side if more space required



Rn

LOS ANGELES COUNTY HEALTH DEPARTMENT  
Division of Occupational Health  
PLANT SURVEY

11519N - Oct-7-65  
-482 (3-65)

NAME OF PLANT allied chemical DISTRICT \_\_\_\_\_  
 ADDRESS 12270 W. Century Blvd WLA PHONE 2724471  
 NAME OF OFFICIAL \_\_\_\_\_ TITLE \_\_\_\_\_  
 PERSON INTERVIEWED \_\_\_\_\_ TITLE \_\_\_\_\_  
 INDUSTRY, PRODUCT OR SERVICE millions of plastic mugs  
 DESCRIPTION OF OPERATIONS plastic mold case milled to size

TOTAL EMPLOYEES: 28 MALE: 20 FEMALE: 8  
 SOURCE:  SI  OD  MGMT.  LABOR  OTHER

TYPE OF SURVEY  
 INTRODUCTORY  SURVEY  
 STUDY  OTHER

POTENTIAL OCCUPATIONAL HEALTH HAZARDS

CODE REGULATIONS	AGENT INVOLVED	CONTROL MEASURES	STUD		
			YES	NO	
TOXIC SUBSTANCES	/				
PAINT (A) Spray (B) Dip					
METAL FINISHING (A) Plating, Anodizing, Metalizing (B) Cleaning, Pickling, Etching					
DEGREASING (A) Vapor (B) Other					
FUMES					
CHEMICAL STORAGE					
PHYSICAL FACTORS					
OTHER					
RESPIRATOR TYPE -		STORAGE -	SANITIZED -		
MECHANICAL EXHAUST SYSTEMS (A) Adequate (B) Cleanouts, Maintenance, etc.					

ENVIRONMENTAL SANITATION

	MALE	FEMALE	APP.	NOT APP.	MAINTENANCE	
					OK	NOK
WATER CLOSETS						
URINALS						
TOILET BATHS						
SMOKE ROOM AREA						
DRINKING WATER: <input type="checkbox"/> FOUNTAIN <input type="checkbox"/> BOTTLED <input type="checkbox"/> OTHER						
WATER SOURCES: Public _____ Private _____						

REMARKS: Employee was allergic to milling chips. When employee wore long sleeve shirts condition cleared - no health hazard as

OFFICIAL NOTICE \_\_\_\_\_  
 NAME AND ADDRESS \_\_\_\_\_  
 DATE 9-15-67 CODE NO. 2820

DOCTOR'S FIRST REPORT

OF

WORK INJURY

SEP 13 1967

#9429

WEST END MEDICAL GROUP

11665 West Olympic Blvd.
Los Angeles, California 90064
GRanite 8-0866 BRadshaw 2-9316
24 HOUR SERVICE

IMMEDIATELY after first examination mail one copy DIRECTLY to the Division of Labor Statistics and Research, P. O. Box 965, San Francisco 1, and two copies to the INSURANCE CARRIER. Failure to file a report with the Division is a misdemeanor. (Labor Code, Sections 6407-6413.) Answer all questions fully.

A. INSURANCE CARRIER Travelers
1. EMPLOYER Allied Chemical Tel. No.
2. Address 12270 Nebraska, WLA
3. Business
4. EMPLOYEE Hubert Guggan Tel No.
5. Address
6. Occupation
7. Date injured
8. Injured at
9. Date of your first examination 8-4-67 Hour 4:15 P.M Who engaged your services? Employer
10. Name other doctors who treated employee for this injury None
11. ACCIDENT OR EXPOSURE: Did employee notify employer of this injury? YES Employee's statement of cause of injury or illness: I was working with plastics on 8-1-67 (with a certain chemical) and my left arm broke out in a bad rash.
12. NATURE AND EXTENT OF INJURY OR DISEASE (Include all objective findings, subjective complaints, and diagnoses. If occupational disease state date of onset, occupational history, and exposures.)
Erythema, bullae (blisters) volar and dorsal aspect of left arm lower third.
DIAGNOSIS Acute dermatitis contact with blistering.
13. X-rays: By whom taken? (State if none) none
Findings:
14. Treatment: Examined; Neosynalar .01% apply with sterile dressing.
15. Kind of case (Office, home, or hospital) Office If hospitalized, date Estimated stay
Name and address of hospital 1-2 weeks
16. Further treatment (Estimated frequency and duration) none none
17. Estimated period of disability for: Regular work Modified work none
18. Describe any permanent disability or disfigurement expected (State if none) none
19. If death ensued, give date
20. REMARKS (Note any pre-existing injuries or diseases, need for special examination or laboratory tests, other pertinent information)

Name [Redacted] PERSONAL SIGNATURE OF DOCTOR
Date of report 8-4-67 Address [Redacted]

Use reverse side if more space required

STATUS CHANGE

MAKE CHANGE (S) AS INDICATED BELOW

ACCOUNT NUMBER 492 844 BUS CO 101

CANCEL ENTIRE ACCOUNT (Reason below must be completed and signed)

CHANGE TO

OWNER(S) NAME	
DBA NAME	
MAIL ADD	
CITY ADD	
OTHER	Code Fee
REASON FOR CANCELLATION OR CHANGE. Use Account Number (s)	
out of business [redacted] Corporation	
Plaskon Electronic Materials	
12270 Nebraska Ave.	
[redacted] Los Angeles, CA 90025	
[redacted] 13 2/25/91	
Representative's Signature District Code Date	
ADDITIONAL COLLECTIONS	
Additional Fee	
Addition of Partner	
Duplicate License	
Site Transfer	
Total	

DISPLAY THIS RECORD

COUNTY OF LOS ANGELES

TO AVOID A PENALTY - PAYMENTS SHOULD BE MAILED WITH THIS NOTICE NOT LATER THAN 30 DAYS FROM DATE OF ISSUE

MAKE CHECKS PAYABLE AND MAIL TO: L.A. COUNTY TREASURER TAX COLLECTOR  
P.O. Box 54978  
Los Angeles, CA. 90054-0978

ISSUE DATE 07-01-91

ANNUAL BILL NOTICE OF PUBLIC HEALTH LICENSE FEE DUE

~~PLASKON ELECTRONIC MATERIALS  
12270 NEBRASKA AVE  
LOS ANGELES CA 90025~~

*Not here anymore.  
Current bus non-gen.  
DWP-*

PRIOR FEE DUE  
CURRENT FEE DUE

PAY THIS AMOUNT

SIC-NO SIC2821  
LOCATION 12270 NEBRASKA AVENUE LA

TYPE OF BUSINESS HAZARDOUS WASTE CTRL (20-1)

JUL 13

There will be a \$10.00 service charge for any check returned by the bank any reason. Additional penalties may apply and your license may be cancelled.

IF YOU ARE THE NEW OWNER OF THIS BUSINESS, DO NOT PAY THIS BILL. COMPLETE REVERSE SIDE AND RETURN FORM TO US. YOU MUST CONTACT YOUR LOCAL HEALTH DEPARTMENT FOR A NEW HEALTH LICENSE OR PERMIT.

RETURN THIS NOTICE WITH PAYMENT

COUNTY OF LOS ANGELES

ISSUE DATE 07-01-91

ANNUAL BILL NOTICE OF PUBLIC HEALTH LICENSE FEE DUE

900831

1010 492844 JUL 13

PRIOR-FEE-DUE  
CURRENT FEE DUE

PLASKON ELECTRONIC MATERIALS  
12270 NEBRASKA AVE  
LOS ANGELES CA 90025

PAY THIS AMOUNT

SIC-NO SIC2821



COMPLETE REVERSE SIDE BEFORE RETURNING



# COUNTY OF LOS ANGELES

## DEPARTMENT OF THE TREASURER AND TAX COLLECTOR

License Section

320 W. TEMPLE STREET, ROOM 1165  
P.O. BOX 54978 TERMINAL ANNEX  
LOS ANGELES, CALIFORNIA 90054-0978  
(213) 974-0093, (213) 974-2011



SANDRA M. DAVIS  
TREASURER AND TAX COLLECTOR

DETACH AND SEND  
THIS UPPER PORTION  
WITH YOUR PAYMENT

1010 492844 JUL 901116

PLASKON ELECTRONIC MATERIALS  
12270 NEBRASKA AVE  
LOS ANGELES CA 900250000

12270 NEBRASKA AVENUE LA

TOTAL FEE DUE WITH PENALTY ➡ \$

HAZARDOUS WASTE CTRL  
13 SIC.NO. SIC2821

## NOTICE OF ENFORCEMENT

1010 492844 JUL 901116  
HAZARDOUS WASTE CTRL (20-100)

PLASKON ELECTRONIC MATERIALS  
12270 NEBRASKA AVE  
LOS ANGELES CA 900250000

TOTAL FEE DUE WITH PENALTY ➡ \$

LOCATION OF BUSINESS BEING CITED

12270 NEBRASKA AVENUE LA

13 SIC.NO. SIC2821

## FINAL NOTICE BEFORE LEGAL ACTION

You are hereby notified that unless payment of your annual Public Health License or Operating Permit fee is received on or before **NOV 16, 1990**, legal proceedings will be instituted.

If payment was made after **OCT 05, 1990** please disregard this notice.

If payment was made on or before the above date, please call (213) 974-0093, 974-2011.

AUTHORITY FOR ENFORCEMENT: Public Health Ordinance No. 8609

Section 19.2. If the fee and penalty as described in Section 19 of this Ordinance is not paid within ninety days after the delinquency date, a certificate of lien may be recorded against the licensee or permittee as authorized by Section 510.7 of the Health and Safety Code and additional costs will be imposed.

Section 27551 of the Health and Safety Code states in part that "a food facility shall not be open for business without a valid permit". Operating a food facility without a valid permit will result in a separate enforcement action by the Health Department.

To avoid this action, payment of the above amount must reach this office by the date stated above. Please use the enclosed reply envelope together with the upper portion of this notice to ensure dismissal of proceedings.

If you are no longer the owner of this business or if you are the new owner, contact your local Environment Health Department office to cancel or apply for a new Public Health License/Permit.

NOTE: THERE WILL BE A \$10.00 SERVICE CHARGE  
FOR ANY CHECK RETURNED BY THE BANK  
FOR ANY REASON.

04684

LOS ANGELES COUNTY

TREASURER & TAX COLLECTOR

SEE REVERSE SIDE



SIC.

## HAZARDOUS WASTE CONTROL PROGRAM

DATE: 8-27-88

COMPANY NAME

PLASKON ELECTRONIC MATERIALS

STREET

12270 NEBRASKA AVE.

CITY &amp; ZIP

West L.A. 90025

DISTRICT

SW

OWNER

NO. EMPLOYEES

L.A. CO. PHL NO.

492844-101

INDUSTRIAL WASTE NO.

EPA NO.

CAD 008375487

SAFETY SHOWER

YES

EATING AREA

YES

TOILET &amp; WASHING FACILITIES ADEQUATE

YES

PLANT SANITATION ADEQUATE

YES

TYPE OF FACILITY &amp; DESCRIPTION OF OPERATION/PRODUCTS:

MFG. ELECTRONIC MOLDING COMPOUNDS (PLASTICS)

## HAZARDOUS WASTE

PROCESS	MATERIAL	TYPE	VOL/LBS	STORAGE METHOD	DISPOSAL METHOD	MANIFEST	CONTROL	I.H. HAZARD
Flake Process - (DAP Flake)	EPOXY'S PHENOLS DIALTHYLLATE (DAP)			Dust Collectors →	Reuse much of the material			
cleaned w/ ACETONE				→ reused in granular DAP		8-5-88 ① - 55 gal. drum OSCO		
Lubricating Machines & metal working FORK LIFT SERVICING				→ oils & greases oily absorbant/gloves	1 drum / 6 months OSCO CHEM-WASTE MGT.	① drum 350 lbs. 3/8/88 6 drums H.W. Solid 11/88 2/4/88		

NUMBER OF UNDERGROUND STORAGE TANKS:

VOLUME &amp; TYPE OF WASTE IN UNDERGROUND TANK(S):

PRIVATE DISPOSAL SYSTEMS ON PREMISES: YES \_\_\_ NO ACCESS TO STORM INLET ON PREMISES: Yes  No \_\_\_CHLORINATED HYDROCARBON USED: YES  NO \_\_\_SEWER CONNECTION ON PREMISES: YES  NO \_\_\_

REMARKS: Seem to be very knowledgeable about the laws &amp; in compliance.

(MANDIRA SUMENTAL)

VIOLATIONS:



LOS ANGELES COUNTY LETTERGRAM

<b>TO</b>	<i>L.A. County Tax Collector</i>	<b>FROM</b>	COUNTY OF LOS ANGELES DEPARTMENT OF HEALTH SERVICES OCCUPATIONAL HEALTH DIVISION HAZARDOUS WASTE CONTROL PROGRAM 2615 S. Grand Avenue Room 607 LOS ANGELES, CALIFORNIA 90007
-----------	----------------------------------	-------------	---

Subject \_\_\_\_\_

Date: *8-30-88* No. \_\_\_\_\_

*There has been no change at this business.  
 Bill has been paid by Plaskon Electronic Materials.  
 Why was this returned to the Hazardous Materials  
 Section?*



RETURN THIS NOTICE WITH PAYMENT ANNUAL BILL	<b>COUNTY OF LOS ANGELES</b> NOTICE OF PUBLIC HEALTH LICENSE FEE DUE
1010 492844 JUL	07-01-88 DATE OF ISSUE 06-30-89 EXPIRATION DATE
[Redacted] PLASKON ELECTRONIC MATERIALS 12270 NEBRASKA AVE LOS ANGELES CA90025	AMOUNT DUE [Redacted]
SIC-NO. SIC2821	[Redacted]
<input checked="" type="checkbox"/> [Redacted]	
COMPLETE REVERSE SIDE BEFORE RETURNING	





COUNTY OF LOS ANGELES • DEPARTMENT OF HEALTH SERVICES



313 NORTH FIGUEROA STREET • LOS ANGELES, CALIFORNIA 90012 • (213) 974-

Reply refer to:
2615 S. Grand Ave., Rm. 607
Los Angeles, CA 90007
Tel. (213) 744-3235

DATE: 12-15-86

TO: [Redacted] ADDRESS: 12270 Velburka Ave. L.A. 25
SUBJECT: Hazardous waste ADDRESS: " " " "

In order to comply with the State Health and Safety Code/California Administrative Code, you are directed to take the following actions marked below:

- 1) Discontinue immediately the disposal of hazardous wastes (Regulatory Solvent Hazardous waste) to unauthorized locations (Trash can)
2) Discontinue immediately the transport of hazardous wastes ( ) off site except by a registered hazardous waste hauler, unmanifest and to a State Health Department permitted facility.
3) Remove and legally dispose by ( ), all hazardous wastes/contaminating materials discharged to/stored at ( ). (NOTE: ALL hazardous waste transported off site by vehicle must be transported under Hazardous Waste Manifest, by a State Health Department registered hauler).
4) Provide this office by ( ), a site assessment and decontamination plan for the above subject contaminated area (Use the Site Characterization Mitigation Form available from this office).
5) Provide this office by ( ), a photo copy of the completed manifest receipt used to dispose of ( ).
6) Store by (Forth with), all hazardous waste in non-leaking, properly labeled and dated containers with tight fitting lids. Acetone, waste oil, other...
7) Discontinue the storage of hazardous waste/treatment of hazardous waste for longer than ( ) without written permission from the State Department of Health Services (213) 620-2380.
8) Maintain copies of all hazardous waste manifests and receipts of the above subject facility for agency review.
9) Obtain an EPA Number from the State Department of Health Services (916) 324-1781 prior to transport of any hazardous waste off site.
10) Provide this office by (2-30-87), a copy of a hazardous materials contingency plan and employee training plan for the above subject facility pursuant to California Administrative Code, Title 22, Articles 19 and 20, and Section 67105.
11) Additional Requirements: Note: 1) All floor sweepings if not used in MEC The products must be disposed of as Hazardous waste unless proven otherwise. 2) Rag used for cleaning equipment containing solvent and other Hazardous material can not be disposed to Trash can, use Rag service or manifest the rags as Hazardous waste. 3) Any shavings/garments from clothing that must be disposed of as Hazardous waste unless proven otherwise by lab analysis. 4) Any Rags waste generated from acetone must be disposed of as Hazardous waste. 5) All doors must be kept closed to eliminate evaporation of acetone from the y.

RECEIVED BY: u. S. mail HEALTH OFFICER: [Signature] 74 HAZARDOUS WASTE CONTROL PRI

SIC. 2821

HAZARDOUS WASTE CONTROL PROGRAM

DATE: 12-1-00

COMPANY NAME  
Plaskon Electronic material

STREET  
12270 Nebraska Ave.

CITY & ZIP  
L.A. 25

DISTRICT  
S.W.

OWNER  
Malcolm Riddell Pres.

PERSON INTERVIEWED & TITLE

PHONE NO.

NO. EMPLOYEES  
25

L.A. CO. PHL NO.

INDUSTRIAL WASTE

EPA NO.

SAFETY SHOWER yes

EATING AREA yes

TYPE OF FACILITY & DESCRIPTION OF OPERATED PRODUCTS:

plastic molded compounds

TOILET & WASHING FACILITIES ADEQUATE

PLANT SANITATION ADEQUATE

HAZARDOUS WASTE

PROCESS

MATERIAL

TYPE

VOL/LBS

STORAGE METHOD

DISPOSAL METHOD

MANIFEST

CONTROL

I.H. HAZARD

NUMBER OF UNDERGROUND STORAGE TANKS:

VOLUME & TYPE OF WASTE IN UNDERGROUND TANK(S):

PRIVATE DISPOSAL SYSTEMS ON PREMISES; YES NO

① Aceton 80005

ACCESS TO STORM INLET ON PREMISES: Yes NO

CHLORINATED HYDROCARBON USED: YES NO

SEWER CONNECTION ON PREMISES: YES NO

REMARKS:

Cooling Tower  
Boiler

VIOLATIONS:

Plastic molding Compound

silicon 200-200 dielectric strength → 20/year added to water oil

liquid Nitrogen for testing equipment used

Acrylic Material used

Aerosil - ~~is~~ silica

Fused silica sand

Clay

Antimony oxide

Alumina

Epoxy Resins in solid form

Fiber glass

NOVACITE - filler

Silane 8187  
Diallyl Phthalate  
monomer

Silane 8172

GLYCOL

Catalyst

Dicumyl Peroxide

Lupersol 331-80P

" PDO

" 101  
TBPB

organic peroxide

Color Pigment  
Possibly all

Boys house collection dust - is removed in the Proc  
Containers are put in tank - first rinsed w/  
Acetone.

SILANE

DAD monomer

C. in stearate

SIC.

HAZARDOUS WASTE CONTROL PROGRAM

DATE:

COMPANY NAME

STREET

CITY & ZIP

DISTRICT

OWNER

PERSON INTERVIEWED & TITLE

PHONE NO.

NO. EMPLOYEES

EMERGENCY NO.

L.A. CO. PHL NO.

INDUSTRIAL WASTE NO.

EPA NO.

SAFETY SHOWER \_\_\_\_\_

EATING AREA \_\_\_\_\_

TOILET & WASHING FACILITIES ADEQUATE \_\_\_\_\_

PLANT SANITATION ADEQUATE \_\_\_\_\_

TYPE OF FACILITY & DESCRIPTION OF OPERATIONS/PRODUCTS:

HAZARDOUS WASTE

PROCESS

MATERIAL

TYPE

VOL/LBS

STORAGE METHOD

DISPOSAL METHOD

MANIFEST

\* CONTROL

I.H. HAZARD

NUMBER OF UNDERGROUND STORAGE TANKS:

VOLUME & TYPE OF WASTE IN UNDERGROUND TANK(S):

PRIVATE DISPOSAL SYSTEMS ON PREMISES: YES \_\_\_ NO \_\_\_

ACCESS TO STORM INLET ON PREMISES: Yes \_\_\_ No \_\_\_

CHLORINATED HYDROCARBON USED: YES \_\_\_ NO \_\_\_

SEWER CONNECTION ON PREMISES: YES \_\_\_ NO \_\_\_

REMARKS:

VIOLATIONS:



Kerosen - 2, <sup>used</sup> 10/2 year → added to oil


Shell 30 wt oil - for fork lift

grease - for lubricating mil → waste oil

Hydraulic oil - Shell, mobil for hl, hydraulic injection

General

Extra heavy oil, heat transfer fluid



Boiler treatment chemical

7301  
7200 added to Boiler  
7300

Water from Boiler goes to sewer

Diethylaminoethanol  
Sodium sulfite  
Sodium hydroxide

Acton Dmc

Cooking tower Sludge

Cooking Tower

S 66 sodium dichromate  
CT 603  
potassium hydroxide

SIC. 2821 HAZARDOUS WASTE CONTROL PROGRAM

COMPANY NAME: Plskon Electronic Material STREET: 12270 Nebraska CITY & ZIP: L.A. 25 DISTRICT: S.W

OWNER: [REDACTED] PHONE NO. [REDACTED] NO. EMPLOYEES: 25

L.A. CO. PHL NO. 492844-100 INDUSTRIAL WASTE NO. W 442244 EPA NO. [REDACTED]

SAFETY SHOWER yes  
 EATING AREA yes  
 TOILET & WASHING FACILITIES ADEQUATE ok  
 PLANT SANITATION ADEQUATE ok

TYPE OF FACILITY & DESCRIPTION OF OPERATION/PRODUCTS:  
Plastic molded Components

PROCESS	MATERIAL	TYPE	VOL/LBS	HAZARDOUS WASTE			I.H. HAZAR
				STORAGE METHOD	DISPOSAL METHOD	MANIFEST CONTROL	
MFG Plastic molding Components	Silicon 200-oil liquid nitrogen Peroxil-silica Fused silica sand clay	①					Baghouse
Material used	Antimony oxide Color pigments Aluminum EPOXY Resin Fiber glass NOVACITE-filler Silica 8187 Diallyl Phthalate Silare 8172 GLYCOL Diaryl Peroxide Luper Sol 331-80B "Organic Peroxide" POD	② ③					
Kerosene 10/27 Shell oil - for forklift lubricating grease Hydraulic oil heat transfer fluid Aceton 4/14							

Detailed description of waste handling:  
 Waste generated from mixing blending materials is accumulated in the bag house & the material is reused to make product.  
 Floor Sweepings is also collected & used in MFG product.  
 oil + Kerosene - hand off 10/90 day oil & solvent process.  
 Rag → Trash → Rag service was advised.  
 Aceton waste is generated from cleaning equipment but is let to settle & reused continuously.  
 cooling tower flushed to sewer.  
 OVR

NUMBER OF UNDERGROUND STORAGE TANKS: 1 Aceton 8000g

VOLUME & TYPE OF WASTE IN UNDERGROUND TANK(S):

PRIVATE DISPOSAL SYSTEMS ON PREMISES: YES NO

ACCESS TO STORM INLET ON PREMISES: Yes NO

CHLORINATED HYDROCARBON USED: YES NO

SEWER CONNECTION ON PREMISES: YES NO

REMARKS:

VIOLATIONS:

Acetone & Disposable Rag \$9/week

floor sweeping → into material

### Boiler Treatment

material added to boiler

Diethyl aminoethanol

Sodium sulfite

Sodium hydroxide

### Cooling Tower Treatment

S-166 Sodium dichromate

C+603 Potassium hydroxide



COMPANY NAME *Plaska Products Inc* STREET *12270 Nebraska* CITY & ZIP *LA 90025* DISTRICT *West*  
 OWNER [REDACTED] NO. EMPLOYEES *23*

LA. CO. PERM *093530-101* INDUSTRIAL WASTE NO. *ARMA, IW* EPA NO. *Yes* SAFETY SHOWER *Yes*  
 EATING AREA *Yes* TOILET & WASHING FACILITIES ADEQUATE: *Yes*  
 PERSONEL PROTECTIVE DEVICES ADEQUATE: *Yes* PLANT SANITATION ADEQUATE: *Yes*

TYPE OF FACILITY & DESCRIPTION OF OPERATION/PRODUCTS: *Mfg plastic molding compd*

PROCESS	MATERIAL	CONTROL	I.H. HAZARD	HAZARDOUS WASTE			
				TYPE	VOL/LBS.	STORAGE METHOD	DISPOSAL METHOD
<i>Store room</i>	<i>see list</i>		}	<i>control oil down</i>		<i>recycle</i>	Plant Mgt. Jack Carlyle Davis Charles Call for inf. 1532 N Bonnie Beach Pl LA 90025 BKK see manifest 267-6741
<i>grinding towel</i>	} <i>oil 400gal/yr</i>			<i>wrap compd</i>		<i>trash</i>	
<i>Ball Mill</i>				<i>dust</i>		<i>recycled on plant</i>	
<i>Dust collector</i>							
<i>Mixer (F)</i>							
<i>Mills. → powder to sheet forms</i>			<i>Acetic acid (no waste)</i>				
<i>Grinder</i>			<i>Coolant (water)</i>			<i>cooling tower</i>	<i>recycle water plant</i>
<i>QC test press → oil</i>			<i>waste oil</i>			<i>recycled as above</i>	
<i>Maintenance shop</i>	<i>Kerosene 55gal/3yr</i>			<i>waste oil down</i>			
	<i>SSR Coolant 5gal/shift</i>			<i>waste oil down</i>			
<i>(over)</i>	<i>Alkaline 7200 (water treatment)</i>						

NUMBER OF UNDERGROUND STG TANKS *1 - 7500 gal* ACCESS TO STORM DRAIN INLET ON PREMISES: YES  NO   
 VOLUME & TYPE OF WASTE IN UNDERGROUND TANK: *Acetic acid* CHLORINATED HYDROCARBON USED: YES  NO   
 PRIVATE DISPOSAL SYSTEMS ON PREMISES: YES  NO

REMARKS: *① Advise on recycling wrap compd, label & protect waste drums.*  
*② The plant don't operate on Friday 12-17-84 Talk to Mgt Mr Carlyle about manifest.*

COLATIONS: [REDACTED]

**COUNTY OF LOS ANGELES DEPARTMENT OF HEALTH SERVICES  
PREVENTIVE/PUBLIC HEALTH  
ENVIRONMENTAL MANAGEMENT**

District WEST

Sanitarian \_\_\_\_\_

Type Est. 2821

Health Lic. No. 093530-101

**PLASKON PRODUCTS INC MENT**  
12270 NEBRASKA AVE  
LOS ANGELES CA 90025

Trade Name \_\_\_\_\_ Address \_\_\_\_\_ Phone \_\_\_\_\_

Owner \_\_\_\_\_ Address \_\_\_\_\_ Phone \_\_\_\_\_

Manager \_\_\_\_\_ Address \_\_\_\_\_ Phone \_\_\_\_\_

No. Bldgs. \_\_\_\_\_ Type Bldg. \_\_\_\_\_ No. Vending Mach. \_\_\_\_\_ No. Employees 23 / 10

Date & Initials		<u>12/14/84</u> <u>Sub</u>																			
C O N D I T I O N	Poor																				
	Fair																				
	Good	<u>01</u>																			
	Excellent																				
Number of Violations		<u>0</u>																			
Dates to Abate																					

*Delete  
New PH# ISSUED*

PLEASE PRINT

COUNTY OF LOS ANGELES - PUBLIC HEALTH LICENSE APPLICATION

ACCT. 492844

TODAY'S DATE 11-17-86 DL # \_\_\_\_\_

DATE BUSINESS STARTED 07 01 85  
MO DAY YR

OWNER(S) NAME(S) [REDACTED]  
LAST, FIRST AND MIDDLE INITIAL

101  
BUSINESS CODE

PARTNER(S) \_\_\_\_\_  
LAST, FIRST AND MIDDLE INITIAL

DOING BUSINESS AS - TRADE NAME PLASKON ELECTRONIC MATERIALS

13  
DISTRICT CODE

BUS. ADDRESS 12270 BEGINNING NO. ENDING NO. FRACTION DIR NEBRASKA STREET

AVENUE LA 90025  
CITY ZIP CODE

MAILING ADDRESS 12270 NEBRASKA AVE  
NUMBER AND STREET

LOS ANGELES CA 90025  
CITY STATE ZIP CODE

TYPE OF BUSINESS TO BE LICENSED Hazardous Waste Generator

VEH. LICENSE NO. / SIC # 2821  
~~NO. OF EMPLOYEES~~

PHONE [REDACTED]

SIGNATURE APPLICANT [REDACTED]

FOR TAX COLLECTORS USE

CURRENT FEE	
\$	
PRORATION	
\$	
PENALTY	
\$	
PRIOR YEAR FEE	
\$	
PRIOR YEAR PEN	
\$	
PAY-TOTAL FEE DUE	
\$	



STANCES CONTROL DIVISION

UNIFORM HAZARDOUS WASTE MANIFEST

Street  
to, CA 95814

FORM NO. DHS-8022A 3-84

8377480

print or type with ELITE type (12 characters per inch)

58130

STATE ID NUMBER

GENERATOR NAME AND MAILING ADDRESS

MANIFEST DOCUMENT NUMBER

EPA ID NUMBER

**ELITE ELECTRONIC MATERIALS INC**  
12270 NEBRASKA AVE  
LOS ANGELES, CA 90025  
AREA CODE/PHONE NUMBER

TRANSPORTER NO. 1 NAME AND MAILING ADDRESS

VEH/CONTAINER NO.

EPA ID NUMBER

[Redacted]

VEH/CONTAINER NO.

EPA ID NUMBER

TRANSPORTER NO. 2/ALTERNATE TSD FACILITY

AREA CODE/PHONE NUMBER

TREATMENT, STORAGE, OR DISPOSAL (TSD) FACILITY

EPA ID NUMBER

**B. K. K. LANDFILL**

AREA CODE/PHONE NUMBER 213-965-0911

PROPER U.S. D.O.T. SHIPPING NAME AND HAZARD CLASS

UN/NA NUMBER

TOTAL QUANTITY

UNIT WT/VOL

CONTAINER NO. TYPE

WASTE CAT NO.

Mixture; Material in hazardous classification  
It contains barium carbonate (D005)

7680

Component No. 1404

COMPONENTS

CONC. RANGE UPPER LOWER

UNI %

BARIUM CARBONATE  
ANTIMONY OXIDE  
PIGMENTS  
DICHLORO PEROLIDE  
TERTIARY BUTYL PEROXIDE

2.0 0.0 X  
5.0 0.0 X  
4.0 0.0 X  
1.5 0.0 X  
1.5 0.0 X

SPECIAL HANDLING INSTRUCTIONS

This is to certify that the above named wastes are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable requirements of the Department of Transportation and the EPA

MO DAY

Printed or typed full name and signature

MO DAY

Check if continuation sheet is used. Number of continuation sheets

TRANSPORTER 1 ACKNOWLEDGEMENT OF RECEIPT OF ABOVE WASTES

DATE REC'D MO DAY

**DANIEL A. AGAJANIAN**

DATE REC'D MO DAY

Printed or typed full name and signature

DATE REC'D MO DAY

TRANSPORTER 2 ACKNOWLEDGEMENT OF RECEIPT OF ABOVE WASTES

DATE REC'D MO DAY

Printed or typed full name and signature

DATE REC'D MO DAY

DISCREPANCY INDICATION SPACE

Facility owner or operator: Certification of receipt of hazardous waste covered by this manifest except as noted in the discrepancy indication space above. Waste number

DATE RECEIVED & ACCEPT

See instructions:

EPA ID NUMBER

MO DAY

Printed or typed full name and signature

TSDf RETAINS

TO BE FILLED IN BY GENERATOR

TO BE FILLED IN BY TRANSPORTER

TO BE FILLED IN BY TSDf

PROCESS LOCATION OR STORAGE LOCATION	TYPE OF HAZARDOUS MATERIALS	MAX QUANTITY IN USE LBS, GAL, ETC.	MAX QUANTITY IN STORAGE LBS, GAL, ETC.	CLASS FLAMMABLE LIQUID
Underground Storage Tank Outside drum storage	Acetone	75 gal.	7500 gal.	A
Raw Material Warehouse	Dapon Resin	6000 lbs.	80,000 lbs.	
" " "	Dicup R	10 lbs.	550 lbs.	
" " "	Silane	20 lbs.	800 lbs.	
" " "	DMP-30	40 lbs.	120 lbs.	
Catalyst Pit	T.B.P.	25 lbs.	2000 lbs.	
" " "	t-butyl Peroxy-2-ethylhexanote 50% in DOP	25 lbs.	2000 lbs.	
" " "	Dicup R	-0-	3300 lbs.	
<sup>COVERED</sup> Outside Diked Area	Oil (Lubricating & Hyd)	400 lbs.	4000 lbs.	
Outside - (Near Boiler)	Mogul Water Treatment	5 lbs.	700 lbs.	
Outside Restricted Area	Propane Gas	5 gal.	50 gal.	
Outside Restricted Area	Acetylene Gas	1 cylinder	5 cylinders	
" " "	Oxygen Gas	1 cylinder	2 cylinders	

*1/30/84  
Reported to  
- no change -  
new form not necessary*

IN CASE OF ANY TYPE EMERGENCY, IMMEDIATELY CALL FIRE DEPARTMENT

I hereby certify that the use, storage or process of hazardous materials in this business is in accordance with the quantities as indicated above.

Signature.....

Date..... 12-8-81

HAZARDOUS MATERIAL DEFINITIONS (brief)

**AIR REACTIVE MATERIAL** — Any material which will ignite spontaneously in contact with air.

**COMBUSTIBLE MATERIALS** — Liquids with a flash point of 150° F. or above and other materials which ignite and actively support combustion when exposed to an environmental temperature of 1500° F. for a period of not less than 5 minutes.

**CORROSIVE MATERIAL** — Solids, liquids or gases which can damage living tissue or cause fire.

**EXPLOSIVE MATERIAL** — Any compound which is classed as an A, B, or C Explosive.

**OXIDIZING MATERIALS** — Any element or compound which yields oxygen or reacts when subjected to water, heat or fire conditions.

**TOXIC MATERIALS** — Gases, liquids or solids which may create a hazard to life by ingestion, inhalation, etc., under fire conditions.

**UNSTABLE MATERIALS** — Those materials which react from heat, shock, friction, contamination, etc., and which are capable of violent decomposition or auto reaction, but which are not designed primarily as an explosive.

**WATER REACTIVE MATERIAL** — React violently or

**OTHER MATERIALS** — Indicate any material of which you are in doubt as to proper classification.

**FLAMMABLE LIQUIDS AND MATERIALS** — Gases, liquefied gases, liquids, dusts, fibers, or other materials which are flammable. (57.02 or 91.1005 of the L. A. M. C.)

**FLAMMABLE LIQUID** — Any liquid having a flash point below 150° F. and a vapor pressure not greater than 27 psi (absolute) at 100° F. Flammable liquids shall be divided into four classes as follows:

**CLASS A** — Flammable liquids having a flash point below 70° F. and a vapor pressure greater than 14.7 psi (absolute) but not greater than 27 psi (absolute) at 100° F.

**CLASS B** — Flammable liquids having a flash point below 70° F. and a vapor pressure not greater than 14.7 psi (absolute) at 100° F.

**CLASS C** — Flammable liquids having a flash point of 70° F. or greater but less than 100° F.

**CLASS D** — Flammable liquids having a flash point of 100° F. or greater but less

***Department of Toxic Substance Control  
(DTSC)  
12210 ½ Nebraska Ave (Adjoining Property)***



DEPARTMENT OF TOXIC SUBSTANCES CONTROL  
**ENVIROSTOR**

- [Home](#)
[Tools](#)
[Reports](#)
[Community Involvement](#)
[How to Use EnviroStor](#)
[ESI](#)
[DTSC Web](#)

**12210 1/2 NEBRASKA AVENUE PROPERTY (60001101)**

[SIGN UP FOR EMAIL ALERTS](#)

12210 1/2 NEBRASKA AVENUE  
LOS ANGELES, CA 90025  
LOS ANGELES COUNTY  
**SITE TYPE:** VOLUNTARY CLEANUP

**OFFICE:** CLEANUP  
CHATSWORTH  
**CENSUS TRACT:** 6037267600  
**CALENVIROSCREEN PERCENTILE SCORE:**56-60%

- [Summary](#)
[Activities](#)
[Site/Facility Docs](#)
[Map](#)
[Related Sites](#)
[CalEnviroScreen](#)

**Site Information**

**CLEANUP STATUS**

REFER: RWQCB AS OF 5/27/2010

**SITE TYPE:** VOLUNTARY CLEANUP

**NATIONAL PRIORITIES LIST:** NO

**ACRES:** 1.5 ACRES

**APN:** 4259-018-002, 4259018002

**CLEANUP OVERSIGHT AGENCIES:**

DTSC - SITE CLEANUP PROGRAM - LEAD AGENCY

**ENVIROSTOR ID:** 60001101

**SITE CODE:** 301413

**SPECIAL PROGRAM:** VOLUNTARY CLEANUP PROGRAM

**FUNDING:** SITE PROPONENT

**ASSEMBLY DISTRICT:** 50

**SENATE DISTRICT:** 26

**Regulatory Profile**

**PAST USE(S) THAT CAUSED CONTAMINATION**

AEROSPACE MANUFACTURING/MAINTENANCE

**POTENTIAL CONTAMINANTS OF CONCERN**

CHLOROFORM

TRICHLOROETHYLENE (TCE)

**POTENTIAL MEDIA AFFECTED**

AQUIFER USED FOR DRINKING WATER SUPPLY AFFECTED, INDOOR AIR, SOIL, SOIL VAPOR

**Site History**

The subject site and the adjacent site to the north, addressed as 12210 Nebraska Avenue, are approximately 1.5 acres in area consisting of two buildings occupying about 1/2 the property. The remainder of the property is made up of an adjacent parking lot. Current on-site activities include an architect's office in the older building to the north (12210 Nebraska Avenue) and a motion picture editing studio in the building to the south (12210 1/2 Nebraska Avenue), neither of which is associated with activities which are expected to lead to environmental contamination. Both sites were used for a variety of activities which may have lead to releases of hazardous materials, including manufacturing aircraft seats and electronics from approximately 1950s-1970s, and prior to this period, agriculture. The available history of chemicals used on-site is minimal. The building to the south (12210 1/2 Nebraska) was constructed after this period, in the mid 1980s, and hazardous chemicals have reportedly not been used on-site since construction.

Sampling has identified several volatile organic compounds (VOCs) in soil, soil-gas and groundwater, the most significant being trichloroethylene (TCE) and chloroform. Groundwater is present at approximately 40-ft bgs and is contaminated with TCE concentrations as high as 260 ug/L. Other chemicals of potential concern (COPCs) were not analyzed for soil or groundwater except a single soil-matrix sample for metals and total petroleum hydrocarbons (TPH).

Due to proponent's failure to comply with the VCA terms, the VCA was terminated on 5/13/2010 and the Site was referred to the Los Angeles Regional Water Quality Control Board.

- [Back to Top](#)
[Help](#)
[Disclaimer](#)
[Contact Us](#)
[DTSC Home](#)

Copyright © 2018 State of California

0.59375 seconds



DEPARTMENT OF TOXIC SUBSTANCES CONTROL  
**ENVIROSTOR**

- [Home](#)
- [Tools](#)
- [Reports](#)
- [Community Involvement](#)
- [How to Use EnviroStor](#)
- [ESI](#)
- [DTSC Web](#)
- 

**12210 1/2 NEBRASKA AVENUE PROPERTY (60001101)**

[SIGN UP FOR EMAIL ALERTS](#)

12210 1/2 NEBRASKA AVENUE  
LOS ANGELES, CA 90025  
LOS ANGELES COUNTY  
**SITE TYPE:** VOLUNTARY CLEANUP

**OFFICE:** CLEANUP  
CHATSWORTH  
**CENSUS TRACT:** 6037267600  
**CALENVIROSCREEN PERCENTILE SCORE:**56-60%

- [Summary](#)
- [Activities](#)
- [Site/Facility Docs](#)
- [Map](#)
- [Related Sites](#)
- [CalEnviroScreen](#)

**Completed Activities**

<a href="#">TITLE</a>	<a href="#">DOCUMENT TYPE</a>	<a href="#">DATE COMPLETED</a>	<a href="#">COMMENTS</a>
<a href="#">Case Transfer Letter to LA Water Quality Control Board</a>	Correspondence	3/21/2016	Case Transfer Letter to LA Regional Water Quality Control Board
<a href="#">VCA Termination Letter</a>	Voluntary Cleanup Agreement Termination Notification	5/27/2010	
<a href="#">Interim Remedial Investigation Report</a>	Remedial Investigation Report	5/13/2010	RI was not accepted. VCA Terminated on 5/13/2010. Site referred to Water Board.
<a href="#">VCA Amendment</a>	Amendment - Order/Agreement	12/16/2009	
<a href="#">Interim RI Workplan</a>	Remedial Investigation Workplan	12/7/2009	
<a href="#">Preliminary Environmental Site Assessment: Phase I, II &amp; III</a>	Phase 1	9/16/2009	Documents reviewed. Further action required.
<a href="#">VCA</a>	Voluntary Cleanup Agreement	4/17/2009	VCA signed

- [Back to Top](#)
- [Help](#)
- [Disclaimer](#)
- [Contact Us](#)
- [DTSC Home](#)

Copyright © 2018 State of California

0.59375 seconds





DEPARTMENT OF TOXIC SUBSTANCES CONTROL  
**ENVIROSTOR**

- [Home](#)
- [Tools](#)
- [Reports](#)
- [Community Involvement](#)
- [How to Use EnviroStor](#)
- [ESI](#)
- [DTSC Web](#)
- 

**12210 1/2 NEBRASKA AVENUE PROPERTY (60001101)** [SIGN UP FOR EMAIL ALERTS](#)

12210 1/2 NEBRASKA AVENUE  
LOS ANGELES, CA 90025  
LOS ANGELES COUNTY  
**SITE TYPE:** VOLUNTARY CLEANUP

**OFFICE:** CLEANUP  
CHATSWORTH  
**CENSUS TRACT:** 6037267600  
**CALENVIROSCREEN PERCENTILE SCORE:**56-60%

- [Summary](#)
- [Activities](#)
- [Site/Facility Docs](#)
- [Map](#)
- [Related Sites](#)
- [CalEnviroScreen](#)

DOCUMENT DATE RANGE:  TO

**Completed Activities** [HIDE DOCUMENTS > 1 YEAR OLD](#)

TITLE/DESCRIPTION	DOCUMENT TYPE	DATE COMPLETED
<a href="#">Case Transfer Letter to LA Water Quality Control Board</a>	Correspondence	3/21/2016
<a href="#">VCA Termination Letter</a>	Voluntary Cleanup Agreement Termination Notification	5/27/2010
<a href="#">Interim Remedial Investigation Report</a>	Remedial Investigation Report	5/13/2010
<a href="#">VCA Amendment</a>	Amendment - Order/Agreement	12/16/2009
<a href="#">Interim RI Workplan</a>	Remedial Investigation Workplan	12/7/2009
<a href="#">Preliminary Environmental Site Assessment: Phase I, II &amp; III</a>	Phase 1	9/16/2009
<a href="#">VCA</a>	Voluntary Cleanup Agreement	4/17/2009

**Community Involvement Documents** [HIDE DOCUMENTS > 1 YEAR OLD](#)

NO COMMUNITY INVOLVEMENT DOCUMENTS HAVE BEEN UPLOADED TO THIS PROJECT

- [Back to Top](#)
- [Help](#)
- [Disclaimer](#)
- [Contact Us](#)
- [DTSC Home](#)

Copyright © 2018 State of California

0.59375 seconds



# DEPARTMENT OF TOXIC SUBSTANCES CONTROL ENVIROSTOR

- [Home](#)
- [Tools](#)
- [Reports](#)
- [Community Involvement](#)
- [How to Use EnviroStor](#)
- [ESI](#)
- [DTSC Web](#)

## 12210 1/2 NEBRASKA AVENUE PROPERTY (60001101)

[SIGN UP FOR EMAIL ALERTS](#)

12210 1/2 NEBRASKA AVENUE  
 LOS ANGELES, CA 90025  
 LOS ANGELES COUNTY  
**SITE TYPE:** VOLUNTARY CLEANUP

**OFFICE:** CLEAN CHATS  
**CENSUS TRACT:** 603726  
**CALENVIROSCREEN PERCENTILE SCORE:** 56-60%

- [Summary](#)
- [Activities](#)
- [Site/Facility Docs](#)
- [Map](#)
- [Related Sites](#)
- [CalEnviroScreen](#)

### FOR AN INTERACTIVE MAP, CLICK ON AN IMAGE BELOW

OVERVIEW:



MAP VIEW:



SATELLITE:



TERRAIN:



- [Back to Top](#)
- [Help](#)
- [Disclaimer](#)
- [Contact Us](#)
- [DTSC Home](#)

Copyright © 2018 State of California

0.59375 seconds

***South Coast Air Quality Management Division  
(SCAQMD)  
12270 Nebraska Avenue***

Information Management  
Public Records Unit

Direct Dial (909) 396-3700  
Fax:(909) 396-3330

**COMPLETION LETTER**

**August 16, 2018**

SUSAN SMITH  
DUDEK  
3544 UNIVERSITY AVE.  
RIVERSIDE, CA 92501

**Ref.: CONTROL NO. 96435**  
Received 8/7/2018

Re: P/O'S, EQL'S, NOV'S, ASBESTOS RECORDS, & COMPLIANCE ISSUES FOR LA DPW/WEST LA DISTRICT HEADQUARTERS, 12270 NEBRASKA AVE., LOS ANGELES, CA.

After a thorough search of this agency's records, the following records were found:  
P/O'S & EQL'S FOR LA DPW/WEST LA DISTRICT HEADQUARTERS, 12270 NEBRASKA AVE., LOS ANGELES, CA.

The following records were not found:  
NOV'S, ASBESTOS RECORDS, & COMPLIANCE ISSUES FOR LA DPW/WEST LA DISTRICT HEADQUARTERS, 12270 NEBRASKA AVE., LOS ANGELES, CA.

YOUR REQUESTED RECORDS WERE PROVIDED ELECTRONICALLY ON 08/16/2018

If you have any questions, please do not hesitate to contact me, Tuesday through Friday, **8:00 a.m. to 4:30 p.m.**

Sincerely,

STACEY WALKOWIAK x2383  
For COLLEEN PAINE  
Public Records Coordinator

:SW

# SCAQMD Facility Equipment List Report

Facility: 21406 PLASKON ELECTRONIC MATERIALS INC	Status: Out of Business	MR: 0303	SIC: 282	Team:
Last Inspection: 05/14/1984	On Hold:	Suspended:	TS:	Quarter: none - do not inspect
Contact:	RECLAIM: N	TITLE V: N	AIRS ID:	Assignment:
Location Address: 12270 NEBRASKA AVE, LOS ANGELES 90025-3698 Sector:VM				Inspector:
Mailing Address: 12270 NEBRASKA AVE, LOS ANGELES 90025-3698 Sector:VM				Inspection Date:
Instruction:				Disposition:

Application No.	Permit No.	Permit Issue Date	Permit Status	Equipment Category	BCAT/CCAT Description	Application Date	Application Status
117922	M39498	07/19/1984	INACTIVE	21	CCAT BAGHOUSE	12/05/1983	PERMIT TO OPERATE GRANTED
117923	M39499	07/19/1984	INACTIVE	702750	BCAT GLASS FIBERS SIZE REDUCTION	12/05/1983	PERMIT TO OPERATE GRANTED
C25321	M18418	07/01/1983	INACTIVE	276650	BCAT PLASTICS & RESINS, ROLLING	01/01/1900	PERMIT TO OPERATE GRANTED
C25321	M18418	07/01/1983	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C26599	M18411	07/01/1983	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C26599	M18411	07/01/1983	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C26600	M18405	07/01/1983	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C26600	M18405	07/01/1983	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25326	M17395	06/01/1983	INACTIVE	236650	BCAT DIOCTYL PHTHALATE, ROLLING	01/01/1900	PERMIT TO OPERATE GRANTED
C25344	M17810	04/01/1983	INACTIVE	203900	BCAT STORAGE TANK ACETONE	01/01/1900	PERMIT TO OPERATE GRANTED
C25323	M17802	11/01/1982	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C25323	M17802	11/01/1982	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25324	M17790	11/01/1982	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C25324	M17790	11/01/1982	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25325	M17360	11/01/1982	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C25325	M17360	11/01/1982	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25328	M18414	11/01/1982	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C25328	M18414	11/01/1982	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25330	M17796	11/01/1982	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C25330	M17796	11/01/1982	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25334	M17801	11/01/1982	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C25337	M17799	11/01/1982	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C25337	M17799	11/01/1982	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25329	M17806	09/01/1982	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C25329	M17806	09/01/1982	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25336	M17797	09/01/1982	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C25336	M17797	09/01/1982	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C36253	M24708	05/27/1982	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C26602	M18467	11/17/1981	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C26603	M18466	11/17/1981	INACTIVE	276850	BCAT PLASTICS & RESINS SIZE CLASSIFICATION	01/01/1900	PERMIT TO OPERATE GRANTED
C25320	M18419	10/07/1981	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C25320	M18419	10/07/1981	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25322	M18417	10/07/1981	INACTIVE	276850	BCAT PLASTICS & RESINS SIZE CLASSIFICATION	01/01/1900	PERMIT TO OPERATE GRANTED
C25327	M18416	10/07/1981	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C26601	M18404	10/07/1981	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED

# SCAQMD Facility Equipment List Report

Facility: 21406 PLASKON ELECTRONIC MATERIALS INC	Status: Out of Business	MR: 0303	SIC: 282	Team:
Last Inspection: 05/14/1984	On Hold:	Suspended:	TS:	Quarter: none - do not inspect
Contact:	RECLAIM: N	TITLE V: N	AIRS ID:	Assignment:
Location Address: 12270 NEBRASKA AVE, LOS ANGELES 90025-3698 Sector:VM				Inspector:
Mailing Address: 12270 NEBRASKA AVE, LOS ANGELES 90025-3698 Sector:VM				Inspection Date:
Instruction:				Disposition:

Application No.	Permit No.	Permit Issue Date	Permit Status	Equipment Category	BCAT/CCAT Description	Application Date	Application Status
C25332	M17807	07/01/1981	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C25332	M17807	07/01/1981	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25333	M17805	07/01/1981	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C25333	M17805	07/01/1981	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25335	M17798	07/01/1981	INACTIVE	276650	BCAT PLASTICS & RESINS, ROLLING	01/01/1900	PERMIT TO OPERATE GRANTED
C25335	M17798	07/01/1981	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25340	M17804	07/01/1981	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C25340	M17804	07/01/1981	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25341	M17803	07/01/1981	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C25341	M17803	07/01/1981	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25342	M17791	07/01/1981	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	01/01/1900	PERMIT TO OPERATE GRANTED
C25342	M17791	07/01/1981	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C25343	M17800	07/01/1981	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/01/1900	PERMIT TO OPERATE GRANTED
C25343	M17800	07/01/1981	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED
C26597	M18412	06/15/1981	INACTIVE	21	CCAT BAGHOUSE	01/01/1900	PERMIT TO OPERATE GRANTED

# SCAQMD Facility Equipment List Report

Facility: 45149 PLASKON ELECTRONIC MATERIALS INC	Status: Out of Business	MR: 0404	SIC: 308	Team:
Last Inspection: 03/06/1989	On Hold:	Suspended:	TS:	Quarter: none - do not inspect
Contact:	RECLAIM: N	TITLE V: N	AIRS ID:	Assignment:
Location Address: 12270 NEBRASKA AVE, LOS ANGELES 90025	Sector: VM	Inspector:		
Mailing Address: 12270 NEBRASKA AVE, LOS ANGELES 90025	Sector: VM	Inspection Date:		
Instruction:	Disposition:			

Application No.	Permit No.	Permit Issue Date	Permit Status	Equipment Category	BCAT/CCAT Description	Application Date	Application Status
164791				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/07/1988	APPLICATION CANCELLED, KEEP FILING FEES
164791				21	CCAT BAGHOUSE	01/07/1988	APPLICATION CANCELLED, KEEP FILING FEES
164792				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	01/07/1988	APPLICATION CANCELLED, KEEP FILING FEES
164793				276100	BCAT PLASTICS & RESINS BLENDING	01/07/1988	APPLICATION CANCELLED, KEEP FILING FEES
142203				276540	BCAT PLASTICS & RESINS PACKAGING	03/11/1986	APPLICATION CANCELLED, REFUND ALL FEES
142199				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142199				26	CCAT DUST COLLECTOR CARTRIDGE TYPE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142200				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142201				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142202				276450	BCAT PLASTICS & RESINS EXTRUDER	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142202				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142204				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142204				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142205				276850	BCAT PLASTICS & RESINS SIZE CLASSIFICATION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142206				276100	BCAT PLASTICS & RESINS BLENDING	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142206				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142207				276540	BCAT PLASTICS & RESINS PACKAGING	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142208				276850	BCAT PLASTICS & RESINS SIZE CLASSIFICATION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142209				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142210				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142211				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142212				20	CCAT DRY FILTER (>500 SQ FT)	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142213				20	CCAT DRY FILTER (>500 SQ FT)	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142214				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142214				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142215				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142215				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142219				276100	BCAT PLASTICS & RESINS BLENDING	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142220				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142221				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142222				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142223				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142224				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142224				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142225				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES

# SCAQMD Facility Equipment List Report

Facility: 45149 PLASKON ELECTRONIC MATERIALS INC	Status: Out of Business	MR: 0404	SIC: 308	Team:
Last Inspection: 03/06/1989	On Hold:	Suspended:	TS:	Quarter: none - do not inspect
Contact:	RECLAIM: N	TITLE V: N	AIRS ID:	Assignment:
Location Address: 12270 NEBRASKA AVE, LOS ANGELES 90025	Sector: VM	Inspector:		
Mailing Address: 12270 NEBRASKA AVE, LOS ANGELES 90025	Sector: VM	Inspection Date:		
Instruction:	Disposition:			

Application No.	Permit No.	Permit Issue Date	Permit Status	Equipment Category	BCAT/CCAT Description	Application Date	Application Status
142225				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142226				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142226				21	CCAT BAGHOUSE	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142227				299150	BCAT MISC MATERIALS CLEANING	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142228				299150	BCAT MISC MATERIALS CLEANING	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142229				299150	BCAT MISC MATERIALS CLEANING	03/11/1986	APPLICATION CANCELLED, KEEP FILING FEES
142216				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP ALL FEES
142217				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP ALL FEES
142218				276750	BCAT PLASTIC/RESIN SIZE REDUCTION	03/11/1986	APPLICATION CANCELLED, KEEP ALL FEES
132003	M45216	08/09/1985	INACTIVE	203900	BCAT STORAGE TANK ACETONE	04/18/1985	PERMIT TO OPERATE GRANTED
125271	M41849	12/19/1984	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	08/21/1984	PERMIT TO OPERATE GRANTED
125271	M41849	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125272	M41850	12/19/1984	INACTIVE	276650	BCAT PLASTICS & RESINS, ROLLING	08/21/1984	PERMIT TO OPERATE GRANTED
125272	M41850	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125273	M41851	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125273	M41851	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125274	M41852	12/19/1984	INACTIVE	276850	BCAT PLASTICS & RESINS SIZE CLASSIFICATION	08/21/1984	PERMIT TO OPERATE GRANTED
125274	M41852	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125275	M41853	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125275	M41853	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125276	M41854	12/19/1984	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	08/21/1984	PERMIT TO OPERATE GRANTED
125276	M41854	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125277	M41855	12/19/1984	INACTIVE	276650	BCAT PLASTICS & RESINS, ROLLING	08/21/1984	PERMIT TO OPERATE GRANTED
125277	M41855	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125278	M41856	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125278	M41856	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125279	M41857	12/19/1984	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	08/21/1984	PERMIT TO OPERATE GRANTED
125280	M41858	12/19/1984	INACTIVE	276650	BCAT PLASTICS & RESINS, ROLLING	08/21/1984	PERMIT TO OPERATE GRANTED
125281	M41859	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125281	M41859	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125282	M41860	12/19/1984	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	08/21/1984	PERMIT TO OPERATE GRANTED
125283	M41861	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125284	M41862	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125284	M41862	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125285	M41863	12/19/1984	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	08/21/1984	PERMIT TO OPERATE GRANTED

Inspector: \_\_\_\_\_ Date: \_\_\_\_\_ Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_



# SCAQMD Facility Equipment List Report

Facility: 45149 PLASKON ELECTRONIC MATERIALS INC Last Inspection: 03/06/1989 Contact: Location Address: 12270 NEBRASKA AVE, LOS ANGELES 90025 Sector:VM Mailing Address: 12270 NEBRASKA AVE, LOS ANGELES 90025 Sector:VM Instruction:	Status: Out of Business On Hold: Suspended: RECLAIM: N TITLE V: N AIRS ID:	MR: 0404 Quarter: none - do not inspect Assignment: Inspector: Inspection Date: Disposition:
--	---	---

Application No.	Permit No.	Permit Issue Date	Permit Status	Equipment Category	BCAT/CCAT Description	Application Date	Application Status
125286	M41864	12/19/1984	INACTIVE	276650	BCAT PLASTICS & RESINS, ROLLING	08/21/1984	PERMIT TO OPERATE GRANTED
125287	M41865	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125287	M41865	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125288	M41866	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125288	M41866	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125289	M41867	12/19/1984	INACTIVE	276100	BCAT PLASTICS & RESINS BLENDING	08/21/1984	PERMIT TO OPERATE GRANTED
125289	M41867	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125290	M41868	12/19/1984	INACTIVE	276850	BCAT PLASTICS & RESINS SIZE CLASSIFICATION	08/21/1984	PERMIT TO OPERATE GRANTED
125291	M41869	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125291	M41869	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125292	M41870	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125292	M41870	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125293	M41871	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125293	M41871	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125294	M41872	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125294	M41872	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125295	M41873	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125295	M41873	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125296	M41874	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125296	M41874	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125297	M41875	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125297	M41875	12/19/1984	INACTIVE	21	CCAT BAGHOUSE	08/21/1984	PERMIT TO OPERATE GRANTED
125298	M41876	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED
125299	M41877	12/19/1984	INACTIVE	203900	BCAT STORAGE TANK ACETONE	08/21/1984	PERMIT TO OPERATE GRANTED
125300	M41878	12/19/1984	INACTIVE	276750	BCAT PLASTIC/RESIN SIZE REDUCTION	08/21/1984	PERMIT TO OPERATE GRANTED

# SCAQMD Facility Equipment List Report

Facility: 83184	PAKTANK CORP	Status: Active	MR:	SIC:	Team: 1
Last Inspection:	On Hold:	Suspended:	TS: TS-12 Industrial Sources - Out of Business and ChzQuarter: 0100 - inspect in 2nd quarter, every year		
Contact: QUIRINO WONG (713) 5617278	RECLAIM: N	TITLE V: N	AIRS ID:	Assignment:	Inspector:
Location Address: 12270 NEBRASKA AVE, LOS ANGELES 90025 Sector:VM			Inspection Date:	Disposition:	
Mailing Address: 2000 W LOOP SOUTH, HOUSTON 77027					
Instruction:					

Application No.	Permit No.	Permit Issue Date	Permit Status	Equipment Category	BCAT/CCAT Description	Application Date	Application Status
383214				000993 BCAT	ERC ALTERATION	03/02/2001	BANKING/ PLAN GRANTED, NON BILLABLE
242326				040901 BCAT	I C E (50-500 HP) N-EM STAT DIESEL	12/20/1990	BANKING/ PLAN GRANTED, NON BILLABLE

# SCAQMD Facility Equipment List Report

---

Facility: 107691 LA CITY DWP, WEST LA SERVICE CTR      Status: DUPLICATE      MR:      SIC:      Team:  
 Last Inspection: 10/31/2002      On Hold:      Suspended:      TS: TS-12 Industrial Sources - Out of Business and ChqQuarter: none - do not inspect  
 Contact:      RECLAIM: N      TITLE V: N      AIRS ID:      Assignment: 733048  
 Location Address: 12270 NEBRASKA AVE, WEST LOS ANGELES 90025 Sector:VM      Inspector: YS01 YASMINE STUTZ  
 Mailing Address: P.O. BOX 51111, LOS ANGELES 90051-0100 Sector:WK      Inspection Date: 10/31/2002  
 Instruction:      Disposition:

---

Application No.	Permit No.	Permit Issue Date	Permit Status	Equipment Category	BCAT/CCAT Description	Application Date	Application Status
-----------------	------------	-------------------	---------------	--------------------	-----------------------	------------------	--------------------

---



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 17804

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

*Plaskon Electronic Materials Inc 10/23/83*

~~PLASKON PRODUCTS, INCORPORATED~~

APPL. NO. C-25340

EQUIPMENT  
LOCATED AT:

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

PREVIOUS PERMIT NO.

P 34777

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACOLAIRE, MODEL 300U, SERIAL NO. M6518.
2. EXHAUST SYSTEM, WITH A 3-H.P. BLOWER, VENTING TWO BLENDERS.

This initial permit must be renewed by *9/1/81*  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

*Maria J. Cruz*

BY PERMIT SECTION

DATE

JUL 1 '81

SCAFCD076

2500:a 8056

VOID UNLESS VALIDATED



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 17803

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

*Plaskon Electronic Materials Inc 12/23/83*  
~~PLASKON PRODUCTS, INCORPORATED~~

APPL. NO. C-25341  
PREVIOUS PERMIT NO.  
M 00872

EQUIPMENT  
LOCATED AT:

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACOLAIRE, MODEL 860U, WITH 860 SQ. FT. FILTER AREA AND A 3/4-H.P. SHAKER.
2. EXHAUST SYSTEM WITH A 10-H.P. BLOWER VENTING A GRINDING SYSTEM, TWO WEIGH TABLES, AND FILLING STAND.

This initial permit must be renewed by 7/1/82 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER  
*maria J. Cruz*

SCAP00073 2500:a 8055

BY PERMIT SECTION

DATE JUL 1 '81

VOID UNLESS VALIDATED

FILE COPY



# PERMIT to OPERATE

M 17791

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: *Plaskon Electronic Materials Inc 10/23/83*  
~~PLASKON PRODUCTS, INCORPORATED~~  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. C-25342  
PREVIOUS PERMIT NO.  
M 00871

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACOLAIRE, MODEL NO. 5-800 SW, WITH 4000 SQ. FT. FILTER AREA, A 3/4-H.P. SHAKER AND A 1-H.P. DISCHARGE SCREW.
2. EXHAUST SYSTEM WITH A 30-H.P. BLOWER, VENTING TWO ROLL MILLS, TWO GRINDERS A DISPERSER, A DRUM CLEANING STATION A WORK TABLE, A CART HANDLING STATION, TWO SCREENS, AND FOUR MIXERS.

This initial permit must be renewed by 7/1/82 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAF00067 5000:a 8056

VOID UNLESS VALIDATED

EXECUTIVE OFFICER  
*Maria I. Cruz*

BY PERMIT SECTION

DATE JUL 1 '81

FILE COPY

**PERMIT to OPERATE**

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 17805

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:Plaskon Electronic Materials Inc <sup>10/23/83</sup>  
~~PLASKON PRODUCTS, INCORPORATED~~

APPL. NO. C-25333

EQUIPMENT  
LOCATED AT:12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACE CO., WITH 9600 SQ. FT. FILTER AREA, TWO 3/4-H.P. SHAKERS AND A 2-H.P. DISCHARGE SCREW.
2. EXHAUST SYSTEM WITH TWO 40-H.P. BLOWERS VENTING A ROLL MILL, A DISPERSER, A CART-HANDLING STATION, A GRINDING SYSTEM, TWO MIXERS, TWO WORK BENCHES AND EIGHT TEST PRESSES AND A WORK TABLE.

This initial permit must be renewed by 7/1/82  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAFCD079

80000:a 8056

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

*Maria J. Cruz*BY  
PERMIT SECTION

DATE

JUL 1 '81

**PERMIT to OPERATE**

M 17797

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:*Plaskon Electronic Materials Inc 12/83*~~PLASKON PRODUCTS, INCORPORATED~~

12270 NEBRASKA AVENUE

EQUIPMENT  
LOCATED AT:

LOS ANGELES, CALIFORNIA

APPL. NO. C-25336

PREVIOUS PERMIT NO.

P 34796

EQUIPMENT DESCRIPTION AND CONDITIONS:

**BLENDING SYSTEM CONSISTING OF:**

1. CHARGE HOPPER, COLSON EQUIPMENT COMPANY, MODEL DU-81, 1'-10" DIA. X 2'-10" H.
2. BLENDER NO. 2, PATTERSON, 100 CU. FT. CAPACITY, 15-H.P.
3. SEPARATOR, SWECO, MODEL LS-18, 1/4-H.P.

**C O N D I T I O N**

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS THE HOPPER, BLENDER AND SEPARATOR ARE VENTED TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by 9/1/81 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAP0075

5000:a 305a

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

*Maria I. Cruz*

BY PERMIT SECTION

DATE

JUL 1 '81

FILE COPY





# PERMIT to OPERATE

M 17806

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

Plaskon Electronic Materials Inc 10/23/83

~~PLASKON PRODUCTS, INCORPORATED~~12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIAAPPL. NO. C-25329  
PREVIOUS PERMIT NO.  
P 34778EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

BLENDING SYSTEM CONSISTING OF:

1. BLENDER, GENERAL MACHINE CO., 54 FT. CAPACITY, 7 1/2-H.P.
2. DRUM LOADER, CESCO, MODEL NO. E-J-10-5-4, 3/4-H.P.
3. CLASSIFIER, SWECO, MODEL LS-18, 1/4-H.P.

C O N D I T I O N

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by 9/1/81,  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

*Mona I. Cruz*

BY PERMIT SECTION

DATE

JUL 1 '81

SCAPCD069

5000:a 805a

VOID UNLESS VALIDATED

FILE COPY



# PERMIT to OPERATE

W 17807

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

*Plaskon Electronic Materials Inc 12/29/83*  
~~PLASKON PRODUCTS, INCORPORATED~~

APPL. NO. C-25332

EQUIPMENT  
LOCATED AT:

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

GRINDER NO. 1, FITZPATRICK, MODEL D-12, 20-H.P.

### C O N D I T I O N

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by 7/1/82  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAPC0077

20000:a 8056

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

*Maria I. Cruz*

BY PERMIT SECTION

DATE

JUL 1 '81

FILE COPY



# PERMIT to OPERATE

M 17800

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

Plaskon Electronic Materials Inc 10/9/82

APPL. NO. C-25343

~~PLASKON PRODUCTS, INCORPORATED~~EQUIPMENT  
LOCATED AT: 12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

GRINDING SYSTEM CONSISTING OF:

1. CRUSHER, L. E. HOWARD, 2-H.P.
2. GRINDER, FITZPATRICK, MODEL D-12, 20-H.P.

CONDITION


THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by 7/1/82  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER



BY

PERMIT SECTION

DATE

JUL 1 '81

SCAFCS078

20000:a 8058

VOID UNLESS VALIDATED

FILE COPY



# PERMIT to OPERATE

M 18466

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

eration under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER: *Plaskon Electronic Materials Inc 10/20/83*  
 OPERATOR: ~~PLASKON PRODUCTS, INCORPORATED~~

APPL. NO. C-26603

EQUIPMENT: 12270 NEBRASKA AVENUE  
 LOCATED AT: LOS ANGELES, CALIFORNIA

## EQUIPMENT DESCRIPTION AND CONDITIONS:

PLASTIC MOLDING, GRINDING AND CLASSIFYING SYSTEM CONSISTING OF:

1. SHEET BREAKER, VAN AALST, MODEL NO. 2, 2 1/2-H.P.
2. GRINDER, FITZPATRICK, MODEL F-12, 20-H.P.
3. CLASSIFIER, SWECO, 1/2-H.P.
4. PNEUMATIC CONVEYOR, WITH TWO VAC-U-MAX HOPPER FEEDERS, 5-H.P.

## \*\*\*C O N D I T I O N S\*\*\*

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS THE SHEET BREAKER, GRINDER AND SCREEN ARE VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND \*(1 OF 2 PAGES)\*

This initial permit must be renewed by 10/1/82 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

BY

*Maria D. Cruz*

PERMIT SECTION

DATE

10/15/81

SCAFCD030

20000:a 8115

VOID UNLESS VALIDATED

FILE COPY



# PERMIT to OPERATE

M 18419

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR:

*Plaskon Electronics Materials Inc 10/3/83*  
~~PLASKON PRODUCTS, INCORPORATED~~

APPL. NO. C-25320  
PREVIOUS PERMIT NO.  
M 00880

EQUIPMENT LOCATED AT:

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

GRINDER, FITZPATRICK, MODEL D-6, 5-H.P.

\*\*\*CONDITION\*\*\*

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by JULY 1, 1982 (Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER  
*Mona J. Cruz*

SLAF00030 2500:a 8065

BY PERMIT SECTION

DATE OCT 7 '81

VOID UNLESS VALIDATED

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

W 17802

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

Plaskon Electronic Materials Inc 10/23/83

~~PLASKON PRODUCTS, INCORPORATED~~

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C-25323  
PREVIOUS PERMIT NO.  
P 35480

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

MIXER, BAKER-PERKINS, SERIAL NO. 39227, 100-GALLON CAPACITY, WITH A 25-H.P. DRIVE, AND A 2 1/2-H.P. TILT DRIVE.

### C O N D I T I O N

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by 11/1/81 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

5CAPC0072

2500:a 9056

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

*Maria J. Cruz*

BY PERMIT SECTION

DATE

JUL 1 '81

FILE COPY



# PERMIT to OPERATE

M 17790

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

*Plaskon Electronic Materials Inc* 10/23/83  
~~PLASKON PRODUCTS, INCORPORATED~~

APPL. NO. C-25324  
PREVIOUS PERMIT NO.  
 M 06447

EQUIPMENT  
LOCATED AT:

12270 NEBRASKA AVENUE  
 LOS ANGELES, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

GRINDER, FITZPATRICK CO., MODEL D-12, 20-H.P.

C O N D I T I O N

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by *7/1/82* unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

*Maria J. Cruz*

BY PERMIT SECTION

DATE

JUL 1 '81

SLCAPC0068

2500:a 8055

VOID UNLESS VALIDATED



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 17801

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

*Plaskon Electronic Materials Inc 12/3/83*  
~~PLASKON PRODUCTS, INCORPORATED~~

APPL. NO. C-25334

EQUIPMENT  
LOCATED AT:

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

PREVIOUS PERMIT NO.  
P 35479

EQUIPMENT DESCRIPTION AND CONDITIONS:

MIXER, BAKER PERKINS, SERIAL NO. 38763, 200-GALLONS CAPACITY, 15-H.P.

### C O N D I T I O N

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by *11/1/81*  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

5CAPC0074

2500:a 8056

EXECUTIVE OFFICER

*maria J. Cruz*

BY PERMIT SECTION

DATE

JUL 1 '81

VOID UNLESS VALIDATED

FILE COPY



# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 18416

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: ~~PLASKON PRODUCTS, INCORPORATED~~ *Plaskon Electronic Materials Inc 10/22/83*  
EQUIPMENT LOCATED AT: 12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C-25327  
PREVIOUS PERMIT NO.  
P 35483

EQUIPMENT DESCRIPTION AND CONDITIONS:

- MIXING SYSTEM CONSISTING OF:
1. DISPERSER, 2'-10" DIA. X 4'-0" H.
  2. RIBBON MIXER NO. 1, 200 GALLON.
  3. RIBBON MIXER NO. 2, 200 GALLON.

\*\*\*CONDITIONS\*\*\*

1. THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER. \*(1 OF 2 PAGES)\*

This initial permit must be renewed by **NOV. 1, 1982** unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER  
*Thomas J. Coney*

BY PERMIT SECTION

DATE 11/5/81

SLAF10027 2500:a 2066

VOID UNLESS VALIDATED

FILE COPY

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

CONTINUATION OF PERMIT NO. M 18416  
(MUST BE DISPLAYED WITH PERMIT)

2. WHENEVER PHOTOCHEMICALLY REACTIVE SOLVENTS ARE USED IN THIS EQUIPMENT, THE ORGANIC MATERIALS DISCHARGED INTO THE ATMOSPHERE MUST NOT EXCEED 39.6 POUNDS IN ANY ONE DAY NOR 7.9 POUNDS IN ANY ONE HOUR UNLESS SUCH DISCHARGE IS CONTROLLED TO COMPLY WITH RULE 442.

APPL. NO. C-25327

# PERMIT to OPERATE

M 17796

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Under this permit must be conducted in compliance with all information included with the initial application and the initial persons. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

*Plaskon Electronic Materials Inc 12/23/83*  
~~PLASKON PRODUCTS, INCORPORATED~~

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C-25330  
PREVIOUS PERMIT NO.  
M 06449

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

PLASTIC MOLDING COMPOUND GRANULATING AND CLASSIFYING SYSTEM CONSISTING OF:

1. GRINDER, FITZPATRICK, MODEL F-12, 20-H.P.
2. SHEET BREAKER, VAN AALST, 2 1/2-H.P.
3. VIBRATING SCREEN, SWECO, MODEL LS-30, 1/2-H.P.
4. RECYCLE CONVEYOR, 3-H.P.

### C O N D I T I O N

(1 OF 2 PGS) THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIRPOLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE

This initial permit must be renewed by *7/1/82* (Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

*Maria J. Cruz*

BY PERMIT SECTION

DATE

JUL 1 '81

SCAPCD070

2500:a 8055

VOID UNLESS VALIDATED

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

CONTINUATION OF PERMIT NO. M 17796  
(MUST BE DISPLAYED WITH PERMIT)

AIR POLLUTION CONTROL OFFICER.

APPL. NO. C-25330



# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 17799

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:Plaskon Electronic Materials Inc 12/23/89  
~~PLASKON PRODUCTS, INCORPORATED~~EQUIPMENT  
LOCATED AT:12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIAAPPL. NO. C-25337  
PREVIOUS PERMIT NO.  
M 06451

EQUIPMENT DESCRIPTION AND CONDITIONS:

PLASTIC MOLDING COMPOUND GRANULATING AND CLASSIFYING SYSTEM CONSISTING OF:

1. GRINDER, FITZPATRICK, MODEL F-12, 15-H.P.
2. SHEET BREAKER, VAN AALST, 2 1/2-H.P.
3. VIBRATING SCREEN, SWECO, MODEL LS-30, 1/2-H.P.
4. RECYCLE CONVEYOR, 3-H.P.

C O N D I T I O N

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL  
EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN (1 OF 2 PAGES)

This initial permit must be renewed by 7/1/82  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAF0071

2500:a 805w

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

maria J. Cruz

BY PERMIT SECTION

DATE

JUL 1 '81

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

CONTINUATION OF PERMIT NO. M 17799  
(MUST BE DISPLAYED WITH PERMIT)

OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

APPL. NO. C-25337



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

17360

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

*Plaskon Electronic Materials Inc 9/20/83*  
~~PLASKON PRODUCTS, INCORPORATED~~

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C-25325  
PREVIOUS PERMIT NO.  
M -6450

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

PLASTIC MOLDING COMPOUND GRANULATING AND CLASSIFYING SYSTEM CONSISTING OF:

1. SHEET BREAKER, VAN-AAIST, MODEL NO. 2, 2 1/2-H.P.
2. GRINDER, FITZPATRICK, MODEL F12, 15-H.P.
3. CLASSIFIER, SWECO, MODEL LS-30, 1/2-H.P.

### C O N D I T I O N

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS THE SHEET BRAKER AND GRINDER ARE VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by *7/1/82*  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

5CAP0066

2500:a 8056

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

*Maria J. Cruz*

BY PERMIT SECTION

DATE

JUL 1 '81

FILE COPY



# PERMIT to OPERATE

M 18414

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: *Plaskon Electronic Materials Inc 10/20/83*  
~~PLASKON PRODUCTS, INCORPORATED~~  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C-25328  
PREVIOUS PERMIT NO.  
P 35482

EQUIPMENT DESCRIPTION AND CONDITIONS:

ROLL MILL, RUBBER EQUIPMENT COMPANY, 1'-4" DIA. X 3'-6" L., SERIAL NO. 1114.

\*\*\*CONDITION\*\*\*

~~THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.~~

This initial permit must be renewed by November 5, 1981 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER  
*Lucy Aldana*  
BY *Lucy Aldana*  
Lucy Aldana, Permit Section  
DATE June 15, 1981

SCAF0043 2540:a 8095

VOID UNLESS VALIDATED

FILE COPY





SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 17798

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: *Plaskon Electronic Materials Inc 12/83*  
~~PLASKON PRODUCTS, INCORPORATED~~  
EQUIPMENT LOCATED AT: 12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C-25335

EQUIPMENT DESCRIPTION AND CONDITIONS:

ROLL MILL, STEWARD ROLLING, 100-H.P.

### CONDITION

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by *7/1/82*  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAPC0000 80000:a 8055

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

*maria I. Cruz*

BY PERMIT SECTION

DATE JUL 1 '81

FILE COPY



# PERMIT to OPERATE

M 17395

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER ~~PLASKON PRODUCTS INCORPORATED~~ *Plaskon Electronic Materials, Inc* APPL. NO. C-25326  
 OR OPERATOR: 12270 NEBRASKA AVE. *192/13* PREVIOUS PERMIT NO. P-57008  
 EQUIPMENT LOS ANGELES, CALIFORNIA  
 LOCATED AT:

## EQUIPMENT DESCRIPTION AND CONDITIONS:

ROLL MILL, THROPP, SERIAL NO. 1662, 31 HP TOTAL

C O N D I T I O N S

1. ORGANIC SOLVENTS USED IN THIS EQUIPMENT MUST BE CLEARLY LABELED AS NON-PHOTOCHEMICALLY REACTIVE BY THE SUPPLIER OR, FOR BULK SHIPMENTS, SHOWN TO BE NON-PHOTOCHEMICALLY REACTIVE ON BILLS OF LADING OR INVOICES.
2. THE TOTAL QUANTITY OF COATINGS AND SOLVENTS USED IN THIS EQUIPMENT MUST NOT EXCEED 90 GALLONS IN ANY ONE DAY.

This initial permit must be renewed by 6/1/82 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAP0023

2500:a 2245

VOID UNLESS VALIDATED

EXECUTIVE OFFICER

*Maria J. Cruz*

BY

PERMIT SECTION

DATE

Aug 1 '81

FILE COPY



# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

R-M-18467

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: *Plaskon Electronic Materials Inc 12/83*  
~~PLASKON PRODUCTS, INCORPORATED~~  
EQUIPMENT LOCATED AT: 12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C-26602

EQUIPMENT DESCRIPTION AND CONDITIONS:  
ROLL MILL, S.C. CARTER CO., 42" L., 75 H.P.

**-CONDITIONS-**

1. ORGANIC SOLVENTS USED IN THIS EQUIPMENT MUST BE CLEARLY LABELED AS NON-PHOTOCHEMICALLY REACTIVE BY THE SUPPLIER OR, FOR BULK SHIPMENTS, SHOWN TO BE NON-PHOTOCHEMICALLY REACTIVE ON BILLS OF LADING OR INVOICES.
2. THE TOTAL QUANTITY OF COATINGS AND SOLVENTS USED IN THIS EQUIPMENT MUST NOT EXCEED 66 GALLONS IN ANY ONE DAY OR 2.75 GALLONS IN ANY ONE HOUR.

FILE COPY

This initial permit must be renewed by 11/1/82 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAPCD029 800.00:a 6/11/81 *ek*

VOID UNLESS VALIDATED

EXECUTIVE OFFICER  
*maria D. Cruz*  
BY  
PERMIT SECTION  
DATE 11/17/81



# PERMIT to OPERATE

M 18467

9150 FLAIR DRIVE, EL MDNTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR: PLASKON PRODUCTS, INCORPORATED

APPL. NO. C-26602

EQUIPMENT  
LOCATED AT: 12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

ALTERATION TO AIR POLLUTION CONTROL SYSTEM, PERMIT NO. M 00872, BY THE ADDITIONAL VENTING OF A GRINDER AND SPEED STIRRER.

**\*\*\*C O N D I T I O N S\*\*\***

1. ORGANIC SOLVENTS USED IN THIS EQUIPMENT MUST BE CLEARLY LABELED AS NON-PHOTOCHEMICALLY REACTIVE BY THE SUPPLIER OR, FOR BULK SHIPMENTS, SHOWN TO BE NON-PHOTOCHEMICALLY REACTIVE ON BILLS OF LADING OR INVOICES.
2. THE TOTAL QUANTITY OF COATINGS AND SOLVENTS USED IN THIS EQUIPMENT MUST NOT EXCEED 15 GALLONS IN ANY ONE DAY OR 3 GALLONS IN ANY ONE HOUR.

This initial permit must be renewed by 10/1/82 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

*Maria D. Cruz*

BY

PERMIT SECTION

DATE

10/15/81

~~SCAPCD029~~ ~~80000-a-8415~~

VOID UNLESS VALIDATED



# PERMIT to OPERATE

M 18418

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: *Plaskon Electronic Materials Inc 10/23/83*  
~~PLASKON PRODUCTS, INCORPORATED~~  
EQUIPMENT LOCATED AT: 12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C625321  
PREVIOUS PERMIT NO.  
M 00883

EQUIPMENT DESCRIPTION AND CONDITIONS:

ROLL MILL NO. 5, THROPP, MODEL NO. T-2563, 12" DIA. X 24" L., 30-H.P.

\*\*\*C O N D I T I O N\*\*\*

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by JULY 1, 1982 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

5 LAPC0023      2500:a 3065

VOID UNLESS VALIDATED

EXECUTIVE OFFICER  
*Anna I Cruz*  
BY PERMIT SECTION  
DATE OCT 7 '81

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 17810

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

*Plaskon Electronic Materials Inc 12/83*

~~PLASKON PRODUCTS, INCORPORATED~~

APPL. NO. C-25344

EQUIPMENT  
LOCATED AT:

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

PREVIOUS PERMIT NO.  
P 37088

EQUIPMENT DESCRIPTION AND CONDITIONS:

STORAGE TANK, UNDERGROUND, 7'-11" DIA. X 20'-1" L., 7,500-GALLONS.

### C O N D I T I O N

THIS TANK MUST NOT BE USED TO STORE A PETROLEUM DISTILLATE HAVING A REID VAPOR PRESSURE OF 3.9 POUNDS OR GREATER.

This initial permit must be renewed by 4/1/82 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

SCAPCD101

2500:a 8125

EXECUTIVE OFFICER

*Maria D. Cruz*

BY PERMIT SECTION

DATE 10/12/81

VOID UNLESS VALIDATED

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 18417

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: *Plaskon Electronic Materials Inc 10/23/83*  
~~PLASKON PRODUCTS, INCORPORATED~~  
EQUIPMENT LOCATED AT: 12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C-25322  
PREVIOUS PERMIT NO.  
M 00885

EQUIPMENT DESCRIPTION AND CONDITIONS:

VIBRATING SCREEN, SWECO, MODEL GO-5, 1/4-H.P.  
**\*\*\*CONDITION\*\*\***

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE AIR POLLUTION CONTROL OFFICER.

This initial permit must be renewed by JULY 1, 1982  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

*Marie J. Cruz*

BY PERMIT SECTION

DATE

*11/5/81*

00RPL0029

2500:a 8066

VOID UNLESS VALIDATED

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 24708

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

*Plaskon Electronic Materials Inc 10/83*  
~~PLASKON PRODUCTS, INC.~~  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. C-36253

EQUIPMENT  
LOCATED AT:

12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

MIXER, BAKER-PERKINS, SERIAL NO. 39227, 4'-4" W. X 3'-8" L. X 3'-10" H., WITH A 25 H.P. DRIVE AND A 2 1/2 H.P. TILTERS.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by 5/1/83  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

*Maria J. Cruz*

BY

DATE

MAY 27 '82

SCAQMD 017

230000a 8278

VOID UNLESS VALIDATED

FILE COPY





SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41871

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125293  
PREVIOUS PERMIT NO. M17803

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACOILAIRE, MODEL 860-U, 860 SQ. FT. FILTER AREA, WITH A 3/4 H.P. SHAKER.
2. EXHAUST SYSTEM WITH A 10 H.P. BLOWER VENTING A GRINDING SYSTEM, TWO WEIGH TABLES AND A FILLING STAND.

FILE COPY

This initial permit must be renewed by 02/10 ANNUALLY  
(Rule 301 f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

XXXXXXXXXX



# PERMIT to OPERATE

M 41872

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125294  
PREVIOUS PERMIT NO. M17791

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACOLAIRE, MODEL 5-800SW, 4000 SQ. FT. FILTER AREA, WITH A 3/4 H.P. SHAKER AND A 1 H.P. DISCHARGE SCREW.
2. EXHAUST SYSTEM WITH A 30 H.P. BLOWER VENTING TWO ROLL MILLS, TWO GRINDERS, A GRINDING SYSTEM, ONE SCREEN, FOUR MIXERS, A DISPENSER, A DRUM CLEANING STATION, A CART HANDLING STATION.

FILE COPY

This initial permit must be renewed by 02/18 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER  
BY VIRGINIA MOY *Wm*  
DATE 12/19/84

XXXXXXXXXX



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41873

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125295  
PREVIOUS PERMIT NO. M17805

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACE CO., 9600 SQ. FT. FILTER AREA, WITH TWO 3/4 H.P. SHAKERS AND A 2 H.P. DISCHARGE SCREW.
2. EXHAUST SYSTEM WITH 2X40 H.P. BLOWERS VENTING A ROLL MILL, A DISPERSER, A CART HANDLING STATION, A GRINDING SYSTEM, TWO MIXERS, TWO WORK BENCHES, EIGHT TESTPRESSES, AND A WORK TABLE.

FILE COPY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

XXXXXXXXXX



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41874

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125296  
PREVIOUS PERMIT NO. M18405

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACOLAIRE, MODEL 9-600, 5400 SQ. FT. FILTER AREA, WITH 3/4 H.P. SHAKER AND A 2 H.P. SCREW CONVEYOR.
2. EXHAUST SYSTEM WITH 50 H.P. BLOWER VENTING A MIXER, A GRINDER, A SPEED STIRRER, MATERIAL PROCESSING TABLE, DRUM CLEANING STATION, GRANULATION CLASSIFYING SYSTEM AND A ROLL MILL.

FILE COPY

This initial permit must be renewed by  
(Rule 301 f) not received by expiration date, contact office above

02/10 ANNUAL

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY *Wm*

DATE 12/19/84

XXXXXXXXXX



# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41875

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LUS ANGELES, CALIFORNIA

APPL. NO. 125297  
PREVIOUS PERMIT NO. M39498

## EQUIPMENT DESCRIPTION AND CONDITIONS:

## AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACOLAIRE, 7200 SQ. FT. FILTER AREA, WITH 2 H.P. SCREW CONVEYORS AND 2 X 3/4 H.P. SHAKERS.
2. EXHAUST SYSTEM WITH 2 X 30 HP BLOWERS VENTING A MIXER, A ROLL MILL, A GRINDING AND CLASSIFYING SYSTEM, 2 CART ENCLOSURES, A WORK TABLE, A TEST PRESS, A DRUM FILLING HOOD AND A BALL MILL.

FILE COPY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 39498  
M39498

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS, INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 117922 M39498  
PREVIOUS PERMIT NO. M18412

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACOLAIRE, 7,200 SQ. FT. FILTER AREA, WITH A 2 H.P. DUST SCREW CONVEYOR, AND TWO 3/4 SHAKERS.
2. EXHAUST SYSTEM, WITH TWO 30 H.P. BLOWERS VENTING A MIXER, A BALL MILL, A ROLL MILL, A GRINDING AND CLASSIFYING SYSTEM, WITH TWO CART ENCLOSURES, A TEST PRESS, AND A DRUM FILLING HOOD.

FILE COPY

PAGE 1 OF 2 PAGES

This initial permit must be renewed by 02/16/85 unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 07/19/84

XXXXXXXXXX

VOID UNLESS VALIDATED

M 39498

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

APPL. NO. 117922

CONTINUATION OF PERMIT NO. \_\_\_\_\_  
(MUST BE DISPLAYED WITH PERMIT)

**-CONDITION-**

THIS EQUIPMENT MUST NOT BE USED TO VENT MORE THAN A MIXER, A BALL MILL, A ROLL MILL, A GRINDING AND CLASSIFYING SYSTEM, TWO CART ENCLOSURES, A TEST PRESS AND A DRUM FILLING STATION AT ANY ONE TIME.



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41870

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE

APPL. NO. 125292

PREVIOUS PERMIT NO. M17804

EQUIPMENT  
LOCATED AT:

LOS ANGELES, CALIFORNIA

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ACOLAIRE, MODEL 300-U, 300 SQ. FT. FILTER AREA, SERIAL NO. M6518 WITH A 1/2 H.P. SHAKER.
2. EXHAUST SYSTEM WITH A 3 H.P. BLOWER, VENTING TWO BLENDING SYSTEMS.

FILE COPY

This initial permit must be renewed by 02/10 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

XXXXXXXXXX





# PERMIT to OPERATE

M 41878

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125300  
PREVIOUS PERMIT NO. M39499

EQUIPMENT LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:  
BALL MILL, PATTERSON CO., 44.25" DIA. X 49.75" L., 5 H.P.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

02/16 ANNUALLY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY *WM*  
DATE 12/19/84

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41869

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125291  
PREVIOUS PERMIT NO. M18411

EQUIPMENT DESCRIPTION AND CONDITIONS:

AIR POLLUTION CONTROL SYSTEM CONSISTING OF:

1. BAGHOUSE, ICA-REES, MODEL 2-600, 1200 SQ. FT. FILTER AREA; WITH 3/4 H.P. SHAKER.
2. EXHAUST SYSTEM WITH A 10 H.P. BLOWER, VENTING TWO BLENDING SYSTEMS.


FILE COPY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY   
DATE 12/19/84



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41849

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS, INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125271  
PREVIOUS PERMIT NO. M17802

EQUIPMENT DESCRIPTION AND CONDITIONS:

MIXER, BAKER PERKINS, 100 GALLON CAPACITY, WITH A 25 H.P. MOTOR, SERIAL NO. 48582.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by 02/10 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41868

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:  
  
EQUIPMENT  
LOCATED AT:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125290  
PREVIOUS PERMIT NO. M17797

EQUIPMENT DESCRIPTION AND CONDITIONS:

BLENDING SYSTEM CONSISTING OF:

1. BLENDER, PATTERSON CO., 100 CU. FT., 15 H.P.
2. CHARGE HOPPER, COLSON EQUIP. CO., MODEL DU-87, 3/4 H.P.
3. CLASSIFIER, SWECO, MODEL LS-80, 1/4 H.P.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

02/16 ANNUALLY

This initial permit must be renewed by \_\_\_\_\_ unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

XXXXXXXXXX

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41867

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125289  
PREVIOUS PERMIT NO. M17806

EQUIPMENT LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

BLENDING SYSTEM CONSISTING OF:

1. BLENDER, GENERAL MACHINE CO., 54 CU. FT., 7-1/2 H.P.
2. DRUM LOADER, CESCO, MODEL E-J-10-5-4, 3/4 H.P.
3. CLASSIFIER, SWECO, MODEL LS-18, 1/4 H.P.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

02/16 ANNUALLY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41853

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR.

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125275  
PREVIOUS PERMIT NO. M17790

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

GRINDER, FITZPATRICK, MODEL D-12, 20 H.P.

FILE COPY

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by

02/18 ANNUALLY

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

(Rule 301.f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY

VIRGINIA MOY 

DATE

12/19/84

XXXXXXXXXX



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41866

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125288  
PREVIOUS PERMIT NO. M17807

EQUIPMENT  
LOCATED AT:  
EQUIPMENT DESCRIPTION AND CONDITIONS:  
GRINDER NO. 1, FITZPATRICK, MODEL D-12, 20 H.P.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.


02/16 ANNUALLY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY   
12/19/84

DATE

FILE COPY



# PERMIT to OPERATE

M 41876

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125298  
PREVIOUS PERMIT NO. M17800

EQUIPMENT DESCRIPTION AND CONDITIONS:  
GRINDING SYSTEM CONSISTING OF:  
1. CRUSHER, L.E. HOWARD, 2 H.P.  
2. GRINDER, FITZPATRICK, MODEL D-12, 20 H.P.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

02/16 ANNUALLY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER  
BY VIRGINIA MOY *VM*  
DATE 12/19/84

FILE COPY





SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41851

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125273  
PREVIOUS PERMIT NO. M18419

EQUIPMENT DESCRIPTION AND CONDITIONS:

GRINDER, FITZPATRICK, MODEL D-6, 5 H.P.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by 02/10 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY

DATE 12/19/84

XXXXXXXXXX

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41857

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125279  
PREVIOUS PERMIT NO. M18416

EQUIPMENT LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

MIXING SYSTEM CONSISTING OF:

1. DISPERSER, 2'-10" DIA. X 4'-0" H., 15 H.P.
2. RIBBON MIXER NO. 1, 200 GALLON CAPACITY, 25 H.P.
3. RIBBON MIXER NO. 2, 200 GALLON CAPACITY, 25 H.P.

-CONDITION-

WHENEVER PHOTCHEMICALLY REACTIVE SOLVENTS ARE USED IN THIS EQUIPMENT, THE ORGANIC MATERIALS DISCHARGED INTO THE ATMOSPHERE MUST NOT EXCEED 39.8 POUNDS IN ANY ONE DAY NOR 7.9 POUNDS IN ANY ONE HOUR UNLESS SUCH DISCHARGE IS CONTROLLED TO COMPLY WITH RULE 442.

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41860

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125282  
PREVIOUS PERMIT NO. M17801

EQUIPMENT DESCRIPTION AND CONDITIONS:  
MIXER, BAKER PERKINS, NO. 31, 15 H.P. SERIAL NO. 38763.

-CONDITION-


THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by 02/18 ANNUALLY unless the equipment is moved, or changes ownership if billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41863

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125285  
PREVIOUS PERMIT NO. M18404

EQUIPMENT DESCRIPTION AND CONDITIONS:  
MIXER, BAKER PERKINS, 200 GAL. CAPACITY WITH 2 H.P. TILT, AND 15 H.P. DRIVE.

-CONDITION-

WHENEVER PHOTCHEMICALLY REACTIVE SOLVENTS ARE USED IN THIS EQUIPMENT, THE ORGANIC MATERIALS DISCHARGED INTO THE ATMOSPHERE MUST NOT EXCEED 39.8 POUNDS IN ANY ONE DAY NOR 7.9 POUNDS IN ANY ONE HOUR UNLESS SUCH DISCHARGE IS CONTROLLED TO COMPLY WITH RULE 442.

02/16 ANNUALLY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER  
BY VIRGINIA MOY  
DATE 12/19/84

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41854

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125276  
PREVIOUS PERMIT NO. M24708

EQUIPMENT DESCRIPTION AND CONDITIONS:

MIXER, BAKER PERKINS, 4'-4" W. X 3'-8" L. X 3'-10" H., SERIAL NO. 39227, WITH 25 H.P. DRIVE AND A 2-1/2 H.P. TILTER.

FILE COPY

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by 02/16 ANNUALLY  
(Rule 301 f) not received by expiration date, contact office above

unless the equipment is moved, or changes ownership If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY *Wm*

DATE 12/19/84

XXXXXXXXXX



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41859

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125281  
PREVIOUS PERMIT NO. M17796

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

PLASTIC MOLDING COMPOUND GRANULATING AND CLASSIFYING SYSTEM CONSISTING OF:

1. GRINDER, FITZPATRICK CO., MODEL F-12, 20 H.P.
2. SHEET BREAKER, VAN AALST, 2-1/2 H.P.
3. CLASSIFIER, SWECO, MODEL LS-30, 1/2 H.P.
4. RECYCLE CONVEYOR, 3 H.P.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

02/16 ANNUALLY

This initial permit must be renewed by

(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY

VIRGINIA MOY 

DATE

12/19/84

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41862

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125284

PREVIOUS PERMIT NO. M17799

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

PLASTIC MOLDING COMPOUND GRANULATING AND CLASSIFYING SYSTEM CONSISTING OF:

1. GRINDER, FITZPATRICK CO., MODEL F-12, 15 H.P.
2. SHEET BREAKER, VAN AALST, 2-1/2 H.P.
3. CLASSIFIER, SWECO, MODEL LS-30, 1/2 H.P.
4. RECYCLE CONVEYOR, 3 H.P.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by

02/10 ANNUALLY

unless the equipment is moved, or changes ownership. If billing for annual renewal fee

(Rule 301 f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

XXXXXXXXXX

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41865

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:  
  
EQUIPMENT  
LOCATED AT:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125287  
PREVIOUS PERMIT NO. M18466

**EQUIPMENT DESCRIPTION AND CONDITIONS:**

PLASTIC MOLDING COMPOUNDS GRINDING AND CLASSIFYING SYSTEM CONSISTING OF:

1. SHEET BREAKER, VAN AALST, MODEL NO. 2, 2-1/2 H.P.
2. GRINDER, FITZPATRICK, MODEL F-12, 20 H.P.
3. CLASSIFIER, SWECO, 1/2 H.P.
4. PNEUMATIC CONVEYOR WITH TWO VAC-U-MAX HOPPER FEEDERS, 5 H.P.

-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by 02/18 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

FILE COPY





SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41856

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125278  
PREVIOUS PERMIT NO. M17360

EQUIPMENT DESCRIPTION AND CONDITIONS:

- PLASTIC MOLDING COMPOUND GRANULATING AND CLASSIFYING SYSTEM CONSISTING OF:
1. SHEET BREAKER, VAN AALST, MODEL NO. 2, 2-1/2 H.P.
  2. GRINDER, FITZPATRICK, MODEL F-12, 15 H.P.
  3. CLASSIFIER, SWECO, MODEL LS-30, 1/2 H.P.


-CONDITION-

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

XXXXXXXXXX

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41855

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT  
LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125277  
PREVIOUS PERMIT NO. M17395

EQUIPMENT DESCRIPTION AND CONDITIONS:

ROLL MILL, THRUPP, 31 H.P., SERIAL NO. 1662.

-CONDITION-

WHENEVER PHOTCHEMICALLY REACTIVE SOLVENTS ARE USED IN THIS EQUIPMENT, THE ORGANIC MATERIALS DISCHARGED INTO THE ATMOSPHERE MUST NOT EXCEED 39.8 POUNDS IN ANY ONE DAY NOR 7.9 POUNDS IN ANY ONE HOUR UNLESS SUCH DISCHARGE IS CONTROLLED TO COMPLY WITH RULE 442.

This initial permit must be renewed by 02/18 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY

DATE 12/19/84

XXXXXXXXXX

FILE COPY



# PERMIT to OPERATE

M 41858

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125280  
PREVIOUS PERMIT NO. M18414

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

ROLL MILL, RUBBER EQUIPMENT CO., 1'-4" DIA. X 3'-6" L., 75 H.P., SERIAL NO. 1114.

-CONDITION-

WHENEVER PHOTCHEMICALLY REACTIVE SOLVENTS ARE USED IN THIS EQUIPMENT, THE ORGANIC MATERIALS DISCHARGED INTO THE ATMOSPHERE MUST NOT EXCEED 39.8 POUNDS IN ANY ONE DAY NOR 7.9 POUNDS IN ANY ONE HOUR UNLESS SUCH DISCHARGE IS CONTROLLED TO COMPLY WITH RULE 442.

02/16 ANNUALLY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

XXXXXXXXXX

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41861

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125283  
PREVIOUS PERMIT NO. M17798

EQUIPMENT  
LOCATED AT.

EQUIPMENT DESCRIPTION AND CONDITIONS:

ROLL MILL, STEWARD BOLLING, 100 H.P.

**-CONDITION-**

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

02/16 ANNUALLY

This initial permit must be renewed by  
(Rule 301.f) not received by expiration date, contact office above.

unless the equipment is moved, or changes ownership If billing for annual renewal fee

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY

VIRGINIA MOY 

DATE

12/19/84

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41864

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125286  
PREVIOUS PERMIT NO. M18467

EQUIPMENT DESCRIPTION AND CONDITIONS:

ROLL MILL, S.C. CARTER CO., 42' L., 75 H.P.

-CONDITION-

WHENEVER PHOTCHEMICALLY REACTIVE SOLVENTS ARE USED IN THIS EQUIPMENT, THE ORGANIC MATERIALS DISCHARGED INTO THE ATMOSPHERE MUST NOT EXCEED 39.8 POUNDS IN ANY ONE DAY NOR 7.9 POUNDS IN ANY ONE HOUR UNLESS SUCH DISCHARGE IS CONTROLLED TO COMPLY WITH RULE 442.

This initial permit must be renewed by 02/10 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY *Wm*

DATE 12/19/84

XXXXXXXXXX

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41850

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125272  
PREVIOUS PERMIT NO. M18418


EQUIPMENT DESCRIPTION AND CONDITIONS:  
ROLL MILL, THRUPP, MODEL T-2563, 12" DIA. X 24" L., 30 H.P.

**-CONDITION-**

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

This initial permit must be renewed by 02/10 ANNUALLY unless the equipment is moved, or changes ownership if billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER  
BY VIRGINIA MOY   
DATE 12/19/84

XXXXXXXXXX

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

M 41877

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
LOS ANGELES, CALIFORNIA

APPL. NO. 125299  
PREVIOUS PERMIT NO. M17810

EQUIPMENT  
LOCATED AT:

EQUIPMENT DESCRIPTION AND CONDITIONS:

STORAGE TANK, UNDERGROUND, 7'-11" DIA. X 20'-1" L., 7500 GAL. CAPACITY.

**-CONDITION-**

THIS TANK MUST NOT BE USED TO STORE A PETROLEUM DISTILLATE HAVING A REID VAPOR PRESSURE OF 3.9 POUNDS OR GREATER.

02/16 ANNUALLY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301.f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

XXXXXXXXXX

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY *Wm*

DATE 12/19/84

FILE COPY



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 41852

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER OR OPERATOR: PLASKON ELECTRONIC MATERIALS INC.  
12270 NEBRASKA AVENUE  
EQUIPMENT LOCATED AT: LOS ANGELES, CALIFORNIA

APPL. NO. 125274  
PREVIOUS PERMIT NO. M18417

EQUIPMENT DESCRIPTION AND CONDITIONS:  
VIBRATING SCREEN, SWECO, MODEL GO-5, 1/4 H.P.

**-CONDITION-**

THIS EQUIPMENT MUST NOT BE OPERATED UNLESS IT IS VENTED ONLY TO AIR POLLUTION CONTROL EQUIPMENT WHICH IS IN FULL USE AND WHICH HAS BEEN ISSUED AN OPERATING PERMIT BY THE EXECUTIVE OFFICER.

FILE COPY

This initial permit must be renewed by 02/18 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY 

DATE 12/19/84

XXXXXXXXXX





SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

M 45216

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR:

PLASKON ELECTRONIC MATERIALS, INCORPORATED

APP. NO. 132003

12270 NEBRASKA AVENUE

PREVIOUS PERMIT NO. M-41877

EQUIPMENT  
LOCATED AT:

LUS ANGELES, CALIFORNIA 90025

EQUIPMENT DESCRIPTION AND CONDITIONS:

STORAGE TANK, UNDERGROUND, 8'-0" DIA. X 22'-1" L., 8000 GALLONS.

-CONDITION-

THIS TANK MUST NOT BE USED TO STORE A PETROLEUM DISTILLATE HAVING A REID VAPOR PRESSURE OF 3.9 POUNDS OR GREATER.

FILE COPY

This initial permit must be renewed by 02/16 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual renewal fee (Rule 301 f) not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

J. A. STUART  
EXECUTIVE OFFICER

BY VIRGINIA MOY *JMM*

DATE 08/09/85

XXXXXXXXXX

***South Coast Air Quality Management Division  
(SCAQMD)  
12300 Nebraska Avenue***

Information Management  
Public Records Unit

Direct Dial (909) 396-3700  
Fax:(909) 396-3330

**COMPLETION LETTER**

**August 17, 2018**

SUSAN SMITH  
DUDEK  
3544 UNIVERSITY AVE.  
RIVERSIDE, CA 92501

**Ref.: CONTROL NO. 96436**  
Received 8/7/2018

Re: P/O'S, EQL'S, NOV'S, ASBESTOS RECORDS, & COMPLIANCE ISSUES FOR LA DPW/WEST LA DISTRICT HEADQUARTERS, 12300 NEBRASKA AVE., LOS ANGELES, CA.

After a thorough search of this agency's records, the following records were found:  
P/O'S, EQL'S, NOV'S, & ASBESTOS RECORDS FOR LA DPW/WEST LA DISTRICT HEADQUARTERS, 12300 NEBRASKA AVE., LOS ANGELES, CA.

The following records were not found:  
COMPLIANCE ISSUES FOR LA DPW/WEST LA DISTRICT HEADQUARTERS, 12300 NEBRASKA AVE., LOS ANGELES, CA.

YOUR REQUESTED RECORDS WERE PROVIDED ELECTRONICALLY ON 08/17/2018

If you have any questions, please do not hesitate to contact me, Tuesday through Friday, **8:00 a.m. to 4:30 p.m.**

Sincerely,

STACEY WALKOWIAK x2383  
For COLLEEN PAINE  
Public Records Coordinator

:SW



CK# 15607

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
NOTIFICATION OF DEMOLITION OR ASBESTOS REMOVAL

#1743609

MAIL FORM AND FEE TO SCAQMD, ASBESTOS NOTIFICATIONS, FILE # 55641, LOS ANGELES CA 90074-5641

AQMD USE ONLY		SCREEN BY	RECEIVED	POSTMARK 9/19	ENTERED BY	NOTIFICATION #	
COMPLETED BY R. CAMPOS		COMPANY L.A. DEPT. OF WATER & POWER			PHONE 213-367-4707		30
DATE: 9-14-07	CHECK # 25671	FEE \$ 43.02		PROJECT # LRN 47			
NOTIFICATION TYPE	ORIGINAL	REVISION DATES	REVISION OTHER (highlight)		CANCELLATION		
PROJECT TYPE	DEMOLITION	ORDERED DEMOLITION	RENOVATION (removal)		EMERGENCY REMOVAL	PLANNED RENO (annual)	
SITE INFORMATION	SITE NAME: WEST LOS ANGELES SERVICE CENTER						
SITE ADDRESS	12300 NEBRASKA AVENUE			CROSS STREET WELLESLEY AVE.			
CITY LOS ANGELES	STATE CA	ZIP 90025	COUNTY LOS ANGELES				
DESCRIBE WORK AND LOCATION	FLOORTILE MASTIC REMOVAL AT FIRST FLOOR						
BUILDING SIZE (SQ FT) 5,000	NUMBER OF FLOORS 1		BUILDING AGE (YEARS) 40+		NUMBER OF DWELLING UNITS		
BLDG PRIOR / PRESENT USE	COMMERCIAL	HOSPITAL	INDUSTRIAL	Other OFFICE	PUBLIC BLDG.	HOUSE	SCHOOL SHIP UNIV/COLLEGE
SITE OWNER L.A. DEPT. OF WATER & POWER	ADDRESS 111 N. HOPE STREET						
CITY LOS ANGELES	STATE CA	ZIP 90012	CONTACT ROBERT MARTINEZ		PHONE 213-792-5906		
REQUIRED BUILDING INFORMATION	ASBESTOS PRESENT? YES NO	ASBESTOS SURVEY? YES NO	ASBESTOS REMOVED? YES NO	BUILDING TO BE DEMOLISHED? YES NO			
PROJECT DATES	START -10 2-07		END 10-5-07		WORK SHIFT ( 7 am - 3:30 pm )		
*ASBESTOS AMOUNT TO BE REMOVED (in square feet)	FRIABLE	CLASS I 400	CLASS II	TOTAL AMOUNT (add row) 400			
*ASBESTOS REMOVAL FROM	SURFACES		PIPES	COMPONENTS			
*AMOUNT OF EACH TYPE OF ASBESTOS (in square feet)	ACOUSTIC CEILING	LINOLEUM	INSULATION	FIRE PROOFING	DUCTING	STUCCO	MASTIC 400
FLOOR TILES (VAT)	DRY WALL	PLASTER	TRANSITE	ROOFING	OTHER (describe)		
CONTRACTOR INFORMATION	CSLB LICENSE # NA		OSHA REG # 222		AQMD ID # 44758		
NAME OWNER	ADDRESS						
CITY	STATE	ZIP	SITE SUPVR ROBERT MARTINEZ		PHONE 213-792-5906		
WASTE TRANSPORTER #1 CLEAN HARBORS	LANDFILL CLEAN HARBORS - BUTTONWILLOW						
ADDRESS 5756 ALBA STREET	ADDRESS 2500 W. LOKERN ROAD						
CITY LOS ANGELES	STATE CA	ZIP 90056	CITY BUTTONWILLOW		STATE CA	ZIP 93206	

\* Not required for demolition notifications 1 asbestos surveys are required prior to Demolition and Renovation.  
Forms, instructions, and Rule 1403 can be obtained from AQMD web site <http://www.aqmd.gov>

**SCAQMD NOTIFICATION OF DEMOLITION OR ASBESTOS REMOVAL**

MAIL FORM AND FEE TO SCAQMD, ASBESTOS NOTIFICATIONS, FILE # 55641, LOS ANGELES CA 90074-5641

<b>WASTE TRANSPORTER #2</b>			<b>* WASTE STORAGE SITE</b>		
ADDRESS			ADDRESS		
CITY	STATE	ZIP	CITY	STATE	ZIP
<p><b>* CONTROLS:</b> DESCRIBE WORK PRACTICES AND CONTROLS TO BE USED AT THE RENOVATION AND DEMOLITION SITE. Procedure # <u>1</u>, 2, 3, 4, 5 or Other.</p> <p>For asbestos removals circle the combination of Rule 1403 procedures used. Procedure 4 and 5 submit plans for AQMD prior approval (See procedure 4/5 guidelines)</p>					
<p><b>* ASBESTOS DETECTION PROCEDURE:</b> CIRCLE THE PROCEDURES AND ANALYTICAL METHODS USED TO DETERMINE ASBESTOS IN THE BUILDING: Survey, <u>Bulk Sampling</u>, Inspection, <u>PLM</u>, PCM, TEM, Assumed as Asbestos-PACM, Describe Other (See survey guidelines checklist):</p>					
FOR <b>DEMOLITIONS</b> GIVE THE COMPANY NAME AND DATES OF THE ASBESTOS REMOVAL:					
FOR <b>ORDERED DEMOLITION</b> SEND A COPY OF THE ORDER AND GIVE THE AGENCY NAME & PHONE #					
AUTHORIZING PERSON:			TITLE		
DATE OF ORDER:			DATE ORDERED TO BEGIN:		
<p><b>* FOR EMERGENCY ASBESTOS REMOVAL</b> GIVE THE NAME AND PHONE NUMBER OF THE PERSON DECLARING/AUTHORIZING THE EMERGENCY, DATE AND HOUR OF EMERGENCY AND DESCRIBE THE SUDDEN, UNEXPECTED EVENT:</p> <p>EXPLAIN HOW THE EVENT WOULD CAUSE UNSAFE CONDITIONS, EQUIPMENT DAMAGE OR UNREASONABLE FINANCIAL BURDEN:</p>					
<p><b>CONTINGENCY PLAN:</b> DESCRIBE ACTIONS TO BE FOLLOWED IF UNEXPECTED ASBESTOS IS FOUND DURING DEMOLITION OR ASBESTOS MATERIAL BECOME DISTURBED, CRUMBLLED, PULVERIZED, OR REDUCED TO POWDER. <u>ALL MATERIALS REMOVED ASSUMED TO BE ASBESTOS</u></p>					
<p><b>* TRAINING CERTIFICATION:</b> I certify that an individual trained in the provisions of regulation AQMD Rule 1403 and NESHAP will be on site during the removal and evidence that the required training has been accomplished by this person will be available for inspection during normal business hours.</p>					
Company Name <u>OWNER</u>	Print name of owner/operator <u>ROBERT MARTINEZ</u>	Signature of owner/operator <i>Robert Martinez</i>	Title of owner/operator <u>SUPR, ISS INSULATORS</u>	Date <u>9/14/07</u>	
<p><b>INFORMATION CERTIFICATION:</b> I certify that the above information is correct and I have enclosed any required attachments.</p>					
Company Name <u>OWNER</u>	Print name of owner/operator <u>BRUCE M. MOORE</u>	Signature of owner/operator <i>Bruce M Moore</i>	Title of owner/operator <u>SUPR, AIR QUALITY</u>	Date <u>9/14/07</u>	
<p>Notifications can not be accepted without the required fee (<b>Rule 301</b>). Asbestos removals of less than 100 square feet are exempt from notification and fees. Please make checks payable to "SCAQMD". Fees are per notification, not refundable, and vary according to the project size. Fees are as follows:</p>					
PROJECT SIZE in ft <sup>2</sup>	DEMOLITION OR REMOVAL	ADDITIONAL SERVICE CHARGE			
1,000 or less -----	<b>\$ 43.02</b> -----	Special Handling Fee --- \$ 43.02			
1,001 to 5,000 -----	\$ 131.53 -----	Revision to Notification-- \$ 43.02			
5,001 to 10,000 -----	\$ 307.86 -----	Returned Check Fee --- \$ 31.97			
10,001 to 50,000 -----	\$ 482.74 -----	Planned Renovation ---- \$ 482.74			
50,001 to 100,000 ----	\$ 600.00 -----	Procedure 4 or 5 Plan--- \$ 482.74			
100,001 or more -----	\$ 1,166.00 -----				
<p><b>ATTENTION:</b> Keep a copy of your notification. State law requires that you provide a copy of the demolition notification to Building and Safety before issuance of a demolition permit. For questions call 909-396-2336. Please mail the form and fee to AQMD. Mailing saves time, money and reduces traffic and air pollution</p>					

MAIL FORM AND FEE TO: SCAQMD, ASBESTOS NOTIFICATIONS, FILE # 55641, LOS ANGELES CA 90074-5641

TELEPHONE: (909) 396-2336 FAX: (909) 396-3342

FORMS, INSTRUCTIONS, AND RULE 1403 CAN BE OBTAINED FROM AQMD WEB SITE AT <http://www.aqmd.gov>


SCAQMD is located at 21865 Copley Drive, Diamond Bar, CA 91765-4182 (909) 396-2000

# South Coast Air Quality Mgmt.

TR# 122000661 Acct# 1459880106 Ser# 1567

Batch 1 Item 30 Batch Total \$4,257.39

Check



## LAC-055641

Ledger Date 09/20/2007

TID Y-4149030

Amount \$43.02

**Bank of America**  
File 8001  
Los Angeles, CA 90074-8001  
LOCKBOX SERVICES - LA



DEPARTMENT OF WATER AND POWER SAFETY, HEALTH & ENVIRONMENT PROT. LOS ANGELES, CALIFORNIA		BANK OF AMERICA LOS ANGELES, CALIFORNIA 18-09/1220 CA 01900		1567
PAID TO THE ORDER	SCAQMD	Date	9-18-07	
Forty-three 02/100*****		\$	43.02	DOLLARS
Memo Asbestos rsvl		30	<i>Mal J. Rodden</i>	
⑆ 122000661 ⑆ 1567 ⑆ 1459880106 ⑆				

# Department of Water & Power

CITY OF LOS ANGELES

PO BOX 51111 • LOS ANGELES, CALIFORNIA 90051-5700  
BRUCE M. MOORE, RM. 1050  
ENVIRONMENTAL AFFAIRS

PRESORTED  
FIRST CLASS




\$ 00.341

02 1A  
0004631164 SEP 19 2007

MAILED FROM ZIP CODE 90012

|||||  
SOUTH COAST AQMD  
ASBESTOS NOTIFICATIONS  
FILE # 55641  
LOS ANGELES, CA 90074-5641

H8810R1 90074





OK # 2034

431333



South Coast Air Quality Management District
21865 Copley Drive, Diamond Bar, CA 91765-4182
Phone: (909)396-2336 (www.aqmd.gov)

USPS-Mail Form and Fee To:

SCAQMD
PO Box 55641
Los Angeles, CA 90074-5641

All Others-Mail Form and Fee To:

Bank of America Lockbox Services
Lockbox # 55641
2706 Media Center Drive
Los Angeles, CA 90065

Rule 1403 Form Notification of Demolition or Asbestos Removal

Fax these type of Notification Forms to (909)396-3342 and mail the originals within 48 hrs

Project Type: DEMOLITION (Fire Training), ASBESTOS REMOVAL (Renovation), PLANNED RENO (Annual), PROCEDURE 4 PLAN, PROCEDURE 5 PLAN, Project Urgency, EMERGENCY, ORDERED

Notification Type: ORIGINAL, CANCELLATION, REVISION AMOUNT, REVISION DATES, REVISION OTHER

Contractor Information: Notifications should be submitted by the contractor performing the project. CSLB License Exempt, Cal OSHA REG 222, AQMD ID 44758, CHECK, FEE \$ 57.98, DATE 04/21/2016, PROJECT # LCR09. Company Name Department of Water and Power - City of Los Angeles, List Site Supervisor(s) Cary Lewis, Address 111 North Hope Street, City Los Angeles, State CA, Zip 90012, Completed by Dat Quach, Phone (213) 367-4697

Site Information: Copies of this notification and the CAC asbestos survey report must be kept at the worksite during this project. Site Name LADWP West Los Angeles Service Center, Site Address 12300 Nebraska Avenue, Cross Street South Bundy Drive, Site City Los Angeles, State CA, Zip 90025, County Los Angeles, Site Owner Department of Water and Power - City of Los Angeles, Contact Cary Lewis, Phone (213) 792-8375, Owner Address 111 North Hope Street, City Los Angeles, State CA, Zip 90012, Describe Work Removal of Vinyl Floor tiles and mastics, Describe Work Location (s) Street Light Office, Removal Project Start Date 05/09/2016, Removal Project End Date 05/13/2016, Project Work Shift Day, Swing, Night, BUILDING SIZE in sq ft 1200.00, Number of Floors 1, Building Age (Years) 60, Number of Buildings or Dwelling Units 8, Building Prior Present Use SCHOOL, HOSPITAL, CONDO/APT, PUBLIC BLDG, INDUSTRIAL, COMMERCIAL, OFFICE, UNICOLLEGE, HOUSE, SHIP, OTHER Maintenance Yard, Required Building Information ASBESTOS SURVEY?, ASBESTOS FOUND?, ASBESTOS REMOVED?, BUILDING TO BE DEMOLISHED?

Asbestos Information: Do not provide this information in demolition notifications, see pg 2. Asbestos Amount to be Removed in sq ft, FRIABLE, CLASS I, CLASS II, TOTAL AMOUNT, Amount of Each Type of Asbestos, Type of Asbestos, Asbestos Removal From SURFACES, PIPES, COMPONENTS

Asbestos Detection Procedures: Check the procedures and analytical methods used to determine the presence of asbestos in the building. See Survey Checklist. SURVEY, BULK SAMPLING, INSPECTION, CAC ASSUMED AS ASBESTOS-PACM, PLM, PCM, TEM

Controls: Check the combination of Rule 1403 procedures used to control asbestos emissions. (Procedure 4 and 5 submit plans for AQMD prior approval) PROCEDURE NUMBER 1, 2, 3, 4, 5

Emergency Asbestos Removal: Check the sudden unexpected event and attach a letter from the person affected by the emergency explaining how this event caused unsafe conditions, equipment damage or unreasonable financial burden. For disturbed/damaged asbestos materials see Procedure 5 Guidelines.

FIRE FLOOD WATER DAMAGE EARTHQUAKE NUISANCE VANDALISM HEALTH/SAFETY FINANCIAL BURDEN EQUIPMENT DAMAGE OTHER

Name of Person Declaring/ Authorizing the Emergency, Date of Emergency, Hour of Emergency, Phone

AQMD USE ONLY: SCREENED BY, RECEIVED, POSTMARKED, ENTERED BY, NOTIFICATION #

Fees are per Notification and vary according to the TOTAL AMOUNT of asbestos removed or the demolition BUILDING SIZE

4/22/16





**South Coast Air Quality Management District**  
21865 Copley Drive, Diamond Bar, CA 91765-4182  
Phone: (909)396-2336 (www.aqmd.gov)

**Rule 1403 Form Notification of Demolition or Asbestos Removal**

USPS-Mail Form and Fee To:

SCAQMD  
PO Box 55641  
Los Angeles, CA 90074-5641

All Others-Mail Form and Fee To:

Bank of America Lockbox Services  
Lockbox # 55641  
2706 Media Center Drive  
Los Angeles, CA 90065

**Demolition Information:** All asbestos containing materials must be removed *prior* to any demolition activity

Asbestos Removal Company Name \_\_\_\_\_ Date of Asbestos Removal \_\_\_\_\_

Check work practices to prevent, suppress and contain dust, and dust controls to be used at the demolition site

SPRAY WATER  EXIT GRATES  TARP TRUCKS/BINS  FENCE SCREENS  STONE TRUCK PADS  TIRE WASHING  SOIL STABILIZERS  OTHER \_\_\_\_\_

Contingency Demolition Plan: Check actions to be followed if unexpected asbestos is found during demolition or asbestos material becomes disturbed, crumbled, pulverized or reduced to powder. Disturbed/Damaged ACM requires a Procedure 5 Plan Approval prior to clean-up ( See *Procedure 5 Guidelines*)

STOP WORK  NOTIFY OWNER  SECURE  STABILIZE  POST SIGNS  ISOLATE WORK AREA  SURVEY  CHARACTERIZE WASTE  OTHER \_\_\_\_\_

**Ordered Demolition:** Attach a copy of the agency order

Agency Name \_\_\_\_\_ Phone \_\_\_\_\_ Date of Order \_\_\_\_\_  
Authorizing Person \_\_\_\_\_ Title \_\_\_\_\_ Date Ordered to Begin \_\_\_\_\_

**Waste Information**

WASTE TRANSPORTER #1 Clean Harbors

Address 5756 Alba Street  
City Los Angeles State CA Zip 90056

WASTE STORAGE SITE LADWP West Los Angeles Service Center

Address 12300 Nebraska Avenue  
City Los Angeles State CA Zip 90025

WASTE TRANSPORTER #2 \_\_\_\_\_

Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

LANDFILL Clean Harbors - Buttonwillow

Address 2500 W. Lokem Rd.  
City Buttonwillow State CA Zip 93206

**Contractor Certification:** All contractors or owner/operator submitting this notification must sign this form

I certify that an individual trained in the provisions of regulations AQMD Rule 1403 and the Asbestos NESHAP Title 40 CFR Part 61 Subpart M will be on site during the demolition or renovation and evidence that the required training has been accomplished by this person will be available for inspection during normal business hours. I hereby certify that all of the information contained herein and information submitted with this notification is true and correct.

Company Name Department of Water and Power - City of Los Angeles Title of Owner/Operator Manager of Air Quality  
Print Name of Owner/Operator Dat Quach Signature of Owner/Operator DQuach Date 4/21/2016

**Notification Fee:** No notifications shall be considered received pursuant to Rule 1403, unless it is accompanied by the required payment (Rule 301, Table VI). Please make check payable to "SCAQMD". Fees are per notification and vary according to the <sup>2</sup>TOTAL AMOUNT of asbestos removed or the demolition <sup>2</sup>BUILDING SIZE. The Revision Amount fee is the difference between the new Project Size Fee category and the original Project Size Fee category (See *Fee Information*)

Project Size Fee: <b>\$ 57.98</b>	<b>Fee Based on Project Size (sq ft)</b>		<b>Additional Fees</b>	
Additional Fee: <b>\$ 0.00</b>	1,000 or less _____	\$ 57.98 <input checked="" type="checkbox"/>	Special Handling Fee _____	\$ 57.98 <input type="checkbox"/>
<b>Total Fee Due: \$ 57.98</b>	1,001 to 5,000 _____	\$ 177.28 <input type="checkbox"/>	Revision to Notification _____	\$ 57.98 <input type="checkbox"/>
	5,001 to 10,000 _____	\$ 414.99 <input type="checkbox"/>	Returned Check Fee _____	\$ 25.00 <input type="checkbox"/>
	10,001 to 50,000 _____	\$ 650.71 <input type="checkbox"/>	Planned Renovation _____	\$ 650.71 <input type="checkbox"/>
	50,001 to 100,000 _____	\$ 943.05 <input type="checkbox"/>	Procedure 4 or 5 Plan _____	\$ 650.71 <input type="checkbox"/>
	100,001 or more _____	\$ 1,571.74 <input type="checkbox"/>	Expedited 4 or 5 Plan _____	\$ 325.35 <input type="checkbox"/>

**Attention**

Keep Three (3) Copies of This Notification Form for your records, to post at the worksite, and to obtain a city demolition permit. See *California Health and Safety Code 19827.5* that requires that you provide a copy of the demolition notification to Building and Safety before issuance of a demolition permit. For questions call 909-396-2336. Forms, instructions and Rule 1403 can be obtained from the AQMD website at <http://www.aqmd.gov>. Please mail this signed original notification form, fee, and any attachments to: For USPS: SCAQMD, PO Box 55641, Los Angeles, CA 90074-5641; For ALL OTHER: Bank of America Lockbox Services, Lockbox # 55641, 2706 Media Center Drive, Los Angeles, CA 90065. Mailing saves time, money and reduces traffic and air pollution.

Project # LCR09

**ENGINEERING DATA SHEET**

Street Light Office  
12300 Nebraska Ave. W.L.A. 90025

Sheet No.


Date

Prepared


Checked

Approved

1. Removal Area
2. North Indicator.
3. Area Undergoing Removal
4. Entrance and Exit to Work Area.
5. Negative Air Machine.
6. Emergency Power Shut off.
7. Emergency Fire Department Disposable Clothing
8. Fire Extinguisher.



CODE 9701115 (REV. 2-72)  
 CITY OF LOS ANGELES  
 DEPARTMENT OF WATER & POWER





Deposited Check Copy

THIS CHECK IS A COPY OF THE ORIGINAL CHECK AND IS NOT VALID FOR CASHING OR DEPOSITING. IT IS NOT VALID FOR ANY OTHER PURPOSES.

**DEPARTMENT OF WATER AND POWER  
CITY OF LOS ANGELES  
ENVIRONMENTAL AFFAIRS  
TRUST FUND**



**002034**  
11-24/1210

DATE April 21, 2016

PAY TO THE ORDER OF **South Coast Air Quality Management District**

\$ **57.98**

**Fifty-Seven Dollars and 98/100\*\*\*\*\* DOLLARS**

VOID AFTER 90 DAYS

*D. Quach*

MEMO **Asbestos Removal Notification**

TWO SIGNATURES REQUIRED IF OVER \$1000.00

⑈00 2034⑈ ⑆ 121000 248⑆ 4 2 1 7 5 7 2 7 2⑈

cannot be represented as it was already deposited.

General Information

Lockbox Name: South Coast Air Quality Mgmt.  
Lockbox Number: LAC-055641  
Document Type: Processed Check  
Processing Date: 04/25/2016

Deposit Information

Ledger Date: 04/25/2016  
Deposit Cut: 17  
Batch Total: \$11,795.80  
Deposit Total: \$40,292.94

Transaction Information

Transaction ID: Y-8983058  
Transaction Type: Check  
ABA/RT: %121000248%  
Account #: 4121757272  
Check #: 002034  
Amount: \$57.98  
Origin: US  
Batch: Batch 3 - Item 7  
Group: 0 -

If you have any questions, please contact us at:

Email: lockbox\_customer\_service@bankofamerica.com  
Phone 1.800.376.2703

**DEPARTMENT OF WATER AND POWER CITY OF LOS ANGELES ENVIRONMENTAL AFFAIRS TRUST FUND**

**002034**

**April 21, 2016**

**South Coast Air Quality Management District**

**\$57.98**

**WO# LCR09  
Asbestos Removal Notification**

**D. Quach**



General Information

Lockbox Name: South Coast Air Quality Mgmt.  
Lockbox Number: LAC-055641  
Document Type: Envelope  
Processing Date: 04/25/2016

Envelope Information

Envelope ID: EA-8983.00a.115.0058  
Package Contents:  
Checks: 1  
Correspondence: 0

Documents

Transaction ID: Y-8983058  
Batch: Batch 3 - Item 7  
Group: 0 -

**Department of Water & Power**

CITY OF LOS ANGELES  
PO BOX 51111 • LOS ANGELES, CALIFORNIA 90051-5700  
*Dist Quach, Rm 1050*

*4/23/16 LA CA 900*

PRESORTED  
FIRST CLASS



U.S. POSTAGE >> PITNEY BOWES  
  
ZIP 90012 \$ 000.45<sup>2</sup>  
02 1W  
0001387317 APR 22 2016


ID#9999 55641 141514329

*SCAQMD  
PO Box 55641  
Los Angeles, CA 90074-5641*

B CDG-JMP 90074



TIME RECEIVED: April 21, 2016 8:16:01 AM PDT  
 REMOTE CSID: yyyy  
 DURATION: 111 PAGES: 4 STATUS: Received  
 04-21-2016 08:14 FROM: L.A. WATER & POWER T-348 P0001 F-701



**Los Angeles Dept. of Water & Power**  
**111 N. Hope Street**  
**Los Angeles, CA 90012-2607**

**FAX**

**Date: 4/21/2016**

Number of pages including cover sheet: 4

<b>To: South Coast AQMD</b>	
ASBESTOS NOTIFICATIONS	
FILE # 55641	
LOS ANGELES, CA 90074-5641	
Phone	909-396-2336
Fax	909-396-3342

<b>From: Dat Quach</b>	
L A Dept. of Water & Power	
111 N. Hope St. Rm.1050	
Los Angeles, CA 90012	
E-Mail	Dat.Quach@ladwp.com
Phone	(213) 367-4697
Fax Phone	(213) 367-4710

**REMARKS:**

Urgent     For your review     Reply ASAP     Please comment

Re: Notification for Asbestos Removal

The City of Los Angeles – Department of Water and Power is submitting a notification for an asbestos removal project located at:

LADWP West LA Service Center  
 12300 Nebraska Avenue  
 Los Angeles, CA 90025

The hard copy of the notification and a check of \$57.98 will be mailed.

Thank you.

*D. Quach*



South Coast Air Quality Management District
21865 Copley Drive, Diamond Bar, CA 91765-4182
Phone: (909)396-2336 (www.aqmd.gov)

USPS-Mail Form and Fee To:

All Others-Mail Form and Fee To:

SCAQMD
PO Box 55641
Los Angeles, CA 90074-5641

Bank of America Lockbox Services
Lockbox # 55641
2706 Media Center Drive
Los Angeles, CA 90065



Rule 1403 Form Notification of Demolition or Asbestos Removal

1 Fax these type of Notification Forms to (909)396-3342 and mail the originals within 48 hrs

Project Type: DEMOLITION, DEMOLITION (Fire Training), ASBESTOS REMOVAL (Renovation), PLANNED RENO (Annual), PROCEDURE 4 PLAN, PROCEDURE 5 PLAN, Project Urgency, EMERGENCY, ORDERED
Notification Type: ORIGINAL, CANCELLATION, REVISION AMOUNT, REVISION DATES, REVISION OTHER

Contractor Information: Notifications should be submitted by the contractor performing the project
CSLB License: Exempt, Cal. OSHA REG: 222, AQMD ID: 44758, CHECK, FEE: \$57.98, DATE: 04/21/2016, PROJECT#: LCR09
Company Name: Department of Water and Power - City of Los Angeles, List Site Supervisor(s): Cary Lewis, Phone: (213) 792-8375
Address: 111 North Hope Street, City: Los Angeles, State: CA, Zip: 90012
Completed by: Dat Quach, Phone: (213) 367-4697

Site Information: Copies of this notification and the CAC asbestos survey report must be kept at the worksite during this project
Site Name: LADWP West Los Angeles Service Center
Site Address: 12300 Nebraska Avenue, Cross Street: South Bundy Drive
Site City: Los Angeles, State: CA, Zip: 90025, County: Los Angeles
Site Owner: Department of Water and Power - City of Los Angeles, Contact: Cary Lewis, Phone: (213) 792-8375
Owner Address: 111 North Hope Street, City: Los Angeles, State: CA, Zip: 90012
Describe Work: Removal of Vinyl Floor tiles and mastics
Describe Work Location (s): Street Light Office

Removal Project Start Date: 05/09/2016, Removal Project End Date: 05/13/2016, Project Work Shift: Day, Swing, Night
2 BUILDING SIZE in sq ft: 1200.00, Number of Floors: 1, Building Age (Years): 60, Number of Buildings or Dwelling Units: 8
Building Prior/ Present Use: SCHOOL, HOSPITAL, CONDO/APT, PUBLIC BLDG., INDUSTRIAL, COMMERCIAL, OFFICE, UNIV/COLLEGE, HOUSE, SHIP, OTHER
Required Building Information: ASBESTOS SURVEY?, ASBESTOS FOUND?, ASBESTOS REMOVED?, BUILDING TO BE DEMOLISHED?

Asbestos Information: Do not provide this information in demolition notifications, see pg 2
Asbestos Amount to be Removed in sq ft: FRIABLE, CLASS I, CLASS II, TOTAL AMOUNT
Amount of Each Type of Asbestos in sq ft: ACOUSTIC CEILING, LINOLEUM, INSULATION, FIRE PROOFING, DUCTING, STUCCO, MASTIC, FLOOR TILES (VAT)
Asbestos Removal From: SURFACES, PIPES, COMPONENTS

Asbestos Detection Procedures: Check the procedures and analytical methods used to determine the presence of asbestos in the building. See Survey Checklist
SURVEY, BULK SAMPLING, INSPECTION, CAC ASSUMED AS ASBESTOS-PACM, PLM, PCM, TEM
Controls: Check the combination of Rule 1403 procedures used to control asbestos emissions. (Procedure 4 and 5 submit plans for AQMD prior approval)
PROCEDURE NUMBER: 1, 2, 3, 4, 5
Emergency Asbestos Removal: Check the sudden unexpected event and attach a letter from the person affected by the emergency explaining how this event caused unsafe conditions, equipment damage or unreasonable financial burden. For disturbed/damaged asbestos materials see Procedure 5 Guidelines.
FIRE FLOOD WATER DAMAGE EARTHQUAKE NUISANCE VANDALISM HEALTH/SAFETY FINANCIAL BURDEN EQUIPMENT DAMAGE OTHER

AQMD USE ONLY: SCREENED BY, RECEIVED, POSTMARKED, ENTERED BY, NOTIFICATION #



**South Coast Air Quality Management District**

21865 Copley Drive, Diamond Bar, CA 91765-4182  
 Phone: (909)396-2336 (www.aqmd.gov)



**Rule 1403 Form Notification of Demolition or Asbestos Removal**

USPS-Mail Form and Fee To:

SCAQMD  
 PO Box 55641  
 Los Angeles, CA 90074-5641

All Others-Mail Form and Fee To:

Bank of America Lockbox Services  
 Lockbox # 55641  
 2706 Media Center Drive  
 Los Angeles, CA 90065

**Demolition Information:** All asbestos containing materials must be removed *prior* to any demolition activity

Asbestos Removal Company Name \_\_\_\_\_ Date of Asbestos Removal \_\_\_\_\_

Check work practices to prevent, suppress and contain dust, and dust controls to be use at the demolition site

SPRAY WATER  EXIT GRATES  TARP TRUCKS/BINS  FENCE SCREENS  STONE TRUCK PADS  TIRE WASHING  SOIL STABILIZERS  OTHER \_\_\_\_\_

**Contingency Demolition Plan:** Check actions to be followed if unexpected asbestos is found during demolition or asbestos material becomes disturbed, crumbled, pulverized or reduced to powder. Disturbed/Damaged ACM requires a Procedure 5 Plan Approval prior to clean-up ( See Procedure 5 Guidelines )

STOP WORK  NOTIFY OWNER  SECURE  STABILIZE  POST SIGNS  ISOLATE WORK AREA  SURVEY  CHARACTERIZE WASTE  OTHER \_\_\_\_\_

**Ordered Demolition:** Attach a copy of the agency order

Agency Name \_\_\_\_\_ Phone \_\_\_\_\_ Date of Order \_\_\_\_\_  
 Authorizing Person \_\_\_\_\_ Title \_\_\_\_\_ Date Ordered to Begin \_\_\_\_\_

**Waste Information**

WASTE TRANSPORTER #1 Clean Harbors  
 Address 5756 Alba Street  
 City Los Angeles State CA Zip 90056

WASTE STORAGE SITE LADWP West Los Angeles Service Center  
 Address 12300 Nebraska Avenue  
 City Los Angeles State CA Zip 90025

WASTE TRANSPORTER #2 \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

LANDFILL Clean Harbors - Buttonwillow  
 Address 2500 W. Lokern Rd.  
 City Buttonwillow State CA Zip 93206

**Contractor Certification:** All contractors or owner/operator submitting this notification must sign this form

I certify that an individual trained in the provisions of regulations AQMD *Rule 1403* and the *Asbestos NESHAP Title 40 CFR Part 61 Subpart M* will be on site during the demolition or renovation and evidence that the required training has been accomplished by this person will be available for inspection during normal business hours. I hereby certify that all of the information contained herein and information submitted with this notification is true and correct.

Company Name Department of Water and Power - City of Los Angeles Title of Owner/Operator Manager of Air Quality  
 Print Name of Owner/Operator Dat Quach Signature of Owner/Operator DQuach Date 4/21/2016

**Notification Fee:** No notifications shall be considered received pursuant to *Rule 1403*, unless it is accompanied by the required payment (*Rule 301, Table VI*). Please make check payable to "SCAQMD". Fees are per notification and vary according to the <sup>2</sup>**TOTAL AMOUNT** of asbestos removed or the demolition <sup>2</sup>**BUILDING SIZE**. The Revision Amount fee is the difference between the new Project Size Fee category and the original Project Size Fee category (See *Fee Information*)

Project Size Fee: \$ 57.98	<b>Fee Based on Project Size (sq ft)</b>		<b>Additional Fees</b>	
Additional Fee: \$ 0.00	1,000 or less -----	\$ 57.98	<input checked="" type="checkbox"/>	Special Handling Fee----- \$ 57.98 <input type="checkbox"/>
<b>Total Fee Due: \$ 57.98</b>	1,001 to 5,000 -----	\$ 177.28	<input type="checkbox"/>	Revision to Notification----- \$ 57.98 <input type="checkbox"/>
	5,001 to 10,000 -----	\$ 414.99	<input type="checkbox"/>	Returned Check Fee----- \$ 25.00 <input type="checkbox"/>
	10,001 to 50,000 -----	\$ 650.71	<input type="checkbox"/>	Planned Renovation----- \$ 650.71 <input type="checkbox"/>
	50,001 to 100,000 -----	\$ 943.05	<input type="checkbox"/>	Procedure 4 or 5 Plan----- \$ 650.71 <input type="checkbox"/>
	100,001 or more -----	\$ 1,571.74	<input type="checkbox"/>	Expedited 4 or 5 Plan----- \$ 325.35 <input type="checkbox"/>

**Attention**

Keep Three (3) Copies of This Notification Form for your records, to post at the worksite, and to obtain a city demolition permit. See *California Health and Safety Code 19827.5* that requires that you provide a copy of the demolition notification to Building and Safety before issuance of a demolition permit. For questions call 909-396-2336. Forms, instructions and *Rule 1403* can be obtained from the AQMD website at <http://www.aqmd.gov>. Please mail this signed original notification form, fee, and any attachments to: For USPS: SCAQMD, PO Box 55641, Los Angeles, CA 90074-5641; For ALL OTHER: Bank of America Lockbox Services, Lockbox # 55641, 2706 Media Center Drive, Los Angeles, CA 90065. Mailing saves time, money and reduces traffic and air pollution.

Project # LCR09




### ENGINEERING DATA SHEET


Street Light Office  
12300 Nebraska Ave. W.L.A. 90025

Sheet No.		Date	
Prepared			
Checked			
Approved			

1. Removal Area
2. North Indicator.
3. Area Undergoing Removal
4. Entrance and Exit to Work Area.
5. Negative Air Machine.
6. Emergency Power Shut off.
7. Emergency Fire Department Disposable Clothing
8. Fire Extinguisher.



CODE 970 1155 (REV. 2-72)  
 CITY OF LOS ANGELES  
 DEPARTMENT OF WATER & POWER



# SCAQMD Notification Report

Notification 31477

Run Date: 8/8/2018 14:55:56

---

Receive By:	JESSEM on 7/22/2002 08:00:00	Assignment No:	718793	Inspection Date:	
Assign By:		Inspector:			
Dispatch On:		Disposition:			
Team:	X	AIRS ID:			
Activity:	R1403 ASBESTOS REMOVAL	Title V:			
Instruction:					

Description: CK#1168 \$56.01 (SB EMER - NO LETTER)

Instance Start Date: 07/23/2002 00:00

Instance End Date: 07/24/2002 00:00  
Status

## Notifier

---

Facility:	99497	LA DEPT OF WATER & POWER,HAYNES GEN STN
First Name:		Last Name: ANONYMOUS
Facility TS:		
Address:	6801 WESTMINISTER ST, Unit 500, LONG BEACH, CA 90803	
Phone:		

## Site Location

---

Facility:	WEST LA DISTRICT	LRK61
Facility TS:		
Address:	12300 NEBRASKA, LOS ANGELES, CA 90025 (Sector VM)	

## Inspector Comment

---

INSPECTOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

SUPERVISOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

# SCAQMD Notification Report

Notification 431333

Run Date: 8/8/2018 14:56:08

---

Receive By:	CPONCE on 4/21/2016 08:14:00	Assignment No:	1557390	Inspection Date:	
Assign By:		Inspector:			
Dispatch On:		Disposition:			
Team:	X	AIRS ID:			
Activity:	R1403 ASBESTOS REMOVAL	Title V:			
Instruction:					

Description: REMOVAL OF VINYL FLOORS AND MASTICS; STREET LIGHT OFFICE; CHECK #2034; \$57.98

Instance Start Date: 05/09/2015 00:00

Instance End Date: 05/13/2015 00:00  
Status

## Notifier

---

Facility:	44758	LA CITY, DWP
First Name:		Last Name: ANONYMOUS
Facility TS:		
Address:	VARIOUS LOCATIONS IN SCAQMD, Unit 800, LOS ANGELES, CA 90012	
Phone:	(213)367-4697 (Work)	

## Site Location

---

Facility:	\$F; LADWP - CITY OF LOS ANGES, LCR09
Facility TS:	
Address:	12300 NEBRASKA AVE, LOS ANGELES, CA 90025 (Sector VM)

## Inspector Comment

INSPECTOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

SUPERVISOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

# SCAQMD Notification Report

Notification 174369

Run Date: 8/8/2018 14:55:30

---

Receive By:	JPEREZ on 9/19/2007 15:53:00	Assignment No:	1019183	Inspection Date:
Assign By:		Inspector:		
Dispatch On:		Disposition:		
Team:	X	AIRS ID:		
Activity:	R1403 ASBESTOS REMOVAL	Title V:		
Instruction:				

Description: floor tile mastic removal at first floor; ck#: 1567/\$43.02

Instance Start Date: 10/02/2007 00:00

Instance End Date: 10/05/2007 00:00  
Status

## Notifier

---

Facility:	44758	LA CITY, DWP
First Name:		Last Name: ANONYMOUS
Facility TS:		
Address:	111 N HOPE ST, Unit 400, LOS ANGELES, CA 90012	
Phone:		

## Site Location

---

Facility:	WEST LOS ANGELES SERV.CNTR;#LRN 47
Facility TS:	
Address:	12300 NEBRASKA AVE, LOS ANGELES, CA 90025 (Sector VM)

## Inspector Comment

---

INSPECTOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

SUPERVISOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_



**PERMIT TO OPERATE**

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner  
or Operator:

LA CITY, DWP  
WEST LA SERVICE CENTER  
P.O. BOX 51111 RM. 1050  
LOS ANGELES, CA 90051-0100

ID 004471

**Equipment Location:** 12300 NEBRASKA AVE., LOS ANGELES, CA 90025-3628

**Equipment Description:**

Fuel Storage and Dispensing Facility Consisting of:

- 1) 2 - GASOLINE ABOVEGROUND STORAGE TANKS, BAKERSFIELD ENVIROVAULT TYPE (G-70-167), STANDING HORIZONTALLY, 11'-0" L. x 6'-10" W. x 5'-11" H., 2000-GALLON CAPACITY, CONCRETE INSULATION, WITH PRESSURE/VACUUM RELIEF VALVES, AND SUBMERGED FILL TUBES.
- 2) 3 - GASOLINE NOZZLES WITH 12'-0" L. HOSES ON TANK TOP MOUNTED DISPENSERS. PHASE II VRS BALANCE RETRACTOR (G-70-52-AM), BALANCE SYSTEM.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT WAS ISSUED, UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. EXCEPT FOR DIESEL TRANSFERS, PHASE I VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO STORAGE TANKS.
4. EXCEPT FOR DIESEL TRANSFERS, PHASE II VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO MOTOR VEHICLES, AS DEFINED IN RULE 461.
5. ALL PHASE I AND PHASE II VAPOR RECOVERY EQUIPMENT AT THIS FACILITY SHALL BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CALIFORNIA AIR RESOURCES BOARD CERTIFICATION REQUIREMENTS.

**FILE COPY**

**PERMIT TO OPERATE**

**CONTINUATION OF PERMIT TO OPERATE**

6. PHASE II VAPOR RECOVERY SYSTEMS SHALL BE INSTALLED, OPERATED, AND MAINTAINED SUCH THAT THE MAXIMUM ALLOWABLE PRESSURE DROP THROUGH THE SYSTEM INCLUDING NOZZLE, VAPOR HOSE, SWIVELS, AND UNDERGROUND PIPING DOES NOT EXCEED THE DYNAMIC BACK PRESSURE RATES DESCRIBED BY THE CALIFORNIA AIR RESOURCES BOARD EXECUTIVE ORDER BY WHICH THE SYSTEM WAS CERTIFIED:

NITROGEN FLOWRATES (CFH)	DYNAMIC BACK PRESSURE (INCHES OF WATER)
20	0.15
60	0.45
100	0.95

AT LEAST ONCE EVERY FIVE CALENDAR YEARS FROM THE ISSUANCE DATE OF THIS PERMIT TO OPERATE, DYNAMIC BACK PRESSURE TESTS SHALL BE CONDUCTED TO DETERMINE THE PHASE II SYSTEM VAPOR RECOVERY BACK PRESSURE RATES. THE TESTS SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.4. RESULTS SHALL BE SUBMITTED TO THE DISTRICT, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN THIRTY (30) DAYS OF TESTS.

THE AQMD SHALL BE NOTIFIED AT TELEPHONE NUMBER (909) 396-3886 AT LEAST TWENTY-FOUR HOURS PRIOR TO TESTING. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTORS; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE DYNAMIC BACK PRESSURE TEST.

7. AT LEAST ONCE EVERY FIVE CALENDAR YEARS FROM THE ISSUANCE DATE OF THIS PERMIT TO OPERATE, A STATIC PRESSURE LEAK DECAY TEST SHALL BE CONDUCTED TO DEMONSTRATE THAT THE STORAGE TANKS, THE REMOTE AND/OR NOZZLE VAPOR RECOVERY CHECK VALVES, ASSOCIATED VAPOR RETURN PIPING AND FITTINGS ARE FREE FROM VAPOR LEAKS. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.3. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN THIRTY (30) DAYS OF TEST.

THE AQMD SHALL BE NOTIFIED AT TELEPHONE NUMBER (909) 396-3886 AT LEAST TWENTY-FOUR HOURS PRIOR TO TESTING. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTORS; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE STATIC PRESSURE LEAK DECAY TEST.

8. IF THE CARB EXECUTIVE ORDER REQUIRES THE INSTALLATION OF A LIQUID REMOVAL DEVICE, A LIQUID REMOVAL RATE TEST SHALL BE CONDUCTED TO DEMONSTRATE THE REMOVAL OF GASOLINE FROM THE VAPOR PASSAGE OF THE COAXIAL HOSE. THE TEST SHALL BE CONDUCTED WITHIN THIRTY DAYS OF INITIAL INSTALLATION AND IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.6. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN THIRTY (30) DAYS OF TEST.

**PERMIT TO OPERATE**

**CONTINUATION OF PERMIT TO OPERATE**

THE SCAQMD SHALL BE NOTIFIED AT TELEPHONE NUMBER (909) 396-3886 AT LEAST TWENTY-FOUR HOURS PRIOR TO TESTING. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTORS; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE LIQUID REMOVAL RATE TEST.

9. ALL DAILY INSPECTION RECORDS SHALL BE COMPLETED IMMEDIATELY AFTER THE DAILY INSPECTION.
10. ALL RECORDS AND TEST RESULTS THAT ARE REQUIRED TO BE MAINTAINED BY RULE 461 SHALL BE KEPT ON SITE AND MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.
11. THE MAXIMUM QUANTITY OF GASOLINE DISPENSED FROM THE STORAGE TANKS AT THIS FACILITY SHALL NOT EXCEED 10000 GALLONS IN ANY ONE CALENDAR MONTH NOR 120000 GALLONS IN ANY ONE CALENDAR YEAR.
12. RECORDS OF MONTHLY AND ANNUAL FUEL DISPENSED SHALL BE PREPARED, SHALL BE RETAINED ON SITE FOR TWO YEARS, AND SHALL BE MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.

**NOTICE**

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

*Dorris M. Bailey*

By Dorris M. Bailey/mv02  
1/19/2000

**FILE COPY**

# South Coast Air Quality Management District

NC E38126

Run Date : 8/8/2018 16:12:59

## Company

Facility: LA CITY, DWP (ID: 4471)  
Location Address: 12300 NEBRASKA, AVE LOS ANGELES, CA 90025  
Mailing Address: 111 N HOPE, ST LOS ANGELES, CA 90012  
AIRS ID

## Violation

Notice Issued Date: 12/14/2016  
Violation Date: 12/14/2016  
Serve To: LANCE GORNICK  
Title: SUPERVISOR  
Issue By: HUY QUOC DANG (Team: I)  
Assignment No.: 1599613  
Compliance Achieved Date: 12/17/2016  
Equipment Description:  
Compliance Requirements: Need orange sticker affixed to equipment at all times. Registration certificate shall be kept on the immediate premises.

## Disposition

Final Action Code: CLO 12/30/2016 00:00:00  
Due Date: 1/14/2017  
Violation Days: 0

## Rule/Comment

TITLE13ARTICLE5S

## Emittent

## Follow-Up

Status: INCOMP      Inspector ID: HD03      Inspection Date: 12/17/16 00:00      Number:

## Device IDs.

## Inspector Comment

INSPECTOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

SUPERVISOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

User ID: swalko



# SCAQMD Facility Equipment List Report

Facility: 4471 LA CITY, DWP	Status: Active	MR: 1405 SIC: 4941 Team: I
Last Inspection: 11/14/2014 On Hold:	Suspended:	TS: TS-11 Industrial: Sector-based Inspections
Contact: ROBERT PFEIFFER (213) 3677458	RECLAIM: N TITLE V: N AIRS ID:	Quarter: 1001 - inspect in 1st & 4th quarters, every year
Location Address: 12300 NEBRASKA AVE, LOS ANGELES 90025-3628 Sector:VM		Assignment: 1466180
Mailing Address: P.O. BOX 51111, LOS ANGELES 90012 Sector:CB		Inspector: BP02 BULLINGTON PHAM
Instruction:		Inspection Date: 11/14/2014
		Disposition: Operating in Compliance at time of inspection

Application No.	Permit No.	Permit Issue Date	Permit Status	Equipment Category	BCAT/CCAT Description	Application Date	Application Status
433698				248915 BCAT	SERV STAT STORAGE & DISPENSING GASOLINE	08/17/2004	APPLICATION CANCELLED, KEEP FILING FEES
563893	N28466	06/13/2014	ACTIVE	248915 BCAT	SERV STAT STORAGE & DISPENSING GASOLINE	04/25/2014	PERMIT TO OPERATE GRANTED
544533	N27146	12/06/2012	INACTIVE	248915 BCAT	SERV STAT STORAGE & DISPENSING GASOLINE	11/02/2012	PERMIT TO OPERATE GRANTED
451263	F82778	06/22/2006	ACTIVE	043901 BCAT	I C E (50-500 HP) EM ELEC GEN-DIESEL	11/29/2005	PERMIT TO OPERATE GRANTED
429823	N14435	06/04/2004	INACTIVE	248915 BCAT	SERV STAT STORAGE & DISPENSING GASOLINE	04/15/2004	PERMIT TO OPERATE GRANTED
353352	N8109	01/19/2000	INACTIVE	248915 BCAT	SERV STAT STORAGE & DISPENSING GASOLINE	12/23/1998	PERMIT TO OPERATE GRANTED
312328	D98026	04/16/1996	INACTIVE	043901 BCAT	I C E (50-500 HP) EM ELEC GEN-DIESEL	02/28/1996	PERMIT TO OPERATE GRANTED
300474	N02215	03/13/1995	INACT_NR	248900 BCAT	STORAGE TANK GASOLINE	01/31/1995	PERMIT TO OPERATE GRANTED
217448	M97483	08/31/1991	INACT_NR	248900 BCAT	STORAGE TANK GASOLINE	12/14/1989	PERMIT TO OPERATE GRANTED
217448	M97483	08/31/1991	INACT_NR	92 CCAT	FLARE SYSTEM, REFINERY	12/14/1989	PERMIT TO OPERATE GRANTED
102229	M82443	08/08/1984	INACTIVE	248915 BCAT	SERV STAT STORAGE & DISPENSING GASOLINE	03/26/1982	PERMIT TO OPERATE GRANTED
102229	M82443	08/08/1984	INACTIVE	90 CCAT	AMINE (OR DEA) REGENERATION	03/26/1982	PERMIT TO OPERATE GRANTED



## PERMIT TO CONSTRUCT/OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

**Legal Owner  
or Operator:**

LA CITY DWP, WEST LA SERVICE CTR  
12270 NEBRASKA AVE  
WEST LOS ANGELES, CA 90025

ID 107691

**Equipment Location:** 12270 NEBRASKA AVE, WEST LOS ANGELES, CA 90025

**Equipment Description:**

INTERNAL COMBUSTION ENGINE, CUMMINS, DIESEL FUELED, EMERGENCY ELECTRICAL GENERATION, MODEL NO. 6BT5.9-G2, 6 CYLINDERS, TURBOCHARGED AND AFTERCOOLED, 166 BHP.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THIS ENGINE SHALL NOT BE OPERATED MORE THAN 199 HOURS IN ANY ONE YEAR.
4. AN ENGINE OPERATING LOG, LISTING THE DATE OF OPERATION, THE ELAPSED TIME, IN HOURS, AND THE REASON FOR OPERATION SHALL BE KEPT AND MAINTAINED ON FILE FOR A MINIMUM OF TWO YEARS AND MADE AVAILABLE TO AQMD PERSONNEL UPON REQUEST.
5. A TIMER SHALL BE INSTALLED SO AS TO INDICATE THE ENGINE ELAPSED OPERATING TIME.
6. SULFUR CONTENT OF FUEL OIL SUPPLIED TO THE ENGINE SHALL NOT EXCEED 0.05% BY WEIGHT.



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT  
21865 East Copley Drive, Diamond Bar, CA 91765

Permit No.  
**D98026**  
**A/N 312328**  
Page 2

## PERMIT TO CONSTRUCT/OPERATE

### CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE

#### NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

*Dorris M. Bailey*

By Dorris M. Bailey/gcr  
4/16/1996

FILE COPY

# South Coast Air Quality Management District

NC C69547

Run Date : 8/8/2018 16:13:08

## Company

---

Facility: LA CITY, DWP (ID: 4471)  
Location Address: 12300 NEBRASKA, AVE LOS ANGELES, CA 90025-3628  
Mailing Address: P.O. BOX 51111 LOS ANGELES, CA 90051-0100  
AIRS ID

## Violation

---

Notice Issued Date: 4/27/2001  
Violation Date: 4/27/2001  
Serve To: MIKE WILKINSON  
Title: DISTRICT MANAGER  
Issue By: YASMINE STUTZ (Team: I)  
Assignment No.: 652073  
Compliance Achieved Date: 05/16/2001  
Equipment Description: PERFORMANCE TEST RESULTS  
Compliance Requirements: PROVIDE COPIES OF DYNAMIC AND STATIC PRESSURE PERFORMANCE TEST RESULTS

## Disposition

---

Final Action Code:  
Due Date: 5/11/2001  
Violation Days: 0

## Rule/Comment

---

461

## Emittent

---

## Follow-Up

---

Status: INCOMP      Inspector ID:      Inspection Date: 05/16/01 00:00      Number:

## Device IDs.

---

## Inspector Comment

---

INSPECTOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

SUPERVISOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

User ID: swalko

# South Coast Air Quality Management District

NC D25243

Run Date : 8/8/2018 16:15:31

## Company

Facility: LA DEPT OF WATER & POWER (ID: 161143)  
Location Address: 12300 NEBRASKA, AVE LOS ANGELES, CA 90025  
Mailing Address: 111 N HOPE, ST LOS ANGELES, CA 90012  
AIRS ID

## Violation

Notice Issued Date: 8/27/2009  
Violation Date: 8/27/2009  
Serve To: RICK CAMPOS  
Title:  
Issue By: YANRONG ZHU (Team: I)  
Assignment No.: 1129542  
Compliance Achieved Date: 09/01/2009  
Equipment Description: ENGINE  
Compliance Requirements: AFFIX REGISTRATION IDENTIFICATION DEVICE(STICKER/PLACARD) TO THE EQUIPMENT WITH REGISTRATION #120879.

## Disposition

Final Action Code: CLO 9/17/2009 00:00:00  
Due Date: 9/10/2009  
Violation Days: 0

## Rule/Comment

TITLE13ARTICLE5S2453(F),(N)

## Emittent

## Follow-Up

Status: INCOMP      Inspector ID: YZ01      Inspection Date: 09/01/09 00:00      Number:

## Device IDs.

## Inspector Comment

INSPECTOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

SUPERVISOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

User ID: swalko

# South Coast Air Quality Management District

NOV P37950

Run Date : 8/8/2018 14:54:13

## Company

---

Facility: LA CITY, DWP (ID: 4471)  
Location Address: 12300 NEBRASKA, AVE LOS ANGELES, CA 90025-3628  
Mailing Address: P.O. BOX 51111 LOS ANGELES, CA 90051-0100  
AIRS ID

## Violation

---

Notice Issued Date: 10/31/2002  
Violation Date: 10/31/2002  
Serve To: MIKE WILKINSON  
Title: DIST. SUPT.  
Issue By: YASMINE STUTZ (Team: I)  
Assignment No.: 733526  
Equipment Description: GAS DISP EQUIPMENT

Violation: FAILURE TO PERFORM VAPOR RECOVERY REVERIFICATION TESTS ON THE GASOLINE DISPENSING EQUIPMENT EQUIPMENT LAST TESTED ON 2/26/01.

## Disposition

---

Final Action Code: CLO 4/29/2003 00:00:00  
Achieved Date: 03/13/2003  
Due Date:  
Violation Days: 0

## Rule/Comment

---

461 e2C

## Emittent

---

## Follow-Up

---

Status: INCOMP Inspector ID: Inspection Date: 03/13/03 00:00 Number:

## Lap Sample Numbers

---

## Device IDs.

---

## Inspector Comment

---

INSPECTOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

SUPERVISOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

User ID: swalko

# South Coast Air Quality Management District

## NOV P57934

Run Date : 8/8/2018 14:54:01

### Company

---

Facility: LA CITY, DWP (ID: 4471)  
Location Address: 12300 NEBRASKA, AVE LOS ANGELES, CA 90025-3628  
Mailing Address: P.O. BOX 51111 LOS ANGELES, CA 90051-0100  
AIRS ID

### Violation

---

Notice Issued Date: 11/10/2011  
Violation Date: 1/1/2010  
Serve To: ANDREW SPARKS  
Title: DISTRICT SUPERINTENDENT  
Issue By: BULLINGTON PHAM (Team: Z)  
Assignment No.: 1267161  
Equipment Description: Cummins diesel ICE 6BT5.9G2, S/N 45278959

Violation: operating the permitted diesel emergency generator engine, > 30 hrs/yr for maintenance & testing in compliance years 2009 & 2010

### Disposition

---

Final Action Code: CLO 4/24/2012 00:00:00  
Achieved Date: 01/01/2011  
Due Date:  
Violation Days: 0

### Rule/Comment

---

1470 c3C  
203 (B)

### Emittent

---

### Follow-Up

---

Status: INCOMP      Inspector ID: BP02      Inspection Date: 01/01/11 00:00      Number:

### Lap Sample Numbers

---

### Device IDs.

---

### Inspector Comment

---

INSPECTOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

SUPERVISOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

User ID: swalko

# South Coast Air Quality Management District

NOV P71070

Run Date : 8/8/2018 14:53:48

## Company

Facility: LA CITY, DWP (ID: 4471)  
Location Address: 12300 NEBRASKA, AVE LOS ANGELES, CA 90025-3628  
Mailing Address: P.O. BOX 51111 LOS ANGELES, CA 90051-0100  
AIRS ID

## Violation

Notice Issued Date: 12/1/2017  
Violation Date: 3/2/2017  
Serve To: GASOLINE DISPENSING FACILITY  
Title:  
Issue By: KIERSTEN MELVILLE (Team: S)  
Assignment No.: 1663460  
Equipment  
Description:

Violation: Failing to submit the facility's monthly gasoline throughput data for the previous calendar year on or before March 1, 2017. Certified Mail Tracking #70171450000217315277

## Disposition

Final Action Code:  
Achieved Date: 12/14/2017  
Due Date:  
Violation Days: 0

## Rule/Comment

461(c)(3)(Q)

## Emittent

## Follow-Up

Status: INCOMP      Inspector ID: KM06      Inspection Date: 12/14/17 00:00      Number:

## Lap Sample Numbers

## Device IDs.

## Inspector Comment

Received under id # 36200 on 2/9/17

INSPECTOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

SUPERVISOR: \_\_\_\_\_  
signature

DATE: \_\_\_\_\_

User ID: swalko





## PERMIT TO CONSTRUCT/OPERATE

*This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.*

**Legal Owner  
or Operator:**

LA CITY, DWP  
P O BOX 111, ROOM 1116  
LOS ANGELES, CA 90012-2694

**ID 004471**

**Equipment Location:** 12300 NEBRASKA AV, LOS ANGELES, CA 90025-3628

**Equipment Description:**

FUEL STORAGE AND DISPENSING FACILITY CONSISTING OF:

- 1) 1 - GASOLINE ABOVEGROUND STORAGE TANK, TANKVAULT TYPE, 12'-9" L. X 6'-10" W. X 5'- 1" H., CAPACITY 2,000 GALLONS, CONCRETE INSULATION, WITH A PRESSURE/VACUUM RELIEF VALVE, AND A COAXIAL SUBMERGED FILL TUBE.
- 2) 2 - GASOLINE NOZZLE WITH A HOSE ON A TANK TOP MOUNTED DISPENSER. PHASE II VRS BALANCE HI HOSE, BALANCE SYSTEM.
- 3) 1 - DIESEL ABOVEGROUND STORAGE TANK, TANKVAULT TYPE, 11'-0" L. X 8'-0" W. X 5'- 5" H., CAPACITY 2,000 GALLONS, CONCRETE INSULATION, WITH A PRESSURE/VACUUM RELIEF VALVE, AND A COAXIAL SUBMERGED FILL TUBE.
- 4) 2 - DIESEL NOZZLE WITH A HOSE ON A TANK TOP MOUNTED DISPENSER. NOT EQUIPPED WITH PHASE II VAPOR RECOVERY SYSTEM.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT WAS ISSUED, UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.

**FILE COPY**



**PERMIT TO CONSTRUCT/OPERATE**

**CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE**


3. EXCEPT FOR DIESEL TRANSFERS, PHASE I VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO STORAGE TANKS.
4. EXCEPT FOR DIESEL TRANSFERS, PHASE II VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO MOTOR VEHICLES, AS DEFINED IN RULE 461.
5. ALL PHASE I AND PHASE II VAPOR RECOVERY EQUIPMENT AT THIS FACILITY SHALL BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CALIFORNIA AIR RESOURCES BOARD CERTIFICATION REQUIREMENTS.
6. THE MAXIMUM QUANTITY OF GASOLINE DISPENSED FROM STORAGE TANKS AT THIS FACILITY SHALL NOT EXCEED 4000 GALLONS IN ANY ONE CALENDAR MONTH NOR 48000 GALLONS IN ANY ONE CALENDAR YEAR.
7. THE MAXIMUM QUANTITY OF DIESEL DISPENSED FROM STORAGE TANKS AT THIS FACILITY SHALL NOT EXCEED 2500 GALLONS IN ANY ONE CALENDAR MONTH NOR 30000 GALLONS IN ANY ONE CALENDAR YEAR.
8. RECORDS OF MONTHLY AND ANNUAL FUEL RECEIVED SHALL BE PREPARED, SHALL BE RETAINED FOR TWO YEARS, AND SHALL BE MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

  
By Dorris M. Bailey/cdw  
3/13/1995

FILE COPY



## PERMIT TO CONSTRUCT/OPERATE

*This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.*

**Legal Owner  
or Operator:**

LA CITY, DWP  
P O BOX 111, ROOM 1116  
LOS ANGELES, CA 90012-2694

ID 004471

**Equipment Location:** 12300 NEBRASKA AV, LOS ANGELES, CA 90025-3628

**Equipment Description:**

FUEL STORAGE AND DISPENSING FACILITY CONSISTING OF:

- 1) 1 - GASOLINE ABOVEGROUND STORAGE TANK, TANKVAULT TYPE, 12'-9" L. X 6'-10" W. X 5'- 1" H., CAPACITY 2,000 GALLONS, CONCRETE INSULATION, WITH A PRESSURE/VACUUM RELIEF VALVE, AND A COAXIAL SUBMERGED FILL TUBE.
- 2) 2 - GASOLINE NOZZLE WITH A HOSE ON A TANK TOP MOUNTED DISPENSER. PHASE II VRS BALANCE HI HOSE, BALANCE SYSTEM.
- 3) 1 - DIESEL ABOVEGROUND STORAGE TANK, TANKVAULT TYPE, 11'-0" L. X 8'-0" W. X 5'- 5" H., CAPACITY 2,000 GALLONS, CONCRETE INSULATION, WITH A PRESSURE/VACUUM RELIEF VALVE, AND A COAXIAL SUBMERGED FILL TUBE.
- 4) 2 - DIESEL NOZZLE WITH A HOSE ON A TANK TOP MOUNTED DISPENSER. NOT EQUIPPED WITH PHASE II VAPOR RECOVERY SYSTEM.

**Conditions:**

1. OPERATION OF THIS EQUIPMENT SHALL BE IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT WAS ISSUED, UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.

**FILE COPY**



**PERMIT TO CONSTRUCT/OPERATE**

**CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE**


3. EXCEPT FOR DIESEL TRANSFERS, PHASE I VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO STORAGE TANKS.
4. EXCEPT FOR DIESEL TRANSFERS, PHASE II VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO MOTOR VEHICLES, AS DEFINED IN RULE 461.
5. ALL PHASE I AND PHASE II VAPOR RECOVERY EQUIPMENT AT THIS FACILITY SHALL BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CALIFORNIA AIR RESOURCES BOARD CERTIFICATION REQUIREMENTS.
6. THE MAXIMUM QUANTITY OF GASOLINE DISPENSED FROM STORAGE TANKS AT THIS FACILITY SHALL NOT EXCEED 4000 GALLONS IN ANY ONE CALENDAR MONTH NOR 48000 GALLONS IN ANY ONE CALENDAR YEAR.
7. THE MAXIMUM QUANTITY OF DIESEL DISPENSED FROM STORAGE TANKS AT THIS FACILITY SHALL NOT EXCEED 2500 GALLONS IN ANY ONE CALENDAR MONTH NOR 30000 GALLONS IN ANY ONE CALENDAR YEAR.
8. RECORDS OF MONTHLY AND ANNUAL FUEL RECEIVED SHALL BE PREPARED, SHALL BE RETAINED FOR TWO YEARS, AND SHALL BE MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

  
By Dorris M. Bailey/cdw  
3/13/1995

FILE COPY



## PERMIT TO OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

**Legal Owner  
or Operator :**

LA CITY, DWP  
P.O. BOX 51111, RM 1050  
LOS ANGELES, CA 90051-0100

ID 4471

**Equipment Location:** 12300 NEBRASKA AVE, LOS ANGELES, CA 90025-3628

**Equipment Description:**

Fuel Storage and Dispensing Facility Consisting of:

- 1) 2 - GASOLINE ABOVEGROUND STORAGE TANKS, ENVIROVAULT (G-70-167), RECTANGULAR, 11' - 0" L. X 6' - 10 " W. X 5' - 11" H., EACH 2,000 GALLON CAPACITY, CONCRETE INSULATION, EQUIPPED WITH A PRESSURE/VACUUM RELIEF VALVE, AND A SUBMERGED FILL TUBE.
- 2) 3 - GASOLINE NOZZLES DISPENSING 3 PRODUCTS ON A TANK TOP MOUNTED DISPENSER, EQUIPPED WITH PHASE II VAPOR RECOVERY SYSTEM, BALANCE RETRACTOR (G-70-52-AM).

**Conditions :**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. EXCEPT FOR DIESEL TRANSFERS, PHASE I VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO STORAGE TANKS.
4. EXCEPT FOR DIESEL TRANSFERS, PHASE II VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO MOTOR VEHICLES, AS DEFINED IN RULE 461.
5. ALL PHASE I AND PHASE II VAPOR RECOVERY EQUIPMENT AT THIS FACILITY SHALL BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CALIFORNIA AIR RESOURCES BOARD CERTIFICATION REQUIREMENTS.

**FILE COPY**



**PERMIT TO OPERATE**

CONTINUATION OF PERMIT TO OPERATE

- 6. THE PHASE II VAPOR RECOVERY SYSTEM SHALL BE INSTALLED, OPERATED, AND MAINTAINED SUCH THAT THE MAXIMUM ALLOWABLE PRESSURE THROUGH THE SYSTEM INCLUDING NOZZLE, VAPOR HOSE, SWIVELS, AND UNDERGROUND PIPING DOES NOT EXCEED THE DYNAMIC BACK PRESSURES DESCRIBED BY THE CALIFORNIA AIR RESOURCES BOARD EXECUTIVE ORDER BY WHICH THE SYSTEM WAS CERTIFIED:

NITROGEN FLOWRATES (CFH)	DYNAMIC BACK PRESSURE (INCHES OF WATER)
60	0.35
80	0.62

DYNAMIC BACK PRESSURE TESTS SHALL BE CONDUCTED TO DETERMINE THE PHASE II SYSTEM VAPOR RECOVERY BACK PRESSURES. THE TESTS SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE TP-201.4, METHODOLOGY 1. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TESTS.

THE AQMD SHALL BE NOTIFIED BY E-MAIL AT R461TESTING@AQMD.GOV OR BY FACSIMILE AT TELEPHONE NUMBER (909) 396-3606 AT LEAST SEVENTY-TWO (72) HOURS PRIOR TO TESTING. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTOR; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE DYNAMIC BACK PRESSURE TESTS.

- 7. A STATIC PRESSURE LEAK DECAY TEST SHALL BE CONDUCTED TO DEMONSTRATE THAT THE STORAGE TANKS, THE REMOTE AND/OR NOZZLE VAPOR RECOVERY CHECK VALVES, ASSOCIATED VAPOR RETURN PIPING AND FITTINGS ARE FREE FROM VAPOR LEAKS. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.3. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST.

THE AQMD SHALL BE NOTIFIED BY E-MAIL AT R461TESTING@AQMD.GOV OR BY FACSIMILE AT TELEPHONE NUMBER (909) 396-3606 AT LEAST SEVENTY-TWO (72) HOURS PRIOR TO TESTING. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTOR; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE STATIC PRESSURE LEAK DECAY TEST.

- 8. IF THE CARB EXECUTIVE ORDER REQUIRES THE INSTALLATION OF A LIQUID REMOVAL DEVICE, A LIQUID REMOVAL RATE TEST SHALL BE CONDUCTED TO DEMONSTRATE THE REMOVAL OF GASOLINE FROM THE VAPOR PASSAGE OF THE COAXIAL HOSE. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.6. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST.

THE AQMD SHALL BE NOTIFIED BY E-MAIL AT R461TESTING@AQMD.GOV OR BY FACSIMILE AT TELEPHONE NUMBER (909) 396-3606 AT LEAST SEVENTY-TWO (72) HOURS PRIOR TO TESTING. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTOR; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE LIQUID REMOVAL RATE TEST.



## PERMIT TO OPERATE

### CONTINUATION OF PERMIT TO OPERATE

9. THE TESTING FOR THE ABOVE MENTIONED TESTS SHALL BE CONDUCTED IN ACCORDANCE WITH THE MOST RECENT RULE 461 AMENDMENT OR CARB EXECUTIVE ORDER REQUIREMENTS, WHICHEVER IS MORE STRINGENT.
10. ALL RECORDS AND TEST RESULTS THAT ARE REQUIRED TO BE MAINTAINED BY RULE 461 SHALL BE KEPT ON SITE AND MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.
11. THE MAXIMUM QUANTITY OF GASOLINE DISPENSED FROM THE STORAGE TANKS AT THIS FACILITY SHALL NOT EXCEED 15,000 GALLONS IN ANY ONE CALENDAR MONTH NOR 180,000 GALLONS IN ANY ONE CALENDAR YEAR.
12. RECORDS OF MONTHLY AND ANNUAL FUEL DISPENSED SHALL BE PREPARED, SHALL BE RETAINED ON SITE FOR TWO YEARS, AND SHALL BE MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.

### NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DEVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VOILATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

*Dorris M. Bailey*

By Dorris M. Bailey/JM04  
06/04/2004

FILE COPY



## PERMIT TO OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner  
or Operator:

LA CITY, DWP  
P. O. BOX 51111, ROOM 1050  
LOS ANGELES, CA 90051-0100

ID 004471

**Equipment Location:** 12300 NEBRASKA AVENUE, LOS ANGELES, CA 90025-3628

### Equipment Description:

Fuel Storage and Dispensing Facility Consisting of:

- 1) 3 - GASOLINE NOZZLES DISPENSING 3 PRODUCTS ON A TANK TOP MOUNTED DISPENSER, EQUIPPED WITH PHASE II VAPOR RECOVERY SYSTEM, BALANCE RETRACTOR (G-70-52-AM).
- 2) 1 - GASOLINE ABOVEGROUND STORAGE TANK, LUBE CUBE (G-70-148-A), RECTANGULAR, 12' - 0" L. X 6' - 3" W. X 4' - 11" H., 2,000 GALLON CAPACITY, EQUIPPED WITH A PRESSURE/VACUUM RELIEF VALVE, AND A SUBMERGED FILL TUBE.

### Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT WAS ISSUED, UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. EXCEPT FOR DIESEL TRANSFERS, PHASE I VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO STORAGE TANKS.
4. EXCEPT FOR DIESEL TRANSFERS, PHASE II VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO MOTOR VEHICLES, AS DEFINED IN RULE 461.
5. ALL PHASE I AND PHASE II VAPOR RECOVERY EQUIPMENT AT THIS FACILITY SHALL BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CALIFORNIA AIR RESOURCES BOARD CERTIFICATION REQUIREMENTS.
6. THE PHASE II VAPOR RECOVERY SYSTEM SHALL BE INSTALLED, OPERATED, AND MAINTAINED SUCH THAT THE MAXIMUM ALLOWABLE PRESSURE THROUGH THE SYSTEM INCLUDING NOZZLE, VAPOR HOSE, SWIVELS, AND UNDERGROUND PIPING DOES NOT EXCEED THE DYNAMIC BACK PRESSURES DESCRIBED BY THE CALIFORNIA AIR RESOURCES BOARD EXECUTIVE ORDER BY WHICH THE SYSTEM WAS CERTIFIED:

**FILE COPY**





CONTINUATION OF PERMIT TO OPERATE

NITROGEN FLOWRATES (CFH)	DYNAMIC BACK PRESSURE (INCHES OF WATER)
60	0.35
80	0.62

DYNAMIC BACK PRESSURE TESTS SHALL BE CONDUCTED TO DETERMINE THE PHASE II SYSTEM VAPOR RECOVERY BACK PRESSURES. THE TESTS SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE TP-201.4, METHODOLOGY 1; AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TESTS.

7. A STATIC PRESSURE LEAK DECAY TEST SHALL BE CONDUCTED TO DEMONSTRATE THAT THE STORAGE TANKS, THE REMOTE AND/OR NOZZLE VAPOR RECOVERY CHECK VALVES, ASSOCIATED VAPOR RETURN PIPING AND FITTINGS ARE FREE FROM VAPOR LEAKS. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.3 AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST.
8. IF THE CARB EXECUTIVE ORDER REQUIRES THE INSTALLATION OF A LIQUID REMOVAL DEVICE, A LIQUID REMOVAL RATE TEST SHALL BE CONDUCTED TO DEMONSTRATE THE REMOVAL OF GASOLINE FROM THE VAPOR PASSAGE OF THE COAXIAL HOSE. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.6C AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST.
9. THE AQMD SHALL BE NOTIFIED BY E-MAIL AT [R461TESTING@AQMD.GOV](mailto:R461TESTING@AQMD.GOV) OR BY FACSIMILE AT TELEPHONE NUMBER (909) 396-3606 AT LEAST SEVENTY-TWO (72) HOURS PRIOR TO TESTING. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTOR; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE TESTS TO BE PERFORMED.
10. THE TESTING FOR THE ABOVE MENTIONED TESTS SHALL BE CONDUCTED IN ACCORDANCE WITH THE MOST RECENT RULE 461 AMENDMENT OR CARB EXECUTIVE ORDER REQUIREMENTS, WHICHEVER IS MORE STRINGENT.
11. ALL RECORDS AND TEST RESULTS THAT ARE REQUIRED TO BE MAINTAINED BY RULE 461 SHALL BE KEPT ON SITE AND MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.
12. BY APRIL 1, 2013, THE OWNER/OPERATOR OF THIS EQUIPMENT SHALL BE IN FULL COMPLIANCE FOR STANDING LOSS CONTROL FOR THE VAPOR RECOVERY SYSTEM AS PER THE LATEST VERSION OF ARB EXECUTIVE ORDER VR-301.
13. BY JULY 1, 2014, THE OWNER/OPERATOR OF THIS EQUIPMENT SHALL SUBMIT AN APPLICATION AND RECEIVE A PERMIT TO CONSTRUCT/OPERATE TO INSTALL AND BE IN FULL COMPLIANCE FOR ALL PHASE I ENHANCED VAPOR RECOVERY REQUIREMENTS.



**PERMIT TO OPERATE**

CONTINUATION OF PERMIT TO OPERATE

14. THE MAXIMUM QUANTITY OF GASOLINE DISPENSED FROM THE STORAGE TANKS AT THIS FACILITY SHALL NOT EXCEED 15,000 GALLONS IN ANY ONE CALENDAR MONTH NOR 180,000 GALLONS IN ANY ONE CALENDAR YEAR.
15. RECORDS OF MONTHLY AND ANNUAL FUEL DISPENSED SHALL BE PREPARED, SHALL BE RETAINED ON SITE FOR TWO YEARS, AND SHALL BE MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

A handwritten signature in cursive script that reads "Dorris M. Bailey".

By Dorris M. Bailey/jm04  
12/06/2012

**FILE COPY**



## PERMIT TO OPERATE

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner  
or Operator:

LA CITY, DWP  
P. O. BOX 51111, RM 1050  
LOS ANGELES, CA 90051-0100

ID 004471

**Equipment Location:** 12300 NEBRASKA AVENUE, LOS ANGELES, CA 90025-3628

### Equipment Description:

Fuel Storage and Dispensing Facility Consisting of:

- 1) 3 - GASOLINE NOZZLES DISPENSING 3 PRODUCTS ON TANK TOP MOUNTED DISPENSER, EQUIPPED WITH PHASE II VAPOR RECOVERY SYSTEM, BALANCE RETRACTOR (G-70-52-AM).
- 2) 1 - GASOLINE ABOVEGROUND STORAGE TANK, ENVIROVAULT TYPE (G-70-167), RECTANGULAR, 11' - 0" L. X 6' - 10" W. X 5' - 11" H, 2,000 GALLON CAPACITY, CONCRETE INSULATION, EQUIPPED WITH A PRESSURE/VACUUM RELIEF VALVE, AND A SUBMERGED FILL TUBE.
- 3) 1 - GASOLINE ABOVEGROUND STORAGE TANK, LUBE CUBE TYPE (G-70-148-A), RECTANGULAR, 12' - 0" L. X 6' - 3" W. X 4' - 11" H, 2,000 GALLON CAPACITY, CONCRETE INSULATION, EQUIPPED WITH A PRESSURE/VACUUM RELIEF VALVE, AND A SUBMERGED FILL TUBE.

### Conditions:

1. OPERATION OF THIS EQUIPMENT SHALL BE IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT WAS ISSUED, UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. EXCEPT FOR DIESEL TRANSFERS, PHASE I VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO STORAGE TANKS.
4. EXCEPT FOR DIESEL TRANSFERS, PHASE II VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO MOTOR VEHICLES, AS DEFINED IN RULE 461.
5. ALL PHASE I AND PHASE II VAPOR RECOVERY EQUIPMENT AT THIS FACILITY SHALL BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CALIFORNIA AIR RESOURCES BOARD CERTIFICATION REQUIREMENTS.

**FILE COPY**



**PERMIT TO OPERATE**

CONTINUATION OF PERMIT TO OPERATE

- 6. NEW EQUIPMENT INSTALLATIONS AND SUBSEQUENT SERVICE AND REPAIRS FOR ANY CERTIFIED COMPONENT FOR WHICH THIS PERMIT WAS ISSUED, SHALL ONLY BE PERFORMED BY A CURRENT AND CERTIFIED PERSON WHO HAS SUCCESSFULLY COMPLETED THE MANUFACTURER'S TRAINING COURSE AND APPROPRIATE INTERNATIONAL CODE COUNCIL (ICC) CERTIFICATION. COMPLETION OF ANY AQMD TRAINING COURSE DOES NOT CONSTITUTE AS A SUBSTITUTE FOR THIS REQUIREMENT. PROOF OF SUCCESSFUL COMPLETION OF ANY MANUFACTURER TRAINING COURSE SHALL BE WITH THE MANUFACTURER.
- 7. A STATIC PRESSURE LEAK DECAY TEST SHALL BE CONDUCTED TO DEMONSTRATE THAT THE STORAGE TANKS, THE REMOTE AND/OR NOZZLE VAPOR RECOVERY CHECK VALVES, ASSOCIATED VAPOR RETURN PIPING AND FITTINGS ARE FREE FROM VAPOR LEAKS. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.3 AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST.
- 8. THE PHASE II VAPOR RECOVERY SYSTEM SHALL BE INSTALLED, OPERATED, AND MAINTAINED SUCH THAT THE MAXIMUM ALLOWABLE PRESSURE THROUGH THE SYSTEM INCLUDING NOZZLE, VAPOR HOSE, SWIVELS, AND UNDERGROUND PIPING DOES NOT EXCEED THE DYNAMIC BACK PRESSURES DESCRIBED BY THE CALIFORNIA AIR RESOURCES BOARD EXECUTIVE ORDER BY WHICH THE SYSTEM WAS CERTIFIED:

NITROGEN FLOWRATES (CFH)	DYNAMIC BACK PRESSURE (INCHES OF WATER)
60	0.35
80	0.62

DYNAMIC BACK PRESSURE TESTS SHALL BE CONDUCTED TO DETERMINE THE PHASE II SYSTEM VAPOR RECOVERY BACK PRESSURES. THE TESTS SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE TP-201.4, METHODOLOGY 1; AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TESTS.

- 9. IF THE CARB EXECUTIVE ORDER REQUIRES THE INSTALLATION OF A LIQUID REMOVAL DEVICE, A LIQUID REMOVAL RATE TEST SHALL BE CONDUCTED TO DEMONSTRATE THE REMOVAL OF GASOLINE FROM THE VAPOR PASSAGE OF THE COAXIAL HOSE. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.6C AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE AQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST.
- 10. THE AQMD SHALL BE NOTIFIED BY E-MAIL AT [R461TESTING@AQMD.GOV](mailto:R461TESTING@AQMD.GOV) OR BY FACSIMILE AT TELEPHONE NUMBER (909) 396-3606 AT LEAST SEVENTY-TWO (72) HOURS PRIOR TO TESTING. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTOR; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE TESTS TO BE PERFORMED.



## PERMIT TO OPERATE

### CONTINUATION OF PERMIT TO OPERATE

11. THE TESTING FOR THE ABOVE MENTIONED TESTS SHALL BE CONDUCTED IN ACCORDANCE WITH THE MOST RECENT RULE 461 AMENDMENT OR CARB EXECUTIVE ORDER REQUIREMENTS, WHICHEVER IS MORE STRINGENT.
12. ALL RECORDS AND TEST RESULTS THAT ARE REQUIRED TO BE MAINTAINED BY RULE 461 SHALL BE KEPT ON SITE AND MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.
13. BY APRIL 1, 2013, THE OWNER/OPERATOR OF THIS EQUIPMENT SHALL BE IN FULL COMPLIANCE FOR STANDING LOSS CONTROL FOR THE VAPOR RECOVERY SYSTEM AS PER THE LATEST VERSION OF ARB EXECUTIVE ORDER VR-301.
14. BY JULY 1, 2014, THE OWNER/OPERATOR OF THIS EQUIPMENT SHALL SUBMIT AN APPLICATION AND RECEIVE A PERMIT TO CONSTRUCT/OPERATE TO INSTALL AND BE IN FULL COMPLIANCE FOR ALL PHASE I ENHANCED VAPOR RECOVERY REQUIREMENTS.
15. THE MAXIMUM QUANTITY OF GASOLINE DISPENSED FROM THE STORAGE TANK AT THIS FACILITY SHALL NOT EXCEED 15,000 GALLONS IN ANY ONE CALENDAR MONTH NOR 180,000 GALLONS IN ANY ONE CALENDAR YEAR.
16. RECORDS OF MONTHLY AND ANNUAL FUEL DISPENSED SHALL BE PREPARED, SHALL BE RETAINED ON SITE FOR TWO YEARS, AND SHALL BE MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.
17. THE OWNER/OPERATOR SHALL SUBMIT THE FACILITY'S MONTHLY GASOLINE THROUGHPUT DATA FOR THE PREVIOUS CALENDAR YEAR TO THE EXECUTIVE OFFICER ON OR BEFORE MARCH 1 FOLLOWING EACH CALENDAR YEAR.

**THIS PERMIT TO OPERATE, R-N14435, SUPERSEDES PERMIT TO OPERATE N14435 ISSUED ON 06/04/2004.**

#### NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

**FILE COPY**



**PERMIT TO OPERATE**

CONTINUATION OF PERMIT TO OPERATE

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

A handwritten signature in cursive script that reads "Dorris M. Bailey".

By Dorris M. Bailey/jm04  
03/21/2013

**FILE COPY**



**PERMIT TO CONSTRUCT/OPERATE**

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner  
or Operator:

LA CITY DWP - NEBRASKA  
AIR QUALITY GROUP  
P. O. BOX 51111, ROOM 1050  
LOS ANGELES, CA 90051-0100

ID 004471

**Equipment Location:** 12300 NEBRASKA AVENUE, LOS ANGELES, CA 90025

**Equipment Description:**

Fuel Storage and Dispensing Facility Consisting of:

- 1) 3 - GASOLINE NOZZLES DISPENSING 3 PRODUCTS, EQUIPPED WITH PHASE II VAPOR RECOVERY SYSTEM, BALANCE RETRACTOR (G-70-52-AM).
- 2) 2 - GASOLINE ABOVEGROUND STORAGE TANKS, EACH HOOVER LUBE CUBE (VR-301-E), RECTANGULAR, 11' - 0" L. X 6' - 10" W. X 5' - 11" H., 2,000 GALLON CAPACITY, EQUIPPED WITH A HUSKY 5885 PRESSURE/VACUUM RELIEF VALVE, AND AN OPW PHASE I ENHANCED VAPOR RECOVERY (EVR) SYSTEM (VR-401-C).

Conditions:

**SECTION I: GENERAL CONDITIONS**

1. OPERATION OF THIS EQUIPMENT SHALL BE IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT WAS ISSUED, UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.

**SECTION II: PHASE I VAPOR RECOVERY SYSTEM AND TESTING REQUIREMENTS**

3. EXCEPT FOR DIESEL TRANSFERS, PHASE I VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO STORAGE TANKS.
4. IF ROTATABLE VAPOR ADAPTORS ARE INSTALLED, A STATIC TORQUE TEST OF ROTATABLE PHASE I ADAPTORS SHALL BE CONDUCTED TO QUANTIFY THE AMOUNT OF STATIC TORQUE REQUIRED TO START THE ROTATION OF THE ROTATABLE PHASE I ADAPTORS. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH THE TEST PROCEDURE METHOD OUTLINED IN TP-201.1B (OCTOBER 8, 2003) AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE SCAQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST.

**FILE COPY**



**PERMIT TO CONSTRUCT/OPERATE**

CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE

- 5. A LEAK RATE AND CRACKING PRESSURE TEST OF PRESSURE/VACUUM RELIEF VENT VALVES SHALL BE CONDUCTED WITHIN TEN DAYS (10) AFTER THE START OF OPERATION OF THE PHASE I EVR EQUIPMENT AND AT LEAST ONCE EVERY THREE (3) YEARS THEREAFTER TO DETERMINE THE PRESSURE AND VACUUM AT WHICH THE PRESSURE/VACUUM VENT VALVE ACTUATES, AND TO DETERMINE THE VOLUMETRIC LEAK RATE AT A GIVEN PRESSURE. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH THE TEST PROCEDURE METHOD TP-201.1E (OCTOBER 8, 2003). RESULTS SHALL BE SUBMITTED TO THE SCAQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST. THIS TEST RESULT SHALL BE KEPT ON SITE FOR THREE (3) YEARS AND MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.

**SECTION III: PHASE II VAPOR RECOVERY SYSTEM AND TESTING REQUIREMENTS**

- 6. EXCEPT FOR DIESEL TRANSFERS, PHASE II VAPOR RECOVERY SYSTEMS SHALL BE IN FULL OPERATION WHENEVER FUEL IS BEING TRANSFERRED INTO MOTOR VEHICLES, AS DEFINED IN RULE 461.
- 7. A STATIC PRESSURE PERFORMANCE TEST SHALL BE CONDUCTED TO QUANTIFY THE VAPOR TIGHTNESS OF THE ABOVEGROUND STORAGE TANK. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH THE LATEST VERSION OF EXHIBIT 4 OF CARB EXECUTIVE ORDER VR-401, AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE SCAQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST.
- 8. THE PHASE II VAPOR RECOVERY SYSTEM SHALL BE INSTALLED, OPERATED, AND MAINTAINED SUCH THAT THE MAXIMUM ALLOWABLE PRESSURE THROUGH THE SYSTEM INCLUDING NOZZLE, VAPOR HOSE, SWIVELS, AND UNDERGROUND PIPING DOES NOT EXCEED THE DYNAMIC BACK PRESSURES DESCRIBED BY THE CALIFORNIA AIR RESOURCES BOARD EXECUTIVE ORDER BY WHICH THE SYSTEM WAS CERTIFIED:

NITROGEN FLOWRATES (CFH)	DYNAMIC BACK PRESSURE (INCHES OF WATER)
60	0.35
80	0.62

DYNAMIC BACK PRESSURE TESTS SHALL BE CONDUCTED TO DETERMINE THE PHASE II SYSTEM VAPOR RECOVERY BACK PRESSURES. THE TESTS SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE TP-201.4 (JULY 3, 2002), METHODOLOGY 1 AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE SCAQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TESTS.

- 9. IF THE CARB EXECUTIVE ORDER REQUIRES THE INSTALLATION OF A LIQUID REMOVAL DEVICE, A LIQUID REMOVAL RATE TEST SHALL BE CONDUCTED TO DEMONSTRATE THE REMOVAL OF GASOLINE FROM THE VAPOR PASSAGE OF THE COAXIAL HOSE. THE TEST SHALL BE CONDUCTED IN ACCORDANCE WITH CARB TEST PROCEDURE METHOD TP-201.6 (APRIL 28, 2000) AS A PERFORMANCE TEST AND AS A REVERIFICATION TEST. RESULTS SHALL BE SUBMITTED TO THE SCAQMD, OFFICE OF ENGINEERING AND COMPLIANCE, WITHIN SEVENTY-TWO (72) HOURS OF TEST.





**PERMIT TO CONSTRUCT/OPERATE**

CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE

**SECTION V: GENERAL REQUIREMENTS**

10. ALL PHASE I AND PHASE II VAPOR RECOVERY EQUIPMENT AT THIS FACILITY SHALL BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CALIFORNIA AIR RESOURCES BOARD CERTIFICATION REQUIREMENTS.
11. ALL PERMIT CONDITIONS APPLICABLE TO THE EQUIPMENT DESCRIBED IN THE PREVIOUS PERMIT TO OPERATE N27146 SHALL REMAIN IN EFFECT UNTIL THE NEW OR MODIFIED EQUIPMENT IS CONSTRUCTED AND OPERATED AS DESCRIBED IN THIS NEW PERMIT. THIS PERMIT TO CONSTRUCT/OPERATE SHALL BECOME INVALID IF THE MODIFICATION AS DESCRIBED IN THE EQUIPMENT DESCRIPTION HAS NOT BEEN COMPLETED WITHIN ONE YEAR FROM THE ISSUE DATE. IF THE MODIFICATION HAS NOT BEEN COMPLETED WITHIN ONE YEAR FROM THE ISSUE DATE OF THE PERMIT, A WRITTEN REQUEST SHALL BE SUBMITTED TO THE SCAQMD (ATTENTION: RANDY MATSUYAMA) TO REINSTATE THE PREVIOUSLY INACTIVATED PERMIT TO OPERATE. A NEW APPLICATION SHALL BE FILED IF THERE ARE PLANS TO CONTINUE WITH THE MODIFICATION. FURTHERMORE, THIS CONDITION DOES NOT ALLOW ANY TIME EXTENSIONS TO ANY MODIFICATIONS REQUIRED BY THE CALIFORNIA AIR RESOURCES BOARD OR SCAQMD.
12. NEW EQUIPMENT INSTALLATIONS AND SUBSEQUENT SERVICE AND REPAIRS FOR ANY CERTIFIED COMPONENT FOR WHICH THIS PERMIT WAS ISSUED, SHALL ONLY BE PERFORMED BY A CURRENT AND CERTIFIED PERSON WHO HAS SUCCESSFULLY COMPLETED THE MANUFACTURER'S TRAINING COURSE AND APPROPRIATE INTERNATIONAL CODE COUNCIL (ICC) CERTIFICATION. COMPLETION OF ANY SCAQMD TRAINING COURSE DOES NOT CONSTITUTE AS A SUBSTITUTE FOR THIS REQUIREMENT. PROOF OF SUCCESSFUL COMPLETION OF ANY MANUFACTURER TRAINING COURSE SHALL BE WITH THE MANUFACTURER.
13. THE DISTRICT AT ITS DISCRETION MAY WISH TO WITNESS THE INSTALLATION AND/OR PERFORMANCE TESTING OF THE NEW VAPOR RECOVERY EQUIPMENT. AT LEAST SEVENTY-TWO (72) HOURS PRIOR TO THE INSTALLATION OF THE EQUIPMENT AND ANY OF THE MENTIONED TESTING REQUIREMENTS IN THIS PERMIT, THE APPLICANT SHALL NOTIFY THE SCAQMD BY METHODS SPECIFIED AT THE TIME BY THE EXECUTIVE OFFICER. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTOR; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE TESTS TO BE PERFORMED.
14. AT LEAST SEVENTY-TWO (72) HOURS PRIOR TO BACK-FILLING ANY UNDERGROUND PIPING, THE SCAQMD SHALL BE NOTIFIED BY METHODS SPECIFIED AT THE TIME BY THE EXECUTIVE OFFICER. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTORS; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE BACK-FILLING PROCEDURE. THE BACK-FILLING PROCEDURE SHALL NOT COMMENCE UNTIL INSPECTED BY A DISTRICT REPRESENTATIVE.
15. UNLESS SCAQMD RULE 461 REQUIRES A MORE FREQUENT TESTING OR INSPECTION SCHEDULE, THE OWNER/OPERATOR SHALL BE RESPONSIBLE TO PERFORM THE SCHEDULED WEEKLY, QUARTERLY, AND ANNUAL INSPECTIONS AS OUTLINED IN THE CARB APPROVED INSTALLATION, OPERATION, AND MAINTENANCE MANUAL FOR THE OPW PHASE I EVR

**FILE COPY**



**PERMIT TO CONSTRUCT/OPERATE**

CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE

SYSTEM, AS WELL AS ALL THE REQUIRED VAPOR RECOVERY SYSTEM TESTS AS PER THE CURRENT AND APPROPRIATE ARB EXECUTIVE ORDER.

16. THE SCAQMD SHALL BE NOTIFIED BY METHODS SPECIFIED AT THE TIME BY THE EXECUTIVE OFFICER AT LEAST SEVENTY-TWO (72) HOURS PRIOR TO ANY OF THE ABOVE MENTIONED TESTING REQUIREMENTS. SUCH NOTIFICATION SHALL INCLUDE THE NAME OF THE OWNER OR OPERATOR; THE NAME OF THE CONTRACTOR; THE LOCATION OF THE FACILITY; AND THE SCHEDULED START AND COMPLETION DATES OF THE TESTS TO BE PERFORMED.
17. THE TESTING FOR THE ABOVE MENTIONED TESTS SHALL BE CONDUCTED IN ACCORDANCE WITH THE MOST RECENT RULE 461 AMENDMENT OR CARB EXECUTIVE ORDER REQUIREMENTS, WHICHEVER IS MORE STRINGENT.
18. A COPY OF THE PASS/FAIL TEST RESULTS SHALL BE SENT BY METHODS SPECIFIED AT THE TIME BY THE EXECUTIVE OFFICER WITHIN SEVENTY-TWO (72) HOURS AFTER EACH TEST IS CONDUCTED. FURTHERMORE, THE FINAL TEST RESULTS DEMONSTRATING COMPLIANCE SHALL BE SUBMITTED BY METHODS SPECIFIED AT THE TIME BY THE EXECUTIVE OFFICER WITHIN FOURTEEN (14) CALENDAR DAYS FROM THE DATE WHEN ALL TESTS WERE PASSED. THE TEST REPORT SHALL INCLUDE AT A MINIMUM ALL THE REQUIRED RECORDS OF ALL TESTS PERFORMED, TEST DATA, CURRENT SCAQMD FACILITY ID NUMBER OF THE LOCATION BEING TESTED, THE EQUIPMENT PERMIT TO OPERATE OR APPLICATION NUMBER, THE SCAQMD ID NUMBER OF THE COMPANY PERFORMING THE TESTS, A STATEMENT WHETHER THE SYSTEM OR COMPONENT TESTED MEETS THE REQUIRED STANDARDS, AND THE NAME, SCAQMD TESTER ID NUMBER AND SIGNATURE OF THE PERSON RESPONSIBLE FOR CONDUCTING THE TESTS.
19. ALL RECORDS AND TEST RESULTS THAT ARE REQUIRED TO BE MAINTAINED BY RULE 461 SHALL BE KEPT ON SITE AND MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.

**SECTION VI: GASOLINE THROUGHPUT REQUIREMENTS**

20. THE MAXIMUM QUANTITY OF GASOLINE DISPENSED FROM THE STORAGE TANKS AT THIS FACILITY SHALL NOT EXCEED 15,000 GALLONS IN ANY ONE CALENDAR MONTH NOR 180,000 GALLONS IN ANY ONE CALENDAR YEAR.
21. RECORDS OF MONTHLY AND ANNUAL FUEL DISPENSED SHALL BE PREPARED, SHALL BE RETAINED ON SITE FOR TWO YEARS, AND SHALL BE MADE AVAILABLE TO DISTRICT REPRESENTATIVES UPON REQUEST.
22. THE OWNER/OPERATOR SHALL SUBMIT THE FACILITY'S MONTHLY GASOLINE THROUGHPUT DATA FOR THE PREVIOUS CALENDAR YEAR TO THE EXECUTIVE OFFICER ON OR BEFORE MARCH 1 FOLLOWING EACH CALENDAR YEAR.



**PERMIT TO CONSTRUCT/OPERATE**

CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE

NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

A handwritten signature in black ink that reads "Dorris M. Bailey".

By Dorris M. Bailey/jm04  
06/13/2014

**FILE COPY**



**PERMIT TO OPERATE**

This initial permit must be renewed ANNUALLY unless the equipment is moved, or changes ownership.  
If the billing for the annual renewal fee (Rule 301.f) is not received by the expiration date, contact the District.

Legal Owner  
or Operator:

LA CITY, DWP  
P.O. BOX 51111 , RM 1050  
LOS ANGELES, CA 90051-0100

ID 4471

**Equipment Location:** 12300 NEBRASKA AVE, LOS ANGELES, CA 90025-3628

**Equipment Description :**

INTERNAL COMBUSTION ENGINE, CUMMINS, EMERGENCY ELECTRICAL GENERATION, MODEL NO. 6BT5.9-G2, DIESEL- FUELED, 6 CYLINDERS, TURBOCHARGED, 166 BHP.

**Conditions :**

1. OPERATION OF THIS EQUIPMENT SHALL BE CONDUCTED IN ACCORDANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT SHALL BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. THIS ENGINE SHALL NOT BE OPERATED MORE THAN 200 HOURS IN ANY ONE YEAR, WHICH INCLUDES NO MORE THAN 30 HOURS IN ANY ONE YEAR FOR MAINTENANCE AND TESTING.
4. A NON-RESETTABLE TOTALIZING TIMER METER SHALL BE INSTALLED AND MAINTAINED TO INDICATE THE ENGINE ELAPSED OPERATING TIME.
5. THE OPERATOR SHALL COMPLY WITH ALL APPLICABLE REQUIREMENTS OF RULES 431.2 AND 1470.
6. OPERATION BEYOND THE 30 HOURS PER YEAR ALLOTTED FOR ENGINE MAINTENANCE AND TESTING SHALL BE ALLOWED ONLY IN THE EVENT OF A LOSS OF GRID POWER OR UP TO 30 MINUTES PRIOR TO A ROTATING OUTAGE, PROVIDED THAT THE UTILITY DISTRIBUTION COMPANY HAS ORDERED ROTATING OUTAGES IN THE CONTROL AREA WHERE THE ENGINE IS LOCATED OR HAS INDICATED THAT IT EXPECTS TO ISSUE SUCH AN ORDER AT A CERTAIN TIME, AND THE ENGINE IS LOCATED IN A UTILITY SERVICE BLOCK THAT IS SUBJECT TO THE ROTATING OUTAGE. ENGINE OPERATION SHALL BE TERMINATED IMMEDIATELY AFTER THE UTILITY DISTRIBUTION COMPANY ADVISES THAT A ROTATING OUTAGE IS NO LONGER IMMINENT OR IN EFFECT.

**FILE COPY**



**PERMIT TO OPERATE**

7. THIS ENGINE SHALL NOT BE USED AS PART OF AN INTERRUPTIBLE SERVICE CONTRACT IN WHICH A FACILITY RECEIVES A PAYMENT OR REDUCED RATES IN RETURN FOR REDUCING ELECTRIC LOAD ON THE GRID WHEN REQUESTED TO SO BY THE UTILITY OR THE GRID OPERATOR
8. AN ENGINE OPERATING LOG SHALL BE MAINTAINED WHICH ON A MONTHLY BASIS SHALL LIST ALL ENGINE OPERATIONS IN EACH OF THE FOLLOWING AREAS:
  - A. EMERGENCY USE HOURS OF OPERATION
  - B. MAINTENANCE AND TESTING HOURS
  - C. OTHER OPERATING HOURS (DESCRIBE THE REASON FOR OPERATION)

IN ADDITION, EACH TIME THE ENGINE IS STARTED MANUALLY, THE LOG SHALL INCLUDE THE DATE OF OPERATION AND THE TIMER READING IN HOURS AT THE BEGINNING AND END OF OPERATION THE LOG SHALL BE KEPT FOR A MINIMUM OF THREE CALENDAR YEARS PRIOR TO THE CURRENT YEAR AND MADE AVAILABLE TO DISTRICT PERSONNEL UPON REQUEST. THE TOTAL HOURS OF OPERATION FOR THE PREVIOUS CALENDAR YEAR SHALL BE RECORDED SOMETIME DURING THE FIRST 15 DAYS OF JANUARY OF EACH YEAR.

**NOTICE**

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO OPERATE OR COPY SHALL BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

EXECUTIVE OFFICER

By Dorris M. Bailey/HD01

6/22/2006

**FILE COPY**



SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

# PERMIT to OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

PERMIT NO.

M82443

Operation under this permit must be conducted in compliance with all information included with the initial application and the initial permit conditions. The equipment must be properly maintained and kept in good operating condition at all times. In accordance with Rule 206, this Permit to Operate or copy must be posted on or within 8 meters of equipment.

LEGAL OWNER  
OR OPERATOR.

LA CITY, DWP  
12300 NEBRASKA AVE.

EQUIPMENT  
LOCATED AT

LOS ANGELES, CA 900250000

APPL. # 102229

CO. ID. 004471

SECTOR

## EQUIPMENT DESCRIPTION AND CONDITIONS

- R461 GASOLINE FUELING & DISPENSING FACILITY CONSISTING OF :
1. 01 GASOLINE STORAGE TANKS
  2. 01 GAS DISPENSING NOZZLES
  3. 03 VAPOR RECOVERY SYSTEM - BALANCE

### PERMIT CONDITION:

PHASE I AND PHASE II VAPOR RECOVERY SYSTEMS MUST BE IN FULL OPERATION, WHENEVER THIS FACILITY IS IN USE. SUCH SYSTEMS MUST BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CARB CERTIFICATION REQUIREMENTS.

This initial permit must be renewed by 7/1 ANNUALLY unless the equipment is moved, or changes ownership. If billing for annual operating fee is not received by expiration date, contact office above.

This permit does not authorize the emission of air contaminants in excess of those allowed by Division 26 of the Health and Safety Code of the State of California or the Rules of the Air Quality Management District. This permit cannot be considered as permission to violate existing laws, ordinances, regulations or statutes of other government agencies.

EXECUTIVE OFFICER

BY *Virginia Moy*  
VIRGINIA MOY, PRINCIPAL  
PERMIT PROCESS CLERK!

DATE

08/08/84

76P234M - 6/82

**PERMIT to CONSTRUCT/OPERATE**

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

PERMIT NO.  
M97483  
A/N 117448  
PAGE 1

**THIS INITIAL PERMIT MUST BE RENEWED BY 11/16 ANNUALLY UNLESS THE EQUIPMENT IS MOVED, OR CHANGES OWNERSHIP. IF THE BILLING FOR ANNUAL RENEWAL FEE (RULE 301.F) IS NOT RECEIVED BY THE EXPIRATION DATE, CONTACT THE DISTRICT.**

LEGAL OWNER  
OR OPERATOR: LA CITY, DWP

CO. ID.: 004471

SECTOR: LC

EQUIPMENT  
LOCATED AT: 12300 NEBRASKA AV  
LOS ANGELES, CA 90025-3628**EQUIPMENT DESCRIPTION:****FUEL STORAGE AND DISPENSING FACILITY CONSISTING OF:**

1. ONE UNDERGROUND GASOLINE STORAGE TANK(S),  
(EACH) 12,000 GALLON CAPACITY, NOT METHANOL COMPATIBLE
2. FOUR GASOLINE DISPENSING NOZZLES VENTED TO  
VAPOR RECOVERY SYSTEM, BALANCE HI HOSE
3. ONE UNDERGROUND DIESEL STORAGE TANK(S),  
(EACH) 5,000 GALLON CAPACITY, NOT METHANOL COMPATIBLE
4. TWO DIESEL DISPENSING NOZZLES.

**PERMIT CONDITIONS:**

1. OPERATION OF THIS EQUIPMENT MUST BE CONDUCTED IN COMPLIANCE WITH ALL DATA AND SPECIFICATIONS SUBMITTED WITH THE APPLICATION UNDER WHICH THIS PERMIT IS ISSUED UNLESS OTHERWISE NOTED BELOW.
2. THIS EQUIPMENT MUST BE PROPERLY MAINTAINED AND KEPT IN GOOD OPERATING CONDITION AT ALL TIMES.
3. (EXCEPT FOR DIESEL TRANSFERS) PHASE I AND PHASE II VAPOR RECOVERY SYSTEMS MUST BE IN FULL OPERATION WHENEVER THIS FACILITY IS IN USE. SUCH SYSTEMS MUST BE INSTALLED, OPERATED AND MAINTAINED TO MEET ALL CARB CERTIFICATION REQUIREMENTS.

**THIS PERMIT CONCLUDES ON THE NEXT PAGE.**



# PERMIT to CONSTRUCT/OPERATE

9150 FLAIR DRIVE, EL MONTE, CALIFORNIA 91731

PERMIT NO.  
M97423  
A/N 2174-8  
PAGE 2

## CONTINUATION OF PERMIT TO CONSTRUCT/OPERATE

### NOTICE

IN ACCORDANCE WITH RULE 206, THIS PERMIT TO CONSTRUCT/OPERATE OR COPY MUST BE POSTED ON OR WITHIN 8 METERS OF THE EQUIPMENT.

THIS PERMIT DOES NOT AUTHORIZE THE EMISSION OF AIR CONTAMINANTS IN EXCESS OF THOSE ALLOWED BY DIVISION 26 OF THE HEALTH AND SAFETY CODE OF THE STATE OF CALIFORNIA OR THE RULES OF THE AIR QUALITY MANAGEMENT DISTRICT. THIS PERMIT CANNOT BE CONSIDERED AS PERMISSION TO VIOLATE EXISTING LAWS, ORDINANCES, REGULATIONS OR STATUTES OF OTHER GOVERNMENT AGENCIES.

APPROVAL OF THE DEPARTMENT OF PUBLIC WORKS, THE DEPARTMENT OF BUILDING AND SAFETY, THE LOCAL FIRE DEPARTMENT AND/OR THE LOCAL TANK LAW IMPLEMENTING AGENCY IS REQUIRED BEFORE CONSTRUCTION IS STARTED.

THIS PERMIT TO CONSTRUCT/OPERATE IS BASED ON THE PLANS, SPECIFICATIONS, AND DATA SUBMITTED AS IT PERTAINS TO THE RELEASE OF AIR CONTAMINANTS AND CONTROL MEASURES TO REDUCE AIR CONTAMINANTS. NO APPROVAL OR OPINION CONCERNING SAFETY AND OTHER FACTORS IN DESIGN, CONSTRUCTION OR OPERATION OF THE EQUIPMENT IS EXPRESSED OR IMPLIED.

EXECUTIVE OFFICER

BY RAQUEL PUERTA  
08/31/91

MAILING ADDRESS:  
LA CITY, DWP  
P.O. BOX 111, ROOM 1116B  
ATTN: VERNON L. PRUETT  
LOS ANGELES, CA 90051-0100

DATE: 11/08/91  
ID: 004471  
SECTOR: LG

FILE COPY



***Los Angeles Regional Water Quality Control  
Board (LARWQCB)  
12270 Nebraska Avenue***

STATE WATER RESOURCES CONTROL BOARD  
HAZARDOUS SUBSTANCE STORAGE CONTAINER INFORMATION FOR LOS ANGELES COUNTY

CONTAINER TYPES: 1, 2, 3, 4, 5  
(1=FARM MOTOR VEHICLE FUEL TANKS, 2=ALL OTHER PRODUCT TANKS, 3=WASTE TANKS, 4=SUMPS, 5=PITS, PONDS, LAGOONS & OTHERS)

I OWNER

PLASKON ELECTRONIC MATERIALS,  
2829 GLENDALE AVE. TOLEDO OH 43614

II FACILITY

PLASKON ELECTRONIC MATERIALS, 12270 NEBRASKA AVE. LOS ANGELES CA 90025	MAILING ADDRESS TOWNSHIP/RANGE/SECTION 12270 NEBRASKA AVE LOS ANGELES CA 90025	DEALER/FOREMAN/SUPERVISOR TELEPHONE J.W. CARLYLE (213) 272-4471	TYPE OF BUSINESS NO. OF CONTAINERS REG. 2
CROSS STREET : BUNDY DR.			

III 24-HR. CONTACT PERSON / TELEPHONE

DAY: CARLYLE, J.W. (213) 272-4471 NIGHT: CARLYLE, J.W. (213) 454-3436

\*\*\*\*\* OWNER ASSIGNED CONTAINER NUMBER: 308 \*\*\*\*\* STATE BOARD ASSIGNED CONTAINER ID NUMBER: 0000016949001 \*\*\*\*\*

IV DESCRIPTION

A. CONTAINER TYPE : TANK	E. REPAIRS : NONE IF YES WHEN :
B. MANUFACTURER/YR OF MFG: /	F. CURRENTLY USED : YES IF NO, YEAR OF LAST USE:
C. YEAR INSTALLED : 1959	G. STORES : PRODUCT
D. CAPACITY (GALLONS) : 7,500	H. MOTOR VEHICLE FUEL/WASTE OIL : NO CONTAINS:

IS CONTAINER LOCATED ON A FARM : NO

V CONTAINER CONSTRUCTION

A. THICKNESS:	B. VAULTING: UNKNOWN	C. WALLING: UNKNOWN
D. MATERIAL : UNKNOWN		
E. LINING : UNKNOWN		
F. WRAPPING : UNKNOWN		

VI PIPING

A. ABOVEGROUND PIPING : UNKNOWN	B. UNDERGROUND PIPING : UNKNOWN
C. REPAIRS : NONE IF YES, YEAR OF MOST RECENT REPAIR:	

VII LEAK DETECTION

VISUAL	STOCK INVENTORY	VAPOR SNIFF WELLS
--------	-----------------	-------------------

VIII CHEMICAL COMPOSITION OF SUBSTANCES CURRENTLY STORED IN CONTAINER

67641 \* ACETONE (DIMETHYL KETONE, 2-PROPANONE)

\* CHECK STATE BOARD CHEMICAL CODE LISTING FOR POSSIBLE SYNONYMS

STATE WATER RESOURCES CONTROL BOARD  
HAZARDOUS SUBSTANCE STORAGE CONTAINER INFORMATION FOR LOS ANGELES COUNTY

06/01/88

CONTAINER TYPES: 1, 2, 3, 4, 5  
(1=FARM MOTOR VEHICLE FUEL TANKS, 2=ALL OTHER PRODUCT TANKS, 3=WASTE TANKS, 4=SLUMPS, 5=PITS, PONDS, LAGOONS & OTHERS)

\*\*\*\*\* OWNER ASSIGNED CONTAINER NUMBER: 563

\*\*\*\*\* STATE BOARD ASSIGNED CONTAINER ID NUMBER: 00000016949002 \*\*\*\*\*

## IV DESCRIPTION

A. CONTAINER TYPE	: LAGOON	E. REPAIRS	: NOW	IF YES WHEN	:
B. MANUFACTURER/YR OF MFG:		/1978	F. CURRENTLY USED	: YES IF NO, YEAR OF LAST USE:	
C. YEAR INSTALLED	: 1978		G. STORES	: PRODUCT	
D. CAPACITY (GALLONS)	:		H. MOTOR VEHICLE FUEL/WASTE OIL	: NO CONTAINS:	

IS CONTAINER LOCATED ON A FARM : NO

## V CONTAINER CONSTRUCTION

A. THICKNESS: 10	GAUGE	B. VAULTING: NON-VAULTED	C. WALLING: DOUBLE
D. MATERIAL : CARBON STEEL		CONCRETE	
E. LINING : INDUSTRIAL ENAMEL		OTHER	
F. WRAPPING : NONE			

## VI PIPING

A. ABOVEGROUND PIPING :	B. UNDERGROUND PIPING :
C. REPAIRS : UNKN	IF YES, YEAR OF MOST RECENT REPAIR:

## VII LEAK DETECTION

VISUAL STOCK INVENTORY

## VIII CHEMICAL COMPOSITION OF SUBSTANCES CURRENTLY STORED IN CONTAINER

NONE

***CalEPA***  
***12300 Nebraska Avenue***

<b>WEST LOS ANGELES SERVICE CENTER</b>		12300 NEBRASKA AVE, LOS ANGELES, CA 90025	
<input type="button" value="Filter Chemicals By Name"/> <input type="button" value="Expand/Collapse All"/>			
REPORT PERIOD: 2016 SUBMITTED 5/5/2017			
CHEMICAL NAME	CAS NUMBER	HAZARD LABEL	AVERAGE DAILY AMOUNT RANGE
▸ ACETYLENE (GAS)	74-86-2	Fire, Sudden Release of Pressure, Reactivity	0-2599 Cubic Feet
▸ AEROSOL CANS		Fire, Sudden Release of Pressure	12-59 Gallons
▸ AEROSOL CANS		Fire, Sudden Release of Pressure	0-99 Pounds
▸ ALL PURPOSE CLEANER			0-11 Gallons
▸ AMPACT CARTRIDGES FOR POWER TOOLS		Sudden Release of Pressure	0-99 Pounds
▸ ANTI SIEZE COMPOUND			0-99 Pounds
▸ ANTIFREEZE (ETHYLENE GLYCOL)	107-21-1		0-11 Gallons
▸ AUTOMATIC TRANSMISSION FLUID		Fire	120-599 Gallons
▸ BRAKE AND PARTS CLEANER		Fire	60-119 Gallons



**APPENDIX E**  
*Site Photographs*





**APPENDIX E**  
**Site Photographs**



Photograph 1 – Photograph showing the office building on the subject property.



Photograph 2 – Photograph showing the locker room and tool room building on the subject property.



Photograph 3 – Photograph showing the parking lot on the subject property.



Photograph 4 – Photograph showing the auto service building on the subject property. Cracked asphalt is noted.


## APPENDIX E (Continued)



Photograph 5 – Photograph showing an access road located on the southeastern portion of the subject property. Southwestern-adjacent Receiving Station K is to the right.



Photograph 6 – Photograph showing the southeast yard that abuts Olympic Boulevard.



Photograph 7 – Photograph showing northwestern-adjacent Nebraska Avenue and residential housing (left).



Photograph 8 – Photograph showing the northeastern adjacent office building (foreground) and gaming company (background).

## APPENDIX E (Continued)



Photograph 9 – Photograph showing southwestern-adjacent Centinela Boulevard and office buildings.



Photograph 10 – Photograph showing the southeastern-adjacent veterinary clinic.



Photograph 11 – New transformers stored on the northeastern portion of the subject property.



Photograph 12 – New transformers stored on the northeastern portion of the subject property.



## APPENDIX E (Continued)



Photograph 13 – Portable temporary trailer-mounted transformers stored on the northeastern portion of the subject property.



Photograph 14 – Damaged transformers stored on the northeastern portion of the subject property.



Photograph 15 – Photograph showing the prefabricated materials storage containers on the northeastern portion of the subject property.



Photograph 16 – Empty drums stored on the northeastern portion of the subject property.

## APPENDIX E (Continued)



Photograph 17 – Photograph showing the outdoor sand and gravel storage located on the northeastern portion of the subject property.



Photograph 18 – Lead cables coated in cable oil stored on the southeastern portion of the subject property.



Photograph 19 – Photograph showing chemicals stored in the auto service building.




Photograph 20 – Photograph showing one of two parts washers in the auto service building.




## APPENDIX E (Continued)



Photograph 21 – Photograph showing a drum stored in the prefabricated storage building on the northeastern portion of the subject property.



Photograph 22 – Photograph showing aerosols stored in a flammable material cabinet in the tool room.



Photograph 23 – Photographs showing compressed gas storage on the northeastern portion of the subject property.



Photograph 24 – Photograph showing a wash rack in the auto service building on the subject property.

## APPENDIX E (Continued)



Photograph 25 – Hydraulic vehicle lift and chemical storage in the auto service building.



Photograph 26 –Hydraulic cable pulling tools. Stained asphalt was noted.



Photograph 27 – Damaged transformers stored on the subject property. Note the absorbent around one of the units.



Photograph 28 – Stained asphalt located near the damaged transformer storage area.



## APPENDIX E (Continued)




Photograph 29 – Photograph showing a gasoline AST and nozzle.



Photograph 30 – Photograph showing a diesel AST and nozzle.



Photograph 31 – Diesel emergency generator located on the northwestern portion of the subject property.



Photograph 32 – Diesel emergency generator located on the northwestern portion of the subject property.



**APPENDIX F**  
*Historical Aerial Photographs*





**12300 Nebraska Avenue**

12300 Nebraska Avenue

Los Angeles, CA 90025

Inquiry Number: 5381550.8

August 03, 2018

## The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# EDR Aerial Photo Decade Package

08/03/18

**Site Name:**

12300 Nebraska Avenue  
12300 Nebraska Avenue  
Los Angeles, CA 90025  
EDR Inquiry # 5381550.8

**Client Name:**

Dudek & Associates  
605 Third Street  
Encinitas, CA 92024  
Contact: Susie Smith



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

### Search Results:

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
2016	1"=500'	Flight Year: 2016	USDA/NAIP
2012	1"=500'	Flight Year: 2012	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2005	1"=500'	Flight Year: 2005	USDA/NAIP
2002	1"=500'	Flight Date: June 05, 2002	USDA
1994	1"=500'	Acquisition Date: June 01, 1994	USGS/DOQQ
1989	1"=500'	Flight Date: August 22, 1989	USDA
1981	1"=500'	Flight Date: February 17, 1981	USGS
1977	1"=500'	Flight Date: April 25, 1977	USGS
1970	1"=500'	Flight Date: February 17, 1970	USGS
1967	1"=500'	Flight Date: August 13, 1967	USGS
1964	1"=500'	Flight Date: July 28, 1964	USGS
1952	1"=500'	Flight Date: April 11, 1952	USDA
1947	1"=500'	Flight Date: August 21, 1947	USGS
1938	1"=500'	Flight Date: May 22, 1938	USDA
1928	1"=500'	Flight Date: January 01, 1928	USGS

**When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.**


#### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.





INQUIRY #: 5381550.8

YEAR: 2016

— = 500'







INQUIRY #: 5381550.8

YEAR: 2012

— = 500'







INQUIRY #: 5381550.8

YEAR: 2009

— = 500'







INQUIRY #: 5381550.8

YEAR: 2005

— = 500'








INQUIRY #: 5381550.8

YEAR: 2002

— = 500'







INQUIRY #: 5381550.8

YEAR: 1994

— = 500'







INQUIRY #: 5381550.8

YEAR: 1989

— = 500'







INQUIRY #: 5381550.8

YEAR: 1981

— = 500'







INQUIRY #: 5381550.8

YEAR: 1977

— = 500'







INQUIRY #: 5381550.8

YEAR: 1970

— = 500'







INQUIRY #: 5381550.8

YEAR: 1967

— = 500'







INQUIRY #: 5381550.8

YEAR: 1964

— = 500'







INQUIRY #: 5381550.8

YEAR: 1952

— = 500'







INQUIRY #: 5381550.8

YEAR: 1947

— = 500'








INQUIRY #: 5381550.8

YEAR: 1938

— = 500'







INQUIRY #: 5381550.8

YEAR: 1928

— = 500'



**APPENDIX G**  
*Certified Sanborn Map Report*



12300 Nebraska Avenue  
12300 Nebraska Avenue  
Los Angeles, CA 90025

Inquiry Number: 5381550.3

August 03, 2018

## Certified Sanborn® Map Report



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# Certified Sanborn® Map Report

08/03/18

**Site Name:**

12300 Nebraska Avenue  
12300 Nebraska Avenue  
Los Angeles, CA 90025  
EDR Inquiry # 5381550.3

**Client Name:**

Dudek & Associates  
605 Third Street  
Encinitas, CA 92024  
Contact: Susie Smith



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Dudek & Associates were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn).

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

**Certified Sanborn Results:**

**Certification #** 7EC7-4585-9899  
**PO #** 10649  
**Project** West LA District Yard  
**Maps Provided:**  
1965



Sanborn® Library search results

Certification #: 7EC7-4585-9899

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

*The Sanborn Library LLC Since 1866™*

**Limited Permission To Make Copies**

Dudek & Associates (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

**Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice. Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.



**Sanborn Sheet Key**


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



**1965 Source Sheets**



Volume 1S, Sheet 78  
1965






The certified Sanborn Library search results in this report can be authenticated by visiting [www.edrnet.com/sanborn](http://www.edrnet.com/sanborn) and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 7EC7-4585-9899

Site Name: 12300 Nebraska Avenue  
 Address: 12300 Nebraska Avenue  
 City, ST, ZIP: Los Angeles, CA 90025  
 Client: Dudek & Associates  
 EDR Inquiry: 5381550.3  
 Order Date: 08/03/2018  
 Certification # 7EC7-4585-9899  
 Copyright 1965



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 1S, Sheet 78



# **APPENDIX H**

*City Directory*



**12300 Nebraska Avenue**

12300 Nebraska Avenue  
Los Angeles, CA 90025

Inquiry Number: 5381550.5  
August 03, 2018

# The EDR-City Directory Abstract

## TABLE OF CONTENTS

### SECTION

Executive Summary

Findings

City Directory Images

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

### **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2017 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

### DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 2014. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 332 feet of the target property.

A summary of the information obtained is provided in the text of this report.

### RECORD SOURCES

EDR's Digital Archive combines historical directory listings from sources such as Cole Information and Dun & Bradstreet. These standard sources of property information complement and enhance each other to provide a more comprehensive report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer. Reproduction of City Directories without permission of the publisher or licensed vendor may be a violation of copyright.

Data by

**infoUSA**<sup>®</sup>

Copyright©2008  
All Rights Reserved

### RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
2014	EDR Digital Archive	-	X	X	-
2010	EDR Digital Archive	-	X	X	-
2006	Haines Co., Inc.	-	X	X	-
2004	Haines Company	-	-	-	-
2003	Haines & Company	-	-	-	-
2001	Haines Company, Inc.	-	-	-	-
2000	Haines & Company	-	X	X	-
1999	Haines Company	-	-	-	-
1996	GTE	-	-	-	-
1995	Pacific Bell	-	-	-	-
1992	PACIFIC BELL WHITE PAGES	-	-	-	-
1991	Pacific Bell	-	X	X	-

## EXECUTIVE SUMMARY

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
1985	Pacific Bell	-	X	X	-
	Pacific Bell	X	X	X	-
1980	Pacific Telephone	-	X	X	-
	Pacific Telephone	X	X	X	-
1976	R.L. Polk & Co Publishers	-	-	-	-
1975	Pacific Telephone	-	X	X	-
	Pacific Telephone	X	X	X	-
1972	R. L. Polk & Co.	-	-	-	-
1971	R. L. Polk & Co.	-	-	-	-
1970	Pacific Telephone	-	X	X	-
1969	Pacific Telephone	-	-	-	-
1967	R. L. Polk & Co.	-	-	-	-
1966	Pacific Telephone	-	-	-	-
1965	Pacific Telephone	-	X	X	-
1964	Pacific Telephone	-	-	-	-
1963	Pacific Telephone	-	-	-	-
1962	Pacific Telephone	-	X	X	-
	Pacific Telephone	X	X	X	-
1961	R. L. Polk & Co.	-	-	-	-
1960	Pacific Telephone	-	-	-	-
1958	Pacific Telephone	-	X	X	-
1957	Pacific Telephone	-	-	-	-
1956	Pacific Telephone	-	-	-	-
1955	R. L. Polk & Co.	-	-	-	-
1954	R. L. Polk & Co.	-	X	X	-
1952	Los Angeles Directory Co.	-	-	-	-
1951	Los Angeles Directory Co.	-	-	-	-
1950	Pacific Telephone	-	-	-	-
1949	Los Angeles Directory Co.	-	-	-	-
1948	Los Angeles Directory Co.	-	X	X	-
1947	Pacific Directory Co.	-	-	-	-
1946	Southern California Telephone Co	-	-	-	-
1945	R. L. Polk & Co.	-	-	-	-
1944	R. L. Polk & Co.	-	-	-	-
1942	Los Angeles Directory Co.	-	-	-	-
1940	Los Angeles Directory Co.	-	X	X	-
1939	Los Angeles Directory Co.	-	-	-	-
1938	Los Angeles Directory Company Publishers	-	-	-	-
1937	Los Angeles Directory Co.	-	-	-	-
1936	Los Angeles Directory Co.	-	-	-	-
1935	Los Angeles Directory Co.	-	-	-	-
1934	Los Angeles Directory Co.	-	-	-	-



## EXECUTIVE SUMMARY

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
1933	Los Angeles Directory Co.	-	X	X	-
1932	Los Angeles Directory Co.	-	-	-	-
1931	TRIBUNE-NEWS PUBLISHING CO.	-	-	-	-
1930	Los Angeles Directory Co.	-	-	-	-
1929	Los Angeles Directory Co.	-	-	-	-
1928	Los Angeles Directory Co.	-	X	X	-
1927	Los Angeles Directory Co.	-	-	-	-
1926	Los Angeles Directory Co.	-	-	-	-
1925	Los Angeles Directory Co.	-	-	-	-
1924	Los Angeles Directory Co.	-	-	-	-
1923	Los Angeles Directory Co.	-	-	-	-
1921	Los Angeles Directory Co.	-	-	-	-
1920	Los Angeles Directory Co.	-	-	-	-

## EXECUTIVE SUMMARY

### **SELECTED ADDRESSES**

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

<b><u>Address</u></b>	<b><u>Type</u></b>	<b><u>Findings</u></b>
12270 Nebraska Avenue	Client Entered	X

# FINDINGS

## TARGET PROPERTY INFORMATION

### ADDRESS

12300 Nebraska Avenue  
Los Angeles, CA 90025

### FINDINGS DETAIL

Target Property research detail.

### NEBRASKA AVE

#### **12270 NEBRASKA AVE**

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1990	PLASKON ELECTRONIC MATERIALS INC WEST LOS ANGELES	Pacific Bell
1986	PLASKON ELECTRONIC MATERIALS INC WEST LOS ANGELES	Pacific Bell
1985	PLASKON ELECTRONIC MATERIALS INC	Pacific Bell
1981	PLASKON PRODUCTS INC WEST LOS ANGELES	Pacific Telephone
1980	From Los Angeles Telephones Ca	Pacific Telephone
	Plaskon Products	Pacific Telephone
	Plaskon Products Din Allied Chemical Corp	Pacific Telephone
	Plaskon Products Plastics Div Allied Chemical Corp	Pacific Telephone
1975	ALLIED CHEMICAL CORPORATION	Pacific Telephone
	Mesa Products	Pacific Telephone
	MESA PRODUCTS PLASTICS DIV ALLIED CHEMICAL CORP	Pacific Telephone
1962	MESA PLOS ANGELESSTICS CO	Pacific Telephone

### Nebraska Avenue

#### **12270 Nebraska Avenue**

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1990	PLASKON ELECTRONIC MATERIALS INC WEST LOS ANGELES	Pacific Bell
1986	PLASKON ELECTRONIC MATERIALS INC WEST LOS ANGELES	Pacific Bell
1985	PLASKON ELECTRONIC MATERIALS INC	Pacific Bell
1981	PLASKON PRODUCTS INC WEST LOS ANGELES	Pacific Telephone
1980	From Los Angeles Telephones Ca	Pacific Telephone

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1980	Plaskon Products	Pacific Telephone
	Plaskon Products Din Allied Chemical Corp	Pacific Telephone
	Plaskon Products Plastics Div Allied Chemical Corp	Pacific Telephone
1975	ALLIED CHEMICAL CORPORATION	Pacific Telephone
	Mesa Products	Pacific Telephone
	MESA PRODUCTS PLASTICS DIV ALLIED CHEMICAL CORP	Pacific Telephone
1962	MESA PLOS ANGELESSTICS CO	Pacific Telephone

# FINDINGS

## ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

### Nebraska Ave

#### **3216 Nebraska Ave**

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
2014	ART GROUP INTERNATIONAL INC	EDR Digital Archive	
	HIRSCH/BEDNER INTL INC	EDR Digital Archive	
	HIRSCH BEDNER ASSOCIATES	EDR Digital Archive	
	PURCHASE SERVICE LTD	EDR Digital Archive	
	PURCHASE SERVICE LTD	EDR Digital Archive	
	HIRSCH/BEDNER INTL INC	EDR Digital Archive	
	HIRSCH BEDNER ASSOCIATES	EDR Digital Archive	
	ART GROUP INTERNATIONAL INC	EDR Digital Archive	
	2010	ART GROUP INTERNATIONAL INC	EDR Digital Archive
		PURCHASE SERVICE LTD	EDR Digital Archive
HIRSCH/BEDNER INTL INC		EDR Digital Archive	
ELEPHANT SHOP		EDR Digital Archive	
ELEPHANT SHOP		EDR Digital Archive	
HIRSCH/BEDNER INTL INC		EDR Digital Archive	
PURCHASE SERVICE LTD		EDR Digital Archive	
ART GROUP INTERNATIONAL INC	EDR Digital Archive		

#### **3220 Nebraska Ave**

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	AMC USA LLC	EDR Digital Archive
	AMC USA LLC	EDR Digital Archive
2010	WALDEN STRUCTURES LLC	EDR Digital Archive
	DELLICE GROUP LLC	EDR Digital Archive
	AMC USA LLC	EDR Digital Archive
	WALDEN STRUCTURES LLC	EDR Digital Archive
	DELLICE GROUP LLC	EDR Digital Archive
	AMC USA LLC	EDR Digital Archive

#### **3226 Nebraska Ave**

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	TONO STUDIOS INC	EDR Digital Archive

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	TONO STUDIOS INC	EDR Digital Archive
2010	TONO STUDIOS INC	EDR Digital Archive
	HIRSCH PRODUCT	EDR Digital Archive
	TONO STUDIOS INC	EDR Digital Archive
	HIRSCH PRODUCT	EDR Digital Archive

### 3228 Nebraska Ave

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	ECOLOGY WEST TECH	EDR Digital Archive
	RATED I CREATIVE LLC	EDR Digital Archive
	WOODY FRASER PRODUCTIONS	EDR Digital Archive
	WOODY FRASER PRODUCTIONS	EDR Digital Archive
	RATED I CREATIVE LLC	EDR Digital Archive
	ECOLOGY WEST TECH	EDR Digital Archive
2010	WOODY FRASER PRODUCTIONS	EDR Digital Archive
	RATED I CREATIVE LLC	EDR Digital Archive
	ECOLOGY WEST TECH	EDR Digital Archive
	RATED I CREATIVE LLC	EDR Digital Archive
	WOODY FRASER PRODUCTIONS	EDR Digital Archive
	ECOLOGY WEST TECH	EDR Digital Archive

### 3232 Nebraska Ave

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2010	ORACLE POST INC	EDR Digital Archive
	LOT 4 PARTNERS LTD A CALIF	EDR Digital Archive
	LOT 9 LP	EDR Digital Archive
	LOT 4 PARTNERS LTD A CALIF	EDR Digital Archive
	LOT 9 LP	EDR Digital Archive
	ORACLE POST INC	EDR Digital Archive

## NEBRASKA AVE

### 12210 NEBRASKA AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	BIG TIMEPICTURE	Haines Co., Inc.
	COMPANY INC	Haines Co., Inc.
2000	BIG TIME PICTURE CO	Haines & Company
	HDI CONSULTNG	Haines & Company
	1/2 EARLY EDITION	Haines & Company
	THIRD MIRACLE PRODUCTIONS	Haines & Company

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1991	Betsy HWeddingInc	Pacific Bell
	Batt HM 8226467	Pacific Bell
	Bottalab 50704	Pacific Bell
	Carlan Graham & Associates	Pacific Bell
	Carlan Graham & Associates	Pacific Bell
	Churchi Entertainment	Pacific Bell
	Churchill Flms	Pacific Bell
	Churchi B Pkctures	Pacific Bell
	Conus West	Pacific Bell
	Cuningham Sean S Films	Pacific Bell
	Cunningham Films	Pacific Bell
	Douglas Production	Pacific Bell
	Douglas Productions 2858401	Pacific Bell
	Douglas Raphy Azoulay	Pacific Bell
	Fideout Music	Pacific Bell
	Fim Works	Pacific Bell
	Fiochowski AV SANTA MONICA 4502130	Pacific Bell
	Pacsat Communications	Pacific Bell
	PACTEL BUSINESS SYSTEMS	Pacific Bell
	West Los Angele 4738436	Pacific Bell
	City Of Commerce	Pacific Bell
	Torrance	Pacific Bell
	No Charge To Calling Party	Pacific Bell
	No Charge To Calling Party	Pacific Bell
	No Charge To Calling Party	Pacific Bell
	Pac Tel Cellular Wholesale Customer Service No Charge To Calling Party	Pacific Bell
	Resnlck Margellos Productions	Pacific Bell
	Sideout	Pacific Bell
	Sideris Klear & Nina 2021577	Pacific Bell
	Siderius Peter	Pacific Bell
	Siderius Pete	Pacific Bell
	Siderman Marcy	Pacific Bell
	BETSYHWEDDINGLNC	Pacific Bell
	CARLAN-GRAHAM & ASSOCIATES	Pacific Bell
	CHURCHI ENTERTAINMENT	Pacific Bell
	CHURCHILLFLMS	Pacific Bell
	CHURCHIB PKCTURES	Pacific Bell
	CONUS WEST	Pacific Bell

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1991	CUNNINGHAM SEAN S FILMS	Pacific Bell
	CUNNINGHAM FILMS	Pacific Bell
	DOUGLAS PRODUCTION	Pacific Bell
	FIMWORKS	Pacific Bell
	PACSAT COMMUNICATIONS	Pacific Bell
	RESNLCK-MARGELLOS PRODUCTIONS	Pacific Bell
1980	Per Sci Inc	Pacific Telephone
	Engineering	Pacific Telephone
	Finance	Pacific Telephone
	Manufacturing	Pacific Telephone
	President	Pacific Telephone
1962	TRANSCO PRODUCTS INC AIRCRFT EQUIP	Pacific Telephone

### S Centinela Ave

#### 1736 S Centinela Ave

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2014	SHARIFF RAZIA	EDR Digital Archive
	SHARIFF RAZIA	EDR Digital Archive
2010	SHARIFF RAZIA	EDR Digital Archive
	SHARIFF RAZIA	EDR Digital Archive

### WELLESLEY AVE

#### 1744 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	ESTRADA Henry	Haines Co., Inc.
2000	ESTRADA Henry	Haines & Company
	KATZ M	Haines & Company
1954	MELLER LLOYD P REV	R. L. Polk & Co.
1948	Magaman C E jr	Los Angeles Directory Co.
1940	Stahl Lawrence	Los Angeles Directory Co.
1933	Vacant	Los Angeles Directory Co.
1928	Jordan L	Los Angeles Directory Co.

#### 1745 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	MONTANO Avaristo T	Haines Co., Inc.
2000	MONTANO Avaristo T	Haines & Company



## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1991	Montano Avaristo T	Pacific Bell
	MONTANOAVARISTOT	Pacific Bell
1985	MONTANO AVARISTO T	Pacific Bell
1980	Montano Avaristo T	Pacific Telephone
1975	MONTANA REBECCA	Pacific Telephone
	MONTANA CECILIA	Pacific Telephone
	MONTANO AVARISTO T	Pacific Telephone
1970	MONTANO AVARISTO T	Pacific Telephone
	MONTANO AVARISTO PJR	Pacific Telephone
1965	MONTANA AVARISTO T	Pacific Telephone
1962	MONROVIATANO AVARISTO T	Pacific Telephone
1958	HUDSON HARRY A	Pacific Telephone
1954	MELVIN GERALD T R	R. L. Polk & Co.
1948	Melvin G T	Los Angeles Directory Co.
1940	AMelvin G T	Los Angeles Directory Co.

### 1748 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Mohammad	Haines Co., Inc.
	BLOURTCHI	Haines Co., Inc.
2000	BLOURTCHI Kamran	Haines & Company
1991	UNITED STATES SYSTEMS	Pacific Bell
	United States Tennis AssociationUSTA WESTWOOD 2083838	Pacific Bell
	United States Systems	Pacific Bell
1975	PACINI CECILA R	Pacific Telephone
1970	PACLNL CECLIA R	Pacific Telephone
1965	BERG VESTA J	Pacific Telephone
1962	BERG GUSTAF H	Pacific Telephone
1958	BERG GUSTAF H	Pacific Telephone
1954	BERG GUSTAF H	R. L. Polk & Co.
1948	Moore C H	Los Angeles Directory Co.
1940	Zirws WM A Mrs	Los Angeles Directory Co.
	Zirws F T	Los Angeles Directory Co.
1933	Dowdakin C E	Los Angeles Directory Co.
1928	Kraft H W	Los Angeles Directory Co.

## FINDINGS

### 1749 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	HATANAKA Ben	Haines & Company
1980	Hatanaka Ben	Pacific Telephone
1975	HATANAKA BEN	Pacific Telephone
1970	HATANAKA BEN	Pacific Telephone
1965	HATANAKA BEN	Pacific Telephone
1962	HATANAKA BEN	Pacific Telephone
1958	HATANAKA BEN	Pacific Telephone
1954	BITONDO DOMENIC	R. L. Polk & Co.
1948	Datweiller Jas	Los Angeles Directory Co.

### 1752 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	REYES Art	Haines Co., Inc.
2000	REYES Art	Haines & Company
1991	REYES ARTESIA	Pacific Bell
	Reyes ARTESIA	Pacific Bell
1985	REYES ART	Pacific Bell
1980	Reycs ARTESIA	Pacific Telephone
1970	REYES ARTESIA	Pacific Telephone
1962	GALE LAWMENCE R	Pacific Telephone
1958	GALE LAWRENCE R	Pacific Telephone
1954	GALE LAWRENCE R R	R. L. Polk & Co.
1948	Gale L R	Los Angeles Directory Co.
1940	4 Zimmerman J P	Los Angeles Directory Co.
1933	Barton L V	Los Angeles Directory Co.
1928	Donovan Thos	Los Angeles Directory Co.

### 1753 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	No Current Listing	Haines Co., Inc.
2000	MISHIMA Taro	Haines & Company
1980	Mishima Taro	Pacific Telephone
1975	MISHIMA TARO	Pacific Telephone
1965	MISHIMA TARS	Pacific Telephone
1962	MISHISSA TARS	Pacific Telephone
1958	MISHIMA TARO	Pacific Telephone

## FINDINGS

### 1756 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	RODRIGUEZ Pedro V	Haines Co., Inc.
2000	RODRIGUEZ Pedro V	Haines & Company
	RODRIGUEZ Angie	Haines & Company
1991	Rodriguez Pedro Valdez	Pacific Bell
	Bonilla John	Pacific Bell
	Bonilla Francisca Venice 396225	Pacific Bell
	Bonilla Filiberto	Pacific Bell
	RODRIGUEZ PEDRO VALDEZ	Pacific Bell
	BONILLA FILIBERTO	Pacific Bell
1985	RODRIGUEZ PEDRO VALDEZ	Pacific Bell
1980	Rodriguez Pedro Valdes	Pacific Telephone
1965	HALL EDW D	Pacific Telephone
1962	STEVEINS RAYMOND R	Pacific Telephone
1954	CEARNS DANI E	R. L. Polk & Co.
1948	Caples Velma Mrs	Los Angeles Directory Co.
1940	Slaney B C	Los Angeles Directory Co.

### 1757 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	ESTRADA Henry P	Haines Co., Inc.
2000	ESTRADA Henry P	Haines & Company
1991	Estradal 2046995	Pacific Bell
	ESTRADA HENRY P	Pacific Bell
	Estrada Henry P	Pacific Bell
1985	ESTRADA HENRY P	Pacific Bell
1958	ESTRADA HENRY	Pacific Telephone
1954	POLLOCK JOHN	R. L. Polk & Co.
1948	Pollock John	Los Angeles Directory Co.
1940	Pollock John	Los Angeles Directory Co.

### 1760 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	MOSELEY Mark	Haines Co., Inc.
2000	WOSELEY Mark	Haines & Company
1991	MOSLEY MARK	Pacific Bell
	Mosley Mark	Pacific Bell
1985	MOSLEY MARK	Pacific Bell
1954	SPRINGER JOHN TILE	R. L. Polk & Co.

## FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1948	Springer J S	Los Angeles Directory Co.

### 1761 WELLESLEY AVE

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	ANDERSON Daid	Haines Co., Inc.
2000	WEALTH CODE	Haines & Company
	X EXPOSITION BLVD	Haines & Company
	X NEBRASKA AV	Haines & Company
	ANOERSON David	Haines & Company
1991	Difato Mark	Pacific Bell
	DIFATO MARK	Pacific Bell
1985	DIFATO MARK	Pacific Bell
1962	DOYLE PHYLLIS M	Pacific Telephone
1958	PURTICK E J	Pacific Telephone
1954	GIBSON GLENN H	R. L. Polk & Co.
1948	Munyon J M	Los Angeles Directory Co.
1940	4 Munyon Jas	Los Angeles Directory Co.

## FINDINGS

### TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

#### Address Researched

12300 Nebraska Avenue

#### Address Not Identified in Research Source

2014, 2010, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1976, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

### ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

#### Address Researched

12210 NEBRASKA AVE

#### Address Not Identified in Research Source

2014, 2010, 2004, 2003, 2001, 1999, 1996, 1995, 1992, 1990, 1986, 1985, 1981, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

1736 S Centinela Ave

2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

1736 S Centinela Ave

2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

1744 WELLESLEY AVE

2014, 2010, 2004, 2003, 2001, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1952, 1951, 1950, 1949, 1947, 1946, 1945, 1944, 1942, 1939, 1938, 1937, 1936, 1935, 1934, 1932, 1931, 1930, 1929, 1927, 1926, 1925, 1924, 1923, 1921, 1920

1745 WELLESLEY AVE

2014, 2010, 2004, 2003, 2001, 1999, 1996, 1995, 1992, 1990, 1986, 1981, 1976, 1972, 1971, 1969, 1967, 1966, 1964, 1963, 1961, 1960, 1957, 1956, 1955, 1952, 1951, 1950, 1949, 1947, 1946, 1945, 1944, 1942, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

1748 WELLESLEY AVE

2014, 2010, 2004, 2003, 2001, 1999, 1996, 1995, 1992, 1990, 1986, 1985, 1981, 1980, 1976, 1972, 1971, 1969, 1967, 1966, 1964, 1963, 1961, 1960, 1957, 1956, 1955, 1952, 1951, 1950, 1949, 1947, 1946, 1945, 1944, 1942, 1939, 1938, 1937, 1936, 1935, 1934, 1932, 1931, 1930, 1929, 1927, 1926, 1925, 1924, 1923, 1921, 1920

1749 WELLESLEY AVE

2014, 2010, 2006, 2004, 2003, 2001, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1976, 1972, 1971, 1969, 1967, 1966, 1964, 1963, 1961, 1960, 1957, 1956, 1955, 1952, 1951, 1950, 1949, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920



## FINDINGS

### Address Researched

3226 Nebraska Ave

3228 Nebraska Ave

3228 Nebraska Ave

3232 Nebraska Ave

3232 Nebraska Ave

### Address Not Identified in Research Source

2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

2014, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920

2014, 2006, 2004, 2003, 2001, 2000, 1999, 1996, 1995, 1992, 1991, 1990, 1986, 1985, 1981, 1980, 1976, 1975, 1972, 1971, 1970, 1969, 1967, 1966, 1965, 1964, 1963, 1962, 1961, 1960, 1958, 1957, 1956, 1955, 1954, 1952, 1951, 1950, 1949, 1948, 1947, 1946, 1945, 1944, 1942, 1940, 1939, 1938, 1937, 1936, 1935, 1934, 1933, 1932, 1931, 1930, 1929, 1928, 1927, 1926, 1925, 1924, 1923, 1921, 1920





# **APPENDIX I**

## *Vapor Encroachment Screen Report*



**12300 Nebraska Avenue**

12300 Nebraska Avenue

Los Angeles, CA 90025

Inquiry Number: 5381550.2s

August 22, 2018

## EDR Vapor Encroachment Screen

Prepared using EDR's Vapor Encroachment Worksheet

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Primary Map .....	2
Secondary Map .....	3
Map Findings .....	4
Record Sources and Currency .....	GR-1

***Thank you for your business.***  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

## Disclaimer - Copyright and Trademark Notice

The EDR Vapor Encroachment Worksheet enables EDR's customers to make certain online modifications that effects maps, text and calculations contained in this Report. As a result, maps, text and calculations contained in this Report may have been so modified. EDR has not taken any action to verify any such modifications, and this report and the findings set forth herein must be read in light of this fact. Environmental Data Resources shall not be responsible for any customer's decision to include or not include in any final report any records determined to be within the relevant minimum search distances.

This report contains information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.**

Purchaser accepts this report "AS IS". Any analyses, estimates, ratings, or risk codes provided in this report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can produce information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by EDR. The report was designed to assist parties seeking to meet the search requirements of the ASTM Standard Practice for Assessment of Vapor Encroachment into Structures on Property Involved in Real Estate Transactions (E 2600).

<b>STANDARD ENVIRONMENTAL RECORDS</b>	<b>Default Area of Concern (Miles)*</b>	<b>property</b>		
		<b>1/10</b>	<b>&gt; 1/10</b>	
Federal NPL site list	1.0	0	0	0
Federal Delisted NPL site list	1.0	0	0	0
Federal CERCLIS list	0.5	0	0	0
Federal CERCLIS NFRAP site list	0.5	0	1	0
Federal RCRA CORRACTS facilities list	1.0	0	0	0
Federal RCRA non-CORRACTS TSD facilities list	0.5	0	0	0
Federal RCRA generators list	0.25	1	2	1
Federal institutional controls / engineering controls registries	0.5	0	0	0
Federal ERNS list	0.001	0	0	-
State- and tribal - equivalent NPL	1.0	0	0	0
State- and tribal - equivalent CERCLIS	1.0	0	1	0
State and tribal landfill and/or solid waste disposal site lists	0.5	0	0	0
State and tribal leaking storage tank lists	0.5	0	2	1
State and tribal registered storage tank lists	0.25	1	0	2
State and tribal institutional control / engineering control registries	not searched	-	-	-
State and tribal voluntary cleanup sites	0.5	0	1	0
State and tribal Brownfields sites	0.5	0	0	0

### ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists	0.5	0	0	0
Local Lists of Landfill / Solid Waste Disposal Sites	0.5	0	0	0
Local Lists of Hazardous waste / Contaminated Sites	1.0	0	0	0
Local Lists of Registered Storage Tanks	0.25	1	3	4
Local Land Records	0.5	0	0	0
Records of Emergency Release Reports	0.5	0	0	0
Other Ascertainable Records	1.0	5	5	2

### EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records	1.0	0	1	0
Exclusive Recovered Govt. Archives	0.001	0	0	-

## EXECUTIVE SUMMARY

### EDR RECOVERED GOVERNMENT ARCHIVES

EDR Exclusive Records	1.0	0	1	0
Exclusive Recovered Govt. Archives	0.001	0	0	-

\*The Default Area of Concern may be adjusted by the environmental professional using experience and professional judgement. Each category may include several databases, and each database may have a different distance. A list of individual databases is provided at the back of this report.

# EXECUTIVE SUMMARY

## TARGET PROPERTY INFORMATION

### ADDRESS

12300 NEBRASKA AVENUE  
12300 NEBRASKA AVENUE  
LOS ANGELES, CA 90025

### COORDINATES

Latitude (North): 34.033501 - 34° 2' 0.602417"  
Longitude (West): 118.45953 - 118° 27' 34.32129"  
Elevation: 160 ft. above sea level

## TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records.

<u>Site</u>	<u>Database(s)</u>
WEST LOS ANGELES SERVICE CENTER 12300 NEBRASKA AVE LOS ANGELES, CA 90025	AST
L A DWP/WEST LA DISTRIBUTION HDQTRS 12300 NEBRASKA AVE LOS ANGELES, CA 900250000	HAZNET GEPaid: CAL000042127
LA DEPARTMENT WATER & POWER 12300 NEBRASKA AVE LOS ANGELES, CA 900250000	HAZNET GEPaid: CAD983613225
WEST LA SERVICE CENTER 12300 NEBRASKA AVENUE LOS ANGELES, CA 90025	RCRA-LQG EPA ID:: CAD983613225
WEST LA SERVICE CENTER 12300 NEBRASKA AVENUE LOS ANGELES, CA 90025	ECHO Registry ID: 110042272705 FINDS Registry ID:: 110042272705
LA DEPARTMENT WATER & POWER 12300 NEBRASKA AVE LOS ANGELES, CA 900250000	FINDS Registry ID:: 110019000873
WEST LOS ANGELES SERVICE CENTER 12300 NEBRASKA AVE LOS ANGELES, CA 90025	FINDS Registry ID:: 110065414634
W LOS ANGELES DISTRIBUTION HQ 12300 NEBRASKA AVE LOS ANGELES, CA 90025	SWEEPS UST Status: Comp Number: 6108 Tank Status: CA FID UST Status: I Facility Id: 19035199

# EXECUTIVE SUMMARY

## SEARCH RESULTS

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

<u>Name</u>	<u>Address</u>	<u>Dist/Dir</u>	<u>Map ID</u>	<u>Page</u>
WEST LOS ANGELES SERVICE CENTER AST: AST	12300 NEBRASKA AVE	Property	▲ A1	10
WEST LA SERVICE CENTER RCRA-LQG: RCRA-LQG	12300 NEBRASKA AVENUE	Property	▲ A4	10
HUDSON ELEMENT LA CPS-SLIC: CPS-SLIC	12333 WEST OLYMPIC BLVD	<1/10 SE	◆ C12	12
AGI PROPERTIES CPS-SLIC: CPS-SLIC	12333 OLYMPIC	<1/10 SE	◆ C14	12
12210 1/2 NEBRASKA AVENUE PROPERTY ENVIROSTOR: ENVIROSTOR VCP: VCP	12210 1/2 NEBRASKA AVENUE	<1/10 NNE	▲ B15	12
TELEDYNE CONTROLS S B U OF T T INC RCRA-SQG: RCRA-SQG EMI: EMI	12333 W OLYMPIC BLVD	<1/10 ESE	◆ 16	13
SANTA MONICA WELL FIELD SEMS-ARCHIVE: SEMS-ARCHIVE	OLYMPIC & CENTINELA BLVDS	<1/10 S	◆ 17	13
TELEFLORA RCRA-SQG: RCRA-SQG FINDS: FINDS ECHO: ECHO	12233 W OLYMPIC BLVD	<1/10 ESE	◆ E18	13
FOX TELEVISION STATIONS, INC. UST: UST	1999 BUNDY DR	1/10 - 1/3 E	◆ I20	13
FOX TELEVISION STATIONS, INC. UST: UST	1999 S BUNDY DR	1/10 - 1/3 E	◆ I21	14
HUDSON ELEMENT LA CPS-SLIC: CPS-SLIC	1901, 1925, 1933 S. BUNDY DR.	1/10 - 1/3 E	◆ I23	14
LA WEST LOS ANGELES ANIMAL SHELTER FINDS: FINDS ECHO: ECHO RCRA-SQG: RCRA-SQG HAZNET: HAZNET	11950 W MISSOURI AVE	1/10 - 1/3 NE	▲ V26	15



## EXECUTIVE SUMMARY

### ADDITIONAL ENVIRONMENTAL RECORDS

<u>Name</u>	<u>Address</u>	<u>Dist/Dir</u>	<u>Map ID</u>	<u>Page</u>
L A DWP/WEST LA DISTRIBUTION HDQTRS HAZNET: HAZNET	12300 NEBRASKA AVE	Property	▲ A2	10
LA DEPARTMENT WATER & POWER HAZNET: HAZNET	12300 NEBRASKA AVE	Property	▲ A3	10
WEST LA SERVICE CENTER ECHO: ECHO FINDS: FINDS	12300 NEBRASKA AVENUE	Property	▲ A5	11
LA DEPARTMENT WATER & POWER FINDS: FINDS	12300 NEBRASKA AVE	Property	▲ A6	11
WEST LOS ANGELES SERVICE CENTER FINDS: FINDS	12300 NEBRASKA AVE	Property	▲ A7	11
W LOS ANGELES DISTRIBUTION HQ SWEEPS UST: SWEEPS UST CA FID UST: CA FID UST	12300 NEBRASKA AVE	Property	▲ A8	11
PLASKON ELECTRONIC MATL CO INC RCRA NonGen / NLR: RCRA NonGen / NLR SWEEPS UST: SWEEPS UST EMI: EMI CA FID UST: CA FID UST HIST UST: HIST UST	12270 NEBRASKA AVE	<1/10 N	▲ B9	11
PLASKON ELECTRONIC, MATERIALS INC ECHO: ECHO FINDS: FINDS	12270 NEBRASKA AVE.	<1/10 N	▲ B10	12
DEPARTMENT OF WATER AND POWER CIWQS: CIWQS EMI: EMI CA FID UST: CA FID UST NPDES: NPDES	1840 CENTINELA AVE	<1/10 SSW	◆ 11	12
UNK SWEEPS UST: SWEEPS UST CA FID UST: CA FID UST	12333 OLYMPIC BLVD	<1/10 SE	◆ C13	12
TELEDYNE CONTROLS S B U OF T T INC RCRA-SQG: RCRA-SQG EMI: EMI	12333 W OLYMPIC BLVD	<1/10 ESE	◆ 16	13
TELEFLORA RCRA-SQG: RCRA-SQG FINDS: FINDS ECHO: ECHO	12233 W OLYMPIC BLVD	<1/10 ESE	◆ E18	13
CORNERSTONE PLAZA	1940 S BUNDY DR	1/10 - 1/3 ENE	▲ J22	14

## EXECUTIVE SUMMARY

<u>Name</u>	<u>Address</u>	<u>Dist/Dir</u>	<u>Map ID</u>	<u>Page</u>
SWEEPS UST: SWEEPS UST CA FID UST: CA FID UST				
CORNERSTONE PLAZA SWEEPS UST: SWEEPS UST CA FID UST: CA FID UST HAZNET: HAZNET	1990 S BUNDY DRIVE	1/10 - 1/3 ENE	▲ J24	14
WEST LOS ANGELES ANIMAL SHELTE HIST UST: HIST UST	11950 MISSOURI AVE	1/10 - 1/3 NE	▲ V25	14
LA WEST LOS ANGELES ANIMAL SHELTER FINDS: FINDS ECHO: ECHO RCRA-SQG: RCRA-SQG HAZNET: HAZNET	11950 W MISSOURI AVE	1/10 - 1/3 NE	▲ V26	15
WEST LOS ANGELES ANIMAL SHELTE SWEEPS UST: SWEEPS UST CA FID UST: CA FID UST HIST UST: HIST UST	11950 MISSOURI AVE	1/10 - 1/3 NE	▲ V27	15


### EDR HIGH RISK HISTORICAL RECORDS








<u>Name</u>	<u>Address</u>	<u>Dist/Dir</u>	<u>Map ID</u>	<u>Page</u>
GETTY AGRICULTURAL BUSINESS IN EDR Hist Auto: EDR Hist Auto	12233 W OLYMPIC BLVD	<1/10 ESE	◆ E19	13






### EDR RECOVERED GOVERNMENT ARCHIVES

<u>Name</u>	<u>Address</u>	<u>Dist/Dir</u>	<u>Map ID</u>	<u>Page</u>
Not Reported				

# PRIMARY MAP - 5381550.2S



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  Power transmission lines
-  100-year flood zone
-  500-year flood zone
-  Areas of Concern




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles CA 90025  
 LAT/LONG: 34.033501 / 118.45953

CLIENT: Dudek & Associates  
 CONTACT: Susie Smith  
 INQUIRY #: 5381550.2s  
 DATE: August 03, 2018 3:44 pm

# SECONDARY MAP - 5381550.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

100-year flood zone

500-year flood zone

National Wetland Inventory

State Wetlands

Upgradient Area

Areas of Concern



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 12300 Nebraska Avenue  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles CA 90025  
 LAT/LONG: 34.033501 / 118.45953

CLIENT: Dudek & Associates  
 CONTACT: Susie Smith  
 INQUIRY #: 5381550.2s  
 DATE: August 03, 2018 3:43 pm

MAP FINDINGS

LEGEND

FACILITY NAME FACILITY ADDRESS, CITY, ST, ZIP		EDR SITE ID NUMBER	
◆ MAP ID#	Direction Distance Range	(Distance feet / miles)	ASTM 2600 Record Sources found in this report. Each database searched has been assigned to one or more categories. For detailed information about categorization, see the section of the report Records Searched and Currency.
	Relative Elevation	Feet Above Sea Level	
<b>Worksheet:</b>			
<b>Comments:</b> Comments may be added on the online Vapor Encroachment Worksheet.			

DATABASE ACRONYM: Applicable categories (A hoverbox with database description).

WEST LOS ANGELES SERVICE CENTER 12300 NEBRASKA AVE, LOS ANGELES, CA, 90025		A100426150
▲ A1	Target Property	State and tribal registered storage tank lists
	160 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

L A DWP/WEST LA DISTRIBUTION HDQTRS 12300 NEBRASKA AVE, LOS ANGELES, CA, 900250000		S113038464
▲ A2	Target Property	Other Ascertainable Records
	160 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

LA DEPARTMENT WATER & POWER 12300 NEBRASKA AVE, LOS ANGELES, CA, 900250000		S113018107
▲ A3	Target Property	Other Ascertainable Records
	160 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

WEST LA SERVICE CENTER 12300 NEBRASKA AVENUE, LOS ANGELES, CA, 90025		1000597317
▲ A4	Target Property	Federal RCRA generators list
	160 ft. Above Sea Level	

MAP FINDINGS

**Worksheet:**

**Impact on Target Property:** VEC does not exist

WEST LA SERVICE CENTER 12300 NEBRASKA AVENUE, LOS ANGELES, CA, 90025			1014671558
▲ A5	Target Property		Other Ascertainable Records
	160 ft. Above Sea Level		

**Worksheet:**

**Impact on Target Property:** VEC does not exist

LA DEPARTMENT WATER & POWER 12300 NEBRASKA AVE, LOS ANGELES, CA, 900250000			1007739266
▲ A6	Target Property		Other Ascertainable Records
	160 ft. Above Sea Level		

**Worksheet:**

**Impact on Target Property:** VEC does not exist

WEST LOS ANGELES SERVICE CENTER 12300 NEBRASKA AVE, LOS ANGELES, CA, 90025			1023252686
▲ A7	Target Property		Other Ascertainable Records
	160 ft. Above Sea Level		

**Worksheet:**

**Impact on Target Property:** VEC does not exist

W LOS ANGELES DISTRIBUTION HQ 12300 NEBRASKA AVE, LOS ANGELES, CA, 90025			S101585975
▲ A8	Target Property		Local Lists of Registered Storage Tanks
	160 ft. Above Sea Level		

**Worksheet:**

**Impact on Target Property:** Undetermined

PLASKON ELECTRONIC MATL CO INC 12270 NEBRASKA AVE, LOS ANGELES, CA, 90025			1000383162
▲ B9	N <1/10	(0 ft. / 0 mi.)	Local Lists of Registered Storage Tanks Other Ascertainable Records
	5 ft. Higher Elevation	165 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** Undetermined

MAP FINDINGS

PLASKON ELECTRONIC, MATERIALS INC 12270 NEBRASKA AVE., LOS ANGELES, CA, 90025			1016068790
▲ B10	N <1/10	(0 ft. / 0 mi.)	Other Ascertainable Records
	5 ft. Higher Elevation	165 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

DEPARTMENT OF WATER AND POWER 1840 CENTINELA AVE, LOS ANGELES, CA, 900250000			S101587568
◆ 11	SSW <1/10	(21 ft. / 0.004 mi.)	Local Lists of Registered Storage Tanks Other Ascertainable Records
	2 ft. Lower Elevation	158 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** Undetermined

HUDSON ELEMENT LA 12333 WEST OLYMPIC BLVD, LOS ANGELES, CA, 90064			S113804548
◆ C12	SE <1/10	(24 ft. / 0.004 mi.)	State and tribal leaking storage tank lists
	4 ft. Lower Elevation	156 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC Exists

UNK 12333 OLYMPIC BLVD, LOS ANGELES, CA, 90015			S101585767
◆ C13	SE <1/10	(24 ft. / 0.004 mi.)	Local Lists of Registered Storage Tanks
	4 ft. Lower Elevation	156 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** Undetermined

AGI PROPERTIES 12333 OLYMPIC, LOS ANGELES, CA, 90048			S104549300
◆ C14	SE <1/10	(55 ft. / 0.01 mi.)	State and tribal leaking storage tank lists
	4 ft. Lower Elevation	156 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC Exists

12210 1/2 NEBRASKA AVENUE PROPERTY 12210 1/2 NEBRASKA AVENUE, LOS ANGELES, CA, 90025			S109548374
---	--	--	------------



MAP FINDINGS

▲ B15	NNE <1/10	(75 ft. / 0.014 mi.)	State- and tribal - equivalent CERCLIS State and tribal voluntary cleanup sites
	7 ft. Higher Elevation	167 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC Exists

TELEDYNE CONTROLS S B U OF T T INC 12333 W OLYMPIC BLVD, LOS ANGELES, CA, 90064-1021				1000201841
◆ 16	ESE <1/10	(210 ft. / 0.04 mi.)	Federal RCRA generators list Other Ascertainable Records	
	2 ft. Lower Elevation	158 ft. Above Sea Level		

**Worksheet:**

**Impact on Target Property:** VEC does not exist

SANTA MONICA WELL FIELD OLYMPIC & CENTINELA BLVDS, SANTA MONICA, CA, 90404				1000395259
◆ 17	S <1/10	(300 ft. / 0.057 mi.)	Federal CERCLIS NFRAP site list	
	4 ft. Lower Elevation	156 ft. Above Sea Level		

**Worksheet:**

**Impact on Target Property:** Undetermined

TELEFLORA 12233 W OLYMPIC BLVD, LOS ANGELES, CA, 90064				1000202288
◆ E18	ESE <1/10	(375 ft. / 0.071 mi.)	Federal RCRA generators list Other Ascertainable Records	
	3 ft. Lower Elevation	157 ft. Above Sea Level		

**Worksheet:**

**Impact on Target Property:** VEC does not exist

GETTY AGRICULTURAL BUSINESS IN 12233 W OLYMPIC BLVD, LOS ANGELES, CA, 90064				1022102127
◆ E19	ESE <1/10	(375 ft. / 0.071 mi.)	EDR Exclusive Records	
	3 ft. Lower Elevation	157 ft. Above Sea Level		

**Worksheet:**

**Impact on Target Property:** VEC does not exist

FOX TELEVISION STATIONS, INC. 1999 BUNDY DR, LOS ANGELES, CA, 90025				U004264400
◆ I20	E 1/10 - 1/3	(582 ft. / 0.11 mi.)	State and tribal registered storage tank lists	
	1 ft. Lower Elevation	159 ft. Above Sea Level		



MAP FINDINGS

**Worksheet:**

**Impact on Target Property:** VEC does not exist

FOX TELEVISION STATIONS, INC. 1999 S BUNDY DR, LOS ANGELES, CA, 90025			U003781348
◆ I21	E 1/10 - 1/3	(582 ft. / 0.11 mi.)	State and tribal registered storage tank lists
	1 ft. Lower Elevation	159 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

CORNERSTONE PLAZA 1940 S BUNDY DR, LOS ANGELES, CA, 90025			S101588038
▲ J22	ENE 1/10 - 1/3	(659 ft. / 0.125 mi.)	Local Lists of Registered Storage Tanks
	2 ft. Higher Elevation	162 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

HUDSON ELEMENT LA 1901, 1925, 1933 S. BUNDY DR., LOS ANGELES, CA, 90048			S113804544
◆ I23	E 1/10 - 1/3	(662 ft. / 0.125 mi.)	State and tribal leaking storage tank lists
	2 ft. Lower Elevation	158 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC Exists

CORNERSTONE PLAZA 1990 S BUNDY DRIVE, LOS ANGELES, CA, 90025			S101588249
▲ J24	ENE 1/10 - 1/3	(828 ft. / 0.157 mi.)	Local Lists of Registered Storage Tanks Other Ascertainable Records
	2 ft. Higher Elevation	162 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

WEST LOS ANGELES ANIMAL SHELTE 11950 MISSOURI AVE, LOS ANGELES, CA, 90025			U001561136
▲ V25	NE 1/10 - 1/3	(1136 ft. / 0.215 mi.)	Local Lists of Registered Storage Tanks
	10 ft. Higher Elevation	170 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

MAP FINDINGS

LA WEST LOS ANGELES ANIMAL SHELTER 11950 W MISSOURI AVE, WEST LOS ANGELES, CA, 90025			1000436734
▲ V26	NE 1/10 - 1/3	(1136 ft. / 0.215 mi.)	Federal RCRA generators list Other Ascertainable Records
	10 ft. Higher Elevation	170 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

WEST LOS ANGELES ANIMAL SHELTE 11950 MISSOURI AVE, LOS ANGELES, CA, 90025			S101617292
▲ V27	NE 1/10 - 1/3	(1136 ft. / 0.215 mi.)	Local Lists of Registered Storage Tanks
	10 ft. Higher Elevation	170 ft. Above Sea Level	

**Worksheet:**

**Impact on Target Property:** VEC does not exist

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
<b>ENVIRONMENTAL RECORDS</b>						
<i><b>Federal NPL site list</b></i>						
US	NPL	National Priority List	EPA	05/13/2018	05/30/2018	06/22/2018
US	Proposed NPL	Proposed National Priority List Sites	EPA	05/13/2018	05/30/2018	06/22/2018
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
<i><b>Federal CERCLIS list</b></i>						
US	SEMS	Superfund Enterprise Management System	EPA	05/18/2018	05/30/2018	06/22/2018
<i><b>Federal RCRA CORRACTS facilities list</b></i>						
US	CORRACTS	Corrective Action Report	EPA	03/01/2018	03/28/2018	06/22/2018
<i><b>Federal RCRA TSD facilities list</b></i>						
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	03/01/2018	03/28/2018	06/22/2018
<i><b>Federal RCRA generators list</b></i>						
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	03/01/2018	03/28/2018	06/22/2018
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	03/01/2018	03/28/2018	06/22/2018
US	RCRA-CESQG	RCRA - Conditionally Exempt Small Quantity Generators	Environmental Protection Agency	03/01/2018	03/28/2018	06/22/2018
<i><b>Federal institutional controls / engineering controls registries</b></i>						
US	LUCIS	Land Use Control Information System	Department of the Navy	05/14/2018	05/18/2018	07/20/2018
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	02/13/2018	02/27/2018	05/11/2018
US	US INST CONTROL	Sites with Institutional Controls	Environmental Protection Agency	02/13/2018	02/27/2018	05/11/2018
<i><b>Federal ERNS list</b></i>						
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	03/19/2018	03/27/2018	06/08/2018
<i><b>State and tribal - equivalent NPL</b></i>						
CA	RESPONSE	State Response Sites	Department of Toxic Substances Control	04/30/2018	05/02/2018	06/22/2018
<i><b>State and tribal - equivalent CERCLIS</b></i>						
CA	ENVIROSTOR	EnviroStor Database	Department of Toxic Substances Control	04/30/2018	05/02/2018	06/22/2018
<i><b>State and tribal landfill / solid waste disposal</b></i>						
CA	SWF/LF (SWIS)	Solid Waste Information System	Department of Resources Recycling and Recover	05/14/2018	05/16/2018	06/22/2018
<i><b>State and tribal leaking storage tank lists</b></i>						
CA	LUST REG 1	Active Toxic Site Investigation	California Regional Water Quality Control Boa	02/01/2001	02/28/2001	03/29/2001
CA	LUST REG 7	Leaking Underground Storage Tank Case Listing	California Regional Water Quality Control Boa	02/26/2004	02/26/2004	03/24/2004
CA	LUST REG 8	Leaking Underground Storage Tanks	California Regional Water Quality Control Boa	02/14/2005	02/15/2005	03/28/2005
CA	LUST REG 6V	Leaking Underground Storage Tank Case Listing	California Regional Water Quality Control Boa	06/07/2005	06/07/2005	06/29/2005
CA	LUST REG 6L	Leaking Underground Storage Tank Case Listing	California Regional Water Quality Control Boa	09/09/2003	09/10/2003	10/07/2003
CA	LUST REG 5	Leaking Underground Storage Tank Database	California Regional Water Quality Control Boa	07/01/2008	07/22/2008	07/31/2008
CA	LUST	Leaking Underground Fuel Tank Report (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/17/2018

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
CA	LUST REG 2	Fuel Leak List	California Regional Water Quality Control Boa	09/30/2004	10/20/2004	11/19/2004
CA	LUST REG 3	Leaking Underground Storage Tank Database	California Regional Water Quality Control Boa	05/19/2003	05/19/2003	06/02/2003
CA	LUST REG 4	Underground Storage Tank Leak List	California Regional Water Quality Control Boa	09/07/2004	09/07/2004	10/12/2004
CA	LUST REG 9	Leaking Underground Storage Tank Report	California Regional Water Quality Control Boa	03/01/2001	04/23/2001	05/21/2001
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	04/12/2018	05/18/2018	07/20/2018
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	04/10/2018	05/18/2018	07/20/2018
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	04/25/2018	05/18/2018	07/20/2018
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	04/24/2018	05/18/2018	07/20/2018
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	04/01/2018	05/18/2018	07/20/2018
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/08/2018	05/18/2018	07/20/2018
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	04/13/2018	05/18/2018	07/20/2018
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/12/2018	05/18/2018	07/20/2018
CA	CPS-SLIC	Statewide SLIC Cases (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/17/2018
CA	SLIC REG 1	Active Toxic Site Investigations	California Regional Water Quality Control Boa	04/03/2003	04/07/2003	04/25/2003
CA	SLIC REG 2	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	Regional Water Quality Control Board San Fran	09/30/2004	10/20/2004	11/19/2004
CA	SLIC REG 3	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	California Regional Water Quality Control Boa	05/18/2006	05/18/2006	06/15/2006
CA	SLIC REG 4	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	Region Water Quality Control Board Los Angele	11/17/2004	11/18/2004	01/04/2005
CA	SLIC REG 5	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	Regional Water Quality Control Board Central	04/01/2005	04/05/2005	04/21/2005
CA	SLIC REG 6V	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	Regional Water Quality Control Board, Victorv	05/24/2005	05/25/2005	06/16/2005
CA	SLIC REG 6L	SLIC Sites	California Regional Water Quality Control Boa	09/07/2004	09/07/2004	10/12/2004
CA	SLIC REG 7	SLIC List	California Regional Quality Control Board, Co	11/24/2004	11/29/2004	01/04/2005
CA	SLIC REG 8	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	California Region Water Quality Control Board	04/03/2008	04/03/2008	04/14/2008
CA	SLIC REG 9	Spills, Leaks, Investigation & Cleanup Cost Recovery Listing	California Regional Water Quality Control Boa	09/10/2007	09/11/2007	09/28/2007
<b>State and tribal registered storage tank lists</b>						
CA	UST	Active UST Facilities	SWRCB	06/11/2018	06/13/2018	07/09/2018
CA	MILITARY UST SITES	Military UST Sites (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/18/2018
CA	UST CLOSURE	Proposed Closure of Underground Storage Tank (UST) Cases	State Water Resources Control Board	06/11/2018	06/13/2018	07/10/2018
CA	UST MENDOCINO	Mendocino County UST Database	Department of Public Health	03/28/2018	05/25/2018	07/10/2018
CA	AST	Aboveground Petroleum Storage Tank Facilities	California Environmental Protection Agency	07/06/2016	07/12/2016	09/19/2016
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	04/10/2018	05/18/2018	07/20/2018
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	04/25/2018	05/18/2018	07/20/2018
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	04/24/2018	05/18/2018	07/20/2018
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	04/01/2018	05/18/2018	07/20/2018
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	04/13/2018	05/18/2018	07/20/2018
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/08/2018	05/18/2018	07/20/2018
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/12/2018	05/18/2018	07/20/2018
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	04/12/2018	05/18/2018	07/20/2018
US	FEMA UST	Underground Storage Tank Listing	FEMA	05/15/2017	05/30/2017	10/13/2017

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
<b>State and tribal voluntary cleanup sites</b>						
CA	VCP	Voluntary Cleanup Program Properties	Department of Toxic Substances Control	04/30/2018	05/02/2018	06/22/2018
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
<b>State and tribal Brownfields sites</b>						
CA	BROWNFIELDS	Considered Brownfields Sites Listing	State Water Resources Control Board	03/26/2018	03/27/2018	05/04/2018
<b>Other Records</b>						
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	03/31/2018	04/16/2018	06/29/2018
US	ROD	Records Of Decision	EPA	05/13/2018	05/30/2018	06/29/2018
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	05/13/2018	05/30/2018	06/29/2018
CA	HIST CAL-SITES	Calsites Database	Department of Toxic Substance Control	08/08/2005	08/03/2006	08/24/2006
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
CA	SWRCY	Recycler Database	Department of Conservation	03/12/2018	03/14/2018	05/04/2018
CA	CA FID UST	Facility Inventory Database	California Environmental Protection Agency	10/31/1994	09/05/1995	09/29/1995
CA	HIST UST	Hazardous Substance Storage Container Database	State Water Resources Control Board	10/15/1990	01/25/1991	02/12/1991
CA	SAN FRANCISCO AST	Aboveground Storage Tank Site Listing	San Francisco County Department of Public Hea	04/19/2018	04/24/2018	05/04/2018
CA	SWEEPS UST	SWEEPS UST Listing	State Water Resources Control Board	06/01/1994	07/07/2005	08/11/2005
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	03/01/2018	03/27/2018	06/22/2018
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2005	08/07/2009	10/22/2009
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	07/01/2014	09/10/2014	10/20/2014
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	01/01/2017	02/03/2017	04/07/2017
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	05/13/2018	05/30/2018	06/29/2018
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	02/22/2018	03/01/2018	05/11/2018
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	EPA WATCH LIST	EPA WATCH LIST	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	12/23/2016	12/27/2016	02/17/2017
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	05/24/2017	11/30/2017	12/15/2017
US	Delisted NPL	National Priority List Deletions	EPA	05/13/2018	05/30/2018	06/22/2018
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	05/18/2018	05/30/2018	06/22/2018
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	03/01/2018	03/28/2018	06/22/2018
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	03/26/2018	03/27/2018	06/08/2018
US	DOT OPS	Incident and Accident Data	Department of Transporation, Office of Pipeli	07/31/2012	08/07/2012	09/18/2012
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	02/22/2018	03/01/2018	05/11/2018
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	03/19/2018	03/21/2018	06/08/2018
US	DOD	Department of Defense Sites	USGS	12/31/2005	11/10/2006	01/11/2007
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	12/31/2005	02/06/2006	01/11/2007
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	01/31/2015	07/08/2015	10/13/2015
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	06/23/2017	10/11/2017	11/03/2017
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	05/03/2018	05/31/2018	06/29/2018
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	12/05/2005	02/29/2008	04/18/2008

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	PRP	Potentially Responsible Parties	EPA	10/25/2013	10/17/2014	10/20/2014
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2016	01/10/2018	01/12/2018
US	TSCA	Toxic Substances Control Act	EPA	12/31/2016	06/21/2017	01/05/2018
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	SSTS	Section 7 Tracking Systems	EPA	12/31/2009	12/10/2010	02/25/2011
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	PADS	PCB Activity Database System	EPA	06/01/2017	06/09/2017	10/13/2017
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	08/30/2016	09/08/2016	10/21/2016
US	RADINFO	Radiation Information Database	Environmental Protection Agency	04/03/2018	04/05/2018	06/29/2018
US	FINDS	Facility Index System/Facility Registry System	EPA	02/21/2018	02/23/2018	03/23/2018
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RMP	Risk Management Plans	Environmental Protection Agency	11/02/2017	11/17/2017	12/08/2017
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2015	02/22/2017	09/28/2017
US	PWS	Public Water System Data	EPA	12/17/2013	01/09/2014	10/15/2014
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
CA	CA BOND EXP. PLAN	Bond Expenditure Plan	Department of Health Services	01/01/1989	07/27/1994	08/02/1994
CA	CDL	Clandestine Drug Labs	Department of Toxic Substances Control	06/30/2017	08/18/2017	09/21/2017
CA	CHMIRS	California Hazardous Material Incident Report System	Office of Emergency Services	04/06/2018	04/24/2018	06/14/2018
CA	CORTESE	"Cortese" Hazardous Waste & Substances Sites List	CAL EPA/Office of Emergency Information	03/26/2018	03/27/2018	05/04/2018
CA	CUPA LIVERMORE-PLEASANTON	CUPA Facility Listing	Livermore-Pleasanton Fire Department	04/03/2018	05/07/2018	06/15/2018
CA	CUPA SAN FRANCISCO CO	CUPA SAN FRANCISCO CO	San Francisco County Department of Environmen	04/20/2018	04/24/2018	05/04/2018
CA	DEED	Deed Restriction Listing	DTSC and SWRCB	06/04/2018	06/06/2018	07/17/2018
CA	DRYCLEAN AVAQMD	DRYCLEAN AVAQMD	Antelope Valley Air Quality Management Distri	03/08/2018	03/13/2018	05/04/2018
CA	DRYCLEANERS	Cleaner Facilities	Department of Toxic Substance Control	03/27/2018	03/29/2018	05/04/2018
CA	DRYCLEAN SOUTH COAST	DRYCLEAN SOUTH COAST	South Coast Air Quality Management District	03/16/2018	03/20/2018	05/04/2018
CA	EMI	Emissions Inventory Data	California Air Resources Board	12/31/2015	03/21/2017	08/15/2017
CA	ENF	Enforcement Action Listing	State Water Resoruces Control Board	04/18/2018	04/24/2018	07/06/2018
CA	Financial Assurance 1	Financial Assurance Information Listing	Department of Toxic Substances Control	04/18/2018	04/20/2018	06/19/2018
CA	Financial Assurance 2	Financial Assurance Information Listing	California Integrated Waste Management Board	05/14/2018	05/15/2018	06/22/2018
CA	HAULERS	Registered Waste Tire Haulers Listing	Integrated Waste Management Board	05/29/2018	05/30/2018	07/17/2018
CA	HAZNET	Facility and Manifest Data	California Environmental Protection Agency	12/31/2016	07/12/2017	10/17/2017
CA	HIST CORTESE	Hazardous Waste & Substance Site List	Department of Toxic Substances Control	04/01/2001	01/22/2009	04/08/2009
CA	HWP	EnviroStor Permitted Facilities Listing	Department of Toxic Substances Control	05/21/2018	05/23/2018	07/17/2018
CA	HWT	Registered Hazardous Waste Transporter Database	Department of Toxic Substances Control	04/09/2018	04/11/2018	06/19/2018
CA	ICE	ICE	Department of Toxic Substances Control	05/21/2018	05/23/2018	07/17/2018
CA	LDS	Land Disposal Sites Listing (GEOTRACKER)	State Water Quality Control Board	06/11/2018	06/13/2018	07/17/2018
CA	LIENS	Environmental Liens Listing	Department of Toxic Substances Control	05/31/2018	06/05/2018	07/18/2018
CA	MCS	Military Cleanup Sites Listing (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/17/2018
CA	MINES	Mines Site Location Listing	Department of Conservation	03/12/2018	03/14/2018	05/04/2018
CA	MWMP	Medical Waste Management Program Listing	Department of Public Health	05/23/2018	06/06/2018	07/18/2018
CA	NPDES	NPDES Permits Listing	State Water Resources Control Board	05/14/2018	05/16/2018	07/05/2018
CA	PEST LIC	Pesticide Regulation Licenses Listing	Department of Pesticide Regulation	06/04/2018	06/06/2018	07/19/2018

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
CA	PROC	Certified Processors Database	Department of Conservation	03/12/2018	03/14/2018	05/04/2018
CA	NOTIFY 65	Proposition 65 Records	State Water Resources Control Board	03/23/2018	03/27/2018	05/04/2018
CA	SCH	School Property Evaluation Program	Department of Toxic Substances Control	04/30/2018	05/02/2018	06/22/2018
CA	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	06/06/2012	01/03/2013	02/22/2013
CA	TOXIC PITS	Toxic Pits Cleanup Act Sites	State Water Resources Control Board	07/01/1995	08/30/1995	09/26/1995
CA	UIC	UIC Listing	Department of Conservation	04/27/2018	06/13/2018	07/17/2018
CA	WASTEWATER PITS	Oil Wastewater Pits Listing	RWQCB, Central Valley Region	04/10/2018	04/13/2018	06/19/2018
CA	WDS	Waste Discharge System	State Water Resources Control Board	06/19/2007	06/20/2007	06/29/2007
CA	WIP	Well Investigation Program Case List	Los Angeles Water Quality Control Board	07/03/2009	07/21/2009	08/03/2009
CA	WMUDS/SWAT	Waste Management Unit Database	State Water Resources Control Board	04/01/2000	04/10/2000	05/10/2000
CA	CIWQS	California Integrated Water Quality System	State Water Resources Control Board	06/04/2018	06/06/2018	07/13/2018
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	02/25/2018	03/17/2018	06/08/2018
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	02/20/2018	02/21/2018	03/23/2018
CA	WELL STIM PROJ	Well Stimulation Project (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/18/2018
CA	CERS HAZ WASTE	CERS HAZ WASTE	CalEPA	04/23/2018	04/24/2018	06/07/2018
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Services, Indian	04/01/2014	08/06/2014	01/29/2015
CA	PROD WATER PONDS	Produced Water Ponds Sites (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/18/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	03/08/2018	03/13/2018	06/08/2018
CA	SAMPLING POINT	Sampling Point ? Public Sites (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/18/2018
CA	PROJECT	Project Sites (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/18/2018
CA	CERS TANKS	California Environmental Reporting System (CERS) Tanks	California Environmental Protection Agency	04/23/2018	04/24/2018	06/07/2018
CA	MILITARY PRIV SITES	Military Privatized Sites (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/18/2018
CA	CERS	CalEPA Regulated Site Portal Data	California Environmental Protection Agency	04/23/2018	04/24/2018	06/07/2018
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/30/2016	10/31/2017	01/12/2018
CA	NON-CASE INFO	Non-Case Information Sites (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/18/2018
CA	OTHER OIL GAS	Other Oil & Gas Projects Sites (GEOTRACKER)	State Water Resources Control Board	06/11/2018	06/13/2018	07/18/2018
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	01/04/2018	01/19/2018	04/13/2018
CA	UIC GEO	Underground Injection Control Sites (GEOTRACKER)	State Water Resource Control Board	06/11/2018	06/13/2018	07/18/2018
<b><u>HISTORICAL USE RECORDS</u></b>						
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
CA	RGA LF	Recovered Government Archive Solid Waste Facilities List	Department of Resources Recycling and Recover		07/01/2013	01/13/2014
CA	RGA LUST	Recovered Government Archive Leaking Underground Storage Tan	State Water Resources Control Board		07/01/2013	12/30/2013

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
<b>COUNTY RECORDS</b>						
CA	CS ALAMEDA	Contaminated Sites	Alameda County Environmental Health Services	04/05/2018	04/10/2018	06/14/2018
CA	UST ALAMEDA	Underground Tanks	Alameda County Environmental Health Services	04/05/2018	04/10/2018	05/04/2018
CA	CUPA AMADOR	CUPA Facility List	Amador County Environmental Health	03/31/2018	04/05/2018	06/14/2018
CA	CUPA BUTTE	CUPA Facility Listing	Public Health Department	04/21/2017	04/25/2017	08/09/2017
CA	CUPA CALVERAS	CUPA Facility Listing	Calveras County Environmental Health	05/07/2018	05/09/2018	06/14/2018
CA	CUPA COLUSA	CUPA Facility List	Health & Human Services	05/23/2018	05/24/2018	07/13/2018
CA	SL CONTRA COSTA	Site List	Contra Costa Health Services Department	05/21/2018	05/25/2018	07/20/2018
CA	CUPA DEL NORTE	CUPA Facility List	Del Norte County Environmental Health Divisio	04/27/2018	05/02/2018	06/15/2018
CA	CUPA EL DORADO	CUPA Facility List	El Dorado County Environmental Management Dep	03/05/2018	03/08/2018	04/16/2018
CA	CUPA FRESNO	CUPA Resources List	Dept. of Community Health	03/01/2018	03/05/2018	03/14/2018
CA	CUPA GLENN	CUPA Facility List	Glenn County Air Pollution Control District	01/22/2018	01/24/2018	03/14/2018
CA	CUPA HUMBOLDT	CUPA Facility List	Humboldt County Environmental Health	03/05/2018	03/08/2018	04/30/2018
CA	CUPA IMPERIAL	CUPA Facility List	San Diego Border Field Office	04/23/2018	04/25/2018	06/14/2018
CA	CUPA INYO	CUPA Facility List	Inyo County Environmental Health Services	04/02/2018	04/03/2018	06/14/2018
CA	UST KERN	Underground Storage Tank Sites & Tank Listing	Kern County Environment Health Services Depar	05/02/2018	05/07/2018	07/18/2018
CA	CUPA KINGS	CUPA Facility List	Kings County Department of Public Health	06/12/2018	06/15/2018	07/13/2018
CA	CUPA LAKE	CUPA Facility List	Lake County Environmental Health	05/09/2018	05/11/2018	06/14/2018
CA	CUPA LASSEN	CUPA Facility List	Lassen County Environmental Health	01/22/2018	01/24/2018	03/14/2018
CA	AOCONCERN	San Gabriel Valley Areas of Concern	EPA Region 9	03/30/2009	03/31/2009	10/23/2009
CA	HMS LOS ANGELES	HMS: Street Number List	Department of Public Works	04/12/2018	04/16/2018	06/15/2018
CA	LF LOS ANGELES	List of Solid Waste Facilities	La County Department of Public Works	04/16/2018	04/17/2018	06/19/2018
CA	LF LOS ANGELES CITY	City of Los Angeles Landfills	Engineering & Construction Division	01/01/2018	05/01/2018	05/14/2018
CA	SITE MIT LOS ANGELES	Site Mitigation List	Community Health Services	04/01/2018	04/17/2018	06/19/2018
CA	UST EL SEGUNDO	City of El Segundo Underground Storage Tank	City of El Segundo Fire Department	01/21/2017	04/19/2017	05/10/2017
CA	UST LONG BEACH	City of Long Beach Underground Storage Tank	City of Long Beach Fire Department	03/09/2017	03/10/2017	05/03/2017
CA	UST TORRANCE	City of Torrance Underground Storage Tank	City of Torrance Fire Department	01/04/2018	01/05/2018	01/18/2018
CA	CUPA MADERA	CUPA Facility List	Madera County Environmental Health	05/22/2018	05/24/2018	07/31/2018
CA	UST MARIN	Underground Storage Tank Sites	Public Works Department Waste Management	03/30/2018	04/06/2018	05/04/2018
CA	CUPA MERCED	CUPA Facility List	Merced County Environmental Health	05/30/2018	06/01/2018	07/13/2018
CA	CUPA MONO	CUPA Facility List	Mono County Health Department	05/22/2018	05/24/2018	07/13/2018
CA	CUPA MONTEREY	CUPA Facility Listing	Monterey County Health Department	06/13/2018	06/19/2018	07/20/2018
CA	LUST NAPA	Sites With Reported Contamination	Napa County Department of Environmental Manag	01/09/2017	01/11/2017	03/02/2017
CA	UST NAPA	Closed and Operating Underground Storage Tank Sites	Napa County Department of Environmental Manag	05/23/2018	05/31/2018	07/11/2018
CA	CUPA NEVADA	CUPA Facility List	Community Development Agency	04/24/2018	05/01/2018	06/15/2018
CA	IND_SITE ORANGE	List of Industrial Site Cleanups	Health Care Agency	04/02/2018	05/11/2018	06/22/2018
CA	LUST ORANGE	List of Underground Storage Tank Cleanups	Health Care Agency	04/02/2018	05/11/2018	06/25/2018
CA	UST ORANGE	List of Underground Storage Tank Facilities	Health Care Agency	04/02/2018	05/08/2018	07/10/2018
CA	MS PLACER	Master List of Facilities	Placer County Health and Human Services	05/31/2018	06/05/2018	07/18/2018
CA	CUPA PLUMAS	CUPA Facility List	Plumas County Environmental Health	01/22/2018	01/24/2018	03/15/2018
CA	LUST RIVERSIDE	Listing of Underground Tank Cleanup Sites	Department of Environmental Health	04/05/2018	04/10/2018	05/04/2018
CA	UST RIVERSIDE	Underground Storage Tank Tank List	Department of Environmental Health	04/05/2018	04/10/2018	05/04/2018
CA	CS SACRAMENTO	Toxic Site Clean-Up List	Sacramento County Environmental Management	02/02/2018	04/04/2018	06/14/2018
CA	ML SACRAMENTO	Master Hazardous Materials Facility List	Sacramento County Environmental Management	02/02/2018	04/04/2018	06/19/2018
CA	CUPA SAN BENITO	CUPA Facility List	San Benito County Environmental Health	05/16/2018	05/22/2018	07/13/2018
CA	PERMITS SAN BERNARDINO	Hazardous Material Permits	San Bernardino County Fire Department Hazardo	04/09/2018	04/11/2018	06/19/2018



## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
CA	HMMD SAN DIEGO	Hazardous Materials Management Division Database	Hazardous Materials Management Division	06/04/2018	06/06/2018	07/17/2018
CA	LF SAN DIEGO	Solid Waste Facilities	Department of Health Services	04/18/2018	04/24/2018	06/19/2018
CA	SAN DIEGO CO LOP	Local Oversight Program Listing	Department of Environmental Health	04/18/2018	04/23/2018	05/04/2018
CA	SAN DIEGO CO. SAM	Environmental Case Listing	San Diego County Department of Environmental	03/23/2010	06/15/2010	07/09/2010
CA	LUST SAN FRANCISCO	Local Oversight Facilities	Department Of Public Health San Francisco Cou	09/19/2008	09/19/2008	09/29/2008
CA	UST SAN FRANCISCO	Underground Storage Tank Information	Department of Public Health	06/07/2018	06/12/2018	07/10/2018
CA	UST SAN JOAQUIN	San Joaquin Co. UST	Environmental Health Department	06/22/2018	06/26/2018	07/11/2018
CA	CUPA SAN LUIS OBISPO	CUPA Facility List	San Luis Obispo County Public Health Departme	05/16/2018	05/22/2018	07/17/2018
CA	BI SAN MATEO	Business Inventory	San Mateo County Environmental Health Service	03/14/2018	03/20/2018	05/04/2018
CA	LUST SAN MATEO	Fuel Leak List	San Mateo County Environmental Health Service	03/15/2018	03/20/2018	05/04/2018
CA	CUPA SANTA BARBARA	CUPA Facility Listing	Santa Barbara County Public Health Department	09/08/2011	09/09/2011	10/07/2011
CA	CUPA SANTA CLARA	Cupa Facility List	Department of Environmental Health	05/16/2018	05/23/2018	07/17/2018
CA	HIST LUST SANTA CLARA	HIST LUST - Fuel Leak Site Activity Report	Santa Clara Valley Water District	03/29/2005	03/30/2005	04/21/2005
CA	LUST SANTA CLARA	LOP Listing	Department of Environmental Health	03/03/2014	03/05/2014	03/18/2014
CA	SAN JOSE HAZMAT	Hazardous Material Facilities	City of San Jose Fire Department	05/16/2018	05/22/2018	07/19/2018
CA	CUPA SANTA CRUZ	CUPA Facility List	Santa Cruz County Environmental Health	01/21/2017	02/22/2017	05/23/2017
CA	CUPA SHASTA	CUPA Facility List	Shasta County Department of Resource Managem	06/15/2017	06/19/2017	08/09/2017
CA	LUST SOLANO	Leaking Underground Storage Tanks	Solano County Department of Environmental Man	06/04/2018	06/08/2018	07/18/2018
CA	UST SOLANO	Underground Storage Tanks	Solano County Department of Environmental Man	06/04/2018	06/12/2018	07/12/2018
CA	CUPA SONOMA	Cupa Facility List	County of Sonoma Fire & Emergency Services De	06/19/2018	06/26/2018	07/17/2018
CA	LUST SONOMA	Leaking Underground Storage Tank Sites	Department of Health Services	04/03/2018	04/06/2018	05/09/2018
CA	CUPA STANISLAUS	CUPA Facility List	Stanislaus County Department of Ennvironmenta	05/08/2018	05/11/2018	06/15/2018
CA	UST SUTTER	Underground Storage Tanks	Sutter County Department of Agriculture	06/04/2018	06/08/2018	07/11/2018
CA	CUPA TEHAMA	CUPA Facility List	Tehama County Department of Environmental Hea	01/26/2018	02/02/2018	03/21/2018
CA	CUPA TRINITY	CUPA Facility List	Department of Toxic Substances Control	04/23/2018	04/25/2018	06/15/2018
CA	CUPA TULARE	CUPA Facility List	Tulare County Environmental Health Services D	03/19/2018	03/22/2018	04/17/2018
CA	CUPA TUOLUMNE	CUPA Facility List	Divison of Environmental Health	04/23/2018	04/25/2018	06/25/2018
CA	BWT VENTURA	Business Plan, Hazardous Waste Producers, and Operating Unde	Ventura County Environmental Health Division	03/26/2018	04/25/2018	06/22/2018
CA	LF VENTURA	Inventory of Illegal Abandoned and Inactive Sites	Environmental Health Division	12/01/2011	12/01/2011	01/19/2012
CA	LUST VENTURA	Listing of Underground Tank Cleanup Sites	Environmental Health Division	05/29/2008	06/24/2008	07/31/2008
CA	MED WASTE VENTURA	Medical Waste Program List	Ventura County Resource Management Agency	03/26/2018	04/25/2018	06/25/2018
CA	UST VENTURA	Underground Tank Closed Sites List	Environmental Health Division	04/26/2018	06/13/2018	07/11/2018
CA	UST YOLO	Underground Storage Tank Comprehensive Facility Report	Yolo County Department of Health	06/20/2018	07/03/2018	07/12/2018
CA	CUPA YUBA	CUPA Facility List	Yuba County Environmental Health Department	05/10/2018	05/15/2018	06/15/2018

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.



# **APPENDIX J**

## *Regulatory Database Search Report*



**LADWP**

12300 Nebraska Avenue  
Los Angeles, CA 90025

Inquiry Number: 5411218.2s  
August 31, 2018

# The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)

# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	346
Government Records Searched/Data Currency Tracking .....	GR-1
 <b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting Source Map .....	A-9
Physical Setting Source Map Findings .....	A-10
Physical Setting Source Records Searched .....	PSGR-1

***Thank you for your business.***  
 Please contact EDR at 1-800-352-0050  
 with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2018 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E 2247-16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E 1528-14) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

12300 NEBRASKA AVENUE  
LOS ANGELES, CA 90025

#### COORDINATES

Latitude (North): 34.0339370 - 34° 2' 2.17"  
Longitude (West): 118.4592190 - 118° 27' 33.18"  
Universal Transverse Mercator: Zone 11  
UTM X (Meters): 365289.4  
UTM Y (Meters): 3766684.5  
Elevation: 162 ft. above sea level

### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 5630733 BEVERLY HILLS, CA  
Version Date: 2012

### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20140513  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
12300 NEBRASKA AVENUE  
LOS ANGELES, CA 90025

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">A1</a>	WEST LA SERVICE CENT	12300 NEBRASKA AVENU	FINDS, ECHO		TP
<a href="#">A2</a>	WEST LA SERVICE CENT	12300 NEBRASKA AVENU	RCRA-LQG		TP
<a href="#">A3</a>	L A DWP/WEST LA DIST	12300 NEBRASKA AVE	HAZNET		TP
<a href="#">A4</a>	WEST LOS ANGELES SER	12300 NEBRASKA AVE	FINDS		TP
<a href="#">A5</a>	W LOS ANGELES DISTRI	12300 NEBRASKA AVE	SWEEPS UST, CA FID UST		TP
<a href="#">A6</a>	WEST LOS ANGELES SER	12300 NEBRASKA AVE	AST		TP
<a href="#">A7</a>	LA DEPARTMENT WATER	12300 NEBRASKA AVE	FINDS		TP
<a href="#">A8</a>	LA DEPARTMENT WATER	12300 NEBRASKA AVE	HAZNET		TP
<a href="#">B9</a>	PLASKON ELECTRONIC M	12270 NEBRASKA AVE	SWEEPS UST, HIST UST, CA FID UST, RCRA NonGen /...	Higher	1 ft.
<a href="#">B10</a>	PLASKON ELECTRONIC,	12270 NEBRASKA AVE.	FINDS, ECHO	Higher	1 ft.
<a href="#">C11</a>	UNK	12333 OLYMPIC BLVD	SWEEPS UST, CA FID UST	Lower	38, 0.007, SSE
<a href="#">C12</a>	HUDSON ELEMENT LA	12333 WEST OLYMPIC B	CPS-SLIC	Lower	38, 0.007, SSE
<a href="#">C13</a>	AGI PROPERTIES	12333 OLYMPIC	CPS-SLIC	Lower	70, 0.013, SSE
<a href="#">B14</a>	12210 1/2 NEBRASKA A	12210 1/2 NEBRASKA A	ENVIROSTOR, VCP	Higher	73, 0.014, NNE
<a href="#">D15</a>	DEPARTMENT OF WATER	1840 CENTINELA AVE	CA FID UST, EMI, NPDES, CIWQS	Lower	78, 0.015, SSW
<a href="#">D16</a>	RECEIVING STATION K	1840 S CENTINELA AVE	AST	Lower	78, 0.015, SSW
<a href="#">C17</a>	GLASER TRUST/WERNER	12401 OLYMPIC BLVD	SWEEPS UST, CA FID UST	Lower	113, 0.021, SSE
<a href="#">D18</a>	MEDICAL CHEMICAL COR	1909 CENTINELA AVE	SWEEPS UST, HIST UST, CA FID UST	Lower	147, 0.028, SSW
<a href="#">D19</a>	BOEING CO.	1909 CENTINELA	CPS-SLIC	Lower	147, 0.028, SSW
<a href="#">20</a>	TELEDYNE CONTROLS S	12333 W OLYMPIC BLVD	RCRA-SQG, EMI	Lower	209, 0.040, SE
<a href="#">C21</a>	HORNBERG JAQUAA, INC	3300 OLYMPIC BLVD	SWEEPS UST, CA FID UST	Lower	290, 0.055, SSE
<a href="#">C22</a>	HORNBERG JAGUAR	3300 OLYMPIC BLVD	AST	Lower	290, 0.055, SSE
<a href="#">E23</a>	SANTA MONICA WELL FI	OLYMPIC & CENTINELA	SEMS-ARCHIVE	Lower	301, 0.057, South
<a href="#">E24</a>	SHAIHOE WONG	3266 OLYMPIC BLVD	EDR Hist Cleaner	Lower	318, 0.060, South
<a href="#">F25</a>	MATHEW MAY PROPERTY	12312 OLYMPIC BLVD W	LUST, CPS-SLIC	Lower	319, 0.060, SE
<a href="#">F26</a>	MATHEW MAY PROPERTY	12312 OLYMPIC	CPS-SLIC, HIST CORTESE	Lower	319, 0.060, SE
<a href="#">F27</a>	RIOT GAMES INC.	12312 W OLYMPIC BLVD	AST	Lower	319, 0.060, SE
<a href="#">F28</a>	SOUTHWEST LEASING	12312 W OLYMPIC BLVD	SWEEPS UST, CA FID UST	Lower	319, 0.060, SE
<a href="#">F29</a>	COMMERCIAL DEVELOPME	12312 WEST OLYMPIC B	CPS-SLIC	Lower	319, 0.060, SE
<a href="#">E30</a>	THOMPSON J V	3278 OLYMPIC BLVD	EDR Hist Cleaner	Lower	328, 0.062, South
<a href="#">G31</a>	TELEFLORA	12233 W OLYMPIC BLVD	RCRA-SQG, FINDS, ECHO	Lower	379, 0.072, ESE
<a href="#">G32</a>	GETTY AGRICULTURAL B	12233 W OLYMPIC BLVD	EDR Hist Auto	Lower	379, 0.072, ESE
<a href="#">H33</a>	BAY DISTRICT PAVING	1955 CENTINELA AVE	RCRA-SQG, HIST UST, EMI, HAZNET, NPDES, CIWQS	Lower	410, 0.078, SSE
<a href="#">H34</a>	LACMTA DIVISION 14	1955 CENTINELA AVE	RCRA-LQG, FINDS, ECHO	Lower	410, 0.078, SSE
<a href="#">H35</a>	BAY DISTRICT PAVING	1955 CENTINELA AVE	RCRA-SQG, FINDS, ECHO	Lower	410, 0.078, SSE
<a href="#">H36</a>	METRO OPERATIONS AND	1955 CENTINELA AVE	AST	Lower	410, 0.078, SSE
<a href="#">E37</a>	AMBROSE COMPANY	3200 OLYMPIC	LUST, HIST CORTESE	Lower	464, 0.088, South
<a href="#">E38</a>	KENTUCKY BRANDS OF C	3200 OLYMPIC BLVD	HIST UST	Lower	464, 0.088, South
<a href="#">I39</a>	KENDALL HAROLD H	3154 OLYMPIC BLVD	EDR Hist Auto	Lower	496, 0.094, SSW



MAPPED SITES SUMMARY

Target Property Address:  
12300 NEBRASKA AVENUE  
LOS ANGELES, CA 90025

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
I40	HORNBURG SANTA MONIC	3300 OLYMPIC BLVD	AST	Lower	526, 0.100, SSW
I41	HORNBURG JAGUAR	3300 OLYMPIC BLVD	RCRA-SQG, UST, FINDS, ECHO	Lower	526, 0.100, SSW
I42	PROPOSED HERB ALPERT	3131 OLYMPIC BOULEVA	ENVIROSTOR, SCH, DEED	Lower	526, 0.100, SSW
J43	BENSON LEHNER CORP.	1860 FRANKLIN ST.	SEMS-ARCHIVE	Lower	533, 0.101, SW
K44	FOX TELEVISION STATI	1999 S BUNDY DR	UST	Lower	582, 0.110, East
K45	FOX TELEVISION STATI	1999 BUNDY DR	UST	Lower	582, 0.110, East
J46	MARSHALL ENGINEERING	1822-1836 FRANKLIN S	SEMS-ARCHIVE	Lower	616, 0.117, SW
L47	CORNERSTONE PLAZA	1940 S BUNDY DR	SWEEPS UST, CA FID UST	Higher	662, 0.125, ENE
K48	HUDSON ELEMENT LA	1901, 1925, 1933 S.	CPS-SLIC	Lower	669, 0.127, ESE
M49	Q-TECH CORP	2201 CARMELINA AVE	RCRA NonGen / NLR, FINDS, ECHO	Lower	691, 0.131, SE
J50	PIONEER MAGNETICS IN	3122 NEBRASKA ST	RCRA-SQG, ENVIROSTOR, FINDS, ECHO, HAZNET	Lower	743, 0.141, WSW
J51	PIONEER MAGNETICS	3122 NEBRASKA AVE	CERS HAZ WASTE, CERS	Lower	743, 0.141, WSW
J52	PLASTIGLADE MFG. COR	3122 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	743, 0.141, WSW
N53	MARTIN CADILLAC COMP	12101 W OLYMPIC BLVD	UST, SWEEPS UST	Lower	753, 0.143, ESE
N54	MARTIN CADILLAC COMP	12101 WEST OLYMPIC B	HIST UST	Lower	753, 0.143, ESE
N55	MARTIN CADILLAC CO I	12101 W OLYMPIC BLVD	RCRA-SQG, HIST UST, CA FID UST, HAZNET	Lower	753, 0.143, ESE
N56	MARTIN CADILLAC	12101 W OLYMPIC BLVD	AST	Lower	753, 0.143, ESE
O57	LANTANA SOUTH LLC-MA	3301 EXPOSITION BLVD	LUST	Lower	764, 0.145, South
O58	LANTANA SOUTH D/MAGU	3301 EXPOSITION BOUL	RCRA-CESQG	Lower	764, 0.145, South
M59	BARCO AVIATION, INC	12322 EXPOSITION BLV	SWEEPS UST, CA FID UST	Lower	780, 0.148, SE
L60	CORNERSTONE PLAZA	1990 S BUNDY DRIVE	SWEEPS UST, CA FID UST, HAZNET	Higher	832, 0.158, East
P61	WESTCOAST WOOD WORKI	1816 BERKELEY ST.	SEMS-ARCHIVE	Lower	863, 0.163, SW
Q62	HIGHLAND ENGINEERING	1942 BERKEKLEY AVE.	ENVIROSTOR	Lower	961, 0.182, WSW
P63	JOHN DRESCHER PROPER	1815 STANFORD	LUST, HIST CORTESE	Lower	962, 0.182, SW
Q64	H. BEHLEN & BROS. (P	1755 BERKELEY STREET	ENVIROSTOR	Lower	990, 0.188, WSW
Q65	H. BEHLEN & BROS.	1755 BERKELEY AVE.	SEMS-ARCHIVE	Lower	990, 0.188, WSW
66	ROTOFLOW CORPORATION	2235 S CARMELINA AVE	RCRA-SQG, FINDS, ECHO	Lower	1017, 0.193, SE
R67	BUNDY CLEANERS, INC	2139 S BUNDY DR	DRYCLEANERS	Lower	1048, 0.198, ESE
R68	BUNDY CLEANERS INC	2139 S BUNDY DR	UST, SWEEPS UST	Lower	1048, 0.198, ESE
R69	BUNDY CLEANERS INC	2139 S BUNDY DR	HIST UST, CA FID UST, DRYCLEANERS, EMI	Lower	1048, 0.198, ESE
R70	BUDY CLEANERS	2139 S BUNDY DR	HIST UST	Lower	1048, 0.198, ESE
S71	POLEY SERVICE CTR	2050 BUNDY DR	RCRA-SQG, FINDS, ECHO	Lower	1079, 0.204, ESE
S72	ROLEX AUTHORIZED SER	2050 BUNDY DR STE 29	RCRA-SQG, FINDS, ECHO	Lower	1079, 0.204, ESE
73	UNILAB WEST L A STAT	11915 LA GRANGE AVE	RCRA-SQG	Higher	1091, 0.207, East
T74	KIPER LASCU	3000 W OLYMPIC BLVD	RCRA-SQG, HAZNET	Lower	1102, 0.209, SW
T75	DIGITAL MAGIC CO	3000 W OLYMPIC BLVD	RCRA-SQG, FINDS, ECHO, HAZNET	Lower	1102, 0.209, SW
T76	SYSTEM DEVELOPMENT C	3000 OLYMPIC BLVD	RCRA-SQG, FINDS, ECHO	Lower	1102, 0.209, SW
Q77	F. A. NUGIER CO.	1758 BERKELEY AVE.	ENVIROSTOR	Lower	1102, 0.209, WSW
Q78	T.H. NUGIER CO. / CA	1758 BERKELEY AVE.	SEMS-ARCHIVE	Lower	1102, 0.209, WSW

MAPPED SITES SUMMARY

Target Property Address:  
12300 NEBRASKA AVENUE  
LOS ANGELES, CA 90025

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
<a href="#">U79</a>	DOUGLAS AIRCRAFT PLT		ENVIROSTOR	Lower	1112, 0.211, SSW
<a href="#">V80</a>	WEST LOS ANGELES ANI	11950 MISSOURI AVE	SWEEPS UST, HIST UST, CA FID UST	Higher	1135, 0.215, NE
<a href="#">V81</a>	LA WEST LOS ANGELES	11950 W MISSOURI AVE	RCRA-SQG, FINDS, ECHO, HAZNET	Higher	1135, 0.215, NE
<a href="#">V82</a>	WEST LOS ANGELES ANI	11950 MISSOURI AVE	HIST UST	Higher	1135, 0.215, NE
<a href="#">Q83</a>	W.C. PRODUCTS INC.	1748 BERKELEY AVE.	SEMS-ARCHIVE	Lower	1136, 0.215, WSW
<a href="#">R84</a>	UNION OIL SERVICE ST	12100 WEST OLYMPIC B	HIST UST	Lower	1147, 0.217, ESE
<a href="#">R85</a>	MOBIL #18-G8L	12100 OLYMPIC	HIST CORTESE	Lower	1147, 0.217, ESE
<a href="#">R86</a>	UNION SERVICE STATIO	12100 W OLYMPIC BLVD	SWEEPS UST, HIST UST, CA FID UST	Lower	1147, 0.217, ESE
<a href="#">R87</a>	UNION OIL SERVICE ST	12100 W OLYMPIC BLVD	HIST UST	Lower	1147, 0.217, ESE
<a href="#">R88</a>	76 PRODUCTS STATION	12100 OLYMPIC	HIST CORTESE	Lower	1147, 0.217, ESE
<a href="#">R89</a>	76 PRODUCTS STATION	12100 OLYMPIC BLVD W	LUST	Lower	1147, 0.217, ESE
<a href="#">R90</a>	TOSCO CORPORATION #3	12100 W OLYMPIC BLVD	UST	Lower	1147, 0.217, ESE
<a href="#">R91</a>	SERVICE STATION 3019	12100 W OLYMPIC BLVD	HIST UST	Lower	1147, 0.217, ESE
<a href="#">Q92</a>	EDSAL PRODUCTS	1746 BERKELEY AVE.	SEMS-ARCHIVE	Lower	1160, 0.220, WSW
<a href="#">W93</a>	AIR TOOL ENGINEERING	3021 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	1190, 0.225, WSW
<a href="#">W94</a>	C.F. CLOVINGER	3021 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	1190, 0.225, WSW
<a href="#">W95</a>	C.F. CLOVINGER	3021 NEBRASKA AVENUE	ENVIROSTOR	Lower	1190, 0.225, WSW
<a href="#">W96</a>	J.H. THOMPSON/EVAN T	3019 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	1193, 0.226, WSW
<a href="#">W97</a>	HARRIS ENG CO.	3017 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	1196, 0.227, WSW
<a href="#">W98</a>	CARSON MANUFACTURING	3015 NEBRASKA AVENUE	ENVIROSTOR	Lower	1199, 0.227, WSW
<a href="#">W99</a>	CARSON MFG. CO.	3015 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	1199, 0.227, WSW
<a href="#">W100</a>	SWISSOMATIC PRODUCTS	1818 STANFORD AVE.	SEMS-ARCHIVE	Lower	1212, 0.230, SW
<a href="#">W101</a>	REYNOLDS METAL WORKS	1816 STANFORD ST.	SEMS-ARCHIVE	Lower	1212, 0.230, SW
<a href="#">W102</a>	SANTA MONICA MOLD SH	1812-1814 STANFORD A	SEMS-ARCHIVE	Lower	1212, 0.230, SW
<a href="#">Q103</a>	W.S. RHOADES PLASTIC	1740 BERKELEY AVE.	SEMS-ARCHIVE	Lower	1233, 0.234, WSW
<a href="#">X104</a>	RAINBOR RECORDS - SA	1728 BERKELEY ST.	RCRA-SQG, LA Co. Site Mitigation	Higher	1272, 0.241, WSW
<a href="#">U105</a>	SANTA MONICA	2943 EXPOSITION BLVD	HIST UST	Lower	1282, 0.243, SSW
<a href="#">U106</a>	GENERAL TELEPHONE CO	2943 EXPOSITION BLVD	SWEEPS UST, CA FID UST	Lower	1282, 0.243, SSW
<a href="#">U107</a>	SANTA MONICA	2943 EXPOSITION BLVD	HIST UST, CHMIRS	Lower	1282, 0.243, SSW
<a href="#">U108</a>	GTE PLANT YARD	2943 EXPOSITION BL	LUST, HIST CORTESE	Lower	1282, 0.243, SSW
<a href="#">X109</a>	DELTA GRAPHICS	1715 BERKELEY ST	RCRA-SQG, FINDS, ECHO, HAZNET	Higher	1293, 0.245, WSW
<a href="#">S110</a>	90944	11951 W OLYMPIC BLVD	HIST UST	Lower	1308, 0.248, ESE
<a href="#">S111</a>	LOVCO WEST INC	11951 W OLYMPIC BLVD	SWEEPS UST, CA FID UST	Lower	1308, 0.248, ESE
<a href="#">S112</a>	CHEVRON STATION #9-0	11951 W OLYMPIC BLVD	UST	Lower	1308, 0.248, ESE
<a href="#">S113</a>	CHEVRON STATION 9094	11951 W OLYMPIC BLVD	RCRA NonGen / NLR, HAZNET	Lower	1308, 0.248, ESE
<a href="#">S114</a>	CHEVRON STATION 9 09	11951 W OLYMPIC BLVD	RCRA-SQG, LUST, FINDS, ECHO, HAZNET, HIST CORTESE	Lower	1308, 0.248, ESE
<a href="#">W115</a>	PIPCO INT'L CORP.	1757 STANFORD AVE.	SEMS-ARCHIVE	Lower	1341, 0.254, WSW
<a href="#">W116</a>	BOISON-DALE	2932 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	1360, 0.258, SW
<a href="#">W117</a>	BAL-TAC ELECTRONICS,	2944 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	1360, 0.258, SW

MAPPED SITES SUMMARY

Target Property Address:  
12300 NEBRASKA AVENUE  
LOS ANGELES, CA 90025

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Y118	SHELL SERVICE STATIO	11944 OLYMPIC BLVD,	LUST, HIST UST	Lower	1380, 0.261, ESE
Z119	NETHERCUTT LABYS ANT	2928 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	1453, 0.275, SW
Z120	MCDONNELL-DOUGLAS AI	OLYMPIC BLVD. AND CE	SEMS-ARCHIVE	Lower	1460, 0.277, SW
121	SANTA MONICA BUSINES	2902 EXPOSITION BOUL	LUST, CPS-SLIC, ENF, HIST CORTESE	Lower	1495, 0.283, SSW
Y122	3M LOS ANGELES DYNAC	11915 W OLYMPIC BLVD	HWP	Lower	1508, 0.286, ESE
Y123	3M LOS ANGELES DYNAC	11915 WEST OLYMPIC B	RCRA-TSDF, RCRA NonGen / NLR, FINDS, ECHO	Lower	1508, 0.286, ESE
AA124	CALAIR INT'L - S.W.	1724 STANFORD AVE.	SEMS-ARCHIVE	Lower	1530, 0.290, WSW
Z125	NEUTRONICS INC.	2908 NEBRASKA AVE.	SEMS-ARCHIVE	Lower	1536, 0.291, SW
AA126	J. E. YOUNG PIPELINE	1716 STANFORD AVE.	SEMS-ARCHIVE	Lower	1546, 0.293, WSW
Z127	SPC ELECTRONIC RESEA	2500 NEBRASKA AVENUE	ENVIROSTOR	Lower	1718, 0.325, SW
128	AVES TRUST	2010 S. WESTGATE AVE	SEMS-ARCHIVE	Higher	1722, 0.326, ENE
129	SPAZIER SOAP CHEMICA	2400 NEBRASKA AVE.	ENVIROSTOR	Lower	1743, 0.330, SW
130	ARMAL MFG. CO.	1660 STANFORD AVE.	SEMS-ARCHIVE	Higher	1786, 0.338, WSW
AB131	CINEMA PRODUCTS, THE	2037 GRANVILLE AVENU	ENVIROSTOR	Higher	2010, 0.381, East
AB132	CINEMA PRODUCTS	2037 GRANVILLE AVE	SEMS-ARCHIVE	Higher	2010, 0.381, East
AC133	BOEING CO.	2801 EXPOSITION	CPS-SLIC	Lower	2062, 0.391, SW
AC134	SANTA MONICA CITY LA	STEWART & EXPOSITION	WMUDS/SWAT	Lower	2074, 0.393, SW
135	SOUTHERN CA GAS CO	1701 STEWART	LUST, HIST CORTESE	Lower	2151, 0.407, WSW
AD136	WESSEN BUICK DEALER	3101 PICO	HIST CORTESE	Lower	2152, 0.408, South
AD137	PETER FOREIGN AUTO S	3007 PICO BL	LUST, HIST UST	Higher	2209, 0.418, South
AE138	76 STATION #5210	11954 SANTA MONICA B	LUST	Higher	2286, 0.433, NNW
AE139	76 PRODUCTS STATION	11954 SANTA MONICA	LUST, HIST CORTESE	Higher	2286, 0.433, NNW
140	WESTERN DISTRICT COL	2027 STONER AVE S.	LUST	Higher	2328, 0.441, ENE
141	SANTA MONICA COLLEGE	1660 STEWART STREET	ENVIROSTOR, LUST, SCH, DEED, NPDES, CIWQS	Higher	2366, 0.448, WSW
142	REGENCY DRY CLEANER	12225 SANTA MONICA B	CPS-SLIC	Higher	2500, 0.473, NW
143	GTE BUNDY CENTRAL OF	1450 BUNDY DR S	LUST, HAZNET, HIST CORTESE	Higher	2559, 0.485, NNW
AF144	REX PRECISION PRODS	2131 STONER AVE	SEMS-ARCHIVE, RCRA-SQG	Higher	2589, 0.490, East
AF145	STONER AVENUE SITE	2131 STONER AVENUE	ENVIROSTOR, VCP, HIST CORTESE, LA Co. Site...	Higher	2589, 0.490, East
146	ARCO POWER GAS STATI	11748 OLYMPIC BLVD	LUST, ENF, HIST CORTESE	Higher	2624, 0.497, East
147	SANFORD / PAPER MATE	1681 26TH STREET	ENVIROSTOR, CPS-SLIC, FINDS, ECHO, ENF, HIST...	Lower	2709, 0.513, WSW
148	SANTA MONICA HOUSING		ENVIROSTOR	Lower	2835, 0.537, SW
149	WESTSIDE YMCA	1452 SOUTH WESTGATE	ENVIROSTOR, VCP	Higher	2966, 0.562, North
150	BARRY AVENUE PLATING	2210 BARRY AVE.	RCRA-LQG, ENVIROSTOR, UST, VCP, SWEEPS UST, HIST...	Higher	3512, 0.665, East
151	WATER GARDENS	2500 COLORADO AVENUE	ENVIROSTOR, CPS-SLIC	Lower	3630, 0.688, WSW
152	EXTRA SPACE	1707 CLOVERFIELD BLV	ENVIROSTOR, CPS-SLIC, VCP, DEED	Lower	4004, 0.758, SW
153	TENNESSEE AVENUE LOF	11500 TENNESSEE AVE	ENVIROSTOR, LA Co. Site Mitigation	Higher	4543, 0.860, East
154	COLORADO PLACE	BROADWAY AND CLOVERF	RESPONSE, ENVIROSTOR, CA BOND EXP. PLAN	Lower	4762, 0.902, WSW

## EXECUTIVE SUMMARY

### TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
WEST LA SERVICE CENT 12300 NEBRASKA AVENU LOS ANGELES, CA 90025	FINDS Registry ID:: 110042272705  ECHO Registry ID: 110042272705	N/A
WEST LA SERVICE CENT 12300 NEBRASKA AVENU LOS ANGELES, CA 90025	RCRA-LQG EPA ID:: CAD983613225	CAD983613225
L A DWP/WEST LA DIST 12300 NEBRASKA AVE LOS ANGELES, CA 90025	HAZNET GEPaid: CAL000042127	N/A
WEST LOS ANGELES SER 12300 NEBRASKA AVE LOS ANGELES, CA 90025	FINDS Registry ID:: 110065414634	N/A
W LOS ANGELES DISTRI 12300 NEBRASKA AVE LOS ANGELES, CA 90025	SWEEPS UST Comp Number: 6108  CA FID UST Facility Id: 19035199 Status: I	N/A
WEST LOS ANGELES SER 12300 NEBRASKA AVE LOS ANGELES, CA 90025	AST Database: AST, Date of Government Version: 07/06/2016	N/A
LA DEPARTMENT WATER 12300 NEBRASKA AVE LOS ANGELES, CA 90025	FINDS Registry ID:: 110019000873	N/A
LA DEPARTMENT WATER 12300 NEBRASKA AVE LOS ANGELES, CA 90025	HAZNET GEPaid: CAD983613225	N/A

# EXECUTIVE SUMMARY

## DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

## STANDARD ENVIRONMENTAL RECORDS

### ***Federal NPL site list***

NPL..... National Priority List  
Proposed NPL..... Proposed National Priority List Sites  
NPL LIENS..... Federal Superfund Liens

### ***Federal Delisted NPL site list***

Delisted NPL..... National Priority List Deletions

### ***Federal CERCLIS list***

FEDERAL FACILITY..... Federal Facility Site Information listing  
SEMS..... Superfund Enterprise Management System

### ***Federal RCRA CORRACTS facilities list***

CORRACTS..... Corrective Action Report

### ***Federal institutional controls / engineering controls registries***

LUCIS..... Land Use Control Information System  
US ENG CONTROLS..... Engineering Controls Sites List  
US INST CONTROL..... Sites with Institutional Controls

### ***Federal ERNS list***

ERNS..... Emergency Response Notification System

### ***State and tribal landfill and/or solid waste disposal site lists***

SWF/LF..... Solid Waste Information System

### ***State and tribal leaking storage tank lists***

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

### ***State and tribal registered storage tank lists***

FEMA UST..... Underground Storage Tank Listing  
INDIAN UST..... Underground Storage Tanks on Indian Land

### ***State and tribal voluntary cleanup sites***

INDIAN VCP..... Voluntary Cleanup Priority Listing

# EXECUTIVE SUMMARY

## **State and tribal Brownfields sites**

BROWNFIELDS..... Considered Brownfields Sites Listing

## **ADDITIONAL ENVIRONMENTAL RECORDS**

### **Local Brownfield lists**

US BROWNFIELDS..... A Listing of Brownfields Sites

### **Local Lists of Landfill / Solid Waste Disposal Sites**

SWRCY..... Recycler Database  
HAULERS..... Registered Waste Tire Haulers Listing  
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands  
ODI..... Open Dump Inventory  
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations  
IHS OPEN DUMPS..... Open Dumps on Indian Land

### **Local Lists of Hazardous waste / Contaminated Sites**

AOCONCERN..... San Gabriel Valley Areas of Concern  
US HIST CDL..... Delisted National Clandestine Laboratory Register  
HIST Cal-Sites..... Historical Calsites Database  
CDL..... Clandestine Drug Labs  
Toxic Pits..... Toxic Pits Cleanup Act Sites  
US CDL..... National Clandestine Laboratory Register

### **Local Lists of Registered Storage Tanks**

CERS TANKS..... California Environmental Reporting System (CERS) Tanks

### **Local Land Records**

LIENS..... Environmental Liens Listing  
LIENS 2..... CERCLA Lien Information

### **Records of Emergency Release Reports**

HMIRS..... Hazardous Materials Information Reporting System  
CHMIRS..... California Hazardous Material Incident Report System  
LDS..... Land Disposal Sites Listing  
MCS..... Military Cleanup Sites Listing  
SPILLS 90..... SPILLS 90 data from FirstSearch

### **Other Ascertainable Records**

FUDS..... Formerly Used Defense Sites  
DOD..... Department of Defense Sites  
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing  
US FIN ASSUR..... Financial Assurance Information  
EPA WATCH LIST..... EPA WATCH LIST  
2020 COR ACTION..... 2020 Corrective Action Program List

## EXECUTIVE SUMMARY

TSCA.....	Toxic Substances Control Act
TRIS.....	Toxic Chemical Release Inventory System
SSTS.....	Section 7 Tracking Systems
ROD.....	Records Of Decision
RMP.....	Risk Management Plans
RAATS.....	RCRA Administrative Action Tracking System
PRP.....	Potentially Responsible Parties
PADS.....	PCB Activity Database System
ICIS.....	Integrated Compliance Information System
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS.....	Material Licensing Tracking System
COAL ASH DOE.....	Steam-Electric Plant Operation Data
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER.....	PCB Transformer Registration Database
RADINFO.....	Radiation Information Database
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS.....	Incident and Accident Data
CONSENT.....	Superfund (CERCLA) Consent Decrees
INDIAN RESERV.....	Indian Reservations
FUSRAP.....	Formerly Utilized Sites Remedial Action Program
UMTRA.....	Uranium Mill Tailings Sites
LEAD SMELTERS.....	Lead Smelter Sites
US AIRS.....	Aerometric Information Retrieval System Facility Subsystem
US MINES.....	Mines Master Index File
ABANDONED MINES.....	Abandoned Mines
DOCKET HWC.....	Hazardous Waste Compliance Docket Listing
UXO.....	Unexploded Ordnance Sites
FUELS PROGRAM.....	EPA Fuels Program Registered Listing
Cortese.....	"Cortese" Hazardous Waste & Substances Sites List
CUPA Listings.....	CUPA Resources List
ENF.....	Enforcement Action Listing
Financial Assurance.....	Financial Assurance Information Listing
ICE.....	ICE
LOS ANGELES CO. HMS.....	HMS: Street Number List
HWT.....	Registered Hazardous Waste Transporter Database
MINES.....	Mines Site Location Listing
MWMP.....	Medical Waste Management Program Listing
NPDES.....	NPDES Permits Listing
PEST LIC.....	Pesticide Regulation Licenses Listing
PROC.....	Certified Processors Database
Notify 65.....	Proposition 65 Records
LA Co. Site Mitigation.....	Site Mitigation List
UIC.....	UIC Listing
WASTEWATER PITS.....	Oil Wastewater Pits Listing
WDS.....	Waste Discharge System
WIP.....	Well Investigation Program Case List
OTHER OIL GAS.....	OTHER OIL & GAS (GEOTRACKER)
PROD WATER PONDS.....	PROD WATER PONDS (GEOTRACKER)
CERS.....	CERS
PROJECT.....	PROJECT (GEOTRACKER)
NON-CASE INFO.....	NON-CASE INFO (GEOTRACKER)
SAMPLING POINT.....	SAMPLING POINT (GEOTRACKER)
UIC GEO.....	UIC GEO (GEOTRACKER)
WELL STIM PROJ.....	Well Stimulation Project (GEOTRACKER)

# EXECUTIVE SUMMARY

CIWQS..... California Integrated Water Quality System  
MILITARY PRIV SITES..... MILITARY PRIV SITES (GEOTRACKER)

## EDR HIGH RISK HISTORICAL RECORDS

### ***EDR Exclusive Records***

EDR MGP..... EDR Proprietary Manufactured Gas Plants

## EDR RECOVERED GOVERNMENT ARCHIVES

### ***Exclusive Recovered Govt. Archives***

RGA LF..... Recovered Government Archive Solid Waste Facilities List  
RGA LUST..... Recovered Government Archive Leaking Underground Storage Tank

## SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## STANDARD ENVIRONMENTAL RECORDS

### ***Federal CERCLIS NFRAP site list***

SEMS-ARCHIVE: SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

A review of the SEMS-ARCHIVE list, as provided by EDR, and dated 05/18/2018 has revealed that there are 30 SEMS-ARCHIVE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
AVES TRUST	2010 S. WESTGATE AVE	ENE 1/4 - 1/2 (0.326 mi.)	128	211
ARMAL MFG. CO.	1660 STANFORD AVE.	WSW 1/4 - 1/2 (0.338 mi.)	130	213



## EXECUTIVE SUMMARY

Site ID: 0905104 EPA Id: CA0000476440				
CINEMA PRODUCTS Site ID: 0900021 EPA Id: CAD983566753	2037 GRANVILLE AVE	E 1/4 - 1/2 (0.381 mi.)	AB132	215
<b>REX PRECISION PRODS</b> Site ID: 0902703 EPA Id: CAT080032949	<b>2131 STONER AVE</b>	<b>E 1/4 - 1/2 (0.490 mi.)</b>	<b>AF144</b>	<b>257</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SANTA MONICA WELL FI BENSON LEHNER CORP. MARSHALL ENGINEERING Site ID: 0905115 EPA Id: CA0000476341	OLYMPIC & CENTINELA 1860 FRANKLIN ST. 1822-1836 FRANKLIN S	S 0 - 1/8 (0.057 mi.) SW 0 - 1/8 (0.101 mi.) SW 0 - 1/8 (0.117 mi.)	E23 J43 J46	42 80 81
PLASTIGLADE MFG. COR WESTCOAST WOOD WORKI Site ID: 0905097 EPA Id: CA0000476580	3122 NEBRASKA AVE. 1816 BERKELEY ST.	WSW 1/8 - 1/4 (0.141 mi.) SW 1/8 - 1/4 (0.163 mi.)	J52 P61	98 113
H. BEHLEN & BROS. Site ID: 0905100 EPA Id: CA0000476531	1755 BERKELEY AVE.	WSW 1/8 - 1/4 (0.188 mi.)	Q65	118
T.H. NUGIER CO. / CA Site ID: 0905101 EPA Id: CA0000476515	1758 BERKELEY AVE.	WSW 1/8 - 1/4 (0.209 mi.)	Q78	137
W.C. PRODUCTS INC. Site ID: 0905102 EPA Id: CA0000476598	1748 BERKELEY AVE.	WSW 1/8 - 1/4 (0.215 mi.)	Q83	143
EDSAL PRODUCTS Site ID: 0905103 EPA Id: CA0000476481	1746 BERKELEY AVE.	WSW 1/8 - 1/4 (0.220 mi.)	Q92	151
AIR TOOL ENGINEERING Site ID: 0905116 EPA Id: CA0000477224	3021 NEBRASKA AVE.	WSW 1/8 - 1/4 (0.225 mi.)	W93	152
C.F. CLOVINGER Site ID: 0905086 EPA Id: CA0000476887	3021 NEBRASKA AVE.	WSW 1/8 - 1/4 (0.225 mi.)	W94	153
J.H. THOMPSON/EVAN T Site ID: 0905087 EPA Id: CAD000476903	3019 NEBRASKA AVE.	WSW 1/8 - 1/4 (0.226 mi.)	W96	155
HARRIS ENG CO. Site ID: 0905090 EPA Id: CA0000476929	3017 NEBRASKA AVE.	WSW 1/8 - 1/4 (0.227 mi.)	W97	156
CARSON MFG. CO. Site ID: 0905089 EPA Id: CA0000476960	3015 NEBRASKA AVE.	WSW 1/8 - 1/4 (0.227 mi.)	W99	158
SWISSOMATIC PRODUCTS Site ID: 0905105 EPA Id: CA0000476432	1818 STANDFORD AVE.	SW 1/8 - 1/4 (0.230 mi.)	W100	159
REYNOLDS METAL WORKS	1816 STANFORD ST.	SW 1/8 - 1/4 (0.230 mi.)	W101	160

## EXECUTIVE SUMMARY

Site ID: 0905107 EPA Id: CA0000476416					
SANTA MONICA MOLD SH Site ID: 0905108 EPA Id: CA0000476408	1812-1814 STANFORD A	SW 1/8 - 1/4 (0.230 mi.)	W102	161	
W.S. RHOADES PLASTIC Site ID: 0905099 EPA Id: CA0000476556	1740 BERKELEY AVE.	WSW 1/8 - 1/4 (0.234 mi.)	Q103	162	
PIPCO INT'L CORP. Site ID: 0905109 EPA Id: CA0000476390	1757 STANFORD AVE.	WSW 1/4 - 1/2 (0.254 mi.)	W115	192	
BOISON-DALE Site ID: 0905091 EPA Id: CA0000476978	2932 NEBRASKA AVE.	SW 1/4 - 1/2 (0.258 mi.)	W116	194	
BAL-TAC ELECTRONICS, Site ID: 0905092 EPA Id: CA0000476994	2944 NEBRASKA AVE.	SW 1/4 - 1/2 (0.258 mi.)	W117	195	
NETHERCUTT LABYS ANT Site ID: 0905093 EPA Id: CA0000477018	2928 NEBRASKA AVE.	SW 1/4 - 1/2 (0.275 mi.)	Z119	198	
MCDONNELL-DOUGLAS AI CALAIR INT'L - S.W. Site ID: 0905110 EPA Id: CA0000476382	OLYMPIC BLVD. AND CE 1724 STANFORD AVE.	SW 1/4 - 1/2 (0.277 mi.) WSW 1/4 - 1/2 (0.290 mi.)	Z120 AA124	199 206	
NEUTRONICS INC. Site ID: 0905094 EPA Id: CA0000477034	2908 NEBRASKA AVE.	SW 1/4 - 1/2 (0.291 mi.)	Z125	208	
J. E. YOUNG PIPELINE Site ID: 0905106 EPA Id: CA0000476424	1716 STANFORD AVE.	WSW 1/4 - 1/2 (0.293 mi.)	AA126	209	

### ***Federal RCRA non-CORRACTS TSD facilities list***

RCRA-TSDF: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-TSDF list, as provided by EDR, and dated 03/01/2018 has revealed that there is 1 RCRA-TSDF site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>3M LOS ANGELES DYNAC</b> EPA ID:: CAT000617621	<b>11915 WEST OLYMPIC B</b>	<b>ESE 1/4 - 1/2 (0.286 mi.)</b>	<b>Y123</b>	<b>205</b>

## EXECUTIVE SUMMARY

### ***Federal RCRA generators list***

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 03/01/2018 has revealed that there is 1 RCRA-LQG site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>LACMTA DIVISION 14</b> EPA ID:: CAR000257519	<b>1955 CENTINELA AVE</b>	<b>SSE 0 - 1/8 (0.078 mi.)</b>	<b>H34</b>	<b>59</b>

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 03/01/2018 has revealed that there are 18 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
UNILAB WEST L A STAT EPA ID:: CAD983664814	11915 LA GRANGE AVE	E 1/8 - 1/4 (0.207 mi.)	73	127
<b>LA WEST LOS ANGELES</b> EPA ID:: CAD981988371	<b>11950 W MISSOURI AVE</b>	<b>NE 1/8 - 1/4 (0.215 mi.)</b>	<b>V81</b>	<b>140</b>
<b>RAINBOR RECORDS - SA</b> EPA ID:: CAD981993736	<b>1728 BERKELEY ST.</b>	<b>WSW 1/8 - 1/4 (0.241 mi.)</b>	<b>X104</b>	<b>164</b>
<b>DELTA GRAPHICS</b> EPA ID:: CAD982506073	<b>1715 BERKELEY ST</b>	<b>WSW 1/8 - 1/4 (0.245 mi.)</b>	<b>X109</b>	<b>174</b>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>TELEDYNE CONTROLS S</b> EPA ID:: CAD038179842	<b>12333 W OLYMPIC BLVD</b>	<b>SE 0 - 1/8 (0.040 mi.)</b>	<b>20</b>	<b>37</b>
<b>TELEFLORA</b> EPA ID:: CAD982403339	<b>12233 W OLYMPIC BLVD</b>	<b>ESE 0 - 1/8 (0.072 mi.)</b>	<b>G31</b>	<b>48</b>
<b>BAY DISTRICT PAVING</b> EPA ID:: CAD041161902	<b>1955 CENTINELA AVE</b>	<b>SSE 0 - 1/8 (0.078 mi.)</b>	<b>H33</b>	<b>50</b>
<b>BAY DISTRICT PAVING</b> EPA ID:: CAD075288993	<b>1955 CENTINELA AVE</b>	<b>SSE 0 - 1/8 (0.078 mi.)</b>	<b>H35</b>	<b>61</b>
<b>HORNBURG JAGUAR</b> EPA ID:: CAD983602228	<b>3300 OLYMPIC BLVD</b>	<b>SSW 0 - 1/8 (0.100 mi.)</b>	<b>I41</b>	<b>68</b>
<b>PIONEER MAGNETICS IN</b> EPA ID:: CAD981667843	<b>3122 NEBRASKA ST</b>	<b>WSW 1/8 - 1/4 (0.141 mi.)</b>	<b>J50</b>	<b>86</b>
<b>MARTIN CADILLAC CO I</b>	<b>12101 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.143 mi.)</b>	<b>N55</b>	<b>102</b>

## EXECUTIVE SUMMARY

EPA ID:: CAD007873383				
<b>ROTOFLOW CORPORATION</b>	<b>2235 S CARMELINA AVE</b>	<b>SE 1/8 - 1/4 (0.193 mi.)</b>	<b>66</b>	<b>119</b>
EPA ID:: CAD982029696				
<b>POLEY SERVICE CTR</b>	<b>2050 BUNDY DR</b>	<b>ESE 1/8 - 1/4 (0.204 mi.)</b>	<b>S71</b>	<b>125</b>
EPA ID:: CAD983634189				
<b>ROLEX AUTHORIZED SER</b>	<b>2050 BUNDY DR STE 29</b>	<b>ESE 1/8 - 1/4 (0.204 mi.)</b>	<b>S72</b>	<b>126</b>
EPA ID:: CAD983612888				
<b>KIPER LASCU</b>	<b>3000 W OLYMPIC BLVD</b>	<b>SW 1/8 - 1/4 (0.209 mi.)</b>	<b>T74</b>	<b>129</b>
EPA ID:: CAD982434557				
<b>DIGITAL MAGIC CO</b>	<b>3000 W OLYMPIC BLVD</b>	<b>SW 1/8 - 1/4 (0.209 mi.)</b>	<b>T75</b>	<b>131</b>
EPA ID:: CAR000032508				
<b>SYSTEM DEVELOPMENT C</b>	<b>3000 OLYMPIC BLVD</b>	<b>SW 1/8 - 1/4 (0.209 mi.)</b>	<b>T76</b>	<b>134</b>
EPA ID:: CAD981402167				
<b>CHEVRON STATION 9 09</b>	<b>11951 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.248 mi.)</b>	<b>S114</b>	<b>183</b>
EPA ID:: CAD983643248				

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 03/01/2018 has revealed that there is 1 RCRA-CESQG site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LANTANA SOUTH D/MAGU EPA ID:: CAP000182964	3301 EXPOSITION BOUL	S 1/8 - 1/4 (0.145 mi.)	O58	109

### **State- and tribal - equivalent NPL**

RESPONSE: Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

A review of the RESPONSE list, as provided by EDR, has revealed that there is 1 RESPONSE site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>COLORADO PLACE</b> Database: RESPONSE, Date of Government Version: 04/30/2018 Status: No Further Action Facility Id: 19490208	<b>BROADWAY AND CLOVERF</b>	<b>WSW 1/2 - 1 (0.902 mi.)</b>	<b>154</b>	<b>342</b>

## EXECUTIVE SUMMARY

### **State- and tribal - equivalent CERCLIS**

ENVIROSTOR: The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

A review of the ENVIROSTOR list, as provided by EDR, and dated 04/30/2018 has revealed that there are 22 ENVIROSTOR sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>12210 1/2 NEBRASKA A</b> Facility Id: 60001101 Status: Refer: RWQCB	<b>12210 1/2 NEBRASKA A</b>	<b>NNE 0 - 1/8 (0.014 mi.)</b>	<b>B14</b>	<b>21</b>
CINEMA PRODUCTS, THE Facility Id: 19360526 Status: No Further Action	2037 GRANVILLE AVENUE	E 1/4 - 1/2 (0.381 mi.)	AB131	214
<b>SANTA MONICA COLLEGE</b> Facility Id: 60001654 Status: Certified O&M - Land Use Restrictions Only	<b>1660 STEWART STREET</b>	<b>WSW 1/4 - 1/2 (0.448 mi.)</b>	<b>141</b>	<b>241</b>
<b>STONER AVENUE SITE</b> Facility Id: 19340669 Status: No Further Action	<b>2131 STONER AVENUE</b>	<b>E 1/4 - 1/2 (0.490 mi.)</b>	<b>AF145</b>	<b>260</b>
<b>WESTSIDE YMCA</b> Facility Id: 60002201 Status: Inactive - Action Required	<b>1452 SOUTH WESTGATE</b>	<b>N 1/2 - 1 (0.562 mi.)</b>	<b>149</b>	<b>285</b>
<b>BARRY AVENUE PLATING</b> Facility Id: 71002319 Facility Id: 60000437 Status: Refer: Other Agency Status: Active	<b>2210 BARRY AVE.</b>	<b>E 1/2 - 1 (0.665 mi.)</b>	<b>150</b>	<b>289</b>
<b>TENNESSEE AVENUE LOF</b> Facility Id: 70000127 Status: Refer: 1248 Local Agency	<b>11500 TENNESSEE AVE</b>	<b>E 1/2 - 1 (0.860 mi.)</b>	<b>153</b>	<b>341</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PROPOSED HERB ALPERT</b> Facility Id: 19820113 Status: Certified O&M - Land Use Restrictions Only	<b>3131 OLYMPIC BOULEVA</b>	<b>SSW 0 - 1/8 (0.100 mi.)</b>	<b>I42</b>	<b>70</b>
<b>PIONEER MAGNETICS IN</b> Facility Id: 60001691 Status: No Further Action	<b>3122 NEBRASKA ST</b>	<b>WSW 1/8 - 1/4 (0.141 mi.)</b>	<b>J50</b>	<b>86</b>
HIGHLAND ENGINEERING Facility Id: 60001736	1942 BERKEKLEY AVE.	WSW 1/8 - 1/4 (0.182 mi.)	Q62	114

## EXECUTIVE SUMMARY

Status: No Further Action				
H. BEHLEN & BROS. (P Facility Id: 60001745 Status: No Further Action	1755 BERKELEY STREET	WSW 1/8 - 1/4 (0.188 mi.)	Q64	117
F. A. NUGIER CO. Facility Id: 60001730 Status: No Further Action	1758 BERKELEY AVE.	WSW 1/8 - 1/4 (0.209 mi.)	Q77	136
DOUGLAS AIRCRAFT PLT Facility Id: 80000074 Status: Inactive - Needs Evaluation		SSW 1/8 - 1/4 (0.211 mi.)	U79	138
C.F. CLOVINGER Facility Id: 60001758 Status: No Further Action	3021 NEBRASKA AVENUE	WSW 1/8 - 1/4 (0.225 mi.)	W95	154
CARSON MANUFACTURING Facility Id: 60001759 Status: No Further Action	3015 NEBRASKA AVENUE	WSW 1/8 - 1/4 (0.227 mi.)	W98	157
SPC ELECTRONIC RESEA Facility Id: 60001679 Status: No Further Action	2500 NEBRASKA AVENUE	SW 1/4 - 1/2 (0.325 mi.)	Z127	210
SPAZIER SOAP CHEMICA Facility Id: 60001675 Status: No Further Action	2400 NEBRASKA AVE.	SW 1/4 - 1/2 (0.330 mi.)	129	212
<b>SANFORD / PAPER MATE</b> Facility Id: 19390024 Status: Refer: Other Agency	<b>1681 26TH STREET</b>	<b>WSW 1/2 - 1 (0.513 mi.)</b>	<b>147</b>	<b>277</b>
SANTA MONICA HOUSING Facility Id: 80001138 Status: Inactive - Needs Evaluation		SW 1/2 - 1 (0.537 mi.)	148	284
<b>WATER GARDENS</b> Facility Id: 19210002 Status: Refer: Other Agency	<b>2500 COLORADO AVENUE</b>	<b>WSW 1/2 - 1 (0.688 mi.)</b>	<b>151</b>	<b>330</b>
<b>EXTRA SPACE</b> Facility Id: 60000517 Status: Certified O&M - Land Use Restrictions Only	<b>1707 CLOVERFIELD BLV</b>	<b>SW 1/2 - 1 (0.758 mi.)</b>	<b>152</b>	<b>332</b>
<b>COLORADO PLACE</b> Facility Id: 19490208 Status: No Further Action	<b>BROADWAY AND CLOVERF</b>	<b>WSW 1/2 - 1 (0.902 mi.)</b>	<b>154</b>	<b>342</b>

### **State and tribal leaking storage tank lists**

LUST: Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the LUST list, as provided by EDR, has revealed that there are 17 LUST sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PETER FOREIGN AUTO S</b> Database: LUST, Date of Government Version: 06/11/2018	<b>3007 PICO BL</b>	<b>S 1/4 - 1/2 (0.418 mi.)</b>	<b>AD137</b>	<b>220</b>

## EXECUTIVE SUMMARY

Status: Completed - Case Closed  
Global Id: T0603793191

<p><b>76 STATION #5210</b> Database: LUST REG 4, Date of Government Version: 09/07/2004 Global ID: T0603700695 Global ID: T0603763357 Facility Id: 900250107A Status: Case Closed Status: Remediation Plan</p>	<p><b>11954 SANTA MONICA B</b></p>	<p><b>NNW 1/4 - 1/2 (0.433 mi.)</b></p>	<p><b>AE138</b></p>	<p><b>222</b></p>
<p><b>76 PRODUCTS STATION</b> Database: LUST, Date of Government Version: 06/11/2018 Status: Completed - Case Closed Global Id: T0603763357 Global Id: T0603700695</p>	<p><b>11954 SANTA MONICA</b></p>	<p><b>NNW 1/4 - 1/2 (0.433 mi.)</b></p>	<p><b>AE139</b></p>	<p><b>224</b></p>
<p><b>WESTERN DISTRICT COL</b> Database: LUST REG 4, Date of Government Version: 09/07/2004 Database: LUST, Date of Government Version: 06/11/2018 Global ID: T0603763571 Status: Open - Remediation Facility Id: 900250243 Status: Pollution Characterization Global Id: T0603763571</p>	<p><b>2027 STONER AVE S.</b></p>	<p><b>ENE 1/4 - 1/2 (0.441 mi.)</b></p>	<p><b>140</b></p>	<p><b>234</b></p>
<p><b>SANTA MONICA COLLEGE</b> Database: LUST, Date of Government Version: 06/11/2018 Status: Completed - Case Closed Global Id: T10000006140</p>	<p><b>1660 STEWART STREET</b></p>	<p><b>WSW 1/4 - 1/2 (0.448 mi.)</b></p>	<p><b>141</b></p>	<p><b>241</b></p>
<p><b>GTE BUNDY CENTRAL OF</b> Database: LUST REG 4, Date of Government Version: 09/07/2004 Database: LUST, Date of Government Version: 06/11/2018 Global ID: T0603700698 Status: Completed - Case Closed Facility Id: 900250134 Status: Case Closed Global Id: T0603700698</p>	<p><b>1450 BUNDY DR S</b></p>	<p><b>NNW 1/4 - 1/2 (0.485 mi.)</b></p>	<p><b>143</b></p>	<p><b>255</b></p>
<p><b>ARCO POWER GAS STATI</b> Database: LUST REG 4, Date of Government Version: 09/07/2004 Database: LUST, Date of Government Version: 06/11/2018 Global ID: T0603701167 Status: Completed - Case Closed Facility Id: 900640071 Status: Remediation Plan Global Id: T0603701167</p>	<p><b>11748 OLYMPIC BLVD</b></p>	<p><b>E 1/4 - 1/2 (0.497 mi.)</b></p>	<p><b>146</b></p>	<p><b>265</b></p>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<p><b>MATHEW MAY PROPERTY</b> Database: LUST REG 4, Date of Government Version: 09/07/2004 Global ID: T0603700114 Facility Id: 100.315 Status: Case Closed</p>	<p><b>12312 OLYMPIC BLVD W</b></p>	<p><b>SE 0 - 1/8 (0.060 mi.)</b></p>	<p><b>F25</b></p>	<p><b>44</b></p>
<p><b>AMBROSE COMPANY</b> Database: LUST REG 4, Date of Government Version: 09/07/2004 Database: LUST, Date of Government Version: 06/11/2018</p>	<p><b>3200 OLYMPIC</b></p>	<p><b>S 0 - 1/8 (0.088 mi.)</b></p>	<p><b>E37</b></p>	<p><b>64</b></p>

## EXECUTIVE SUMMARY

Global ID: T0603701418 Status: Completed - Case Closed Facility Id: 904040370 Status: Case Closed Global Id: T0603701418				
LANTANA SOUTH LLC-MA	3301 EXPOSITION BLVD	S 1/8 - 1/4 (0.145 mi.)	O57	108
Database: LUST, Date of Government Version: 06/11/2018 Status: Completed - Case Closed Global Id: T0603795042				
<b>JOHN DRESCHER PROPER</b>	<b>1815 STANFORD</b>	<b>SW 1/8 - 1/4 (0.182 mi.)</b>	<b>P63</b>	<b>115</b>
Database: LUST REG 4, Date of Government Version: 09/07/2004 Database: LUST, Date of Government Version: 06/11/2018 Global ID: T0603701408 Status: Completed - Case Closed Facility Id: 904040270 Status: Preliminary site assessment underway Global Id: T0603701408				
76 PRODUCTS STATION	12100 OLYMPIC BLVD W	ESE 1/8 - 1/4 (0.217 mi.)	R89	148
Database: LUST REG 4, Date of Government Version: 09/07/2004 Database: LUST, Date of Government Version: 06/11/2018 Global ID: T0603701175 Status: Completed - Case Closed Facility Id: 900640270 Status: Case Closed Global Id: T0603701175				
<b>GTE PLANT YARD</b>	<b>2943 EXPOSITION BL</b>	<b>SSW 1/8 - 1/4 (0.243 mi.)</b>	<b>U108</b>	<b>171</b>
Database: LUST REG 4, Date of Government Version: 09/07/2004 Database: LUST, Date of Government Version: 06/11/2018 Global ID: T0603701387 Status: Completed - Case Closed Facility Id: 904040070 Status: Leak being confirmed Global Id: T0603701387				
<b>CHEVRON STATION 9 09</b>	<b>11951 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.248 mi.)</b>	<b>S114</b>	<b>183</b>
Database: LUST REG 4, Date of Government Version: 09/07/2004 Database: LUST, Date of Government Version: 06/11/2018 Global ID: T0603794744 Global ID: T0603701163 Status: Completed - Case Closed Facility Id: 900640025A Facility Id: 900640025 Status: Pollution Characterization Status: Case Closed Global Id: T0603794744 Global Id: T0603701163				
<b>SHELL SERVICE STATIO</b>	<b>11944 OLYMPIC BLVD,</b>	<b>ESE 1/4 - 1/2 (0.261 mi.)</b>	<b>Y118</b>	<b>196</b>
Database: LUST, Date of Government Version: 06/11/2018 Status: Completed - Case Closed Global Id: T0603743918				
<b>SANTA MONICA BUSINES</b>	<b>2902 EXPOSITION BOUL</b>	<b>SSW 1/4 - 1/2 (0.283 mi.)</b>	<b>121</b>	<b>200</b>
Database: LUST REG 4, Date of Government Version: 09/07/2004 Global ID: T0603701382 Facility Id: 904040025				



## EXECUTIVE SUMMARY

Status: Case Closed

**SOUTHERN CA GAS CO**    **1701 STEWART**    **WSW 1/4 - 1/2 (0.407 mi.)**    **135**    **218**

Database: LUST REG 4, Date of Government Version: 09/07/2004  
 Database: LUST, Date of Government Version: 06/11/2018  
 Global ID: T0603792927  
 Status: Completed - Case Closed  
 Facility Id: 904040416  
 Status: Pollution Characterization  
 Global Id: T0603792927

CPS-SLIC: Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

A review of the CPS-SLIC list, as provided by EDR, has revealed that there are 10 CPS-SLIC sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
REGENCY DRY CLEANER Database: SLIC REG 4, Date of Government Version: 11/17/2004 Database: CPS-SLIC, Date of Government Version: 06/11/2018 Facility Status: Completed - Case Closed Facility Status: No further action required Global Id: SLT43360358	12225 SANTA MONICA B	NW 1/4 - 1/2 (0.473 mi.)	142	254
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HUDSON ELEMENT LA Database: CPS-SLIC, Date of Government Version: 06/11/2018 Facility Status: Open - Site Assessment Global Id: SL2046M1652	12333 WEST OLYMPIC B	SSE 0 - 1/8 (0.007 mi.)	C12	20
AGI PROPERTIES Database: SLIC REG 4, Date of Government Version: 11/17/2004 Facility Status: Site Assessment	12333 OLYMPIC	SSE 0 - 1/8 (0.013 mi.)	C13	21
BOEING CO. Database: SLIC REG 4, Date of Government Version: 11/17/2004 Database: CPS-SLIC, Date of Government Version: 06/11/2018 Facility Status: Completed - Case Closed Facility Status: No further action required Global Id: SL0603761453	1909 CENTINELA	SSW 0 - 1/8 (0.028 mi.)	D19	36
<b>MATHEW MAY PROPERTY</b> Database: CPS-SLIC, Date of Government Version: 06/11/2018 Facility Status: Completed - Case Closed Global Id: T0603700114	<b>12312 OLYMPIC BLVD W</b>	<b>SE 0 - 1/8 (0.060 mi.)</b>	<b>F25</b>	<b>44</b>
<b>MATHEW MAY PROPERTY</b> Database: SLIC REG 4, Date of Government Version: 11/17/2004 Facility Status: No further action required	<b>12312 OLYMPIC</b>	<b>SE 0 - 1/8 (0.060 mi.)</b>	<b>F26</b>	<b>45</b>
COMMERCIAL DEVELOPME Database: CPS-SLIC, Date of Government Version: 06/11/2018 Facility Status: Completed - Case Closed	12312 WEST OLYMPIC B	SE 0 - 1/8 (0.060 mi.)	F29	47

## EXECUTIVE SUMMARY

Global Id: SL204931715				
HUDSON ELEMENT LA	1901, 1925, 1933 S.	ESE 1/8 - 1/4 (0.127 mi.)	K48	83
Database: CPS-SLIC, Date of Government Version: 06/11/2018				
Facility Status: Open - Site Assessment				
Global Id: SL0603705527				
<b>SANTA MONICA BUSINES</b>	<b>2902 EXPOSITION BOUL</b>	<b>SSW 1/4 - 1/2 (0.283 mi.)</b>	<b>121</b>	<b>200</b>
Database: CPS-SLIC, Date of Government Version: 06/11/2018				
Facility Status: Completed - Case Closed				
Facility Status: Open - Assessment & Interim Remedial Action				
Global Id: T0603701382				
Global Id: SLT4307573				
BOEING CO.	2801 EXPOSITION	SW 1/4 - 1/2 (0.391 mi.)	AC133	216
Database: SLIC REG 4, Date of Government Version: 11/17/2004				
Facility Status: Site Assessment				

### **State and tribal registered storage tank lists**

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the State Water Resources Control Board's Hazardous Substance Storage Container Database.

A review of the UST list, as provided by EDR, has revealed that there are 7 UST sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>HORNBURG JAGUAR</b>	<b>3300 OLYMPIC BLVD</b>	<b>SSW 0 - 1/8 (0.100 mi.)</b>	<b>I41</b>	<b>68</b>
Database: UST, Date of Government Version: 06/11/2018				
Facility Id: 600144				
FOX TELEVISION STATI	1999 S BUNDY DR	E 0 - 1/8 (0.110 mi.)	K44	81
Database: UST, Date of Government Version: 06/11/2018				
Facility Id: 25038				
FOX TELEVISION STATI	1999 BUNDY DR	E 0 - 1/8 (0.110 mi.)	K45	81
Database: UST, Date of Government Version: 06/11/2018				
Facility Id: FA0033837				
<b>MARTIN CADILLAC COMP</b>	<b>12101 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.143 mi.)</b>	<b>N53</b>	<b>99</b>
Database: UST, Date of Government Version: 06/11/2018				
Facility Id: 25425				
<b>BUNDY CLEANERS INC</b>	<b>2139 S BUNDY DR</b>	<b>ESE 1/8 - 1/4 (0.198 mi.)</b>	<b>R68</b>	<b>122</b>
Database: UST, Date of Government Version: 06/11/2018				
Facility Id: 24020				
TOSCO CORPORATION #3	12100 W OLYMPIC BLVD	ESE 1/8 - 1/4 (0.217 mi.)	R90	150
Database: UST, Date of Government Version: 06/11/2018				
Facility Id: 24228				
CHEVRON STATION #9-0	11951 W OLYMPIC BLVD	ESE 1/8 - 1/4 (0.248 mi.)	S112	180
Database: UST, Date of Government Version: 06/11/2018				
Facility Id: 23797				

## EXECUTIVE SUMMARY

AST: A listing of aboveground storage tank petroleum storage tank locations.

A review of the AST list, as provided by EDR, has revealed that there are 6 AST sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
RECEIVING STATION K Database: AST, Date of Government Version: 07/06/2016	1840 S CENTINELA AVE	SSW 0 - 1/8 (0.015 mi.)	D16	32
HORNBURG JAGUAR Database: AST, Date of Government Version: 07/06/2016	3300 OLYMPIC BLVD	SSE 0 - 1/8 (0.055 mi.)	C22	42
RIOT GAMES INC. Database: AST, Date of Government Version: 07/06/2016	12312 W OLYMPIC BLVD	SE 0 - 1/8 (0.060 mi.)	F27	46
METRO OPERATIONS AND Database: AST, Date of Government Version: 07/06/2016	1955 CENTINELA AVE	SSE 0 - 1/8 (0.078 mi.)	H36	63
HORNBURG SANTA MONIC Database: AST, Date of Government Version: 07/06/2016	3300 OLYMPIC BLVD	SSW 0 - 1/8 (0.100 mi.)	I40	67
MARTIN CADILLAC Database: AST, Date of Government Version: 07/06/2016	12101 W OLYMPIC BLVD	ESE 1/8 - 1/4 (0.143 mi.)	N56	107

### ***State and tribal voluntary cleanup sites***

VCP: Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

A review of the VCP list, as provided by EDR, and dated 04/30/2018 has revealed that there are 2 VCP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>12210 1/2 NEBRASKA A</b> Status: Refer: RWQCB Facility Id: 60001101	<b>12210 1/2 NEBRASKA A</b>	<b>NNE 0 - 1/8 (0.014 mi.)</b>	<b>B14</b>	<b>21</b>
<b>STONER AVENUE SITE</b> Status: No Further Action Facility Id: 19340669	<b>2131 STONER AVENUE</b>	<b>E 1/4 - 1/2 (0.490 mi.)</b>	<b>AF145</b>	<b>260</b>

### **ADDITIONAL ENVIRONMENTAL RECORDS**

#### ***Local Lists of Landfill / Solid Waste Disposal Sites***

WMUDS/SWAT: The Waste Management Unit Database System is used for program tracking and inventory of waste management units. The source is the State Water Resources Control Board.

A review of the WMUDS/SWAT list, as provided by EDR, and dated 04/01/2000 has revealed that there is 1 WMUDS/SWAT site within approximately 0.5 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SANTA MONICA CITY LA	STEWART & EXPOSITION	SW 1/4 - 1/2 (0.393 mi.)	AC134	217

## EXECUTIVE SUMMARY

### **Local Lists of Hazardous waste / Contaminated Sites**

SCH: This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category. depending on the level of threat to public health and safety or the environment they pose.

A review of the SCH list, as provided by EDR, and dated 04/30/2018 has revealed that there is 1 SCH site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PROPOSED HERB ALPERT</b> Facility Id: 19820113 Status: Certified O&M - Land Use Restrictions Only	<b>3131 OLYMPIC BOULEVA</b>	<b>SSW 0 - 1/8 (0.100 mi.)</b>	<b>I42</b>	<b>70</b>

CERS HAZ WASTE: List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

A review of the CERS HAZ WASTE list, as provided by EDR, and dated 04/23/2018 has revealed that there is 1 CERS HAZ WASTE site within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PIONEER MAGNETICS</b>	<b>3122 NEBRASKA AVE</b>	<b>WSW 1/8 - 1/4 (0.141 mi.)</b>	<b>J51</b>	<b>90</b>

### **Local Lists of Registered Storage Tanks**

SWEEPS UST: Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

A review of the SWEEPS UST list, as provided by EDR, and dated 06/01/1994 has revealed that there are 15 SWEEPS UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PLASKON ELECTRONIC M</b> Comp Number: 1046	<b>12270 NEBRASKA AVE</b>	<b>0 - 1/8 (0.000 mi.)</b>	<b>B9</b>	<b>16</b>
<b>CORNERSTONE PLAZA</b> Comp Number: 6559	<b>1940 S BUNDY DR</b>	<b>ENE 1/8 - 1/4 (0.125 mi.)</b>	<b>L47</b>	<b>82</b>
<b>CORNERSTONE PLAZA</b> Status: A Comp Number: 7368	<b>1990 S BUNDY DRIVE</b>	<b>E 1/8 - 1/4 (0.158 mi.)</b>	<b>L60</b>	<b>112</b>
<b>WEST LOS ANGELES ANI</b> Comp Number: 2434	<b>11950 MISSOURI AVE</b>	<b>NE 1/8 - 1/4 (0.215 mi.)</b>	<b>V80</b>	<b>139</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>UNK</b>	<b>12333 OLYMPIC BLVD</b>	<b>SSE 0 - 1/8 (0.007 mi.)</b>	<b>C11</b>	<b>19</b>

## EXECUTIVE SUMMARY

Comp Number: 7832				
<b>GLASER TRUST/WERNER</b>	<b>12401 OLYMPIC BLVD</b>	<b>SSE 0 - 1/8 (0.021 mi.)</b>	<b>C17</b>	<b>33</b>
Comp Number: 6159				
<b>MEDICAL CHEMICAL COR</b>	<b>1909 CENTINELA AVE</b>	<b>SSW 0 - 1/8 (0.028 mi.)</b>	<b>D18</b>	<b>34</b>
Status: A				
Tank Status: A				
Comp Number: 60891				
<b>HORNBERG JAQUAA, INC</b>	<b>3300 OLYMPIC BLVD</b>	<b>SSE 0 - 1/8 (0.055 mi.)</b>	<b>C21</b>	<b>41</b>
Status: A				
Tank Status: A				
Comp Number: 16				
<b>SOUTHWEST LEASING</b>	<b>12312 W OLYMPIC BLVD</b>	<b>SE 0 - 1/8 (0.060 mi.)</b>	<b>F28</b>	<b>46</b>
Comp Number: 7160				
<b>MARTIN CADILLAC COMP</b>	<b>12101 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.143 mi.)</b>	<b>N53</b>	<b>99</b>
Status: A				
Tank Status: A				
Comp Number: 1720				
<b>BARCO AVIATION, INC</b>	<b>12322 EXPOSITION BLV</b>	<b>SE 1/8 - 1/4 (0.148 mi.)</b>	<b>M59</b>	<b>111</b>
Status: A				
Comp Number: 8018				
<b>BUNDY CLEANERS INC</b>	<b>2139 S BUNDY DR</b>	<b>ESE 1/8 - 1/4 (0.198 mi.)</b>	<b>R68</b>	<b>122</b>
Status: A				
Tank Status: A				
Comp Number: 2864				
<b>UNION SERVICE STATIO</b>	<b>12100 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.217 mi.)</b>	<b>R86</b>	<b>145</b>
Status: A				
Tank Status: A				
Comp Number: 1735				
<b>GENERAL TELEPHONE CO</b>	<b>2943 EXPOSITION BLVD</b>	<b>SSW 1/8 - 1/4 (0.243 mi.)</b>	<b>U106</b>	<b>167</b>
Status: A				
Tank Status: A				
Comp Number: 3721				
<b>LOVCO WEST INC</b>	<b>11951 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.248 mi.)</b>	<b>S111</b>	<b>178</b>
Status: A				
Tank Status: A				
Comp Number: 3481				

HIST UST: Historical UST Registered Database.

A review of the HIST UST list, as provided by EDR, and dated 10/15/1990 has revealed that there are 17 HIST UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PLASKON ELECTRONIC M</b>	<b>12270 NEBRASKA AVE</b>	<b>0 - 1/8 (0.000 mi.)</b>	<b>B9</b>	<b>16</b>
Facility Id: 00000016949				
<b>WEST LOS ANGELES ANI</b>	<b>11950 MISSOURI AVE</b>	<b>NE 1/8 - 1/4 (0.215 mi.)</b>	<b>V80</b>	<b>139</b>
WEST LOS ANGELES ANI	11950 MISSOURI AVE	NE 1/8 - 1/4 (0.215 mi.)	V82	142
Facility Id: 00000047073				
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>MEDICAL CHEMICAL COR</b>	<b>1909 CENTINELA AVE</b>	<b>SSW 0 - 1/8 (0.028 mi.)</b>	<b>D18</b>	<b>34</b>

## EXECUTIVE SUMMARY

Facility Id: 00000041236 Facility Id: 00000060891				
<b>BAY DISTRICT PAVING</b> Facility Id: 00000005408	<b>1955 CENTINELA AVE</b>	<b>SSE 0 - 1/8 (0.078 mi.)</b>	<b>H33</b>	<b>50</b>
KENTUCKY BRANDS OF C Facility Id: 00000003234	3200 OLYMPIC BLVD	S 0 - 1/8 (0.088 mi.)	E38	66
MARTIN CADILLAC COMP <b>MARTIN CADILLAC CO I</b> Facility Id: 00000029263	12101 WEST OLYMPIC B <b>12101 W OLYMPIC BLVD</b>	ESE 1/8 - 1/4 (0.143 mi.) <b>ESE 1/8 - 1/4 (0.143 mi.)</b>	N54 <b>N55</b>	102 <b>102</b>
<b>BUNDY CLEANERS INC</b> BUDY CLEANERS Facility Id: 00000050954	<b>2139 S BUNDY DR</b> 2139 S BUNDY DR	<b>ESE 1/8 - 1/4 (0.198 mi.)</b> ESE 1/8 - 1/4 (0.198 mi.)	<b>R69</b> R70	<b>122</b> 124
UNION OIL SERVICE ST <b>UNION SERVICE STATIO</b> UNION OIL SERVICE ST Facility Id: 00000056022	12100 WEST OLYMPIC B <b>12100 W OLYMPIC BLVD</b> 12100 W OLYMPIC BLVD	ESE 1/8 - 1/4 (0.217 mi.) <b>ESE 1/8 - 1/4 (0.217 mi.)</b> ESE 1/8 - 1/4 (0.217 mi.)	R84 <b>R86</b> R87	144 <b>145</b> 147
SERVICE STATION 3019 Facility Id: 00000029312	12100 W OLYMPIC BLVD	ESE 1/8 - 1/4 (0.217 mi.)	R91	150
SANTA MONICA Facility Id: 00000018983	2943 EXPOSITION BLVD	SSW 1/8 - 1/4 (0.243 mi.)	U105	167
<b>SANTA MONICA</b> Facility Id: 00000003721	<b>2943 EXPOSITION BLVD</b>	<b>SSW 1/8 - 1/4 (0.243 mi.)</b>	<b>U107</b>	<b>169</b>
90944 Facility Id: 00000061951	11951 W OLYMPIC BLVD	ESE 1/8 - 1/4 (0.248 mi.)	S110	177

CA FID UST: The Facility Inventory Database contains active and inactive underground storage tank locations. The source is the State Water Resource Control Board.

A review of the CA FID UST list, as provided by EDR, and dated 10/31/1994 has revealed that there are 16 CA FID UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PLASKON ELECTRONIC M</b> Facility Id: 19028508 Status: I	<b>12270 NEBRASKA AVE</b>	<b>0 - 1/8 (0.000 mi.)</b>	<b>B9</b>	<b>16</b>
<b>CORNERSTONE PLAZA</b> Facility Id: 19056271 Status: A	<b>1940 S BUNDY DR</b>	<b>ENE 1/8 - 1/4 (0.125 mi.)</b>	<b>L47</b>	<b>82</b>
<b>CORNERSTONE PLAZA</b> Facility Id: 19056490 Status: A	<b>1990 S BUNDY DRIVE</b>	<b>E 1/8 - 1/4 (0.158 mi.)</b>	<b>L60</b>	<b>112</b>
<b>WEST LOS ANGELES ANI</b> Facility Id: 19025214 Status: A	<b>11950 MISSOURI AVE</b>	<b>NE 1/8 - 1/4 (0.215 mi.)</b>	<b>V80</b>	<b>139</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>UNK</b>	<b>12333 OLYMPIC BLVD</b>	<b>SSE 0 - 1/8 (0.007 mi.)</b>	<b>C11</b>	<b>19</b>

## EXECUTIVE SUMMARY

Facility Id: 19029080 Status: I				
<b>DEPARTMENT OF WATER</b> Facility Id: 19055770 Status: A	<b>1840 CENTINELA AVE</b>	<b>SSW 0 - 1/8 (0.015 mi.)</b>	<b>D15</b>	<b>25</b>
<b>GLASER TRUST/WERNER</b> Facility Id: 19006808 Status: I	<b>12401 OLYMPIC BLVD</b>	<b>SSE 0 - 1/8 (0.021 mi.)</b>	<b>C17</b>	<b>33</b>
<b>MEDICAL CHEMICAL COR</b> Facility Id: 19028615 Status: A	<b>1909 CENTINELA AVE</b>	<b>SSW 0 - 1/8 (0.028 mi.)</b>	<b>D18</b>	<b>34</b>
<b>HORNBURG JAQUAA, INC</b> Facility Id: 19034925 Status: A	<b>3300 OLYMPIC BLVD</b>	<b>SSE 0 - 1/8 (0.055 mi.)</b>	<b>C21</b>	<b>41</b>
<b>SOUTHWEST LEASING</b> Facility Id: 19001528 Status: A	<b>12312 W OLYMPIC BLVD</b>	<b>SE 0 - 1/8 (0.060 mi.)</b>	<b>F28</b>	<b>46</b>
<b>MARTIN CADILLAC CO I</b> Facility Id: 19028122 Status: A	<b>12101 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.143 mi.)</b>	<b>N55</b>	<b>102</b>
<b>BARCO AVIATION, INC</b> Facility Id: 19056570 Status: A	<b>12322 EXPOSITION BLV</b>	<b>SE 1/8 - 1/4 (0.148 mi.)</b>	<b>M59</b>	<b>111</b>
<b>BUNDY CLEANERS INC</b> Facility Id: 19036800 Status: A	<b>2139 S BUNDY DR</b>	<b>ESE 1/8 - 1/4 (0.198 mi.)</b>	<b>R69</b>	<b>122</b>
<b>UNION SERVICE STATIO</b> Facility Id: 19002619 Status: A	<b>12100 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.217 mi.)</b>	<b>R86</b>	<b>145</b>
<b>GENERAL TELEPHONE CO</b> Facility Id: 19020338 Status: A	<b>2943 EXPOSITION BLVD</b>	<b>SSW 1/8 - 1/4 (0.243 mi.)</b>	<b>U106</b>	<b>167</b>
<b>LOVCO WEST INC</b> Facility Id: 19001718 Status: A	<b>11951 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.248 mi.)</b>	<b>S111</b>	<b>178</b>

### Local Land Records

DEED: The use of recorded land use restrictions is one of the methods the DTSC uses to protect the public from unsafe exposures to hazardous substances and wastes .

A review of the DEED list, as provided by EDR, and dated 06/04/2018 has revealed that there are 2 DEED sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>SANTA MONICA COLLEGE</b> Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY Envirostor ID: 60001654	<b>1660 STEWART STREET</b>	<b>WSW 1/4 - 1/2 (0.448 mi.)</b>	<b>141</b>	<b>241</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PROPOSED HERB ALPERT</b>	<b>3131 OLYMPIC BOULEVA</b>	<b>SSW 0 - 1/8 (0.100 mi.)</b>	<b>I42</b>	<b>70</b>

## EXECUTIVE SUMMARY

Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY  
Envirostor ID: 19820113

### Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 03/01/2018 has revealed that there are 3 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PLASKON ELECTRONIC M</b> EPA ID:: CAD008375487	<b>12270 NEBRASKA AVE</b>	<b>0 - 1/8 (0.000 mi.)</b>	<b>B9</b>	<b>16</b>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>Q-TECH CORP</b> EPA ID:: CAD064618549	<b>2201 CARMELINA AVE</b>	<b>SE 1/8 - 1/4 (0.131 mi.)</b>	<b>M49</b>	<b>84</b>
<b>CHEVRON STATION 909A</b> EPA ID:: CAR000116459	<b>11951 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.248 mi.)</b>	<b>S113</b>	<b>180</b>

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 02/21/2018 has revealed that there is 1 FINDS site within approximately 0.001 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PLASKON ELECTRONIC,</b> Registry ID:: 110002138990	<b>12270 NEBRASKA AVE.</b>	<b>0 - 1/8 (0.000 mi.)</b>	<b>B10</b>	<b>19</b>

ECHO: ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

A review of the ECHO list, as provided by EDR, and dated 02/25/2018 has revealed that there is 1 ECHO site within approximately 0.001 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b>PLASKON ELECTRONIC,</b>	<b>12270 NEBRASKA AVE.</b>	<b>0 - 1/8 (0.000 mi.)</b>	<b>B10</b>	<b>19</b>



## EXECUTIVE SUMMARY

Registry ID: 110002138990

CA BOND EXP. PLAN: Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

A review of the CA BOND EXP. PLAN list, as provided by EDR, and dated 01/01/1989 has revealed that there is 1 CA BOND EXP. PLAN site within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>COLORADO PLACE</i></b>	<b><i>BROADWAY AND CLOVERF</i></b>	<b><i>WSW 1/2 - 1 (0.902 mi.)</i></b>	<b><i>154</i></b>	<b><i>342</i></b>

DRYCLEANERS: A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaners' agents; linen supply; coin-operated laundries and cleaning; drycleaning plants except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

A review of the DRYCLEANERS list, as provided by EDR, has revealed that there are 2 DRYCLEANERS sites within approximately 0.25 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BUNDY CLEANERS, INC Database: DRYCLEAN SOUTH COAST, Date of Government Version: 03/16/2018	2139 S BUNDY DR	ESE 1/8 - 1/4 (0.198 mi.)	R67	121
<b><i>BUNDY CLEANERS INC</i></b> Database: DRYCLEAN SOUTH COAST, Date of Government Version: 03/16/2018	<b><i>2139 S BUNDY DR</i></b>	<b><i>ESE 1/8 - 1/4 (0.198 mi.)</i></b>	<b><i>R69</i></b>	<b><i>122</i></b>

EMI: Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies

A review of the EMI list, as provided by EDR, and dated 12/31/2017 has revealed that there is 1 EMI site within approximately 0.001 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>PLASKON ELECTRONIC M</i></b> Facility Id: 45149	<b><i>12270 NEBRASKA AVE</i></b>	<b><i>0 - 1/8 (0.000 mi.)</i></b>	<b><i>B9</i></b>	<b><i>16</i></b>

HIST CORTESE: The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSTITES]. This listing is no longer updated by the state agency.

A review of the HIST CORTESE list, as provided by EDR, and dated 04/01/2001 has revealed that there are 14 HIST CORTESE sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<b><i>76 PRODUCTS STATION</i></b> Reg Id: 900250107	<b><i>11954 SANTA MONICA</i></b>	<b><i>NNW 1/4 - 1/2 (0.433 mi.)</i></b>	<b><i>AE139</i></b>	<b><i>224</i></b>
<b><i>GTE BUNDY CENTRAL OF</i></b>	<b><i>1450 BUNDY DR S</i></b>	<b><i>NNW 1/4 - 1/2 (0.485 mi.)</i></b>	<b><i>143</i></b>	<b><i>255</i></b>

## EXECUTIVE SUMMARY

Reg Id: 900250134				
<b>STONER AVENUE SITE</b>	<b>2131 STONER AVENUE</b>	<b>E 1/4 - 1/2 (0.490 mi.)</b>	<b>AF145</b>	<b>260</b>
Reg Id: 19340669				
<b>ARCO POWER GAS STATI</b>	<b>11748 OLYMPIC BLVD</b>	<b>E 1/4 - 1/2 (0.497 mi.)</b>	<b>146</b>	<b>265</b>
Reg Id: 900640071				
<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
<b>MATHEW MAY PROPERTY</b>	<b>12312 OLYMPIC</b>	<b>SE 0 - 1/8 (0.060 mi.)</b>	<b>F26</b>	<b>45</b>
Reg Id: 100.315				
<b>AMBROSE COMPANY</b>	<b>3200 OLYMPIC</b>	<b>S 0 - 1/8 (0.088 mi.)</b>	<b>E37</b>	<b>64</b>
Reg Id: 904040370				
<b>JOHN DRESCHER PROPER</b>	<b>1815 STANFORD</b>	<b>SW 1/8 - 1/4 (0.182 mi.)</b>	<b>P63</b>	<b>115</b>
Reg Id: 904040270				
MOBIL #18-G8L	12100 OLYMPIC	ESE 1/8 - 1/4 (0.217 mi.)	R85	144
Reg Id: 900640098				
76 PRODUCTS STATION	12100 OLYMPIC	ESE 1/8 - 1/4 (0.217 mi.)	R88	147
Reg Id: 900640270				
<b>GTE PLANT YARD</b>	<b>2943 EXPOSITION BL</b>	<b>SSW 1/8 - 1/4 (0.243 mi.)</b>	<b>U108</b>	<b>171</b>
Reg Id: 904040070				
<b>CHEVRON STATION 9 09</b>	<b>11951 W OLYMPIC BLVD</b>	<b>ESE 1/8 - 1/4 (0.248 mi.)</b>	<b>S114</b>	<b>183</b>
Reg Id: 900640025				
<b>SANTA MONICA BUSINES</b>	<b>2902 EXPOSITION BOUL</b>	<b>SSW 1/4 - 1/2 (0.283 mi.)</b>	<b>121</b>	<b>200</b>
Reg Id: 904040025				
<b>SOUTHERN CA GAS CO</b>	<b>1701 STEWART</b>	<b>WSW 1/4 - 1/2 (0.407 mi.)</b>	<b>135</b>	<b>218</b>
Reg Id: 000890				
WESSEN BUICK DEALER	3101 PICO	S 1/4 - 1/2 (0.408 mi.)	AD136	220
Reg Id: 900190034				

HWP: Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

A review of the HWP list, as provided by EDR, and dated 05/21/2018 has revealed that there is 1 HWP site within approximately 1 mile of the target property.

<b>Lower Elevation</b>	<b>Address</b>	<b>Direction / Distance</b>	<b>Map ID</b>	<b>Page</b>
3M LOS ANGELES DYNAC	11915 W OLYMPIC BLVD	ESE 1/4 - 1/2 (0.286 mi.)	Y122	204
EPA Id: CAT000617621				
Cleanup Status: PROTECTIVE FILER				

### EDR HIGH RISK HISTORICAL RECORDS

#### **EDR Exclusive Records**

## EXECUTIVE SUMMARY

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 2 EDR Hist Auto sites within approximately 0.125 miles of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
GETTY AGRICULTURAL B	12233 W OLYMPIC BLVD	ESE 0 - 1/8 (0.072 mi.)	G32	50
KENDALL HAROLD H	3154 OLYMPIC BLVD	SSW 0 - 1/8 (0.094 mi.)	I39	67

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there are 2 EDR Hist Cleaner sites within approximately 0.125 miles of the target property.


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SHAIHOE WONG	3266 OLYMPIC BLVD	S 0 - 1/8 (0.060 mi.)	E24	44
THOMPSON J V	3278 OLYMPIC BLVD	S 0 - 1/8 (0.062 mi.)	E30	48

## EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 2 records.

<u>Site Name</u>	<u>Database(s)</u>
HIGHLAND ENG. CO.	SEMS-ARCHIVE
WARD OIL	SEMS-ARCHIVE

# OVERVIEW MAP - 5411218.2S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

National Priority List Sites

Dept. Defense Sites

Indian Reservations BIA

Power transmission lines

100-year flood zone

500-year flood zone

National Wetland Inventory

State Wetlands

Upgradient Area

Areas of Concern











This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.


SITE NAME: LADWP  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles CA 90025  
 LAT/LONG: 34.033937 / 118.459219

CLIENT: Dudek & Associates  
 CONTACT: Susan Smith  
 INQUIRY #: 5411218.2s  
 DATE: August 31, 2018 11:50 am

# DETAIL MAP - 5411218.2S



-  Target Property
-  Sites at elevations higher than or equal to the target property
-  Sites at elevations lower than the target property
-  Manufactured Gas Plants
-  Sensitive Receptors
-  National Priority List Sites
-  Dept. Defense Sites

-  Indian Reservations BIA
-  Power transmission lines
-  100-year flood zone
-  500-year flood zone
-  Areas of Concern



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: LADWP ADDRESS: 12300 Nebraska Avenue Los Angeles CA 90025 LAT/LONG: 34.033937 / 118.459219	CLIENT: Dudek & Associates CONTACT: Susan Smith INQUIRY #: 5411218.2s DATE: August 31, 2018 11:51 am
--	---

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Federal NPL site list</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	0.001		0	NR	NR	NR	NR	0
<b><i>Federal Delisted NPL site list</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Federal CERCLIS list</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Federal CERCLIS NFRAP site list</i></b>								
SEMS-ARCHIVE	0.500		3	15	12	NR	NR	30
<b><i>Federal RCRA CORRACTS facilities list</i></b>								
CORRACTS	1.000		0	0	0	0	NR	0
<b><i>Federal RCRA non-CORRACTS TSD facilities list</i></b>								
RCRA-TSDF	0.500		0	0	1	NR	NR	1
<b><i>Federal RCRA generators list</i></b>								
RCRA-LQG	0.250	1	1	0	NR	NR	NR	2
RCRA-SQG	0.250		5	13	NR	NR	NR	18
RCRA-CESQG	0.250		0	1	NR	NR	NR	1
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	0.001		0	NR	NR	NR	NR	0
<b><i>State- and tribal - equivalent NPL RESPONSE</i></b>								
RESPONSE	1.000		0	0	0	1	NR	1
<b><i>State- and tribal - equivalent CERCLIS ENVIROSTOR</i></b>								
ENVIROSTOR	1.000		2	7	5	8	NR	22
<b><i>State and tribal landfill and/or solid waste disposal site lists</i></b>								
SWF/LF	0.500		0	0	0	NR	NR	0
<b><i>State and tribal leaking storage tank lists</i></b>								
LUST	0.500		2	5	10	NR	NR	17

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
INDIAN LUST	0.500		0	0	0	NR	NR	0
CPS-SLIC	0.500		6	1	3	NR	NR	10
<b>State and tribal registered storage tank lists</b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		3	4	NR	NR	NR	7
AST	0.250	1	5	1	NR	NR	NR	7
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b>State and tribal voluntary cleanup sites</b>								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		1	0	1	NR	NR	2
<b>State and tribal Brownfields sites</b>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b>ADDITIONAL ENVIRONMENTAL RECORDS</b>								
<b>Local Brownfield lists</b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b>Local Lists of Landfill / Solid Waste Disposal Sites</b>								
WMUDS/SWAT	0.500		0	0	1	NR	NR	1
SWRCY	0.500		0	0	0	NR	NR	0
HAULERS	0.001		0	NR	NR	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
<b>Local Lists of Hazardous waste / Contaminated Sites</b>								
AOCONCERN	1.000		0	0	0	0	NR	0
US HIST CDL	0.001		0	NR	NR	NR	NR	0
HIST Cal-Sites	1.000		0	0	0	0	NR	0
SCH	0.250		1	0	NR	NR	NR	1
CDL	0.001		0	NR	NR	NR	NR	0
Toxic Pits	1.000		0	0	0	0	NR	0
US CDL	0.001		0	NR	NR	NR	NR	0
CERS HAZ WASTE	0.250		0	1	NR	NR	NR	1
<b>Local Lists of Registered Storage Tanks</b>								
SWEEPS UST	0.250	1	6	9	NR	NR	NR	16
HIST UST	0.250		4	13	NR	NR	NR	17
CA FID UST	0.250	1	7	9	NR	NR	NR	17
CERS TANKS	0.250		0	0	NR	NR	NR	0
<b>Local Land Records</b>								
LIENS	0.001		0	NR	NR	NR	NR	0



## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LIENS 2	0.001		0	NR	NR	NR	NR	0
DEED	0.500		1	0	1	NR	NR	2
<b>Records of Emergency Release Reports</b>								
HMIRS	0.001		0	NR	NR	NR	NR	0
CHMIRS	0.001		0	NR	NR	NR	NR	0
LDS	0.001		0	NR	NR	NR	NR	0
MCS	0.001		0	NR	NR	NR	NR	0
SPILLS 90	0.001		0	NR	NR	NR	NR	0
<b>Other Ascertainable Records</b>								
RCRA NonGen / NLR	0.250		1	2	NR	NR	NR	3
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	0.001		0	NR	NR	NR	NR	0
EPA WATCH LIST	0.001		0	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	0.001		0	NR	NR	NR	NR	0
TRIS	0.001		0	NR	NR	NR	NR	0
SSTS	0.001		0	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	0.001		0	NR	NR	NR	NR	0
RAATS	0.001		0	NR	NR	NR	NR	0
PRP	0.001		0	NR	NR	NR	NR	0
PADS	0.001		0	NR	NR	NR	NR	0
ICIS	0.001		0	NR	NR	NR	NR	0
FTTS	0.001		0	NR	NR	NR	NR	0
MLTS	0.001		0	NR	NR	NR	NR	0
COAL ASH DOE	0.001		0	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	0.001		0	NR	NR	NR	NR	0
RADINFO	0.001		0	NR	NR	NR	NR	0
HIST FTTS	0.001		0	NR	NR	NR	NR	0
DOT OPS	0.001		0	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	0.001		0	NR	NR	NR	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	0.001		0	NR	NR	NR	NR	0
US AIRS	0.001		0	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.001		0	NR	NR	NR	NR	0
FINDS	0.001	3	1	NR	NR	NR	NR	4
DOCKET HWC	0.001		0	NR	NR	NR	NR	0
ECHO	0.001	1	1	NR	NR	NR	NR	2
UXO	1.000		0	0	0	0	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
CA BOND EXP. PLAN	1.000		0	0	0	1	NR	1
Cortese	0.500		0	0	0	NR	NR	0
CUPA Listings	0.250		0	0	NR	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
DRYCLEANERS	0.250		0	2	NR	NR	NR	2
EMI	0.001		1	NR	NR	NR	NR	1
ENF	0.001		0	NR	NR	NR	NR	0
Financial Assurance	0.001		0	NR	NR	NR	NR	0
HAZNET	0.001	2	0	NR	NR	NR	NR	2
ICE	0.001		0	NR	NR	NR	NR	0
HIST CORTESE	0.500		2	5	7	NR	NR	14
LOS ANGELES CO. HMS	0.001		0	NR	NR	NR	NR	0
HWP	1.000		0	0	1	0	NR	1
HWT	0.250		0	0	NR	NR	NR	0
MINES	0.001		0	NR	NR	NR	NR	0
MWMP	0.250		0	0	NR	NR	NR	0
NPDES	0.001		0	NR	NR	NR	NR	0
PEST LIC	0.001		0	NR	NR	NR	NR	0
PROC	0.500		0	0	0	NR	NR	0
Notify 65	1.000		0	0	0	0	NR	0
LA Co. Site Mitigation	0.001		0	NR	NR	NR	NR	0
UIC	0.001		0	NR	NR	NR	NR	0
WASTEWATER PITS	0.500		0	0	0	NR	NR	0
WDS	0.001		0	NR	NR	NR	NR	0
WIP	0.250		0	0	NR	NR	NR	0
OTHER OIL GAS	0.001		0	NR	NR	NR	NR	0
PROD WATER PONDS	0.001		0	NR	NR	NR	NR	0
CERS	0.001		0	NR	NR	NR	NR	0
PROJECT	0.001		0	NR	NR	NR	NR	0
NON-CASE INFO	0.001		0	NR	NR	NR	NR	0
SAMPLING POINT	0.001		0	NR	NR	NR	NR	0
UIC GEO	0.001		0	NR	NR	NR	NR	0
WELL STIM PROJ	0.001		0	NR	NR	NR	NR	0
CIWQS	0.001		0	NR	NR	NR	NR	0
MILITARY PRIV SITES	0.001		0	NR	NR	NR	NR	0

### EDR HIGH RISK HISTORICAL RECORDS

#### ***EDR Exclusive Records***

EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		2	NR	NR	NR	NR	2
EDR Hist Cleaner	0.125		2	NR	NR	NR	NR	2

### EDR RECOVERED GOVERNMENT ARCHIVES

#### ***Exclusive Recovered Govt. Archives***

RGA LF	0.001		0	NR	NR	NR	NR	0
RGA LUST	0.001		0	NR	NR	NR	NR	0

- Totals -- 10 57 88 42 10 0 207

#### NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**A1**      **WEST LA SERVICE CENTER**  
**Target**    **12300 NEBRASKA AVENUE**  
**Property**   **LOS ANGELES, CA 90025**

**FINDS**   **1014671558**  
**ECHO**     **N/A**

**Site 1 of 8 in cluster A**

**Actual:**  
**162 ft.**

**FINDS:**

Registry ID:                      110042272705

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid:                                      1014671558  
Registry ID:                              110042272705  
DFR URL:                                  <http://echo.epa.gov/detailed-facility-report?fid=110042272705>

**A2**      **WEST LA SERVICE CENTER**  
**Target**    **12300 NEBRASKA AVENUE**  
**Property**   **LOS ANGELES, CA 90025**

**RCRA-LQG**   **1000597317**  
**CAD983613225**

**Site 2 of 8 in cluster A**

**Actual:**  
**162 ft.**

**RCRA-LQG:**

Date form received by agency: 06/09/2010  
Facility name:                      WEST LA SERVICE CENTER  
Facility address:                      12300 NEBRASKA AVENUE  
    LOS ANGELES, CA 90025  
EPA ID:                                      CAD983613225  
Mailing address:                      111 NORTH HOPE STREET  
    ROOM 1050  
    LOS ANGELES, CA 90012  
Contact:                                      MARK J SEDLACEK  
Contact address:                      111 NORTH HOPE STREET ROOM 1050  
    LOS ANGELES, CA 90012  
Contact country:                      US  
Contact telephone:                      213-367-0403  
Contact email:                              MARK.SEDLACEK@LADWP.COM  
EPA Region:                                  09  
Classification:                              Large Quantity Generator  
Description:                                  Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WEST LA SERVICE CENTER (Continued)**

**1000597317**

kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

**Owner/Operator Summary:**

Owner/operator name: MARK J. SEDLACEK  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: Not reported  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Municipal  
Owner/Operator Type: Operator  
Owner/Op start date: 01/01/1949  
Owner/Op end date: Not reported

Owner/operator name: LA DEPT OF WATER AND POWER  
Owner/operator address: 111 N HOPE ST RM 1121  
LOS ANGELES, CA 90012  
Owner/operator country: Not reported  
Owner/operator telephone: 213-481-3250  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Municipal  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: LA DEPT. OF WATER & POWER  
Owner/operator address: 111 NORTH HOPE STREET ROOM 1050  
LOS ANGELES, CA 90012  
Owner/operator country: US  
Owner/operator telephone: 213-367-0403  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Municipal  
Owner/Operator Type: Owner  
Owner/Op start date: 01/01/1949  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WEST LA SERVICE CENTER (Continued)**

**1000597317**

Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

. Waste code: 181  
. Waste name: Other inorganic solid waste

. Waste code: 331  
. Waste name: Off-specification, aged, or surplus organics

. Waste code: 792  
. Waste name: Liquids with pH < 2 with metals

. Waste code: D001  
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D008  
. Waste name: LEAD

Historical Generators:

Date form received by agency: 10/23/1991  
Site name: WEST LA SVC CTR  
Classification: Small Quantity Generator

Violation Status: No violations found

**A3  
Target  
Property**

**L A DWP/WEST LA DISTRIBUTION HDQTRS  
12300 NEBRASKA AVE  
LOS ANGELES, CA 90025**

**HAZNET S113038464  
N/A**

**Site 3 of 8 in cluster A**

**Actual:  
162 ft.**

HAZNET:  
envid: S113038464  
Year: 2008  
GEPID: CAL000042127  
Contact: EDWARD KARAPETIAN/ENV MGR  
Telephone: 2134817962  
Mailing Name: Not reported  
Mailing Address: 111 N HOPE ST #1121

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**L A DWP/WEST LA DISTRIBUTION HDQTRS (Continued)**

**S113038464**

Mailing City,St,Zip: LOS ANGELES, CA 900120000  
Gen County: Not reported  
TSD EPA ID: ALD963167891  
TSD County: Not reported  
Waste Category: Polychlorinated biphenyls and material containing PCBs  
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect  
Tons: 2.7135  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: S113038464  
Year: 2008  
GEPaid: CAL000042127  
Contact: EDWARD KARAPETIAN/ENV MGR  
Telephone: 2134817962  
Mailing Name: Not reported  
Mailing Address: 111 N HOPE ST #1121  
Mailing City,St,Zip: LOS ANGELES, CA 900120000  
Gen County: Not reported  
TSD EPA ID: ALD963167891  
TSD County: Not reported  
Waste Category: Liquids with polychloronated biphenyls >= 50 Mg./L  
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect  
Tons: 0.22481  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: S113038464  
Year: 2008  
GEPaid: CAL000042127  
Contact: EDWARD KARAPETIAN/ENV MGR  
Telephone: 2134817962  
Mailing Name: Not reported  
Mailing Address: 111 N HOPE ST #1121  
Mailing City,St,Zip: LOS ANGELES, CA 900120000  
Gen County: Not reported  
TSD EPA ID: ALD963167891  
TSD County: Not reported  
Waste Category: Waste oil and mixed oil  
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect  
Tons: 24.9325  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

**A4**  
**Target**  
**Property**

**WEST LOS ANGELES SERVICE CENTER**  
**12300 NEBRASKA AVE**  
**LOS ANGELES, CA 90025**

**FINDS 1023252686**  
**N/A**

**Site 4 of 8 in cluster A**

**Actual:**  
**162 ft.**

**FINDS:**

Registry ID: 110065414634

Environmental Interest/Information System

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WEST LOS ANGELES SERVICE CENTER (Continued)**

**1023252686**

STATE MASTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**A5  
Target  
Property**

**W LOS ANGELES DISTRIBUTION HQ  
12300 NEBRASKA AVE  
LOS ANGELES, CA 90025**

**SWEEPS UST S101585975  
CA FID UST N/A**

**Site 5 of 8 in cluster A**

**Actual:  
162 ft.**

**SWEEPS UST:**  
Status: Not reported  
Comp Number: 6108  
Number: Not reported  
Board Of Equalization: Not reported  
Referral Date: Not reported  
Action Date: Not reported  
Created Date: Not reported  
Owner Tank Id: Not reported  
SWRCB Tank Id: Not reported  
Tank Status: Not reported  
Capacity: Not reported  
Active Date: Not reported  
Tank Use: Not reported  
STG: Not reported  
Content: Not reported  
Number Of Tanks: Not reported

**CA FID UST:**  
Facility ID: 19035199  
Regulated By: UTNKI  
Regulated ID: Not reported  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2134815516  
Mail To: Not reported  
Mailing Address: 12300 NEBRASKA AVE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900250000  
Contact: Not reported  
Contact Phone: Not reported  
DUNs Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Inactive

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**A6** WEST LOS ANGELES SERVICE CENTER  
**Target** 12300 NEBRASKA AVE  
**Property** LOS ANGELES, CA 90025

**AST** A100426150  
N/A

**Site 6 of 8 in cluster A**

**Actual:**  
**162 ft.**

AST:  
Certified Unified Program Agencies: Not reported  
Owner: Los Angeles Department of Water and Power  
Total Gallons: Not reported  
CERSID: 10029907  
Facility ID: 19-051-000806  
Business Name: Los Angeles Department of Water and Power  
Phone: 213-367-0403  
Fax: Not reported  
Mailing Address: 111 North Hope Street, Room 1050  
Mailing Address City: Los Angeles  
Mailing Address State: CA  
Mailing Address Zip Code: 90012  
Operator Name: Los Angeles Department of Water and Power  
Operator Phone: 213-367-0403  
Owner Phone: 213-367-0403  
Owner Mail Address: 111 North Hope Street, Room 1050  
Owner State: CA  
Owner Zip Code: 90012  
Owner Country: United States  
Property Owner Name: Los Angeles Department of Water and Power  
Property Owner Phone: 213-367-0403  
Property Owner Mailing Address: 111 North Hope Street, Room 1050  
Property Owner City: Los Angeles  
Property Owner Stat : CA  
Property Owner Zip Code: 90012  
Property Owner Country: United States  
EPAID: CAD983613225

**A7** LA DEPARTMENT WATER & POWER  
**Target** 12300 NEBRASKA AVE  
**Property** LOS ANGELES, CA 90025

**FINDS** 1007739266  
N/A

**Site 7 of 8 in cluster A**

**Actual:**  
**162 ft.**

FINDS:  
Registry ID: 110019000873  
Environmental Interest/Information System  
California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART)  
provides California with information on hazardous waste shipments for  
generators, transporters, and treatment, storage, and disposal  
facilities.

[Click this hyperlink](#) while viewing on your computer to access  
additional FINDS: detail in the EDR Site Report.



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**A8** LA DEPARTMENT WATER & POWER  
**Target** 12300 NEBRASKA AVE  
**Property** LOS ANGELES, CA 90025

**HAZNET** S113018107  
N/A

**Site 8 of 8 in cluster A**

**Actual:**  
**162 ft.**

**HAZNET:**

envid: S113018107  
Year: 2016  
GEPaid: CAD983613225  
Contact: JENNIFER MADDEN  
Telephone: 2133670470  
Mailing Name: Not reported  
Mailing Address: 111 N HOPE ST RM 1050  
Mailing City,St,Zip: LOS ANGELES, CA 900122607  
Gen County: Los Angeles  
TSD EPA ID: CAD044429835  
TSD County: Los Angeles  
Waste Category: Unspecified oil-containing waste  
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
Tons: 1.575  
Cat Decode: Unspecified oil-containing waste  
Method Decode: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
Facility County: Los Angeles

envid: S113018107  
Year: 2016  
GEPaid: CAD983613225  
Contact: JENNIFER MADDEN  
Telephone: 2133670470  
Mailing Name: Not reported  
Mailing Address: 111 N HOPE ST RM 1050  
Mailing City,St,Zip: LOS ANGELES, CA 900122607  
Gen County: Los Angeles  
TSD EPA ID: CAD044429835  
TSD County: Los Angeles  
Waste Category: Other organic solids  
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
Tons: 0.1225  
Cat Decode: Other organic solids  
Method Decode: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
Facility County: Los Angeles

envid: S113018107  
Year: 2016  
GEPaid: CAD983613225  
Contact: JENNIFER MADDEN  
Telephone: 2133670470  
Mailing Name: Not reported  
Mailing Address: 111 N HOPE ST RM 1050  
Mailing City,St,Zip: LOS ANGELES, CA 900122607  
Gen County: Los Angeles  
TSD EPA ID: CAD980675276  
TSD County: Kern  
Waste Category: Other inorganic solid waste

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LA DEPARTMENT WATER & POWER (Continued)**

**S113018107**

Disposal Method: Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization)  
Tons: 117.992  
Cat Decode: Other inorganic solid waste  
Method Decode: Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization)  
Facility County: Los Angeles

envid: S113018107  
Year: 2016  
GEPaid: CAD983613225  
Contact: JENNIFER MADDEN  
Telephone: 2133670470  
Mailing Name: Not reported  
Mailing Address: 111 N HOPE ST RM 1050  
Mailing City,St,Zip: LOS ANGELES, CA 900122607  
Gen County: Los Angeles  
TSD EPA ID: NVT330010000  
TSD County: 99

Waste Category: Other inorganic solid waste  
Disposal Method: Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization)  
Tons: 1.4875  
Cat Decode: Other inorganic solid waste  
Method Decode: Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization)  
Facility County: Los Angeles

envid: S113018107  
Year: 2016  
GEPaid: CAD983613225  
Contact: JENNIFER MADDEN  
Telephone: 2133670470  
Mailing Name: Not reported  
Mailing Address: 111 N HOPE ST RM 1050  
Mailing City,St,Zip: LOS ANGELES, CA 900122607  
Gen County: Los Angeles  
TSD EPA ID: CAT000613935  
TSD County: Los Angeles

Waste Category: Aqueous solution with total organic residues less than 10 percent  
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
Tons: 0.735  
Cat Decode: Aqueous solution with total organic residues less than 10 percent  
Method Decode: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
Facility County: Los Angeles

[Click this hyperlink](#) while viewing on your computer to access 331 additional CA\_HAZNET: record(s) in the EDR Site Report.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**B9**  
**< 1/8**  
**1 ft.**

**PLASKON ELECTRONIC MATL CO INC**  
**12270 NEBRASKA AVE**  
**LOS ANGELES, CA 90025**

**SWEEPS UST** 1000383162  
**HIST UST** CAD008375487  
**CA FID UST**  
**RCRA NonGen / NLR**  
**EMI**

**Site 1 of 3 in cluster B**

**Relative:**  
**Higher**  
**Actual:**  
**165 ft.**

**SWEEPS UST:**  
Status: Not reported  
Comp Number: 1046  
Number: Not reported  
Board Of Equalization: 44-011555  
Referral Date: Not reported  
Action Date: Not reported  
Created Date: Not reported  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001046-000001  
Tank Status: Not reported  
Capacity: 7500  
Active Date: Not reported  
Tank Use: CHEMICAL  
STG: PRODUCT  
Content: UNKNOWN  
Number Of Tanks: 2

Status: Not reported  
Comp Number: 1046  
Number: Not reported  
Board Of Equalization: 44-011555  
Referral Date: Not reported  
Action Date: Not reported  
Created Date: Not reported  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001046-000002  
Tank Status: Not reported  
Capacity: Not reported  
Active Date: Not reported  
Tank Use: CHEMICAL  
STG: PRODUCT  
Content: UNKNOWN  
Number Of Tanks: Not reported

**HIST UST:**  
File Number: 00027D63  
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00027D63.pdf>  
Region: STATE  
Facility ID: 00000016949  
Facility Type: Other  
Other Type: MFG.  
Contact Name: J.W. CARLYLE  
Telephone: 2132724471  
Owner Name: PLASKON ELECTRONIC MATERIALS,  
Owner Address: 2829 GLENDALE AVE.  
Owner City,St,Zip: TOLEDO, OH 43614  
Total Tanks: 0002

Tank Num: 001  
Container Num: 308  
Year Installed: 1959  
Tank Capacity: 00007500

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PLASKON ELECTRONIC MATL CO INC (Continued)**

**1000383162**

Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual, Stock Inventor, Vapor Sniff Well

Tank Num: 002  
Container Num: 563  
Year Installed: 1978  
Tank Capacity: 00000000  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: 10  
Leak Detection: Visual, Stock Inventor

[Click here for Geo Tracker PDF:](#)

**CA FID UST:**

Facility ID: 19028508  
Regulated By: UTKNI  
Regulated ID: 00016949  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2132724471  
Mail To: Not reported  
Mailing Address: 2829 GLENDALE AVE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900250000  
Contact: Not reported  
Contact Phone: Not reported  
DUNS Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Inactive

**RCRA NonGen / NLR:**

Date form received by agency: 07/10/1980  
Facility name: PLASKON ELECTRONIC MATL CO INC  
Facility address: 12270 NEBRASKA AVE  
LOS ANGELES, CA 90025  
EPA ID: CAD008375487  
Mailing address: NEBRASKA AVE  
LOS ANGELES, CA 90025  
Contact: ENVIRONMENTAL MANAGER  
Contact address: 12270 NEBRASKA AVE  
LOS ANGELES, CA 90025  
Contact country: US  
Contact telephone: 213-272-4471  
Contact email: Not reported  
EPA Region: 09  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

**Owner/Operator Summary:**

Owner/operator name: PLASKON ELECTRONIC MATL CO INC  
Owner/operator address: NOT REQUIRED

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PLASKON ELECTRONIC MATL CO INC (Continued)**

**1000383162**

NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999

Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

EMI:

Year: 1987  
County Code: 19  
Air Basin: SC  
Facility ID: 45149  
Air District Name: SC  
SIC Code: 308  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 18  
Reactive Organic Gases Tons/Yr: 18  
Carbon Monoxide Emissions Tons/Yr: 0  
NOX - Oxides of Nitrogen Tons/Yr: 0

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PLASKON ELECTRONIC MATL CO INC (Continued)**

**1000383162**

SOX - Oxides of Sulphur Tons/Yr: 2  
 Particulate Matter Tons/Yr: 0  
 Part. Matter 10 Micrometers and Smllr Tons/Yr:0

**B10**  
 < 1/8  
 1 ft.

**PLASKON ELECTRONIC, MATERIALS INC**  
**12270 NEBRASKA AVE.**  
**LOS ANGELES, CA 90025**

**FINDS 1016068790**  
**ECHO N/A**

**Site 2 of 3 in cluster B**

**Relative:**  
**Higher**  
**Actual:**  
**165 ft.**

**FINDS:**

Registry ID: 110002138990

Environmental Interest/Information System

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1016068790  
 Registry ID: 110002138990  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002138990>

**C11**  
**SSE**  
 < 1/8  
 0.007 mi.  
 38 ft.

**UNK**  
**12333 OLYMPIC BLVD**  
**LOS ANGELES, CA 90015**

**SWEEPS UST S101585767**  
**CA FID UST N/A**

**Site 1 of 6 in cluster C**

**Relative:**  
**Lower**  
**Actual:**  
**156 ft.**

**SWEEPS UST:**

Status: Not reported  
 Comp Number: 7832  
 Number: Not reported  
 Board Of Equalization: Not reported  
 Referral Date: Not reported  
 Action Date: Not reported  
 Created Date: Not reported  
 Owner Tank Id: Not reported  
 SWRCB Tank Id: Not reported  
 Tank Status: Not reported  
 Capacity: Not reported  
 Active Date: Not reported  
 Tank Use: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**UNK (Continued)**

**S101585767**

STG: Not reported  
 Content: Not reported  
 Number Of Tanks: Not reported

**CA FID UST:**

Facility ID: 19029080  
 Regulated By: UTNKI  
 Regulated ID: Not reported  
 Cortese Code: Not reported  
 SIC Code: Not reported  
 Facility Phone: 2130000000  
 Mail To: Not reported  
 Mailing Address: UNK  
 Mailing Address 2: Not reported  
 Mailing City,St,Zip: LOS ANGELES 900150000  
 Contact: Not reported  
 Contact Phone: Not reported  
 DUNs Number: Not reported  
 NPDES Number: Not reported  
 EPA ID: Not reported  
 Comments: Not reported  
 Status: Inactive

**C12**  
**SSE**  
 < 1/8  
 0.007 mi.  
 38 ft.

**HUDSON ELEMENT LA**  
**12333 WEST OLYMPIC BLVD**  
**LOS ANGELES, CA 90064**  
**Site 2 of 6 in cluster C**

**CPS-SLIC S113804548**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**156 ft.**

**CPS-SLIC:**  
 Region: STATE  
**Facility Status: Open - Site Assessment**  
 Status Date: 01/26/2015  
 Global Id: SL2046M1652  
 Lead Agency: LOS ANGELES RWQCB (REGION 4)  
 Lead Agency Case Number: Not reported  
 Latitude: 34.0319808759383  
 Longitude: -118.456585407257  
 Case Type: Cleanup Program Site  
 Case Worker: RO  
 Local Agency: Not reported  
 RB Case Number: 0850A  
 File Location: Regional Board  
 Potential Media Affected: Aquifer used for drinking water supply, Other Groundwater (uses other than drinking water), Soil, Soil Vapor  
 Potential Contaminants of Concern: Not reported  
 Site History: The primary structure at the Site was originally constructed and utilized by Packard Bell for the manufacture of radios and televisions. Reportedly Packard Bell maintained boilers, an incinerator, a shaving bin and stored paint and solvents on the site. By 1970, the property was being operated by Teledyne for the manufacture of electronic devices for aviation purposes. These operations involved circuit board assembly, thermal testing, computer testing, vibration testing, and machining. Solvents, petroleum hydrocarbons, and other hazardous raw and waste products were utilized and/or produced during Teledynes manufacturing processes. According to a previous environmental assessment report prepared by

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**HUDSON ELEMENT LA (Continued)**

**S113804548**

Glenfos in June 1995, information concerning underground storage tanks (USTs) utilized by Teledyne is available with the County of Los Angeles Fire Department. Reportedly, four USTs were removed from the northeast corner of the Teledyne building in 1990. The USTs reportedly contained diesel fuel, gasoline, and mineral oil. The UST removal was documented in a report entitled Tank Removal Report, prepared by A&S Environmental Recovery, 14 February 1990. Subsequent soil investigations were conducted at the property by Ebasco Environmental in June 1990, and a closure letter was received by Teledyne Controls from the Los Angeles Fire Department in July 1990. Teledyne vacated the site in September 2007. Several physical structures of note remain at the Site. These structures include: A enclosed former chamber area in the shipping and receiving area adjacent to the cafeteria; An exterior hazardous chemical storage area; A pump house with an existing internal combustion engine and oil/grease staining; A four-stage clarifier in the facilities area; A detached shed containing possible UST vent pipes, and older single-stage clarifier, remnant hydraulic lift features, a concrete patch area (possibly indicating a former excavation), dark stained areas, and an exterior pipe (which appeared to be a fill port that may have been associated with an UST); and Sinks, sumps and piping of unknown use along the northwestern wall of the primary structure. Soil removal activities are dependent on the demolition of the existing structures on the site. The demolition activities are in turn dependent upon the City of Los Angeles entitlements for the planned new development at the site. The City entitlement process has been delayed. As such, the demolition and subsequent removal activities will likewise need to be deferred until the City's entitlement process is completed.

[Click here to access the California GeoTracker records for this facility:](#)

<b>C13</b>	<b>AGI PROPERTIES</b>	<b>CPS-SLIC</b>	<b>S104549300</b>
<b>SSE</b>	<b>12333 OLYMPIC</b>		<b>N/A</b>
<b>&lt; 1/8</b>	<b>LOS ANGELES, CA 90048</b>		
<b>0.013 mi.</b>			
<b>70 ft.</b>	<b>Site 3 of 6 in cluster C</b>		

<b>Relative:</b>	SLIC REG 4:	
<b>Lower</b>	Region:	4
<b>Actual:</b>	Facility Status:	Site Assessment
<b>156 ft.</b>	SLIC:	0850
	Substance:	VOCs
	Staff:	PGN

<b>B14</b>	<b>12210 1/2 NEBRASKA AVENUE PROPERTY</b>	<b>ENVIROSTOR</b>	<b>S109548374</b>
<b>NNE</b>	<b>12210 1/2 NEBRASKA AVENUE</b>	<b>VCP</b>	<b>N/A</b>
<b>&lt; 1/8</b>	<b>LOS ANGELES, CA 90025</b>		
<b>0.014 mi.</b>			
<b>73 ft.</b>	<b>Site 3 of 3 in cluster B</b>		

<b>Relative:</b>	ENVIROSTOR:	
<b>Higher</b>	Facility ID:	60001101
<b>Actual:</b>	Status:	Refer: RWQCB
<b>167 ft.</b>	Status Date:	05/27/2010
	Site Code:	301413



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**12210 1/2 NEBRASKA AVENUE PROPERTY (Continued)**

**S109548374**

Site Type: Voluntary Cleanup  
Site Type Detailed: Voluntary Cleanup  
Acres: 1.5  
NPL: NO  
Regulatory Agencies: SMBRP  
Lead Agency: SMBRP  
Program Manager: Not reported  
Supervisor: Rita Kamat  
Division Branch: Cleanup Chatsworth  
Assembly: 50  
Senate: 26  
Special Program: Voluntary Cleanup Program  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: Responsible Party  
Latitude: 34.03524  
Longitude: -118.4588  
APN: 4259-018-002, 4259018002  
Past Use: AEROSPACE MANUFACTURING/MAINTENANCE  
Potential COC: Trichloroethylene (TCE Chloroform  
Confirmed COC: Trichloroethylene (TCE Chloroform  
Potential Description: AQUI, IA, SOIL, SV  
Alias Name: 4259-018-002  
Alias Type: APN  
Alias Name: 4259018002  
Alias Type: APN  
Alias Name: 301413  
Alias Type: Project Code (Site Code)  
Alias Name: 60001101  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Cost Recovery Closeout Memo  
Completed Date: 05/13/2010  
Comments: CRU memo sent. VCA was terminated prior to site clean completion due noncompliance with terms of VCA. Site referred to Water Board.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Amendment - Order/Agreement  
Completed Date: 12/16/2009  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Phase 1  
Completed Date: 09/16/2009  
Comments: Documents reviewed. Further action required.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Remedial Investigation Workplan  
Completed Date: 12/07/2009  
Comments: Not reported

Completed Area Name: PROJECT WIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**12210 1/2 NEBRASKA AVENUE PROPERTY (Continued)**

**S109548374**

Completed Sub Area Name: Not reported  
Completed Document Type: Remedial Investigation Report  
Completed Date: 05/13/2010  
Comments: RI was not accepted. VCA Terminated on 5/13/2010. Site referred to Water Board.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement Termination Notification  
Completed Date: 05/27/2010  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Correspondence  
Completed Date: 03/21/2016  
Comments: Case Transfer Letter to LA Regional Water Quality Control Board

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 04/17/2009  
Comments: VCA signed

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

VCP:

Facility ID: 60001101  
Site Type: Voluntary Cleanup  
Site Type Detail: Voluntary Cleanup  
Site Mgmt. Req.: NONE SPECIFIED  
Acres: 1.5  
National Priorities List: NO  
Cleanup Oversight Agencies: SMBRP  
Lead Agency: SMBRP  
Lead Agency Description: DTSC - Site Cleanup Program  
Project Manager: Not reported  
Supervisor: Rita Kamat  
Division Branch: Cleanup Chatsworth  
Site Code: 301413  
Assembly: 50  
Senate: 26  
Special Programs Code: Voluntary Cleanup Program  
Status: Refer: RWQCB  
Status Date: 05/27/2010  
Restricted Use: NO  
Funding: Responsible Party  
Lat/Long: 34.03524 / -118.4588  
APN: 4259-018-002, 4259018002

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**12210 1/2 NEBRASKA AVENUE PROPERTY (Continued)**

**S109548374**

Past Use: AEROSPACE MANUFACTURING/MAINTENANCE  
Potential COC: 30027, 30136  
Confirmed COC: 30027,30136  
Potential Description: AQUI, IA, SOIL, SV  
Alias Name: 4259-018-002  
Alias Type: APN  
Alias Name: 4259018002  
Alias Type: APN  
Alias Name: 301413  
Alias Type: Project Code (Site Code)  
Alias Name: 60001101  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Cost Recovery Closeout Memo  
Completed Date: 05/13/2010  
Comments: CRU memo sent. VCA was terminated prior to site clean completion due noncompliance with terms of VCA. Site referred to Water Board.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Amendment - Order/Agreement  
Completed Date: 12/16/2009  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Phase 1  
Completed Date: 09/16/2009  
Comments: Documents reviewed. Further action required.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Remedial Investigation Workplan  
Completed Date: 12/07/2009  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Remedial Investigation Report  
Completed Date: 05/13/2010  
Comments: RI was not accepted. VCA Terminated on 5/13/2010. Site referred to Water Board.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement Termination Notification  
Completed Date: 05/27/2010  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Correspondence  
Completed Date: 03/21/2016  
Comments: Case Transfer Letter to LA Regional Water Quality Control Board

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**12210 1/2 NEBRASKA AVENUE PROPERTY (Continued)**

**S109548374**

Completed Area Name: PROJECT WIDE  
 Completed Sub Area Name: Not reported  
 Completed Document Type: Voluntary Cleanup Agreement  
 Completed Date: 04/17/2009  
 Comments: VCA signed

Future Area Name: Not reported  
 Future Sub Area Name: Not reported  
 Future Document Type: Not reported  
 Future Due Date: Not reported  
 Schedule Area Name: Not reported  
 Schedule Sub Area Name: Not reported  
 Schedule Document Type: Not reported  
 Schedule Due Date: Not reported  
 Schedule Revised Date: Not reported

**D15  
 SSW  
 < 1/8  
 0.015 mi.  
 78 ft.**

**DEPARTMENT OF WATER AND POWER  
 1840 CENTINELA AVE  
 LOS ANGELES, CA 90025**  
 Site 1 of 4 in cluster D

**CA FID UST S101587568  
 EMI N/A  
 NPDES  
 CIWQS**

**Relative:  
 Lower  
 Actual:  
 158 ft.**

CA FID UST:  
 Facility ID: 19055770  
 Regulated By: UTNKA  
 Regulated ID: Not reported  
 Cortese Code: Not reported  
 SIC Code: Not reported  
 Facility Phone: 2134817962  
 Mail To: Not reported  
 Mailing Address: 111 N HOPE ST  
 Mailing Address 2: Not reported  
 Mailing City, St, Zip: LOS ANGELES 900250000  
 Contact: Not reported  
 Contact Phone: Not reported  
 DUNs Number: Not reported  
 NPDES Number: Not reported  
 EPA ID: Not reported  
 Comments: Not reported  
 Status: Active

EMI:  
 Year: 1990  
 County Code: 19  
 Air Basin: SC  
 Facility ID: 68455  
 Air District Name: SC  
 SIC Code: 4941  
 Air District Name: SOUTH COAST AQMD  
 Community Health Air Pollution Info System: Not reported  
 Consolidated Emission Reporting Rule: Not reported  
 Total Organic Hydrocarbon Gases Tons/Yr: 0  
 Reactive Organic Gases Tons/Yr: 0  
 Carbon Monoxide Emissions Tons/Yr: 0  
 NOX - Oxides of Nitrogen Tons/Yr: 0  
 SOX - Oxides of Sulphur Tons/Yr: 0  
 Particulate Matter Tons/Yr: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

DEPARTMENT OF WATER AND POWER (Continued)

S101587568

Part. Matter 10 Micrometers and Smlr Tons/Yr:0

NPDES:

Facility Status: Not reported  
NPDES Number: Not reported  
Region: Not reported  
Agency Number: Not reported  
Regulatory Measure ID: Not reported  
Place ID: Not reported  
Order Number: Not reported  
WDID: 4 19C364559  
Regulatory Measure Type: Construction  
Program Type: Not reported  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: Not reported  
Expiration Date Of Regulatory Measure: Not reported  
Discharge Address: Not reported  
Discharge Name: Not reported  
Discharge City: Not reported  
Discharge State: Not reported  
Discharge Zip: Not reported  
Status: Active  
Status Date: 09/12/2012  
Operator Name: Los Angeles Department of Water and Power Power  
Operator Address: 111 North Hope Street Room 1213  
Operator City: Los Angeles  
Operator State: California  
Operator Zip: 90012

NPDES as of 03/2018:

NPDES Number: CAS000002  
Status: Active  
Agency Number: 0  
Region: 4  
Regulatory Measure ID: 429629  
Order Number: 2009-0009-DWQ  
Regulatory Measure Type: Enrollee  
Place ID: Not reported  
WDID: 4 19C364559  
Program Type: Construction  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: 09/12/2012  
Expiration Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: Not reported  
Discharge Name: Los Angeles Department of Water and Power Power  
Discharge Address: 111 North Hope Street Room 1213  
Discharge City: Los Angeles  
Discharge State: California  
Discharge Zip: 90012  
Received Date: Not reported  
Processed Date: Not reported  
Status: Not reported  
Status Date: Not reported  
Place Size: Not reported  
Place Size Unit: Not reported  
Contact: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

DEPARTMENT OF WATER AND POWER (Continued)

S101587568

Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commercial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	4
Regulatory Measure ID:	429629
Order Number:	Not reported
Regulatory Measure Type:	Construction

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

DEPARTMENT OF WATER AND POWER (Continued)

S101587568

Place ID: Not reported  
WDID: 4 19C364559  
Program Type: Not reported  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: Not reported  
Expiration Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: Not reported  
Discharge Name: Not reported  
Discharge Address: Not reported  
Discharge City: Not reported  
Discharge State: Not reported  
Discharge Zip: Not reported  
Received Date: 08/30/2012  
Processed Date: 09/12/2012  
Status: Active  
Status Date: 09/12/2012  
Place Size: 4  
Place Size Unit: Acres  
Contact: Jonathan Ma  
Contact Title: Environmental Engineering Associate  
Contact Phone: 213-367-2186  
Contact Phone Ext: Not reported  
Contact Email: Jonathan.Ma@ladwp.com  
Operator Name: Los Angeles Department of Water and Power  
Operator Address: 111 North Hope Street Room 1213  
Operator City: Los Angeles  
Operator State: California  
Operator Zip: 90012  
Operator Contact: Katherine Rubin  
Operator Contact Title: Manager Wastewater Quality and Compliance  
Operator Contact Phone: 213-367-0436  
Operator Contact Phone Ext: Not reported  
Operator Contact Email: katherine.rubin@ladwp.com  
Operator Type: Other  
Developer: Los Angeles Department of Water and Power  
Developer Address: 111 N Hope St Rm 1213  
Developer City: Los Angeles  
Developer State: California  
Developer Zip: 90012  
Developer Contact: Katherine Rubin  
Developer Contact Title: Manager Wastewater Quality and Compliance  
Constype Linear Utility Ind: Y  
Emergency Phone: 213-367-2186  
Emergency Phone Ext: Not reported  
Constype Above Ground Ind: N  
Constype Below Ground Ind: N  
Constype Cable Line Ind: N  
Constype Comm Line Ind: N  
Constype Commercial Ind: N  
Constype Electrical Line Ind: N  
Constype Gas Line Ind: N  
Constype Industrial Ind: N  
Constype Other Description: Not reported  
Constype Other Ind: N  
Constype Recons Ind: N  
Constype Residential Ind: N  
Constype Transport Ind: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

DEPARTMENT OF WATER AND POWER (Continued)

S101587568

Constype Utility Description:	Not reported
Constype Utility Ind:	N
Constype Water Sewer Ind:	N
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Ballona Creek
Certifier:	Katherine Rubin
Certifier Title:	Manager Wastewater Quality and Compliance
Certification Date:	30-AUG-12
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
Facility Status:	Active
NPDES Number:	CAS000002
Region:	4
Agency Number:	0
Regulatory Measure ID:	429629
Place ID:	Not reported
Order Number:	2009-0009-DWQ
WDID:	4 19C364559
Regulatory Measure Type:	Enrollee
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	09/12/2012
Termination Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Discharge Address:	111 North Hope Street Room 1213
Discharge Name:	Los Angeles Department of Water and Power Power
Discharge City:	Los Angeles
Discharge State:	California
Discharge Zip:	90012
Status:	Not reported
Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
NPDES as of 03/2018:	
NPDES Number:	CAS000002
Status:	Active
Agency Number:	0
Region:	4
Regulatory Measure ID:	429629
Order Number:	2009-0009-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	4 19C364559
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	09/12/2012
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Los Angeles Department of Water and Power Power
Discharge Address:	111 North Hope Street Room 1213
Discharge City:	Los Angeles



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

DEPARTMENT OF WATER AND POWER (Continued)

S101587568

Discharge State:	California
Discharge Zip:	90012
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commercial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

DEPARTMENT OF WATER AND POWER (Continued)

S101587568

Tertiary Sic: Not reported

NPDES Number: Not reported  
Status: Not reported  
Agency Number: Not reported  
Region: 4  
Regulatory Measure ID: 429629  
Order Number: Not reported  
Regulatory Measure Type: Construction  
Place ID: Not reported  
WDID: 4 19C364559  
Program Type: Not reported  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: Not reported  
Expiration Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: Not reported  
Discharge Name: Not reported  
Discharge Address: Not reported  
Discharge City: Not reported  
Discharge State: Not reported  
Discharge Zip: Not reported  
Received Date: 08/30/2012  
Processed Date: 09/12/2012  
Status: Active  
Status Date: 09/12/2012  
Place Size: 4  
Place Size Unit: Acres  
Contact: Jonathan Ma  
Contact Title: Environmental Engineering Associate  
Contact Phone: 213-367-2186  
Contact Phone Ext: Not reported  
Contact Email: Jonathan.Ma@ladwp.com  
Operator Name: Los Angeles Department of Water and Power  
Operator Address: 111 North Hope Street Room 1213  
Operator City: Los Angeles  
Operator State: California  
Operator Zip: 90012  
Operator Contact: Katherine Rubin  
Operator Contact Title: Manager Wastewater Quality and Compliance  
Operator Contact Phone: 213-367-0436  
Operator Contact Phone Ext: Not reported  
Operator Contact Email: katherine.rubin@ladwp.com  
Operator Type: Other  
Developer: Los Angeles Department of Water and Power  
Developer Address: 111 N Hope St Rm 1213  
Developer City: Los Angeles  
Developer State: California  
Developer Zip: 90012  
Developer Contact: Katherine Rubin  
Developer Contact Title: Manager Wastewater Quality and Compliance  
Constype Linear Utility Ind: Y  
Emergency Phone: 213-367-2186  
Emergency Phone Ext: Not reported  
Constype Above Ground Ind: N  
Constype Below Ground Ind: N  
Constype Cable Line Ind: N  
Constype Comm Line Ind: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

DEPARTMENT OF WATER AND POWER (Continued)

S101587568

Constype Commercial Ind: N  
Constype Electrical Line Ind: N  
Constype Gas Line Ind: N  
Constype Industrial Ind: N  
Constype Other Description: Not reported  
Constype Other Ind: N  
Constype Recons Ind: N  
Constype Residential Ind: N  
Constype Transport Ind: N  
Constype Utility Description: Not reported  
Constype Utility Ind: N  
Constype Water Sewer Ind: N  
Dir Discharge Uswater Ind: N  
Receiving Water Name: Ballona Creek  
Certifier: Katherine Rubin  
Certifier Title: Manager Wastewater Quality and Compliance  
Certification Date: 30-AUG-12  
Primary Sic: Not reported  
Secondary Sic: Not reported  
Tertiary Sic: Not reported

CIWQS:

Agency: Los Angeles Department of Water and Power  
Agency Address: 111 North Hope Street Room 1213, Los Angeles, CA 90012  
Place/Project Type: Construction  
SIC/NAICS: Not reported  
Region: 4  
Program: CONSTW  
Regulatory Measure Status: Active  
Regulatory Measure Type: Storm water construction  
Order Number: 2009-0009-DWQ  
WDID: 4 19C364559  
NPDES Number: CAS000002  
Adoption Date: Not reported  
Effective Date: 09/12/2012  
Termination Date: Not reported  
Expiration/Review Date: Not reported  
Design Flow: Not reported  
Major/Minor: Not reported  
Complexity: Not reported  
TTWQ: Not reported  
Enforcement Actions within 5 years: 0  
Violations within 5 years: 0  
Latitude: 34.03286  
Longitude: -118.46058

D16  
SSW  
< 1/8  
0.015 mi.  
78 ft.

RECEIVING STATION K  
1840 S CENTINELA AVE  
LOS ANGELES, CA 90025  
Site 2 of 4 in cluster D

AST A100423786  
N/A

Relative:  
Lower  
Actual:  
158 ft.

AST:  
Certified Unified Program Agencies: Not reported  
Owner: Los Angeles Department of Water and Power  
Total Gallons: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**RECEIVING STATION K (Continued)**

**A100423786**

CERSID: 10029937  
 Facility ID: 19-051-005248  
 Business Name: Los Angeles Department of Water and Power  
 Phone: 213-367-0403  
 Fax: Not reported  
 Mailing Address: 111 North Hope Street, Room 1050  
 Mailing Address City: Los Angeles  
 Mailing Address State: CA  
 Mailing Address Zip Code: 90012  
 Operator Name: Michael Mundo  
 Operator Phone: 213-367-0403  
 Owner Phone: 213-367-0403  
 Owner Mail Address: 111 North Hope Street, Room 1050  
 Owner State: CA  
 Owner Zip Code: 90012  
 Owner Country: United States  
 Property Owner Name: Los Angeles Department of Water and Power  
 Property Owner Phone: 213-367-0403  
 Property Owner Mailing Address: 111 North Hope Street, Room 1050  
 Property Owner City: Los Angeles  
 Property Owner Stat : CA  
 Property Owner Zip Code: 90012  
 Property Owner Country: United States  
 EPAID: CAD983613225

**C17**  
**SSE**  
 < 1/8  
 0.021 mi.  
 113 ft.

**GLASER TRUST/WERNER WALFEN**  
**12401 OLYMPIC BLVD**  
**LOS ANGELES, CA 90001**

**SWEEPS UST** **S101583853**  
**CA FID UST** **N/A**

**Site 4 of 6 in cluster C**

**Relative:**  
**Lower**  
**Actual:**  
**156 ft.**

**SWEEPS UST:**  
 Status: Not reported  
 Comp Number: 6159  
 Number: Not reported  
 Board Of Equalization: Not reported  
 Referral Date: Not reported  
 Action Date: Not reported  
 Created Date: Not reported  
 Owner Tank Id: Not reported  
 SWRCB Tank Id: Not reported  
 Tank Status: Not reported  
 Capacity: Not reported  
 Active Date: Not reported  
 Tank Use: Not reported  
 STG: Not reported  
 Content: Not reported  
 Number Of Tanks: Not reported

**CA FID UST:**  
 Facility ID: 19006808  
 Regulated By: UTNKI  
 Regulated ID: Not reported  
 Cortese Code: Not reported  
 SIC Code: Not reported  
 Facility Phone: 2132771010  
 Mail To: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GLASER TRUST/WERNER WALFEN (Continued)**

**S101583853**

Mailing Address: 12401 OLYMPIC BLVD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900010000  
Contact: Not reported  
Contact Phone: Not reported  
DUNS Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Inactive

**D18  
SSW  
< 1/8  
0.028 mi.  
147 ft.**

**MEDICAL CHEMICAL CORPORATION  
1909 CENTINELA AVE  
SANTA MONICA, CA 90404**

**SWEEPS UST 1000246738  
HIST UST N/A  
CA FID UST**

**Site 3 of 4 in cluster D**

**Relative:  
Lower  
Actual:  
156 ft.**

**SWEEPS UST:**  
Status: Active  
Comp Number: 60891  
Number: 1  
Board Of Equalization: 44-010580  
Referral Date: 02-12-91  
Action Date: 02-12-91  
Created Date: 02-29-88  
Owner Tank Id: 1  
SWRCB Tank Id: 19-033-060891-000001  
Tank Status: A  
Capacity: 7750  
Active Date: 02-12-91  
Tank Use: CHEMICAL  
STG: P  
Content: ISOPROPANOL  
Number Of Tanks: 1

**HIST UST:**  
File Number: 00027B81  
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00027B81.pdf>  
Region: STATE  
Facility ID: 00000041236  
Facility Type: Other  
Other Type: Not reported  
Contact Name: LOUIS LIZARDI  
Telephone: 2138294304  
Owner Name: MEDICAL CHEMICAL CORP.  
Owner Address: 1909 CENTINELA AVE.  
Owner City,St,Zip: SANTA MONICA, CA 90404  
Total Tanks: 0001  
  
Tank Num: 001  
Container Num: 88MUG35  
Year Installed: 1976  
Tank Capacity: 00007730  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual, Stock Inventor

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MEDICAL CHEMICAL CORPORATION (Continued)**

**1000246738**

Tank Num: 001  
Container Num: 1  
Year Installed: 1976  
Tank Capacity: 00007730  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual, Stock Inventor

Tank Num: 001  
Container Num: 1  
Year Installed: 1976  
Tank Capacity: 00007730  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual, Stock Inventor

Tank Num: 001  
Container Num: 88MUG35  
Year Installed: 1976  
Tank Capacity: 00007730  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual, Stock Inventor

[Click here for Geo Tracker PDF:](#)

**CA FID UST:**

Facility ID: 19028615  
Regulated By: UTNKA  
Regulated ID: 00060891  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2138294304  
Mail To: Not reported  
Mailing Address: 1909 CENTINELA AVE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: SANTA MONICA 90404  
Contact: Not reported  
Contact Phone: Not reported  
DUNs Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Active

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**D19**  
**SSW**  
 < 1/8  
 0.028 mi.  
 147 ft.

**BOEING CO.**  
**1909 CENTINELA**  
**SANTA MONICA, CA 90404**

**CPS-SLIC**    **S104404769**  
 N/A

**Site 4 of 4 in cluster D**

**Relative:**  
**Lower**

CPS-SLIC:

**Actual:**  
**156 ft.**

**Facility Status:**

STATE  
**Completed - Case Closed**

Status Date:  
 Global Id:  
 Lead Agency:  
 Lead Agency Case Number:  
 Latitude:  
 Longitude:  
 Case Type:  
 Case Worker:  
 Local Agency:  
 RB Case Number:  
 File Location:  
 Potential Media Affected:  
 Potential Contaminants of Concern:  
 Site History:

06/30/2011  
 SL0603761453  
 LOS ANGELES RWQCB (REGION 4)  
 Not reported  
 34.031558  
 -118.459916  
 Cleanup Program Site  
 PR  
 Not reported  
 0130D  
 Regional Board  
 Under Investigation, Well used for drinking water supply  
 Other Chlorinated Hydrocarbons  
 The Boeing Company (Boeing) formerly leased the property (as Douglas Aircraft) from 1952 to the early 1970s. Little is known regarding historical operations at the Supercharger Facility, except that aircraft components were tested there. Potential sources at the site include: 1) a clarifier that was located outside the building in the southwest corner of the Site ; 2) a generator room on the northwest corner of the building was added to the building in 1956; 3) 7 isopropyl alcohol (IPA) above-ground storage tanks (ASTs) that were located on the west side of the site it is not clear if Boeing used the ASTs, but they were used after Boeings tenancy by Medical Chemical Corporation; and 4) an underground storage tank (UST) that contained IPA that was operated and maintained after Boeings tenancy by Medical Chemical Corporation. At the time of the soil vapor sampling described below, the ASTs and the UST had been removed from the site. Based on the presence of coarse gravel backfill encountered in boring drilled through the former location of the clarifier and UST, these potential source features no longer exist and were removed from the site sometime prior to 2000.

[Click here to access the California GeoTracker records for this facility:](#)

SLIC REG 4:

Region: 4  
 Facility Status: No further action required  
 SLIC: 0130D  
 Substance: VOCs  
 Staff: John Gerch

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

20  
SE  
< 1/8  
0.040 mi.  
209 ft.

TELEDYNE CONTROLS S B U OF T T INC  
12333 W OLYMPIC BLVD  
LOS ANGELES, CA 90064

RCRA-SQG 1000201841  
EMI CAD038179842

Relative:  
Lower

RCRA-SQG:

Actual:  
158 ft.

Date form received by agency: 01/15/2004  
Facility name: TELEDYNE CONTROLS S B U OF T T INC  
Facility address: 12333 W OLYMPIC BLVD  
LOS ANGELES, CA 90064-1021  
EPA ID: CAD038179842  
Contact: RAY L COLE  
Contact address: 12333 W OLYMPIC BLVD  
LOS ANGELES, CA 90064-1021  
Contact country: US  
Contact telephone: 310-820-4616  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: TELEDYNE CONTROLS  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 01/04/1980  
Owner/Op end date: Not reported  
  
Owner/operator name: STONEBRIDGE HOLDING INC  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 03/31/2003  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TELEDYNE CONTROLS S B U O F T T I N C (Continued)

1000201841

Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

. Waste code: D001  
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D008  
. Waste name: LEAD

. Waste code: D035  
. Waste name: METHYL ETHYL KETONE

. Waste code: F003  
. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TELEDYNE CONTROLS S B U OF T T INC (Continued)**

**1000201841**

Historical Generators:

Date form received by agency: 08/08/2000

Site name: TELEDYNE CONTROLS S B U OF T T I

Classification: Small Quantity Generator

. Waste code: D000

. Waste name: Not Defined

. Waste code: D001

. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002

. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003

. Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006

. Waste name: CADMIUM

. Waste code: D008

. Waste name: LEAD

. Waste code: D035

. Waste name: METHYL ETHYL KETONE

Date form received by agency: 09/01/1996

Site name: TELEDYNE CONTROLS S B U OF T T I

Classification: Small Quantity Generator

Violation Status: No violations found

EMI:

Year: 1987

County Code: 19

Air Basin: SC

Facility ID: 11346

Air District Name: SC

SIC Code: 3825

Air District Name: SOUTH COAST AQMD

Community Health Air Pollution Info System: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TELEDYNE CONTROLS S B U O F T T I N C (Continued)**

**1000201841**

Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 4  
Reactive Organic Gases Tons/Yr: 0  
Carbon Monoxide Emissions Tons/Yr: 0  
NOX - Oxides of Nitrogen Tons/Yr: 0  
SOX - Oxides of Sulphur Tons/Yr: 0  
Particulate Matter Tons/Yr: 0  
Part. Matter 10 Micrometers and Smlr Tons/Yr:0

Year: 1990  
County Code: 19  
Air Basin: SC  
Facility ID: 11346  
Air District Name: SC  
SIC Code: 3825  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 13  
Reactive Organic Gases Tons/Yr: 5  
Carbon Monoxide Emissions Tons/Yr: 0  
NOX - Oxides of Nitrogen Tons/Yr: 0  
SOX - Oxides of Sulphur Tons/Yr: 0  
Particulate Matter Tons/Yr: 0  
Part. Matter 10 Micrometers and Smlr Tons/Yr:0

Year: 1995  
County Code: 19  
Air Basin: SC  
Facility ID: 11346  
Air District Name: SC  
SIC Code: 3825  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 2  
Reactive Organic Gases Tons/Yr: 1  
Carbon Monoxide Emissions Tons/Yr: 0  
NOX - Oxides of Nitrogen Tons/Yr: 0  
SOX - Oxides of Sulphur Tons/Yr: 0  
Particulate Matter Tons/Yr: 0  
Part. Matter 10 Micrometers and Smlr Tons/Yr:0

Year: 1996  
County Code: 19  
Air Basin: SC  
Facility ID: 11346  
Air District Name: SC  
SIC Code: 3825  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 0  
Reactive Organic Gases Tons/Yr: 0  
Carbon Monoxide Emissions Tons/Yr: 0  
NOX - Oxides of Nitrogen Tons/Yr: 0  
SOX - Oxides of Sulphur Tons/Yr: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

TELEDYNE CONTROLS S B U O F T T INC (Continued)

1000201841

Particulate Matter Tons/Yr: 0  
Part. Matter 10 Micrometers and Smllr Tons/Yr:0

C21  
SSE  
< 1/8  
0.055 mi.  
290 ft.

HORNBURG JAQUAA, INC  
3300 OLYMPIC BLVD  
SANTA MONICA, CA 90401

SWEEPS UST S101585964  
CA FID UST N/A

Site 5 of 6 in cluster C

Relative:  
Lower

SWEEPS UST:

Actual:  
154 ft.

Status: Active  
Comp Number: 16  
Number: 1  
Board Of Equalization: Not reported  
Referral Date: 04-05-90  
Action Date: 04-05-90  
Created Date: 01-12-90  
Owner Tank Id: 016-01  
SWRCB Tank Id: 19-033-000016-000001  
Tank Status: A  
Capacity: 500  
Active Date: 01-12-90  
Tank Use: UNKNOWN  
STG: W  
Content: WASTE COOLAN  
Number Of Tanks: 2

Status: Active  
Comp Number: 16  
Number: 1  
Board Of Equalization: Not reported  
Referral Date: 04-05-90  
Action Date: 04-05-90  
Created Date: 01-12-90  
Owner Tank Id: 016-02  
SWRCB Tank Id: 19-033-000016-000001  
Tank Status: A  
Capacity: 1000  
Active Date: 04-05-90  
Tank Use: OIL  
STG: W  
Content: WASTE OIL  
Number Of Tanks: Not reported

CA FID UST:

Facility ID: 19034925  
Regulated By: UTNKA  
Regulated ID: Not reported  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2138289719  
Mail To: Not reported  
Mailing Address: 3200 OLYMPIC BLVD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: SANTA MONICA 90401  
Contact: Not reported  
Contact Phone: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**HORNBURG JAQUAA, INC (Continued)**

**S101585964**

DUNs Number: Not reported  
 NPDES Number: Not reported  
 EPA ID: Not reported  
 Comments: Not reported  
 Status: Active

**C22**  
**SSE**  
 < 1/8  
 0.055 mi.  
 290 ft.

**HORNBURG JAGUAR**  
**3300 OLYMPIC BLVD**  
**SANTA MONICA, CA**

**AST A100339112**  
**N/A**

**Site 6 of 6 in cluster C**

**Relative:**  
**Lower**

AST:

**Actual:**  
**154 ft.**

Certified Unified Program Agencies: Santa Monica  
 Owner: Hornburg Jaguar  
 Total Gallons: 1,320  
 CERSID: Not reported  
 Facility ID: Not reported  
 Business Name: Not reported  
 Phone: Not reported  
 Fax: Not reported  
 Mailing Address: Not reported  
 Mailing Address City: Not reported  
 Mailing Address State: Not reported  
 Mailing Address Zip Code: Not reported  
 Operator Name: Not reported  
 Operator Phone: Not reported  
 Owner Phone: Not reported  
 Owner Mail Address: Not reported  
 Owner State: Not reported  
 Owner Zip Code: Not reported  
 Owner Country: Not reported  
 Property Owner Name: Not reported  
 Property Owner Phone: Not reported  
 Property Owner Mailing Address: Not reported  
 Property Owner City: Not reported  
 Property Owner Stat : Not reported  
 Property Owner Zip Code: Not reported  
 Property Owner Country: Not reported  
 EPAID: Not reported

**E23**  
**South**  
 < 1/8  
 0.057 mi.  
 301 ft.

**SANTA MONICA WELL FIELD**  
**OLYMPIC & CENTINELA BLVDS**  
**SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1000395259**  
**CAD980884274**

**Site 1 of 5 in cluster E**

**Relative:**  
**Lower**

SEMS Archive:

**Actual:**  
**156 ft.**

Site ID: 902137  
 EPA ID: CAD980884274  
 Cong District: 27  
 FIPS Code: 6037  
 FF: N  
 NPL: Not on the NPL  
 Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA WELL FIELD (Continued)**

**1000395259**

SEMS Archive Detail:

Region: 9  
Site ID: 902137  
EPA ID: CAD980884274  
Site Name: SANTA MONICA WELL FIELD  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2013-11-07 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 902137  
EPA ID: CAD980884274  
Site Name: SANTA MONICA WELL FIELD  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1984-12-01 00:00:00  
Qual: L  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 902137  
EPA ID: CAD980884274  
Site Name: SANTA MONICA WELL FIELD  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1984-11-01 00:00:00  
Finish Date: 1984-11-01 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 902137  
EPA ID: CAD980884274  
Site Name: SANTA MONICA WELL FIELD  
NPL: N  
FF: N  
OU: 0  
Action Code: SI  
Action Name: SI  
SEQ: 1  
Start Date: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SANTA MONICA WELL FIELD (Continued)**

**1000395259**

Finish Date: 1985-05-01 00:00:00  
 Qual: L  
 Current Action Lead: EPA Perf

**E24**  
**South**  
**< 1/8**  
**0.060 mi.**  
**318 ft.**

**SHAIHOE WONG**  
**3266 OLYMPIC BLVD**  
**LOS ANGELES, CA**  
**Site 2 of 5 in cluster E**

**EDR Hist Cleaner**    **1009190844**  
**N/A**

**Relative:**  
**Lower**

EDR Hist Cleaner

**Actual:**  
**155 ft.**

Year: Name: Type:  
 1937 SHAIHOE WONG LAUNDRIES HAND

**F25**  
**SE**  
**< 1/8**  
**0.060 mi.**  
**319 ft.**

**MATHEW MAY PROPERTY**  
**12312 OLYMPIC BLVD W**  
**RANCHO PARK, CA 90064**  
**Site 1 of 5 in cluster F**

**LUST**    **S104405459**  
**CPS-SLIC**    **N/A**

**Relative:**  
**Lower**

LUST REG 4:

**Actual:**  
**155 ft.**

Region: 4  
 Regional Board: 04  
 County: Los Angeles  
 Facility Id: 100.315  
 Status: Case Closed  
 Substance: Gasoline  
 Substance Quantity: Not reported  
 Local Case No: Not reported  
 Case Type: Groundwater  
 Abatement Method Used at the Site: Not reported  
 Global ID: T0603700114  
 W Global ID: Not reported  
 Staff: SLC  
 Local Agency: 19050  
 Cross Street: BUNDY  
 Enforcement Type: Not reported  
 Date Leak Discovered: Not reported  
 Date Leak First Reported: 2/25/1988  
 Date Leak Record Entered: 3/7/1988  
 Date Confirmation Began: Not reported  
 Date Leak Stopped: Not reported  
 Date Case Last Changed on Database: 7/17/1996  
 Date the Case was Closed: 7/17/1996  
 How Leak Discovered: Not reported  
 How Leak Stopped: Not reported  
 Cause of Leak: Not reported  
 Leak Source: Not reported  
 Operator: OLD#900640061  
 Water System: Not reported  
 Well Name: Not reported  
 Approx. Dist To Production Well (ft): 1139.3222357606179962576006366  
 Source of Cleanup Funding: Not reported  
 Preliminary Site Assessment Workplan Submitted: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MATHEW MAY PROPERTY (Continued)**

**S104405459**

Preliminary Site Assessment Began: Not reported  
Pollution Characterization Began: 3/18/1988  
Remediation Plan Submitted: Not reported  
Remedial Action Underway: Not reported  
Post Remedial Action Monitoring Began: Not reported  
Enforcement Action Date: Not reported  
Historical Max MTBE Date: Not reported  
Hist Max MTBE Conc in Groundwater: Not reported  
Hist Max MTBE Conc in Soil: Not reported  
Significant Interim Remedial Action Taken: Not reported  
GW Qualifier: Not reported  
Soil Qualifier: Not reported  
Organization: Not reported  
Owner Contact: Not reported  
Responsible Party: SALMAS AND BRAUN  
RP Address: 1901 AVENUE OF THE STARS 18TH FLOOR LA CA 90067  
Program: SLIC  
Lat/Long: 34.031788 / -118.4564787  
Local Agency Staff: PEJ  
Beneficial Use: Not reported  
Priority: Not reported  
Cleanup Fund Id: Not reported  
Suspended: Not reported  
Assigned Name: Not reported  
Summary: CASENO CHANGED TO WIP WITH RPG CLOSURE LETTER BY JER REFER TO SLIC #495

**CPS-SLIC:**

Region: STATE  
**Facility Status: Completed - Case Closed**  
Status Date: 07/17/1996  
Global Id: T0603700114  
Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Lead Agency Case Number: Not reported  
Latitude: 34.031788  
Longitude: -118.4564787  
Case Type: Cleanup Program Site  
Case Worker: SLC  
Local Agency: LOS ANGELES, CITY OF  
RB Case Number: 100.315  
File Location: Not reported  
Potential Media Affected: Aquifer used for drinking water supply  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

[Click here to access the California GeoTracker records for this facility:](#)

**F26**  
**SE**  
**< 1/8**  
**0.060 mi.**  
**319 ft.**

**MATHEW MAY PROPERTY**  
**12312 OLYMPIC**  
**LOS ANGELES, CA 90064**

**Site 2 of 5 in cluster F**

**CPS-SLIC S104404898**  
**HIST CORTESE N/A**

**Relative:**  
**Lower**  
**Actual:**  
**155 ft.**

SLIC REG 4:  
Region: 4  
Facility Status: No further action required  
SLIC: 0495



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MATHEW MAY PROPERTY (Continued)**

**S104404898**

Substance: VOCs/  
Staff: Not reported

HIST CORTESE:  
Region: CORTESE  
Facility County Code: 19  
Reg By: LTNKA  
Reg Id: 100.315

**F27  
SE  
< 1/8  
0.060 mi.  
319 ft.**

**RIOT GAMES INC.  
12312 W OLYMPIC BLVD  
LOS ANGELES, CA 90064**

**AST A100423891  
N/A**

**Site 3 of 5 in cluster F**

**Relative:  
Lower  
Actual:  
155 ft.**

AST:  
Certified Unified Program Agencies: Not reported  
Owner: Kilroy Realty, LP  
Total Gallons: Not reported  
CERSID: 10257991  
Facility ID: FA0034505  
Business Name: Riot Games Inc.  
Phone: 424-231-1111  
Fax: Not reported  
Mailing Address: 12333 W. Olympic Blvd.  
Mailing Address City: Los Angeles  
Mailing Address State: CA  
Mailing Address Zip Code: 90064  
Operator Name: Riot Games, Inc.  
Operator Phone: 909-967-9185  
Owner Phone: 310-481-8470  
Owner Mail Address: 12200 W. Olympic Blvd. Suite 200  
Owner State: CA  
Owner Zip Code: 90064  
Owner Country: United States  
Property Owner Name: Rosie Ulfik  
Property Owner Phone: Not reported  
Property Owner Mailing Address: 12200 W. Olympic Blvd., Suite 200  
Property Owner City: Los Angeles,  
Property Owner Stat : CA  
Property Owner Zip Code: 90064  
Property Owner Country: United States  
EPAID: Not reported

**F28  
SE  
< 1/8  
0.060 mi.  
319 ft.**

**SOUTHWEST LEASING  
12312 W OLYMPIC BLVD  
LOS ANGELES, CA 90025**

**SWEEPS UST S101582816  
CA FID UST N/A**

**Site 4 of 5 in cluster F**

**Relative:  
Lower  
Actual:  
155 ft.**

SWEEPS UST:  
Status: Not reported  
Comp Number: 7160  
Number: Not reported  
Board Of Equalization: Not reported  
Referral Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SOUTHWEST LEASING (Continued)**

**S101582816**

Action Date: Not reported  
Created Date: Not reported  
Owner Tank Id: Not reported  
SWRCB Tank Id: Not reported  
Tank Status: Not reported  
Capacity: Not reported  
Active Date: Not reported  
Tank Use: Not reported  
STG: Not reported  
Content: Not reported  
Number Of Tanks: Not reported

**CA FID UST:**

Facility ID: 19001528  
Regulated By: UTNKA  
Regulated ID: Not reported  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2130000000  
Mail To: Not reported  
Mailing Address: 12312 W OLYMPIC BLVD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900250000  
Contact: Not reported  
Contact Phone: Not reported  
DUNS Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Active

**F29**  
**SE**  
**< 1/8**  
**0.060 mi.**  
**319 ft.**

**COMMERCIAL DEVELOPMENT**  
**12312 WEST OLYMPIC BLVD**  
**LOS ANGELES, CA**

**CPS-SLIC S103972144**  
**N/A**

**Site 5 of 5 in cluster F**

**Relative:**  
**Lower**  
**Actual:**  
**155 ft.**

**CPS-SLIC:**  
Region: STATE  
**Facility Status: Completed - Case Closed**  
Status Date: 12/01/1998  
Global Id: SL204931715  
Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Lead Agency Case Number: Not reported  
Latitude: 34.0323  
Longitude: -118.453376  
Case Type: Cleanup Program Site  
Case Worker: Not reported  
Local Agency: Not reported  
RB Case Number: 0495  
File Location: Not reported  
Potential Media Affected: Not reported  
Potential Contaminants of Concern: Not reported  
Site History: Not reported

Click here to access the California GeoTracker records for this facility:

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

<b>E30</b> South < 1/8 0.062 mi. 328 ft.	<b>THOMPSON J V</b> 3278 OLYMPIC BLVD LOS ANGELES, CA  <b>Site 3 of 5 in cluster E</b>	<b>EDR Hist Cleaner</b>	<b>1009192604</b> N/A
<b>Relative:</b> <b>Lower</b>	EDR Hist Cleaner		
<b>Actual:</b> <b>155 ft.</b>	Year: 1937    Name: THOMPSON J V	Type: CLOTHES PRESSERS AND CLEANERS	

<b>G31</b> <b>ESE</b> < 1/8 0.072 mi. 379 ft.	<b>TELEFLORA</b> 12233 W OLYMPIC BLVD LOS ANGELES, CA 90064  <b>Site 1 of 2 in cluster G</b>	<b>RCRA-SQG</b> <b>FINDS</b> <b>ECHO</b>	<b>1000202288</b> <b>CAD982403339</b>
<b>Relative:</b> <b>Lower</b>	RCRA-SQG:		
<b>Actual:</b> <b>157 ft.</b>	Date form received by agency: 09/01/1996		
	Facility name: TELEFLORA		
	Facility address: 12233 W OLYMPIC BLVD		
	LOS ANGELES, CA 90064		
	EPA ID: CAD982403339		
	Contact: Not reported		
	Contact address: Not reported		
	Contact country: US		
	Contact telephone: Not reported		
	Contact email: Not reported		
	EPA Region: 09		
	Classification: Small Small Quantity Generator		
	Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time		

**Owner/Operator Summary:**

Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED
	NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Operator
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported

Owner/operator name:	STEWART RESNICK
Owner/operator address:	NOT REQUIRED
	NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**TELEFLORA (Continued)**

**1000202288**

Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 02/12/1990  
Site name: TELEFLORA  
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002805153

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000202288  
Registry ID: 110002805153  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002805153>

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

<b>G32</b> <b>ESE</b> <b>&lt; 1/8</b> <b>0.072 mi.</b> <b>379 ft.</b>	<b>GETTY AGRICULTURAL BUSINESS IN</b> <b>12233 W OLYMPIC BLVD</b> <b>LOS ANGELES, CA 90064</b>  <b>Site 2 of 2 in cluster G</b>	<b>EDR Hist Auto</b>	<b>1022102127</b> <b>N/A</b>
---	---	----------------------	---------------------------------

<b>Relative:</b> <b>Lower</b>	EDR Hist Auto		
<b>Actual:</b> <b>157 ft.</b>	Year:	Name:	Type:
	2003	GETTY AGRICULTURAL BUSINESS IN	Gasoline Service Stations
	2004	GETTY AGRICULTURAL BUSINESS IN	Gasoline Service Stations
	2005	GETTY AGRICULTURAL BUSINESS IN	Gasoline Service Stations

<b>H33</b> <b>SSE</b> <b>&lt; 1/8</b> <b>0.078 mi.</b> <b>410 ft.</b>	<b>BAY DISTRICT PAVING CO</b> <b>1955 CENTINELA AVE</b> <b>SANTA MONICA, CA 90404</b>  <b>Site 1 of 4 in cluster H</b>	<b>RCRA-SQG</b> <b>HIST UST</b> <b>EMI</b> <b>HAZNET</b> <b>NPDES</b> <b>CIWQS</b>	<b>1000110899</b> <b>CAD041161902</b>
---	--	---	--

<b>Relative:</b> <b>Lower</b>	RCRA-SQG:		
<b>Actual:</b> <b>154 ft.</b>	Date form received by agency: 09/01/1996		
	Facility name:	BAY DISTRICT PAVING CO	
	Facility address:	1955 CENTINELA AVE SANTA MONICA, CA 90404	
	EPA ID:	CAD041161902	
	Mailing address:	CENTINELA AVE SANTA MONICA, CA 90404	
	Contact:	Not reported	
	Contact address:	Not reported	
		Not reported	
	Contact country:	US	
	Contact telephone:	Not reported	
	Contact email:	Not reported	
	EPA Region:	09	
	Classification:	Small Small Quantity Generator	
	Description:	Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time	

<b>Owner/Operator Summary:</b>	
Owner/operator name:	EE DUSTERHOFT
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999
Owner/operator country:	Not reported
Owner/operator telephone:	415-555-1212
Owner/operator email:	Not reported
Owner/operator fax:	Not reported
Owner/operator extension:	Not reported
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	Not reported
Owner/Op end date:	Not reported
Owner/operator name:	NOT REQUIRED
Owner/operator address:	NOT REQUIRED NOT REQUIRED, ME 99999

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000110899**

Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

**HIST UST:**

File Number: 000266B8  
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/000266B8.pdf>  
Region: STATE  
Facility ID: 00000005408  
Facility Type: Other  
Other Type: CONSTRUCTION YARD  
Contact Name: E.E. DUSTERHOFT, PRESIDENT  
Telephone: 2138294333  
Owner Name: BAY DISTRICT PAVING COMPANY  
Owner Address: 1955 CENTINELA AVE.  
Owner City,St,Zip: SANTA MONICA, CA 90404  
Total Tanks: 0001  
  
Tank Num: 001  
Container Num: 2  
Year Installed: 1977  
Tank Capacity: 00008000  
Tank Used for: PRODUCT  
Type of Fuel: REGULAR  
Container Construction Thickness: Not reported  
Leak Detection: None

Click here for Geo Tracker PDF:

**EMI:**

Year: 1987  
County Code: 19

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000110899**

Air Basin: SC  
Facility ID: 58251  
Air District Name: SC  
SIC Code: 9999  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 1  
Reactive Organic Gases Tons/Yr: 1  
Carbon Monoxide Emissions Tons/Yr: 0  
NOX - Oxides of Nitrogen Tons/Yr: 0  
SOX - Oxides of Sulphur Tons/Yr: 0  
Particulate Matter Tons/Yr: 0  
Part. Matter 10 Micrometers and Smllr Tons/Yr:0

**HAZNET:**

envid: 1000110899  
Year: 2015  
GEPaid: CAC002834100  
Contact: ERIC OLSON  
Telephone: 2132435500  
Mailing Name: Not reported  
Mailing Address: 707 WILSHIRE BLVD FL 34  
Mailing City,St,Zip: LOS ANGELES, CA 900173520  
Gen County: Los Angeles  
TSD EPA ID: CAD009007626  
TSD County: Los Angeles  
Waste Category: Asbestos containing waste  
Disposal Method: Landfill Or Surface Impoundment That Will Be Closed As Landfill( To Include On-Site Treatment And/Or Stabilization)  
Tons: 0.23  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

**NPDES:**

Facility Status: Terminated  
NPDES Number: CAS000002  
Region: 4  
Agency Number: 0  
Regulatory Measure ID: 435942  
Place ID: Not reported  
Order Number: 2009-0009-DWQ  
WDID: 4 19C366242  
Regulatory Measure Type: Enrollee  
Program Type: Construction  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: 04/22/2013  
Termination Date Of Regulatory Measure: 04/25/2016  
Expiration Date Of Regulatory Measure: Not reported  
Discharge Address: 707 Wilshire Blvd Floor 34  
Discharge Name: Exposition Metro Line Construction Authority  
Discharge City: Los Angeles  
Discharge State: California  
Discharge Zip: 90017  
Status: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000110899**

Status Date:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
NPDES as of 03/2018:	
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	4
Regulatory Measure ID:	435942
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported
WDID:	4 19C366242
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	04/25/2016
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	03/27/2013
Processed Date:	04/22/2013
Status:	Terminated
Status Date:	07/26/2016
Place Size:	10
Place Size Unit:	Acres
Contact:	Kyle Welker
Contact Title:	Project Manager
Contact Phone:	562-567-2448
Contact Phone Ext:	Not reported
Contact Email:	kyle.welker@kiewit.com
Operator Name:	Exposition Metro Line Construction Authority
Operator Address:	707 Wilshire Blvd Floor 34
Operator City:	Los Angeles
Operator State:	California
Operator Zip:	90017
Operator Contact:	William Reagan
Operator Contact Title:	Director of Engineering and Construction
Operator Contact Phone:	213-243-5522
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	wreagan@exporail.net
Operator Type:	Other
Developer:	Kiewit Building Group
Developer Address:	10704 Shoemaker Ave
Developer City:	Santa Fe Springs
Developer State:	California
Developer Zip:	90670
Developer Contact:	Kyle Welker
Developer Contact Title:	Project Manager
Constype Linear Utility Ind:	N
Emergency Phone:	213-393-5133



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000110899**

Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	N
Constype Below Ground Ind:	N
Constype Cable Line Ind:	N
Constype Comm Line Ind:	N
Constype Commercial Ind:	N
Constype Electrical Line Ind:	N
Constype Gas Line Ind:	N
Constype Industrial Ind:	Y
Constype Other Description:	Not reported
Constype Other Ind:	N
Constype Recons Ind:	N
Constype Residential Ind:	N
Constype Transport Ind:	N
Constype Utility Description:	Not reported
Constype Utility Ind:	N
Constype Water Sewer Ind:	N
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Ballona Creek
Certifier:	Eric Olson
Certifier Title:	Not reported
Certification Date:	27-MAR-13
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	CAS000002
Status:	Terminated
Agency Number:	0
Region:	4
Regulatory Measure ID:	435942
Order Number:	2009-0009-DWQ
Regulatory Measure Type:	Enrollee
Place ID:	Not reported
WDID:	4 19C366242
Program Type:	Construction
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	04/22/2013
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	04/25/2016
Discharge Name:	Exposition Metro Line Construction Authority
Discharge Address:	707 Wilshire Blvd Floor 34
Discharge City:	Los Angeles
Discharge State:	California
Discharge Zip:	90017
Received Date:	Not reported
Processed Date:	Not reported
Status:	Not reported
Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000110899**

Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commercial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	4 19C366242
Regulatory Measure Type:	Construction
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000110899**

Effective Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: Not reported  
Expiration Date Of Regulatory Measure: Not reported  
Discharge Address: Not reported  
Discharge Name: Not reported  
Discharge City: Not reported  
Discharge State: Not reported  
Discharge Zip: Not reported  
Status: Terminated  
Status Date: 07/26/2016  
Operator Name: Exposition Metro Line Construction Authority  
Operator Address: 707 Wilshire Blvd Floor 34  
Operator City: Los Angeles  
Operator State: California  
Operator Zip: 90017

NPDES as of 03/2018:

NPDES Number: Not reported  
Status: Not reported  
Agency Number: Not reported  
Region: 4  
Regulatory Measure ID: 435942  
Order Number: Not reported  
Regulatory Measure Type: Construction  
Place ID: Not reported  
WDID: 4 19C366242  
Program Type: Not reported  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: Not reported  
Expiration Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: 04/25/2016  
Discharge Name: Not reported  
Discharge Address: Not reported  
Discharge City: Not reported  
Discharge State: Not reported  
Discharge Zip: Not reported  
Received Date: 03/27/2013  
Processed Date: 04/22/2013  
Status: Terminated  
Status Date: 07/26/2016  
Place Size: 10  
Place Size Unit: Acres  
Contact: Kyle Welker  
Contact Title: Project Manager  
Contact Phone: 562-567-2448  
Contact Phone Ext: Not reported  
Contact Email: kyle.welker@kiewit.com  
Operator Name: Exposition Metro Line Construction Authority  
Operator Address: 707 Wilshire Blvd Floor 34  
Operator City: Los Angeles  
Operator State: California  
Operator Zip: 90017  
Operator Contact: William Reagan  
Operator Contact Title: Director of Engineering and Construction  
Operator Contact Phone: 213-243-5522  
Operator Contact Phone Ext: Not reported  
Operator Contact Email: wreagan@exporail.net  
Operator Type: Other

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000110899**

Developer: Kiewit Building Group  
Developer Address: 10704 Shoemaker Ave  
Developer City: Santa Fe Springs  
Developer State: California  
Developer Zip: 90670  
Developer Contact: Kyle Welker  
Developer Contact Title: Project Manager  
Constype Linear Utility Ind: N  
Emergency Phone: 213-393-5133  
Emergency Phone Ext: Not reported  
Constype Above Ground Ind: N  
Constype Below Ground Ind: N  
Constype Cable Line Ind: N  
Constype Comm Line Ind: N  
Constype Commercial Ind: N  
Constype Electrical Line Ind: N  
Constype Gas Line Ind: N  
Constype Industrial Ind: Y  
Constype Other Description: Not reported  
Constype Other Ind: N  
Constype Recons Ind: N  
Constype Residential Ind: N  
Constype Transport Ind: N  
Constype Utility Description: Not reported  
Constype Utility Ind: N  
Constype Water Sewer Ind: N  
Dir Discharge Uswater Ind: N  
Receiving Water Name: Ballona Creek  
Certifier: Eric Olson  
Certifier Title: Not reported  
Certification Date: 27-MAR-13  
Primary Sic: Not reported  
Secondary Sic: Not reported  
Tertiary Sic: Not reported  
  
NPDES Number: CAS000002  
Status: Terminated  
Agency Number: 0  
Region: 4  
Regulatory Measure ID: 435942  
Order Number: 2009-0009-DWQ  
Regulatory Measure Type: Enrollee  
Place ID: Not reported  
WDID: 4 19C366242  
Program Type: Construction  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: 04/22/2013  
Expiration Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: 04/25/2016  
Discharge Name: Exposition Metro Line Construction Authority  
Discharge Address: 707 Wilshire Blvd Floor 34  
Discharge City: Los Angeles  
Discharge State: California  
Discharge Zip: 90017  
Received Date: Not reported  
Processed Date: Not reported  
Status: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000110899**

Status Date:	Not reported
Place Size:	Not reported
Place Size Unit:	Not reported
Contact:	Not reported
Contact Title:	Not reported
Contact Phone:	Not reported
Contact Phone Ext:	Not reported
Contact Email:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City:	Not reported
Operator State:	Not reported
Operator Zip:	Not reported
Operator Contact:	Not reported
Operator Contact Title:	Not reported
Operator Contact Phone:	Not reported
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commercial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported

CIWQS:

Agency:

Exposition Metro Line Construction Authority

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000110899**

Agency Address:	707 Wilshire Blvd Floor 34, Los Angeles , CA 90017
Place/Project Type:	Construction - Industrial
SIC/NAICS:	Not reported
Region:	4
Program:	CONSTW
Regulatory Measure Status:	Terminated
Regulatory Measure Type:	Storm water construction
Order Number:	2009-0009-DWQ
WDID:	4 19C366242
NPDES Number:	CAS000002
Adoption Date:	Not reported
Effective Date:	04/22/2013
Termination Date:	04/25/2016
Expiration/Review Date:	Not reported
Design Flow:	Not reported
Major/Minor:	Not reported
Complexity:	Not reported
TTWQ:	Not reported
Enforcement Actions within 5 years:	0
Violations within 5 years:	0
Latitude:	34.03176
Longitude:	-118.45973

**H34**  
**SSE**  
 < 1/8  
 0.078 mi.  
 410 ft.

**LACMTA DIVISION 14**  
**1955 CENTINELA AVE**  
**SANTA MONICA, CA 90404**

**RCRA-LQG 1018273604**  
**FINDS CAR000257519**  
**ECHO**

**Site 2 of 4 in cluster H**

**Relative:**  
**Lower**  
**Actual:**  
**154 ft.**

**RCRA-LQG:**  
 Date form received by agency: 12/18/2015  
 Facility name: LACMTA DIVISION 14  
 Facility address: 1955 CENTINELA AVE  
 SANTA MONICA, CA 90404  
 EPA ID: CAR000257519  
 Mailing address: CENTINELA AVE  
 SANTA MONICA, CA 90404  
 Contact: JAMES JIMENEZ  
 Contact address: ONE GATEWAY PLAZA  
 LOS ANGELES, CA 90012  
 Contact country: US  
 Contact telephone: 213-922-5870  
 Contact email: JIMENEZJ@METRO.NET  
 EPA Region: 09  
 Classification: Large Quantity Generator  
 Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LACMTA DIVISION 14 (Continued)

1018273604

Owner/Operator Summary:

Owner/operator name: LA COUNTY METROPOLITAN TRANSIT AUTHORITY  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: County  
Owner/Operator Type: Operator  
Owner/Op start date: 01/01/2015  
Owner/Op end date: Not reported

Owner/operator name: LA COUNTY METROPOLITAN TRANSIT AUTHORITY  
Owner/operator address: ONE GATEWAY PLAZA  
LOS ANGELES, CA 90012  
Owner/operator country: US  
Owner/operator telephone: 213-922-5870  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: County  
Owner/Operator Type: Owner  
Owner/Op start date: 01/01/2015  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

- . Waste code: 221
- . Waste name: Waste oil and mixed oil
  
- . Waste code: 222
- . Waste name: Oil/water separation sludge
  
- . Waste code: 223
- . Waste name: Unspecified oil-containing waste
  
- . Waste code: 331
- . Waste name: Off-specification, aged, or surplus organics

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

LACMTA DIVISION 14 (Continued)

1018273604

- . Waste code: 343
- . Waste name: Unspecified organic liquid mixture
  
- . Waste code: 352
- . Waste name: Other organic solids
  
- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
  
- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Violation Status: No violations found

FINDS:

Registry ID: 110067265426

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1018273604  
Registry ID: 110067265426  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110067265426>

H35  
SSE  
< 1/8  
0.078 mi.  
410 ft.

BAY DISTRICT PAVING CO  
1955 CENTINELA AVE  
SANTA MONICA, CA 90404  
Site 3 of 4 in cluster H

RCRA-SQG 1000403037  
FINDS CAD075288993  
ECHO

Relative:  
Lower

RCRA-SQG:  
Date form received by agency: 09/01/1996  
Facility name: WESTERN TRUCK SERVICE  
Facility address: 1955 CENTINELA AVE  
SANTA MONICA, CA 90404

Actual:  
154 ft.



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000403037**

EPA ID: CAD075288993  
Mailing address: CENTINELA AVE  
SANTA MONICA, CA 90404  
Contact: Not reported  
Contact address: Not reported  
Not reported  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: ALEXANDER F SHARPE  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BAY DISTRICT PAVING CO (Continued)**

**1000403037**

Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

**FINDS:**

Registry ID: 110002644112

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Registry ID: 110009531747

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000403037  
Registry ID: 110002644112  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002644112>

Envid: 1000403037  
Registry ID: 110009531747  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110009531747>

**H36**  
**SSE**  
**< 1/8**  
**0.078 mi.**  
**410 ft.**

**METRO OPERATIONS AND MAINTENANCE FACILITY - DIV 14**  
**1955 CENTINELA AVE**  
**SANTA MONICA, CA 90404**

**AST A100422353**  
**N/A**

**Site 4 of 4 in cluster H**

**Relative:**  
**Lower**  
**Actual:**  
**154 ft.**

AST:  
Certified Unified Program Agencies: Not reported  
Owner: Collins U. Kalu  
Total Gallons: Not reported  
CERSID: 10644517  
Facility ID: Not reported  
Business Name: Los Angeles County Metropolitan Transportation Authority  
Phone: 213-922-7213  
Fax: 213-92-7536  
Mailing Address: One Gateway Plaza (M/S: 99-18-1)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**METRO OPERATIONS AND MAINTENANCE FACILITY - DIV 14 (Continued)**

**A100422353**

Mailing Address City: Los Angeles  
Mailing Address State: CA  
Mailing Address Zip Code: 90012  
Operator Name: LACMTA - Div. 14  
Operator Phone: 213-922-4970  
Owner Phone: 213-922-4970  
Owner Mail Address: One Gateway Plaza (M/S: 99-18-1)  
Owner State: CA  
Owner Zip Code: Not reported  
Owner Country: United States  
Property Owner Name: LACMTA  
Property Owner Phone: 213-922-4970  
Property Owner Mailing Address: One Gateway Plaza (M/S: 99-18-1)  
Property Owner City: Los Angeles  
Property Owner Stat : CA  
Property Owner Zip Code: 90012  
Property Owner Country: United States  
EPAID: CAR000257519

**E37**  
**South**  
**< 1/8**  
**0.088 mi.**  
**464 ft.**

**AMBROSE COMPANY**  
**3200 OLYMPIC**  
**SANTA MONICA, CA 90404**

**Site 4 of 5 in cluster E**

**LUST** **S101298070**  
**HIST CORTESE** **N/A**

**Relative:**  
**Lower**  
**Actual:**  
**155 ft.**

**LUST:**  
Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603701418](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603701418)  
Global Id: T0603701418  
Latitude: 34.030784  
Longitude: -118.459406  
Status: Completed - Case Closed  
Status Date: 12/14/2001  
Case Worker: DMB  
RB Case Number: 904040370  
Local Agency: Not reported  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Diesel  
Site History: Not reported

**LUST:**  
Global Id: T0603701418  
Contact Type: Regional Board Caseworker  
Contact Name: DAVID M. BJOSTAD  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4th Street, Suite 200  
City: Los Angeles  
Email: dave.bjostad@waterboards.ca.gov  
Phone Number: Not reported

**LUST:**  
Global Id: T0603701418  
Action Type: Other  
Date: 06/01/1988  
Action: Leak Discovery

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMBROSE COMPANY (Continued)**

**S101298070**

Global Id: T0603701418  
Action Type: Other  
Date: 02/27/1989  
Action: Leak Reported

LUST:

Global Id: T0603701418  
Status: Open - Case Begin Date  
Status Date: 06/01/1988

Global Id: T0603701418  
Status: Open - Remediation  
Status Date: 02/27/1989

Global Id: T0603701418  
Status: Open - Site Assessment  
Status Date: 12/27/1991

Global Id: T0603701418  
Status: Completed - Case Closed  
Status Date: 12/14/2001

LUST REG 4:

Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 904040370  
Status: Case Closed  
Substance: Diesel  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Soil  
Abatement Method Used at the Site: Excavate and Dispose  
Global ID: T0603701418  
W Global ID: Not reported  
Staff: TCS  
Local Agency: 19033  
Cross Street: CENTINELA AVE  
Enforcement Type: Not reported  
Date Leak Discovered: 6/1/1988  
Date Leak First Reported: 2/27/1989  
Date Leak Record Entered: Not reported  
Date Confirmation Began: Not reported  
Date Leak Stopped: Not reported  
Date Case Last Changed on Database: 4/30/2002  
Date the Case was Closed: 12/14/2001  
How Leak Discovered: Tank Closure  
How Leak Stopped: Not reported  
Cause of Leak: Corrosion  
Leak Source: Tank  
Operator: AMBROSE, JAY  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): 64.231395639401192196849976645  
Source of Cleanup Funding: Tank

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AMBROSE COMPANY (Continued)**

**S101298070**

Preliminary Site Assessment Workplan Submitted: Not reported  
Preliminary Site Assessment Began: Not reported  
Pollution Characterization Began: 12/27/1991  
Remediation Plan Submitted: Not reported  
Remedial Action Underway: 2/27/1989  
Post Remedial Action Monitoring Began: Not reported  
Enforcement Action Date: Not reported  
Historical Max MTBE Date: 6/29/2000  
Hist Max MTBE Conc in Groundwater: 2  
Hist Max MTBE Conc in Soil: Not reported  
Significant Interim Remedial Action Taken: Not reported  
GW Qualifier: <  
Soil Qualifier: Not reported  
Organization: Not reported  
Owner Contact: Not reported  
Responsible Party: JAY AMBROSE  
RP Address: 3200 OLYMPIC BLVD.  
Program: LUST  
Lat/Long: 34.030274 / -1  
Local Agency Staff: UNK  
Beneficial Use: Not reported  
Priority: Not reported  
Cleanup Fund Id: Not reported  
Suspended: Not reported  
Assigned Name: Not reported  
Summary: 6/5/00 GW SAMPLING;; 6/15/00 WP FOR GW MON WELL INSTALLATION

HIST CORTESE:  
Region: CORTESE  
Facility County Code: 19  
Reg By: LTNKA  
Reg Id: 904040370

**E38**      **KENTUCKY BRANDS OF CALIF INC**  
**South**    **3200 OLYMPIC BLVD**  
**< 1/8**    **SANTA MONICA, CA 90404**  
**0.088 mi.**  
**464 ft.**    **Site 5 of 5 in cluster E**

**HIST UST**    **U001563960**  
**N/A**

**Relative:**    HIST UST:  
**Lower**      File Number:            0002732D  
**Actual:**      URL:                    <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002732D.pdf>  
**155 ft.**      Region:                 STATE  
                  Facility ID:             00000003234  
                  Facility Type:         Other  
                  Other Type:            WHLSE.  
                  Contact Name:         M. AMBROSE  
                  Telephone:             2138702063  
                  Owner Name:            KENTUCKY BRANDS OF CALIF INC.  
                  Owner Address:        3200 OLYMPIC BLVD  
                  Owner City,St,Zip:    SANTA MONICA, CA 90404  
                  Total Tanks:           0003  
  
                  Tank Num:              001  
                  Container Num:        1  
                  Year Installed:        1977  
                  Tank Capacity:        00002000

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**KENTUCKY BRANDS OF CALIF INC (Continued)**

**U001563960**

Tank Used for: PRODUCT  
 Type of Fuel: DIESEL  
 Container Construction Thickness: 3/16  
 Leak Detection: Stock Inventor

Tank Num: 002  
 Container Num: 2  
 Year Installed: 1977  
 Tank Capacity: 00002000  
 Tank Used for: PRODUCT  
 Type of Fuel: DIESEL  
 Container Construction Thickness: 3/16  
 Leak Detection: Stock Inventor

Tank Num: 003  
 Container Num: 3  
 Year Installed: 1979  
 Tank Capacity: 00005000  
 Tank Used for: PRODUCT  
 Type of Fuel: UNLEADED  
 Container Construction Thickness: 1/4"  
 Leak Detection: Stock Inventor

[Click here for Geo Tracker PDF:](#)

**I39**  
**SSW**  
 < 1/8  
 0.094 mi.  
 496 ft.

**KENDALL HAROLD H**  
**3154 OLYMPIC BLVD**  
**LOS ANGELES, CA 90035**

**EDR Hist Auto**    **1008996226**  
 N/A

**Site 1 of 4 in cluster I**

**Relative:**  
**Lower**

EDR Hist Auto

**Actual:**  
 155 ft.

Year:	Name:	Type:
1969	KENDALL HAROLD H	Gasoline Service Stations
1970	KENDALL HAROLD H	Gasoline Service Stations
1971	KENDALL HAROLD H	Gasoline Service Stations
1972	KENDALL HAROLD H	Gasoline Service Stations
1973	KENDALL HAROLD H	Gasoline Service Stations
1974	KENDALL HAROLD H	Gasoline Service Stations
1975	KENDALL HAROLD H	Gasoline Service Stations
1995	WALLY'S OLYMPIC UNOCAL	Not reported

**I40**  
**SSW**  
 < 1/8  
 0.100 mi.  
 526 ft.

**HORNBURG SANTA MONICA**  
**3300 OLYMPIC BLVD**  
**SANTA MONICA, CA 90404**

**AST**    **A100420864**  
 N/A

**Site 2 of 4 in cluster I**

**Relative:**  
**Lower**

AST:

**Actual:**  
 155 ft.

Certified Unified Program Agencies: Not reported  
 Owner: Pendragon North America Automotive Inc.  
 Total Gallons: Not reported  
 CERSID: 10174645  
 Facility ID: Not reported  
 Business Name: Hornburg Santa Monica

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HORNBURG SANTA MONICA (Continued)**

**A100420864**

Phone: (310) 453-3377  
Fax: (310) 828-4393  
Mailing Address: 3300 Olympic Blvd  
Mailing Address City: Santa Monica  
Mailing Address State: CA  
Mailing Address Zip Code: 90404  
Operator Name: Rebecca Korban  
Operator Phone: (310) 453-3377  
Owner Phone: (310) 453-3377  
Owner Mail Address: 3300 Olympic Blvd  
Owner State: CA  
Owner Zip Code: 90404  
Owner Country: United States  
Property Owner Name: Not reported  
Property Owner Phone: Not reported  
Property Owner Mailing Address: Not reported  
Property Owner City: Not reported  
Property Owner Stat : Not reported  
Property Owner Zip Code: Not reported  
Property Owner Country: Not reported  
EPAID: CAD983602228

**I41**  
**SSW**  
**< 1/8**  
**0.100 mi.**  
**526 ft.**

**HORNBURG JAGUAR**  
**3300 OLYMPIC BLVD**  
**SANTA MONICA, CA 90404**  
**Site 3 of 4 in cluster I**

**RCRA-SQG 1000596258**  
**UST CAD983602228**  
**FINDS**  
**ECHO**

**Relative:**  
**Lower**  
**Actual:**  
**155 ft.**

RCRA-SQG:  
Date form received by agency: 08/27/2002  
Facility name: HORNBURG JAGUAR  
Facility address: 3300 OLYMPIC BLVD  
SANTA MONICA, CA 90404  
EPA ID: CAD983602228  
Contact: FRANK BURNS  
Contact address: 9176 SUNSET BLVD  
WEST HOLLYWOOD, CA 90069  
Contact country: US  
Contact telephone: 310-453-3377  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:  
Owner/operator name: CHARLES HORNBURG FAMILY TRUST  
Owner/operator address: 9176 SUNSET BLVD  
LOS ANGELES, CA 90069  
Owner/operator country: Not reported  
Owner/operator telephone: 213-274-5133  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HORNBURG JAGUAR (Continued)**

**1000596258**

Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: PENEGON WEST  
Owner/operator address: 9176 SUNSET BLVD  
WEST HOLLYWOOD, CA 90069

Owner/operator country: Not reported  
Owner/operator telephone: 310-274-5133  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

. Waste code: D000  
. Waste name: Not Defined

. Waste code: D001  
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Historical Generators:

Date form received by agency: 02/28/2002  
Site name: HORNBURG JAGUAR INC  
Classification: Large Quantity Generator

Violation Status: No violations found

UST:

Facility ID: 600144  
Permitting Agency: SANTA MONICA, CITY OF



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**HORNBURG JAGUAR (Continued)**

**1000596258**

Latitude: 34.0319875  
 Longitude: -118.4587419

**FINDS:**

Registry ID: 110055873023

Environmental Interest/Information System  
 STATE MASTER

Registry ID: 110002858408

Environmental Interest/Information System  
 California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:  
 Envid: 1000596258  
 Registry ID: 110002858408  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002858408>

**I42**  
**SSW**  
**< 1/8**  
**0.100 mi.**  
**526 ft.**

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE**  
**3131 OLYMPIC BOULEVARD**  
**SANTA MONICA, CA 90404**

**ENVIROSTOR** **S108214883**  
**SCH** **N/A**  
**DEED**

**Site 4 of 4 in cluster I**

**Relative:** ENVIROSTOR:  
**Lower** Facility ID: 19820113  
 Status: Certified O&M - Land Use Restrictions Only  
**Actual:** Status Date: 05/30/2013  
 156 ft. Site Code: 304449  
 Site Type: School Cleanup  
 Site Type Detailed: School  
 Acres: 2.68  
 NPL: NO  
 Regulatory Agencies: SMBRP  
 Lead Agency: SMBRP  
 Program Manager: Ivy Osornio  
 Supervisor: Shahir Haddad  
 Division Branch: Southern California Schools & Brownfields Outreach  
 Assembly: 50

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

Senate: 26  
Special Program: Not reported  
Restricted Use: YES  
Site Mgmt Req: NONE SPECIFIED  
Funding: School District  
Latitude: 34.03124  
Longitude: -118.4613  
APN: 4268-011-002, 4268-011-003, 4268-011-008, 4268011003, 4268011008  
Past Use: \* EDUCATIONAL SERVICES  
Potential COC: Arsenic Total Chromium (1:6 ratio Cr VI:Cr III Lead Antimony and compounds Barium and compounds Copper and compounds  
Confirmed COC: Antimony and compounds Barium and compounds Copper and compounds Arsenic Total Chromium (1:6 ratio Cr VI:Cr III Lead  
Potential Description: OTH, SOIL  
Alias Name: NEW ROADS SCHOOL  
Alias Type: Alternate Name  
Alias Name: NEW VISIONS EDU.FOUNDATION-NEW ROADS SCL  
Alias Type: Alternate Name  
Alias Name: Proposed Herb Alpert Educational Village  
Alias Type: Alternate Name  
Alias Name: 4268-011-002  
Alias Type: APN  
Alias Name: 4268-011-003  
Alias Type: APN  
Alias Name: 4268-011-008  
Alias Type: APN  
Alias Name: 4268011003  
Alias Type: APN  
Alias Name: 4268011008  
Alias Type: APN  
Alias Name: 110033611786  
Alias Type: EPA (FRS #)  
Alias Name: 304449  
Alias Type: Project Code (Site Code)  
Alias Name: 19820113  
Alias Type: Envirostor ID Number

**Completed Info:**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Inspections/Visit (Non LUR)  
Completed Date: 01/27/2006  
Comments: Not reported

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction  
Completed Date: 03/05/2013  
Comments: LUC Recorded

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Certification  
Completed Date: 05/21/2013  
Comments: DTSC certified that response action according to the DTSC-approved RAW is complete.

Completed Area Name: PROJECT WIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

Completed Sub Area Name: Not reported  
Completed Document Type: Site Inspections/Visit (Non LUR)  
Completed Date: 10/11/2004  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Inactive Status Letter  
Completed Date: 01/30/2007  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Cost Recovery Closeout Memo  
Completed Date: 07/18/2013  
Comments: DTSC prepared project close out Cost Recovery Unit Memorandum.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction - Site Inspection/Visit  
Completed Date: 02/06/2014  
Comments: DTSC approved the 2013 annual LUC compliance report

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 05/04/2004  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 03/09/2011  
Comments: Signed VCA sent (FedEx) to District.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Inactive Status Letter  
Completed Date: 09/30/2010  
Comments: DTSC prepared an Inactive Status letter due to inactivity at the Site

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/23/2015  
Comments: Annual Cost Estimate emailed and mailed to BP.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/14/2016  
Comments: DTSC prepared an annual oversight cost estimate for 2016-2017

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/01/2017

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

Comments: x

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: CEQA - Notice of Exemption  
Completed Date: 07/19/2012  
Comments: DTSC filed an NOE

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Correspondence  
Completed Date: 05/25/2011  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 08/27/2014  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Endangerment Assessment Report  
Completed Date: 07/12/2004  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Workplan  
Completed Date: 10/13/2004  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \*Correspondence - Received  
Completed Date: 09/17/2008  
Comments: The project is going through the design phase. A scoping meeting will be set-up to discussed the revised project in the near future.

Completed Area Name: Phase I Construction area  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Tech Memo  
Completed Date: 12/17/2009  
Comments: DTSC conditionally approved the TM

Completed Area Name: Phase I Construction area  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Report  
Completed Date: 07/22/2010  
Comments: DTSC approved the SSI for the Phase I construction area with a No Further Action determination. Further remediation/investigation at the remainder of the Site is required.

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Report  
Completed Date: 02/16/2011

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

Comments: DTSC comments were discussed during the February 7, 2011 meeting. The meeting was held to discuss the RP's options and the next steps required.

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Report  
Completed Date: 11/02/2011  
Comments: DTSC determined that a response action is required at the site. DTSC comments on the SSI may be addressed during the RAW

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Workplan  
Completed Date: 07/24/2012  
Comments: DTSC approved the RAW after a 30-day public comment period

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Public Notice  
Completed Date: 06/05/2012  
Comments: DTSC prepared a Public Notice. Comment period 06/06/2012-07/06/2012

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Fact Sheets  
Completed Date: 06/05/2012  
Comments: DTSC prepared a Fact Sheet. Public comment period 06/06/2012-07/06/2012

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Community Profile  
Completed Date: 06/04/2012  
Comments: DTSC finalized a Community Profile

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \*Correspondence - Received  
Completed Date: 01/30/2012  
Comments: DTSC issued a clarification letter regarding the status of the Site to satisfy the School's request

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Completion Report  
Completed Date: 03/21/2013  
Comments: DTSC conditionally approved (for LUC recordation) the Removal Action Completion Report with a No Further Action determination.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction Monitoring Report  
Completed Date: 04/09/2015  
Comments: DTSC approved the 2014 annual LUC inspection report

Completed Area Name: PROJECT WIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction Monitoring Report  
Completed Date: 11/30/2016  
Comments: DTSC approved the annual LUC compliance report

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction Monitoring Report  
Completed Date: 02/20/2018  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**SCH:**

Facility ID: 19820113  
Site Type: School Cleanup  
Site Type Detail: School  
Site Mgmt. Req.: NONE SPECIFIED  
Acres: 2.68  
National Priorities List: NO  
Cleanup Oversight Agencies: SMBRP  
Lead Agency: SMBRP  
Lead Agency Description: DTSC - Site Cleanup Program  
Project Manager: Ivy Osornio  
Supervisor: Shahir Haddad  
Division Branch: Southern California Schools & Brownfields Outreach  
Site Code: 304449  
Assembly: 50  
Senate: 26  
Special Program Status: Not reported  
Status: Certified O&M - Land Use Restrictions Only  
Status Date: 05/30/2013  
Restricted Use: YES  
Funding: School District  
Latitude: 34.03124  
Longitude: -118.4613  
APN: 4268-011-002, 4268-011-003, 4268-011-008, 4268011003, 4268011008  
Past Use: \* EDUCATIONAL SERVICES  
Potential COC: Arsenic, Total Chromium (1:6 ratio Cr VI:Cr III, Lead, Antimony and compounds, Barium and compounds, Copper and compounds  
Confirmed COC: Antimony and compounds, Barium and compounds, Copper and compounds, Arsenic, Total Chromium (1:6 ratio Cr VI:Cr III, Lead  
Potential Description: OTH, SOIL  
Alias Name: NEW ROADS SCHOOL  
Alias Type: Alternate Name  
Alias Name: NEW VISIONS EDU.FOUNDATION-NEW ROADS SCL  
Alias Type: Alternate Name  
Alias Name: Proposed Herb Alpert Educational Village

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

Alias Type: Alternate Name  
Alias Name: 4268-011-002  
Alias Type: APN  
Alias Name: 4268-011-003  
Alias Type: APN  
Alias Name: 4268-011-008  
Alias Type: APN  
Alias Name: 4268011003  
Alias Type: APN  
Alias Name: 4268011008  
Alias Type: APN  
Alias Name: 110033611786  
Alias Type: EPA (FRS #)  
Alias Name: 304449  
Alias Type: Project Code (Site Code)  
Alias Name: 19820113  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Inspections/Visit (Non LUR)  
Completed Date: 01/27/2006  
Comments: Not reported

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction  
Completed Date: 03/05/2013  
Comments: LUC Recorded

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Certification  
Completed Date: 05/21/2013  
Comments: DTSC certified that response action according to the DTSC-approved RAW is complete.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Inspections/Visit (Non LUR)  
Completed Date: 10/11/2004  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Inactive Status Letter  
Completed Date: 01/30/2007  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Cost Recovery Closeout Memo  
Completed Date: 07/18/2013  
Comments: DTSC prepared project close out Cost Recovery Unit Memorandum.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

Completed Document Type: Land Use Restriction - Site Inspection/Visit  
Completed Date: 02/06/2014  
Comments: DTSC approved the 2013 annual LUC compliance report

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 05/04/2004  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 03/09/2011  
Comments: Signed VCA sent (FedEx) to District.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Inactive Status Letter  
Completed Date: 09/30/2010  
Comments: DTSC prepared an Inactive Status letter due to inactivity at the Site

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/23/2015  
Comments: Annual Cost Estimate emailed and mailed to BP.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/14/2016  
Comments: DTSC prepared an annual oversight cost estimate for 2016-2017

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/01/2017  
Comments: x

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: CEQA - Notice of Exemption  
Completed Date: 07/19/2012  
Comments: DTSC filed an NOE

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Correspondence  
Completed Date: 05/25/2011  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 08/27/2014  
Comments: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Endangerment Assessment Report  
Completed Date: 07/12/2004  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Workplan  
Completed Date: 10/13/2004  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \*Correspondence - Received  
Completed Date: 09/17/2008  
Comments: The project is going through the design phase. A scoping meeting will be set-up to discussed the revised project in the near future.

Completed Area Name: Phase I Construction area  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Tech Memo  
Completed Date: 12/17/2009  
Comments: DTSC conditionally approved the TM

Completed Area Name: Phase I Construction area  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Report  
Completed Date: 07/22/2010  
Comments: DTSC approved the SSI for the Phase I construction area with a No Further Action determination. Further remediation/investigation at the remainder of the Site is required.

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Report  
Completed Date: 02/16/2011  
Comments: DTSC comments were discussed during the February 7, 2011 meeting. The meeting was held to discuss the RP's options and the next steps required.

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Report  
Completed Date: 11/02/2011  
Comments: DTSC determined that a response action is required at the site. DTSC comments on the SSI may be addressed during the RAW

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Workplan  
Completed Date: 07/24/2012  
Comments: DTSC approved the RAW after a 30-day public comment period

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Public Notice

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

Completed Date: 06/05/2012  
Comments: DTSC prepared a Public Notice. Comment period 06/06/2012-07/06/2012

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Fact Sheets  
Completed Date: 06/05/2012  
Comments: DTSC prepared a Fact Sheet. Public comment period 06/06/2012-07/06/2012

Completed Area Name: Parcels D&E  
Completed Sub Area Name: Not reported  
Completed Document Type: Community Profile  
Completed Date: 06/04/2012  
Comments: DTSC finalized a Community Profile

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \*Correspondence - Received  
Completed Date: 01/30/2012  
Comments: DTSC issued a clarification letter regarding the status of the Site to satisfy the School's request

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Completion Report  
Completed Date: 03/21/2013  
Comments: DTSC conditionally approved (for LUC recordation) the Removal Action Completion Report with a No Further Action determination.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction Monitoring Report  
Completed Date: 04/09/2015  
Comments: DTSC approved the 2014 annual LUC inspection report

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction Monitoring Report  
Completed Date: 11/30/2016  
Comments: DTSC approved the annual LUC compliance report

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction Monitoring Report  
Completed Date: 02/20/2018  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PROPOSED HERB ALPERT EDUCATIONAL VILLAGE (Continued)**

**S108214883**

**DEED:**

Envirostor ID: 19820113  
Area: PARCELS D&E  
Sub Area: Not reported  
Site Type: SCHOOL CLEANUP  
Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY  
Agency: Not reported  
Covenant Uploaded: Not reported  
Deed Date(s): 03/05/2013  
File Name: Envirostor Land Use Restrictions

**J43  
SW  
< 1/8  
0.101 mi.  
533 ft.**

**BENSON LEHNER CORP.  
1860 FRANKLIN ST.  
SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1000893616  
CA0000476317**

**Site 1 of 5 in cluster J**

**Relative:  
Lower  
Actual:  
158 ft.**

SEMS Archive:  
Site ID: 905114  
EPA ID: CA0000476317  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**SEMS Archive Detail:**

Region: 9  
Site ID: 905114  
EPA ID: CA0000476317  
Site Name: BENSON LEHNER CORP.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2013-11-07 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905114  
EPA ID: CA0000476317  
Site Name: BENSON LEHNER CORP.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-28 00:00:00  
Finish Date: 1994-07-28 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BENSON LEHNER CORP. (Continued)**

**1000893616**

Site ID: 905114  
 EPA ID: CA0000476317  
 Site Name: BENSON LEHNER CORP.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: PA  
 Action Name: PA  
 SEQ: 1  
 Start Date: 1999-08-01 00:00:00  
 Finish Date: 2000-06-14 00:00:00  
 Qual: N  
 Current Action Lead: St Perf

**K44**  
**East**  
 < 1/8  
 0.110 mi.  
 582 ft.

**FOX TELEVISION STATIONS, INC.**  
**1999 S BUNDY DR**  
**LOS ANGELES, CA 90025**  
 Site 1 of 3 in cluster K

**UST U003781348**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**159 ft.**

UST:  
 Facility ID: 25038  
 Permitting Agency: LOS ANGELES, CITY OF  
 Latitude: 34.034839  
 Longitude: -118.454883

**K45**  
**East**  
 < 1/8  
 0.110 mi.  
 582 ft.

**FOX TELEVISION STATIONS, INC.**  
**1999 BUNDY DR**  
**LOS ANGELES, CA 90025**  
 Site 2 of 3 in cluster K

**UST U004264400**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**159 ft.**

UST:  
 Facility ID: FA0033837  
 Permitting Agency: Los Angeles City Fire Department  
 Latitude: 34.03349  
 Longitude: -118.45623

**J46**  
**SW**  
 < 1/8  
 0.117 mi.  
 616 ft.

**MARSHALL ENGINEERING CO.**  
**1822-1836 FRANKLIN ST.**  
**SANTA MONICA, CA 90404**  
 Site 2 of 5 in cluster J

**SEMS-ARCHIVE 1003879981**  
**CA0000476341**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

SEMS Archive:  
 Site ID: 905115  
 EPA ID: CA0000476341  
 Cong District: 27  
 FIPS Code: 6037  
 FF: N  
 NPL: Not on the NPL  
 Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**MARSHALL ENGINEERING CO. (Continued)**

**1003879981**

Region: 9  
 Site ID: 905115  
 EPA ID: CA0000476341  
 Site Name: MARSHALL ENGINEERING CO.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: VS  
 Action Name: ARCH SITE  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-03-29 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf In-Hse

Region: 9  
 Site ID: 905115  
 EPA ID: CA0000476341  
 Site Name: MARSHALL ENGINEERING CO.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: DS  
 Action Name: DISCVRY  
 SEQ: 1  
 Start Date: 1994-07-29 00:00:00  
 Finish Date: 1994-07-29 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf

Region: 9  
 Site ID: 905115  
 EPA ID: CA0000476341  
 Site Name: MARSHALL ENGINEERING CO.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: PA  
 Action Name: PA  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-02-11 00:00:00  
 Qual: N  
 Current Action Lead: EPA Perf

**L47** **CORNERSTONE PLAZA**  
**ENE** **1940 S BUNDY DR**  
**1/8-1/4** **LOS ANGELES, CA 90025**  
**0.125 mi.**  
**662 ft.** **Site 1 of 2 in cluster L**

**SWEEPS UST** **S101588038**  
**CA FID UST** **N/A**

**Relative:** SWEEPS UST:  
**Higher** Status: Not reported  
 Actual: Comp Number: 6559  
 162 ft. Number: Not reported  
 Board Of Equalization: Not reported  
 Referral Date: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**CORNERSTONE PLAZA (Continued)**

**S101588038**

Action Date: Not reported  
 Created Date: Not reported  
 Owner Tank Id: Not reported  
 SWRCB Tank Id: Not reported  
 Tank Status: Not reported  
 Capacity: Not reported  
 Active Date: Not reported  
 Tank Use: Not reported  
 STG: Not reported  
 Content: Not reported  
 Number Of Tanks: 0

**CA FID UST:**

Facility ID: 19056271  
 Regulated By: UTNKA  
 Regulated ID: Not reported  
 Cortese Code: Not reported  
 SIC Code: Not reported  
 Facility Phone: 2130000000  
 Mail To: Not reported  
 Mailing Address: 1940 S BUNDY  
 Mailing Address 2: Not reported  
 Mailing City,St,Zip: LOS ANGELES 900250000  
 Contact: Not reported  
 Contact Phone: Not reported  
 DUNs Number: Not reported  
 NPDES Number: Not reported  
 EPA ID: Not reported  
 Comments: Not reported  
 Status: Active

**K48**  
**ESE**  
**1/8-1/4**  
**0.127 mi.**  
**669 ft.**

**HUDSON ELEMENT LA**  
**1901, 1925, 1933 S. BUNDY DR.**  
**LOS ANGELES, CA 90048**  
**Site 3 of 3 in cluster K**

**CPS-SLIC S113804544**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

**CPS-SLIC:**  
 Region: STATE  
**Facility Status:** **Open - Site Assessment**  
 Status Date: 01/20/2015  
 Global Id: SL0603705527  
 Lead Agency: LOS ANGELES RWQCB (REGION 4)  
 Lead Agency Case Number: Not reported  
 Latitude: 34.0329055617389  
 Longitude: -118.455770015717  
 Case Type: Cleanup Program Site  
 Case Worker: RO  
 Local Agency: Not reported  
 RB Case Number: 0850B  
 File Location: Regional Board  
 Potential Media Affected: Aquifer used for drinking water supply  
 Potential Contaminants of Concern: \* Chlorinated Hydrocarbons  
 Site History: The Site was formerly utilized for agricultural activities until 1950. It consists of an approximately 5.66-acre parcel of land with three buildings and paved parking areas. The three buildings are located within a mixed commercial, office, and light industrial

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**HUDSON ELEMENT LA (Continued)**

**S113804544**

land-use area with combined useable space measuring approximately 84,000 square feet. The 1901 South Bundy Drive building (1901 building), with an area of 30,000 square feet, was the first of the three buildings, constructed in 1950. Packard Bell initially used this building for manufacturing navy testing equipment and electronics, such as radios and televisions, from 1950 until 1970. Thereafter, Teledyne Controls occupied the building and used it for warehousing, and as office space, until 1996. The 1925 South Bundy Drive building (1925 building) was constructed in 1953, and measures 20,000 square feet in size. This building was primarily used as office space by Packard Bell and Teledyne Inc. The largest of the three buildings is the 1933 South Bundy Drive structure (1933 building), which measures over 34,000 square feet. Packard Bell utilized this building for electronics manufacturing from 1953 until 1977 after which manufacturing activities ceased. Thereafter, Teledyne used the building as office and warehouse space until the early 1990s. AGI Properties purchased the Site between 1996 and 1997 and leased the three buildings to Fox Television. Fox Television used the buildings as a television studio, and office space, until 2003. All three buildings are presently vacant.

[Click here to access the California GeoTracker records for this facility:](#)

**M49**  
**SE**  
**1/8-1/4**  
**0.131 mi.**  
**691 ft.**

**Q-TECH CORP**  
**2201 CARMELINA AVE**  
**LOS ANGELES, CA 90064**

**RCRA NonGen / NLR**    **1000200857**  
**FINDS**                **CAD064618549**  
**ECHO**

**Site 1 of 2 in cluster M**

**Relative:**  
**Lower**  
**Actual:**  
**151 ft.**

RCRA NonGen / NLR:  
 Date form received by agency: 06/29/1999  
 Facility name: Q-TECH CORP  
 Facility address: 2201 CARMELINA AVE  
                           LOS ANGELES, CA 90064  
 EPA ID: CAD064618549  
 Contact: RICHARD TAYLOR  
 Contact address: 1050 W JEFFERSON BLVD  
                           CULVER CITY, CA 90232-3502  
 Contact country: US  
 Contact telephone: 310-836-7900  
 Contact email: Not reported  
 EPA Region: 09  
 Classification: Non-Generator  
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:  
 Owner/operator name: NOT REQUIRED  
 Owner/operator address: NOT REQUIRED  
                                   NOT REQUIRED, ME 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: 415-555-1212  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**Q-TECH CORP (Continued)**

**1000200857**

Owner/Op end date: Not reported  
  
Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 09/01/1996  
Site name: Q-TECH CORP  
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002654342

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**Q-TECH CORP (Continued)**

**1000200857**

Envid: 1000200857  
 Registry ID: 110002654342  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002654342>

**J50**  
**WSW**  
**1/8-1/4**  
**0.141 mi.**  
**743 ft.**

**PIONEER MAGNETICS INC**  
**3122 NEBRASKA ST**  
**SANTA MONICA, CA 90404**  
**Site 3 of 5 in cluster J**

**RCRA-SQG 1000312438**  
**ENVIROSTOR CAD981667843**  
**FINDS**  
**ECHO**  
**HAZNET**

**Relative:**  
**Lower**  
**Actual:**  
**159 ft.**

**RCRA-SQG:**  
 Date form received by agency: 09/01/1996  
 Facility name: PIONEER MAGNETICS INC  
 Facility address: 3122 NEBRASKA ST  
 SANTA MONICA, CA 90404  
 EPA ID: CAD981667843  
 Mailing address: 1745 BERKELEY ST  
 SANTA MONICA, CA 90404  
 Contact: Not reported  
 Contact address: Not reported  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 09  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: NOT REQUIRED  
 Owner/operator address: NOT REQUIRED  
 NOT REQUIRED, ME 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: 415-555-1212  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Operator  
 Owner/Op start date: Not reported  
 Owner/Op end date: Not reported

Owner/operator name: ALLEN ROSENSTEIN  
 Owner/operator address: NOT REQUIRED  
 NOT REQUIRED, ME 99999  
 Owner/operator country: Not reported  
 Owner/operator telephone: 415-555-1212  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS INC (Continued)**

**1000312438**

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 03/26/1992  
Site name: PIONEER MAGNETICS INC  
Classification: Small Quantity Generator

Date form received by agency: 12/17/1986  
Site name: PIONEER MAGNETICS INC  
Classification: Large Quantity Generator

Violation Status: No violations found

ENVIROSTOR:

Facility ID: 60001691  
Status: No Further Action  
Status Date: 05/13/1998  
Site Code: Not reported  
Site Type: Evaluation  
Site Type Detailed: Evaluation  
Acres: 5  
NPL: NO  
Regulatory Agencies: LOS ANGELES COUNTY  
Lead Agency: LOS ANGELES COUNTY  
Program Manager: Not reported  
Supervisor: Douglas Bautista  
Division Branch: Cleanup Cypress  
Assembly: 41, 50  
Senate: 26  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: EPA Grant  
Latitude: 34.03234  
Longitude: -118.4621  
APN: NONE SPECIFIED  
Past Use: NONE  
Potential COC: NONE SPECIFIED No Contaminants found  
Confirmed COC: No Contaminants found  
Potential Description: NMA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS INC (Continued)**

**1000312438**

Alias Name: 60001691  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 05/13/1998  
Comments: no further action

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

FINDS:

Registry ID: 110002743372

Environmental Interest/Information System

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

STATE MASTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000312438  
Registry ID: 110002743372  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002743372>

HAZNET:

envid: 1000312438  
Year: 2016  
GEPaid: CAD981667843  
Contact: ROMAN SANCHEZ  
Telephone: 3108296751  
Mailing Name: Not reported  
Mailing Address: 1745 BERKELEY ST

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS INC (Continued)**

**1000312438**

Mailing City,St,Zip: SANTA MONICA, CA 904044104  
Gen County: Los Angeles  
TSD EPA ID: CAD008364432  
TSD County: Los Angeles  
Waste Category: Liquids with halogenated organic compounds >= 1,000 Mg./L  
Disposal Method: Fuel Blending Prior To Energy Recovery At Another Site  
Tons: 0.9174  
Cat Decode: Liquids with halogenated organic compounds >= 1,000 Mg./L  
Method Decode: Fuel Blending Prior To Energy Recovery At Another Site  
Facility County: Los Angeles

envid: 1000312438  
Year: 2016  
GEPaid: CAD981667843  
Contact: ROMAN SANCHEZ  
Telephone: 3108296751  
Mailing Name: Not reported  
Mailing Address: 1745 BERKELEY ST  
Mailing City,St,Zip: SANTA MONICA, CA 904044104  
Gen County: Los Angeles  
TSD EPA ID: CAL000024110  
TSD County: Los Angeles  
Waste Category: Not reported  
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect  
Tons: Not reported  
Cat Decode: Not reported  
Method Decode: Metals Recovery Including Retoring,Smelting,Chemicals,Ect  
Facility County: Los Angeles

envid: 1000312438  
Year: 2016  
GEPaid: CAD981667843  
Contact: ROMAN SANCHEZ  
Telephone: 3108296751  
Mailing Name: Not reported  
Mailing Address: 1745 BERKELEY ST  
Mailing City,St,Zip: SANTA MONICA, CA 904044104  
Gen County: Los Angeles  
TSD EPA ID: CAL000024110  
TSD County: Los Angeles  
Waste Category: Other inorganic solid waste  
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect  
Tons: 0.486  
Cat Decode: Other inorganic solid waste  
Method Decode: Metals Recovery Including Retoring,Smelting,Chemicals,Ect  
Facility County: Los Angeles

envid: 1000312438  
Year: 2015  
GEPaid: CAD981667843  
Contact: ROMAN SANCHEZ  
Telephone: 3108296751  
Mailing Name: Not reported  
Mailing Address: 1745 BERKELEY ST  
Mailing City,St,Zip: SANTA MONICA, CA 904044104  
Gen County: Los Angeles  
TSD EPA ID: CAD008364432

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PIONEER MAGNETICS INC (Continued)**

**1000312438**

TSD County: Los Angeles  
 Waste Category: Liquids with halogenated organic compounds >= 1,000 Mg./L  
 Disposal Method: Fuel Blending Prior To Energy Recovery At Another Site  
 Tons: 0.834  
 Cat Decode: Not reported  
 Method Decode: Not reported  
 Facility County: Los Angeles

envid: 1000312438  
 Year: 2015  
 GEPAID: CAD981667843  
 Contact: ROMAN SANCHEZ  
 Telephone: 3108296751  
 Mailing Name: Not reported  
 Mailing Address: 1745 BERKELEY ST  
 Mailing City,St,Zip: SANTA MONICA, CA 904044104  
 Gen County: Los Angeles  
 TSD EPA ID: CAD008364432  
 TSD County: Los Angeles  
 Waste Category: Liquids with halogenated organic compounds >= 1,000 Mg./L  
 Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
 Tons: 0.68805  
 Cat Decode: Not reported  
 Method Decode: Not reported  
 Facility County: Los Angeles

[Click this hyperlink](#) while viewing on your computer to access  
 121 additional CA\_HAZNET: record(s) in the EDR Site Report.

**J51**  
**WSW**  
**1/8-1/4**  
**0.141 mi.**  
**743 ft.**

**PIONEER MAGNETICS**  
**3122 NEBRASKA AVE**  
**SANTA MONICA, CA 90404**

**CERS HAZ WASTE** **S121745197**  
**CERS** **N/A**

**Site 4 of 5 in cluster J**

**Relative:**  
**Lower**  
**Actual:**  
**159 ft.**

CERS HAZ WASTE:  
 Site ID: 143912  
 CERS ID: 10125313  
 CERS Description: Hazardous Waste Generator

Violations:  
 Site ID: 143912  
 Site Name: Pioneer Magnetics  
 Violation Date: 09-15-2014  
 Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)  
 Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.  
 Violation Notes: Not reported  
 Violation Division: Santa Monica Fire Department  
 Violation Program: HMRRP  
 Violation Source: CERS

Site ID: 143912  
 Site Name: Pioneer Magnetics  
 Violation Date: 03-21-2017

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS (Continued)**

**S121745197**

Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)

Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.

Violation Notes: Not reported

Violation Division: Santa Monica Fire Department

Violation Program: HMRRP

Violation Source: CERS

Site ID: 143912

Site Name: Pioneer Magnetics

Violation Date: 03-25-2016

Citation: 22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)

Violation Description: Failure to maintain uniform hazardous waste manifest, consolidated manifest, or bills of lading copies for three years.

Violation Notes: Returned to compliance on 04/29/2016. OBSERVATION: Copies of hazardous waste disposal records for 2013, 2014 and 2015 were not found on site. Hazardous waste generators shall retain copies of all manifests signed off by the disposal facility and all receipts used in a consolidated manifesting procedure on site for three years and have them readily available for review. CORRECTIVE ACTION: Immediately locate a copy of all manifests and receipts for the last three years, maintain them on site, and submit copies to the CUPA by 04/25/16.

Violation Division: Los Angeles County Fire Department

Violation Program: HW

Violation Source: CERS

Evaluation:

Eval General Type: Compliance Evaluation Inspection

Eval Date: 03-20-2018

Violations Found: No

Eval Type: Routine done by local agency

Eval Notes: Not reported

Eval Division: Santa Monica Fire Department

Eval Program: HMRRP

Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection

Eval Date: 03-21-2017

Violations Found: Yes

Eval Type: Routine done by local agency

Eval Notes: Not reported

Eval Division: Santa Monica Fire Department

Eval Program: HMRRP

Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection

Eval Date: 03-25-2016

Violations Found: Yes

Eval Type: Routine done by local agency

Eval Notes: Roman Sanchez

Eval Division: Los Angeles County Fire Department

Eval Program: HW

Eval Source: CERS

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS (Continued)**

**S121745197**

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 05-17-2016  
Violations Found: No  
Eval Type: Routine done by local agency  
Eval Notes: Not reported  
Eval Division: Santa Monica Fire Department  
Eval Program: HMRRP  
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 07-03-2013  
Violations Found: No  
Eval Type: Routine done by local agency  
Eval Notes: Not reported  
Eval Division: Los Angeles County Fire Department  
Eval Program: HW  
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 07-03-2013  
Violations Found: No  
Eval Type: Routine done by local agency  
Eval Notes: Inspected by M Ordonez, HMS II Consent by R Sanchez  
Eval Division: Los Angeles County Fire Department  
Eval Program: HW  
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 09-15-2014  
Violations Found: Yes  
Eval Type: Routine done by local agency  
Eval Notes: Not reported  
Eval Division: Santa Monica Fire Department  
Eval Program: HMRRP  
Eval Source: CERS

Enforcement Action:  
Site ID: 143912  
Site Name: Pioneer Magnetics  
Site Address: 3122 NEBRASKA AVE  
Site City: SANTA MONICA  
Site Zip: 90404  
Enf Action Date: 09-15-2014  
Enf Action Type: Notice of Violation (Unified Program)  
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection  
Enf Action Notes: Not reported  
Enf Action Division: Santa Monica Fire Department  
Enf Action Program: HMRRP  
Enf Action Source: CERS

Coordinates:  
Site ID: 143912  
Facility Name: Pioneer Magnetics  
Env Int Type Code: HWG  
Program ID: 10125313  
Coord Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS (Continued)**

**S121745197**

Ref Point Type Desc: Unknown  
Latitude: 34.032143  
Longitude: -118.462204

Affiliation:

Affiliation Type Desc: CUPA District  
Entity Name: Santa Monica Fire Dept  
Entity Title: Not reported  
Affiliation Address: 333 Olympic Drive 2nd Floor  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: Not reported  
Affiliation Zip: 90401  
Affiliation Phone: (310) 434-2666

Affiliation Type Desc: Document Preparer  
Entity Name: Roman Sanchez  
Entity Title: Not reported  
Affiliation Address: Not reported  
Affiliation City: Not reported  
Affiliation State: Not reported  
Affiliation Country: Not reported  
Affiliation Zip: Not reported  
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact  
Entity Name: Roman Sanchez  
Entity Title: Not reported  
Affiliation Address: 1745 Berkeley St  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: Not reported  
Affiliation Zip: 90404  
Affiliation Phone: (310) 829-6759

Affiliation Type Desc: Facility Mailing Address  
Entity Name: Mailing Address  
Entity Title: Not reported  
Affiliation Address: 1745 Berkeley St  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: Not reported  
Affiliation Zip: 90404  
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer  
Entity Name: Jerry Rosenstein  
Entity Title: President  
Affiliation Address: Not reported  
Affiliation City: Not reported  
Affiliation State: Not reported  
Affiliation Country: Not reported  
Affiliation Zip: Not reported  
Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner  
Entity Name: Allen Rosenstein



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS (Continued)**

**S121745197**

Entity Title: Not reported  
Affiliation Address: 1745 Berkeley St  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: United States  
Affiliation Zip: 90404  
Affiliation Phone: (310) 829-6751

Affiliation Type Desc: Operator  
Entity Name: Jerry Rosenstein  
Entity Title: Not reported  
Affiliation Address: Not reported  
Affiliation City: Not reported  
Affiliation State: Not reported  
Affiliation Country: Not reported  
Affiliation Zip: Not reported  
Affiliation Phone: (310) 829-6751

Affiliation Type Desc: Parent Corporation  
Entity Name: Pioneer Magnetics  
Entity Title: Not reported  
Affiliation Address: Not reported  
Affiliation City: Not reported  
Affiliation State: Not reported  
Affiliation Country: Not reported  
Affiliation Zip: Not reported  
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner  
Entity Name: Allen Rosenstein  
Entity Title: Not reported  
Affiliation Address: 1745 Bekerley St.  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: United States  
Affiliation Zip: 90404  
Affiliation Phone: (310) 829-6751

**CERS TANKS:**

Site ID: 143912  
CERS ID: 10125313  
CERS Description: Chemical Storage Facilities

**Violations:**

Site ID: 143912  
Site Name: Pioneer Magnetics  
Violation Date: 09-15-2014  
Citation: HSC 6.95 25508(a)(1) - California Health and Safety Code, Chapter 6.95, Section(s) 25508(a)(1)  
Violation Description: Failure to complete and electronically submit hazardous material inventory information for all reportable hazardous materials on site at or above reportable quantities.  
Violation Notes: Not reported  
Violation Division: Santa Monica Fire Department  
Violation Program: HMRRP  
Violation Source: CERS

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS (Continued)**

**S121745197**

Site ID: 143912  
Site Name: Pioneer Magnetics  
Violation Date: 03-21-2017  
Citation: HSC 6.95 25505(a)(4) - California Health and Safety Code, Chapter 6.95, Section(s) 25505(a)(4)  
Violation Description: Failure to provide initial and annual training to all employees in safety procedures in the event of a release or threatened release of a hazardous material or failure to document and maintain training records for a minimum of three years.  
Violation Notes: Not reported  
Violation Division: Santa Monica Fire Department  
Violation Program: HMRRP  
Violation Source: CERS

Site ID: 143912  
Site Name: Pioneer Magnetics  
Violation Date: 03-25-2016  
Citation: 22 CCR 12 66262.40(a) - California Code of Regulations, Title 22, Chapter 12, Section(s) 66262.40(a)  
Violation Description: Failure to maintain uniform hazardous waste manifest, consolidated manifest, or bills of lading copies for three years.  
Violation Notes: Returned to compliance on 04/29/2016. OBSERVATION: Copies of hazardous waste disposal records for 2013, 2014 and 2015 were not found on site. Hazardous waste generators shall retain copies of all manifests signed off by the disposal facility and all receipts used in a consolidated manifesting procedure on site for three years and have them readily available for review. CORRECTIVE ACTION: Immediately locate a copy of all manifests and receipts for the last three years, maintain them on site, and submit copies to the CUPA by 04/25/16.  
Violation Division: Los Angeles County Fire Department  
Violation Program: HW  
Violation Source: CERS

Evaluation:  
Eval General Type: Compliance Evaluation Inspection  
Eval Date: 03-20-2018  
Violations Found: No  
Eval Type: Routine done by local agency  
Eval Notes: Not reported  
Eval Division: Santa Monica Fire Department  
Eval Program: HMRRP  
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 03-21-2017  
Violations Found: Yes  
Eval Type: Routine done by local agency  
Eval Notes: Not reported  
Eval Division: Santa Monica Fire Department  
Eval Program: HMRRP  
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 03-25-2016  
Violations Found: Yes  
Eval Type: Routine done by local agency  
Eval Notes: Roman Sanchez

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS (Continued)**

**S121745197**

Eval Division: Los Angeles County Fire Department  
Eval Program: HW  
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 05-17-2016  
Violations Found: No  
Eval Type: Routine done by local agency  
Eval Notes: Not reported  
Eval Division: Santa Monica Fire Department  
Eval Program: HMRRP  
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 07-03-2013  
Violations Found: No  
Eval Type: Routine done by local agency  
Eval Notes: Not reported  
Eval Division: Los Angeles County Fire Department  
Eval Program: HW  
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 07-03-2013  
Violations Found: No  
Eval Type: Routine done by local agency  
Eval Notes: Inspected by M Ordonez, HMS II Consent by R Sanchez  
Eval Division: Los Angeles County Fire Department  
Eval Program: HW  
Eval Source: CERS

Eval General Type: Compliance Evaluation Inspection  
Eval Date: 09-15-2014  
Violations Found: Yes  
Eval Type: Routine done by local agency  
Eval Notes: Not reported  
Eval Division: Santa Monica Fire Department  
Eval Program: HMRRP  
Eval Source: CERS

Enforcement Action:  
Site ID: 143912  
Site Name: Pioneer Magnetics  
Site Address: 3122 NEBRASKA AVE  
Site City: SANTA MONICA  
Site Zip: 90404  
Enf Action Date: 09-15-2014  
Enf Action Type: Notice of Violation (Unified Program)  
Enf Action Description: Notice of Violation Issued by the Inspector at the Time of Inspection  
Enf Action Notes: Not reported  
Enf Action Division: Santa Monica Fire Department  
Enf Action Program: HMRRP  
Enf Action Source: CERS

Coordinates:  
Site ID: 143912

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS (Continued)**

**S121745197**

Facility Name: Pioneer Magnetics  
Env Int Type Code: HWG  
Program ID: 10125313  
Coord Name: Not reported  
Ref Point Type Desc: Unknown  
Latitude: 34.032143  
Longitude: -118.462204

Affiliation:

Affiliation Type Desc: CUPA District  
Entity Name: Santa Monica Fire Dept  
Entity Title: Not reported  
Affiliation Address: 333 Olympic Drive 2nd Floor  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: Not reported  
Affiliation Zip: 90401  
Affiliation Phone: (310) 434-2666

Affiliation Type Desc: Document Preparer  
Entity Name: Roman Sanchez  
Entity Title: Not reported  
Affiliation Address: Not reported  
Affiliation City: Not reported  
Affiliation State: Not reported  
Affiliation Country: Not reported  
Affiliation Zip: Not reported  
Affiliation Phone: Not reported

Affiliation Type Desc: Environmental Contact  
Entity Name: Roman Sanchez  
Entity Title: Not reported  
Affiliation Address: 1745 Berkeley St  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: Not reported  
Affiliation Zip: 90404  
Affiliation Phone: (310) 829-6759

Affiliation Type Desc: Facility Mailing Address  
Entity Name: Mailing Address  
Entity Title: Not reported  
Affiliation Address: 1745 Berkeley St  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: Not reported  
Affiliation Zip: 90404  
Affiliation Phone: Not reported

Affiliation Type Desc: Identification Signer  
Entity Name: Jerry Rosenstein  
Entity Title: President  
Affiliation Address: Not reported  
Affiliation City: Not reported  
Affiliation State: Not reported  
Affiliation Country: Not reported  
Affiliation Zip: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIONEER MAGNETICS (Continued)**

**S121745197**

Affiliation Phone: Not reported

Affiliation Type Desc: Legal Owner  
Entity Name: Allen Rosenstein  
Entity Title: Not reported  
Affiliation Address: 1745 Berkeley St  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: United States  
Affiliation Zip: 90404  
Affiliation Phone: (310) 829-6751

Affiliation Type Desc: Operator  
Entity Name: Jerry Rosenstein  
Entity Title: Not reported  
Affiliation Address: Not reported  
Affiliation City: Not reported  
Affiliation State: Not reported  
Affiliation Country: Not reported  
Affiliation Zip: Not reported  
Affiliation Phone: (310) 829-6751

Affiliation Type Desc: Parent Corporation  
Entity Name: Pioneer Magnetics  
Entity Title: Not reported  
Affiliation Address: Not reported  
Affiliation City: Not reported  
Affiliation State: Not reported  
Affiliation Country: Not reported  
Affiliation Zip: Not reported  
Affiliation Phone: Not reported

Affiliation Type Desc: Property Owner  
Entity Name: Allen Rosenstein  
Entity Title: Not reported  
Affiliation Address: 1745 Bekerley St.  
Affiliation City: Santa Monica  
Affiliation State: CA  
Affiliation Country: United States  
Affiliation Zip: 90404  
Affiliation Phone: (310) 829-6751

**J52 PLASTIGLADE MFG. CORP.**  
**WSW 3122 NEBRASKA AVE.**  
**1/8-1/4 SANTA MONICA, CA 90404**  
**0.141 mi.**  
**743 ft. Site 5 of 5 in cluster J**

**SEMS-ARCHIVE 1000893646**  
**CA0000477042**

**Relative:** SEMS Archive:  
**Lower** Site ID: 905088  
EPA ID: CA0000477042  
**Actual:** Cong District: 27  
**159 ft.** FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PLASTIGLADE MFG. CORP. (Continued)**

**1000893646**

SEMS Archive Detail:

Region: 9  
Site ID: 905088  
EPA ID: CA0000477042  
Site Name: PLASTIGLADE MFG. CORP.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2013-11-07 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905088  
EPA ID: CA0000477042  
Site Name: PLASTIGLADE MFG. CORP.  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-03-22 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905088  
EPA ID: CA0000477042  
Site Name: PLASTIGLADE MFG. CORP.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

**N53**  
**ESE**  
**1/8-1/4**  
**0.143 mi.**  
**753 ft.**

**MARTIN CADILLAC COMPANY, INC**  
**12101 W OLYMPIC BLVD**  
**LOS ANGELES, CA 90064**

**Site 1 of 4 in cluster N**

**UST** **U003781660**  
**SWEEPS UST** **N/A**

**Relative:**  
**Lower**  
**Actual:**  
**156 ft.**

UST:  
Facility ID: Not reported  
Permitting Agency: Los Angeles City Fire Department  
Latitude: 34.03282

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARTIN CADILLAC COMPANY, INC (Continued)**

**U003781660**

Longitude: -118.45536  
  
Facility ID: 25425  
Permitting Agency: LOS ANGELES, CITY OF  
Latitude: 34.0341432  
Longitude: -118.4536485

**SWEEPS UST:**

Status: Active  
Comp Number: 1720  
Number: 9  
Board Of Equalization: 44-011940  
Referral Date: 01-22-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001720-000001  
Tank Status: A  
Capacity: 10000  
Active Date: 04-20-88  
Tank Use: M.V. FUEL  
STG: P  
Content: REG UNLEADED  
Number Of Tanks: 7

Status: Active  
Comp Number: 1720  
Number: 9  
Board Of Equalization: 44-011940  
Referral Date: 01-22-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001720-000002  
Tank Status: A  
Capacity: 1000  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 1720  
Number: 9  
Board Of Equalization: 44-011940  
Referral Date: 01-22-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001720-000003  
Tank Status: A  
Capacity: 550  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARTIN CADILLAC COMPANY, INC (Continued)**

**U003781660**

Number Of Tanks: Not reported  
  
Status: Active  
Comp Number: 1720  
Number: 9  
Board Of Equalization: 44-011940  
Referral Date: 01-22-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001720-000004  
Tank Status: A  
Capacity: 550  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 1720  
Number: 9  
Board Of Equalization: 44-011940  
Referral Date: 01-22-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001720-000005  
Tank Status: A  
Capacity: 1000  
Active Date: 04-20-88  
Tank Use: OIL  
STG: W  
Content: WASTE OIL  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 1720  
Number: 9  
Board Of Equalization: 44-011940  
Referral Date: 01-22-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001720-000006  
Tank Status: A  
Capacity: 1500  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 1720  
Number: 9  
Board Of Equalization: 44-011940



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARTIN CADILLAC COMPANY, INC (Continued)**

**U003781660**

Referral Date: 01-22-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001720-000007  
Tank Status: A  
Capacity: 150  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: Not reported

**N54  
ESE  
1/8-1/4  
0.143 mi.  
753 ft.**

**MARTIN CADILLAC COMPANY INC  
12101 WEST OLYMPIC BOULEVARD  
LOS ANGELES, CA 90064**

**HIST UST S118412717  
N/A**

**Site 2 of 4 in cluster N**

**Relative:  
Lower  
Actual:  
156 ft.**

HIST UST:  
File Number: 00027A73  
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00027A73.pdf>  
Region: Not reported  
Facility ID: Not reported  
Facility Type: Not reported  
Other Type: Not reported  
Contact Name: Not reported  
Telephone: Not reported  
Owner Name: Not reported  
Owner Address: Not reported  
Owner City,St,Zip: Not reported  
Total Tanks: Not reported  
  
Tank Num: Not reported  
Container Num: Not reported  
Year Installed: Not reported  
Tank Capacity: Not reported  
Tank Used for: Not reported  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Not reported

Click here for Geo Tracker PDF:

**N55  
ESE  
1/8-1/4  
0.143 mi.  
753 ft.**

**MARTIN CADILLAC CO INC  
12101 W OLYMPIC BLVD  
LOS ANGELES, CA 90064**

**RCRA-SQG 1000412256  
HIST UST CAD007873383  
CA FID UST  
HAZNET**

**Site 3 of 4 in cluster N**

**Relative:  
Lower  
Actual:  
156 ft.**

RCRA-SQG:  
Date form received by agency: 09/01/1996  
Facility name: MARTIN CADILLAC CO INC  
Facility address: 12101 W OLYMPIC BLVD  
LOS ANGELES, CA 90064  
EPA ID: CAD007873383

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARTIN CADILLAC CO INC (Continued)**

**1000412256**

Contact: Not reported  
Contact address: Not reported  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: DANA R MARTIN  
Owner/operator address: NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARTIN CADILLAC CO INC (Continued)**

**1000412256**

Used oil transporter: No

Historical Generators:

Date form received by agency: 09/01/1996  
Site name: MARTIN CADILLAC CO INC  
Classification: Small Quantity Generator

Date form received by agency: 12/16/1980  
Site name: MARTIN CADILLAC CO INC  
Classification: Large Quantity Generator

Violation Status: No violations found

HIST UST:

File Number: Not reported  
URL: Not reported  
Region: STATE  
Facility ID: 00000029263  
Facility Type: Other  
Other Type: AUTO DEALERSHIP  
Contact Name: EDWIN A. WILSON  
Telephone: 2138203611  
Owner Name: MARTIN CADILLAC COMPANY, INC.  
Owner Address: 12101 WEST OLYMPIC BOULEVARD  
Owner City, St, Zip: LOS ANGELES, CA 90064  
Total Tanks: 0007

Tank Num: 001  
Container Num: 1  
Year Installed: 1976  
Tank Capacity: 00010000  
Tank Used for: PRODUCT  
Type of Fuel: UNLEADED  
Container Construction Thickness: Not reported  
Leak Detection: Visual, Stock Inventor

Tank Num: 002  
Container Num: 2  
Year Installed: 1976  
Tank Capacity: 00001000  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual, Stock Inventor

Tank Num: 003  
Container Num: 3  
Year Installed: 1976  
Tank Capacity: 00000550  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual, Stock Inventor

Tank Num: 004  
Container Num: 4  
Year Installed: 1976

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARTIN CADILLAC CO INC (Continued)**

**1000412256**

Tank Capacity: 00000550  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual, Stock Inventor

Tank Num: 005  
Container Num: 5  
Year Installed: 1976  
Tank Capacity: 00001000  
Tank Used for: WASTE  
Type of Fuel: WASTE OIL  
Container Construction Thickness: Not reported  
Leak Detection: Visual

Tank Num: 006  
Container Num: 6  
Year Installed: 1976  
Tank Capacity: 00001500  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual

Tank Num: 007  
Container Num: 7  
Year Installed: 1976  
Tank Capacity: 00000150  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Visual

**CA FID UST:**

Facility ID: 19028122  
Regulated By: UTNKA  
Regulated ID: 00029263  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2138203611  
Mail To: Not reported  
Mailing Address: 12101 W OLYMPIC BLVD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900640000  
Contact: Not reported  
Contact Phone: Not reported  
DUNs Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Active

**HAZNET:**

envid: 1000412256  
Year: 2016  
GEPaid: CAD007873383

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARTIN CADILLAC CO INC (Continued)**

**1000412256**

Contact: KATHLEEN KOEPNICK  
Telephone: 3108203611  
Mailing Name: Not reported  
Mailing Address: 12101 W OLYMPIC BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Los Angeles  
TSD EPA ID: CAD008252405  
TSD County: Los Angeles  
Waste Category: Aqueous solution with total organic residues 10 percent or more  
Disposal Method: Fuel Blending Prior To Energy Recovery At Another Site  
Tons: 0.10425  
Cat Decode: Aqueous solution with total organic residues 10 percent or more  
Method Decode: Fuel Blending Prior To Energy Recovery At Another Site  
Facility County: Los Angeles

envid: 1000412256  
Year: 2016  
GEPaid: CAD007873383  
Contact: KATHLEEN KOEPNICK  
Telephone: 3108203611  
Mailing Name: Not reported  
Mailing Address: 12101 W OLYMPIC BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Los Angeles  
TSD EPA ID: CAD008252405  
TSD County: Los Angeles  
Waste Category: Unspecified solvent mixture  
Disposal Method: Fuel Blending Prior To Energy Recovery At Another Site  
Tons: 0.1548  
Cat Decode: Unspecified solvent mixture  
Method Decode: Fuel Blending Prior To Energy Recovery At Another Site  
Facility County: Los Angeles

envid: 1000412256  
Year: 2016  
GEPaid: CAD007873383  
Contact: KATHLEEN KOEPNICK  
Telephone: 3108203611  
Mailing Name: Not reported  
Mailing Address: 12101 W OLYMPIC BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Los Angeles  
TSD EPA ID: CAL000330453  
TSD County: Los Angeles  
Waste Category: Other organic solids  
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
Tons: 0.225  
Cat Decode: Other organic solids  
Method Decode: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
Facility County: Los Angeles

envid: 1000412256  
Year: 2016  
GEPaid: CAD007873383  
Contact: KATHLEEN KOEPNICK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARTIN CADILLAC CO INC (Continued)**

**1000412256**

Telephone: 3108203611  
Mailing Name: Not reported  
Mailing Address: 12101 W OLYMPIC BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Los Angeles  
TSD EPA ID: CAL000330453  
TSD County: Los Angeles  
Waste Category: Other organic solids  
Disposal Method: Metals Recovery Including Retoring,Smelting,Chemicals,Ect  
Tons: 0.45  
Cat Decode: Other organic solids  
Method Decode: Metals Recovery Including Retoring,Smelting,Chemicals,Ect  
Facility County: Los Angeles

envid: 1000412256  
Year: 2015  
GEPAID: CAD007873383  
Contact: KATHLEEN KOEPNICK  
Telephone: 3108203611  
Mailing Name: Not reported  
Mailing Address: 12101 W OLYMPIC BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Los Angeles  
TSD EPA ID: CAD008252405  
TSD County: Los Angeles  
Waste Category: Aqueous solution with total organic residues 10 percent or more  
Disposal Method: Fuel Blending Prior To Energy Recovery At Another Site  
Tons: 0.0834  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

[Click this hyperlink](#) while viewing on your computer to access 51 additional CA\_HAZNET: record(s) in the EDR Site Report.

**N56**  
**ESE**  
**1/8-1/4**  
**0.143 mi.**  
**753 ft.**

**MARTIN CADILLAC**  
**12101 W OLYMPIC BLVD**  
**LOS ANGELES, CA 90064**

**Site 4 of 4 in cluster N**

**AST A100422208**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**156 ft.**

AST:  
Certified Unified Program Agencies: Not reported  
Owner: MARTIN CADILLAC  
Total Gallons: Not reported  
CERSID: 10246495  
Facility ID: Not reported  
Business Name: MARTIN CADILLAC  
Phone: (310) 820-3611  
Fax: Not reported  
Mailing Address: 12101 OLYMPIC BLVD  
Mailing Address City: LOS ANGELES  
Mailing Address State: CA  
Mailing Address Zip Code: 90064  
Operator Name: MARTIN CADILLAC  
Operator Phone: (310) 820-3611  
Owner Phone: (310) 820-3611  
Owner Mail Address: 12101 OLYMPIC BLVD

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MARTIN CADILLAC (Continued)**

**A100422208**

Owner State: CA  
Owner Zip Code: 90064  
Owner Country: United States  
Property Owner Name: PHILENA PROPERTIES  
Property Owner Phone: Not reported  
Property Owner Mailing Address: 12101 OLYMPIC BLVD  
Property Owner City: LOS ANGELES  
Property Owner Stat : CA  
Property Owner Zip Code: 90064  
Property Owner Country: United States  
EPAID: CAD007873383

**O57**  
**South**  
**1/8-1/4**  
**0.145 mi.**  
**764 ft.**

**LANTANA SOUTH LLC-MAQUIRE PROPERTIES**  
**3301 EXPOSITION BLVD.**  
**SANTA MONICA, CA 90404**

**LUST S104581852**  
**N/A**

**Site 1 of 2 in cluster O**

**Relative:**  
**Lower**  
**Actual:**  
**150 ft.**

**LUST:**

Lead Agency: SANTA MONICA, CITY OF  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603795042](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603795042)  
Global Id: T0603795042  
Latitude: 34.029549  
Longitude: -118.457897  
Status: Completed - Case Closed  
Status Date: 09/12/2007  
Case Worker: MH  
RB Case Number: Not reported  
Local Agency: SANTA MONICA, CITY OF  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Other Solvent or Non-Petroleum Hydrocarbon, \* Solvents  
Site History: Not reported

**LUST:**

Global Id: T0603795042  
Contact Type: Local Agency Caseworker  
Contact Name: MONICA HANLEY  
Organization Name: SANTA MONICA, CITY OF  
Address: 333 Olympic Drive - 2nd Floor  
City: SANTA MONICA  
Email: monica.hanley@smgov.net  
Phone Number: Not reported

Global Id: T0603795042  
Contact Type: Regional Board Caseworker  
Contact Name: YUE RONG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4TH ST., SUITE 200  
City: Los Angeles  
Email: yrong@waterboards.ca.gov  
Phone Number: Not reported

**LUST:**

Global Id: T0603795042  
Action Type: Other

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**LANTANA SOUTH LLC-MAQUIRE PROPERTIES (Continued)**

**S104581852**

Date: 03/23/2007  
 Action: Leak Reported

Global Id: T0603795042  
 Action Type: REMEDIATION  
 Date: 03/13/2007  
 Action: Not reported

Global Id: T0603795042  
 Action Type: Other  
 Date: 03/13/2007  
 Action: Leak Discovery

**LUST:**

Global Id: T0603795042  
 Status: Open - Case Begin Date  
 Status Date: 03/01/2007

Global Id: T0603795042  
 Status: Open - Site Assessment  
 Status Date: 03/01/2007

Global Id: T0603795042  
 Status: Open - Site Assessment  
 Status Date: 03/23/2007

Global Id: T0603795042  
 Status: Open - Remediation  
 Status Date: 04/01/2007

Global Id: T0603795042  
 Status: Completed - Case Closed  
 Status Date: 09/12/2007

**O58**  
**South**  
**1/8-1/4**  
**0.145 mi.**  
**764 ft.**

**LANTANA SOUTH D/MAGUIRE PRPOERTIES**  
**3301 EXPOSITION BOULEVARD**  
**SANTA MONICA, CA 90404**

**RCRA-CESQG 1012175817**  
**CAP000182964**

**Site 2 of 2 in cluster O**

**Relative:**  
**Lower**  
**Actual:**  
**150 ft.**

RCRA-CESQG:  
 Date form received by agency: 06/16/2008  
 Facility name: LANTANA SOUTH D/MAGUIRE PRPOERTIES  
 Facility address: 3301 EXPOSITION BOULEVARD  
 SANTA MONICA, CA 90404  
 EPA ID: CAP000182964  
 Mailing address: 355 SOUTH GRAND AVENUE  
 SUITE 3300  
 LOS ANGELES, CA 90071  
 Contact: ROBERT PINKERTON  
 Contact address: Not reported  
 Not reported  
 Contact country: US  
 Contact telephone: 213-626-3300  
 Telephone ext.: 4430  
 Contact email: ROB.PINKERTON@MAGUIREPROPERTIES.COM



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LANTANA SOUTH D/MAGUIRE PRPOERTIES (Continued)**

**1012175817**

EPA Region: 09  
Classification: Conditionally Exempt Small Quantity Generator  
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: MAGUIRE PRPOERTIES - LANTAN SOUTH  
Owner/operator address: 355 SOUTH GRAND AVE, #3300  
LOS ANGELES, CA 90071  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 11/02/2004  
Owner/Op end date: Not reported

Owner/operator name: MAGUIRE PROPERTIES - LANTAN SOUTH LLC  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 11/02/2004  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LANTANA SOUTH D/MAGUIRE PRPOERTIES (Continued)**

**1012175817**

Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Waste code: F005  
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

**M59  
SE  
1/8-1/4  
0.148 mi.  
780 ft.**

**BARCO AVIATION, INC  
12322 EXPOSITION BLVD  
LOS ANGELES, CA 90064**

**SWEEPS UST S101588324  
CA FID UST N/A**

**Site 2 of 2 in cluster M**

**Relative:  
Lower  
Actual:  
152 ft.**

SWEEPS UST:  
Status: Active  
Comp Number: 8018  
Number: 1  
Board Of Equalization: Not reported  
Referral Date: 06-01-93  
Action Date: 06-01-93  
Created Date: 06-29-92  
Owner Tank Id: Not reported  
SWRCB Tank Id: Not reported  
Tank Status: Not reported  
Capacity: Not reported  
Active Date: Not reported  
Tank Use: Not reported  
STG: Not reported  
Content: Not reported  
Number Of Tanks: Not reported

CA FID UST:  
Facility ID: 19056570  
Regulated By: UTNKA  
Regulated ID: Not reported  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: Not reported  
Mail To: Not reported  
Mailing Address: 12322 EXPOSITION BLVD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 90064  
Contact: Not reported  
Contact Phone: Not reported  
DUNs Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Active

MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Site

Database(s)

EDR ID Number  
 EPA ID Number

**L60**  
**East**  
**1/8-1/4**  
**0.158 mi.**  
**832 ft.**

**CORNERSTONE PLAZA**  
**1990 S BUNDY DRIVE**  
**LOS ANGELES, CA 90025**

**Site 2 of 2 in cluster L**

**SWEEPS UST**  
**CA FID UST**  
**HAZNET**

**S101588249**  
**N/A**

**Relative:**  
**Higher**

**Actual:**  
**162 ft.**

**SWEEPS UST:**

Status: Active  
 Comp Number: 7368  
 Number: 3  
 Board Of Equalization: Not reported  
 Referral Date: 02-25-93  
 Action Date: 02-25-93  
 Created Date: 02-29-88  
 Owner Tank Id: Not reported  
 SWRCB Tank Id: Not reported  
 Tank Status: Not reported  
 Capacity: Not reported  
 Active Date: Not reported  
 Tank Use: Not reported  
 STG: Not reported  
 Content: Not reported  
 Number Of Tanks: Not reported

**CA FID UST:**

Facility ID: 19056490  
 Regulated By: UTNKA  
 Regulated ID: Not reported  
 Cortese Code: Not reported  
 SIC Code: Not reported  
 Facility Phone: 2138268344  
 Mail To: Not reported  
 Mailing Address: 1990 S BUNDY DR  
 Mailing Address 2: Not reported  
 Mailing City,St,Zip: LOS ANGELES 900250000  
 Contact: Not reported  
 Contact Phone: Not reported  
 DUNs Number: Not reported  
 NPDES Number: Not reported  
 EPA ID: Not reported  
 Comments: Not reported  
 Status: Active

**HAZNET:**

envid: S101588249  
 Year: 2016  
 GEPAID: CAC002878456  
 Contact: LUIS PASILLA  
 Telephone: 8184828017  
 Mailing Name: Not reported  
 Mailing Address: 1990 S BUNDY DRIVE  
 Mailing City,St,Zip: LOS ANGELES, CA 90025  
 Gen County: Los Angeles  
 TSD EPA ID: CAT080013352  
 TSD County: Los Angeles  
 Waste Category: Aqueous solution with total organic residues less than 10 percent  
 Disposal Method: Other Recovery Of Reclamation For Reuse Including Acid Regeneration, Organics Recovery Ect

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CORNERSTONE PLAZA (Continued)**

**S101588249**

Tons: 0.105  
Cat Decode: Aqueous solution with total organic residues less than 10 percent  
Method Decode: Other Recovery Of Reclamation For Reuse Including Acid Regeneration,  
Organics Recovery Ect  
Facility County: Los Angeles

**P61**  
**SW**  
**1/8-1/4**  
**0.163 mi.**  
**863 ft.**

**WESTCOAST WOOD WORKING & MFG.**  
**1816 BERKELEY ST.**  
**SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1003879967**  
**CA0000476580**

**Site 1 of 2 in cluster P**

**Relative:**  
**Lower**  
**Actual:**  
**157 ft.**

SEMS Archive:  
Site ID: 905097  
EPA ID: CA0000476580  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**SEMS Archive Detail:**

Region: 9  
Site ID: 905097  
EPA ID: CA0000476580  
Site Name: WESTCOAST WOOD WORKING & MFG.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1999-08-04 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905097  
EPA ID: CA0000476580  
Site Name: WESTCOAST WOOD WORKING & MFG.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905097  
EPA ID: CA0000476580  
Site Name: WESTCOAST WOOD WORKING & MFG.  
NPL: N  
FF: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

WESTCOAST WOOD WORKING & MFG. (Continued)

1003879967

OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: 1999-02-23 00:00:00  
Finish Date: 1999-08-04 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

Q62  
WSW  
1/8-1/4  
0.182 mi.  
961 ft.

HIGHLAND ENGINEERING  
1942 BERKEKLEY AVE.  
SANTA MONICA, CA 90404  
Site 1 of 8 in cluster Q

ENVIROSTOR S112057203  
N/A

Relative:  
Lower  
Actual:  
160 ft.

ENVIROSTOR:  
Facility ID: 60001736  
Status: No Further Action  
Status Date: 06/30/1997  
Site Code: Not reported  
Site Type: Evaluation  
Site Type Detailed: Evaluation  
Acres: 0  
NPL: NO  
Regulatory Agencies: LOS ANGELES COUNTY  
Lead Agency: LOS ANGELES COUNTY  
Program Manager: Lori Parnass  
Supervisor: Juli Propes  
Division Branch: Cleanup Cypress  
Assembly: 41  
Senate: 26  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: EPA Grant  
Latitude: 34.03215  
Longitude: -118.4631  
APN: NONE SPECIFIED  
Past Use: NONE SPECIFIED  
Potential COC: NONE SPECIFIED No Contaminants found  
Confirmed COC: No Contaminants found  
Potential Description: NMA  
Alias Name: 60001736  
Alias Type: Envirostor ID Number  
Completed Info:  
Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 06/30/1997  
Comments: No Further Action  
Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**HIGHLAND ENGINEERING (Continued)**

**S112057203**

Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**P63**  
**SW**  
**1/8-1/4**  
**0.182 mi.**  
**962 ft.**

**JOHN DRESCHER PROPERTY**  
**1815 STANFORD**  
**SANTA MONICA, CA 90405**

**LUST** **S101298079**  
**HIST CORTESE** **N/A**

**Site 2 of 2 in cluster P**

**Relative:**  
**Lower**  
**Actual:**  
**157 ft.**

LUST:

Lead Agency: SANTA MONICA, CITY OF  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603701408](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603701408)  
Global Id: T0603701408  
Latitude: 34.031106  
Longitude: -118.4636569  
Status: Completed - Case Closed  
Status Date: 06/28/2013  
Case Worker: MH  
RB Case Number: 904040270  
Local Agency: SANTA MONICA, CITY OF  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Stoddard solvent / Mineral Sprits / Distillates  
Site History: Not reported

LUST:

Global Id: T0603701408  
Contact Type: Local Agency Caseworker  
Contact Name: MONICA HANLEY  
Organization Name: SANTA MONICA, CITY OF  
Address: 333 Olympic Drive - 2nd Floor  
City: SANTA MONICA  
Email: monica.hanley@smgov.net  
Phone Number: Not reported

Global Id: T0603701408  
Contact Type: Regional Board Caseworker  
Contact Name: YUE RONG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4TH ST., SUITE 200  
City: Los Angeles  
Email: yrong@waterboards.ca.gov  
Phone Number: Not reported

LUST:

Global Id: T0603701408  
Action Type: Other  
Date: 07/17/1992  
Action: Leak Discovery

Global Id: T0603701408  
Action Type: Other  
Date: 07/17/1992  
Action: Leak Stopped

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**JOHN DRESCHER PROPERTY (Continued)**

**S101298079**

Global Id: T0603701408  
Action Type: Other  
Date: 07/29/1992  
Action: Leak Reported

**LUST:**

Global Id: T0603701408  
Status: Open - Case Begin Date  
Status Date: 07/17/1992

Global Id: T0603701408  
Status: Open - Site Assessment  
Status Date: 07/29/1992

Global Id: T0603701408  
Status: Completed - Case Closed  
Status Date: 06/28/2013

**LUST REG 4:**

Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 904040270  
Status: Preliminary site assessment underway  
Substance: Naphtha Distillate  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Soil  
Abatement Method Used at the Site: Not reported  
Global ID: T0603701408  
W Global ID: Not reported  
Staff: UNK  
Local Agency: 19033  
Cross Street: PENNSYLVANIA  
Enforcement Type: Not reported  
Date Leak Discovered: 7/17/1992  
Date Leak First Reported: 7/29/1992  
Date Leak Record Entered: 8/7/1992  
Date Confirmation Began: Not reported  
Date Leak Stopped: 7/17/1992  
Date Case Last Changed on Database: 8/14/1992  
Date the Case was Closed: Not reported  
How Leak Discovered: Subsurface Monitoring  
How Leak Stopped: Not reported  
Cause of Leak: UNK  
Leak Source: UNK  
Operator: DRESCHER, JOHN  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): 251.00137090661812175433067113  
Source of Cleanup Funding: UNK  
Preliminary Site Assessment Workplan Submitted: Not reported  
Preliminary Site Assessment Began: 7/29/1992  
Pollution Characterization Began: Not reported  
Remediation Plan Submitted: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**JOHN DRESCHER PROPERTY (Continued)**

**S101298079**

Remedial Action Underway:	Not reported
Post Remedial Action Monitoring Began:	Not reported
Enforcement Action Date:	Not reported
Historical Max MTBE Date:	Not reported
Hist Max MTBE Conc in Groundwater:	Not reported
Hist Max MTBE Conc in Soil:	Not reported
Significant Interim Remedial Action Taken:	Not reported
GW Qualifier:	Not reported
Soil Qualifier:	Not reported
Organization:	Not reported
Owner Contact:	Not reported
Responsible Party:	BLANK RP
RP Address:	Not reported
Program:	LUST
Lat/Long:	34.031106 / -1
Local Agency Staff:	UNK
Beneficial Use:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Suspended:	Not reported
Assigned Name:	Not reported
Summary:	Not reported

**HIST CORTESE:**

Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	904040270

**Q64**  
**WSW**  
**1/8-1/4**  
**0.188 mi.**  
**990 ft.**

**H. BEHLEN & BROS. (PIONEER MAGNETICS)**  
**1755 BERKELEY STREET**  
**SANTA MONICA, CA 90404**  
**Site 2 of 8 in cluster Q**

**ENVIROSTOR** **S112057207**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**160 ft.**

<b>ENVIROSTOR:</b>	
Facility ID:	60001745
Status:	No Further Action
Status Date:	07/13/1998
Site Code:	Not reported
Site Type:	Evaluation
Site Type Detailed:	Evaluation
Acres:	0
NPL:	NO
Regulatory Agencies:	LOS ANGELES COUNTY
Lead Agency:	LOS ANGELES COUNTY
Program Manager:	Johnson Abraham
Supervisor:	Shahir Haddad
Division Branch:	Cleanup Cypress
Assembly:	41
Senate:	26
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	EPA Grant
Latitude:	34.03295
Longitude:	-118.4636



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**H. BEHLEN & BROS. (PIONEER MAGNETICS) (Continued)**

**S112057207**

APN: NONE SPECIFIED  
Past Use: NONE  
Potential COC: NONE SPECIFIED No Contaminants found  
Confirmed COC: No Contaminants found  
Potential Description: NMA  
Alias Name: 60001745  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 07/13/1998  
Comments: No Further Action

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**Q65**  
**WSW**  
**1/8-1/4**  
**0.188 mi.**  
**990 ft.**

**H. BEHLEN & BROS.**  
**1755 BERKELEY AVE.**  
**SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1003879970**  
**CA0000476531**

**Site 3 of 8 in cluster Q**

**Relative:**  
**Lower**  
**Actual:**  
**160 ft.**

SEMS Archive:  
Site ID: 905100  
EPA ID: CA0000476531  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 905100  
EPA ID: CA0000476531  
Site Name: H. BEHLEN & BROS.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-03-22 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905100  
EPA ID: CA0000476531

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**H. BEHLEN & BROS. (Continued)**

**1003879970**

Site Name: H. BEHLEN & BROS.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: DS  
 Action Name: DISCVRY  
 SEQ: 1  
 Start Date: 1994-07-29 00:00:00  
 Finish Date: 1994-07-29 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf

Region: 9  
 Site ID: 905100  
 EPA ID: CA0000476531  
 Site Name: H. BEHLEN & BROS.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: PA  
 Action Name: PA  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-03-22 00:00:00  
 Qual: N  
 Current Action Lead: EPA Perf

**66**  
**SE**  
**1/8-1/4**  
**0.193 mi.**  
**1017 ft.**

**ROTOFLOW CORPORATION**  
**2235 S CARMELINA AVE**  
**LOS ANGELES, CA 90064**

**RCRA-SQG 1000332446**  
**FINDS CAD982029696**  
**ECHO**

**Relative:**  
**Lower**  
**Actual:**  
**150 ft.**

RCRA-SQG:  
 Date form received by agency: 09/01/1996  
 Facility name: ROTOFLOW CORPORATION  
 Facility address: 2235 S CARMELINA AVE  
 LOS ANGELES, CA 90064  
 EPA ID: CAD982029696  
 Mailing address: S CARMELINA AVE  
 LOS ANGELES, CA 90064  
 Contact: Not reported  
 Contact address: Not reported  
 Not reported  
 Contact country: US  
 Contact telephone: Not reported  
 Contact email: Not reported  
 EPA Region: 09  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ROTOFLOW CORPORATION (Continued)**

**1000332446**

Owner/operator name: ROTOFLOW CORPORATION  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002782221

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ROTOFLOW CORPORATION (Continued)**

**1000332446**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000332446  
Registry ID: 110002782221  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002782221>

R67  
ESE  
1/8-1/4  
0.198 mi.  
1048 ft.

**BUNDY CLEANERS, INC**  
**2139 S BUNDY DR**  
**LOS ANGELES, CA 90064**

**DRYCLEANERS S121695212**  
**N/A**

**Site 1 of 12 in cluster R**

**Relative:**  
**Lower**  
**Actual:**  
**155 ft.**

**DRYCLEAN SOUTH COAST:**

Facility ID: 13617  
Application Number: A41614  
Permit Number: P21758  
Status: O  
Representative Name: Not reported  
Representative Telephone: Not reported  
Permit Status: INACTIVE  
BCAT Number: 000233  
BCAT Description: DRY CLEANING EQUIP PETROLEUM SOLVENT  
UTM East: 0  
UTM North: 0

Facility ID: 13617  
Application Number: A41615  
Permit Number: P21759  
Status: O  
Representative Name: Not reported  
Representative Telephone: Not reported  
Permit Status: INACTIVE  
BCAT Number: 000233  
BCAT Description: DRY CLEANING EQUIP PETROLEUM SOLVENT  
UTM East: 0  
UTM North: 0

Facility ID: 13617  
Application Number: A41616  
Permit Number: P21760  
Status: O  
Representative Name: Not reported  
Representative Telephone: Not reported  
Permit Status: INACTIVE  
BCAT Number: 000233  
BCAT Description: DRY CLEANING EQUIP PETROLEUM SOLVENT  
UTM East: 0  
UTM North: 0

Facility ID: 13617  
Application Number: A41617  
Permit Number: P21761  
Status: O  
Representative Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUNDY CLEANERS, INC (Continued)**

**S121695212**

Representative Telephone: Not reported  
Permit Status: INACTIVE  
BCAT Number: 000233  
BCAT Description: DRY CLEANING EQUIP PETROLEUM SOLVENT  
UTM East: 0  
UTM North: 0

**R68** **BUNDY CLEANERS INC**  
**ESE** **2139 S BUNDY DR**  
**1/8-1/4** **LOS ANGELES, CA 90064**  
**0.198 mi.**  
**1048 ft.** **Site 2 of 12 in cluster R**

**UST** **U003780463**  
**SWEEPS UST** **N/A**

**Relative:** UST:  
**Lower** Facility ID: 24020  
Permitting Agency: LOS ANGELES, CITY OF  
**Actual:** Latitude: 34.033168  
**155 ft.** Longitude: -118.452768

**SWEEPS UST:**  
Status: Active  
Comp Number: 2864  
Number: 1  
Board Of Equalization: 44-012598  
Referral Date: 04-21-93  
Action Date: 04-19-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-002864-000001  
Tank Status: A  
Capacity: 1000  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: 1

**R69** **BUNDY CLEANERS INC**  
**ESE** **2139 S BUNDY DR**  
**1/8-1/4** **LOS ANGELES, CA 90064**  
**0.198 mi.**  
**1048 ft.** **Site 3 of 12 in cluster R**

**HIST UST** **S101586037**  
**CA FID UST** **N/A**  
**DRYCLEANERS**  
**EMI**

**Relative:** HIST UST:  
**Lower** File Number: 00027360  
**Actual:** URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00027360.pdf>  
**155 ft.** Region: Not reported  
Facility ID: Not reported  
Facility Type: Not reported  
Other Type: Not reported  
Contact Name: Not reported  
Telephone: Not reported  
Owner Name: Not reported  
Owner Address: Not reported  
Owner City,St,Zip: Not reported  
Total Tanks: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BUNDY CLEANERS INC (Continued)**

**S101586037**

Tank Num: Not reported  
Container Num: Not reported  
Year Installed: Not reported  
Tank Capacity: Not reported  
Tank Used for: Not reported  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Not reported

[Click here for Geo Tracker PDF:](#)

**CA FID UST:**

Facility ID: 19036800  
Regulated By: UTNKA  
Regulated ID: 00050954  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2134791939  
Mail To: Not reported  
Mailing Address: 2139 BUNDY  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900640000  
Contact: Not reported  
Contact Phone: Not reported  
DUNs Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Active

**DRYCLEAN SOUTH COAST:**

Facility ID: 40339  
Application Number: 112078  
Permit Number: M32766  
Status: O  
Representative Name: S. D. KIM  
Representative Telephone: 213 4791939  
Permit Status: INACT\_NR  
BCAT Number: 000234  
BCAT Description: DRY CLEANING EQUIP PERCHLOROETHYLENE  
UTM East: 366  
UTM North: 3766.3999023

**EMI:**

Year: 1987  
County Code: 19  
Air Basin: SC  
Facility ID: 40339  
Air District Name: SC  
SIC Code: 7216  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 2  
Reactive Organic Gases Tons/Yr: 0  
Carbon Monoxide Emissions Tons/Yr: 0

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BUNDY CLEANERS INC (Continued)**

**S101586037**

NOX - Oxides of Nitrogen Tons/Yr: 0  
 SOX - Oxides of Sulphur Tons/Yr: 0  
 Particulate Matter Tons/Yr: 0  
 Part. Matter 10 Micrometers and Smlr Tons/Yr:0

Year: 1990  
 County Code: 19  
 Air Basin: SC  
 Facility ID: 40339  
 Air District Name: SC  
 SIC Code: 7216  
 Air District Name: SOUTH COAST AQMD  
 Community Health Air Pollution Info System: Not reported  
 Consolidated Emission Reporting Rule: Not reported  
 Total Organic Hydrocarbon Gases Tons/Yr: 2  
 Reactive Organic Gases Tons/Yr: 0  
 Carbon Monoxide Emissions Tons/Yr: 0  
 NOX - Oxides of Nitrogen Tons/Yr: 0  
 SOX - Oxides of Sulphur Tons/Yr: 0  
 Particulate Matter Tons/Yr: 0  
 Part. Matter 10 Micrometers and Smlr Tons/Yr:0

**R70**  
**ESE**  
**1/8-1/4**  
**0.198 mi.**  
**1048 ft.**

**BUDY CLEANERS**  
**2139 S BUNDY DR**  
**LOS ANGELES, CA 90064**  
**Site 4 of 12 in cluster R**

**HIST UST** **U001562406**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**155 ft.**

**HIST UST:**

File Number: Not reported  
 URL: Not reported  
 Region: STATE  
 Facility ID: 00000050954  
 Facility Type: Other  
 Other Type: CLEANERS  
 Contact Name: Not reported  
 Telephone: 2134792869  
 Owner Name: KIM SAE D.  
 Owner Address: 2139 SO. BUNDY DR.  
 Owner City,St,Zip: LOS ANGELES, CA 90064  
 Total Tanks: 0001

Tank Num: 001  
 Container Num: 1  
 Year Installed: 1967  
 Tank Capacity: 00001000  
 Tank Used for: WASTE  
 Type of Fuel: Not reported  
 Container Construction Thickness: Not reported  
 Leak Detection: Stock Inventor

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

S71  
ESE  
1/8-1/4  
0.204 mi.  
1079 ft.

**POLEY SERVICE CTR**  
**2050 BUNDY DR**  
**WEST LOS ANGELES, CA 90025**

**RCRA-SQG 1000686183**  
**FINDS CAD983634189**  
**ECHO**

**Site 1 of 7 in cluster S**

**Relative:**  
**Lower**

RCRA-SQG:

**Actual:**  
**158 ft.**

Date form received by agency: 04/14/1992  
Facility name: POLEY SERVICE CTR  
Facility address: 2050 BUNDY DR  
WEST LOS ANGELES, CA 90025  
EPA ID: CAD983634189  
Contact: GOODEN JR WALTER  
Contact address: 2050 BUNDY DR  
WEST LOS ANGELES, CA 90025  
Contact country: US  
Contact telephone: 310-820-5952  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: WALTER C GOODEN JR  
Owner/operator address: 2050 BUNDY DR STE 290  
WEST LOS ANGELES, CA 90025  
Owner/operator country: Not reported  
Owner/operator telephone: 310-820-5952  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**POLEY SERVICE CTR (Continued)**

**1000686183**

**FINDS:**

Registry ID: 110002874907

**Environmental Interest/Information System**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000686183  
Registry ID: 110002874907  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002874907>

**S72**  
**ESE**  
**1/8-1/4**  
**0.204 mi.**  
**1079 ft.**

**ROLEX AUTHORIZED SERVICE CTR**  
**2050 BUNDY DR STE 290**  
**LOS ANGELES, CA 90034**  
**Site 2 of 7 in cluster S**

**RCRA-SQG** **1000597285**  
**FINDS** **CAD983612888**  
**ECHO**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

**RCRA-SQG:**  
Date form received by agency: 11/11/1991  
Facility name: ROLEX AUTHORIZED SERVICE CTR  
Facility address: 2050 BUNDY DR STE 290  
LOS ANGELES, CA 90034  
EPA ID: CAD983612888  
Contact: WALTER GOODEN  
Contact address: 2050 BUNDY DR STE 290  
LOS ANGELES, CA 90034  
Contact country: US  
Contact telephone: 213-820-5952  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: WALTER GOODEN JR  
Owner/operator address: 2050 BUNDY DR STE 290  
LOS ANGELES, CA 90034  
Owner/operator country: Not reported  
Owner/operator telephone: 213-820-5952  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ROLEX AUTHORIZED SERVICE CTR (Continued)**

**1000597285**

Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

**FINDS:**

Registry ID: 110002864687

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000597285  
Registry ID: 110002864687  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002864687>

73  
East  
1/8-1/4  
0.207 mi.  
1091 ft.

**UNILAB WEST L A STAT LAB**  
**11915 LA GRANGE AVE**  
**LOS ANGELES, CA 90025**

**RCRA-SQG 1000820444**  
**CAD983664814**

**Relative:**  
**Higher**  
**Actual:**  
**163 ft.**

RCRA-SQG:  
Date form received by agency: 10/31/2001  
Facility name: UNILAB WEST L A STAT LAB  
Facility address: 11915 LA GRANGE AVE  
LOS ANGELES, CA 90025-5213  
EPA ID: CAD983664814

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**UNILAB WEST L A STAT LAB (Continued)**

**1000820444**

Mailing address: 18408 OXNARD ST  
TARZANA, CA 91356  
Contact: JAN DEERING  
Contact address: 18408 OXNARD ST  
TARZANA, CA 91356  
Contact country: US  
Contact telephone: 818-996-7300  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: UNILAB CORPORATION  
Owner/operator address: 18408 OXNARD ST  
TARZANA, CA 91356  
Owner/operator country: Not reported  
Owner/operator telephone: 818-996-7300  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

. Waste code: D001  
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**UNILAB WEST L A STAT LAB (Continued)**

**1000820444**

- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: U122
- . Waste name: FORMALDEHYDE

Historical Generators:

- Date form received by agency: 09/01/1996
- Site name: UNILAB WEST L A STAT LAB
- Classification: Small Quantity Generator
  
- Violation Status: No violations found

**T74**  
**SW**  
**1/8-1/4**  
**0.209 mi.**  
**1102 ft.**

**KIPER LASCU**  
**3000 W OLYMPIC BLVD STE 2200**  
**SANTA MONICA, CA 90404**

**RCRA-SQG 1000472880**  
**HAZNET CAD982434557**

**Site 1 of 3 in cluster T**

**Relative:**  
**Lower**  
**Actual:**  
**155 ft.**

- RCRA-SQG:
- Date form received by agency: 10/23/1990
- Facility name: KIPER LASCU
- Facility address: 3000 W OLYMPIC BLVD STE 2200  
SANTA MONICA, CA 90404
- EPA ID: CAD982434557
- Contact: ENVIRONMENTAL MANAGER
- Contact address: 3000 W OLYMPIC BLVD STE 2200  
SANTA MONICA, CA 90404
- Contact country: US
- Contact telephone: 213-315-4889
- Contact email: Not reported
- EPA Region: 09
- Classification: Small Small Quantity Generator
- Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

- Owner/operator name: GEORGE LASCU
- Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999
- Owner/operator country: Not reported
- Owner/operator telephone: 415-555-1212
- Owner/operator email: Not reported
- Owner/operator fax: Not reported
- Owner/operator extension: Not reported
- Legal status: Private

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**KIPER LASCU (Continued)**

**1000472880**

Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999

Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

HAZNET:

envid: 1000472880  
Year: 1993  
GEPaid: CAD982434557  
Contact: GEORGE LASCU  
Telephone: 4155551212  
Mailing Name: Not reported  
Mailing Address: 3000 W OLYMPIC BLVD STE 2200  
Mailing City,St,Zip: SANTA MONICA, CA 904040000  
Gen County: Not reported  
TSD EPA ID: CAD108040858  
TSD County: Not reported  
Waste Category: Photochemicals/photoprocessing waste  
Disposal Method: Recycler  
Tons: 7.08000000000  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

T75  
SW  
1/8-1/4  
0.209 mi.  
1102 ft.

**DIGITAL MAGIC CO**  
**3000 W OLYMPIC BLVD STE 2500**  
**SANTA MONICA, CA 90404**

**Site 2 of 3 in cluster T**

**RCRA-SQG 1001217342**  
**FINDS CAR000032508**  
**ECHO**  
**HAZNET**

**Relative:**  
**Lower**

RCRA-SQG:

Date form received by agency: 10/10/1997

**Actual:**  
**155 ft.**

Facility name: DIGITAL MAGIC CO  
Facility address: 3000 W OLYMPIC BLVD STE 2500  
SANTA MONICA, CA 90404

EPA ID: CAR000032508  
Mailing address: 2813 W ALAMEDA AVE  
BURBANK, CA 91505

Contact: MERLE SHARP  
Contact address: 2813 W ALAMEDA AVE  
BURBANK, CA 91505

Contact country: US  
Contact telephone: 818-840-7239  
Contact email: Not reported

EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: DIGITAL MAGIC CO  
Owner/operator address: 2813 W ALAMEDA AVE  
BURBANK, CA 91505

Owner/operator country: Not reported  
Owner/operator telephone: 818-840-7000  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DIGITAL MAGIC CO (Continued)**

**1001217342**

. Waste code: F001  
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F002  
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Historical Generators:

Date form received by agency: 10/10/1997  
Site name: DIGITAL MAGIC CO  
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009553107

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1001217342  
Registry ID: 110009553107  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110009553107>

HAZNET:

envid: 1001217342  
Year: 2001  
GEPaid: CAR000032508  
Contact: JEFF QUINN CHIEF ENGINEER  
Telephone: 8188407944  
Mailing Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DIGITAL MAGIC CO (Continued)**

**1001217342**

Mailing Address: 2813 W ALAMEDA AVE  
Mailing City,St,Zip: BURBANK, CA 915050000  
Gen County: Not reported  
TSD EPA ID: CAD008252405  
TSD County: Not reported  
Waste Category: Liquids with halogenated organic compounds >= 1,000 Mg./L  
Disposal Method: Recycler  
Tons: 0.08  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1001217342  
Year: 2000  
GEPaid: CAR000032508  
Contact: JEFF QUINN CHIEF ENGINEER  
Telephone: 8188407944  
Mailing Name: Not reported  
Mailing Address: 2813 W ALAMEDA AVE  
Mailing City,St,Zip: BURBANK, CA 915050000  
Gen County: Not reported  
TSD EPA ID: CAD008252405  
TSD County: Not reported  
Waste Category: Liquids with halogenated organic compounds >= 1,000 Mg./L  
Disposal Method: Recycler  
Tons: 0.12  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1001217342  
Year: 1999  
GEPaid: CAR000032508  
Contact: DIGITAL MAGIC CO  
Telephone: 8188407000  
Mailing Name: Not reported  
Mailing Address: 2813 W ALAMEDA AVE  
Mailing City,St,Zip: BURBANK, CA 915050000  
Gen County: Not reported  
TSD EPA ID: CAD008252405  
TSD County: Not reported  
Waste Category: Liquids with halogenated organic compounds >= 1,000 Mg./L  
Disposal Method: Recycler  
Tons: .2293  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1001217342  
Year: 1998  
GEPaid: CAR000032508  
Contact: DIGITAL MAGIC CO  
Telephone: 8188407000  
Mailing Name: Not reported  
Mailing Address: 2813 W ALAMEDA AVE  
Mailing City,St,Zip: BURBANK, CA 915050000  
Gen County: Not reported



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**DIGITAL MAGIC CO (Continued)**

**1001217342**

TSD EPA ID: CAD009452657  
 TSD County: Not reported  
 Waste Category: Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)  
 Disposal Method: Recycler  
 Tons: .3127  
 Cat Decode: Not reported  
 Method Decode: Not reported  
 Facility County: Los Angeles

envid: 1001217342  
 Year: 1998  
 GEPAID: CAR000032508  
 Contact: DIGITAL MAGIC CO  
 Telephone: 8188407000  
 Mailing Name: Not reported  
 Mailing Address: 2813 W ALAMEDA AVE  
 Mailing City, St, Zip: BURBANK, CA 915050000  
 Gen County: Not reported  
 TSD EPA ID: CAD000088252  
 TSD County: Not reported  
 Waste Category: Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)  
 Disposal Method: Transfer Station  
 Tons: .2085  
 Cat Decode: Not reported  
 Method Decode: Not reported  
 Facility County: Los Angeles

[Click this hyperlink](#) while viewing on your computer to access additional CA\_HAZNET: detail in the EDR Site Report.

**T76**  
**SW**  
**1/8-1/4**  
**0.209 mi.**  
**1102 ft.**

**SYSTEM DEVELOPMENT CORPORATION**  
**3000 OLYMPIC BLVD**  
**SANTA MONICA, CA 90406**  
**Site 3 of 3 in cluster T**

**RCRA-SQG 1000400216**  
**FINDS CAD981402167**  
**ECHO**

**Relative:**  
**Lower**  
**Actual:**  
**155 ft.**

RCRA-SQG:  
 Date form received by agency: 05/02/1986  
 Facility name: SYSTEM DEVELOPMENT CORPORATION  
 Facility address: 3000 OLYMPIC BLVD  
 SANTA MONICA, CA 90406  
 EPA ID: CAD981402167  
 Mailing address: 2525 COLORADO AVENUE  
 SANTA MONICA, CA 90406  
 Contact: ENVIRONMENTAL MANAGER  
 Contact address: 3000 OLYMPIC BLVD  
 SANTA MONICA, CA 90406  
 Contact country: US  
 Contact telephone: 213-453-6121  
 Contact email: Not reported  
 EPA Region: 09  
 Classification: Small Small Quantity Generator  
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SYSTEM DEVELOPMENT CORPORATION (Continued)**

**1000400216**

hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: JULIUS LEFKOWITZ  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002695254

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SYSTEM DEVELOPMENT CORPORATION (Continued)**

**1000400216**

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000400216  
 Registry ID: 110002695254  
 DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002695254>

**Q77**  
**WSW**  
**1/8-1/4**  
**0.209 mi.**  
**1102 ft.**

**F. A. NUGIER CO.**  
**1758 BERKELEY AVE.**  
**SANTA MONICA, CA 90404**

**ENVIROSTOR S112057200**  
**N/A**

**Site 4 of 8 in cluster Q**

**Relative:**  
**Lower**  
**Actual:**  
**160 ft.**

ENVIROSTOR:  
 Facility ID: 60001730  
 Status: No Further Action  
 Status Date: 05/08/2013  
 Site Code: Not reported  
 Site Type: Evaluation  
 Site Type Detailed: Evaluation  
 Acres: 0.25  
 NPL: NO  
 Regulatory Agencies: LOS ANGELES COUNTY  
 Lead Agency: LOS ANGELES COUNTY  
 Program Manager: Lori Parnass  
 Supervisor: Juli Propes  
 Division Branch: Cleanup Cypress  
 Assembly: 41  
 Senate: 26  
 Special Program: Not reported  
 Restricted Use: NO  
 Site Mgmt Req: NONE SPECIFIED  
 Funding: EPA Grant  
 Latitude: 34.03271  
 Longitude: -118.4637  
 APN: NONE SPECIFIED  
 Past Use: NONE  
 Potential COC: NONE SPECIFIED No Contaminants found  
 Confirmed COC: No Contaminants found  
 Potential Description: NMA  
 Alias Name: 60001730  
 Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
 Completed Sub Area Name: Not reported  
 Completed Document Type: Site Screening  
 Completed Date: 06/30/1997  
 Comments: No Further Action  
  
 Future Area Name: Not reported  
 Future Sub Area Name: Not reported  
 Future Document Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**F. A. NUGIER CO. (Continued)**

**S112057200**

Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**Q78**  
**WSW**  
**1/8-1/4**  
**0.209 mi.**  
**1102 ft.**

**T.H. NUGIER CO. / CARSON MFG. CO.**  
**1758 BERKELEY AVE.**  
**SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1003879971**  
**CA0000476515**

**Site 5 of 8 in cluster Q**

**Relative:**  
**Lower**  
**Actual:**  
**160 ft.**

SEMS Archive:  
Site ID: 905101  
EPA ID: CA0000476515  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**SEMS Archive Detail:**

Region: 9  
Site ID: 905101  
EPA ID: CA0000476515  
Site Name: T.H. NUGIER CO. / CARSON MFG. CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-11 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905101  
EPA ID: CA0000476515  
Site Name: T.H. NUGIER CO. / CARSON MFG. CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905101  
EPA ID: CA0000476515  
Site Name: T.H. NUGIER CO. / CARSON MFG. CO.  
NPL: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

T.H. NUGIER CO. / CARSON MFG. CO. (Continued)

1003879971

FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-11 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

U79  
SSW  
1/8-1/4  
0.211 mi.  
1112 ft.

DOUGLAS AIRCRAFT PLT  
SANTA MONICA, CA  
Site 1 of 5 in cluster U

ENVIROSTOR S107736231  
N/A

Relative:  
Lower  
Actual:  
150 ft.

ENVIROSTOR:  
Facility ID: 80000074  
Status: Inactive - Needs Evaluation  
Status Date: 07/01/2005  
Site Code: Not reported  
Site Type: Military Evaluation  
Site Type Detailed: FUDS  
Acres: Not reported  
NPL: NO  
Regulatory Agencies: SMBRP  
Lead Agency: SMBRP  
Program Manager: Not reported  
Supervisor: Douglas Bautista  
Division Branch: Cleanup Cypress  
Assembly: 50  
Senate: 26  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: DERA  
Latitude: 34.02916  
Longitude: -118.4611  
APN: NONE SPECIFIED  
Past Use: NONE SPECIFIED  
Potential COC: NONE SPECIFIED  
Confirmed COC: NONE SPECIFIED  
Potential Description: NONE SPECIFIED  
Alias Name: CA99799F531500  
Alias Type: Federal Facility ID  
Alias Name: J09CA0111  
Alias Type: INPR  
Alias Name: 80000074  
Alias Type: Envirostor ID Number

Completed Info:  
Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Inventory Project Report (INPR)  
Completed Date: 08/10/1994  
Comments: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DOUGLAS AIRCRAFT PLT (Continued)**

**S107736231**

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**V80  
NE  
1/8-1/4  
0.215 mi.  
1135 ft.**

**WEST LOS ANGELES ANIMAL SHELTE  
11950 MISSOURI AVE  
LOS ANGELES, CA 90025  
Site 1 of 3 in cluster V**

**SWEEPS UST S101617292  
HIST UST N/A  
CA FID UST**

**Relative:  
Higher  
Actual:  
170 ft.**

**SWEEPS UST:**  
Status: Not reported  
Comp Number: 2434  
Number: Not reported  
Board Of Equalization: Not reported  
Referral Date: Not reported  
Action Date: Not reported  
Created Date: Not reported  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-002434-000001  
Tank Status: Not reported  
Capacity: 500  
Active Date: Not reported  
Tank Use: M.V. FUEL  
STG: PRODUCT  
Content: DIESEL  
Number Of Tanks: 1

**HIST UST:**  
File Number: 000275C0  
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/000275C0.pdf>  
Region: Not reported  
Facility ID: Not reported  
Facility Type: Not reported  
Other Type: Not reported  
Contact Name: Not reported  
Telephone: Not reported  
Owner Name: Not reported  
Owner Address: Not reported  
Owner City,St,Zip: Not reported  
Total Tanks: Not reported  
  
Tank Num: Not reported  
Container Num: Not reported  
Year Installed: Not reported  
Tank Capacity: Not reported  
Tank Used for: Not reported  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

WEST LOS ANGELES ANIMAL SHELTE (Continued)

S101617292

Click here for Geo Tracker PDF:

CA FID UST:

Facility ID: 19025214  
Regulated By: UTNKA  
Regulated ID: 00047073  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2138202691  
Mail To: Not reported  
Mailing Address: 200 N MAIN STREET-ROOM  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900250000  
Contact: Not reported  
Contact Phone: Not reported  
DUNs Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Active

V81  
NE  
1/8-1/4  
0.215 mi.  
1135 ft.

LA WEST LOS ANGELES ANIMAL SHELTER  
11950 W MISSOURI AVE  
WEST LOS ANGELES, CA 90025

RCRA-SQG 1000436734  
FINDS CAD981988371  
ECHO  
HAZNET

Site 2 of 3 in cluster V

Relative:  
Higher  
Actual:  
170 ft.

RCRA-SQG:  
Date form received by agency:03/25/1987  
Facility name: LA WEST LOS ANGELES ANIMAL SHELTER  
Facility address: 11950 W MISSOURI AVE  
WEST LOS ANGELES, CA 90025  
EPA ID: CAD981988371  
Mailing address: 200 N MAIN RM EIGHTH HUNDREDCH  
LOS ANGELES, CA 90012  
Contact: ENVIRONMENTAL MANAGER  
Contact address: 11950 W MISSOURI AVE  
WEST LOS ANGELES, CA 90025  
Contact country: US  
Contact telephone: 213-485-7527  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LA WEST LOS ANGELES ANIMAL SHELTER (Continued)**

**1000436734**

Owner/operator extension: Not reported  
Legal status: Municipal  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: CITY OF LOS ANGELES  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999

Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Municipal  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110002767319

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000436734  
Registry ID: 110002767319



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LA WEST LOS ANGELES ANIMAL SHELTER (Continued)**

**1000436734**

DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002767319>

HAZNET:

envid: 1000436734  
Year: 1999  
GEPaid: CAD981988371  
Contact: CITY OF L A ANIMAL REGULATION  
Telephone: 2138938400  
Mailing Name: Not reported  
Mailing Address: 11950 MISSOURI AVE  
Mailing City,St,Zip: W LOS ANGELES, CA 900252001  
Gen County: Not reported  
TSD EPA ID: CAD009007626  
TSD County: Not reported  
Waste Category: Asbestos containing waste  
Disposal Method: Disposal, Land Fill  
Tons: .8428  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1000436734  
Year: 1993  
GEPaid: CAD981988371  
Contact: CITY OF L A ANIMAL REGULATION  
Telephone: 2138938400  
Mailing Name: Not reported  
Mailing Address: 11950 MISSOURI AVE  
Mailing City,St,Zip: W LOS ANGELES, CA 900252001  
Gen County: Not reported  
TSD EPA ID: CAD099452708  
TSD County: Not reported  
Waste Category: Unspecified aqueous solution  
Disposal Method: Recycler  
Tons: 8.34000000000  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

**V82  
NE  
1/8-1/4  
0.215 mi.  
1135 ft.**

**WEST LOS ANGELES ANIMAL SHELTE  
11950 MISSOURI AVE  
LOS ANGELES, CA 90025**

**HIST UST U001561136  
N/A**

**Site 3 of 3 in cluster V**

**Relative:  
Higher  
Actual:  
170 ft.**

HIST UST:  
File Number: Not reported  
URL: Not reported  
Region: STATE  
Facility ID: 00000047073  
Facility Type: Other  
Other Type: ANIMAL REGULATION  
Contact Name: KENNETH WILLIAMS, DIST. SUPERV  
Telephone: 2138202691  
Owner Name: DEPARTMENT OF ANIMAL REGULATIO  
Owner Address: 200 N. MAIN STREET, RM. 1650,  
Owner City,St,Zip: LOS ANGELES, CA 90012

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WEST LOS ANGELES ANIMAL SHELTE (Continued)**

**U001561136**

Total Tanks: 0001  
Tank Num: 001  
Container Num: 1  
Year Installed: Not reported  
Tank Capacity: 00000500  
Tank Used for: PRODUCT  
Type of Fuel: DIESEL  
Container Construction Thickness: 12  
Leak Detection: Not reported

**Q83**  
**WSW**  
**1/8-1/4**  
**0.215 mi.**  
**1136 ft.**

**W.C. PRODUCTS INC.**  
**1748 BERKELEY AVE.**  
**SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1003879972**  
**CA0000476598**

**Site 6 of 8 in cluster Q**

**Relative:**  
**Lower**  
**Actual:**  
**160 ft.**

SEMS Archive:  
Site ID: 905102  
EPA ID: CA0000476598  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**SEMS Archive Detail:**

Region: 9  
Site ID: 905102  
EPA ID: CA0000476598  
Site Name: W.C. PRODUCTS INC.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1999-08-03 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905102  
EPA ID: CA0000476598  
Site Name: W.C. PRODUCTS INC.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**W.C. PRODUCTS INC. (Continued)**

**1003879972**

Site ID: 905102  
 EPA ID: CA0000476598  
 Site Name: W.C. PRODUCTS INC.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: PA  
 Action Name: PA  
 SEQ: 1  
 Start Date: 1999-02-23 00:00:00  
 Finish Date: 1999-08-03 00:00:00  
 Qual: N  
 Current Action Lead: EPA Perf

**R84  
 ESE  
 1/8-1/4  
 0.217 mi.  
 1147 ft.**

**UNION OIL SERVICE STATION 301  
 12100 WEST OLYMPIC BLVD  
 LOS ANGELES, CA 90064  
 Site 5 of 12 in cluster R**

**HIST UST S118416431  
 N/A**

**Relative:  
 Lower  
 Actual:  
 156 ft.**

HIST UST:  
 File Number: 0002831A  
 URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/0002831A.pdf>  
 Region: Not reported  
 Facility ID: Not reported  
 Facility Type: Not reported  
 Other Type: Not reported  
 Contact Name: Not reported  
 Telephone: Not reported  
 Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Total Tanks: Not reported  
  
 Tank Num: Not reported  
 Container Num: Not reported  
 Year Installed: Not reported  
 Tank Capacity: Not reported  
 Tank Used for: Not reported  
 Type of Fuel: Not reported  
 Container Construction Thickness: Not reported  
 Leak Detection: Not reported

Click here for Geo Tracker PDF:

**R85  
 ESE  
 1/8-1/4  
 0.217 mi.  
 1147 ft.**

**MOBIL #18-G8L  
 12100 OLYMPIC  
 LOS ANGELES, CA  
 Site 6 of 12 in cluster R**

**HIST CORTESE S105024660  
 N/A**

**Relative:  
 Lower  
 Actual:  
 156 ft.**

HIST CORTESE:  
 Region: CORTESE  
 Facility County Code: 19  
 Reg By: LTNKA

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**MOBIL #18-G8L (Continued)**

**S105024660**

Reg Id: 900640098

**R86**  
**ESE**  
**1/8-1/4**  
**0.217 mi.**  
**1147 ft.**

**UNION SERVICE STATION 3019**  
**12100 W OLYMPIC BLVD**  
**LOS ANGELES, CA 90064**

**SWEEPS UST**  
**HIST UST**  
**CA FID UST**

**S101583097**  
**N/A**

**Site 7 of 12 in cluster R**

**Relative:**  
**Lower**  
**Actual:**  
**156 ft.**

**SWEEPS UST:**  
Status: Active  
Comp Number: 1735  
Number: 9  
Board Of Equalization: 44-000051  
Referral Date: 03-11-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001735-000001  
Tank Status: A  
Capacity: 9940  
Active Date: 04-20-88  
Tank Use: M.V. FUEL  
STG: P  
Content: REG UNLEADED  
Number Of Tanks: 4

Status: Active  
Comp Number: 1735  
Number: 9  
Board Of Equalization: 44-000051  
Referral Date: 03-11-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001735-000002  
Tank Status: A  
Capacity: 9940  
Active Date: 04-20-88  
Tank Use: M.V. FUEL  
STG: P  
Content: REG UNLEADED  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 1735  
Number: 9  
Board Of Equalization: 44-000051  
Referral Date: 03-11-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001735-000003  
Tank Status: A  
Capacity: 9940  
Active Date: 04-20-88  
Tank Use: M.V. FUEL  
STG: P  
Content: DIESEL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**UNION SERVICE STATION 3019 (Continued)**

**S101583097**

Number Of Tanks: Not reported  
Status: Active  
Comp Number: 1735  
Number: 9  
Board Of Equalization: 44-000051  
Referral Date: 03-11-93  
Action Date: 03-24-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-001735-000004  
Tank Status: A  
Capacity: 550  
Active Date: 04-20-88  
Tank Use: OIL  
STG: W  
Content: WASTE OIL  
Number Of Tanks: Not reported

**HIST UST:**

File Number: 00028ECB  
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00028ECB.pdf>  
Region: Not reported  
Facility ID: Not reported  
Facility Type: Not reported  
Other Type: Not reported  
Contact Name: Not reported  
Telephone: Not reported  
Owner Name: Not reported  
Owner Address: Not reported  
Owner City,St,Zip: Not reported  
Total Tanks: Not reported

Tank Num: Not reported  
Container Num: Not reported  
Year Installed: Not reported  
Tank Capacity: Not reported  
Tank Used for: Not reported  
Type of Fuel: Not reported  
Container Construction Thickness: Not reported  
Leak Detection: Not reported

Click here for Geo Tracker PDF:

**CA FID UST:**

Facility ID: 19002619  
Regulated By: UTNKA  
Regulated ID: 00029312  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2134773205  
Mail To: Not reported  
Mailing Address: 911 WILSHIRE BLVD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900640000  
Contact: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**UNION SERVICE STATION 3019 (Continued)**

**S101583097**

Contact Phone: Not reported  
DUNs Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Active

**R87**      **UNION OIL SERVICE STATION #301**  
**ESE**      **12100 W OLYMPIC BLVD**  
**1/8-1/4**      **LOS ANGELES, CA 90064**  
**0.217 mi.**  
**1147 ft.**      **Site 8 of 12 in cluster R**

**HIST UST**      **U001562430**  
**N/A**

**Relative:**      HIST UST:  
**Lower**      File Number:      Not reported  
                 URL:      Not reported  
**Actual:**      Region:      STATE  
**156 ft.**      Facility ID:      00000056022  
                 Facility Type:      Gas Station  
                 Other Type:      Not reported  
                 Contact Name:      ABRAHAM Y. AJAMIAN  
                 Telephone:      2134773205  
                 Owner Name:      UNION OIL COMPANY OF CALIFORNI  
                 Owner Address:      3701 WILSHIRE BOULEVARD-SUITE  
                 Owner City,St,Zip:      LOS ANGELES, CA 90010  
                 Total Tanks:      0001  
  
                 Tank Num:      001  
                 Container Num:      3019-00  
                 Year Installed:      Not reported  
                 Tank Capacity:      00000000  
                 Tank Used for:      WASTE  
                 Type of Fuel:      06  
                 Container Construction Thickness:      Not reported  
                 Leak Detection:      None

**R88**      **76 PRODUCTS STATION #3019**  
**ESE**      **12100 OLYMPIC**  
**1/8-1/4**      **LOS ANGELES, CA**  
**0.217 mi.**  
**1147 ft.**      **Site 9 of 12 in cluster R**

**HIST CORTESE**      **S105024661**  
**N/A**

**Relative:**      HIST CORTESE:  
**Lower**      Region:      CORTESE  
**Actual:**      Facility County Code:      19  
**156 ft.**      Reg By:      LTNKA  
                 Reg Id:      900640270

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**R89**  
**ESE**  
**1/8-1/4**  
**0.217 mi.**  
**1147 ft.**

**76 PRODUCTS STATION #3019**  
**12100 OLYMPIC BLVD W**  
**RANCHO PARK, CA 90064**  
**Site 10 of 12 in cluster R**

**LUST** **S102590701**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**156 ft.**

LUST:  
Lead Agency: LOS ANGELES, CITY OF  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603701175](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603701175)  
Global Id: T0603701175  
Latitude: 34.0322821  
Longitude: -118.4537797  
Status: Completed - Case Closed  
Status Date: 02/28/2001  
Case Worker: EL  
RB Case Number: 900640270  
Local Agency: LOS ANGELES, CITY OF  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

LUST:  
Global Id: T0603701175  
Contact Type: Local Agency Caseworker  
Contact Name: ELOY LUNA  
Organization Name: LOS ANGELES, CITY OF  
Address: 200 North Main Street, Suite 1780  
City: LOS ANGELES  
Email: [eloy.luna@lacity.org](mailto:eloy.luna@lacity.org)  
Phone Number: Not reported  
  
Global Id: T0603701175  
Contact Type: Regional Board Caseworker  
Contact Name: YUE RONG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4TH ST., SUITE 200  
City: Los Angeles  
Email: [yrong@waterboards.ca.gov](mailto:yrong@waterboards.ca.gov)  
Phone Number: Not reported

LUST:  
Global Id: T0603701175  
Action Type: Other  
Date: 12/03/1992  
Action: Leak Discovery  
  
Global Id: T0603701175  
Action Type: Other  
Date: 12/09/1992  
Action: Leak Reported

LUST:  
Global Id: T0603701175  
Status: Open - Case Begin Date  
Status Date: 12/03/1992

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #3019 (Continued)**

**S102590701**

Global Id: T0603701175  
Status: Open - Site Assessment  
Status Date: 12/03/1992  
  
Global Id: T0603701175  
Status: Completed - Case Closed  
Status Date: 02/28/2001

LUST REG 4:

Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 900640270  
Status: Case Closed  
Substance: Gasoline  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Soil  
Abatement Method Used at the Site: Not reported  
Global ID: T0603701175  
W Global ID: Not reported  
Staff: UNK  
Local Agency: 19050  
Cross Street: BUNDY DRIVE  
Enforcement Type: Not reported  
Date Leak Discovered: 12/3/1992  
Date Leak First Reported: 12/9/1992  
Date Leak Record Entered: 2/18/1993  
Date Confirmation Began: Not reported  
Date Leak Stopped: Not reported  
Date Case Last Changed on Database: Not reported  
Date the Case was Closed: 2/28/2001  
How Leak Discovered: Tank Closure  
How Leak Stopped: Not reported  
Cause of Leak: UNK  
Leak Source: Tank  
Operator: Not reported  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): 1974.2002458253978638563448044  
Source of Cleanup Funding: Tank  
Preliminary Site Assessment Workplan Submitted: Not reported  
Preliminary Site Assessment Began: Not reported  
Pollution Characterization Began: 12/3/1992  
Remediation Plan Submitted: Not reported  
Remedial Action Underway: Not reported  
Post Remedial Action Monitoring Began: Not reported  
Enforcement Action Date: Not reported  
Historical Max MTBE Date: Not reported  
Hist Max MTBE Conc in Groundwater: Not reported  
Hist Max MTBE Conc in Soil: Not reported  
Significant Interim Remedial Action Taken: Not reported  
GW Qualifier: Not reported  
Soil Qualifier: Not reported  
Organization: Not reported  
Owner Contact: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #3019 (Continued)**

**S102590701**

Responsible Party: ALBERT W. FRITZ  
RP Address: P.O. BOX 24376  
Program: LUST  
Lat/Long: 34.0322821 / -1  
Local Agency Staff: PEJ  
Beneficial Use: Not reported  
Priority: Not reported  
Cleanup Fund Id: Not reported  
Suspended: Not reported  
Assigned Name: Not reported  
Summary: Not reported

**R90 TOSCO CORPORATION #30469**  
**ESE 12100 W OLYMPIC BLVD**  
**1/8-1/4 LOS ANGELES, CA 90064**

**UST U003942210**  
**N/A**

**0.217 mi.**  
**1147 ft.**

**Site 11 of 12 in cluster R**

**Relative:**  
**Lower**

UST:  
Facility ID: 24228  
Permitting Agency: LOS ANGELES, CITY OF  
Latitude: 34.0335192  
Longitude: -118.4524785

**Actual:**  
**156 ft.**

**R91 SERVICE STATION 3019**  
**ESE 12100 W OLYMPIC BLVD**  
**1/8-1/4 LOS ANGELES, CA 90064**

**HIST UST 1000166814**  
**N/A**

**0.217 mi.**  
**1147 ft.**

**Site 12 of 12 in cluster R**

**Relative:**  
**Lower**

HIST UST:  
File Number: Not reported  
URL: Not reported  
Region: STATE  
Facility ID: 00000029312  
Facility Type: Gas Station  
Other Type: Not reported  
Contact Name: IBRAHIM Y AJAMIAN  
Telephone: 2134773205  
Owner Name: UNION OIL COMPANY OF CALIF.  
Owner Address: 3701 WILSHIRE BOULEVARD ST 830  
Owner City,St,Zip: LOS ANGELES, CA 90010  
Total Tanks: 0004

**Actual:**  
**156 ft.**

Tank Num: 001  
Container Num: 3019-1  
Year Installed: 1968  
Tank Capacity: 00009940  
Tank Used for: PRODUCT  
Type of Fuel: UNLEADED  
Container Construction Thickness: Not reported  
Leak Detection: Stock Inventor, Pressure Test

Tank Num: 002  
Container Num: 3019-2  
Year Installed: 1968

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SERVICE STATION 3019 (Continued)**

**1000166814**

Tank Capacity: 00009940  
Tank Used for: PRODUCT  
Type of Fuel: PREMIUM  
Container Construction Thickness: Not reported  
Leak Detection: Stock Inventor, Pressure Test

Tank Num: 003  
Container Num: 3019-3  
Year Installed: 1968  
Tank Capacity: 00009940  
Tank Used for: PRODUCT  
Type of Fuel: DIESEL  
Container Construction Thickness: Not reported  
Leak Detection: Stock Inventor, Pressure Test

Tank Num: 004  
Container Num: 3019-4  
Year Installed: 1968  
Tank Capacity: 00000550  
Tank Used for: WASTE  
Type of Fuel: WASTE OIL  
Container Construction Thickness: Not reported  
Leak Detection: Stock Inventor, Pressure Test

**Q92**  
**WSW**  
**1/8-1/4**  
**0.220 mi.**  
**1160 ft.**

**EDSAL PRODUCTS**  
**1746 BERKELEY AVE.**  
**SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1003879973**  
**CA0000476481**

**Site 7 of 8 in cluster Q**

**Relative:**  
**Lower**  
**Actual:**  
**160 ft.**

SEMS Archive:  
Site ID: 905103  
EPA ID: CA0000476481  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**SEMS Archive Detail:**

Region: 9  
Site ID: 905103  
EPA ID: CA0000476481  
Site Name: EDSAL PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-07 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905103  
EPA ID: CA0000476481

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EDSAL PRODUCTS (Continued)**

1003879973

Site Name: EDSAL PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905103  
EPA ID: CA0000476481  
Site Name: EDSAL PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-07 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

**W93**  
**WSW**  
1/8-1/4  
0.225 mi.  
1190 ft.

**AIR TOOL ENGINEERING**  
**3021 NEBRASKA AVE.**  
**SANTA MONICA, CA 90404**  
**Site 1 of 13 in cluster W**

**SEMS-ARCHIVE** 1003879982  
CA0000477224

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

SEMS Archive:  
Site ID: 905116  
EPA ID: CA0000477224  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:  
Region: 9  
Site ID: 905116  
EPA ID: CA0000477224  
Site Name: AIR TOOL ENGINEERING  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1996-01-23 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AIR TOOL ENGINEERING (Continued)**

**1003879982**

Region: 9  
Site ID: 905116  
EPA ID: CA0000477224  
Site Name: AIR TOOL ENGINEERING  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905116  
EPA ID: CA0000477224  
Site Name: AIR TOOL ENGINEERING  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1995-09-21 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

**W94**      **C.F. CLOVINGER**  
**WSW**      **3021 NEBRASKA AVE.**  
**1/8-1/4**    **SANTA MONICA, CA 90404**  
**0.225 mi.**  
**1190 ft.**    **Site 2 of 13 in cluster W**

**SEMS-ARCHIVE**    **1003879961**  
**CA0000476887**

**Relative:**    SEMS Archive:  
**Lower**        Site ID: 905086  
                  EPA ID: CA0000476887  
**Actual:**       Cong District: 27  
**158 ft.**        FIPS Code: 6037  
                  FF: N  
                  NPL: Not on the NPL  
                  Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**SEMS Archive Detail:**  
Region: 9  
Site ID: 905086  
EPA ID: CA0000476887  
Site Name: C.F. CLOVINGER  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**C.F. CLOVINGER (Continued)**

**1003879961**

Finish Date: 2000-01-24 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf In-Hse

Region: 9  
 Site ID: 905086  
 EPA ID: CA0000476887  
 Site Name: C.F. CLOVINGER  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: DS  
 Action Name: DISCVRY  
 SEQ: 1  
 Start Date: 1994-07-29 00:00:00  
 Finish Date: 1994-07-29 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf

Region: 9  
 Site ID: 905086  
 EPA ID: CA0000476887  
 Site Name: C.F. CLOVINGER  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: PA  
 Action Name: PA  
 SEQ: 1  
 Start Date: 1999-10-21 00:00:00  
 Finish Date: 2000-01-31 00:00:00  
 Qual: N  
 Current Action Lead: EPA Perf

**W95**  
**WSW**  
**1/8-1/4**  
**0.225 mi.**  
**1190 ft.**

**C.F. CLOVINGER**  
**3021 NEBRASKA AVENUE**  
**SANTA MONICA, CA 90404**

**ENVIROSTOR S112057216**  
**N/A**

**Site 3 of 13 in cluster W**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

ENVIROSTOR:  
 Facility ID: 60001758  
 Status: No Further Action  
 Status Date: 09/28/1998  
 Site Code: Not reported  
 Site Type: Evaluation  
 Site Type Detailed: Evaluation  
 Acres: 1  
 NPL: NO  
 Regulatory Agencies: LOS ANGELES COUNTY  
 Lead Agency: LOS ANGELES COUNTY  
 Program Manager: Joseph Cully  
 Supervisor: Douglas Bautista  
 Division Branch: Cleanup Cypress  
 Assembly: 41, 50  
 Senate: 26  
 Special Program: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**C.F. CLOVINGER (Continued)**

**S112057216**

Restricted Use: NO  
 Site Mgmt Req: NONE SPECIFIED  
 Funding: EPA Grant  
 Latitude: 34.03179  
 Longitude: -118.4633  
 APN: NONE SPECIFIED  
 Past Use: MACHINE SHOP  
 Potential COC: Trichloroethylene (TCE)  
 Confirmed COC: Trichloroethylene (TCE)  
 Potential Description: OTH  
 Alias Name: 60001758  
 Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
 Completed Sub Area Name: Not reported  
 Completed Document Type: Site Screening  
 Completed Date: 09/28/1998  
 Comments: Not reported

Future Area Name: Not reported  
 Future Sub Area Name: Not reported  
 Future Document Type: Not reported  
 Future Due Date: Not reported  
 Schedule Area Name: Not reported  
 Schedule Sub Area Name: Not reported  
 Schedule Document Type: Not reported  
 Schedule Due Date: Not reported  
 Schedule Revised Date: Not reported

**W96**  
**WSW**  
**1/8-1/4**  
**0.226 mi.**  
**1193 ft.**

**J.H. THOMPSON/EVAN TOOLS CO.**  
**3019 NEBRASKA AVE.**  
**SANTA MONICA, CA 90404**  
**Site 4 of 13 in cluster W**

**SEMS-ARCHIVE 1003879962**  
**CAD000476903**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

SEMS Archive:  
 Site ID: 905087  
 EPA ID: CAD000476903  
 Cong District: 27  
 FIPS Code: 6037  
 FF: N  
 NPL: Not on the NPL  
 Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
 Site ID: 905087  
 EPA ID: CAD000476903  
 Site Name: J.H. THOMPSON/EVAN TOOLS CO.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: VS  
 Action Name: ARCH SITE  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-01-24 00:00:00  
 Qual: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**J.H. THOMPSON/EVAN TOOLS CO. (Continued)**

**1003879962**

Current Action Lead: EPA Perf In-Hse  
  
Region: 9  
Site ID: 905087  
EPA ID: CAD000476903  
Site Name: J.H. THOMPSON/EVAN TOOLS CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: St Perf

Region: 9  
Site ID: 905087  
EPA ID: CAD000476903  
Site Name: J.H. THOMPSON/EVAN TOOLS CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-01-31 00:00:00  
Qual: N  
Current Action Lead: St Perf

**W97 HARRIS ENG CO.  
WSW 3017 NEBRASKA AVE.  
1/8-1/4 SANTA MONICA, CA 90404  
0.227 mi.  
1196 ft. Site 5 of 13 in cluster W**

**SEMS-ARCHIVE 1003879964  
CA0000476929**

**Relative: Lower** SEMS Archive:  
Site ID: 905090  
**Actual: 159 ft.** EPA ID: CA0000476929  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:  
Region: 9  
Site ID: 905090  
EPA ID: CA0000476929  
Site Name: HARRIS ENG CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**HARRIS ENG CO. (Continued)**

**1003879964**

SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-02-07 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf In-Hse

Region: 9  
 Site ID: 905090  
 EPA ID: CA0000476929  
 Site Name: HARRIS ENG CO.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: DS  
 Action Name: DISCVRY  
 SEQ: 1  
 Start Date: 1994-07-29 00:00:00  
 Finish Date: 1994-07-29 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf

Region: 9  
 Site ID: 905090  
 EPA ID: CA0000476929  
 Site Name: HARRIS ENG CO.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: PA  
 Action Name: PA  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-02-07 00:00:00  
 Qual: N  
 Current Action Lead: EPA Perf

**W98**  
**WSW**  
**1/8-1/4**  
**0.227 mi.**  
**1199 ft.**

**CARSON MANUFACTURING COMPANY (MICHAEL S. WARNER DE**  
**3015 NEBRASKA AVENUE**  
**SANTA MONICA, CA 90404**

**ENVIROSTOR S112057217**  
**N/A**

**Site 6 of 13 in cluster W**

**Relative:**  
**Lower**  
**Actual:**  
**159 ft.**

ENVIROSTOR:  
 Facility ID: 60001759  
 Status: No Further Action  
 Status Date: 07/13/1998  
 Site Code: Not reported  
 Site Type: Evaluation  
 Site Type Detailed: Evaluation  
 Acres: 0  
 NPL: NO  
 Regulatory Agencies: LOS ANGELES COUNTY, CITY OF LOS ANGELES  
 Lead Agency: NONE SPECIFIED  
 Program Manager: Not reported  
 Supervisor: Manny Alonzo  
 Division Branch: Cleanup Cypress  
 Assembly: 41



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CARSON MANUFACTURING COMPANY (MICHAEL S. WARNER DESIGN) (Continued)**

**S112057217**

Senate: 26  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: EPA Grant  
Latitude: 34.03184  
Longitude: -118.4632  
APN: NONE SPECIFIED  
Past Use: NONE  
Potential COC: NONE SPECIFIED No Contaminants found  
Confirmed COC: No Contaminants found  
Potential Description: NMA  
Alias Name: 60001759  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 06/21/1999  
Comments: DTSC recommended that no further action is needed at the site.

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**W99**  
**WSW**  
**1/8-1/4**  
**0.227 mi.**  
**1199 ft.**

**CARSON MFG. CO.**  
**3015 NEBRASKA AVE.**  
**SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1003879963**  
**CA0000476960**

**Site 7 of 13 in cluster W**

**Relative:**  
**Lower**  
**Actual:**  
**159 ft.**

SEMS Archive:  
Site ID: 905089  
EPA ID: CA0000476960  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 905089  
EPA ID: CA0000476960  
Site Name: CARSON MFG. CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**CARSON MFG. CO. (Continued)**

**1003879963**

Finish Date: 2000-02-07 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf In-Hse

Region: 9  
 Site ID: 905089  
 EPA ID: CA0000476960  
 Site Name: CARSON MFG. CO.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: DS  
 Action Name: DISCVRY  
 SEQ: 1  
 Start Date: 1994-07-29 00:00:00  
 Finish Date: 1994-07-29 00:00:00  
 Qual: Not reported  
 Current Action Lead: St Perf

Region: 9  
 Site ID: 905089  
 EPA ID: CA0000476960  
 Site Name: CARSON MFG. CO.  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: PA  
 Action Name: PA  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-02-07 00:00:00  
 Qual: N  
 Current Action Lead: St Perf

**W100  
 SW  
 1/8-1/4  
 0.230 mi.  
 1212 ft.**

**SWISSOMATIC PRODUCTS  
 1818 STANDFORD AVE.  
 SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1003879975  
 CA0000476432**

**Site 8 of 13 in cluster W**

**Relative:  
 Lower  
 Actual:  
 157 ft.**

SEMS Archive:  
 Site ID: 905105  
 EPA ID: CA0000476432  
 Cong District: 27  
 FIPS Code: 6037  
 FF: N  
 NPL: Not on the NPL  
 Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**SEMS Archive Detail:**

Region: 9  
 Site ID: 905105  
 EPA ID: CA0000476432  
 Site Name: SWISSOMATIC PRODUCTS  
 NPL: N  
 FF: N  
 OU: 0

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SWISSOMATIC PRODUCTS (Continued)**

**1003879975**

Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-03-09 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905105  
EPA ID: CA0000476432  
Site Name: SWISSOMATIC PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905105  
EPA ID: CA0000476432  
Site Name: SWISSOMATIC PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-03-09 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

**W101 REYNOLDS METAL WORKS**  
**SW 1816 STANFORD ST.**  
**1/8-1/4 SANTA MONICA, CA 90404**  
**0.230 mi.**  
**1212 ft. Site 9 of 13 in cluster W**

**SEMS-ARCHIVE 1003879977**  
**CA0000476416**

**Relative:** SEMS Archive:  
**Lower** Site ID: 905107  
EPA ID: CA0000476416  
**Actual:** Cong District: 27  
**157 ft.** FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:  
Region: 9  
Site ID: 905107  
EPA ID: CA0000476416

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**REYNOLDS METAL WORKS (Continued)**

**1003879977**

Site Name: REYNOLDS METAL WORKS  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1996-01-23 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905107  
EPA ID: CA0000476416  
Site Name: REYNOLDS METAL WORKS  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905107  
EPA ID: CA0000476416  
Site Name: REYNOLDS METAL WORKS  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1995-09-20 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

**W102** **SANTA MONICA MOLD SHOP**  
**SW** **1812-1814 STANFORD AVE.**  
**1/8-1/4** **SANTA MONICA, CA 90404**  
**0.230 mi.**  
**1212 ft.** **Site 10 of 13 in cluster W**

**SEMS-ARCHIVE** **1003879978**  
**CA0000476408**

**Relative:** SEMS Archive:  
**Lower** Site ID: 905108  
EPA ID: CA0000476408  
**Actual:** Cong District: 27  
**157 ft.** FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SANTA MONICA MOLD SHOP (Continued)**

**1003879978**

SEMS Archive Detail:

Region: 9  
 Site ID: 905108  
 EPA ID: CA0000476408  
 Site Name: SANTA MONICA MOLD SHOP  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: VS  
 Action Name: ARCH SITE  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-02-07 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf In-Hse

Region: 9  
 Site ID: 905108  
 EPA ID: CA0000476408  
 Site Name: SANTA MONICA MOLD SHOP  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: DS  
 Action Name: DISCVRY  
 SEQ: 1  
 Start Date: 1994-07-29 00:00:00  
 Finish Date: 1994-07-29 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf

Region: 9  
 Site ID: 905108  
 EPA ID: CA0000476408  
 Site Name: SANTA MONICA MOLD SHOP  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: PA  
 Action Name: PA  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-02-07 00:00:00  
 Qual: N  
 Current Action Lead: EPA Perf

**Q103**      **W.S. RHOADES PLASTICS PRODUCTS**  
**WSW**      **1740 BERKELEY AVE.**  
**1/8-1/4**    **SANTA MONICA, CA 90404**  
**0.234 mi.**  
**1233 ft.**    **Site 8 of 8 in cluster Q**

**SEMS-ARCHIVE**    **1003879969**  
**CA0000476556**

**Relative:**      SEMS Archive:  
**Lower**            Site ID:                    905099  
**Actual:**            EPA ID:                    CA0000476556  
**161 ft.**            Cong District:            27

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**W.S. RHOADES PLASTICS PRODUCTS (Continued)**

**1003879969**

FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 905099  
EPA ID: CA0000476556  
Site Name: W.S. RHOADES PLASTICS PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1999-08-03 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905099  
EPA ID: CA0000476556  
Site Name: W.S. RHOADES PLASTICS PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905099  
EPA ID: CA0000476556  
Site Name: W.S. RHOADES PLASTICS PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: 1999-02-23 00:00:00  
Finish Date: 1999-08-03 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

X104  
WSW  
1/8-1/4  
0.241 mi.  
1272 ft.

**RAINBOR RECORDS - SANTA MONICA**  
**1728 BERKELEY ST.**  
**SANTA MONICA, CA 90404**

**RCRA-SQG 1000307817**  
**LA Co. Site Mitigation CAD981993736**

**Site 1 of 2 in cluster X**

**Relative:**  
**Higher**

RCRA-SQG:

**Actual:**  
**162 ft.**

Date form received by agency: 03/01/2004  
Facility name: RAINBOR RECORDS - SANTA MONICA  
Facility address: 1728 BERKELEY ST.  
SANTA MONICA, CA 90404  
EPA ID: CAD981993736  
Contact: JOSE OROZCO  
Contact address: Not reported  
Not reported  
Contact country: US  
Contact telephone: 310-829-3476  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: RAINBO RECORDS MFG. CORP.  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 07/01/1974  
Owner/Op end date: Not reported

Owner/operator name: RAINBO RECORDS MFG. CORP.  
Owner/operator address: 1738 BERKELEY ST.  
SANTA MONICA, CA 90404  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 07/01/1974  
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**RAINBOR RECORDS - SANTA MONICA (Continued)**

**1000307817**

Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: JACK G BROWN  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999

Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 03/01/2004

Site name: RAINBOR RECORDS - SANTA MONICA  
Classification: Large Quantity Generator

. Waste code: D001

. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D007

. Waste name: CHROMIUM

. Waste code: D011

. Waste name: SILVER



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**RAINBOR RECORDS - SANTA MONICA (Continued)**

**1000307817**

. Waste code: F002  
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003  
. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F006  
. Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.

Date form received by agency: 03/16/1987  
Site name: RAINBO RECORD MFG CORP  
Classification: Small Quantity Generator

Violation Status: No violations found

LA Co. Site Mitigation:

Facility ID: Not reported  
Status: Not reported  
Site ID: SD0000478  
Jurisdiction: State  
Case ID: RO0001478  
Abated: Yes  
Assigned To: Shahin Nourishad  
Entered Date: 10/13/2011  
Abated Date: 04/28/2009

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**U105**      **SANTA MONICA**  
**SSW**        **2943 EXPOSITION BLVD**  
**1/8-1/4**     **SANTA MONICA, CA 90404**  
**0.243 mi.**  
**1282 ft.**    **Site 2 of 5 in cluster U**

**HIST UST**    **U001563971**  
                  **N/A**

**Relative:**  
**Lower**  
**Actual:**  
**150 ft.**

**HIST UST:**

File Number:	Not reported
URL:	Not reported
Region:	STATE
Facility ID:	00000018983
Facility Type:	Other
Other Type:	PUBLIC UTILITY
Contact Name:	CHARLES THIBODEAUX
Telephone:	2134517071
Owner Name:	GENERAL TELEPHONE COMPANY OF
Owner Address:	4959 PALO VERDE DRIVE
Owner City,St,Zip:	MONTCLAIR, CA 91763
Total Tanks:	0003
Tank Num:	001
Container Num:	1
Year Installed:	Not reported
Tank Capacity:	00000500
Tank Used for:	PRODUCT
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	002
Container Num:	2
Year Installed:	Not reported
Tank Capacity:	00000500
Tank Used for:	WASTE
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor
Tank Num:	003
Container Num:	3
Year Installed:	Not reported
Tank Capacity:	00000000
Tank Used for:	WASTE
Type of Fuel:	Not reported
Container Construction Thickness:	Not reported
Leak Detection:	Stock Inventor

**U106**      **GENERAL TELEPHONE CO**  
**SSW**        **2943 EXPOSITION BLVD**  
**1/8-1/4**     **SANTA MONICA, CA 90404**  
**0.243 mi.**  
**1282 ft.**    **Site 3 of 5 in cluster U**

**SWEEPS UST**    **S101585147**  
**CA FID UST**    **N/A**

**Relative:**  
**Lower**  
**Actual:**  
**150 ft.**

**SWEEPS UST:**

Status:	Active
Comp Number:	3721
Number:	1
Board Of Equalization:	44-010537
Referral Date:	01-12-90
Action Date:	01-12-90

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GENERAL TELEPHONE CO (Continued)**

**S101585147**

Created Date: 02-29-88  
Owner Tank Id: 1  
SWRCB Tank Id: 19-033-003721-000001  
Tank Status: A  
Capacity: 10000  
Active Date: 07-01-85  
Tank Use: M.V. FUEL  
STG: P  
Content: REG UNLEADED  
Number Of Tanks: 3

Status: Active  
Comp Number: 3721  
Number: 1  
Board Of Equalization: 44-010537  
Referral Date: 01-12-90  
Action Date: 01-12-90  
Created Date: 02-29-88  
Owner Tank Id: 2  
SWRCB Tank Id: 19-033-003721-000002  
Tank Status: A  
Capacity: 10000  
Active Date: 07-01-85  
Tank Use: M.V. FUEL  
STG: P  
Content: REG UNLEADED  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 3721  
Number: 1  
Board Of Equalization: 44-010537  
Referral Date: 01-12-90  
Action Date: 01-12-90  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-033-003721-000003  
Tank Status: A  
Capacity: 1000  
Active Date: 01-12-90  
Tank Use: M.V. FUEL  
STG: P  
Content: REG UNLEADED  
Number Of Tanks: Not reported

**CA FID UST:**

Facility ID: 19020338  
Regulated By: UTNKA  
Regulated ID: 00003721  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2134517071  
Mail To: Not reported  
Mailing Address: 2943 EXPOSITION BLVD  
Mailing Address 2: Not reported  
Mailing City,St,Zip: SANTA MONICA 90404  
Contact: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**GENERAL TELEPHONE CO (Continued)**

**S101585147**

Contact Phone: Not reported  
 DUNs Number: Not reported  
 NPDES Number: Not reported  
 EPA ID: Not reported  
 Comments: Not reported  
 Status: Active

**U107**  
**SSW**  
**1/8-1/4**  
**0.243 mi.**  
**1282 ft.**

**SANTA MONICA**  
**2943 EXPOSITION BLVD**  
**SANTA MONICA, CA 90404**

**HIST UST**  
**CHMIRS**

**U001563974**  
**N/A**

**Site 4 of 5 in cluster U**

**Relative:**  
**Lower**  
**Actual:**  
**150 ft.**

**HIST UST:**

File Number: 00026ABD  
 URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00026ABD.pdf>  
 Region: STATE  
 Facility ID: 00000003721  
 Facility Type: Other  
 Other Type: PUBLIC UTILITY  
 Contact Name: CHARLES THIBODEAUX  
 Telephone: 2134517071  
 Owner Name: GENERAL TELEPHONE COMPANY OF C  
 Owner Address: 4959 PALO VERDE DRIVE  
 Owner City,St,Zip: MONTCLAIR, CA 91763  
 Total Tanks: 0002

Tank Num: 001  
 Container Num: 1  
 Year Installed: Not reported  
 Tank Capacity: 00010000  
 Tank Used for: PRODUCT  
 Type of Fuel: UNLEADED  
 Container Construction Thickness: Not reported  
 Leak Detection: Stock Inventor

Tank Num: 001  
 Container Num: 1  
 Year Installed: Not reported  
 Tank Capacity: 00010000  
 Tank Used for: PRODUCT  
 Type of Fuel: UNLEADED  
 Container Construction Thickness: Not reported  
 Leak Detection: Stock Inventor

Tank Num: 002  
 Container Num: 2  
 Year Installed: Not reported  
 Tank Capacity: 00010000  
 Tank Used for: PRODUCT  
 Type of Fuel: UNLEADED  
 Container Construction Thickness: Not reported  
 Leak Detection: Stock Inventor

Tank Num: 002  
 Container Num: 2  
 Year Installed: Not reported  
 Tank Capacity: 00010000

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA (Continued)**

**U001563974**

Tank Used for: PRODUCT  
Type of Fuel: UNLEADED  
Container Construction Thickness: Not reported  
Leak Detection: Stock Inventor

[Click here for Geo Tracker PDF:](#)

**CHMIRS:**

OES Incident Number: 8-2328  
OES notification: 05/18/1998  
OES Date: Not reported  
OES Time: Not reported  
**Date Completed: Not reported**  
Property Use: Not reported  
Agency Id Number: Not reported  
Agency Incident Number: Not reported  
Time Notified: Not reported  
Time Completed: Not reported  
Surrounding Area: Not reported  
Estimated Temperature: Not reported  
Property Management: Not reported  
More Than Two Substances Involved?: Not reported  
Resp Agncy Personel # Of Decontaminated: Not reported  
Responding Agency Personel # Of Injuries: Not reported  
Responding Agency Personel # Of Fatalities: Not reported  
Others Number Of Decontaminated: Not reported  
Others Number Of Injuries: Not reported  
Others Number Of Fatalities: Not reported  
Vehicle Make/year: Not reported  
Vehicle License Number: Not reported  
Vehicle State: Not reported  
Vehicle Id Number: Not reported  
CA DOT PUC/ICC Number: Not reported  
Company Name: Not reported  
Reporting Officer Name/ID: Not reported  
Report Date: Not reported  
Facility Telephone: Not reported  
Waterway Involved: No  
Waterway: Not reported  
Spill Site: Not reported  
Cleanup By: Fire Dept.  
Containment: Not reported  
What Happened: Not reported  
Type: Not reported  
Measure: Not reported  
Other: Not reported  
Date/Time: Not reported  
Year: 1998  
Agency: GTE Ca Inc.  
Incident Date: 5/18/199812:00:00 AM  
Admin Agency: Not reported  
Amount: Not reported  
Contained: Yes  
Site Type: Service Station  
E Date: Not reported  
Substance: gasoline  
Gallons: 10

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA (Continued)**

**U001563974**

Unknown: 0  
Substance #2: Not reported  
Substance #3: Not reported  
Evacuations: 0  
Number of Injuries: 0  
Number of Fatalities: 0  
#1 Pipeline: Not reported  
#2 Pipeline: Not reported  
#3 Pipeline: Not reported  
#1 Vessel >= 300 Tons: Not reported  
#2 Vessel >= 300 Tons: Not reported  
#3 Vessel >= 300 Tons: Not reported  
Evacs: Not reported  
Injuries: Not reported  
Fatals: Not reported  
Comments: Not reported  
Description: drive away at a fuel pump.

**U108**  
**SSW**  
**1/8-1/4**  
**0.243 mi.**  
**1282 ft.**

**GTE PLANT YARD**  
**2943 EXPOSITION BL**  
**SANTA MONICA, CA 90404**

**LUST 1000128017**  
**HIST CORTESE N/A**

**Site 5 of 5 in cluster U**

**Relative:**  
**Lower**  
**Actual:**  
**150 ft.**

**LUST:**  
Lead Agency: SANTA MONICA, CITY OF  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603701387](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603701387)  
Global Id: T0603701387  
Latitude: 34.0288551  
Longitude: -118.4616628  
Status: Completed - Case Closed  
Status Date: 01/10/2012  
Case Worker: MH  
RB Case Number: 904040070  
Local Agency: SANTA MONICA, CITY OF  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

**LUST:**  
Global Id: T0603701387  
Contact Type: Local Agency Caseworker  
Contact Name: MONICA HANLEY  
Organization Name: SANTA MONICA, CITY OF  
Address: 333 Olympic Drive - 2nd Floor  
City: SANTA MONICA  
Email: monica.hanley@smgov.net  
Phone Number: Not reported

Global Id: T0603701387  
Contact Type: Regional Board Caseworker  
Contact Name: YUE RONG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4TH ST., SUITE 200  
City: Los Angeles

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GTE PLANT YARD (Continued)**

**1000128017**

Email: yrong@waterboards.ca.gov  
Phone Number: Not reported

LUST:

Global Id: T0603701387  
Action Type: Other  
Date: 06/07/1995  
Action: Leak Stopped

Global Id: T0603701387  
Action Type: Other  
Date: 06/07/1995  
Action: Leak Discovery

Global Id: T0603701387  
Action Type: RESPONSE  
Date: 01/12/2012  
Action: Correspondence

Global Id: T0603701387  
Action Type: Other  
Date: 06/07/1995  
Action: Leak Reported

LUST:

Global Id: T0603701387  
Status: Open - Case Begin Date  
Status Date: 06/07/1995

Global Id: T0603701387  
Status: Open - Site Assessment  
Status Date: 06/07/1995

Global Id: T0603701387  
Status: Completed - Case Closed  
Status Date: 01/10/2012

LUST REG 4:

Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 904040070  
Status: Leak being confirmed  
Substance: Gasoline  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Soil  
Abatement Method Used at the Site: Not reported  
Global ID: T0603701387  
W Global ID: Not reported  
Staff: UNK  
Local Agency: 19033  
Cross Street: STANFORD ST  
Enforcement Type: Not reported  
Date Leak Discovered: 6/7/1995

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GTE PLANT YARD (Continued)**

**1000128017**

Date Leak First Reported: 6/7/1995  
Date Leak Record Entered: 8/23/1996  
Date Confirmation Began: 6/7/1995  
Date Leak Stopped: 6/7/1995  
Date Case Last Changed on Database: 4/16/1997  
Date the Case was Closed: Not reported  
How Leak Discovered: Tank Closure  
How Leak Stopped: Not reported  
Cause of Leak: Not reported  
Leak Source: Not reported  
Operator: Not reported  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): 786.43815568537401405665091803  
Source of Cleanup Funding: Not reported  
Preliminary Site Assessment Workplan Submitted: Not reported  
Preliminary Site Assessment Began: Not reported  
Pollution Characterization Began: Not reported  
Remediation Plan Submitted: Not reported  
Remedial Action Underway: Not reported  
Post Remedial Action Monitoring Began: Not reported  
Enforcement Action Date: Not reported  
Historical Max MTBE Date: Not reported  
Hist Max MTBE Conc in Groundwater: Not reported  
Hist Max MTBE Conc in Soil: Not reported  
Significant Interim Remedial Action Taken: Not reported  
GW Qualifier: Not reported  
Soil Qualifier: Not reported  
Organization: Not reported  
Owner Contact: Not reported  
Responsible Party: GTE PLANT YARD  
RP Address: P.O. BOX /725--CA301HJ, CHINO CA 91708  
Program: LUST  
Lat/Long: 34.0288551 / -1  
Local Agency Staff: UNK  
Beneficial Use: Not reported  
Priority: Not reported  
Cleanup Fund Id: Not reported  
Suspended: Not reported  
Assigned Name: Not reported  
Summary: Not reported

**HIST CORTESE:**

Region: CORTESE  
Facility County Code: 19  
Reg By: LTNKA  
Reg Id: 904040070



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**X109** DELTA GRAPHICS  
**WSW** 1715 BERKELEY ST  
**1/8-1/4** SANTA MONICA, CA 90404  
**0.245 mi.**  
**1293 ft.** Site 2 of 2 in cluster X

**RCRA-SQG** 1000395159  
**FINDS** CAD982506073  
**ECHO**  
**HAZNET**

**Relative:**  
**Higher**

RCRA-SQG:

**Actual:**  
**164 ft.**

Date form received by agency: 06/26/1989  
Facility name: DELTA GRAPHICS  
Facility address: 1715 BERKELEY ST  
SANTA MONICA, CA 90404  
EPA ID: CAD982506073  
Mailing address: BERKELEY ST  
SANTA MONICA, CA 90404  
Contact: ENVIRONMENTAL MANAGER  
Contact address: 1715 BERKELEY ST  
SANTA MONICA, CA 90404  
Contact country: US  
Contact telephone: 213-453-3582  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: SEAN MCCOLLOUGH  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DELTA GRAPHICS (Continued)**

**1000395159**

Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

**FINDS:**

Registry ID: 110002836012

**Environmental Interest/Information System**

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000395159  
Registry ID: 110002836012  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002836012>

**HAZNET:**

envid: 1000395159  
Year: 2011  
GEPaid: CAD982506073  
Contact: SEAN MCCOLLOUGH PRES  
Telephone: 3109548600  
Mailing Name: Not reported  
Mailing Address: 11821 WEST PICO BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Not reported  
TSD EPA ID: TXD077603371  
TSD County: Not reported  
Waste Category: Halogenated solvents (chloroforms, methyl chloride, perchloroethylene, etc)  
Disposal Method: Fuel Blending Prior To Energy Recovery At Another Site

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DELTA GRAPHICS (Continued)**

**1000395159**

Tons: 0.1  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1000395159  
Year: 2011  
GEPaid: CAD982506073  
Contact: SEAN MCCOLLOUGH PRES  
Telephone: 3109548600  
Mailing Name: Not reported  
Mailing Address: 11821 WEST PICO BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Not reported  
TSD EPA ID: CAT000613893  
TSD County: Not reported  
Waste Category: Not reported  
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)

Tons: 0.2  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1000395159  
Year: 2009  
GEPaid: CAD982506073  
Contact: SEAN MCCOLLOUGH PRES  
Telephone: 3104533582  
Mailing Name: Not reported  
Mailing Address: 1715 BERKELEY ST  
Mailing City,St,Zip: SANTA MONICA, CA 904044104  
Gen County: Not reported  
TSD EPA ID: TXD077603371  
TSD County: Not reported  
Waste Category: Unspecified organic liquid mixture  
Disposal Method: Fuel Blending Prior To Energy Recovery At Another Site

Tons: 0.175  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1000395159  
Year: 2008  
GEPaid: CAD982506073  
Contact: SEAN MCCOLLOUGH PRES  
Telephone: 3104533582  
Mailing Name: Not reported  
Mailing Address: 1715 BERKELEY ST  
Mailing City,St,Zip: SANTA MONICA, CA 904044104  
Gen County: Not reported  
TSD EPA ID: TXD077603371  
TSD County: Not reported  
Waste Category: Unspecified organic liquid mixture  
Disposal Method: Fuel Blending Prior To Energy Recovery At Another Site

Tons: 0.175  
Cat Decode: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**DELTA GRAPHICS (Continued)**

**1000395159**

Method Decode: Not reported  
Facility County: Los Angeles  
  
envid: 1000395159  
Year: 2008  
GEPaid: CAD982506073  
Contact: SEAN MCCOLLOUGH PRES  
Telephone: 3104533582  
Mailing Name: Not reported  
Mailing Address: 1715 BERKELEY ST  
Mailing City,St,Zip: SANTA MONICA, CA 904044104  
Gen County: Not reported  
TSD EPA ID: TXD077603371  
TSD County: Not reported  
Waste Category: Waste oil and mixed oil  
Disposal Method: Fuel Blending Prior To Energy Recovery At Another Site  
Tons: 0.125  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

[Click this hyperlink](#) while viewing on your computer to access  
14 additional CA\_HAZNET: record(s) in the EDR Site Report.

**S110**      **90944**  
**ESE**      **11951 W OLYMPIC BLVD**  
**1/8-1/4**    **LOS ANGELES, CA 90064**  
**0.248 mi.**  
**1308 ft.**    **Site 3 of 7 in cluster S**

**HIST UST**    **U001562402**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

HIST UST:  
File Number: 00026C33  
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00026C33.pdf>  
Region: STATE  
Facility ID: 00000061951  
Facility Type: Gas Station  
Other Type: Not reported  
Contact Name: PEP OIL INC.  
Telephone: 2134733383  
Owner Name: CHEVRON U.S.A. INC.  
Owner Address: 575 MARKET  
Owner City,St,Zip: SAN FRANCISCO, CA 94105  
Total Tanks: 0004  
  
Tank Num: 001  
Container Num: 1  
Year Installed: Not reported  
Tank Capacity: 00010000  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: 0000370  
Leak Detection: Stock Inventor  
  
Tank Num: 002  
Container Num: 2  
Year Installed: Not reported  
Tank Capacity: 00010000  
Tank Used for: PRODUCT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

90944 (Continued)

U001562402

Type of Fuel: Not reported  
Container Construction Thickness: 0000370  
Leak Detection: Stock Inventor

Tank Num: 003  
Container Num: 3  
Year Installed: Not reported  
Tank Capacity: 00010000  
Tank Used for: PRODUCT  
Type of Fuel: Not reported  
Container Construction Thickness: 0000370  
Leak Detection: Stock Inventor

Tank Num: 004  
Container Num: 4  
Year Installed: Not reported  
Tank Capacity: 00001000  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0000370  
Leak Detection: Stock Inventor

[Click here for Geo Tracker PDF:](#)

S111 LOVCO WEST INC  
ESE 11951 W OLYMPIC BLVD  
1/8-1/4 LOS ANGELES, CA 90064  
0.248 mi.  
1308 ft. Site 4 of 7 in cluster S

SWEEPS UST S101582877  
CA FID UST N/A

Relative: SWEEPS UST:  
Lower Status: Active  
Actual: Comp Number: 3481  
158 ft. Number: 9  
Board Of Equalization: 44-013027  
Referral Date: 07-21-93  
Action Date: 03-18-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-003481-000001  
Tank Status: A  
Capacity: 10000  
Active Date: 04-20-88  
Tank Use: M.V. FUEL  
STG: P  
Content: REG UNLEADED  
Number Of Tanks: 5  
  
Status: Active  
Comp Number: 3481  
Number: 9  
Board Of Equalization: 44-013027  
Referral Date: 07-21-93  
Action Date: 03-18-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-003481-000002  
Tank Status: A

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOVCO WEST INC (Continued)**

**S101582877**

Capacity: 10000  
Active Date: 04-20-88  
Tank Use: M.V. FUEL  
STG: P  
Content: REG UNLEADED  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 3481  
Number: 9  
Board Of Equalization: 44-013027  
Referral Date: 07-21-93  
Action Date: 03-18-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-003481-000003  
Tank Status: A  
Capacity: 10000  
Active Date: 04-20-88  
Tank Use: M.V. FUEL  
STG: P  
Content: REG UNLEADED  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 3481  
Number: 9  
Board Of Equalization: 44-013027  
Referral Date: 07-21-93  
Action Date: 03-18-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-003481-000004  
Tank Status: A  
Capacity: 1000  
Active Date: 04-20-88  
Tank Use: OIL  
STG: W  
Content: WASTE OIL  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 3481  
Number: 9  
Board Of Equalization: 44-013027  
Referral Date: 07-21-93  
Action Date: 03-18-94  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-003481-000005  
Tank Status: A  
Capacity: 10000  
Active Date: 04-20-88  
Tank Use: M.V. FUEL  
STG: P  
Content: DIESEL  
Number Of Tanks: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**LOVCO WEST INC (Continued)**

**S101582877**

CA FID UST:  
Facility ID: 19001718  
Regulated By: UTNKA  
Regulated ID: 00061951  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2133129976  
Mail To: Not reported  
Mailing Address: 575 MARKET ST  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900640000  
Contact: Not reported  
Contact Phone: Not reported  
DUNS Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Active

**S112**  
**ESE**  
**1/8-1/4**  
**0.248 mi.**  
**1308 ft.**

**CHEVRON STATION #9-0944**  
**11951 W OLYMPIC BLVD**  
**LOS ANGELES, CA 90064**  
**Site 5 of 7 in cluster S**

**UST U003938935**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

UST:  
Facility ID: 23797  
Permitting Agency: LOS ANGELES, CITY OF  
Latitude: 34.0341661  
Longitude: -118.4518507  
  
Facility ID: Not reported  
Permitting Agency: Los Angeles City Fire Department  
Latitude: 34.03273  
Longitude: -118.45339

**S113**  
**ESE**  
**1/8-1/4**  
**0.248 mi.**  
**1308 ft.**

**CHEVRON STATION 90944**  
**11951 W OLYMPIC BLVD**  
**LOS ANGELES, CA 90064**  
**Site 6 of 7 in cluster S**

**RCRA NonGen / NLR 1005441184**  
**HAZNET CAR000116459**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

RCRA NonGen / NLR:  
Date form received by agency: 03/13/2013  
Facility name: CHEVRON STATION 90944  
Facility address: 11951 W OLYMPIC BLVD  
LOS ANGELES, CA 90064  
EPA ID: CAR000116459  
Mailing address: PO BOX 6004  
SAN RAMON, CA 94583  
Contact: KATHY NORRIS SLUSHER  
Contact address: PO BOX 6004  
SAN RAMON, CA 94583  
Contact country: US  
Contact telephone: 877-386-6044  
Contact email: NAWTDESK@CHEVRON.COM

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 90944 (Continued)**

**1005441184**

EPA Region: 09  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: KATHY NORRIS SLUSHER  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: US  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 04/21/1975  
Owner/Op end date: Not reported

Owner/operator name: CHEVRON USA  
Owner/operator address: PO BOX 6004  
SAN RAMON, CA 94583

Owner/operator country: US  
Owner/operator telephone: 877-386-6044  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: 04/21/1975  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
Used oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 05/16/2002  
Site name: CHEVRON STATION 90944  
Classification: Small Quantity Generator

. Waste code: D001  
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 90944 (Continued)**

**1005441184**

CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D018  
. Waste name: BENZENE

Violation Status: No violations found

HAZNET:

envid: 1005441184  
Year: 2005  
GEPAID: CAR000116459  
Contact: Kathy Norris  
Telephone: 9258425931  
Mailing Name: Not reported  
Mailing Address: PO BOX 6004  
Mailing City,St,Zip: San Ramon, CA 94583  
Gen County: Not reported  
TSD EPA ID: CAD008302903  
TSD County: Not reported  
Waste Category: Aqueous solution with total organic residues less than 10 percent  
Disposal Method: Recycler  
Tons: 0.17  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1005441184  
Year: 2003  
GEPAID: CAR000116459  
Contact: Kathy Norris  
Telephone: 9258425931  
Mailing Name: Not reported  
Mailing Address: PO BOX 6004  
Mailing City,St,Zip: San Ramon, CA 94583  
Gen County: Not reported  
TSD EPA ID: CAD008302903  
TSD County: Not reported  
Waste Category: Aqueous solution with total organic residues less than 10 percent  
Disposal Method: Recycler  
Tons: 0.18  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1005441184  
Year: 2003  
GEPAID: CAR000116459  
Contact: Kathy Norris  
Telephone: 9258425931  
Mailing Name: Not reported  
Mailing Address: PO BOX 6004  
Mailing City,St,Zip: San Ramon, CA 94583  
Gen County: Not reported  
TSD EPA ID: CAD008302903

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 90944 (Continued)**

**1005441184**

TSD County: Not reported  
Waste Category: Aqueous solution with total organic residues less than 10 percent  
Disposal Method: Not reported  
Tons: 0.01  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

**S114**  
**ESE**  
**1/8-1/4**  
**0.248 mi.**  
**1308 ft.**  
**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

**CHEVRON STATION 9 0944**  
**11951 W OLYMPIC BLVD**  
**LOS ANGELES, CA 90064**  
**Site 7 of 7 in cluster S**

**RCRA-SQG 1000818451**  
**LUST CAD983643248**  
**FINDS**  
**ECHO**  
**HAZNET**  
**HIST CORTESE**

**RCRA-SQG:**

Date form received by agency: 04/02/1993  
Facility name: CHEVRON STATION 9 0944  
Facility address: 11951 W OLYMPIC BLVD  
LOS ANGELES, CA 90064  
EPA ID: CAD983643248  
Mailing address: W OLYMPIC BLVD  
LOS ANGELES, CA 90064  
Contact: NICHOLAS OTTER  
Contact address: 11951 W OLYMPIC BLVD  
LOS ANGELES, CA 90064  
Contact country: US  
Contact telephone: 310-312-9976  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: CHEVRON U S A PRODUCTS CO  
Owner/operator address: P O BOX 2833  
LA HABRA, CA 90632  
Owner/operator country: Not reported  
Owner/operator telephone: 310-694-7452  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 9 0944 (Continued)**

**1000818451**

Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Violation Status: No violations found

**LUST:**

Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603794744](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603794744)  
Global Id: T0603794744  
Latitude: 34.03271  
Longitude: -118.453453  
Status: Completed - Case Closed  
Status Date: 10/26/2004  
Case Worker: WXT  
RB Case Number: 900640025A  
Local Agency: LOS ANGELES, CITY OF  
File Location: Regional Board  
Local Case Number: Not reported  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

**LUST:**

Global Id: T0603794744  
Contact Type: Local Agency Caseworker  
Contact Name: ELOY LUNA  
Organization Name: LOS ANGELES, CITY OF  
Address: 200 North Main Street, Suite 1780  
City: LOS ANGELES  
Email: [eloy.luna@lacity.org](mailto:eloy.luna@lacity.org)  
Phone Number: Not reported

Global Id: T0603794744  
Contact Type: Regional Board Caseworker  
Contact Name: WEIXING TONG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: Not reported  
City: R4 UNKNOWN  
Email: [wtong@waterboards.ca.gov](mailto:wtong@waterboards.ca.gov)  
Phone Number: Not reported

**LUST:**

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 01/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603794744  
Action Type: ENFORCEMENT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 9 0944 (Continued)**

**1000818451**

Date: 12/09/2003  
Action: Staff Letter

Global Id: T0603794744  
Action Type: ENFORCEMENT  
Date: 02/09/2004  
Action: Staff Letter

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 01/31/2005  
Action: Unknown

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 07/16/2003  
Action: Well Installation Report

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 04/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603794744  
Action Type: Other  
Date: 11/01/2000  
Action: Leak Reported

Global Id: T0603794744  
Action Type: REMEDIATION  
Date: 05/01/2003  
Action: Excavation

Global Id: T0603794744  
Action Type: ENFORCEMENT  
Date: 02/28/2003  
Action: 13267 Requirement

Global Id: T0603794744  
Action Type: ENFORCEMENT  
Date: 08/16/2004  
Action: Site Visit / Inspection / Sampling

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 10/15/2003  
Action: Monitoring Report - Quarterly

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 07/15/2003  
Action: Monitoring Report - Quarterly

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 10/15/2003  
Action: Soil and Water Investigation Report

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 9 0944 (Continued)**

**1000818451**

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 01/30/2004  
Action: Soil and Water Investigation Workplan

Global Id: T0603794744  
Action Type: ENFORCEMENT  
Date: 06/01/2004  
Action: Staff Letter

Global Id: T0603794744  
Action Type: ENFORCEMENT  
Date: 04/15/2003  
Action: Staff Letter

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 12/27/2002  
Action: Other Report / Document

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 07/15/2003  
Action: Well Installation Report

Global Id: T0603794744  
Action Type: ENFORCEMENT  
Date: 11/27/2002  
Action: Staff Letter

Global Id: T0603794744  
Action Type: ENFORCEMENT  
Date: 01/15/2003  
Action: Staff Letter

Global Id: T0603794744  
Action Type: ENFORCEMENT  
Date: 10/26/2004  
Action: Closure/No Further Action Letter

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 08/15/2004  
Action: Well Installation Report

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 10/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 10/15/2004  
Action: Soil and Water Investigation Report

Global Id: T0603794744  
Action Type: RESPONSE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 9 0944 (Continued)**

**1000818451**

Date: 07/15/2003  
Action: Soil and Water Investigation Workplan

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 07/15/2003  
Action: Soil and Water Investigation Report

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 07/15/2003  
Action: Interim Remedial Action Plan

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 10/15/2003  
Action: Soil and Water Investigation Report

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 07/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 07/15/2004  
Action: Soil and Water Investigation Report

Global Id: T0603794744  
Action Type: Other  
Date: 10/20/2000  
Action: Leak Discovery

Global Id: T0603794744  
Action Type: RESPONSE  
Date: 04/15/2004  
Action: Soil and Water Investigation Report

**LUST:**

Global Id: T0603794744  
Status: Open - Case Begin Date  
Status Date: 10/20/2000

Global Id: T0603794744  
Status: Open - Site Assessment  
Status Date: 11/01/2000

Global Id: T0603794744  
Status: Open - Site Assessment  
Status Date: 03/09/2001

Global Id: T0603794744  
Status: Open - Site Assessment  
Status Date: 01/15/2003

Global Id: T0603794744  
Status: Open - Site Assessment

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 9 0944 (Continued)**

**1000818451**

Status Date: 01/16/2004

Global Id: T0603794744  
Status: Completed - Case Closed  
Status Date: 10/26/2004

Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603701163](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603701163)  
Global Id: T0603701163  
Latitude: 34.0328321  
Longitude: -118.4518536  
Status: Completed - Case Closed  
Status Date: 03/07/1997  
Case Worker: YR  
RB Case Number: 900640025  
Local Agency: LOS ANGELES, CITY OF  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Aquifer used for drinking water supply  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

**LUST:**

Global Id: T0603701163  
Contact Type: Local Agency Caseworker  
Contact Name: ELOY LUNA  
Organization Name: LOS ANGELES, CITY OF  
Address: 200 North Main Street, Suite 1780  
City: LOS ANGELES  
Email: [eloy.luna@lacity.org](mailto:eloy.luna@lacity.org)  
Phone Number: Not reported

Global Id: T0603701163  
Contact Type: Regional Board Caseworker  
Contact Name: YUE RONG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4TH ST., SUITE 200  
City: Los Angeles  
Email: [yrong@waterboards.ca.gov](mailto:yrong@waterboards.ca.gov)  
Phone Number: Not reported

**LUST:**

Global Id: T0603701163  
Action Type: Other  
Date: 09/17/1987  
Action: Leak Reported

**LUST:**

Global Id: T0603701163  
Status: Open - Case Begin Date  
Status Date: 09/17/1987

Global Id: T0603701163  
Status: Open - Site Assessment  
Status Date: 06/15/1988

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 9 0944 (Continued)**

**1000818451**

Global Id: T0603701163  
Status: Completed - Case Closed  
Status Date: 03/07/1997

**LUST REG 4:**

Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 900640025A  
Status: Pollution Characterization  
Substance: Gasoline  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Soil  
Abatement Method Used at the Site: Not reported  
Global ID: T0603794744  
W Global ID: Not reported  
Staff: WXT  
Local Agency: 19050  
Cross Street: BUNDY DR.  
Enforcement Type: DLSEL  
Date Leak Discovered: 10/20/2000  
Date Leak First Reported: 11/1/2000  
Date Leak Record Entered: Not reported  
Date Confirmation Began: 11/1/2000  
Date Leak Stopped: Not reported  
Date Case Last Changed on Database: Not reported  
Date the Case was Closed: Not reported  
How Leak Discovered: OM  
How Leak Stopped: Not reported  
Cause of Leak: UNK  
Leak Source: UNK  
Operator: Not reported  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): Not reported  
Source of Cleanup Funding: UNK  
Preliminary Site Assessment Workplan Submitted: 3/9/2001  
Preliminary Site Assessment Began: 1/15/2003  
Pollution Characterization Began: 1/16/2004  
Remediation Plan Submitted: Not reported  
Remedial Action Underway: Not reported  
Post Remedial Action Monitoring Began: Not reported  
Enforcement Action Date: Not reported  
Historical Max MTBE Date: 4/1/2004  
Hist Max MTBE Conc in Groundwater: 0  
Hist Max MTBE Conc in Soil: 0  
Significant Interim Remedial Action Taken: Not reported  
GW Qualifier: ND  
Soil Qualifier: ND  
Organization: Not reported  
Owner Contact: Not reported  
Responsible Party: MR. Y. M. TUAN  
RP Address: 570 W. CENTRAL AVE., SUITE A  
Program: LUST  
Lat/Long: 0 / 0



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 9 0944 (Continued)**

**1000818451**

Local Agency Staff:	Not reported	
Beneficial Use:	Not reported	
Priority:	Not reported	
Cleanup Fund Id:	Not reported	
Suspended:	Not reported	
Assigned Name:	Not reported	
Summary:	Not reported	
Region:	4	
Regional Board:	04	
County:	Los Angeles	
Facility Id:	900640025	
Status:	Case Closed	
Substance:	Gasoline	
Substance Quantity:	Not reported	
Local Case No:	Not reported	
Case Type:	Groundwater	
Abatement Method Used at the Site:		Not reported
Global ID:	T0603701163	
W Global ID:	Not reported	
Staff:	UNK	
Local Agency:	19050	
Cross Street:	BUNDY	
Enforcement Type:	Not reported	
Date Leak Discovered:	Not reported	
Date Leak First Reported:		9/17/1987
Date Leak Record Entered:	6/15/1988	
Date Confirmation Began:	Not reported	
Date Leak Stopped:	Not reported	
Date Case Last Changed on Database:		3/7/1997
Date the Case was Closed:		3/7/1997
How Leak Discovered:	Not reported	
How Leak Stopped:	Not reported	
Cause of Leak:	Not reported	
Leak Source:	Not reported	
Operator:	Not reported	
Water System:	Not reported	
Well Name:	Not reported	
Approx. Dist To Production Well (ft):		2586.3381597763412026457875239
Source of Cleanup Funding:		Not reported
Preliminary Site Assessment Workplan Submitted:		Not reported
Preliminary Site Assessment Began:		Not reported
Pollution Characterization Began:		6/15/1988
Remediation Plan Submitted:		Not reported
Remedial Action Underway:		Not reported
Post Remedial Action Monitoring Began:		Not reported
Enforcement Action Date:		Not reported
Historical Max MTBE Date:		Not reported
Hist Max MTBE Conc in Groundwater:		Not reported
Hist Max MTBE Conc in Soil:		Not reported
Significant Interim Remedial Action Taken:		Not reported
GW Qualifier:	Not reported	
Soil Qualifier:	Not reported	
Organization:	Not reported	
Owner Contact:	Not reported	
Responsible Party:	CHEVRON U.S.A. PRODUCTS	
RP Address:	P.O. BOX 2833, LA HABRA CA 90632-2833	

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 9 0944 (Continued)**

**1000818451**

Program: LUST  
Lat/Long: 34.0328321 / -1  
Local Agency Staff: PEJ  
Beneficial Use: Not reported  
Priority: Not reported  
Cleanup Fund Id: Not reported  
Suspended: Not reported  
Assigned Name: Not reported  
Summary: CHEVRON APPLIED FOR CLOSURE 04/28/88. ASSIGNED TO JIT ON 04/05/89  
02/03/97 - CLOSURE  
REQUEST 01/13/97 - 4TH QUARTER G/W  
MONITORING REPORT

**FINDS:**

Registry ID: 110002881061

**Environmental Interest/Information System**

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART) provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**STATE MASTER**

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000818451  
Registry ID: 110002881061  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002881061>

**HAZNET:**

envid: 1000818451  
Year: 1998  
GEPaid: CAD983643248  
Contact: CHEVRON U S A PRODUCTS CO  
Telephone: 0000000000  
Mailing Name: Not reported  
Mailing Address: 11951 W OLYMPIC BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Not reported  
TSD EPA ID: CAD008302903  
TSD County: Not reported  
Waste Category: Hydrocarbon solvents (benzene, hexane, Stoddard, Etc.)  
Disposal Method: Recycler  
Tons: .2085

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CHEVRON STATION 9 0944 (Continued)**

**1000818451**

Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles  
  
envid: 1000818451  
Year: 1997  
GEPaid: CAD983643248  
Contact: CHEVRON U S A PRODUCTS CO  
Telephone: 0000000000  
Mailing Name: Not reported  
Mailing Address: 11951 W OLYMPIC BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Not reported  
TSD EPA ID: CAD982484933  
TSD County: Not reported  
Waste Category: Empty containers less than 30 gallons  
Disposal Method: Disposal, Other  
Tons: .3000  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

envid: 1000818451  
Year: 1994  
GEPaid: CAD983643248  
Contact: CHEVRON U S A PRODUCTS CO  
Telephone: 0000000000  
Mailing Name: Not reported  
Mailing Address: 11951 W OLYMPIC BLVD  
Mailing City,St,Zip: LOS ANGELES, CA 900640000  
Gen County: Not reported  
TSD EPA ID: CAD980883177  
TSD County: Not reported  
Waste Category: Unspecified oil-containing waste  
Disposal Method: Recycler  
Tons: .6880  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Los Angeles

HIST CORTESE:  
Region: CORTESE  
Facility County Code: 19  
Reg By: LTNKA  
Reg Id: 900640025

**W115 PIPCO INT'L CORP.**  
**WSW 1757 STANFORD AVE.**  
**1/4-1/2 SANTA MONICA, CA 90404**  
**0.254 mi.**  
**1341 ft.**

**SEMS-ARCHIVE 1003879979**  
**CA0000476390**

**Relative:** SEMS Archive:  
**Lower** Site ID: 905109  
EPA ID: CA0000476390  
**Actual:** Cong District: 27  
**160 ft.** FIPS Code: 6037

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PIPICO INT'L CORP. (Continued)**

**1003879979**

FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 905109  
EPA ID: CA0000476390  
Site Name: PIPICO INT'L CORP.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-11 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905109  
EPA ID: CA0000476390  
Site Name: PIPICO INT'L CORP.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905109  
EPA ID: CA0000476390  
Site Name: PIPICO INT'L CORP.  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-11 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**W116**      **BOISON-DALE**  
**SW**        **2932 NEBRASKA AVE.**  
**1/4-1/2**    **SANTA MONICA, CA 90404**  
**0.258 mi.**  
**1360 ft.**    **Site 12 of 13 in cluster W**

**SEMS-ARCHIVE**    **1003879965**  
                          **CA0000476978**

**Relative:**      SEMS Archive:  
**Lower**         Site ID:                    905091  
                   EPA ID:                    CA0000476978  
**Actual:**       Cong District:            27  
**157 ft.**        FIPS Code:                6037  
                   FF:                         N  
                   NPL:                      Not on the NPL  
                   Non NPL Status:        NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:  
Region:                    9  
Site ID:                    905091  
EPA ID:                    CA0000476978  
Site Name:                BOISON-DALE  
NPL:                        N  
FF:                         N  
OU:                         0  
Action Code:              VS  
Action Name:              ARCH SITE  
SEQ:                        1  
Start Date:                Not reported  
Finish Date:               2000-02-07 00:00:00  
Qual:                       Not reported  
Current Action Lead:     EPA Perf In-Hse

Region:                    9  
Site ID:                    905091  
EPA ID:                    CA0000476978  
Site Name:                BOISON-DALE  
NPL:                        N  
FF:                         N  
OU:                         0  
Action Code:              DS  
Action Name:              DISCVRY  
SEQ:                        1  
Start Date:                1994-07-29 00:00:00  
Finish Date:               1994-07-29 00:00:00  
Qual:                       Not reported  
Current Action Lead:     EPA Perf

Region:                    9  
Site ID:                    905091  
EPA ID:                    CA0000476978  
Site Name:                BOISON-DALE  
NPL:                        N  
FF:                         N  
OU:                         0  
Action Code:              PA  
Action Name:              PA  
SEQ:                        1  
Start Date:                Not reported  
Finish Date:               2000-02-07 00:00:00  
Qual:                       N  
Current Action Lead:     EPA Perf

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**W117**      **BAL-TAC ELECTRONICS, INC.**  
**SW**        **2944 NEBRASKA AVE.**  
**1/4-1/2**    **SANTA MONICA, CA 90404**  
**0.258 mi.**  
**1360 ft.**    **Site 13 of 13 in cluster W**

**SEMS-ARCHIVE**    **1000893643**  
                          **CA0000476994**

**Relative:**      SEMS Archive:  
**Lower**         Site ID:                    905092  
                   EPA ID:                    CA0000476994  
**Actual:**       Cong District:            27  
**157 ft.**        FIPS Code:                6037  
                   FF:                         N  
                   NPL:                      Not on the NPL  
                   Non NPL Status:        NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region:                    9  
Site ID:                    905092  
EPA ID:                    CA0000476994  
Site Name:                BAL-TAC ELECTRONICS, INC.  
NPL:                        N  
FF:                         N  
OU:                         0  
Action Code:              VS  
Action Name:              ARCH SITE  
SEQ:                        1  
Start Date:                Not reported  
Finish Date:               2001-09-21 00:00:00  
Qual:                       Not reported  
Current Action Lead:     EPA Perf In-Hse

Region:                    9  
Site ID:                    905092  
EPA ID:                    CA0000476994  
Site Name:                BAL-TAC ELECTRONICS, INC.  
NPL:                        N  
FF:                         N  
OU:                         0  
Action Code:              DS  
Action Name:              DISCVRY  
SEQ:                        1  
Start Date:                1994-07-29 00:00:00  
Finish Date:               1994-07-29 00:00:00  
Qual:                       Not reported  
Current Action Lead:     EPA Perf

Region:                    9  
Site ID:                    905092  
EPA ID:                    CA0000476994  
Site Name:                BAL-TAC ELECTRONICS, INC.  
NPL:                        N  
FF:                         N  
OU:                         0  
Action Code:              PA  
Action Name:              PA  
SEQ:                        1  
Start Date:                1999-08-01 00:00:00  
Finish Date:               2001-04-04 00:00:00  
Qual:                       N  
Current Action Lead:     St Perf

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)  
EDR ID Number  
EPA ID Number

**Y118 SHELL SERVICE STATION**  
**ESE 11944 OLYMPIC BLVD, WEST**  
**1/4-1/2 LOS ANGELES, CA 90064**  
**0.261 mi.**  
**1380 ft. Site 1 of 3 in cluster Y**

**LUST S107863262**  
**HIST UST N/A**

**Relative:**  
**Lower**  
**Actual:**  
**156 ft.**

**LUST:**  
Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603743918](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603743918)  
Global Id: T0603743918  
Latitude: 34.032288  
Longitude: -118.453086  
Status: Completed - Case Closed  
Status Date: 04/27/2007  
Case Worker: DPP  
RB Case Number: 900640334  
Local Agency: LOS ANGELES, CITY OF  
File Location: Regional Board  
Local Case Number: 30366  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

**LUST:**  
Global Id: T0603743918  
Contact Type: Regional Board Caseworker  
Contact Name: DANIEL PIROTTON  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: Not reported  
City: R4 UNKNOWN  
Email: dpirotton@waterboards.ca.gov  
Phone Number: 2135766714

Global Id: T0603743918  
Contact Type: Local Agency Caseworker  
Contact Name: ELOY LUNA  
Organization Name: LOS ANGELES, CITY OF  
Address: 200 North Main Street, Suite 1780  
City: LOS ANGELES  
Email: eloy.luna@lacity.org  
Phone Number: Not reported

**LUST:**  
Global Id: T0603743918  
Action Type: ENFORCEMENT  
Date: 06/29/2006  
Action: Staff Letter

Global Id: T0603743918  
Action Type: Other  
Date: 05/11/2005  
Action: Leak Reported

Global Id: T0603743918  
Action Type: RESPONSE  
Date: 04/15/2007  
Action: Monitoring Report - Quarterly

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SHELL SERVICE STATION (Continued)**

**S107863262**

Global Id: T0603743918  
Action Type: RESPONSE  
Date: 01/15/2007  
Action: Monitoring Report - Quarterly

Global Id: T0603743918  
Action Type: ENFORCEMENT  
Date: 04/23/2007  
Action: Site Visit / Inspection / Sampling

Global Id: T0603743918  
Action Type: ENFORCEMENT  
Date: 04/27/2007  
Action: Closure/No Further Action Letter

Global Id: T0603743918  
Action Type: Other  
Date: 05/11/2005  
Action: Leak Discovery

Global Id: T0603743918  
Action Type: RESPONSE  
Date: 07/31/2006  
Action: Other Report / Document

**LUST:**

Global Id: T0603743918  
Status: Open - Case Begin Date  
Status Date: 01/17/2003

Global Id: T0603743918  
Status: Open - Site Assessment  
Status Date: 01/17/2003

Global Id: T0603743918  
Status: Open - Site Assessment  
Status Date: 01/13/2004

Global Id: T0603743918  
Status: Open - Site Assessment  
Status Date: 04/28/2005

Global Id: T0603743918  
Status: Completed - Case Closed  
Status Date: 04/27/2007

**HIST UST:**

File Number: 00028490  
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00028490.pdf>  
Region: Not reported  
Facility ID: Not reported  
Facility Type: Not reported  
Other Type: Not reported  
Contact Name: Not reported  
Telephone: Not reported



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SHELL SERVICE STATION (Continued)**

**S107863262**

Owner Name: Not reported  
 Owner Address: Not reported  
 Owner City,St,Zip: Not reported  
 Total Tanks: Not reported  
  
 Tank Num: Not reported  
 Container Num: Not reported  
 Year Installed: Not reported  
 Tank Capacity: Not reported  
 Tank Used for: Not reported  
 Type of Fuel: Not reported  
 Container Construction Thickness: Not reported  
 Leak Detection: Not reported

[Click here for Geo Tracker PDF:](#)

**Z119**  
**SW**  
**1/4-1/2**  
**0.275 mi.**  
**1453 ft.**

**NETHERCUTT LABYS ANTIQUE PARTS**  
**2928 NEBRASKA AVE.**  
**SANTA MONICA, CA 90404**  
**Site 1 of 4 in cluster Z**

**SEMS-ARCHIVE 1003879966**  
**CA0000477018**

**Relative:**  
**Lower**  
  
**Actual:**  
**157 ft.**

SEMS Archive:  
 Site ID: 905093  
 EPA ID: CA0000477018  
 Cong District: 27  
 FIPS Code: 6037  
 FF: N  
 NPL: Not on the NPL  
 Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
 Site ID: 905093  
 EPA ID: CA0000477018  
 Site Name: NETHERCUTT LABYS ANTIQUE PARTS  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: VS  
 Action Name: ARCH SITE  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 2000-02-07 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf In-Hse

Region: 9  
 Site ID: 905093  
 EPA ID: CA0000477018  
 Site Name: NETHERCUTT LABYS ANTIQUE PARTS  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: DS  
 Action Name: DISCVRY  
 SEQ: 1  
 Start Date: 1994-07-29 00:00:00

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**NETHERCUTT LABYS ANTIQUE PARTS (Continued)**

**1003879966**

Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf  
  
Region: 9  
Site ID: 905093  
EPA ID: CA0000477018  
Site Name: NETHERCUTT LABYS ANTIQUE PARTS  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-07 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

**Z120**  
**SW**  
**1/4-1/2**  
**0.277 mi.**  
**1460 ft.**

**MCDONNELL-DOUGLAS AIRCRAFT FACILITY**  
**OLYMPIC BLVD. AND CENTINELA BLVD.**  
**SANTA MONICA, CA 90404**

**SEMS-ARCHIVE 1000893648**  
**CA0000485326**

**Site 2 of 4 in cluster Z**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

SEMS Archive:  
Site ID: 905113  
EPA ID: CA0000485326  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**SEMS Archive Detail:**

Region: 9  
Site ID: 905113  
EPA ID: CA0000485326  
Site Name: MCDONNELL-DOUGLAS AIRCRAFT FACILITY  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2013-11-07 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905113  
EPA ID: CA0000485326  
Site Name: MCDONNELL-DOUGLAS AIRCRAFT FACILITY  
NPL: N  
FF: N  
OU: 0

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**MCDONNELL-DOUGLAS AIRCRAFT FACILITY (Continued)**

**1000893648**

Action Code: SI  
 Action Name: SI  
 SEQ: 1  
 Start Date: Not reported  
 Finish Date: 1997-09-29 00:00:00  
 Qual: N  
 Current Action Lead: EPA Perf

Region: 9  
 Site ID: 905113  
 EPA ID: CA0000485326  
 Site Name: MCDONNELL-DOUGLAS AIRCRAFT FACILITY  
 NPL: N  
 FF: N  
 OU: 0  
 Action Code: DS  
 Action Name: DISCVRY  
 SEQ: 1  
 Start Date: 1994-07-29 00:00:00  
 Finish Date: 1994-07-29 00:00:00  
 Qual: Not reported  
 Current Action Lead: EPA Perf

121  
 SSW  
 1/4-1/2  
 0.283 mi.  
 1495 ft.

**SANTA MONICA BUSINESS PARK-EXPOSITION  
 2902 EXPOSITION BOULEVARD  
 SANTA MONICA, CA 90405**

**LUST S102431054  
 CPS-SLIC N/A  
 ENF  
 HIST CORTESE**

**Relative:  
 Lower  
 Actual:  
 151 ft.**

LUST REG 4:  
 Region: 4  
 Regional Board: 04  
 County: Los Angeles  
 Facility Id: 904040025  
 Status: Case Closed  
 Substance: Gasoline  
 Substance Quantity: Not reported  
 Local Case No: Not reported  
 Case Type: Groundwater  
 Abatement Method Used at the Site: Pump and Treat Groundwater  
 Global ID: T0603701382  
 W Global ID: Not reported  
 Staff: SLC  
 Local Agency: 19033  
 Cross Street: DORCHESTER AVE  
 Enforcement Type: Not reported  
 Date Leak Discovered: Not reported  
 Date Leak First Reported: 2/19/1985  
 Date Leak Record Entered: 12/31/1986  
 Date Confirmation Began: Not reported  
 Date Leak Stopped: Not reported  
 Date Case Last Changed on Database: 11/15/1996  
 Date the Case was Closed: 12/16/1996  
 How Leak Discovered: Not reported  
 How Leak Stopped: Not reported  
 Cause of Leak: UNK  
 Leak Source: UNK

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA BUSINESS PARK-EXPOSITION (Continued)**

**S102431054**

Operator: Not reported  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): 766.73151374511586420436622363  
Source of Cleanup Funding: UNK  
Preliminary Site Assessment Workplan Submitted: Not reported  
Preliminary Site Assessment Began: Not reported  
Pollution Characterization Began: Not reported  
Remediation Plan Submitted: Not reported  
Remedial Action Underway: 3/25/1988  
Post Remedial Action Monitoring Began: Not reported  
Enforcement Action Date: Not reported  
Historical Max MTBE Date: Not reported  
Hist Max MTBE Conc in Groundwater: Not reported  
Hist Max MTBE Conc in Soil: Not reported  
Significant Interim Remedial Action Taken: Yes  
GW Qualifier: Not reported  
Soil Qualifier: Not reported  
Organization: Not reported  
Owner Contact: Not reported  
Responsible Party: GTE CALIFORNIA, INCORPORATED  
RP Address: P O BOX 725, CA301HJ, CHINO, CA 91708  
Program: SLIC  
Lat/Long: 34.0284951 / -1  
Local Agency Staff: UNK  
Beneficial Use: Not reported  
Priority: Not reported  
Cleanup Fund Id: Not reported  
Suspended: Not reported  
Assigned Name: Not reported  
Summary: CASE TRANSFERRED TO SLIC (J. GEROCH) FOR TCE CONTAMINATION INVESTIGATION OVERSIGHT.

**CPS-SLIC:**

Region: STATE  
**Facility Status: Completed - Case Closed**  
Status Date: 12/16/1996  
Global Id: T0603701382  
Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Lead Agency Case Number: Not reported  
Latitude: 34.0285812  
Longitude: -118.4624987  
Case Type: Cleanup Program Site  
Case Worker: SLC  
Local Agency: Not reported  
RB Case Number: 904040025  
File Location: Not reported  
Potential Media Affected: Aquifer used for drinking water supply  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

[Click here to access the California GeoTracker records for this facility:](#)

Region: STATE  
**Facility Status: Open - Assessment & Interim Remedial Action**  
Status Date: 03/30/2010  
Global Id: SLT4307573

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA BUSINESS PARK-EXPOSITION (Continued)**

**S102431054**

Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Lead Agency Case Number: Not reported  
Latitude: 34.0292067580683  
Longitude: -118.462100028992  
Case Type: Cleanup Program Site  
Case Worker: RL  
Local Agency: Not reported  
RB Case Number: 0130C  
File Location: Regional Board  
Potential Media Affected: Aquifer used for drinking water supply, Indoor Air, Other Groundwater (uses other than drinking water), Soil, Soil Vapor, Under Investigation, Well used for drinking water supply  
Potential Contaminants of Concern: Benzene, Other Chlorinated Hydrocarbons, Tetrachloroethylene (PCE), Trichloroethylene (TCE), Vinyl chloride, Gasoline  
Site History: NOTES: The following errors occur in the September 30, 2010 "Field Implementation Report, Soil and Groundwater Assessment, Former Douglas Aircraft Company Plant A7," Appendix H, Human Health Risk Assessment: 1) Table 3 - Title on table incorrectly indicates 5 feet bgs. This Table is for 15 feet bgs. 2) Tables 6 & 7 - RBSL units should be a%g/L not a%g/m^3 Until 1947 the site was vacant. In 1947, Douglas Aircraft built facilities. They manufactured aircraft assemblies at the site until 1972. Douglas merged with McDonnell Aircraft. McDonnell/Douglas was later bought by The Boeing Corporation. General Telephone and Electronics (GTE), a phone company, bought the site in 1972 for use as a vehicle maintenance yard. Verizon bought GTE in 2002, acquiring the site. The site is currently used by Verizon as a warehouse and vehicle staging area, where light maintenance and vehicle washing also occurs. VOCs are present in soil, soil vapor, and shallow groundwater beneath the site. These may be associated with painting and other manufacturing activities conducted by Douglas, as there are no other known sources in the immediate vicinity of the site that appear capable of contaminating shallow groundwater with VOCs at the concentrations currently observed. However, as any VOC source associated with aircraft manufacturing is more than 40 years old no well defined source has been clearly identified by the numerous soil and soil vapor sampled collected to date. Regional aquifer contamination is also present. As of 2010, VOC assessment is ongoing at the site. While owned by GTE/Verizon, a gasoline UST released fuel to soil and groundwater. Some soil was excavated and removed. Goundwater was pumped and treated to control the spread of the dissolved gasoline and to remediate groundwater. The gasoline case was given regulatory closure in 1996. Dissolved benzene remains in groundwater.

[Click here to access the California GeoTracker records for this facility:](#)

ENF:

Region: 4  
Facility Id: 260398  
Agency Name: Santa Monica Business Park  
Place Type: Facility  
Place Subtype: Not reported  
Facility Type: Industrial  
Agency Type: Privately-Owned Business  
# Of Agencies: 1  
Place Latitude: Not reported  
Place Longitude: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA BUSINESS PARK-EXPOSITION (Continued)**

**S102431054**

SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	SLIC
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	4SLIC130C
Reg Measure Id:	157601
Reg Measure Type:	Unregulated
Region:	4
Order #:	Not reported
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	02/20/2013
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	247837
Region:	4
Order / Resolution Number:	NOV
Enforcement Action Type:	Notice of Violation

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA BUSINESS PARK-EXPOSITION (Continued)**

**S102431054**

Effective Date: 07/25/2002  
Adoption/Issuance Date: Not reported  
Achieve Date: Not reported  
Termination Date: 07/25/2002  
ACL Issuance Date: Not reported  
EPL Issuance Date: Not reported  
Status: Historical  
Title: Enforcement - 4SLIC130C  
Description: NOV sent 7/25/02 for deficient investigation workplan.  
Program: SLIC  
Latest Milestone Completion Date: Not reported  
# Of Programs1: 1  
Total Assessment Amount: 0  
Initial Assessed Amount: 0  
Liability \$ Amount: 0  
Project \$ Amount: 0  
Liability \$ Paid: 0  
Project \$ Completed: 0  
Total \$ Paid/Completed Amount: 0

**HIST CORTESE:**

Region: CORTESE  
Facility County Code: 19  
Reg By: LTNKA  
Reg Id: 904040025

Y122  
ESE  
1/4-1/2  
0.286 mi.  
1508 ft.

**3M LOS ANGELES DYNACOLOR**  
**11915 W OLYMPIC BLVD**  
**LOS ANGELES, CA 90064**

**HWP S109467284**  
**N/A**

**Site 2 of 3 in cluster Y**

**Relative:**  
**Lower**  
**Actual:**  
**159 ft.**

HWP:  
EPA Id: CAT000617621  
Cleanup Status: PROTECTIVE FILER  
Latitude: 34.03289  
Longitude: -118.4513  
Facility Type: Historical - Non-Operating  
Facility Size: Not reported  
Team: Not reported  
Supervisor: Not reported  
Site Code: Not reported  
Assembly District: 50  
Senate District: 26  
Public Information Officer: Not reported  
Public Information Officer: Not reported

**Activities:**

EPA Id: CAT000617621  
Facility Type: Historical - Non-Operating  
Unit Names: CONTAIN1, OTHRTRT1  
Event Description: Protective Filer Status - PROTECTIVE FILER (RECEIVED)  
Actual Date: 09/15/1982

EPA Id: CAT000617621  
Facility Type: Historical - Non-Operating  
Unit Names: CONTAIN1, OTHRTRT1  
Event Description: Protective Filer Status - PROTECTIVE FILER (APPROVED)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**3M LOS ANGELES DYNACOLOR (Continued)**

**S109467284**

Actual Date: 09/30/1982

Y123  
ESE  
1/4-1/2  
0.286 mi.  
1508 ft.

**3M LOS ANGELES DYNACOLOR  
11915 WEST OLYMPIC BLVD.  
LOS ANGELES, CA 90064**

**Site 3 of 3 in cluster Y**

**RCRA-TSDF  
RCRA NonGen / NLR  
FINDS  
ECHO**

**1000290916  
CAT000617621**

**Relative:  
Lower**

RCRA-TSDF:

**Actual:  
159 ft.**

Date form received by agency: 09/17/1993  
Facility name: 3M LOS ANGELES DYNACOLOR  
Facility address: 11915 WEST OLYMPIC BLVD.  
LOS ANGELES, CA 90064  
EPA ID: CAT000617621  
Mailing address: PO BOX 33331  
ST. PAUL, MN 55133  
Contact: Not reported  
Contact address: Not reported  
Not reported  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 09  
Classification: TSDF  
Description: Handler is engaged in the treatment, storage or disposal of hazardous waste  
Classification: Non-Generator  
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: 3M COMPANY  
Owner/operator address: 11915 WEST OLYMPIC BLVD.  
CITY NOT REPORTED, CA 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 213-478-0508  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: 3M COMPANY  
Owner/operator address: 11915 WEST OLYMPIC BLVD.  
LOS ANGELES, CA 90064  
Owner/operator country: Not reported  
Owner/operator telephone: 213-478-0508  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**3M LOS ANGELES DYNACOLOR (Continued)**

**1000290916**

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

Historical Generators:

Date form received by agency: 08/18/1980  
Site name: 3M LOS ANGELES DYNACOLOR  
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002943806

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000290916  
Registry ID: 110002943806  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110002943806>

**AA124 CALAIR INT'L - S.W. MATERIALS**  
**WSW 1724 STANFORD AVE.**  
**1/4-1/2 SANTA MONICA, CA 90404**  
**0.290 mi.**  
**1530 ft. Site 1 of 2 in cluster AA**

**SEMS-ARCHIVE 1003879980**  
**CA0000476382**

**Relative:** SEMS Archive:  
**Lower** Site ID: 905110  
EPA ID: CA0000476382  
**Actual:** Cong District: 27  
**161 ft.** FIPS Code: 6037  
FF: N

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CALAIR INT'L - S.W. MATERIALS (Continued)**

**1003879980**

NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 905110  
EPA ID: CA0000476382  
Site Name: CALAIR INT'L - S.W. MATERIALS  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-07 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905110  
EPA ID: CA0000476382  
Site Name: CALAIR INT'L - S.W. MATERIALS  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905110  
EPA ID: CA0000476382  
Site Name: CALAIR INT'L - S.W. MATERIALS  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-07 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**Z125**      **NEUTRONICS INC.**  
**SW**        **2908 NEBRASKA AVE.**  
**1/4-1/2**    **SANTA MONICA, CA 90404**  
**0.291 mi.**  
**1536 ft.**    **Site 3 of 4 in cluster Z**

**SEMS-ARCHIVE**    **1015732564**  
**CA0000477034**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

SEMS Archive:  
Site ID: 905094  
EPA ID: CA0000477034  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 905094  
EPA ID: CA0000477034  
Site Name: NEUTRONICS INC.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-03-09 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905094  
EPA ID: CA0000477034  
Site Name: NEUTRONICS INC.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905094  
EPA ID: CA0000477034  
Site Name: NEUTRONICS INC.  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-03-09 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**AA126**    **J. E. YOUNG PIPELINE CO.**  
**WSW**     **1716 STANFORD AVE.**  
**1/4-1/2**   **SANTA MONICA, CA 90404**  
**0.293 mi.**  
**1546 ft.**   **Site 2 of 2 in cluster AA**

**SEMS-ARCHIVE**    **1003879976**  
**CA0000476424**

**Relative:**  
**Lower**  
**Actual:**  
**161 ft.**

SEMS Archive:  
Site ID: 905106  
EPA ID: CA0000476424  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 905106  
EPA ID: CA0000476424  
Site Name: J. E. YOUNG PIPELINE CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-11 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905106  
EPA ID: CA0000476424  
Site Name: J. E. YOUNG PIPELINE CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905106  
EPA ID: CA0000476424  
Site Name: J. E. YOUNG PIPELINE CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-02-11 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

Z127  
SW  
1/4-1/2  
0.325 mi.  
1718 ft.

**SPC ELECTRONIC RESEARCH**  
**2500 NEBRASKA AVENUE**  
**SANTA MONICA, CA 90404**

**ENVIROSTOR S111842234**  
**N/A**

**Site 4 of 4 in cluster Z**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

ENVIROSTOR:  
Facility ID: 60001679  
Status: No Further Action  
Status Date: 05/13/1998  
Site Code: Not reported  
Site Type: Evaluation  
Site Type Detailed: Evaluation  
Acres: 0  
NPL: NO  
Regulatory Agencies: LOS ANGELES COUNTY  
Lead Agency: LOS ANGELES COUNTY  
Program Manager: Not reported  
Supervisor: Douglas Bautista  
Division Branch: Cleanup Cypress  
Assembly: 41  
Senate: 26  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: EPA Grant  
Latitude: 34.03039  
Longitude: -118.4652  
APN: NONE SPECIFIED  
Past Use: NONE SPECIFIED  
Potential COC: NONE SPECIFIED No Contaminants found  
Confirmed COC: No Contaminants found  
Potential Description: NONE SPECIFIED  
Alias Name: 60001679  
Alias Type: Envirostor ID Number

Completed Info:  
Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 05/13/1998  
Comments: No further action

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

128  
ENE  
1/4-1/2  
0.326 mi.  
1722 ft.

AVES TRUST  
2010 S. WESTGATE AVE.  
LOS ANGELES, CA 90025

SEMS-ARCHIVE 1003073272  
CAN000905652

Relative:  
Higher  
Actual:  
168 ft.

SEMS Archive:  
Site ID: 905652  
EPA ID: CAN000905652  
Cong District: Not reported  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 905652  
EPA ID: CAN000905652  
Site Name: AVES TRUST  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2013-11-07 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905652  
EPA ID: CAN000905652  
Site Name: AVES TRUST  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: 2002-10-01 00:00:00  
Finish Date: 2005-08-12 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905652  
EPA ID: CAN000905652  
Site Name: AVES TRUST  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 2000-06-16 00:00:00  
Finish Date: 2000-06-16 00:00:00  
Qual: Not reported  
Current Action Lead: St Perf

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

129  
SW  
1/4-1/2  
0.330 mi.  
1743 ft.

**SPAZIER SOAP CHEMICAL**  
**2400 NEBRASKA AVE.**  
**SANTA MONICA, CA 90404**

**ENVIROSTOR** **S111842230**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

ENVIROSTOR:  
Facility ID: 60001675  
Status: No Further Action  
Status Date: 05/13/1998  
Site Code: Not reported  
Site Type: Evaluation  
Site Type Detailed: Evaluation  
Acres: 0  
NPL: NO  
Regulatory Agencies: LOS ANGELES COUNTY  
Lead Agency: LOS ANGELES COUNTY  
Program Manager: Not reported  
Supervisor: Douglas Bautista  
Division Branch: Cleanup Cypress  
Assembly: 41  
Senate: 26  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: EPA Grant  
Latitude: 34.03041  
Longitude: -118.4653  
APN: NONE SPECIFIED  
Past Use: NONE SPECIFIED  
Potential COC: NONE SPECIFIED No Contaminants found  
Confirmed COC: No Contaminants found  
Potential Description: NONE SPECIFIED  
Alias Name: 60001675  
Alias Type: Envirostor ID Number

Completed Info:  
Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 05/13/1998  
Comments: no further action

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

130  
WSW  
1/4-1/2  
0.338 mi.  
1786 ft.

ARMAL MFG. CO.  
1660 STANFORD AVE.  
SANTA MONICA, CA 90404

SEMS-ARCHIVE 1003879974  
CA0000476440

Relative:  
Higher  
Actual:  
164 ft.

SEMS Archive:  
Site ID: 905104  
EPA ID: CA0000476440  
Cong District: 27  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL  
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 905104  
EPA ID: CA0000476440  
Site Name: ARMAL MFG. CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 2000-03-09 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 905104  
EPA ID: CA0000476440  
Site Name: ARMAL MFG. CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1994-07-29 00:00:00  
Finish Date: 1994-07-29 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 905104  
EPA ID: CA0000476440  
Site Name: ARMAL MFG. CO.  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: 1999-10-01 00:00:00  
Finish Date: 2000-03-09 00:00:00  
Qual: N  
Current Action Lead: EPA Perf



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**AB131**      **CINEMA PRODUCTS, THE**  
**East**        **2037 GRANVILLE AVENUE**  
**1/4-1/2**      **LOS ANGELES, CA 90025**  
**0.381 mi.**  
**2010 ft.**      **Site 1 of 2 in cluster AB**

**ENVIROSTOR**    **1000483023**  
**N/A**

**Relative:**  
**Higher**  
**Actual:**  
**169 ft.**

**ENVIROSTOR:**  
 Facility ID: 19360526  
 Status: No Further Action  
 Status Date: 08/23/1993  
 Site Code: Not reported  
 Site Type: Historical  
 Site Type Detailed: \* Historical  
 Acres: 1  
 NPL: NO  
 Regulatory Agencies: NONE SPECIFIED  
 Lead Agency: NONE SPECIFIED  
 Program Manager: Not reported  
 Supervisor: \* Mmonroy  
 Division Branch: Cleanup Chatsworth  
 Assembly: 50  
 Senate: 26  
 Special Program: Not reported  
 Restricted Use: NO  
 Site Mgmt Req: NONE SPECIFIED  
 Funding: Not reported  
 Latitude: 34.035  
 Longitude: -118.4516  
 APN: NONE SPECIFIED  
 Past Use: MANUFACTURING - ELECTRONIC  
 Potential COC: \* HALOGENATED ORGANIC COMPOUNDS \* HALOGENATED SOLVENTS \* HYDROCARBON SOLVENTS \* OIL/WATER SEPARATION SLUDGE \* ORGANIC MONOMER WASTE, INCLUDING UNREACTED RESINS \* ORGANIC SOLIDS WITH HALOGENS \* OTHER ORGANIC SOLIDS \* Sludge - Degreasing \* Sludge - Halogenated Compounds \* Sludge - Paint \* UNSPECIFIED AQUEOUS SOLUTION \* UNSPECIFIED OIL CONTAINING WASTE \* UNSPECIFIED SOLVENT MIXTURES \* WASTE OIL & MIXED OIL \* ADHESIVES \* ORGANIC LIQUIDS (NONSOLVENTS) WITH HALOGENS \* POLYMERIC RESIN WASTE \* UNSPECIFIED ORGANIC LIQUID MIXTURE  
 Confirmed COC: NONE SPECIFIED  
 Potential Description: SOIL  
 Alias Name: 3M COMPANY  
 Alias Type: Alternate Name  
 Alias Name: CARPETCRAFT  
 Alias Type: Alternate Name  
 Alias Name: COMPUTER COMMUNICATIONS CORPORATION  
 Alias Type: Alternate Name  
 Alias Name: FIDELITY ARTS  
 Alias Type: Alternate Name  
 Alias Name: MINNESOTA MINING & MANUFACRTURING CO.  
 Alias Type: Alternate Name  
 Alias Name: RADIO CORPORATION OF AMERICA  
 Alias Type: Alternate Name  
 Alias Name: RCA CORPORATION  
 Alias Type: Alternate Name  
 Alias Name: THE CINEMA PRODUCTS  
 Alias Type: Alternate Name  
 Alias Name: CAD 983566753  
 Alias Type: EPA Identification Number  
 Alias Name: CAL000123458

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**CINEMA PRODUCTS, THE (Continued)**

**1000483023**

Alias Type: EPA Identification Number  
 Alias Name: 19360526  
 Alias Type: Envirostor ID Number

**Completed Info:**

Completed Area Name: PROJECT WIDE  
 Completed Sub Area Name: Not reported  
 Completed Document Type: Site Screening  
 Completed Date: 10/27/1994  
 Comments: DATABASE VERIFICATION PROJECT CONFIRMS NFA FOR DTSC.

Completed Area Name: PROJECT WIDE  
 Completed Sub Area Name: Not reported  
 Completed Document Type: Site Screening  
 Completed Date: 07/14/1992  
 Comments: THE SITE WAS IDENTIFIED FORM EPA FIT PA REPORT DATED FEB 22, 1991 WHICH WAS RECOMMENDED NFA FOR EPA. THE ONE ACRE SITE OCCUPIED A 23,600 SQ. FT. BUILDING. THE BUILDING IS CURRENTLY OCCUPIED BY TWO BUSINESSES FIDELITY ARTS, A RETAILER OF ARTWORKS AND CARPETCRAFT, A WHOLESALE AND RETAIL CARPET STORE. THE BUILDING CONSTRUCTED IN 1960S, LATER LEASED BY 3M COMPANY (MINNESOTA MINING & MANUFACTURING CO. AND THE COMPUTER COMMUNICATIONS CORP, BOTH PERFORMED ELECTRONIC ASSEMBLY AT THE SITE. FROM 1973 TO 1986 CINEMA PRODUCTS OPERATED AT THE SITE IN THE MANUFACTURING OF SPECIALITY MOTION PICTURE CAMERAS. CINEMA PRODUCTS USED THE CHEMICALS SUCH AS TCE, ACETONE, LACQUER THINNER, WHITE GAS, KEROSENE, DEODORIZED KEROSENE AND TRETHANE III. SPENT TCE WAS DISPOSED AT THE SITE. ALSO, DRUM STORAGE AREA WAS STAINED WITH OIL. DEPTH TO THE GROUNDWATER AT THE SITE IS APPX 40 TO 50 FEET. PEA IS REQUIRED BECAUSE OS THE EVIDENCE OF CONTAMINATION ONSITE.

Future Area Name: Not reported  
 Future Sub Area Name: Not reported  
 Future Document Type: Not reported  
 Future Due Date: Not reported  
 Schedule Area Name: Not reported  
 Schedule Sub Area Name: Not reported  
 Schedule Document Type: Not reported  
 Schedule Due Date: Not reported  
 Schedule Revised Date: Not reported

**AB132**  
**East**  
**1/4-1/2**  
**0.381 mi.**  
**2010 ft.**

**CINEMA PRODUCTS**  
**2037 GRANVILLE AVE**  
**LOS ANGELES, CA 90025**

**SEMS-ARCHIVE 1003877948**  
**CAD983566753**

**Site 2 of 2 in cluster AB**

**Relative:**  
**Higher**  
**Actual:**  
**169 ft.**

SEMS Archive:  
 Site ID: 900021  
 EPA ID: CAD983566753  
 Cong District: 23  
 FIPS Code: 6037  
 FF: N  
 NPL: Not on the NPL  
 Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

**SEMS Archive Detail:**

Region: 9  
 Site ID: 900021  
 EPA ID: CAD983566753

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**CINEMA PRODUCTS (Continued)**

**1003877948**

Site Name: CINEMA PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1991-03-26 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 900021  
EPA ID: CAD983566753  
Site Name: CINEMA PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1990-08-17 00:00:00  
Finish Date: 1990-08-17 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 900021  
EPA ID: CAD983566753  
Site Name: CINEMA PRODUCTS  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1991-03-26 00:00:00  
Qual: N  
Current Action Lead: EPA Perf

**AC133 BOEING CO.  
SW 2801 EXPOSITION  
1/4-1/2 SANTA MONICA, CA 90404  
0.391 mi.  
2062 ft. Site 1 of 2 in cluster AC**

**CPS-SLIC S104404806  
N/A**

**Relative:** SLIC REG 4:  
**Lower** Region: 4  
**Actual:** Facility Status: Site Assessment  
**154 ft.** SLIC: 0130C  
Substance: VOCs  
Staff: John Geroch

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

AC134  
SW  
1/4-1/2  
0.393 mi.  
2074 ft.

SANTA MONICA CITY LANDFILL II  
STEWART & EXPOSITION  
SANTA MONICA, CA

WMUDS/SWAT S103441339  
N/A

Site 2 of 2 in cluster AC

Relative:  
Lower

WMUDS/SWAT:

Actual:  
154 ft.

Edit Date: 19951019  
Complexity: Not reported  
Primary Waste: Not reported  
Primary Waste Type: Not reported  
Secondary Waste: Not reported  
Secondary Waste Type: Not reported  
Base Meridian: Not reported  
NPID: Not reported  
Tonnage: 0  
Regional Board ID: Not reported  
Municipal Solid Waste: False  
Superorder: False  
Open To Public: False  
Waste List: False  
Agency Type: Not reported  
Agency Name: CITY OF SANTA MONICA  
Agency Department: Not reported  
Agency Address: Not reported  
Agency City,St,Zip: Not reported  
Agency Contact: Not reported  
Agency Telephone: Not reported  
Land Owner Name: Not reported  
Land Owner Address: Not reported  
Land Owner City,St,Zip: CA  
Land Owner Contact: Not reported  
Land Owner Phone: Not reported  
Region: 4  
Facility Type: Not reported  
Facility Description: Not reported  
Facility Telephone: Not reported  
SWAT Facility Name: Not reported  
Primary SIC: Not reported  
Secondary SIC: Not reported  
Comments: Not reported  
Last Facility Editors: EDWEDWEDW  
Waste Discharge System: False  
Solid Waste Assessment Test Program: True  
Toxic Pits Cleanup Act Program: False  
Resource Conservation Recovery Act: False  
Department of Defence: False  
Solid Waste Assessment Test Program: CITY OF SANTA MONICA  
Threat to Water Quality: Not reported  
Sub Chapter 15: False  
Regional Board Project Officer: R\_N  
Number of WMUDS at Facility: 1  
Section Range: Not reported  
RCRA Facility: Not reported  
Waste Discharge Requirements: Not reported  
Self-Monitoring Rept. Frequency: Not reported  
Waste Discharge System ID: 4 190066NUR  
Solid Waste Information ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

135  
WSW  
1/4-1/2  
0.407 mi.  
2151 ft.

**SOUTHERN CA GAS CO**  
**1701 STEWART**  
**SANTA MONICA, CA 90404**

**LUST S102437791**  
**HIST CORTESE N/A**

**Relative:**  
**Lower**  
**Actual:**  
**160 ft.**

LUST:  
Lead Agency: SANTA MONICA, CITY OF  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603792927](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603792927)  
Global Id: T0603792927  
Latitude: 34.0305263  
Longitude: -118.4660647  
Status: Completed - Case Closed  
Status Date: 08/22/2007  
Case Worker: MH  
RB Case Number: 904040416  
Local Agency: SANTA MONICA, CITY OF  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

LUST:  
Global Id: T0603792927  
Contact Type: Local Agency Caseworker  
Contact Name: MONICA HANLEY  
Organization Name: SANTA MONICA, CITY OF  
Address: 333 Olympic Drive - 2nd Floor  
City: SANTA MONICA  
Email: monica.hanley@smgov.net  
Phone Number: Not reported  
  
Global Id: T0603792927  
Contact Type: Regional Board Caseworker  
Contact Name: YUE RONG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4TH ST., SUITE 200  
City: Los Angeles  
Email: yrong@waterboards.ca.gov  
Phone Number: Not reported

LUST:  
Global Id: T0603792927  
Action Type: Other  
Date: 05/08/1987  
Action: Leak Reported  
  
Global Id: T0603792927  
Action Type: Other  
Date: 04/28/1987  
Action: Leak Discovery  
  
Global Id: T0603792927  
Action Type: Other  
Date: 04/30/1987  
Action: Leak Stopped

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SOUTHERN CA GAS CO (Continued)**

**S102437791**

LUST:

Global Id: T0603792927  
Status: Completed - Case Closed  
Status Date: 04/28/1987  
  
Global Id: T0603792927  
Status: Open - Case Begin Date  
Status Date: 04/28/1987  
  
Global Id: T0603792927  
Status: Open - Reopen Case  
Status Date: 08/26/1987  
  
Global Id: T0603792927  
Status: Open - Site Assessment  
Status Date: 08/27/1987  
  
Global Id: T0603792927  
Status: Completed - Case Closed  
Status Date: 08/22/2007

LUST REG 4:

Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 904040416  
Status: Pollution Characterization  
Substance: Gasoline  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Soil  
Abatement Method Used at the Site: Not reported  
Global ID: T0603792927  
W Global ID: Not reported  
Staff: UNK  
Local Agency: 19033  
Cross Street: OLYMPIC  
Enforcement Type: Not reported  
Date Leak Discovered: 4/28/1987  
Date Leak First Reported: 5/8/1987  
Date Leak Record Entered: 5/13/1987  
Date Confirmation Began: Not reported  
Date Leak Stopped: 4/30/1987  
Date Case Last Changed on Database: 11/1/1990  
Date the Case was Closed: Not reported  
How Leak Discovered: OM  
How Leak Stopped: Not reported  
Cause of Leak: Other Cause  
Leak Source: Piping  
Operator: Not reported  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): 655.82720305205189067717266966  
Source of Cleanup Funding: Piping  
Preliminary Site Assessment Workplan Submitted: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SOUTHERN CA GAS CO (Continued)**

**S102437791**

Preliminary Site Assessment Began:	Not reported
Pollution Characterization Began:	8/27/1987
Remediation Plan Submitted:	Not reported
Remedial Action Underway:	Not reported
Post Remedial Action Monitoring Began:	Not reported
Enforcement Action Date:	Not reported
Historical Max MTBE Date:	Not reported
Hist Max MTBE Conc in Groundwater:	Not reported
Hist Max MTBE Conc in Soil:	Not reported
Significant Interim Remedial Action Taken:	Not reported
GW Qualifier:	Not reported
Soil Qualifier:	Not reported
Organization:	Not reported
Owner Contact:	Not reported
Responsible Party:	SOUTHERN CALIFORNIA GAS CO.
RP Address:	PO BOX 3249 TERMINAL ANNEX, LOS ANGELES, CA 90051
Program:	LUST
Lat/Long:	34.031649 / -1
Local Agency Staff:	UNK
Beneficial Use:	Not reported
Priority:	Not reported
Cleanup Fund Id:	Not reported
Suspended:	Not reported
Assigned Name:	Not reported
Summary:	LEAK CAUSED BY TWO LOOSE EXTRACTION TUBE CAPS. LAB RESULTS AND AMOUNT OF SOIL THAT WAS EXCAVATED IS FORTHCOMING.

HIST CORTESE:  
 Region: CORTESE  
 Facility County Code: 19  
 Reg By: LTNKA  
 Reg Id: 000890

<b>AD136</b> South 1/4-1/2 0.408 mi. 2152 ft.	<b>WESSEN BUICK DEALER (FORM 3101 PICO LOS ANGELES, CA 90005)</b> <b>Site 1 of 2 in cluster AD</b>	<b>HIST CORTESE</b> <b>S105024675</b> <b>N/A</b>
---	---	--

Relative: HIST CORTESE:  
 Lower Region: CORTESE  
 Actual: Facility County Code: 19  
 156 ft. Reg By: LTNKA  
 Reg Id: 900190034

<b>AD137</b> South 1/4-1/2 0.418 mi. 2209 ft.	<b>PETER FOREIGN AUTO SERVICE INC 3007 PICO BL SANTA MONICA, CA 90405)</b> <b>Site 2 of 2 in cluster AD</b>	<b>LUST</b> <b>HIST UST</b> <b>U001564018</b> <b>N/A</b>
---	--	---

Relative: LUST:  
 Higher Lead Agency: SANTA MONICA, CITY OF  
 Actual: Case Type: LUST Cleanup Site  
 164 ft. Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603793191](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603793191)  
 Global Id: T0603793191

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**PETER FOREIGN AUTO SERVICE INC (Continued)**

**U001564018**

Latitude: 34.02572  
Longitude: -118.45819  
Status: Completed - Case Closed  
Status Date: 06/21/2013  
Case Worker: MH  
RB Case Number: Not reported  
Local Agency: SANTA MONICA, CITY OF  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Other Petroleum, Benzene, MTBE / TBA / Other Fuel Oxygenates  
Site History: Not reported

LUST:

Global Id: T0603793191  
Contact Type: Local Agency Caseworker  
Contact Name: MONICA HANLEY  
Organization Name: SANTA MONICA, CITY OF  
Address: 333 Olympic Drive - 2nd Floor  
City: SANTA MONICA  
Email: monica.hanley@smgov.net  
Phone Number: Not reported

Global Id: T0603793191  
Contact Type: Regional Board Caseworker  
Contact Name: YUE RONG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4TH ST., SUITE 200  
City: Los Angeles  
Email: yrong@waterboards.ca.gov  
Phone Number: Not reported

LUST:

Global Id: T0603793191  
Action Type: Other  
Date: 02/18/1998  
Action: Leak Reported

Global Id: T0603793191  
Action Type: Other  
Date: 02/18/1998  
Action: Leak Discovery

LUST:

Global Id: T0603793191  
Status: Open - Case Begin Date  
Status Date: 02/18/1998

Global Id: T0603793191  
Status: Open - Site Assessment  
Status Date: 06/27/2007

Global Id: T0603793191  
Status: Completed - Case Closed  
Status Date: 06/21/2013



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**PETER FOREIGN AUTO SERVICE INC (Continued)**

**U001564018**

**HIST UST:**

File Number:	00027CE6
URL:	http://geotracker.waterboards.ca.gov/ustpdfs/pdf/00027CE6.pdf
Region:	STATE
Facility ID:	00000017170
Facility Type:	Other
Other Type:	GARAGE
Contact Name:	Not reported
Telephone:	2138291337
Owner Name:	PETER'S FOREIGN AUTO SERV INC
Owner Address:	3007 PICO GL
Owner City,St,Zip:	SANTA MONICA, CA 90405
Total Tanks:	0001
Tank Num:	001
Container Num:	1
Year Installed:	Not reported
Tank Capacity:	00000500
Tank Used for:	WASTE
Type of Fuel:	WASTE OIL
Container Construction Thickness:	Not reported
Leak Detection:	None

[Click here for Geo Tracker PDF:](#)

**AE138**  
**NNW**  
**1/4-1/2**  
**0.433 mi.**  
**2286 ft.**

**76 STATION #5210**  
**11954 SANTA MONICA BLVD**  
**SAWTELLE, CA 90025**  
**Site 1 of 2 in cluster AE**

**LUST S105691983**  
**N/A**

**Relative:**  
**Higher**  
**Actual:**  
**204 ft.**

<b>Relative:</b>	<b>LUST REG 4:</b>	
<b>Higher</b>	Region:	4
<b>Actual:</b>	Regional Board:	04
<b>204 ft.</b>	County:	Los Angeles
	Facility Id:	900250107A
	Status:	Case Closed
	Substance:	Gasoline
	Substance Quantity:	Not reported
	Local Case No:	Not reported
	Case Type:	Groundwater
	Abatement Method Used at the Site:	Not reported
	Global ID:	T0603700695
	W Global ID:	Not reported
	Staff:	JH
	Local Agency:	19050
	Cross Street:	Not reported
	Enforcement Type:	Not reported
	Date Leak Discovered:	4/29/1988
	Date Leak First Reported:	5/13/1993
	Date Leak Record Entered:	6/30/1993
	Date Confirmation Began:	Not reported
	Date Leak Stopped:	Not reported
	Date Case Last Changed on Database:	Not reported
	Date the Case was Closed:	3/31/1997
	How Leak Discovered:	Not reported
	How Leak Stopped:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

76 STATION #5210 (Continued)

S105691983

Cause of Leak: Not reported  
Leak Source: Not reported  
Operator: Not reported  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): 1830.1346291555701140230008149  
Source of Cleanup Funding: Not reported  
Preliminary Site Assessment Workplan Submitted: Not reported  
Preliminary Site Assessment Began: Not reported  
Pollution Characterization Began: Not reported  
Remediation Plan Submitted: 10/10/1995  
Remedial Action Underway: Not reported  
Post Remedial Action Monitoring Began: Not reported  
Enforcement Action Date: Not reported  
Historical Max MTBE Date: Not reported  
Hist Max MTBE Conc in Groundwater: Not reported  
Hist Max MTBE Conc in Soil: Not reported  
Significant Interim Remedial Action Taken: Not reported  
GW Qualifier: Not reported  
Soil Qualifier: Not reported  
Organization: Not reported  
Owner Contact: Not reported  
Responsible Party: TOSCO/76 PRODUCTS TEAM  
RP Address: 76 BROADWAY  
Program: LUST  
Lat/Long: 34.0412537 / -1  
Local Agency Staff: PEJ  
Beneficial Use: Not reported  
Priority: Not reported  
Cleanup Fund Id: Not reported  
Suspended: Not reported  
Assigned Name: Not reported  
Summary: 12/31/96 - QUARTERLY MONITORING REPORT 09/30/96 -  
QUARTERLY MONITORING RPT 03/31/97 - QRT  
MONITORING RPT  
  
Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 900250107A  
Status: Remediation Plan  
Substance: Gasoline  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Groundwater  
Abatement Method Used at the Site: Not reported  
Global ID: T0603763357  
W Global ID: Not reported  
Staff: JH  
Local Agency: 19050  
Cross Street: BROCKTON AVE.  
Enforcement Type: DLSEL  
Date Leak Discovered: 5/22/2002  
Date Leak First Reported: 5/22/2002  
Date Leak Record Entered: Not reported  
Date Confirmation Began: Not reported  
Date Leak Stopped: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**76 STATION #5210 (Continued)**

**S105691983**

Date Case Last Changed on Database: Not reported  
 Date the Case was Closed: Not reported  
 How Leak Discovered: GWM  
 How Leak Stopped: Not reported  
 Cause of Leak: UNK  
 Leak Source: UNK  
 Operator: Not reported  
 Water System: Not reported  
 Well Name: Not reported  
 Approx. Dist To Production Well (ft): Not reported  
 Source of Cleanup Funding: UNK  
 Preliminary Site Assessment Workplan Submitted: Not reported  
 Preliminary Site Assessment Began: 7/12/2002  
 Pollution Characterization Began: 9/23/2003  
 Remediation Plan Submitted: 7/20/2004  
 Remedial Action Underway: Not reported  
 Post Remedial Action Monitoring Began: Not reported  
 Enforcement Action Date: Not reported  
 Historical Max MTBE Date: 8/20/2002  
 Hist Max MTBE Conc in Groundwater: 7.8  
 Hist Max MTBE Conc in Soil: 31  
 Significant Interim Remedial Action Taken: Not reported  
 GW Qualifier: =  
 Soil Qualifier: =  
 Organization: Not reported  
 Owner Contact: Not reported  
 Responsible Party: MICHAEL BRYAN  
 RP Address: 3525 HYLAND AVE.  
 Program: LUST  
 Lat/Long: 0 / 0  
 Local Agency Staff: Not reported  
 Beneficial Use: Not reported  
 Priority: Not reported  
 Cleanup Fund Id: Not reported  
 Suspended: Not reported  
 Assigned Name: Not reported  
 Summary: Not reported

**AE139 76 PRODUCTS STATION #5210**  
**NNW 11954 SANTA MONICA**  
**1/4-1/2 WEST LOS ANGELES, CA 90025**  
**0.433 mi.**  
**2286 ft.**

**LUST S103952452**  
**HIST CORTESE N/A**

**Site 2 of 2 in cluster AE**

**Relative:**  
**Higher**  
**Actual:**  
**204 ft.**

LUST:  
 Lead Agency: LOS ANGELES RWQCB (REGION 4)  
 Case Type: LUST Cleanup Site  
 Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603763357](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603763357)  
 Global Id: T0603763357  
 Latitude: 34.041347  
 Longitude: -118.461491  
 Status: Completed - Case Closed  
 Status Date: 01/13/2010  
 Case Worker: JH  
 RB Case Number: 900250107A  
 Local Agency: LOS ANGELES, CITY OF  
 File Location: Regional Board  
 Local Case Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #5210 (Continued)**

**S103952452**

Potential Media Affect: Aquifer used for drinking water supply  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

LUST:

Global Id: T0603763357  
Contact Type: Regional Board Caseworker  
Contact Name: JAY HUANG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 WEST 4TH STREET, SUITE 200  
City: LOS ANGELES  
Email: jhuang@waterboards.ca.gov  
Phone Number: 2135766711

Global Id: T0603763357  
Contact Type: Local Agency Caseworker  
Contact Name: TBD  
Organization Name: LOS ANGELES, CITY OF  
Address: 200 N. MAIN ST. RM. 970  
City: LOS ANGELES  
Email: Not reported  
Phone Number: 2134826528

LUST:

Global Id: T0603763357  
Action Type: ENFORCEMENT  
Date: 06/15/2009  
Action: Staff Letter

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 07/20/2004  
Action: CAP/RAP - Final Remediation / Design Plan

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2004  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 04/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 04/15/2004  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 04/15/2004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #5210 (Continued)**

**S103952452**

Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 07/15/2003  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 10/15/2003  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 07/15/2005  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2006  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2006  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: ENFORCEMENT  
Date: 02/25/2003  
Action: 13267 Requirement

Global Id: T0603763357  
Action Type: ENFORCEMENT  
Date: 05/23/2003  
Action: Staff Letter

Global Id: T0603763357  
Action Type: ENFORCEMENT  
Date: 04/16/2003  
Action: Technical Correspondence / Assistance / Other

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 10/15/2006  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 07/15/2008  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 10/15/2008  
Action: Monitoring Report - Quarterly

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #5210 (Continued)**

**S103952452**

Global Id:	T0603763357
Action Type:	RESPONSE
Date:	04/15/2009
Action:	Monitoring Report - Quarterly
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	10/15/2004
Action:	Soil and Water Investigation Report
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	10/15/2004
Action:	Soil and Water Investigation Report
Global Id:	T0603763357
Action Type:	ENFORCEMENT
Date:	07/12/2002
Action:	13267 Requirement
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	04/15/2007
Action:	Monitoring Report - Quarterly
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	01/15/2003
Action:	Monitoring Report - Quarterly
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	04/15/2003
Action:	Monitoring Report - Quarterly
Global Id:	T0603763357
Action Type:	Other
Date:	05/22/2002
Action:	Leak Reported
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	07/15/2004
Action:	Soil and Water Investigation Report
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	10/15/2006
Action:	Monitoring Report - Quarterly
Global Id:	T0603763357
Action Type:	ENFORCEMENT
Date:	02/04/2004
Action:	Staff Letter
Global Id:	T0603763357
Action Type:	ENFORCEMENT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

76 PRODUCTS STATION #5210 (Continued)

S103952452

Date: 08/23/2004  
Action: Staff Letter

Global Id: T0603763357  
Action Type: ENFORCEMENT  
Date: 04/17/2007  
Action: Site Visit / Inspection / Sampling

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 07/15/2007  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 10/15/2007  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 10/15/2007  
Action: Conceptual Site Model

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2009  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 04/15/2009  
Action: Conceptual Site Model

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 04/15/2006  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 04/15/2006  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 07/15/2003  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 07/15/2003  
Action: Soil and Water Investigation Workplan

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 07/15/2003  
Action: Interim Remedial Action Plan

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #5210 (Continued)**

**S103952452**

Global Id:	T0603763357
Action Type:	RESPONSE
Date:	10/15/2003
Action:	Soil and Water Investigation Report
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	08/22/2003
Action:	Soil and Water Investigation Workplan
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	03/15/2003
Action:	Soil and Water Investigation Workplan
Global Id:	T0603763357
Action Type:	REMEDIATION
Date:	12/17/2006
Action:	Soil Vapor Extraction (SVE)
Global Id:	T0603763357
Action Type:	ENFORCEMENT
Date:	01/22/2003
Action:	Staff Letter
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	07/15/2004
Action:	Monitoring Report - Quarterly
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	04/15/2005
Action:	Monitoring Report - Quarterly
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	04/15/2005
Action:	Soil and Water Investigation Report
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	07/15/2007
Action:	Conceptual Site Model
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	07/15/2008
Action:	Conceptual Site Model
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	10/15/2008
Action:	Conceptual Site Model
Global Id:	T0603763357
Action Type:	RESPONSE



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #5210 (Continued)**

**S103952452**

Date: 07/15/2005  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2005  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 10/20/2009  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 10/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2008  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2008  
Action: Conceptual Site Model

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 04/15/2008  
Action: Conceptual Site Model

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 10/15/2005  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 10/15/2005  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 06/09/2008  
Action: Soil and Water Investigation Workplan

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2005  
Action: Monitoring Report - Quarterly

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 04/22/2004  
Action: CAP/RAP - Feasibility Study Report

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #5210 (Continued)**

**S103952452**

Global Id:	T0603763357
Action Type:	RESPONSE
Date:	07/15/2006
Action:	Monitoring Report - Quarterly
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	07/15/2006
Action:	Soil and Water Investigation Report
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	07/15/2009
Action:	Monitoring Report - Semi-Annually
Global Id:	T0603763357
Action Type:	ENFORCEMENT
Date:	07/08/2008
Action:	Staff Letter
Global Id:	T0603763357
Action Type:	ENFORCEMENT
Date:	12/21/2009
Action:	Notification - Preclosure
Global Id:	T0603763357
Action Type:	ENFORCEMENT
Date:	01/13/2010
Action:	Closure/No Further Action Letter
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	10/15/2002
Action:	Soil and Water Investigation Report
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	04/15/2007
Action:	Conceptual Site Model
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	01/15/2009
Action:	Conceptual Site Model
Global Id:	T0603763357
Action Type:	Other
Date:	05/22/2002
Action:	Leak Discovery
Global Id:	T0603763357
Action Type:	RESPONSE
Date:	04/15/2008
Action:	Monitoring Report - Quarterly
Global Id:	T0603763357
Action Type:	RESPONSE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #5210 (Continued)**

**S103952452**

Date: 01/15/2007  
Action: Soil and Water Investigation Report

Global Id: T0603763357  
Action Type: RESPONSE  
Date: 01/15/2007  
Action: Monitoring Report - Quarterly

**LUST:**

Global Id: T0603763357  
Status: Open - Case Begin Date  
Status Date: 05/22/2002

Global Id: T0603763357  
Status: Open - Site Assessment  
Status Date: 07/12/2002

Global Id: T0603763357  
Status: Open - Site Assessment  
Status Date: 01/22/2003

Global Id: T0603763357  
Status: Open - Verification Monitoring  
Status Date: 02/04/2004

Global Id: T0603763357  
Status: Open - Remediation  
Status Date: 07/20/2004

Global Id: T0603763357  
Status: Open - Site Assessment  
Status Date: 06/09/2008

Global Id: T0603763357  
Status: Completed - Case Closed  
Status Date: 01/13/2010

Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603700695](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603700695)  
Global Id: T0603700695  
Latitude: 34.0412537  
Longitude: -118.4613211  
Status: Completed - Case Closed  
Status Date: 03/31/1997  
Case Worker: JH  
RB Case Number: 900250107A  
Local Agency: LOS ANGELES, CITY OF  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Aquifer used for drinking water supply  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

**LUST:**

Global Id: T0603700695

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**76 PRODUCTS STATION #5210 (Continued)**

**S103952452**

Contact Type: Regional Board Caseworker  
Contact Name: JAY HUANG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 WEST 4TH STREET, SUITE 200  
City: LOS ANGELES  
Email: jhuang@waterboards.ca.gov  
Phone Number: 2135766711

Global Id: T0603700695  
Contact Type: Local Agency Caseworker  
Contact Name: TBD  
Organization Name: LOS ANGELES, CITY OF  
Address: 200 N. MAIN ST. RM. 970  
City: LOS ANGELES  
Email: Not reported  
Phone Number: 2134826528

**LUST:**

Global Id: T0603700695  
Action Type: Other  
Date: 04/29/1988  
Action: Leak Discovery

Global Id: T0603700695  
Action Type: Other  
Date: 05/13/1993  
Action: Leak Reported

**LUST:**

Global Id: T0603700695  
Status: Open - Case Begin Date  
Status Date: 04/29/1988

Global Id: T0603700695  
Status: Open - Remediation  
Status Date: 10/10/1995

Global Id: T0603700695  
Status: Completed - Case Closed  
Status Date: 03/31/1997

**HIST CORTESE:**

Region: CORTESE  
Facility County Code: 19  
Reg By: LTNKA  
Reg Id: 900250107

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)  
EDR ID Number  
EPA ID Number

140  
ENE  
1/4-1/2  
0.441 mi.  
2328 ft.

WESTERN DISTRICT COLLECTION YARD  
2027 STONER AVE S.  
WEST LOS ANGELES, CA 90025

LUST S106116329  
N/A

Relative:  
Higher  
Actual:  
174 ft.

LUST:  
Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603763571](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603763571)  
Global Id: T0603763571  
Latitude: 34.036095  
Longitude: -118.45089  
Status: Open - Remediation  
Status Date: 01/13/2005  
Case Worker: JR  
RB Case Number: 900250243  
Local Agency: LOS ANGELES, CITY OF  
File Location: Regional Board  
Local Case Number: Not reported  
Potential Media Affect: Aquifer used for drinking water supply  
Potential Contaminants of Concern: Total Petroleum Hydrocarbons (TPH)  
Site History: Not reported

LUST:  
Global Id: T0603763571  
Contact Type: Regional Board Caseworker  
Contact Name: JAMES RYAN  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: West 4th Street, Suite 200  
City: LOS ANGELES  
Email: jamesw.ryan@waterboards.ca.gov  
Phone Number: 2135766711

Global Id: T0603763571  
Contact Type: Local Agency Caseworker  
Contact Name: TBD  
Organization Name: LOS ANGELES, CITY OF  
Address: 200 N. MAIN ST. RM. 970  
City: LOS ANGELES  
Email: Not reported  
Phone Number: 2134826528

LUST:  
Global Id: T0603763571  
Action Type: RESPONSE  
Date: 04/11/2003  
Action: Other Report / Document

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 01/15/2012  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 01/15/2007  
Action: Monitoring Report - Quarterly

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WESTERN DISTRICT COLLECTION YARD (Continued)**

**S106116329**

Global Id:	T0603763571
Action Type:	RESPONSE
Date:	04/15/2006
Action:	Monitoring Report - Quarterly
Global Id:	T0603763571
Action Type:	RESPONSE
Date:	10/02/2003
Action:	CAP/RAP - Feasibility Study Report
Global Id:	T0603763571
Action Type:	RESPONSE
Date:	07/15/2004
Action:	Corrective Action Plan / Remedial Action Plan
Global Id:	T0603763571
Action Type:	RESPONSE
Date:	10/15/2004
Action:	Monitoring Report - Quarterly
Global Id:	T0603763571
Action Type:	RESPONSE
Date:	01/15/2004
Action:	Monitoring Report - Quarterly
Global Id:	T0603763571
Action Type:	RESPONSE
Date:	04/15/2016
Action:	Monitoring Report - Quarterly
Global Id:	T0603763571
Action Type:	RESPONSE
Date:	04/15/2007
Action:	Monitoring Report - Quarterly
Global Id:	T0603763571
Action Type:	RESPONSE
Date:	04/15/2004
Action:	Monitoring Report - Quarterly
Global Id:	T0603763571
Action Type:	RESPONSE
Date:	04/15/2003
Action:	Monitoring Report - Quarterly
Global Id:	T0603763571
Action Type:	Other
Date:	01/16/2001
Action:	Leak Reported
Global Id:	T0603763571
Action Type:	RESPONSE
Date:	10/15/2017
Action:	Monitoring Report - Semi-Annually
Global Id:	T0603763571
Action Type:	RESPONSE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WESTERN DISTRICT COLLECTION YARD (Continued)**

**S106116329**

Date: 07/15/2016  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 01/15/2013  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 01/15/2016  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 08/31/2017  
Action: Corrective Action Plan / Remedial Action Plan

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 01/15/2018  
Action: Electronic Reporting Submittal Due

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 01/15/2017  
Action: Monitoring Report - Semi-Annually

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 08/15/2003  
Action: Interim Remedial Action Plan

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 08/15/2003  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 09/01/2016  
Action: Staff Letter

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 01/15/2018  
Action: Monitoring Report - Semi-Annually

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2014  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2017  
Action: Electronic Reporting Submittal Due

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WESTERN DISTRICT COLLECTION YARD (Continued)**

**S106116329**

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 04/21/2003  
Action: Staff Letter

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 06/12/2007  
Action: Staff Letter

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 09/11/2017  
Action: Health and Safety Code Section 25296.10(c)

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 10/15/2015  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2013  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 10/15/2013  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 01/15/2014  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 10/15/2014  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: REMEDIATION  
Date: 03/01/2000  
Action: Free Product Removal

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 06/15/2009  
Action: Staff Letter

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2006  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WESTERN DISTRICT COLLECTION YARD (Continued)**

**S106116329**

Date: 07/15/2005  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2015  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 04/19/2004  
Action: Staff Letter

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 03/10/2003  
Action: Staff Letter

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 10/20/2003  
Action: Staff Letter

Global Id: T0603763571  
Action Type: Other  
Date: 10/07/1999  
Action: Leak Stopped

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 06/08/2017  
Action: Health and Safety Code Section 25296.10(c)

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2004  
Action: Well Installation Report

Global Id: T0603763571  
Action Type: Other  
Date: 10/07/1999  
Action: Leak Discovery

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 04/21/2005  
Action: Soil and Water Investigation Report

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 10/15/2006  
Action: Monitoring Report - Quarterly

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WESTERN DISTRICT COLLECTION YARD (Continued)**

**S106116329**

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 09/30/2003  
Action: Interim Remedial Action Plan

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 01/15/2005  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 11/30/2016  
Action: CAP/RAP - Final Remediation / Design Plan

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2007  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2010  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 08/25/2003  
Action: Staff Letter

Global Id: T0603763571  
Action Type: ENFORCEMENT  
Date: 07/29/2003  
Action: Staff Letter

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 10/15/2005  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 10/15/2007  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 04/15/2005  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2017  
Action: Monitoring Report - Semi-Annually

Global Id: T0603763571  
Action Type: RESPONSE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WESTERN DISTRICT COLLECTION YARD (Continued)**

**S106116329**

Date: 07/15/2011  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2012  
Action: Monitoring Report - Quarterly

Global Id: T0603763571  
Action Type: RESPONSE  
Date: 07/15/2017  
Action: Well Installation Workplan - Regulator Responded

**LUST:**

Global Id: T0603763571  
Status: Open - Case Begin Date  
Status Date: 10/07/1999

Global Id: T0603763571  
Status: Open - Site Assessment  
Status Date: 01/13/2003

Global Id: T0603763571  
Status: Open - Remediation  
Status Date: 01/13/2005

**LUST REG 4:**

Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 900250243  
Status: Pollution Characterization  
Substance: UNK  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Groundwater  
Abatement Method Used at the Site: Not reported  
Global ID: T0603763571  
W Global ID: Not reported  
Staff: WXT  
Local Agency: 19050  
Cross Street: STONER AVE & MOTOR AVE  
Enforcement Type: DLSEL  
Date Leak Discovered: 10/7/1999  
Date Leak First Reported: 1/16/2001  
Date Leak Record Entered: Not reported  
Date Confirmation Began: Not reported  
Date Leak Stopped: 10/7/1999  
Date Case Last Changed on Database: Not reported  
Date the Case was Closed: Not reported  
How Leak Discovered: OM  
How Leak Stopped: Close Tank  
Cause of Leak: UNK  
Leak Source: UNK  
Operator: Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**WESTERN DISTRICT COLLECTION YARD (Continued)**

**S106116329**

Water System: Not reported  
 Well Name: Not reported  
 Approx. Dist To Production Well (ft): Not reported  
 Source of Cleanup Funding: UNK  
 Preliminary Site Assessment Workplan Submitted: Not reported  
 Preliminary Site Assessment Began: Not reported  
 Pollution Characterization Began: 1/13/2003  
 Remediation Plan Submitted: Not reported  
 Remedial Action Underway: Not reported  
 Post Remedial Action Monitoring Began: Not reported  
 Enforcement Action Date: Not reported  
 Historical Max MTBE Date: Not reported  
 Hist Max MTBE Conc in Groundwater: Not reported  
 Hist Max MTBE Conc in Soil: Not reported  
 Significant Interim Remedial Action Taken: Not reported  
 GW Qualifier: Not reported  
 Soil Qualifier: Not reported  
 Organization: Not reported  
 Owner Contact: Not reported  
 Responsible Party: WILLIAM MALVEY  
 RP Address: 650 S. SPRINGS ST., SUITE #600  
 Program: LUST  
 Lat/Long: 0 / 0  
 Local Agency Staff: Not reported  
 Beneficial Use: Not reported  
 Priority: Not reported  
 Cleanup Fund Id: Not reported  
 Suspended: Not reported  
 Assigned Name: Not reported  
 Summary: Not reported

141  
 WSW  
 1/4-1/2  
 0.448 mi.  
 2366 ft.

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & T  
 1660 STEWART STREET  
 SANTA MONICA, CA 90404**

**ENVIROSTOR S111752598  
 LUST N/A  
 SCH  
 DEED  
 NPDES  
 CIWQS**

Relative:  
 Higher

Actual:  
 162 ft.

ENVIROSTOR:  
 Facility ID: 60001654  
 Status: Certified O&M - Land Use Restrictions Only  
 Status Date: 06/15/2017  
 Site Code: 304640  
 Site Type: School Cleanup  
 Site Type Detailed: School  
 Acres: 3.44  
 NPL: NO  
 Regulatory Agencies: SMBRP  
 Lead Agency: SMBRP  
 Program Manager: Aslam Shareef  
 Supervisor: Shahir Haddad  
 Division Branch: Southern California Schools & Brownfields Outreach  
 Assembly: 41, 50  
 Senate: 26  
 Special Program: Not reported  
 Restricted Use: YES  
 Site Mgmt Req: NONE SPECIFIED  
 Funding: School District

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Latitude: 34.03087  
Longitude: -118.4675  
APN: 4268001902, 4268001903  
Past Use: SCHOOL - COLLEGE  
Potential COC: NONE SPECIFIED No Contaminants found  
Confirmed COC: No Contaminants found  
Potential Description: NMA  
Alias Name: 4268001902  
Alias Type: APN  
Alias Name: 4268001903  
Alias Type: APN  
Alias Name: 304640  
Alias Type: Project Code (Site Code)  
Alias Name: 60001654  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Endangerment Assessment Report  
Completed Date: 06/27/2013  
Comments: DTSC approved the PEA with a Further Action determination

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Workplan  
Completed Date: 10/24/2014  
Comments: An updated SSI Report (dated Oct 7, 2014) was submitted in lieu of a revised workplan

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Report  
Completed Date: 12/08/2015  
Comments: DTSC approved the SSI report with a Land Use Restrictions

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/19/2016  
Comments: Annual Cost Estimate letter sent to RP on 9/19/16.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/01/2017  
Comments: Annual cost estimate letter sent 9/1/17.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Amendment - Order/Agreement  
Completed Date: 06/27/2014  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/21/2015

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Comments: Annual Cost Estimate emailed and mailed to BP.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Inactive Status Letter  
Completed Date: 04/21/2017  
Comments: Inactive Status Letter processed with 14 day notice ending on May 5, 2017

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction  
Completed Date: 06/01/2017  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 05/08/2012  
Comments: Fully executed VCA sent (FedEx) to District.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 08/27/2014  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

LUST:

Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T10000006140](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T10000006140)  
Global Id: T10000006140  
Latitude: 34.0313340584694  
Longitude: -118.467645636829  
Status: Completed - Case Closed  
Status Date: 12/08/2014  
Case Worker: DPP  
RB Case Number: 904040498  
Local Agency: Not reported  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Not reported  
Potential Contaminants of Concern: Not reported  
Site History: Not reported

LUST:

Global Id: T10000006140

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Contact Type: Regional Board Caseworker  
Contact Name: DANIEL PIROTTON  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: Not reported  
City: R4 UNKNOWN  
Email: dpirotton@waterboards.ca.gov  
Phone Number: 2135766714

**LUST:**

Global Id: T10000006140  
Action Type: Other  
Date: 08/18/2014  
Action: Leak Discovery

Global Id: T10000006140  
Action Type: ENFORCEMENT  
Date: 10/14/2014  
Action: Notification - Preclosure

Global Id: T10000006140  
Action Type: Other  
Date: 08/18/2014  
Action: Leak Began

Global Id: T10000006140  
Action Type: RESPONSE  
Date: 12/01/2014  
Action: Soil and Water Investigation Report

Global Id: T10000006140  
Action Type: RESPONSE  
Date: 11/01/2014  
Action: Other Report / Document

Global Id: T10000006140  
Action Type: ENFORCEMENT  
Date: 12/08/2014  
Action: Closure/No Further Action Letter

Global Id: T10000006140  
Action Type: ENFORCEMENT  
Date: 08/18/2014  
Action: Referral to Regional Board

Global Id: T10000006140  
Action Type: ENFORCEMENT  
Date: 09/02/2014  
Action: Staff Letter

Global Id: T10000006140  
Action Type: ENFORCEMENT  
Date: 09/05/2014  
Action: Staff Letter

Global Id: T10000006140  
Action Type: Other  
Date: 08/18/2014

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Action: Leak Reported

LUST:

Global Id: T10000006140  
Status: Open - Case Begin Date  
Status Date: 08/18/2014

Global Id: T10000006140  
Status: Open - Inactive  
Status Date: 08/27/2014

Global Id: T10000006140  
Status: Open - Assessment & Interim Remedial Action  
Status Date: 09/05/2014

Global Id: T10000006140  
Status: Open - Eligible for Closure  
Status Date: 10/14/2014

Global Id: T10000006140  
Status: Completed - Case Closed  
Status Date: 12/08/2014

SCH:

Facility ID: 60001654  
Site Type: School Cleanup  
Site Type Detail: School  
Site Mgmt. Req.: NONE SPECIFIED  
Acres: 3.44  
National Priorities List: NO  
Cleanup Oversight Agencies: SMBRP  
Lead Agency: SMBRP  
Lead Agency Description: DTSC - Site Cleanup Program  
Project Manager: Aslam Shareef  
Supervisor: Shahir Haddad  
Division Branch: Southern California Schools & Brownfields Outreach  
Site Code: 304640  
Assembly: 41, 50  
Senate: 26  
Special Program Status: Not reported  
Status: Certified O&M - Land Use Restrictions Only  
Status Date: 06/15/2017  
Restricted Use: YES  
Funding: School District  
Latitude: 34.03087  
Longitude: -118.4675  
APN: 4268001902, 4268001903  
Past Use: SCHOOL - COLLEGE  
Potential COC: NONE SPECIFIED, No Contaminants found  
Confirmed COC: No Contaminants found  
Potential Description: NMA  
Alias Name: 4268001902  
Alias Type: APN  
Alias Name: 4268001903



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Alias Type: APN  
Alias Name: 304640  
Alias Type: Project Code (Site Code)  
Alias Name: 60001654  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Endangerment Assessment Report  
Completed Date: 06/27/2013  
Comments: DTSC approved the PEA with a Further Action determination

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Workplan  
Completed Date: 10/24/2014  
Comments: An updated SSI Report (dated Oct 7, 2014) was submitted in lieu of a revised workplan

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Supplemental Site Investigation Report  
Completed Date: 12/08/2015  
Comments: DTSC approved the SSI report with a Land Use Restrictions

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/19/2016  
Comments: Annual Cost Estimate letter sent to RP on 9/19/16.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/01/2017  
Comments: Annual cost estimate letter sent 9/1/17.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Amendment - Order/Agreement  
Completed Date: 06/27/2014  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/21/2015  
Comments: Annual Cost Estimate emailed and mailed to BP.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Inactive Status Letter  
Completed Date: 04/21/2017  
Comments: Inactive Status Letter processed with 14 day notice ending on May 5, 2017

Completed Area Name: PROJECT WIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction  
Completed Date: 06/01/2017  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 05/08/2012  
Comments: Fully executed VCA sent (FedEx) to District.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 08/27/2014  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**DEED:**

Envirostor ID: 60001654  
Area: PROJECT WIDE  
Sub Area: Not reported  
Site Type: SCHOOL CLEANUP  
Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY  
Agency: Not reported  
Covenant Uploaded: Not reported  
Deed Date(s): 06/01/2017  
File Name: Envirostor Land Use Restrictions

**NPDES:**

Facility Status: Active  
NPDES Number: CAS000002  
Region: 4  
Agency Number: 0  
Regulatory Measure ID: 412700  
Place ID: Not reported  
Order Number: 2009-0009-DWQ  
WDID: 4 19C363306  
Regulatory Measure Type: Enrollee  
Program Type: Construction  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: 03/26/2012  
Termination Date Of Regulatory Measure: Not reported  
Expiration Date Of Regulatory Measure: Not reported  
Discharge Address: 1900 Pico Blvd  
Discharge Name: Santa Monica Community College District  
Discharge City: Santa Monica

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Discharge State: California  
Discharge Zip: 90405  
Status: Not reported  
Status Date: Not reported  
Operator Name: Not reported  
Operator Address: Not reported  
Operator City: Not reported  
Operator State: Not reported  
Operator Zip: Not reported

NPDES as of 03/2018:  
NPDES Number: CAS000002  
Status: Active  
Agency Number: 0  
Region: 4  
Regulatory Measure ID: 412700  
Order Number: 2009-0009-DWQ  
Regulatory Measure Type: Enrollee  
Place ID: Not reported  
WDID: 4 19C363306  
Program Type: Construction  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: 03/26/2012  
Expiration Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: Not reported  
Discharge Name: Santa Monica Community College District  
Discharge Address: 1900 Pico Blvd  
Discharge City: Santa Monica  
Discharge State: California  
Discharge Zip: 90405  
Received Date: Not reported  
Processed Date: Not reported  
Status: Not reported  
Status Date: Not reported  
Place Size: Not reported  
Place Size Unit: Not reported  
Contact: Not reported  
Contact Title: Not reported  
Contact Phone: Not reported  
Contact Phone Ext: Not reported  
Contact Email: Not reported  
Operator Name: Not reported  
Operator Address: Not reported  
Operator City: Not reported  
Operator State: Not reported  
Operator Zip: Not reported  
Operator Contact: Not reported  
Operator Contact Title: Not reported  
Operator Contact Phone: Not reported  
Operator Contact Phone Ext: Not reported  
Operator Contact Email: Not reported  
Operator Type: Not reported  
Developer: Not reported  
Developer Address: Not reported  
Developer City: Not reported  
Developer State: Not reported  
Developer Zip: Not reported  
Developer Contact: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)

S111752598

Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commercial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	4
Regulatory Measure ID:	412700
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported
WDID:	4 19C363306
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported
Received Date:	03/21/2012
Processed Date:	03/26/2012
Status:	Active
Status Date:	03/26/2012
Place Size:	3.44
Place Size Unit:	Acres
Contact:	Lee Paul
Contact Title:	Construction Manager
Contact Phone:	310-434-4730

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Contact Phone Ext:	Not reported
Contact Email:	lpi1@mac.com
Operator Name:	Santa Monica Community College District
Operator Address:	1900 Pico Blvd
Operator City:	Santa Monica
Operator State:	California
Operator Zip:	90405
Operator Contact:	Lee Paul
Operator Contact Title:	Construction Manager
Operator Contact Phone:	310-434-4730
Operator Contact Phone Ext:	Not reported
Operator Contact Email:	lpi1@mac.com
Operator Type:	Special District
Developer:	Santa Monica Community College District
Developer Address:	1900 Pico Blvd
Developer City:	Santa Monica
Developer State:	California
Developer Zip:	90405
Developer Contact:	Lee Paul
Developer Contact Title:	Construction Manager
Constype Linear Utility Ind:	N
Emergency Phone:	310-434-4300
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commercial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Educational
Constype Other Ind:	Y
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	N
Receiving Water Name:	Not reported
Certifier:	Greg Brown
Certifier Title:	Director of Facilities Planning
Certification Date:	21-MAR-12
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
Facility Status:	Not reported
NPDES Number:	Not reported
Region:	Not reported
Agency Number:	Not reported
Regulatory Measure ID:	Not reported
Place ID:	Not reported
Order Number:	Not reported
WDID:	4 19C363306

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Regulatory Measure Type: Construction  
Program Type: Not reported  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: Not reported  
Expiration Date Of Regulatory Measure: Not reported  
Discharge Address: Not reported  
Discharge Name: Not reported  
Discharge City: Not reported  
Discharge State: Not reported  
Discharge Zip: Not reported  
Status: Active  
Status Date: 03/26/2012  
Operator Name: Santa Monica Community College District  
Operator Address: 1900 Pico Blvd  
Operator City: Santa Monica  
Operator State: California  
Operator Zip: 90405

NPDES as of 03/2018:  
NPDES Number: CAS000002  
Status: Active  
Agency Number: 0  
Region: 4  
Regulatory Measure ID: 412700  
Order Number: 2009-0009-DWQ  
Regulatory Measure Type: Enrollee  
Place ID: Not reported  
WDID: 4 19C363306  
Program Type: Construction  
Adoption Date Of Regulatory Measure: Not reported  
Effective Date Of Regulatory Measure: 03/26/2012  
Expiration Date Of Regulatory Measure: Not reported  
Termination Date Of Regulatory Measure: Not reported  
Discharge Name: Santa Monica Community College District  
Discharge Address: 1900 Pico Blvd  
Discharge City: Santa Monica  
Discharge State: California  
Discharge Zip: 90405  
Received Date: Not reported  
Processed Date: Not reported  
Status: Not reported  
Status Date: Not reported  
Place Size: Not reported  
Place Size Unit: Not reported  
Contact: Not reported  
Contact Title: Not reported  
Contact Phone: Not reported  
Contact Phone Ext: Not reported  
Contact Email: Not reported  
Operator Name: Not reported  
Operator Address: Not reported  
Operator City: Not reported  
Operator State: Not reported  
Operator Zip: Not reported  
Operator Contact: Not reported  
Operator Contact Title: Not reported  
Operator Contact Phone: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Operator Contact Phone Ext:	Not reported
Operator Contact Email:	Not reported
Operator Type:	Not reported
Developer:	Not reported
Developer Address:	Not reported
Developer City:	Not reported
Developer State:	Not reported
Developer Zip:	Not reported
Developer Contact:	Not reported
Developer Contact Title:	Not reported
Constype Linear Utility Ind:	Not reported
Emergency Phone:	Not reported
Emergency Phone Ext:	Not reported
Constype Above Ground Ind:	Not reported
Constype Below Ground Ind:	Not reported
Constype Cable Line Ind:	Not reported
Constype Comm Line Ind:	Not reported
Constype Commercial Ind:	Not reported
Constype Electrical Line Ind:	Not reported
Constype Gas Line Ind:	Not reported
Constype Industrial Ind:	Not reported
Constype Other Description:	Not reported
Constype Other Ind:	Not reported
Constype Recons Ind:	Not reported
Constype Residential Ind:	Not reported
Constype Transport Ind:	Not reported
Constype Utility Description:	Not reported
Constype Utility Ind:	Not reported
Constype Water Sewer Ind:	Not reported
Dir Discharge Uswater Ind:	Not reported
Receiving Water Name:	Not reported
Certifier:	Not reported
Certifier Title:	Not reported
Certification Date:	Not reported
Primary Sic:	Not reported
Secondary Sic:	Not reported
Tertiary Sic:	Not reported
NPDES Number:	Not reported
Status:	Not reported
Agency Number:	Not reported
Region:	4
Regulatory Measure ID:	412700
Order Number:	Not reported
Regulatory Measure Type:	Construction
Place ID:	Not reported
WDID:	4 19C363306
Program Type:	Not reported
Adoption Date Of Regulatory Measure:	Not reported
Effective Date Of Regulatory Measure:	Not reported
Expiration Date Of Regulatory Measure:	Not reported
Termination Date Of Regulatory Measure:	Not reported
Discharge Name:	Not reported
Discharge Address:	Not reported
Discharge City:	Not reported
Discharge State:	Not reported
Discharge Zip:	Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

Received Date: 03/21/2012  
Processed Date: 03/26/2012  
Status: Active  
Status Date: 03/26/2012  
Place Size: 3.44  
Place Size Unit: Acres  
Contact: Lee Paul  
Contact Title: Construction Manager  
Contact Phone: 310-434-4730  
Contact Phone Ext: Not reported  
Contact Email: lpi1@mac.com  
Operator Name: Santa Monica Community College District  
Operator Address: 1900 Pico Blvd  
Operator City: Santa Monica  
Operator State: California  
Operator Zip: 90405  
Operator Contact: Lee Paul  
Operator Contact Title: Construction Manager  
Operator Contact Phone: 310-434-4730  
Operator Contact Phone Ext: Not reported  
Operator Contact Email: lpi1@mac.com  
Operator Type: Special District  
Developer: Santa Monica Community College District  
Developer Address: 1900 Pico Blvd  
Developer City: Santa Monica  
Developer State: California  
Developer Zip: 90405  
Developer Contact: Lee Paul  
Developer Contact Title: Construction Manager  
Constype Linear Utility Ind: N  
Emergency Phone: 310-434-4300  
Emergency Phone Ext: Not reported  
Constype Above Ground Ind: Not reported  
Constype Below Ground Ind: Not reported  
Constype Cable Line Ind: Not reported  
Constype Comm Line Ind: Not reported  
Constype Commercial Ind: Not reported  
Constype Electrical Line Ind: Not reported  
Constype Gas Line Ind: Not reported  
Constype Industrial Ind: Not reported  
Constype Other Description: Educational  
Constype Other Ind: Y  
Constype Recons Ind: Not reported  
Constype Residential Ind: Not reported  
Constype Transport Ind: Not reported  
Constype Utility Description: Not reported  
Constype Utility Ind: Not reported  
Constype Water Sewer Ind: Not reported  
Dir Discharge Uswater Ind: N  
Receiving Water Name: Not reported  
Certifier: Greg Brown  
Certifier Title: Director of Facilities Planning  
Certification Date: 21-MAR-12  
Primary Sic: Not reported  
Secondary Sic: Not reported  
Tertiary Sic: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANTA MONICA COLLEGE, ACADEMY OF ENTERTAINMENT & TECHNOLOGY (Continued)**

**S111752598**

CIWQS:

Agency: Santa Monica Community College District  
Agency Address: 1900 Pico Blvd, Santa Monica, CA 90405  
Place/Project Type: Construction - Other: Educational  
SIC/NAICS: Not reported  
Region: 4  
Program: CONSTW  
Regulatory Measure Status: Active  
Regulatory Measure Type: Storm water construction  
Order Number: 2009-0009-DWQ  
WDID: 4 19C363306  
NPDES Number: CAS000002  
Adoption Date: Not reported  
Effective Date: 03/26/2012  
Termination Date: Not reported  
Expiration/Review Date: Not reported  
Design Flow: Not reported  
Major/Minor: Not reported  
Complexity: Not reported  
TTWQ: Not reported  
Enforcement Actions within 5 years: 1  
Violations within 5 years: 1  
Latitude: 34.03087  
Longitude: -118.46758

142  
NW  
1/4-1/2  
0.473 mi.  
2500 ft.

**REGENCY DRY CLEANER (FORMER)**  
**12225 SANTA MONICA BLVD**  
**LOS ANGELES, CA 90025**

**CPS-SLIC S105911431**  
**N/A**

**Relative:**  
**Higher**  
**Actual:**  
**214 ft.**

CPS-SLIC:  
Region: STATE  
**Facility Status: Completed - Case Closed**  
Status Date: 03/09/1996  
Global Id: SLT43360358  
Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Lead Agency Case Number: Not reported  
Latitude: 34.040016  
Longitude: -118.463524  
Case Type: Cleanup Program Site  
Case Worker: DH  
Local Agency: Not reported  
RB Case Number: 0566  
File Location: Not reported  
Potential Media Affected: Not reported  
Potential Contaminants of Concern: Not reported  
Site History: Not reported

[Click here to access the California GeoTracker records for this facility:](#)

SLIC REG 4:

Region: 4  
Facility Status: No further action required  
SLIC: 0566  
Substance: VOCs  
Staff: David Hung

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

143  
NNW  
1/4-1/2  
0.485 mi.  
2559 ft.

GTE BUNDY CENTRAL OFFICE  
1450 BUNDY DR S  
SAWTELLE, CA 90025

LUST 1000132984  
HAZNET N/A  
HIST CORTESE

Relative:  
Higher  
Actual:  
217 ft.

LUST:

Lead Agency: LOS ANGELES, CITY OF  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603700698](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603700698)  
Global Id: T0603700698  
Latitude: 34.0413156  
Longitude: -118.4640851  
Status: Completed - Case Closed  
Status Date: 11/06/1998  
Case Worker: EL  
RB Case Number: 900250134  
Local Agency: LOS ANGELES, CITY OF  
File Location: Not reported  
Local Case Number: Not reported  
Potential Media Affect: Soil  
Potential Contaminants of Concern: Diesel  
Site History: Not reported

LUST:

Global Id: T0603700698  
Contact Type: Local Agency Caseworker  
Contact Name: ELOY LUNA  
Organization Name: LOS ANGELES, CITY OF  
Address: 200 North Main Street, Suite 1780  
City: LOS ANGELES  
Email: [eloy.luna@lacity.org](mailto:eloy.luna@lacity.org)  
Phone Number: Not reported  
  
Global Id: T0603700698  
Contact Type: Regional Board Caseworker  
Contact Name: YUE RONG  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4TH ST., SUITE 200  
City: Los Angeles  
Email: [yrong@waterboards.ca.gov](mailto:yrong@waterboards.ca.gov)  
Phone Number: Not reported

LUST:

Global Id: T0603700698  
Action Type: Other  
Date: 10/20/1987  
Action: Leak Stopped

Global Id: T0603700698  
Action Type: Other  
Date: 10/20/1987  
Action: Leak Discovery

Global Id: T0603700698  
Action Type: Other  
Date: 10/21/1987  
Action: Leak Reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

GTE BUNDY CENTRAL OFFICE (Continued)

1000132984

LUST:

Global Id: T0603700698  
Status: Open - Case Begin Date  
Status Date: 10/20/1987  
  
Global Id: T0603700698  
Status: Open - Site Assessment  
Status Date: 10/21/1987  
  
Global Id: T0603700698  
Status: Completed - Case Closed  
Status Date: 11/06/1998

LUST REG 4:

Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 900250134  
Status: Case Closed  
Substance: Diesel  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Soil  
Abatement Method Used at the Site: Not reported  
Global ID: T0603700698  
W Global ID: Not reported  
Staff: UNK  
Local Agency: 19050  
Cross Street: SANTA MONICA  
Enforcement Type: Not reported  
Date Leak Discovered: 10/20/1987  
Date Leak First Reported: 10/21/1987  
Date Leak Record Entered: 11/11/1987  
Date Confirmation Began: Not reported  
Date Leak Stopped: 10/20/1987  
Date Case Last Changed on Database: 11/6/1998  
Date the Case was Closed: 11/6/1998  
How Leak Discovered: Tank Test  
How Leak Stopped: Not reported  
Cause of Leak: Structure Failure  
Leak Source: Tank  
Operator: LAROCCO, CHUCK  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): 1179.0664298897873734766135042  
Source of Cleanup Funding: Tank  
Preliminary Site Assessment Workplan Submitted: Not reported  
Preliminary Site Assessment Began: Not reported  
Pollution Characterization Began: 10/21/1987  
Remediation Plan Submitted: Not reported  
Remedial Action Underway: Not reported  
Post Remedial Action Monitoring Began: Not reported  
Enforcement Action Date: Not reported  
Historical Max MTBE Date: Not reported  
Hist Max MTBE Conc in Groundwater: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**GTE BUNDY CENTRAL OFFICE (Continued)**

**1000132984**

Hist Max MTBE Conc in Soil: Not reported  
Significant Interim Remedial Action Taken: Not reported  
GW Qualifier: Not reported  
Soil Qualifier: Not reported  
Organization: Not reported  
Owner Contact: Not reported  
Responsible Party: GTE  
RP Address: P.O. BOX 725, CHINO, CA 91708  
Program: LUST  
Lat/Long: 34.0413156 / -1  
Local Agency Staff: PEJ  
Beneficial Use: Not reported  
Priority: Not reported  
Cleanup Fund Id: Not reported  
Suspended: Not reported  
Assigned Name: Not reported  
Summary: Not reported

**HAZNET:**

envid: 1000132984  
Year: 2013  
GEPaid: CAC002722492  
Contact: MASOOD CHOUDHURY  
Telephone: 9096205962  
Mailing Name: Not reported  
Mailing Address: PO BOX 725  
Mailing City,St,Zip: CHINO, CA 91708  
Gen County: Los Angeles  
TSD EPA ID: CAD028409019  
TSD County: Los Angeles  
Waste Category: Not reported  
Disposal Method: Storage, Bulking, And/Or Transfer Off Site--No Treatment/Reovery (H010-H129) Or (H131-H135)  
Tons: 0.04336  
Cat Decode: Not reported  
Method Decode: Not reported  
Facility County: Not reported

**HIST CORTESE:**

Region: CORTESE  
Facility County Code: 19  
Reg By: LTNKA  
Reg Id: 900250134

**AF144**  
**East**  
**1/4-1/2**  
**0.490 mi.**  
**2589 ft.**

**REX PRECISION PRODS INC**  
**2131 STONER AVE**  
**WEST LOS ANGELES, CA 90025**

**SEMS-ARCHIVE 1015732953**  
**RCRA-SQG CAT080032949**

**Site 1 of 2 in cluster AF**

**Relative:**  
**Higher**  
**Actual:**  
**166 ft.**

SEMS Archive:  
Site ID: 902703  
EPA ID: CAT080032949  
Cong District: 23  
FIPS Code: 6037  
FF: N  
NPL: Not on the NPL

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**REX PRECISION PRODS INC (Continued)**

**1015732953**

Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

SEMS Archive Detail:

Region: 9  
Site ID: 902703  
EPA ID: CAT080032949  
Site Name: REX PRECISION PROD INC  
NPL: N  
FF: N  
OU: 0  
Action Code: VS  
Action Name: ARCH SITE  
SEQ: 1  
Start Date: Not reported  
Finish Date: 1987-10-01 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf In-Hse

Region: 9  
Site ID: 902703  
EPA ID: CAT080032949  
Site Name: REX PRECISION PROD INC  
NPL: N  
FF: N  
OU: 0  
Action Code: DS  
Action Name: DISCVRY  
SEQ: 1  
Start Date: 1981-05-01 00:00:00  
Finish Date: 1981-05-01 00:00:00  
Qual: Not reported  
Current Action Lead: EPA Perf

Region: 9  
Site ID: 902703  
EPA ID: CAT080032949  
Site Name: REX PRECISION PROD INC  
NPL: N  
FF: N  
OU: 0  
Action Code: PA  
Action Name: PA  
SEQ: 1  
Start Date: 1984-05-01 00:00:00  
Finish Date: 1987-10-01 00:00:00  
Qual: N  
Current Action Lead: St Perf

RCRA-SQG:

Date form received by agency: 09/01/1996  
Facility name: REX PRECISION PRODS INC  
Facility address: 2131 STONER AVE  
WEST LOS ANGELES, CA 90025  
EPA ID: CAT080032949  
Mailing address: STONER AVE  
WEST LOS ANGELES, CA 90025

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**REX PRECISION PRODS INC (Continued)**

**1015732953**

Contact: Not reported  
Contact address: Not reported  
Contact country: US  
Contact telephone: Not reported  
Contact email: Not reported  
EPA Region: 09  
Classification: Small Small Quantity Generator  
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Owner/Operator Summary:**

Owner/operator name: ALCO STANDARD  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Owner  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

Owner/operator name: NOT REQUIRED  
Owner/operator address: NOT REQUIRED  
NOT REQUIRED, ME 99999  
Owner/operator country: Not reported  
Owner/operator telephone: 415-555-1212  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: Not reported  
Owner/Op end date: Not reported

**Handler Activities Summary:**

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): No  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: No  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**REX PRECISION PRODS INC (Continued)**

**1015732953**

Used oil transporter: No  
 Violation Status: No violations found

**AF145**  
**East**  
**1/4-1/2**  
**0.490 mi.**  
**2589 ft.**

**STONER AVENUE SITE**  
**2131 STONER AVENUE**  
**LOS ANGELES, CA 90025**  
**Site 2 of 2 in cluster AF**

**ENVIROSTOR** **S100197648**  
**VCP** **N/A**  
**HIST CORTESE**  
**LA Co. Site Mitigation**

**Relative:**  
**Higher**  
**Actual:**  
**166 ft.**

**ENVIROSTOR:**  
 Facility ID: 19340669  
 Status: No Further Action  
 Status Date: 04/26/2007  
 Site Code: 300322  
 Site Type: Voluntary Cleanup  
 Site Type Detailed: Voluntary Cleanup  
 Acres: 0.75  
 NPL: NO  
 Regulatory Agencies: SMBRP  
 Lead Agency: SMBRP  
 Program Manager: Not reported  
 Supervisor: Juli Propes  
 Division Branch: Cleanup Chatsworth  
 Assembly: 50  
 Senate: 26  
 Special Program: Voluntary Cleanup Program  
 Restricted Use: NO  
 Site Mgmt Req: NONE SPECIFIED  
 Funding: Responsible Party  
 Latitude: 34.03411  
 Longitude: -118.4495  
 APN: 4260-010-005, 4260010005  
 Past Use: FOUNDRY, MACHINE SHOP, VEHICLE MAINTENANCE  
 Potential COC: \* HALOGENATED SOLVENTS \* CONTAMINATED SOIL Lead Chromium VI Nickel  
 Confirmed COC: NONE SPECIFIED  
 Potential Description: SOIL  
 Alias Name: ALCO STANDARD CORPORATION (1978-1988)  
 Alias Type: Alternate Name  
 Alias Name: METCAST CORPORATION (1967-1978)  
 Alias Type: Alternate Name  
 Alias Name: REX PRECISION  
 Alias Type: Alternate Name  
 Alias Name: WALKER-BUERGE COMPANY  
 Alias Type: Alternate Name  
 Alias Name: 4260-010-005  
 Alias Type: APN  
 Alias Name: 4260010005  
 Alias Type: APN  
 Alias Name: CAT080032949  
 Alias Type: EPA Identification Number  
 Alias Name: 110033617968  
 Alias Type: EPA (FRS #)  
 Alias Name: 300322  
 Alias Type: Project Code (Site Code)  
 Alias Name: 19340669  
 Alias Type: Envirostor ID Number

Completed Info:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONER AVENUE SITE (Continued)**

**S100197648**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \* Discovery  
Completed Date: 09/06/1988  
Comments: Identified the site through RP letter contacting DTSC in HQ

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \* Discovery  
Completed Date: 09/29/1983  
Comments: FACILITY IDENTIFIED ID FROM ERRIS

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \* Discovery  
Completed Date: 03/09/1983  
Comments: FACILITY IDENTIFIED ID FROM DRIVE-BYS IN VICINITY. FACILITY DRIVE-BY DRUMS IN YARD. IN A HEAVY INDUST AREA. A MESSY YARD.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 11/19/2004  
Comments: DTSC entered into a VCA to oversee a Site Characterization and a Removal Action Workplan if required.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Endangerment Assessment Report  
Completed Date: 06/26/1992  
Comments: The Department completed review of a Preliminary Endangerment Assessment (PEA). DTSC does not concur with the recommendation that no further action is needed at the site. DTSC recommends further characterization of the entire site.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 07/01/1991  
Comments: Site screening completed. L.A county referred site to DTSC. Metcast operated the site from 1967 to 1978. Alco Standard corporation operated the site from 1978 to 1988. Metcast leased property for the manufacture of medical instruments. Process included metal plating, including a foundry. Alco continued the same processes until 1988. Currently an auto body repair shop is on site. Sampling revealed high concentrations of chromium, lead nickel, and TCE in the soil. GW encountered at 38 feet. RP informed of the PEA process. Medium priority PEA required because of contaminated soil and potential GW contamination.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Assessment Report  
Completed Date: 04/02/1984  
Comments: INSPECTION(LOCAL) CO SANIT. ANNUALLY REGULR INDUST INSP. SOURCE ACT: T/C W/ P.VICK,REX RECISION, (213)532-2060,4/2/84 - PROD OF STEEL & ALUM CASTINGS FOR AIRCRAFT PARTS. YR OF OPER: 1978 TO PRESENT WASTE



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONER AVENUE SITE (Continued)**

**S100197648**

TYPE: SODIUM HYDROXIDE SLUDGE & CAUSTIC MATERIALS. SUBMIT TO EPA  
PRELIM ASSESS DONE RCRA 3012

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Remedial Investigation Workplan  
Completed Date: 11/11/2005  
Comments: DTSC approved Soil Assessment Work plan to complete the site  
characterization.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Risk Assessment Workplan  
Completed Date: 12/02/2005  
Comments: DTSC approved a Baseline Risk Assessment Workplan for implementation.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Risk Assessment Report  
Completed Date: 03/20/2007  
Comments: Based upon DTSC's review of post remediation human health risk  
assessment, the Site does not appear to pose a threat to human health  
or the environment under any land use. Therefore, DTSC determines  
that No Further Action is necessary with respect to investigation and  
remediation of hazardous substances at the Site.

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

VCP:

Facility ID: 19340669  
Site Type: Voluntary Cleanup  
Site Type Detail: Voluntary Cleanup  
Site Mgmt. Req.: NONE SPECIFIED  
Acres: 0.75  
National Priorities List: NO  
Cleanup Oversight Agencies: SMBRP  
Lead Agency: SMBRP  
Lead Agency Description: DTSC - Site Cleanup Program  
Project Manager: Not reported  
Supervisor: Juli Propes  
Division Branch: Cleanup Chatsworth  
Site Code: 300322  
Assembly: 50  
Senate: 26  
Special Programs Code: Voluntary Cleanup Program  
Status: No Further Action  
Status Date: 04/26/2007  
Restricted Use: NO  
Funding: Responsible Party

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONER AVENUE SITE (Continued)**

**S100197648**

Lat/Long: 34.03411 / -118.4495  
APN: 4260-010-005, 4260010005  
Past Use: FOUNDRY, MACHINE SHOP, VEHICLE MAINTENANCE  
Potential COC: 10003, 10097, 30013, 30153, 30407  
Confirmed COC: NONE SPECIFIED  
Potential Description: SOIL  
Alias Name: ALCO STANDARD CORPORATION (1978-1988)  
Alias Type: Alternate Name  
Alias Name: METCAST CORPORATION (1967-1978)  
Alias Type: Alternate Name  
Alias Name: REX PRECISION  
Alias Type: Alternate Name  
Alias Name: WALKER-BUERGE COMPANY  
Alias Type: Alternate Name  
Alias Name: 4260-010-005  
Alias Type: APN  
Alias Name: 4260010005  
Alias Type: APN  
Alias Name: CAT080032949  
Alias Type: EPA Identification Number  
Alias Name: 110033617968  
Alias Type: EPA (FRS #)  
Alias Name: 300322  
Alias Type: Project Code (Site Code)  
Alias Name: 19340669  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \* Discovery  
Completed Date: 09/06/1988  
Comments: Identified the site through RP letter contacting DTSC in HQ

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \* Discovery  
Completed Date: 09/29/1983  
Comments: FACILITY IDENTIFIED ID FROM ERRIS

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \* Discovery  
Completed Date: 03/09/1983  
Comments: FACILITY IDENTIFIED ID FROM DRIVE-BYS IN VICINITY. FACILITY DRIVE-BY DRUMS IN YARD. IN A HEAVY INDUST AREA. A MESSY YARD.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 11/19/2004  
Comments: DTSC entered into a VCA to oversee a Site Characterization and a Removal Action Workplan if required.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Endangerment Assessment Report  
Completed Date: 06/26/1992

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONER AVENUE SITE (Continued)**

**S100197648**

Comments: The Department completed review of a Preliminary Endangerment Assessment (PEA). DTSC does not concur with the recommendation that no further action is needed at the site. DTSC recommends further characterization of the entire site.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 07/01/1991  
Comments: Site screening completed. L.A county referred site to DTSC. Metcast operated the site from 1967 to 1978. Alco Standard corporation operated the site from 1978 to 1988. Metcast leased property for the manufacture of medical instruments. Process included metal plating, including a foundry. Alco continued the same processes until 1988. Currently an auto body repair shop is on site. Sampling revealed high concentrations of chromium, lead nickel, and TCE in the soil. GW encountered at 38 feet. RP informed of the PEA process. Medium priority PEA required because of contaminated soil and potential GW contamination.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Assessment Report  
Completed Date: 04/02/1984  
Comments: INSPECTION(LOCAL) CO SANIT. ANNUALLY REGULR INDUST INSP. SOURCE ACT: T/C W/ P.VICK,REX RECISION, (213)532-2060,4/2/84 - PROD OF STEEL & ALUM CASTINGS FOR AIRCRAFT PARTS. YR OF OPER: 1978 TO PRESENT WASTE TYPE: SODIUM HYDROXIDE SLUDGE & CAUSTIC MATERIALS. SUBMIT TO EPA PRELIM ASSESS DONE RCRA 3012

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Remedial Investigation Workplan  
Completed Date: 11/11/2005  
Comments: DTSC approved Soil Assessment Work plan to complete the site characterization.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Risk Assessment Workplan  
Completed Date: 12/02/2005  
Comments: DTSC approved a Baseline Risk Assessment Workplan for implementation.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Risk Assessment Report  
Completed Date: 03/20/2007  
Comments: Based upon DTSC's review of post remediation human health risk assessment, the Site does not appear to pose a threat to human health or the environment under any land use. Therefore, DTSC determines that No Further Action is necessary with respect to investigation and remediation of hazardous substances at the Site.

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**STONER AVENUE SITE (Continued)**

**S100197648**

Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**HIST CORTESE:**

Region: CORTESE  
Facility County Code: 19  
Reg By: CALSI  
Reg Id: 19340669

**LA Co. Site Mitigation:**

Facility ID: Not reported  
Status: Not reported  
Site ID: SD0010387  
Jurisdiction: State  
Case ID: RO0000323  
Abated: Yes  
Assigned To: RS  
Entered Date: 05/11/2004  
Abated Date: 05/01/1991

**146  
East  
1/4-1/2  
0.497 mi.  
2624 ft.**

**ARCO POWER GAS STATION  
11748 OLYMPIC BLVD  
LOS ANGELES, CA 90064**

**LUST S102424375  
ENF N/A  
HIST CORTESE**

**Relative:  
Higher**

**LUST:**

**Actual:  
163 ft.**

Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Case Type: LUST Cleanup Site  
Geo Track: [http://geotracker.waterboards.ca.gov/profile\\_report.asp?global\\_id=T0603701167](http://geotracker.waterboards.ca.gov/profile_report.asp?global_id=T0603701167)  
Global Id: T0603701167  
Latitude: 34.0333921  
Longitude: -118.4490156  
Status: Completed - Case Closed  
Status Date: 08/05/2009  
Case Worker: DMB  
RB Case Number: 900640071  
Local Agency: LOS ANGELES, CITY OF  
File Location: Regional Board  
Local Case Number: Not reported  
Potential Media Affect: Aquifer used for drinking water supply  
Potential Contaminants of Concern: Gasoline  
Site History: Not reported

**LUST:**

Global Id: T0603701167  
Contact Type: Regional Board Caseworker  
Contact Name: DAVID M. BJOSTAD  
Organization Name: LOS ANGELES RWQCB (REGION 4)  
Address: 320 W. 4th Street, Suite 200  
City: Los Angeles  
Email: dave.bjostad@waterboards.ca.gov  
Phone Number: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Global Id: T0603701167  
Contact Type: Local Agency Caseworker  
Contact Name: ELOY LUNA  
Organization Name: LOS ANGELES, CITY OF  
Address: 200 North Main Street, Suite 1780  
City: LOS ANGELES  
Email: eloy.luna@lacity.org  
Phone Number: Not reported

**LUST:**

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 04/10/2008  
Action: Staff Letter

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 10/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 02/04/2005  
Action: Staff Letter

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 07/23/2002  
Action: Staff Letter

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 04/15/2006  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 01/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 10/15/2003  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 01/23/2009  
Action: Site Visit / Inspection / Sampling

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 08/05/2009  
Action: Closure/No Further Action Letter

Global Id: T0603701167  
Action Type: ENFORCEMENT

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Date: 07/20/2009  
Action: Staff Letter

Global Id: T0603701167  
Action Type: REMEDIATION  
Date: 04/20/2006  
Action: Soil Vapor Extraction (SVE)

Global Id: T0603701167  
Action Type: REMEDIATION  
Date: 03/21/2003  
Action: Free Product Removal

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 10/08/2000  
Action: Staff Letter

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 03/15/2001  
Action: Staff Letter

Global Id: T0603701167  
Action Type: Other  
Date: 06/01/1995  
Action: Leak Stopped

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 03/19/2007  
Action: Soil and Water Investigation Workplan

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 01/15/2008  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 09/14/2007  
Action: Staff Letter

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 10/15/2005  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 01/15/2009  
Action: Soil and Water Investigation Report

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 09/03/2002  
Action: Corrective Action Plan / Remedial Action Plan

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Global Id:	T0603701167
Action Type:	RESPONSE
Date:	10/15/2002
Action:	Monitoring Report - Quarterly
Global Id:	T0603701167
Action Type:	RESPONSE
Date:	04/15/2003
Action:	Monitoring Report - Quarterly
Global Id:	T0603701167
Action Type:	Other
Date:	06/01/1995
Action:	Leak Discovery
Global Id:	T0603701167
Action Type:	REMEDIATION
Date:	09/08/2006
Action:	In Situ Physical/Chemical Treatment (other than SVE)
Global Id:	T0603701167
Action Type:	ENFORCEMENT
Date:	10/28/2002
Action:	Staff Letter
Global Id:	T0603701167
Action Type:	RESPONSE
Date:	01/15/2006
Action:	Monitoring Report - Quarterly
Global Id:	T0603701167
Action Type:	RESPONSE
Date:	04/15/2004
Action:	Monitoring Report - Quarterly
Global Id:	T0603701167
Action Type:	RESPONSE
Date:	04/15/2008
Action:	Monitoring Report - Quarterly
Global Id:	T0603701167
Action Type:	RESPONSE
Date:	07/15/2008
Action:	Monitoring Report - Quarterly
Global Id:	T0603701167
Action Type:	RESPONSE
Date:	05/02/2005
Action:	Soil and Water Investigation Report
Global Id:	T0603701167
Action Type:	RESPONSE
Date:	04/15/2005
Action:	Monitoring Report - Quarterly
Global Id:	T0603701167
Action Type:	RESPONSE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Date: 01/15/2005  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 09/03/2008  
Action: Request for Closure

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 01/15/2009  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 07/15/2004  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 01/15/2007  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 07/15/2006  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 07/15/2007  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 10/15/2006  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 10/15/2008  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 04/01/2009  
Action: Request for Closure

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 05/18/2007  
Action: Staff Letter

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 08/09/2007  
Action: Site Visit / Inspection / Sampling



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 07/15/2002  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 04/15/2009  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 01/15/2003  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 04/15/2002  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 08/15/2007  
Action: Remedial Progress Report

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 07/16/2007  
Action: Request for Closure

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 10/15/2007  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: ENFORCEMENT  
Date: 11/03/2008  
Action: Staff Letter

Global Id: T0603701167  
Action Type: Other  
Date: 06/01/1995  
Action: Leak Reported

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 04/15/2007  
Action: Monitoring Report - Quarterly

Global Id: T0603701167  
Action Type: RESPONSE  
Date: 07/15/2005  
Action: Monitoring Report - Quarterly

LUST:  
Global Id: T0603701167

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Status: Open - Case Begin Date  
Status Date: 06/01/1995

Global Id: T0603701167  
Status: Open - Site Assessment  
Status Date: 03/08/1996

Global Id: T0603701167  
Status: Open - Site Assessment  
Status Date: 05/07/1998

Global Id: T0603701167  
Status: Open - Remediation  
Status Date: 10/06/2000

Global Id: T0603701167  
Status: Open - Remediation  
Status Date: 03/21/2003

Global Id: T0603701167  
Status: Open - Remediation  
Status Date: 04/20/2006

Global Id: T0603701167  
Status: Open - Site Assessment  
Status Date: 03/19/2007

Global Id: T0603701167  
Status: Open - Verification Monitoring  
Status Date: 05/03/2007

Global Id: T0603701167  
Status: Open - Remediation  
Status Date: 07/16/2007

Global Id: T0603701167  
Status: Open - Verification Monitoring  
Status Date: 11/08/2007

Global Id: T0603701167  
Status: Completed - Case Closed  
Status Date: 08/05/2009

**LUST REG 4:**

Region: 4  
Regional Board: 04  
County: Los Angeles  
Facility Id: 900640071  
Status: Remediation Plan  
Substance: Hydrocarbons  
Substance Quantity: Not reported  
Local Case No: Not reported  
Case Type: Groundwater  
Abatement Method Used at the Site: Not reported  
Global ID: T0603701167  
W Global ID: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Staff: TCS  
Local Agency: 19050  
Cross Street: STONER AVE  
Enforcement Type: SEL  
Date Leak Discovered: 6/1/1995  
Date Leak First Reported: 6/1/1995  
Date Leak Record Entered: 4/17/1996  
Date Confirmation Began: Not reported  
Date Leak Stopped: 6/1/1995  
Date Case Last Changed on Database: 8/30/2002  
Date the Case was Closed: Not reported  
How Leak Discovered: Tank Closure  
How Leak Stopped: Not reported  
Cause of Leak: Not reported  
Leak Source: Piping  
Operator: Not reported  
Water System: Not reported  
Well Name: Not reported  
Approx. Dist To Production Well (ft): 3467.4784855075088179812960082  
Source of Cleanup Funding: Piping  
Preliminary Site Assessment Workplan Submitted: Not reported  
Preliminary Site Assessment Began: 3/8/1996  
Pollution Characterization Began: 5/7/1998  
Remediation Plan Submitted: 10/6/2000  
Remedial Action Underway: Not reported  
Post Remedial Action Monitoring Began: Not reported  
Enforcement Action Date: 3/15/2001  
Historical Max MTBE Date: 11/20/2000  
Hist Max MTBE Conc in Groundwater: 31100  
Hist Max MTBE Conc in Soil: .57  
Significant Interim Remedial Action Taken: Not reported  
GW Qualifier: Not reported  
Soil Qualifier: Not reported  
Organization: Not reported  
Owner Contact: Not reported  
Responsible Party: FRED HANCZ  
RP Address: 250 EL CAMINO REAL. STE. #204  
Program: LUST  
Lat/Long: 34.0333921 / -1  
Local Agency Staff: PEJ  
Beneficial Use: Not reported  
Priority: Not reported  
Cleanup Fund Id: Not reported  
Suspended: Not reported  
Assigned Name: Not reported  
Summary: (FREE PRODUCT IN MW-1) ; 6/26/00 RPT OF ADDL SITE INVESTIGATION;  
9/25/00 3RD QTR GW MON RPT 2000; 10/6/00 INTERIM RAP AND WORKPLAN FOR  
ADDT'L SITE INVESTIGATION; 12/28/00 4TH QTR GW MON RPT 2000; 3/27/01  
FP REMOVAL STATUS R

**ENF:**

Region: 4  
Facility Id: 206229  
Agency Name: ARCO Power Gas  
Place Type: Facility  
Place Subtype: Not reported  
Facility Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	34.033546
Place Longitude:	-118.449037
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	UST
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	900640071
Reg Measure Id:	167356
Reg Measure Type:	Unregulated
Region:	4
Order #:	Not reported
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	02/20/2013
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Enforcement Id(EID):	230057
Region:	4
Order / Resolution Number:	NOV
Enforcement Action Type:	Notice of Violation
Effective Date:	04/05/2000
Adoption/Issuance Date:	Not reported
Achieve Date:	2000-06-28
Termination Date:	04/05/2000
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	Enforcement - 900640071
Description:	Notice of Violation sent 4/5/00 for FTS technical report.
Program:	UST
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability \$ Amount:	0
Project \$ Amount:	0
Liability \$ Paid:	0
Project \$ Completed:	0
Total \$ Paid/Completed Amount:	0
Region:	4
Facility Id:	206229
Agency Name:	ARCO Power Gas
Place Type:	Facility
Place Subtype:	Not reported
Facility Type:	Not reported
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	34.033546
Place Longitude:	-118.449037
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	UST

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	900640071
Reg Measure Id:	167356
Reg Measure Type:	Unregulated
Region:	4
Order #:	Not reported
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	02/20/2013
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	N
Individual/General:	I
Fee Code:	Not reported
Direction/Voice:	Passive
Enforcement Id(EID):	229584
Region:	4
Order / Resolution Number:	UNKNOWN
Enforcement Action Type:	Staff Enforcement Letter
Effective Date:	01/21/2000
Adoption/Issuance Date:	Not reported
Achieve Date:	2000-06-28
Termination Date:	01/21/2000
ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	Enforcement - 900640071
Description:	Level 1 enforcement letter sent 1/21/00 for FTS technical report & landowner information.
Program:	UST
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability \$ Amount:	0
Project \$ Amount:	0
Liability \$ Paid:	0
Project \$ Completed:	0
Total \$ Paid/Completed Amount:	0
Region:	4
Facility Id:	206229

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Agency Name:	ARCO Power Gas
Place Type:	Facility
Place Subtype:	Not reported
Facility Type:	Not reported
Agency Type:	Privately-Owned Business
# Of Agencies:	1
Place Latitude:	34.033546
Place Longitude:	-118.449037
SIC Code 1:	Not reported
SIC Desc 1:	Not reported
SIC Code 2:	Not reported
SIC Desc 2:	Not reported
SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Reg Meas
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	UST
Program Category1:	TANKS
Program Category2:	TANKS
# Of Programs:	1
WDID:	900640071
Reg Measure Id:	167356
Reg Measure Type:	Unregulated
Region:	4
Order #:	Not reported
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Never Active
Status Date:	02/20/2013
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**ARCO POWER GAS STATION (Continued)**

**S102424375**

Status Enrollee: N  
 Individual/General: I  
 Fee Code: Not reported  
 Direction/Voice: Passive  
 Enforcement Id(EID): 228017  
 Region: 4  
 Order / Resolution Number: NOV  
 Enforcement Action Type: Notice of Violation  
 Effective Date: 10/05/2000  
 Adoption/Issuance Date: Not reported  
 Achieve Date: 2000-10-13  
 Termination Date: 10/05/2000  
 ACL Issuance Date: Not reported  
 EPL Issuance Date: Not reported  
 Status: Historical  
 Title: Enforcement - 900640071  
 Description: Notice of Violation sent 10/5/00 for overdue workplan & interim RAP.  
 Program: UST  
 Latest Milestone Completion Date: Not reported  
 # Of Programs1: 1  
 Total Assessment Amount: 0  
 Initial Assessed Amount: 0  
 Liability \$ Amount: 0  
 Project \$ Amount: 0  
 Liability \$ Paid: 0  
 Project \$ Completed: 0  
 Total \$ Paid/Completed Amount: 0

**HIST CORTESE:**

Region: CORTESE  
 Facility County Code: 19  
 Reg By: LTNKA  
 Reg Id: 900640071

147  
 WSW  
 1/2-1  
 0.513 mi.  
 2709 ft.

**SANFORD / PAPER MATE**  
**1681 26TH STREET**  
**SANTA MONICA, CA 90404**

**ENVIROSTOR 1000216144**  
**CPS-SLIC N/A**  
**FINDS**  
**ECHO**  
**ENF**  
**HIST CORTESE**

**Relative:**  
**Lower**  
**Actual:**  
**158 ft.**

**ENVIROSTOR:**  
 Facility ID: 19390024  
 Status: Refer: Other Agency  
 Status Date: 06/06/1995  
 Site Code: Not reported  
 Site Type: Historical  
 Site Type Detailed: \* Historical  
 Acres: Not reported  
 NPL: NO  
 Regulatory Agencies: NONE SPECIFIED  
 Lead Agency: NONE SPECIFIED  
 Program Manager: Not reported  
 Supervisor: \* Mmonroy  
 Division Branch: Cleanup Chatsworth  
 Assembly: 50



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANFORD / PAPER MATE (Continued)**

**1000216144**

Senate: 26  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: Not reported  
Latitude: 34.02913  
Longitude: -118.4681  
APN: 4268001040  
Past Use: NONE SPECIFIED  
Potential COC: \* HALOGENATED SOLVENTS \* OXYGENATED SOLVENTS \* CONTAMINATED SOIL \*  
TANK BOTTOM WASTES \* UNSPECIFIED ACID SOLUTION \* UNSPECIFIED SOLVENT  
MIXTURES \* WASTE OIL & MIXED OIL Nickel  
Confirmed COC: NONE SPECIFIED  
Potential Description: NONE SPECIFIED  
Alias Name: CITY OF SANTA MONICA SOLID WASTE LDFL  
Alias Type: Alternate Name  
Alias Name: GILLETTE COMPANY - PAPERMATE DIVISION  
Alias Type: Alternate Name  
Alias Name: HIGGINS BRICK COMPANY  
Alias Type: Alternate Name  
Alias Name: PAPERMATE DIVISION OF GILLETTE  
Alias Type: Alternate Name  
Alias Name: 4268001040  
Alias Type: APN  
Alias Name: CAD054861539  
Alias Type: EPA Identification Number  
Alias Name: 110000475049  
Alias Type: EPA (FRS #)  
Alias Name: CAD054861539  
Alias Type: HWTS Identification Code  
Alias Name: 19390024  
Alias Type: Envirostor ID Number

**Completed Info:**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \* Discovery  
Completed Date: 10/01/1982  
Comments: FACILITY IDENTIFIED LA CHAM COMM DIR 1963-64. MANUFACTURE PENS.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 07/28/1994  
Comments: U.S. EPA completed a Site Inspection Prioritization and recommended a  
HRS evaluation. Papermate currently working with the City of Santa  
Monica to implement remediation of soil contamination. The site  
consists of approximately 10 acres which includes four buildings.  
Building I is used for metal fabrication, assembly, and jparts  
molding processes. Building II is used for packaging, ink  
formulation, and additional product assembly. Building II is used for  
warehousing and packaging and Building IV is used for storage of  
machine parts and furniture. The site is entirely covered by  
buildings or pavement and completely fenced. In 1985 in response to  
the City of Santa Monica's require- ments RP tested the pressure of  
18 USTs and excavated and removed VOC contaminated soil from the  
site. In Feb 1992 metal contaminated soil beneath the plating room  
floor of Building I was excavated and removed. In June 1993, six USTs

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANFORD / PAPER MATE (Continued)**

**1000216144**

were removed from the vicinity of Building I and soil contaminated with TPH was excavated and removed from the site. In August 1993 RP removed four USTs containing haz substances in the vicinity of Building II. Post removal soil samples indicated the presence of 1,2-dichloroethane 57 ug/kg, 1,1-dichloroethane 180 ug/kg, 1,1,1-trichloro- ethane 450 ug/kg, tetrachloroethene 100 ug/kg, trichloro- ethene 30 ug/kg, and 1,1-dichloroethene 440 ug/kg. The City of Santa Monica is currently working with Papermate to implement a remediation technique for the VOC contamin- ated soil in the vicinity of Building II.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 03/12/1990  
Comments: SITE SCREENING DONE EPA COMPLETED LISTING SITE INSPECTION & WILL LIST SITE; EPA LEAD.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 11/16/1988  
Comments: SITE SCREENING DONE DHS WILL DO AN HRS PACKET TO DETERMINE THE RELATIVE THREAT TO HUMAN HEALTH AND THE ENVIRONMENT.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 11/20/1987  
Comments: SITE SCREENING DONE UPDATE STATUS DUE TO CONTMN HISTORY

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \*Site Inspection (SI) Report  
Completed Date: 12/04/1986  
Comments: SITE INSP DONE E&E RECOMMENDS A LISTING SITE INSPECTION UNDER CERCLA

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**CPS-SLIC:**

Region: STATE  
**Facility Status: Completed - Case Closed**  
Status Date: 12/02/1998  
Global Id: SL2041P1514  
Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Lead Agency Case Number: Not reported  
Latitude: 34.029636  
Longitude: -118.469442  
Case Type: Cleanup Program Site

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANFORD / PAPER MATE (Continued)**

**1000216144**

Case Worker: Not reported  
Local Agency: Not reported  
RB Case Number: 0130E1  
File Location: Not reported  
Potential Media Affected: Not reported  
Potential Contaminants of Concern: Not reported  
Site History: Not reported

[Click here to access the California GeoTracker records for this facility:](#)

Region: STATE  
**Facility Status:** **Open - Remediation**  
Status Date: 03/22/2010  
Global Id: SL2043C1560  
Lead Agency: LOS ANGELES RWQCB (REGION 4)  
Lead Agency Case Number: Not reported  
Latitude: 34.0287621794645  
Longitude: -118.468601703644  
Case Type: Cleanup Program Site  
Case Worker: RL  
Local Agency: Not reported  
RB Case Number: 0130E2  
File Location: Regional Board  
Potential Media Affected: Aquifer used for drinking water supply, Indoor Air, Soil, Soil Vapor, Well used for drinking water supply  
Potential Contaminants of Concern: 1,4-Dioxane, Other Chlorinated Hydrocarbons, Other Solvent or Non-Petroleum Hydrocarbon, Tetrachloroethylene (PCE), Trichloroethylene (TCE), Perchlorate  
Site History: Since the third quarter of 2011, all groundwater monitoring reports for the Gillette site and vicinity can be found at the City of Santa Monica Corporation Yard case on Geotracker (a closed Water Board Case) - The City of Santa Monica Corporation Yard Geotracker Global ID is T0603799303. Through a Settlement Agreement the City of Santa Monica has legal responsibility for control and remediation of all contamination, originating from the Gillette site, now present in the B zone and C zone aquifers. As of the third quarter 2011, all required B, C, and deeper-zone groundwater monitoring activities for Gillette's Paper Mate facilities and the City of Santa Monica's Corporation Yard are conducted and reported by the City of Santa Monica. The City is required to monitor selected monitoring wells on the Gillette property as part of this groundwater monitoring program. The City of Santa Monica's quarterly monitoring reports will serve to replace the monitoring reports previously submitted separately by Gillette and the City of Santa Monica. Gillette Corporation (Gillette) is currently conducting shallow zone groundwater remediation at the Gillette site under specific requirements of a modified CAO. The former Paper Mate facility (Site) is located on 10.5 acres of land immediately north of Olympic Blvd. between Stewart Street on the east and 26th Street to the west, in Santa Monica. This area is designated as an Industrial Corridor by the City of Santa Monica. There are four main buildings (Building I through IV) covering approximately 295,000 square feet. The buildings are on two adjacent properties. The northern property is currently owned by the Higgins Trusts (Higgins) and the southern property is currently owned by Hines 26th Street LLC (Hines). Buildings I, III, and IV are on the Hines property and Building II is on the Higgins property. Prior to 2007, the Hines property was owned by the Stahl Trust (Stahl).

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANFORD / PAPER MATE (Continued)**

**1000216144**

PaperMate began operations at the Site in 1957, when they leased Building I from Stahl. In 1968, Building II was leased from Higgins. This was followed, in 1972, with the leasing of Building III from Stahl and, in 1982, with the leasing of Building IV from Stahl. Operations ended in 2006. Prior to the mid-1950s, the area near the site was used for clay quarrying and brick firing. After the clay quarries were depleted they were used as landfills by the Cities of Santa Monica and Beverly Hills. No records describing the material deposited in the landfill have been provided to the Regional Board. Regional Board staff believe, because these were city landfills, that the predominant material deposited in the landfills is local household and industrial solid waste. VOCs have been detected in the subsurface soil, soil vapor, and groundwater underlying the Gillette Site. In addition, VOCs have been detected in groundwater beneath Olympic Blvd., immediately south of the site. In 1957, Paper Mate began manufacturing operations in Building I. Operations included machining, electroplating, metal processing, degreasing, injection molding, and ink manufacturing. Hazardous materials and hazardous waste were also stored in and adjacent to Building I. Wastewater was generated, treated and discharged to the sanitary sewer. Numerous underground and above ground tanks were used at Building I. Manufacturing operations began in Building II in 1968. Operations included extrusion of plastic pen parts, sintering and grinding, ink manufacturing, product assembly, nickel plating, and plant maintenance. Building III was first occupied by PaperMate in 1972. It was used for packaging, warehousing, and shipping products. In 1994, manufacturing began in Building III. Building III manufacturing included extrusion, molding, and assembly. Facility maintenance also occurred in the building. Chemicals used included hydraulic oil, lubricants, grease, fluid coolant, antifreeze, adhesives, primers, paints, cutting fluids. Hazardous materials were stored in designated areas within Building III. There were no ASTs or USTs near Building III. Industrial wastewater was not produced at Building III. Building IV was first occupied by Gillette in 1982. It was used for general storage and product storage. In 2002, operations ceased in Building II and equipment maintenance moved to Building IV. Maintenance involved rinsing processing equipment brought from other parts of the building. The equipment was rinsed with water, glycols, and n-propanol. The rinse liquid was handled as industrial wastewater. The hazardous materials noted above were stored in designated areas within Building IV. There were no ASTs or USTs near Building IV. Industrial wastewater was not produced at Building IV. Assessment activities have taken place intermittently since 1986. In Situ Thermal Treatment was used to remove VOCs from soil and shallow groundwater from December 2009 to December 2011. Focused soil excavation was conducted before and after the In Situ Thermal Treatment, to remove soil with more elevated VOC concentrations. Site contamination and the proximity of the Site to City of Santa Monica domestic water supply wells are the primary conditions requiring assessment and remediation. Site contamination includes PCE and TCE in shallow groundwater beneath the Site at concentrations as high as 21,000 a%g/L and 1,400 a%g/L, respectively. Deep groundwater beneath the Site is contaminated with TCE at concentrations as high as 979 a%g/L. There are significant sources of PCE and TCE in Site soil as indicated by detections of PCE and TCE in soil vapor at concentrations as high as 28,000 a%g/L and 4,904 a%g/L, respectively, and in soil at concentrations as high as 2,500,000 a%g/kg and 170

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANFORD / PAPER MATE (Continued)**

**1000216144**

a%g/kg, respectively. There are three City of Santa Monica water supply wells near the site. Well SM-7 (not operating) is immediately south of the east end of the Site, well SM-4 is approximately 750 feet east of the Site, and well SM-3 is approximately 1600 feet east of the Site. Volatile organic compounds including PCE and TCE have been detected in the City of Santa Monica water supply wells.

Click here to access the California GeoTracker records for this facility:

**FINDS:**

Registry ID: 110000475049

**Environmental Interest/Information System**

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

**HAZARDOUS AIR POLLUTANT MAJOR**

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**HAZARDOUS WASTE BIENNIAL REPORTER**

**SUPERFUND (NON-NPL)**

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

**ECHO:**

Envid: 1000216144  
Registry ID: 110000475049  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110000475049>

**ENF:**

Region: 4  
Facility Id: 228825  
Agency Name: Not reported  
Place Type: Facility  
Place Subtype: Not reported  
Facility Type: Industrial  
Agency Type: Not reported  
# Of Agencies: Not reported  
Place Latitude: 34.029060  
Place Longitude: -118.469893  
SIC Code 1: Not reported  
SIC Desc 1: Not reported  
SIC Code 2: Not reported  
SIC Desc 2: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**SANFORD / PAPER MATE (Continued)**

**1000216144**

SIC Code 3:	Not reported
SIC Desc 3:	Not reported
NAICS Code 1:	Not reported
NAICS Desc 1:	Not reported
NAICS Code 2:	Not reported
NAICS Desc 2:	Not reported
NAICS Code 3:	Not reported
NAICS Desc 3:	Not reported
# Of Places:	1
Source Of Facility:	Enf Action
Design Flow:	Not reported
Threat To Water Quality:	Not reported
Complexity:	Not reported
Pretreatment:	Not reported
Facility Waste Type:	Not reported
Facility Waste Type 2:	Not reported
Facility Waste Type 3:	Not reported
Facility Waste Type 4:	Not reported
Program:	Not reported
Program Category1:	Not reported
Program Category2:	TANKS
# Of Programs:	Not reported
WDID:	Not reported
Reg Measure Id:	Not reported
Reg Measure Type:	Not reported
Region:	Not reported
Order #:	Not reported
Npdes# CA#:	Not reported
Major-Minor:	Not reported
Npdes Type:	Not reported
Reclamation:	Not reported
Dredge Fill Fee:	Not reported
301H:	Not reported
Application Fee Amt Received:	Not reported
Status:	Not reported
Status Date:	Not reported
Effective Date:	Not reported
Expiration/Review Date:	Not reported
Termination Date:	Not reported
WDR Review - Amend:	Not reported
WDR Review - Revise/Renew:	Not reported
WDR Review - Rescind:	Not reported
WDR Review - No Action Required:	Not reported
WDR Review - Pending:	Not reported
WDR Review - Planned:	Not reported
Status Enrollee:	Not reported
Individual/General:	Not reported
Fee Code:	Not reported
Direction/Voice:	Not reported
Enforcement Id(EID):	362017
Region:	4
Order / Resolution Number:	R4-2008-0034
Enforcement Action Type:	Clean-up and Abatement Order
Effective Date:	07/25/2008
Adoption/Issuance Date:	07/25/2008
Achieve Date:	Not reported
Termination Date:	07/25/2008

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SANFORD / PAPER MATE (Continued)**

**1000216144**

ACL Issuance Date:	Not reported
EPL Issuance Date:	Not reported
Status:	Historical
Title:	CAO R4-2008-0034 issued 7/25/08 to assess & clean up contamination at site.
Description:	CAO R4-2008-0034 issued 7/25/08 to assess & clean up contamination at site.
Program:	SLIC
Latest Milestone Completion Date:	Not reported
# Of Programs1:	1
Total Assessment Amount:	0
Initial Assessed Amount:	0
Liability \$ Amount:	0
Project \$ Amount:	0
Liability \$ Paid:	0
Project \$ Completed:	0
Total \$ Paid/Completed Amount:	0

**HIST CORTESE:**

Region:	CORTESE
Facility County Code:	19
Reg By:	LTNKA
Reg Id:	2966

**148  
 SW  
 1/2-1  
 0.537 mi.  
 2835 ft.**

**SANTA MONICA HOUSING PROJECT  
 SANTA MAONICA, CA**

**ENVIROSTOR S10773279  
 N/A**

**Relative:  
 Lower  
 Actual:  
 155 ft.**

<b>ENVIROSTOR:</b>	
Facility ID:	80001138
Status:	Inactive - Needs Evaluation
Status Date:	07/01/2005
Site Code:	Not reported
Site Type:	Military Evaluation
Site Type Detailed:	FUDES
Acres:	Not reported
NPL:	NO
Regulatory Agencies:	SMBRP
Lead Agency:	SMBRP
Program Manager:	Not reported
Supervisor:	Douglas Bautista
Division Branch:	Cleanup Cypress
Assembly:	50
Senate:	26
Special Program:	Not reported
Restricted Use:	NO
Site Mgmt Req:	NONE SPECIFIED
Funding:	DERA
Latitude:	34.02666
Longitude:	-118.4666
APN:	NONE SPECIFIED
Past Use:	NONE SPECIFIED
Potential COC:	NONE SPECIFIED
Confirmed COC:	NONE SPECIFIED
Potential Description:	NONE SPECIFIED

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**SANTA MONICA HOUSING PROJECT (Continued)**

**S107737279**

Alias Name: Santa Monica Housing Project  
 Alias Type: Alternate Name  
 Alias Name: CA99799FA46700  
 Alias Type: Federal Facility ID  
 Alias Name: J09CA7440  
 Alias Type: INPR  
 Alias Name: 80001138  
 Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: Not reported  
 Completed Sub Area Name: Not reported  
 Completed Document Type: Not reported  
 Completed Date: Not reported  
 Comments: Not reported

Future Area Name: Not reported  
 Future Sub Area Name: Not reported  
 Future Document Type: Not reported  
 Future Due Date: Not reported  
 Schedule Area Name: Not reported  
 Schedule Sub Area Name: Not reported  
 Schedule Document Type: Not reported  
 Schedule Due Date: Not reported  
 Schedule Revised Date: Not reported

**149**  
**North**  
**1/2-1**  
**0.562 mi.**  
**2966 ft.**

**WESTSIDE YMCA**  
**1452 SOUTH WESTGATE AVENUE**  
**LOS ANGELES, CA 90025**

**ENVIROSTOR** **S118757295**  
**VCP** **N/A**

**Relative:**  
**Higher**  
**Actual:**  
**204 ft.**

ENVIROSTOR:  
 Facility ID: 60002201  
 Status: Inactive - Action Required  
 Status Date: 02/26/2018  
 Site Code: 401721  
 Site Type: Voluntary Cleanup  
 Site Type Detailed: Voluntary Cleanup  
 Acres: 1.45  
 NPL: NO  
 Regulatory Agencies: SMBRP  
 Lead Agency: SMBRP  
 Program Manager: Hossein Nassiri  
 Supervisor: Emad Yemut  
 Division Branch: Southern California Schools & Brownfields Outreach  
 Assembly: , 57  
 Senate: , 26  
 Special Program: Voluntary Cleanup Program  
 Restricted Use: NO  
 Site Mgmt Req: NONE SPECIFIED  
 Funding: Responsible Party  
 Latitude: 34.04328  
 Longitude: -118.4598  
 APN: 4262-004-904, 4263-022-901  
 Past Use: UNKNOWN  
 Potential COC: Trichloroethylene (TCE)  
 Confirmed COC: Trichloroethylene (TCE)



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WESTSIDE YMCA (Continued)**

**S118757295**

Potential Description: SOIL, SV  
Alias Name: 4262-004-904  
Alias Type: APN  
Alias Name: 4263-022-901  
Alias Type: APN  
Alias Name: 401721  
Alias Type: Project Code (Site Code)  
Alias Name: 60002201  
Alias Type: Envirostor ID Number

**Completed Info:**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 06/13/2016  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Other Report  
Completed Date: 08/29/2016  
Comments: PEA Report is due to be completed for additional characterization and assessment.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement Termination Notification  
Completed Date: 02/26/2018  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Post HARP Form  
Completed Date: 08/04/2016  
Comments: Post HARP Form

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Pre-HARP Form  
Completed Date: 08/01/2016  
Comments: Pre-HARP form.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/19/2016  
Comments: FY 1617 Annual Oversight Cost Estimate completed and mailed.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Correspondence  
Completed Date: 04/06/2017  
Comments: Notification to Respondent regarding change in assigned project manager.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Inspections/Visit (Non LUR)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WESTSIDE YMCA (Continued)**

**S118757295**

Completed Date: 11/15/2016  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

VCP:

Facility ID: 60002201  
Site Type: Voluntary Cleanup  
Site Type Detail: Voluntary Cleanup  
Site Mgmt. Req.: NONE SPECIFIED  
Acres: 1.45  
National Priorities List: NO  
Cleanup Oversight Agencies: SMBRP  
Lead Agency: SMBRP  
Lead Agency Description: DTSC - Site Cleanup Program  
Project Manager: Hossein Nassiri  
Supervisor: Emad Yemut  
Division Branch: Southern California Schools & Brownfields Outreach  
Site Code: 401721  
Assembly: , 57  
Senate: , 26  
Special Programs Code: Voluntary Cleanup Program  
Status: Inactive - Action Required  
Status Date: 02/26/2018  
Restricted Use: NO  
Funding: Responsible Party  
Lat/Long: 34.04328 / -118.4598  
APN: 4262-004-904, 4263-022-901  
Past Use: UNKNOWN  
Potential COC: 30027  
Confirmed COC: 30027  
Potential Description: SOIL, SV  
Alias Name: 4262-004-904  
Alias Type: APN  
Alias Name: 4263-022-901  
Alias Type: APN  
Alias Name: 401721  
Alias Type: Project Code (Site Code)  
Alias Name: 60002201  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 06/13/2016  
Comments: Not reported

Completed Area Name: PROJECT WIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WESTSIDE YMCA (Continued)**

**S118757295**

Completed Sub Area Name: Not reported  
Completed Document Type: Other Report  
Completed Date: 08/29/2016  
Comments: PEA Report is due to be completed for additional characterization and assessment.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement Termination Notification  
Completed Date: 02/26/2018  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Post HARP Form  
Completed Date: 08/04/2016  
Comments: Post HARP Form

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Pre-HARP Form  
Completed Date: 08/01/2016  
Comments: Pre-HARP form.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/19/2016  
Comments: FY 1617 Annual Oversight Cost Estimate completed and mailed.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Correspondence  
Completed Date: 04/06/2017  
Comments: Notification to Respondent regarding change in assigned project manager.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Inspections/Visit (Non LUR)  
Completed Date: 11/15/2016  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Site

Database(s)

EDR ID Number  
EPA ID Number

**150**  
**East**  
**1/2-1**  
**0.665 mi.**  
**3512 ft.**  
  
**Relative:**  
**Higher**  
  
**Actual:**  
**170 ft.**

**BARRY AVENUE PLATING COMPANY**  
**2210 BARRY AVE.**  
**LOS ANGELES, CA 90064**

**RCRA-LQG** **1000372040**  
**ENVIROSTOR** **CAD009688185**  
**UST**  
**VCP**  
**SWEEPS UST**  
**HIST UST**  
**CA FID UST**  
**DEED**  
**US AIRS**  
**FINDS**  
**ECHO**  
**EMI**  
**WDS**

**RCRA-LQG:**

Date form received by agency: 03/02/2016  
 Facility name: BARRY AVENUE PLATING COMPANY  
 Facility address: 2210 BARRY AVENUE  
 LOS ANGELES, CA 90064  
 EPA ID: CAD009688185  
 Mailing address: BARRY AVENUE  
 LOS ANGELES, CA 90064  
 Contact: MARICAR R JABALLAS-MARIN  
 Contact address: BARRY AVENUE  
 LOS ANGELES, CA 90064  
 Contact country: US  
 Contact telephone: 310-478-0078  
 Telephone ext.: 233  
 Contact email: MARY@BARRYAVENUEPLATING.COM  
 EPA Region: 09  
 Land type: Private  
 Classification: Large Quantity Generator  
 Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

**Owner/Operator Summary:**

Owner/operator name: BARRY AVENUE PLATING, INC  
 Owner/operator address: BARRY AVENUE  
 LOS ANGELES, CA 90064  
 Owner/operator country: US  
 Owner/operator telephone: 310-478-0078  
 Owner/operator email: Not reported  
 Owner/operator fax: Not reported  
 Owner/operator extension: Not reported  
 Legal status: Private  
 Owner/Operator Type: Owner  
 Owner/Op start date: 06/28/1960  
 Owner/Op end date: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Owner/operator name: BARRY AVENUE PLATING, INC  
Owner/operator address: Not reported  
Not reported  
Owner/operator country: Not reported  
Owner/operator telephone: Not reported  
Owner/operator email: Not reported  
Owner/operator fax: Not reported  
Owner/operator extension: Not reported  
Legal status: Private  
Owner/Operator Type: Operator  
Owner/Op start date: 06/28/1960  
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No  
Mixed waste (haz. and radioactive): Yes  
Recycler of hazardous waste: No  
Transporter of hazardous waste: No  
Treater, storer or disposer of HW: Yes  
Underground injection activity: No  
On-site burner exemption: No  
Furnace exemption: No  
Used oil fuel burner: No  
Used oil processor: No  
User oil refiner: No  
Used oil fuel marketer to burner: No  
Used oil Specification marketer: No  
Used oil transfer facility: No  
Used oil transporter: No

. Waste code: 121  
. Waste name: Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc)

. Waste code: 122  
. Waste name: Alkaline solution without metals (pH > 12.5)

. Waste code: 132  
. Waste name: Aqueous solution w/metals (< restricted levels and see waste code 121 for a list of metals)

. Waste code: 135  
. Waste name: Unspecified aqueous solution

. Waste code: 141  
. Waste name: Off-specification, aged, or surplus inorganics

. Waste code: 171  
. Waste name: Metal sludge (see 121)

. Waste code: 181  
. Waste name: Other inorganic solid waste

. Waste code: 212  
. Waste name: Oxygenated solvents (acetone, butanol, ethyl acetate, etc.)

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

- . Waste code: 343
- . Waste name: Unspecified organic liquid mixture
  
- . Waste code: 352
- . Waste name: Other organic solids
  
- . Waste code: 551
- . Waste name: Laboratory waste chemicals
  
- . Waste code: 711
- . Waste name: Liquids with cyanides > 1000 mg/l
  
- . Waste code: 722
- . Waste name: Liquids with cadmium > 100 mg/l
  
- . Waste code: 723
- . Waste name: Liquids with chromium (VI) > 500 mg/l
  
- . Waste code: 726
- . Waste name: Liquids with nickel > 134 mg/l
  
- . Waste code: 791
- . Waste name: Liquids with pH < 2
  
- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
  
- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
  
- . Waste code: D003
- . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
  
- . Waste code: D006
- . Waste name: CADMIUM
  
- . Waste code: D007
- . Waste name: CHROMIUM
  
- . Waste code: D008
- . Waste name: LEAD

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: D035
- . Waste name: METHYL ETHYL KETONE
  
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F006
- . Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
  
- . Waste code: F007
- . Waste name: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS
  
- . Waste code: F009
- . Waste name: SPENT STRIPPING AND CLEANING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS WHERE CYANIDES ARE USED IN THE PROCESS.

Historical Generators:

Date form received by agency: 03/01/2014

Site name: BARRY AVENUE PLATING CO

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Classification: Large Quantity Generator

. Waste code: D001  
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D003  
. Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.

. Waste code: D006  
. Waste name: CADMIUM

. Waste code: D007  
. Waste name: CHROMIUM

. Waste code: D008  
. Waste name: LEAD

. Waste code: D011  
. Waste name: SILVER

. Waste code: D035  
. Waste name: METHYL ETHYL KETONE

. Waste code: F002  
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003  
. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005  
. Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F006  
. Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.

. Waste code: F007  
. Waste name: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS

Date form received by agency: 02/23/2010

Site name: BARRY AVENUE PLATING COMPANY

Classification: Large Quantity Generator

. Waste code: D001  
. Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

. Waste code: D002  
. Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

. Waste code: D006  
. Waste name: CADMIUM

. Waste code: D007  
. Waste name: CHROMIUM

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

- . Waste code: D008
  - . Waste name: LEAD
  
  - . Waste code: D011
  - . Waste name: SILVER
  
  - . Waste code: D035
  - . Waste name: METHYL ETHYL KETONE
  
  - . Waste code: F003
  - . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
  - . Waste code: F005
  - . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
  - . Waste code: F006
  - . Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
  
  - . Waste code: F007
  - . Waste name: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS
  
  - . Waste code: F008
  - . Waste name: PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS WHERE CYANIDES ARE USED IN THE PROCESS.
  
  - . Waste code: F009
  - . Waste name: SPENT STRIPPING AND CLEANING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS WHERE CYANIDES ARE USED IN THE PROCESS.
- Date form received by agency: 02/28/2008  
Site name: BARRY AVENUE PLATING  
Classification: Large Quantity Generator
- . Waste code: D001
  - . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
  
- . Waste code: D003
- . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
  
- . Waste code: D006
- . Waste name: CADMIUM
  
- . Waste code: D007
- . Waste name: CHROMIUM
  
- . Waste code: D008
- . Waste name: LEAD
  
- . Waste code: D011
- . Waste name: SILVER
  
- . Waste code: F003
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
  
- . Waste code: F007
- . Waste name: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

- . Waste code: F009
- . Waste name: SPENT STRIPPING AND CLEANING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS WHERE CYANIDES ARE USED IN THE PROCESS.

Date form received by agency: 03/01/2006

Site name: BARRY AVENUE PLATING COMPANY

Classification: Large Quantity Generator

- . Waste code: 121
- . Waste name: Alkaline solution (pH >12.5) with metals (antimony, arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, molybdenum, nickel, selenium, silver, thallium, vanadium, and zinc)
- . Waste code: 141
- . Waste name: Off-specification, aged, or surplus inorganics
- . Waste code: 181
- . Waste name: Other inorganic solid waste
- . Waste code: 223
- . Waste name: Unspecified oil-containing waste
- . Waste code: 352
- . Waste name: Other organic solids
- . Waste code: 411
- . Waste name: Alum and gypsum sludge
- . Waste code: 461
- . Waste name: Degreasing sludge
- . Waste code: D001
- . Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
- . Waste code: D002
- . Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
- . Waste code: D003
- . Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
- . Waste code: D004

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

- . Waste name: ARSENIC
- . Waste code: D006
- . Waste name: CADMIUM
- . Waste code: D007
- . Waste name: CHROMIUM
- . Waste code: D008
- . Waste name: LEAD
- . Waste code: D011
- . Waste name: SILVER
- . Waste code: D039
- . Waste name: TETRACHLOROETHYLENE
- . Waste code: F002
- . Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- . Waste code: F005
- . Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
- . Waste code: F006
- . Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
- . Waste code: F009
- . Waste name: SPENT STRIPPING AND CLEANING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS WHERE CYANIDES ARE USED IN THE PROCESS.

Date form received by agency: 03/01/2006

Site name: BARRY AVENUE PLATING COMPANY

Classification: Small Quantity Generator

Date form received by agency: 09/01/1996

Site name: BARRY AVE PLATING CO INC

Classification: Small Quantity Generator

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Date form received by agency: 01/26/1996  
Site name: BARRY AVENUE PLATING CO., INC.  
Classification: Large Quantity Generator

Date form received by agency: 03/09/1994  
Site name: BARRY AVE PLATING CO INC  
Classification: Large Quantity Generator

Date form received by agency: 01/30/1992  
Site name: BARRY AVE PLATING CO INC  
Classification: Large Quantity Generator

Date form received by agency: 08/08/1980  
Site name: BARRY AVE PLATING CO INC  
Classification: Large Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2017

Annual Waste Handled:

Waste code: D001  
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.  
Amount (Lbs): 8990

Waste code: D002  
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.  
Amount (Lbs): 28294

Waste code: D003  
Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.  
Amount (Lbs): 30

Waste code: D006  
Waste name: CADMIUM  
Amount (Lbs): 9492

Waste code: D007  
Waste name: CHROMIUM  
Amount (Lbs): 17174

Waste code: D011

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Waste name: SILVER  
Amount (Lbs): 1557

Waste code: D035  
Waste name: METHYL ETHYL KETONE  
Amount (Lbs): 5243

Waste code: F002  
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.  
Amount (Lbs): 8

Waste code: F003  
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.  
Amount (Lbs): 8320

Waste code: F005  
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.  
Amount (Lbs): 4320

Waste code: F006  
Waste name: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.  
Amount (Lbs): 4335

Waste code: F007  
Waste name: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS  
Amount (Lbs): 1100

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Facility Has Received Notices of Violations:

Regulation violated: Not reported  
Area of violation: Generators - Pre-transport  
Date violation determined: 09/11/2013  
Date achieved compliance: 10/11/2013  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 09/11/2013  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: Not reported  
Area of violation: Generators - Records/Reporting  
Date violation determined: 09/11/2013  
Date achieved compliance: 10/11/2013  
Violation lead agency: State  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 09/11/2013  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: State  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: F - 262.30-34.C  
Area of violation: Generators - General  
Date violation determined: 11/30/1998  
Date achieved compliance: 12/22/1998  
Violation lead agency: EPA  
Enforcement action: Not reported  
Enforcement action date: 12/22/1998  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: EPA  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: F - 262.30-34.C  
Area of violation: Generators - General  
Date violation determined: 11/30/1998  
Date achieved compliance: 12/22/1998  
Violation lead agency: EPA  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 01/06/1999  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: EPA  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Regulation violated: S - 262.30-34.C  
Area of violation: Generators - General  
Date violation determined: 11/30/1998  
Date achieved compliance: 02/02/1999  
Violation lead agency: EPA  
Enforcement action: Not reported  
Enforcement action date: 12/22/1998  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: EPA  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

Regulation violated: S - 262.30-34.C  
Area of violation: Generators - General  
Date violation determined: 11/30/1998  
Date achieved compliance: 02/02/1999  
Violation lead agency: EPA  
Enforcement action: WRITTEN INFORMAL  
Enforcement action date: 01/06/1999  
Enf. disposition status: Not reported  
Enf. disp. status date: Not reported  
Enforcement lead agency: EPA  
Proposed penalty amount: Not reported  
Final penalty amount: Not reported  
Paid penalty amount: Not reported

**Evaluation Action Summary:**

Evaluation date: 09/13/2016  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 07/30/2014  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: EPA

Evaluation date: 09/11/2013  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - Records/Reporting  
Date achieved compliance: 10/11/2013  
Evaluation lead agency: State

Evaluation date: 09/11/2013  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Not reported  
Date achieved compliance: Not reported  
Evaluation lead agency: State

Evaluation date: 09/11/2013  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - Pre-transport  
Date achieved compliance: 10/11/2013

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Evaluation lead agency: State

Evaluation date: 11/30/1998  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 02/02/1999  
Evaluation lead agency: EPA

Evaluation date: 11/30/1998  
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE  
Area of violation: Generators - General  
Date achieved compliance: 12/22/1998  
Evaluation lead agency: EPA

**ENVIROSTOR:**

Facility ID: 71002319  
Status: Refer: Other Agency  
Status Date: Not reported  
Site Code: Not reported  
Site Type: Tiered Permit  
Site Type Detailed: Tiered Permit  
Acres: Not reported  
NPL: NO  
Regulatory Agencies: NONE SPECIFIED  
Lead Agency: NONE SPECIFIED  
Program Manager: Not reported  
Supervisor: Not reported  
Division Branch: Cleanup Chatsworth  
Assembly: 53  
Senate: 24  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: Not reported  
Latitude: 34.05223  
Longitude: -118.2436  
APN: NONE SPECIFIED  
Past Use: NONE SPECIFIED  
Potential COC: NONE SPECIFIED  
Confirmed COC: NONE SPECIFIED  
Potential Description: NONE SPECIFIED  
Alias Name: CAD009688185  
Alias Type: EPA Identification Number  
Alias Name: 110000474175  
Alias Type: EPA (FRS #)  
Alias Name: 71002319  
Alias Type: Envirostor ID Number

**Completed Info:**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Inspections/Visit (Non LUR)  
Completed Date: 02/19/1999  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

Facility ID: 60000437  
Status: Active  
Status Date: 04/15/2015  
Site Code: 301299  
Site Type: Voluntary Cleanup  
Site Type Detailed: Voluntary Cleanup  
Acres: 3  
NPL: NO  
Regulatory Agencies: SMBRP  
Lead Agency: SMBRP  
Program Manager: Don Indermill  
Supervisor: Philip Chandler  
Division Branch: Cleanup Chatsworth  
Assembly: 50  
Senate: 26  
Special Program: Voluntary Cleanup Program  
Restricted Use: YES  
Site Mgmt Req: NONE SPECIFIED  
Funding: Responsible Party  
Latitude: 34.03461  
Longitude: -118.4464  
APN: 4260014004, 4260014005, 4260014006, 4260014008, 4260014032,  
4260014033, 4260014034

Past Use: AGRICULTURAL - ROW CROPS, METAL FINISHING, METAL PLATING - CHROME,  
METAL PLATING - OTHER, MANUFACTURING - METAL, METAL FINISHING, METAL  
PLATING - CHROME, METAL PLATING - OTHER, AGRICULTURAL - ROW CROPS,  
MANUFACTURING - METAL, METAL FINISHING, METAL PLATING - CHROME, METAL  
PLATING - OTHER, MANUFACTURING - METAL, METAL FINISHING, METAL  
PLATING - CHROME, METAL PLATING - OTHER

Potential COC: Arsenic Total Chromium (1:6 ratio Cr VI:Cr III Lead  
Tetrachloroethylene (PCE Trichloroethylene (TCE Chromium III Chromium  
VI Arsenic Lead Tetrachloroethylene (PCE Trichloroethylene (TCE  
Chromium III Chromium VI Tetrachloroethylene (PCE Trichloroethylene  
(TCE Chromium III Chromium VI Tetrachloroethylene (PCE  
Trichloroethylene (TCE Chromium III Chromium VI

Confirmed COC: Arsenic Lead Total Chromium (1:6 ratio Cr VI:Cr III  
Tetrachloroethylene (PCE Chromium III Chromium VI Trichloroethylene  
(TCE Tetrachloroethylene (PCE Chromium III Chromium VI  
Trichloroethylene (TCE

Potential Description: AQUIC, IA, OTH, SOIL, SV, AQUIC, OTH, IA, SOIL, SV, IA, SOIL, SV

Alias Name: 4260014004  
Alias Type: APN  
Alias Name: 4260014005  
Alias Type: APN  
Alias Name: 4260014006  
Alias Type: APN  
Alias Name: 4260014008  
Alias Type: APN  
Alias Name: 4260014032  
Alias Type: APN

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Alias Name: 4260014033  
Alias Type: APN  
Alias Name: 4260014034  
Alias Type: APN  
Alias Name: 110000474175  
Alias Type: EPA (FRS #)  
Alias Name: 301299  
Alias Type: Project Code (Site Code)  
Alias Name: 60000437  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 10/11/2013  
Comments: Not reported

Completed Area Name: Barry Avenue Plating Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction  
Completed Date: 05/09/2014  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: CEQA - Notice of Exemption  
Completed Date: 01/16/2008  
Comments: NOE completed and signed off by Branch Chief

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Correspondence  
Completed Date: 07/22/2008  
Comments: Letter sent to BAP counsel Patterson, 7/22/2008, DTSC letter to Barry Avenue Plating counsel concurring with timing of placement of vapor monitoring probe URS-05 and monitoring well URS-15 re: Notice of Failure to Perform in Full the Terms of the Stipulated Final Judgement and Order dated and entered December 15, 2004

Completed Area Name: Oly-Fed Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Certification  
Completed Date: 06/24/2014  
Comments: Oly-Fed soil OU remediation certified complete

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 08/31/2006  
Comments: Not reported

Completed Area Name: Barry Avenue Plating Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Certification  
Completed Date: 06/24/2014  
Comments: Barry Avenue Plating soil OU remediation certified complete

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fact Sheets  
Completed Date: 01/02/2008  
Comments: DTSC Final Fact Sheet was completed 1-02-2008. There will be no RP Final, or DTSC approval since DTSC prepared the final version.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Pilot Study/Treatability Workplan  
Completed Date: 03/14/2007  
Comments: Pilot Test Workplan approved

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Workplan  
Completed Date: 03/04/2008  
Comments: Removal Action Workplan for remediation of Volatile Organic Compounds and Hexavalent Chromium approved.

Completed Area Name: Oly-Fed Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Completion Report  
Completed Date: 06/23/2011  
Comments: DTSC has concluded that the Removal Action Completion Report for the Oly-Fed OU, and the RACR Addendum adequately demonstrate that remediation of the Oly-Fed OU has been achieved as planned in the RAW. The RACR is approved. DTSC requests that the RACR Addendum be revised and resubmitted to address some relatively minor discrepancies to complete the administrative record.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 03/04/2008  
Comments: First Quarter 2007 Groundwater Monitoring Report Accepted and Approved  
Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 06/27/2007  
Comments: SVE Unit Delivered and operating

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 11/02/2007  
Comments: Quarterly Groundwater Sampling event completed

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Pilot/Treatability Study Report  
Completed Date: 08/19/2011  
Comments: Not reported

Completed Area Name: PROJECT WIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Completed Sub Area Name: Not reported  
Completed Document Type: \*Correspondence - Received  
Completed Date: 04/17/2008  
Comments: Declaration finalized and sent to court

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \*Correspondence - Received  
Completed Date: 05/29/2008  
Comments: Emails requested were transferred from Groupwise and placed on a compact disc and given to the requestor.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 01/09/2009  
Comments: URS response to DTSC comments was adequate, and URS agreed to address requested changes in future quarterly reports.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 01/09/2009  
Comments: URS response was adequate, and as DTSC requested, URS agreed to address comments in future quarterly reports.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \*Correspondence - Received  
Completed Date: 03/25/2009  
Comments: The original letter raised questions that are resolved by the 4th Quarter 2008 GW Monitoring and Remedial Progress Report, and DTSC's comments and requested revisions. Therefore, no separate DTSC response has been developed.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 08/19/2009  
Comments: Issues related to background arsenic concentrations, shutdown of the SVE system, and remaining residual COCs will be addressed as separate tasks.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 10/30/2009  
Comments: DTSC approves the GW Monitoring report and outstanding comments and issues will be addressed in subsequent monitoring reports.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 02/09/2010  
Comments: Not reported

Completed Area Name: PROJECT WIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 02/09/2010  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 01/19/2010  
Comments: This was a GW sampling event and was apparently completed on 12/16/2009. The GW monitoring report is pending.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 11/30/2010  
Comments: The 4th Quarter 2009 report was approved with comments in a comment letter on the 1st quarter 2010 report. The 1st quarter 2010 report is required to be revised and resubmitted.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 04/20/2010  
Comments: Field work completed approx. 4/01/2010, preliminary data submitted 4/20/2010.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 01/15/2012  
Comments: DTSC is not requiring revision of the subject report at present as the subsequent monitoring report has been issued, and as the RACR has been submitted and is under review, and any issues related to the monitoring and remediation program will be handled under the RACR.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 08/26/2010  
Comments: This is a fieldwork exercise that was completed 8/26/2010. No deliverables were submitted, and no DTSC letter was prepared.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 11/30/2010  
Comments: RP consultant responses to DTSC comments were not entirely adequate, however, staff availability and deadlines on higher priority tasks on this and other projects precluded DTSC follow up, so this task is being completed and the issues will be addressed in DTSC's response to the BAP OU RACR, being reviewed beginning January 2012.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Well Decommissioning Workplan  
Completed Date: 02/23/2010

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Well Decommissioning Workplan  
Completed Date: 02/11/2010  
Comments: Various proposals and modified proposals were submitted, discussed and evaluated thoroughly. DTSC approves the well decommissioning as indicated in the attached letter dated 2/10/2010.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 03/22/2010  
Comments: This was a field activity only, and will be documented in the 1st quarter 2010 groundwater monitoring and remedial progress report, it will not result in a separate document being developed by the consultant, or review and approval by DTSC.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 01/20/2012  
Comments: Revision of the subject report is not required at present because the subsequent report has been submitted and the RACR has been submitted and is currently under review. Any changes or issues identified with the monitoring or remediation programs will be handled as a result of the RACR.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 08/19/2011  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 03/15/2012  
Comments: DTSC is not requiring revisions to the submitted report at this time since the RACR is currently under review. Necessary modifications to the remediation and monitoring program will be made through the comments on and revisions to the RACR.

Completed Area Name: Oly-Fed Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 09/27/2011  
Comments: DTSC geologist conducted oversight of well and SVE piping and appurtenances abandonment activities and concluded all abandonment activities were conducted consistent with relevant guidance and the RAW.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 01/15/2013



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Comments: Approved without revision in the context of comments made on the draft RACR.

Completed Area Name: Barry Avenue Plating Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Completion Report  
Completed Date: 06/28/2013  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 02/05/2013  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 11/21/2013  
Comments: Not reported

Completed Area Name: Barry Avenue Plating Groundwater OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 03/12/2015  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 02/02/2012  
Comments: As this is fieldwork, no DTSC 'Final Letter' is called for. The results of sampling and other activities will be reported in the Semi-annual Report.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Remedial Investigation Workplan  
Completed Date: 12/13/2012  
Comments: DTSC approved the Supplemental Sampling Workplan with modifications.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 10/30/2015  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/25/2014  
Comments: Not reported

Future Area Name: Barry Avenue Plating Groundwater OU  
Future Sub Area Name: Not reported  
Future Document Type: Certification  
Future Due Date: 2018

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Future Area Name: Barry Avenue Plating Groundwater OU  
Future Sub Area Name: Not reported  
Future Document Type: Removal Action Completion Report  
Future Due Date: 2018  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

UST:

Facility ID: 23574  
Permitting Agency: LOS ANGELES, CITY OF  
Latitude: 34.036015  
Longitude: -118.445011

VCP:

Facility ID: 60000437  
Site Type: Voluntary Cleanup  
Site Type Detail: Voluntary Cleanup  
Site Mgmt. Req.: NONE SPECIFIED  
Acres: 3  
National Priorities List: NO  
Cleanup Oversight Agencies: SMBRP  
Lead Agency: SMBRP  
Lead Agency Description: DTSC - Site Cleanup Program  
Project Manager: Don Indermill  
Supervisor: Philip Chandler  
Division Branch: Cleanup Chatsworth  
Site Code: 301299  
Assembly: 50  
Senate: 26  
Special Programs Code: Voluntary Cleanup Program  
Status: Active  
Status Date: 04/15/2015  
Restricted Use: YES  
Funding: Responsible Party  
Lat/Long: 34.03461 / -118.4464  
APN: 4260014004, 4260014005, 4260014006, 4260014008, 4260014032, 4260014033, 4260014034  
Past Use: AGRICULTURAL - ROW CROPS, METAL FINISHING, METAL PLATING - CHROME, METAL PLATING - OTHER, MANUFACTURING - METAL, METAL FINISHING, METAL PLATING - CHROME, METAL PLATING - OTHER, AGRICULTURAL - ROW CROPS, MANUFACTURING - METAL, METAL FINISHING, METAL PLATING - CHROME, METAL PLATING - OTHER, MANUFACTURING - METAL, METAL FINISHING, METAL PLATING - CHROME, METAL PLATING - OTHER  
Potential COC: 30001, 30005, 30013, 30022, 30027, 30152, 30153, 30001, 30013, 30022, 30027, 30152, 30153, 30022, 30027, 30152, 30153, 30022, 30027, 30152, 30153, 30022, 30027, 30152, 30153  
Confirmed COC: 30001,30013,30005,30022,30152,30153,30027,, ,30022,30152,30153,30027  
Potential Description: AQUI, IA, OTH, SOIL, SV, AQUI, OTH, IA, SOIL, SV, IA, SOIL, SV  
Alias Name: 4260014004  
Alias Type: APN  
Alias Name: 4260014005  
Alias Type: APN  
Alias Name: 4260014006

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Alias Type: APN  
Alias Name: 4260014008  
Alias Type: APN  
Alias Name: 4260014032  
Alias Type: APN  
Alias Name: 4260014033  
Alias Type: APN  
Alias Name: 4260014034  
Alias Type: APN  
Alias Name: 110000474175  
Alias Type: EPA (FRS #)  
Alias Name: 301299  
Alias Type: Project Code (Site Code)  
Alias Name: 60000437  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 10/11/2013  
Comments: Not reported

Completed Area Name: Barry Avenue Plating Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction  
Completed Date: 05/09/2014  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: CEQA - Notice of Exemption  
Completed Date: 01/16/2008  
Comments: NOE completed and signed off by Branch Chief

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Correspondence  
Completed Date: 07/22/2008  
Comments: Letter sent to BAP counsel Patterson, 7/22/2008, DTSC letter to Barry Avenue Plating counsel concurring with timing of placement of vapor monitoring probe URS-05 and monitoring well URS-15 re: Notice of Failure to Perform in Full the Terms of the Stipulated Final Judgement and Order dated and entered December 15, 2004

Completed Area Name: Oly-Fed Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Certification  
Completed Date: 06/24/2014  
Comments: Oly-Fed soil OU remediation certified complete

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Voluntary Cleanup Agreement  
Completed Date: 08/31/2006  
Comments: Not reported

Completed Area Name: Barry Avenue Plating Soil OU

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Completed Sub Area Name: Not reported  
Completed Document Type: Certification  
Completed Date: 06/24/2014  
Comments: Barry Avenue Plating soil OU remediation certified complete

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fact Sheets  
Completed Date: 01/02/2008  
Comments: DTSC Final Fact Sheet was completed 1-02-2008. There will be no RP Final, or DTSC approval since DTSC prepared the final version.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Pilot Study/Treatability Workplan  
Completed Date: 03/14/2007  
Comments: Pilot Test Workplan approved

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Workplan  
Completed Date: 03/04/2008  
Comments: Removal Action Workplan for remediation of Volatile Organic Compounds and Hexavalent Chromium approved.

Completed Area Name: Oly-Fed Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Completion Report  
Completed Date: 06/23/2011  
Comments: DTSC has concluded that the Removal Action Completion Report for the Oly-Fed OU, and the RACR Addendum adequately demonstrate that remediation of the Oly-Fed OU has been achieved as planned in the RAW. The RACR is approved. DTSC requests that the RACR Addendum be revised and resubmitted to address some relatively minor discrepancies to complete the administrative record.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 03/04/2008  
Comments: First Quarter 2007 Groundwater Monitoring Report Accepted and Approved  
Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 06/27/2007  
Comments: SVE Unit Delivered and operating

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 11/02/2007  
Comments: Quarterly Groundwater Sampling event completed

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Completed Document Type: Pilot/Treatability Study Report

Completed Date: 08/19/2011

Comments: Not reported

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: \*Correspondence - Received

Completed Date: 04/17/2008

Comments: Declaration finalized and sent to court

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: \*Correspondence - Received

Completed Date: 05/29/2008

Comments: Emails requested were transferred from Groupwise and placed on a compact disc and given to the requestor.

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: Monitoring Report

Completed Date: 01/09/2009

Comments: URS response to DTSC comments was adequate, and URS agreed to address requested changes in future quarterly reports.

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: Monitoring Report

Completed Date: 01/09/2009

Comments: URS response was adequate, and as DTSC requested, URS agreed to address comments in future quarterly reports.

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: \*Correspondence - Received

Completed Date: 03/25/2009

Comments: The original letter raised questions that are resolved by the 4th Quarter 2008 GW Monitoring and Remedial Progress Report, and DTSC's comments and requested revisions. Therefore, no separate DTSC response has been developed.

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: Monitoring Report

Completed Date: 08/19/2009

Comments: Issues related to background arsenic concentrations, shutdown of the SVE system, and remaining residual COCs will be addressed as separate tasks.

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: Monitoring Report

Completed Date: 10/30/2009

Comments: DTSC approves the GW Monitoring report and outstanding comments and issues will be addressed in subsequent monitoring reports.

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Completed Document Type: Monitoring Report  
Completed Date: 02/09/2010  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 02/09/2010  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 01/19/2010  
Comments: This was a GW sampling event and was apparently completed on 12/16/2009. The GW monitoring report is pending.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 11/30/2010  
Comments: The 4th Quarter 2009 report was approved with comments in a comment letter on the 1st quarter 2010 report. The 1st quarter 2010 report is required to be revised and resubmitted.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 04/20/2010  
Comments: Field work completed approx. 4/01/2010, preliminary data submitted 4/20/2010.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 01/15/2012  
Comments: DTSC is not requiring revision of the subject report at present as the subsequent monitoring report has been issued, and as the RACR has been submitted and is under review, and any issues related to the monitoring and remediation program will be handled under the RACR.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 08/26/2010  
Comments: This is a fieldwork exercise that was completed 8/26/2010. No deliverables were submitted, and no DTSC letter was prepared.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 11/30/2010  
Comments: RP consultant responses to DTSC comments were not entirely adequate, however, staff availability and deadlines on higher priority tasks on this and other projects precluded DTSC follow up, so this task is being completed and the issues will be addressed in DTSC's response to the BAP OU RACR, being reviewed beginning January 2012.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Well Decommissioning Workplan  
Completed Date: 02/23/2010  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Well Decommissioning Workplan  
Completed Date: 02/11/2010  
Comments: Various proposals and modified proposals were submitted, discussed and evaluated thoroughly. DTSC approves the well decommissioning as indicated in the attached letter dated 2/10/2010.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 03/22/2010  
Comments: This was a field activity only, and will be documented in the 1st quarter 2010 groundwater monitoring and remedial progress report, it will not result in a separate document being developed by the consultant, or review and approval by DTSC.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 01/20/2012  
Comments: Revision of the subject report is not required at present because the subsequent report has been submitted and the RACR has been submitted and is currently under review. Any changes or issues identified with the monitoring or remediation programs will be handled as a result of the RACR.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 08/19/2011  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 03/15/2012  
Comments: DTSC is not requiring revisions to the submitted report at this time since the RACR is currently under review. Necessary modifications to the remediation and monitoring program will be made through the comments on and revisions to the RACR.

Completed Area Name: Oly-Fed Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 09/27/2011  
Comments: DTSC geologist conducted oversight of well and SVE piping and appurtenances abandonment activities and concluded all abandonment activities were conducted consistent with relevant guidance and the RAW.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 01/15/2013  
Comments: Approved without revision in the context of comments made on the draft RACR.

Completed Area Name: Barry Avenue Plating Soil OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Completion Report  
Completed Date: 06/28/2013  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 02/05/2013  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 11/21/2013  
Comments: Not reported

Completed Area Name: Barry Avenue Plating Groundwater OU  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 03/12/2015  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 02/02/2012  
Comments: As this is fieldwork, no DTSC 'Final Letter' is called for. The results of sampling and other activities will be reported in the Semi-annual Report.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Remedial Investigation Workplan  
Completed Date: 12/13/2012  
Comments: DTSC approved the Supplemental Sampling Workplan with modifications.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 10/30/2015  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Annual Oversight Cost Estimate  
Completed Date: 09/25/2014  
Comments: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Future Area Name: Barry Avenue Plating Groundwater OU  
Future Sub Area Name: Not reported  
Future Document Type: Certification  
Future Due Date: 2018  
Future Area Name: Barry Avenue Plating Groundwater OU  
Future Sub Area Name: Not reported  
Future Document Type: Removal Action Completion Report  
Future Due Date: 2018  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**SWEEPS UST:**

Status: Active  
Comp Number: 2182  
Number: 1  
Board Of Equalization: 44-012165  
Referral Date: 03-04-93  
Action Date: 03-04-93  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-002182-000001  
Tank Status: A  
Capacity: 1600  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: 5

Status: Active  
Comp Number: 2182  
Number: 1  
Board Of Equalization: 44-012165  
Referral Date: 03-04-93  
Action Date: 03-04-93  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-002182-000002  
Tank Status: A  
Capacity: 1100  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 2182  
Number: 1  
Board Of Equalization: 44-012165  
Referral Date: 03-04-93  
Action Date: 03-04-93  
Created Date: 02-29-88  
Owner Tank Id: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

SWRCB Tank Id: 19-050-002182-000003  
Tank Status: A  
Capacity: 200  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 2182  
Number: 1  
Board Of Equalization: 44-012165  
Referral Date: 03-04-93  
Action Date: 03-04-93  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-002182-000004  
Tank Status: A  
Capacity: 1587  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: Not reported

Status: Active  
Comp Number: 2182  
Number: 1  
Board Of Equalization: 44-012165  
Referral Date: 03-04-93  
Action Date: 03-04-93  
Created Date: 02-29-88  
Owner Tank Id: Not reported  
SWRCB Tank Id: 19-050-002182-000005  
Tank Status: A  
Capacity: 237  
Active Date: 04-20-88  
Tank Use: CHEMICAL  
STG: P  
Content: UNKNOWN  
Number Of Tanks: Not reported

**HIST UST:**

File Number: 000266AC  
URL: <http://geotracker.waterboards.ca.gov/ustpdfs/pdf/000266AC.pdf>  
Region: STATE  
Facility ID: 00000017019  
Facility Type: Other  
Other Type: METAL FINISHING  
Contact Name: EDUARDO AMAGNA  
Telephone: 2138386294  
Owner Name: BARRY AVENUE PLATING COMPANY, I  
Owner Address: 2210 BARRY AVENUE  
Owner City, St, Zip: LOS ANGELES, CA 90064  
Total Tanks: 0003

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Tank Num: 001  
Container Num: 1  
Year Installed: 1982  
Tank Capacity: 00001600  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 001  
Container Num: 1  
Year Installed: 1982  
Tank Capacity: 00001600  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 001  
Container Num: 1  
Year Installed: 1982  
Tank Capacity: 00001600  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 001  
Container Num: 1  
Year Installed: 1982  
Tank Capacity: 00001600  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 002  
Container Num: 2  
Year Installed: 1982  
Tank Capacity: 00001100  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 002  
Container Num: 2  
Year Installed: 1982  
Tank Capacity: 00001100  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 002  
Container Num: 2  
Year Installed: 1982

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Tank Capacity: 00001100  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 002  
Container Num: 2  
Year Installed: 1982  
Tank Capacity: 00001100  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 003  
Container Num: 3  
Year Installed: 1982  
Tank Capacity: 00000200  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 003  
Container Num: 3  
Year Installed: 1982  
Tank Capacity: 00000200  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 003  
Container Num: 3  
Year Installed: 1982  
Tank Capacity: 00000200  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 003  
Container Num: 3  
Year Installed: 1982  
Tank Capacity: 00000200  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.22  
Leak Detection: Visual

Tank Num: 004  
Container Num: 4  
Year Installed: 1981  
Tank Capacity: 00001587  
Tank Used for: WASTE  
Type of Fuel: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Container Construction Thickness: 0.5  
Leak Detection: Visual

Tank Num: 004  
Container Num: 4  
Year Installed: 1981  
Tank Capacity: 00001587  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.5  
Leak Detection: Visual

Tank Num: 005  
Container Num: 5  
Year Installed: 1981  
Tank Capacity: 00000237  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.5  
Leak Detection: Visual

Tank Num: 005  
Container Num: 5  
Year Installed: 1981  
Tank Capacity: 00000237  
Tank Used for: WASTE  
Type of Fuel: Not reported  
Container Construction Thickness: 0.5  
Leak Detection: Visual

[Click here for Geo Tracker PDF:](#)

**CA FID UST:**

Facility ID: 19000722  
Regulated By: UTNKA  
Regulated ID: 00041149  
Cortese Code: Not reported  
SIC Code: Not reported  
Facility Phone: 2132720116  
Mail To: Not reported  
Mailing Address: 2210 BARRY AVE  
Mailing Address 2: Not reported  
Mailing City,St,Zip: LOS ANGELES 900640000  
Contact: Not reported  
Contact Phone: Not reported  
DUNs Number: Not reported  
NPDES Number: Not reported  
EPA ID: Not reported  
Comments: Not reported  
Status: Active

**DEED:**

Envirostor ID: 60000437  
Area: BARRY AVENUE PLATING SOIL OU  
Sub Area: Not reported  
Site Type: VOLUNTARY CLEANUP

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Status: ACTIVE  
Agency: Not reported  
Covenant Uploaded: Not reported  
Deed Date(s): 05/09/2014  
File Name: Envirostor Land Use Restrictions

US AIRS (AFS):

Envid: 1000372040  
Region Code: 09  
County Code: CA037  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
D and B Number: Not reported  
Facility Site Name: BARRY AVE PLATING CO INC  
Primary SIC Code: 3471  
NAICS Code: 332813  
Default Air Classification Code: MAJ  
Facility Type of Ownership Code: POF  
Air CMS Category Code: TVM  
HPV Status: Not reported

US AIRS (AFS):

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards  
Activity Date: 1996-12-13 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring  
Activity Type: Inspection/Evaluation  
Activity Status: Not reported

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards  
Activity Date: 1997-11-26 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring  
Activity Type: Inspection/Evaluation  
Activity Status: Not reported

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards  
Activity Date: 2003-12-05 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring  
Activity Type: Inspection/Evaluation  
Activity Status: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards  
Activity Date: 2006-06-15 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring  
Activity Type: Inspection/Evaluation  
Activity Status: Not reported

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards  
Activity Date: 2007-05-01 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring  
Activity Type: Inspection/Evaluation  
Activity Status: Not reported

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards  
Activity Date: 2008-05-08 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring  
Activity Type: Inspection/Evaluation  
Activity Status: Not reported

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: Title V Permits  
Activity Date: 2003-12-05 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring  
Activity Type: Inspection/Evaluation  
Activity Status: Not reported

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: Title V Permits  
Activity Date: 2006-06-15 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Activity Type: Inspection/Evaluation  
Activity Status: Not reported

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: Title V Permits  
Activity Date: 2007-05-01 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring  
Activity Type: Inspection/Evaluation  
Activity Status: Not reported

Region Code: 09  
Programmatic ID: AIR CASCA00006037CJ155  
Facility Registry ID: 110000474175  
Air Operating Status Code: OPR  
Default Air Classification Code: MAJ  
Air Program: Title V Permits  
Activity Date: 2008-05-08 00:00:00  
Activity Status Date: Not reported  
Activity Group: Compliance Monitoring  
Activity Type: Inspection/Evaluation  
Activity Status: Not reported

**FINDS:**

Registry ID: 110000474175

**Environmental Interest/Information System**

California Department of Toxic Substances Control EnviroStor System (DTSC-EnviroStor) is an online search and Geographic Information System (GIS) tool for identifying sites that have known contamination or sites for which there may be reasons to investigate further. The EnviroStor database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites.

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

**AIR EMISSIONS CLASSIFICATION UNKNOWN**

California Hazardous Waste Tracking System - Datamart (HWTS-DATAMART)



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

provides California with information on hazardous waste shipments for generators, transporters, and treatment, storage, and disposal facilities.

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

US National Pollutant Discharge Elimination System (NPDES) module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

RISK AND TECHNOLOGY REVIEW

STATE MASTER

AIR MAJOR

HAZARDOUS WASTE BIENNIAL REPORTER

[Click this hyperlink](#) while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid: 1000372040  
Registry ID: 110000474175  
DFR URL: <http://echo.epa.gov/detailed-facility-report?fid=110000474175>

EMI:

Year: 2005  
County Code: 19  
Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3471  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 3.67865  
Reactive Organic Gases Tons/Yr: 3.585417803  
Carbon Monoxide Emissions Tons/Yr: .00455  
NOX - Oxides of Nitrogen Tons/Yr: 1.09641

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

SOX - Oxides of Sulphur Tons/Yr: .000105  
Particulate Matter Tons/Yr: 1.128574207  
Part. Matter 10 Micrometers and Smlr Tons/Yr.:21998731693

Year: 2006  
County Code: 19  
Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3471  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 3.616367303245639714  
Reactive Organic Gases Tons/Yr: 3.482  
Carbon Monoxide Emissions Tons/Yr: .007  
NOX - Oxides of Nitrogen Tons/Yr: .026  
SOX - Oxides of Sulphur Tons/Yr: .016  
Particulate Matter Tons/Yr: .01  
Part. Matter 10 Micrometers and Smlr Tons/Yr.:00656

Year: 2007  
County Code: 19  
Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3471  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 3.616367303245639714  
Reactive Organic Gases Tons/Yr: 3.482  
Carbon Monoxide Emissions Tons/Yr: .007  
NOX - Oxides of Nitrogen Tons/Yr: .026  
SOX - Oxides of Sulphur Tons/Yr: .016  
Particulate Matter Tons/Yr: .01  
Part. Matter 10 Micrometers and Smlr Tons/Yr.:00656

Year: 2008  
County Code: 19  
Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3399  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: .0059760655154293097  
Reactive Organic Gases Tons/Yr: .0041586916999999576  
Carbon Monoxide Emissions Tons/Yr: .01798  
NOX - Oxides of Nitrogen Tons/Yr: .0195  
SOX - Oxides of Sulphur Tons/Yr: .000143394  
Particulate Matter Tons/Yr: .0027919461645  
Part. Matter 10 Micrometers and Smlr Tons/Yr.:002073901729405

Year: 2009  
County Code: 19

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3399  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 6.6734146390246604E-3  
Reactive Organic Gases Tons/Yr: 4.9658354999999998E-3  
Carbon Monoxide Emissions Tons/Yr: 1.7979999999999999E-2  
NOX - Oxides of Nitrogen Tons/Yr: 0.0195  
SOX - Oxides of Sulphur Tons/Yr: 1.3339999999999999E-4  
Particulate Matter Tons/Yr: 3.2153540000000001E-3  
Part. Matter 10 Micrometers and Smlr Tons/Yr:2.3621448199999998E-3

Year: 2010  
County Code: 19  
Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3399  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 1.03496275411685  
Reactive Organic Gases Tons/Yr: 1.0221899999999999  
Carbon Monoxide Emissions Tons/Yr: 2.0500000000000001E-2  
NOX - Oxides of Nitrogen Tons/Yr: 2.4410000000000001E-2  
SOX - Oxides of Sulphur Tons/Yr: 1.2999999999999999E-4  
Particulate Matter Tons/Yr: 6.6563213999999999E-3  
Part. Matter 10 Micrometers and Smlr Tons/Yr:2.9885301910000002E-3

Year: 2011  
County Code: 19  
Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3399  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 1.3247748247  
Reactive Organic Gases Tons/Yr: 1.30831005  
Carbon Monoxide Emissions Tons/Yr: 0.02436  
NOX - Oxides of Nitrogen Tons/Yr: 0.029  
SOX - Oxides of Sulphur Tons/Yr: 0.00016  
Particulate Matter Tons/Yr: 0.0055704239  
Part. Matter 10 Micrometers and Smlr Tons/Yr:0.003699943168

Year: 2012  
County Code: 19  
Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3399  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 1.735782659  
Reactive Organic Gases Tons/Yr: 1.71662  
Carbon Monoxide Emissions Tons/Yr: 0.02142  
NOX - Oxides of Nitrogen Tons/Yr: 0.32659  
SOX - Oxides of Sulphur Tons/Yr: 0.00015  
Particulate Matter Tons/Yr: 2.131706251  
Part. Matter 10 Micrometers and Smlr Tons/Yr:0.40725129853

Year: 2013  
County Code: 19  
Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3399  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 1.5428159649  
Reactive Organic Gases Tons/Yr: 1.52632  
Carbon Monoxide Emissions Tons/Yr: 0.02268  
NOX - Oxides of Nitrogen Tons/Yr: 1.75052  
SOX - Oxides of Sulphur Tons/Yr: 0.00016  
Particulate Matter Tons/Yr: 2.450696293  
Part. Matter 10 Micrometers and Smlr Tons/Yr:0.46788723145

Year: 2015  
County Code: 19  
Air Basin: SC  
Facility ID: 13618  
Air District Name: SC  
SIC Code: 3471  
Air District Name: SOUTH COAST AQMD  
Community Health Air Pollution Info System: Not reported  
Consolidated Emission Reporting Rule: Not reported  
Total Organic Hydrocarbon Gases Tons/Yr: 1.0478050314  
Reactive Organic Gases Tons/Yr: 1.03982799  
Carbon Monoxide Emissions Tons/Yr: 0.008286685  
NOX - Oxides of Nitrogen Tons/Yr: 2.61907878  
SOX - Oxides of Sulphur Tons/Yr: 0.00014203  
Particulate Matter Tons/Yr: 4.5380996131  
Part. Matter 10 Micrometers and Smlr Tons/Yr:4.3570219335

**WDS:**

Facility ID: 4 19I009470  
Facility Type: Industrial - Facility that treats and/or disposes of liquid or semisolid wastes from any servicing, producing, manufacturing or processing operation of whatever nature, including mining, gravel washing, geothermal operations, air conditioning, ship building and repairing, oil production, storage and disposal operations, water pumping.  
Facility Status: Active - Any facility with a continuous or seasonal discharge that is under Waste Discharge Requirements.  
NPDES Number: CAS000001 The 1st 2 characters designate the state. The remaining 7 are assigned by the Regional Board  
Subregion: 4  
Facility Telephone: 3104780078

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**BARRY AVENUE PLATING COMPANY (Continued)**

**1000372040**

Facility Contact: RONALD ORANTES  
 Agency Name: BRICE KEARSLEY III  
 Agency Address: 2210 Barry Ave  
 Agency City,St,Zip: Los Angeles 900641402  
 Agency Contact: RONALD ORANTES  
 Agency Telephone: 3104780078  
 Agency Type: Private  
 SIC Code: 0  
 SIC Code 2: Not reported  
 Primary Waste Type: Not reported  
 Primary Waste: Not reported  
 Waste Type2: Not reported  
 Waste2: Not reported  
 Primary Waste Type: Not reported  
 Secondary Waste: Not reported  
 Secondary Waste Type: Not reported  
 Design Flow: 0  
 Baseline Flow: 0  
 Reclamation: Not reported  
 POTW: Not reported  
 Treat To Water: Minor Threat to Water Quality. A violation of a regional board order should cause a relatively minor impairment of beneficial uses compared to a major or minor threat. Not: All nurds without a TTWQ will be considered a minor threat to water quality unless coded at a higher Level. A Zero (0) may be used to code those NURDS that are found to represent no threat to water quality.  
 Complexity: Category C - Facilities having no waste treatment systems, such as cooling water dischargers or those who must comply through best management practices, facilities with passive waste treatment and disposal systems, such as septic systems with subsurface disposal, or dischargers having waste storage systems with land disposal such as dairy waste ponds.

151  
 WSW  
 1/2-1  
 0.688 mi.  
 3630 ft.

**WATER GARDENS  
 2500 COLORADO AVENUE  
 SANTA MONICA, CA 90404**

**ENVIROSTOR S106386931  
 CPS-SLIC N/A**

**Relative:  
 Lower  
 Actual:  
 152 ft.**

ENVIROSTOR:  
 Facility ID: 19210002  
 Status: Refer: Other Agency  
 Status Date: 08/21/1995  
 Site Code: Not reported  
 Site Type: Historical  
 Site Type Detailed: \* Historical  
 Acres: Not reported  
 NPL: NO  
 Regulatory Agencies: NONE SPECIFIED  
 Lead Agency: NONE SPECIFIED  
 Program Manager: Not reported  
 Supervisor: \* Mmonroy  
 Division Branch: Cleanup Chatsworth  
 Assembly: 50  
 Senate: 26  
 Special Program: Not reported  
 Restricted Use: NO  
 Site Mgmt Req: NONE SPECIFIED

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**WATER GARDENS (Continued)**

**S106386931**

Funding: Not reported  
Latitude: 34.03  
Longitude: -118.4716  
APN: NONE SPECIFIED  
Past Use: NONE SPECIFIED  
Potential COC: NONE SPECIFIED  
Confirmed COC: NONE SPECIFIED  
Potential Description: NONE SPECIFIED  
Alias Name: BEVERLY HILLS CITY DUMP  
Alias Type: Alternate Name  
Alias Name: GLADDING MCBEAN COMPANY  
Alias Type: Alternate Name  
Alias Name: PACIFIC COAST BUILDING PRODUCTS  
Alias Type: Alternate Name  
Alias Name: SYSTEM DEVELOPMENT CORPORATION  
Alias Type: Alternate Name  
Alias Name: 19210002  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \* Discovery  
Completed Date: 10/22/1982  
Comments: FACILITY IDENTIFIED ID FROM LA CHAM COMM DIR 1963-64.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 08/29/1994  
Comments: Site Screening conducted. It had been reported that the City of Santa Monica was the lead on this site and that RWQCB was involved, but neither agency has overseen the remediation. The developer said they had a letter from Alternative Technology approving the solidification technology used at this site, but DTSC, Region 3 has no file on this site. The developer has self directed the cleanup of 85,000 cubic yards of lead contaminated soil. Staff recommends a site inspection and a PEA.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 11/15/1990  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

CPS-SLIC:

Region: STATE

Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**WATER GARDENS (Continued)**

**S106386931**

<b>Facility Status:</b>	<b>Completed - Case Closed</b>
Status Date:	09/05/2002
Global Id:	SL0603746763
Lead Agency:	LOS ANGELES RWQCB (REGION 4)
Lead Agency Case Number:	Not reported
Latitude:	34.03055
Longitude:	-118.470312
Case Type:	Cleanup Program Site
Case Worker:	Not reported
Local Agency:	Not reported
RB Case Number:	2045X00
File Location:	Not reported
Potential Media Affected:	Not reported
Potential Contaminants of Concern:	Not reported
Site History:	Not reported

Click here to access the California GeoTracker records for this facility:

SLIC REG 4:  
 Region: 4  
 Facility Status: No further action required  
 SLIC: 0130F  
 Substance: Not reported  
 Staff: John Geroch

**152**  
**SW**  
**1/2-1**  
**0.758 mi.**  
**4004 ft.**

**EXTRA SPACE**  
**1707 CLOVERFIELD BLVD.**  
**SANTA MONICA, CA 90404**

**ENVIROSTOR** **S108741820**  
**CPS-SLIC** **N/A**  
**VCP**  
**DEED**

**Relative:**  
**Lower**  
**Actual:**  
**153 ft.**

ENVIROSTOR:  
 Facility ID: 60000517  
 Status: Certified O&M - Land Use Restrictions Only  
 Status Date: 01/24/2013  
 Site Code: 301310  
 Site Type: Voluntary Cleanup  
 Site Type Detailed: Voluntary Cleanup  
 Acres: 1.8  
 NPL: NO  
 Regulatory Agencies: SMBRP  
 Lead Agency: SMBRP  
 Program Manager: Jess Villamayor  
 Supervisor: Philip Chandler  
 Division Branch: Cleanup Chatsworth  
 Assembly: 50  
 Senate: 26  
 Special Program: CLRRRA Liability Immunity (AB 389)  
 Restricted Use: YES  
 Site Mgmt Req: NONE SPECIFIED  
 Funding: Responsible Party  
 Latitude: 34.02700  
 Longitude: -118.4710  
 APN: 4268014013  
 Past Use: AEROSPACE MANUFACTURING/MAINTENANCE, FUEL - VEHICLE STORAGE/  
 REFUELING, HAZARDOUS WASTE STORAGE - TANKS/CONTAINERS  
 Potential COC: Asbestos Containing Materials (ACM Total Chromium (1:6 ratio Cr

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

EXTRA SPACE (Continued)

S108741820

Confirmed COC: VI:Cr III Lead Tetrachloroethylene (PCE TPH-diesel TPH-gas TPH-MOTOR OIL Trichloroethylene (TCE Vinyl chloride n-Butylbenzene sec-Butylbenzene tert-Butylbenzene Carbon tetrachloride Chloroform 1,1-Dichloroethane 1,2-Dichloroethane (EDC Ethylbenzene Toluene 1,1,2-Trichloroethane Trichlorofluoromethane Xylenes 40001-NO Toluene 1,1,2-Trichloroethane Trichlorofluoromethane Tetrachloroethylene (PCE TPH-diesel TPH-gas Trichloroethylene (TCE Vinyl chloride n-Butylbenzene sec-Butylbenzene 30105-NO Carbon tetrachloride Chloroform 1,1-Dichloroethane 1,2-Dichloroethane (EDC 30272-NO Total Chromium (1:6 ratio Cr VI:Cr III Lead TPH-MOTOR OIL Xylenes

Potential Description: IA, OTH, SOIL, SV

Alias Name: 4268014013

Alias Type: APN

Alias Name: 110033617209

Alias Type: EPA (FRS #)

Alias Name: 301310

Alias Type: Project Code (Site Code)

Alias Name: 60000517

Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: Preliminary Endangerment Assessment Report

Completed Date: 03/19/2007

Comments: Not reported

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: Site Characterization Report

Completed Date: 03/19/2007

Comments: DTSC AAI comment letter and memo mailed out to Extra Space on March 19, 2007

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: Phase 1

Completed Date: 03/19/2007

Comments: DTSC mailed out AAI comment letter and memo to Extra Space on March 19, 2007.

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: Tank Removal Report

Completed Date: 03/19/2007

Comments: DTSC mailed out AAI comment letter and memo to Extra Space on March 19, 2007.

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported

Completed Document Type: Site Characterization Workplan

Completed Date: 08/10/2007

Comments: SVE Pilot Test is conditional approved pending incorporation of DTSC comments into the SVE Pilot Test.

Completed Area Name: PROJECT WIDE

Completed Sub Area Name: Not reported



Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EXTRA SPACE (Continued)**

**S108741820**

Completed Document Type: Fieldwork  
Completed Date: 09/18/2007  
Comments: SVE Pilot Test Installed.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Pilot/Treatability Study Report  
Completed Date: 04/08/2008  
Comments: DTSC commented on lacking information, these will be addressed in the Response Plan.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: AB 389 Response Plan  
Completed Date: 07/10/2008  
Comments: Response Plan approved without changes.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 10/16/2008  
Comments: Installation and extra sampling completed.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Soil Vapor Extraction Monitoring Report  
Completed Date: 10/14/2008  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 11/03/2008  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 02/17/2009  
Comments: No comments

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 08/18/2009  
Comments: Comments sent to RP to modify testing/reporting methods.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 12/01/2009  
Comments: No comments sent, comments will be made on the Dec 1, 2009 Soil Gas Survey Sampling Report that summarizes the SVE.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EXTRA SPACE (Continued)**

**S108741820**

Completed Date: 12/01/2009  
Comments: Document was reviewed, comments will be made on the Dec 1, 2009 Soil Gas Survey Sampling Report that summarizes the SVE.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 04/05/2010  
Comments: Comments sent.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 07/27/2010  
Comments: Reviewed with no comments.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 12/08/2010  
Comments: Eng comments will be consolidated with the 3rd quarter report.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Operations and Maintenance Report  
Completed Date: 06/08/2011  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 04/27/2012  
Comments: Groundwater sampling of all wells and soil confirmation samples are still needed.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Other Report  
Completed Date: 04/27/2012  
Comments: Emailed approval of a draft workplan. Asked them to submit a cleaned up version for the file.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Completion Report  
Completed Date: 11/13/2012  
Comments: Consists of other documents.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction Monitoring Report  
Completed Date: 06/29/2016  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EXTRA SPACE (Continued)**

**S108741820**

Completed Date: 01/24/2013  
Comments: LUC signed, use ok for commercial, industrial, multi-use, condo/apt on 2nd floor, park land

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: CEQA - Notice of Exemption  
Completed Date: 06/18/2008  
Comments: NOE signed and sent to CEQA group.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: California Land Reuse and Revitalization Agreement  
Completed Date: 11/21/2006  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Certification  
Completed Date: 01/24/2013  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**CPS-SLIC:**

Region: STATE  
**Facility Status:** **Open - Inactive**  
Status Date: 02/02/2015  
Global Id: SL0603767271  
Lead Agency: DEPARTMENT OF TOXIC SUBSTANCES CONTROL  
Lead Agency Case Number: 60000517  
Latitude: 34.026951  
Longitude: -118.471221  
Case Type: Cleanup Program Site  
Case Worker: Not reported  
Local Agency: Not reported  
RB Case Number: 1160  
File Location: Not reported  
Potential Media Affected: Aquifer used for drinking water supply  
Potential Contaminants of Concern: Trichloroethylene (TCE)  
Site History: Not reported

[Click here to access the California GeoTracker records for this facility:](#)

**VCP:**

Facility ID: 60000517  
Site Type: Voluntary Cleanup  
Site Type Detail: Voluntary Cleanup

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EXTRA SPACE (Continued)**

**S108741820**

Site Mgmt. Req.: NONE SPECIFIED  
Acres: 1.8  
National Priorities List: NO  
Cleanup Oversight Agencies: SMBRP  
Lead Agency: SMBRP  
Lead Agency Description: DTSC - Site Cleanup Program  
Project Manager: Jess Villamayor  
Supervisor: Philip Chandler  
Division Branch: Cleanup Chatsworth  
Site Code: 301310  
Assembly: 50  
Senate: 26  
Special Programs Code: CLRRRA Liability Immunity (AB 389)  
Status: Certified O&M - Land Use Restrictions Only  
Status Date: 01/24/2013  
Restricted Use: YES  
Funding: Responsible Party  
Lat/Long: 34.02700 / -118.4710  
APN: 4268014013  
Past Use: AEROSPACE MANUFACTURING/MAINTENANCE, FUEL - VEHICLE STORAGE/  
REFUELING, HAZARDOUS WASTE STORAGE - TANKS/CONTAINERS  
Potential COC: 40001, 30005, 30013, 30022, 30024, 30025, 3002502, 30027, 30028,  
30103, 30104, 30105, 30116, 30136, 30192, 30193, 30272, 30550, 30564,  
30565, 30593  
Confirmed COC: 40001-NO,30550,30564,30565,30022,30024,30025,30027,30028,30103,30104,  
30105-NO,30116,30136,30192,30193,30272-NO,30005,30013,3002502,30593  
Potential Description: IA, OTH, SOIL, SV  
Alias Name: 4268014013  
Alias Type: APN  
Alias Name: 110033617209  
Alias Type: EPA (FRS #)  
Alias Name: 301310  
Alias Type: Project Code (Site Code)  
Alias Name: 60000517  
Alias Type: Envirostor ID Number  
Completed Info:  
Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Endangerment Assessment Report  
Completed Date: 03/19/2007  
Comments: Not reported  
Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Characterization Report  
Completed Date: 03/19/2007  
Comments: DTSC AAI comment letter and memo mailed out to Extra Space on March  
19, 2007  
Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Phase 1  
Completed Date: 03/19/2007  
Comments: DTSC mailed out AAI comment letter and memo to Extra Space on March  
19, 2007.  
Completed Area Name: PROJECT WIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EXTRA SPACE (Continued)**

**S108741820**

Completed Sub Area Name: Not reported  
Completed Document Type: Tank Removal Report  
Completed Date: 03/19/2007  
Comments: DTSC mailed out AAI comment letter and memo to Extra Space on March 19, 2007.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Characterization Workplan  
Completed Date: 08/10/2007  
Comments: SVE Pilot Test is conditional approved pending incorporation of DTSC comments into the SVE Pilot Test.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 09/18/2007  
Comments: SVE Pilot Test Installed.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Pilot/Treatability Study Report  
Completed Date: 04/08/2008  
Comments: DTSC commented on lacking information, these will be addressed in the Response Plan.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: AB 389 Response Plan  
Completed Date: 07/10/2008  
Comments: Response Plan approved without changes.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Fieldwork  
Completed Date: 10/16/2008  
Comments: Installation and extra sampling completed.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Soil Vapor Extraction Monitoring Report  
Completed Date: 10/14/2008  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 11/03/2008  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 02/17/2009  
Comments: No comments

Completed Area Name: PROJECT WIDE

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EXTRA SPACE (Continued)**

**S108741820**

Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 08/18/2009  
Comments: Comments sent to RP to modify testing/reporting methods.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 12/01/2009  
Comments: No comments sent, comments will be made on the Dec 1, 2009 Soil Gas Survey Sampling Report that summarizes the SVE.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 12/01/2009  
Comments: Document was reviewed, comments will be made on the Dec 1, 2009 Soil Gas Survey Sampling Report that summarizes the SVE.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 04/05/2010  
Comments: Comments sent.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 07/27/2010  
Comments: Reviewed with no comments.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 12/08/2010  
Comments: Eng comments will be consolidated with the 3rd quarter report.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Operations and Maintenance Report  
Completed Date: 06/08/2011  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Monitoring Report  
Completed Date: 04/27/2012  
Comments: Groundwater sampling of all wells and soil confirmation samples are still needed.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Other Report  
Completed Date: 04/27/2012  
Comments: Emailed approval of a draft workplan. Asked them to submit a cleaned up version for the file.

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**EXTRA SPACE (Continued)**

**S108741820**

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Removal Action Completion Report  
Completed Date: 11/13/2012  
Comments: Consists of other documents.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction Monitoring Report  
Completed Date: 06/29/2016  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Land Use Restriction  
Completed Date: 01/24/2013  
Comments: LUC signed, use ok for commercial, industrial, multi-use, condo/apt on 2nd floor, park land

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: CEQA - Notice of Exemption  
Completed Date: 06/18/2008  
Comments: NOE signed and sent to CEQA group.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: California Land Reuse and Revitalization Agreement  
Completed Date: 11/21/2006  
Comments: Not reported

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Certification  
Completed Date: 01/24/2013  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**DEED:**

Envirostor ID: 60000517  
Area: PROJECT WIDE  
Sub Area: Not reported  
Site Type: VOLUNTARY CLEANUP  
Status: CERTIFIED O&M - LAND USE RESTRICTIONS ONLY  
Agency: Not reported  
Covenant Uploaded: Not reported  
Deed Date(s): 01/24/2013  
File Name: Envirostor Land Use Restrictions

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

153  
East  
1/2-1  
0.860 mi.  
4543 ft.

**TENNESSEE AVENUE LOFTS**  
11500 TENNESSEE AVE  
LOS ANGELES, CA 90064

**ENVIROSTOR** S102796847  
LA Co. Site Mitigation N/A

**Relative:**  
**Higher**  
**Actual:**  
**172 ft.**

ENVIROSTOR:  
Facility ID: 70000127  
Status: Refer: 1248 Local Agency  
Status Date: 08/23/2005  
Site Code: Not reported  
Site Type: Evaluation  
Site Type Detailed: Evaluation  
Acres: Not reported  
NPL: NO  
Regulatory Agencies: LA CNTY FIRE DEPT. (BILLING AND UST), LOS ANGELES COUNTY  
Lead Agency: NONE SPECIFIED  
Program Manager: Not reported  
Supervisor: \* Greg Holmes  
Division Branch: Cleanup Cypress  
Assembly: 54  
Senate: 26  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: Not Applicable  
Latitude: 34.03436  
Longitude: -118.4426  
APN: NONE SPECIFIED  
Past Use: NONE SPECIFIED  
Potential COC: NONE SPECIFIED  
Confirmed COC: NONE SPECIFIED  
Potential Description: NONE SPECIFIED  
Alias Name: 70000127  
Alias Type: Envirostor ID Number

Completed Info:  
Completed Area Name: Not reported  
Completed Sub Area Name: Not reported  
Completed Document Type: Not reported  
Completed Date: Not reported  
Comments: Not reported

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

LA Co. Site Mitigation:  
Facility ID: Not reported  
Status: Not reported  
Site ID: SD0000164  
Jurisdiction: County  
Case ID: RO0000168



Map ID  
 Direction  
 Distance  
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
 EPA ID Number

**TENNESSEE AVENUE LOFTS (Continued)**

**S102796847**

Abated: Yes  
 Assigned To: Richard Clark  
 Entered Date: 08/18/2005  
 Abated Date: 02/08/2011

**154**  
**WSW**  
**1/2-1**  
**0.902 mi.**  
**4762 ft.**

**COLORADO PLACE**  
**BROADWAY AND CLOVERFIELD**  
**SANTA MONICA, CA 90404**

**RESPONSE**  
**ENVIROSTOR**  
**CA BOND EXP. PLAN**

**S100833508**  
**N/A**

**Relative:**  
**Lower**  
**Actual:**  
**152 ft.**

**RESPONSE:**  
 Facility ID: 19490208  
 Site Type: State Response  
 Site Type Detail: State Response or NPL  
 Acres: 15  
 National Priorities List: NO  
 Cleanup Oversight Agencies: DTSC  
 Lead Agency Description: \* DTSC  
 Project Manager: Not reported  
 Supervisor: \* Harlan Jeché  
 Division Branch: Cleanup Chatsworth  
 Site Code: 300036  
 Site Mgmt. Req.: NONE SPECIFIED  
 Assembly: 50  
 Senate: 26  
 Special Program Status: Not reported  
 Status: No Further Action  
 Status Date: 04/15/1991  
 Restricted Use: NO  
 Funding: Responsible Party  
 Latitude: 34.03  
 Longitude: -118.4752  
 APN: NONE SPECIFIED  
 Past Use: AEROSPACE MANUFACTURING/MAINTENANCE, LANDFILL - DOMESTIC, MANUFACTURING - METAL, MANUFACTURING - OTHER  
 Potential COC : Arsenic Benzene Total Chromium (1:6 ratio Cr VI:Cr III Lead TPH-diesel TPH-gas TPH-MOTOR OIL 1,1,1-Trichloroethane (TCA Trichloroethylene (TCE Chromium III Chromium VI Nickel Nitric Acid Xylenes Zinc  
 Confirmed COC: Arsenic Benzene Total Chromium (1:6 ratio Cr VI:Cr III Lead Nitric Acid TPH-diesel TPH-gas 1,1,1-Trichloroethane (TCA Chromium III Chromium VI Nickel TPH-MOTOR OIL Xylenes Zinc Trichloroethylene (TCE  
 Potential Description: SOIL, SV  
 Alias Name: CAD981392939  
 Alias Type: EPA Identification Number  
 Alias Name: 110033613454  
 Alias Type: EPA (FRS #)  
 Alias Name: P33064  
 Alias Type: PCode  
 Alias Name: 300036  
 Alias Type: Project Code (Site Code)  
 Alias Name: 19490208  
 Alias Type: Envirostor ID Number  
 Completed Info:  
 Completed Area Name: PROJECT WIDE  
 Completed Sub Area Name: Not reported

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**COLORADO PLACE (Continued)**

**S100833508**

Completed Document Type: \* Delisting Document  
Completed Date: 04/15/1991  
Comments: Site delisted via a PEA.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 10/04/1990  
Comments: SITE SCREENING DONE COLORADO PLACE IS ON THE BEP BACKLOG. EPA HAS GIVEN THE SITE A NO FURTHER ACTION ON A SITE INVESTIGATION CONDUCTED BY E&E FEDERAL INVESTIGATION TEAM. PRELIMINARY ENDANGERMENT ASSESSMENT IS BEING COMPLETED.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Assessment Report  
Completed Date: 09/28/1990  
Comments: PRELIM ASSESS DONE PRELIMINARY ENDANGERMENT ASSESSMENT(PEA) COMPLETED. RECOMMEND NO FURTHER ACTION BASED ON PEA DUE TO NO SIGNIFICANT HAZARD OR THREAT TO PUBLIC HEALTH & THE ENVIRONMENT. EPA CONDUCTED AN INVESTIGATION AT COLORADO PLACE WHICH SUPPORTS A NO FURTHER ACTION FOR THE SITE.

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

**ENVIROSTOR:**

Facility ID: 19490208  
Status: No Further Action  
Status Date: 04/15/1991  
Site Code: 300036  
Site Type: State Response  
Site Type Detailed: State Response or NPL  
Acres: 15  
NPL: NO  
Regulatory Agencies: DTSC  
Lead Agency: DTSC  
Program Manager: Not reported  
Supervisor: \* Harlan Jeché  
Division Branch: Cleanup Chatsworth  
Assembly: 50  
Senate: 26  
Special Program: Not reported  
Restricted Use: NO  
Site Mgmt Req: NONE SPECIFIED  
Funding: Responsible Party  
Latitude: 34.03  
Longitude: -118.4752  
APN: NONE SPECIFIED  
Past Use: AEROSPACE MANUFACTURING/MAINTENANCE, LANDFILL - DOMESTIC,

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**COLORADO PLACE (Continued)**

**S100833508**

Potential COC: MANUFACTURING - METAL, MANUFACTURING - OTHER  
Arsenic Benzene Total Chromium (1:6 ratio Cr VI:Cr III Lead  
TPH-diesel TPH-gas TPH-MOTOR OIL 1,1,1-Trichloroethane (TCA  
Trichloroethylene (TCE Chromium III Chromium VI Nickel Nitric Acid  
Xylenes Zinc

Confirmed COC: Arsenic Benzene Total Chromium (1:6 ratio Cr VI:Cr III Lead Nitric  
Acid TPH-diesel TPH-gas 1,1,1-Trichloroethane (TCA Chromium III  
Chromium VI Nickel TPH-MOTOR OIL Xylenes Zinc Trichloroethylene (TCE  
SOIL, SV

Potential Description: SOIL, SV

Alias Name: CAD981392939  
Alias Type: EPA Identification Number  
Alias Name: 110033613454  
Alias Type: EPA (FRS #)  
Alias Name: P33064  
Alias Type: PCode  
Alias Name: 300036  
Alias Type: Project Code (Site Code)  
Alias Name: 19490208  
Alias Type: Envirostor ID Number

Completed Info:

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: \* Delisting Document  
Completed Date: 04/15/1991  
Comments: Site delisted via a PEA.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Site Screening  
Completed Date: 10/04/1990  
Comments: SITE SCREENING DONE COLORADO PLACE IS ON THE BEP BACKLOG. EPA HAS  
GIVEN THE SITE A NO FURTHER ACTION ON A SITE INVESTIGATION CONDUCTED  
BY E&E FEDERAL INVESTIGATION TEAM. PRELIMINARY ENDANGERMENT  
ASSESSMENT IS BEING COMPLETED.

Completed Area Name: PROJECT WIDE  
Completed Sub Area Name: Not reported  
Completed Document Type: Preliminary Assessment Report  
Completed Date: 09/28/1990  
Comments: PRELIM ASSESS DONE PRELIMINARY ENDANGERMENT ASSESSMENT(PEA)  
COMPLETED. RECOMMEND NO FURTHER ACTION BASED ON PEA DUE TO NO  
SIGNIFICANT HAZARD OR THREAT TO PUBLIC HEALTH & THE ENVIRONMENT. EPA  
CONDUCTED AN INVESTI- GAITION AT COLORADO PLACE WHICH SUPPORTS A NO  
FURTHER ACTION FOR THE SITE.

Future Area Name: Not reported  
Future Sub Area Name: Not reported  
Future Document Type: Not reported  
Future Due Date: Not reported  
Schedule Area Name: Not reported  
Schedule Sub Area Name: Not reported  
Schedule Document Type: Not reported  
Schedule Due Date: Not reported  
Schedule Revised Date: Not reported

CA BOND EXP. PLAN:

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

**COLORADO PLACE (Continued)**

**S100833508**

Responsible Party: BACKLOG SITE CLEANUP PLANNING REPORT  
Project Revenue Source Company: Not reported  
Project Revenue Source Addr: Not reported  
Project Revenue Source City,St,Zip: Not reported  
Project Revenue Source Desc: This site is projected for cleanup by responsible parties with reimbursement to DHS for staff and related costs. However, if the responsible parties fail to provide funding for cleanup, another source of funds will need to be established.

Site Description: This site is a former "burn dump", which operated until the early 1950's. In later years, the facility apparently accepted inert materials.

Hazardous Waste Desc: During core drilling prior to construction at the former "burn dump" site, elevated levels of organic material and lead were encountered in the soil and in the upper saturated zone. It is believed most of the contaminated soil has been removed from the site and properly disposed of, in accordance with State regulations.

Threat To Public Health & Env: The threat from this site is believed to be minimal. It is believed that most of the contamination has already been removed from the site. The upper aquifer in the area is generally contaminated by organic solvents and is not used as a public water supply.

Site Activity Status: DHS has required and the developer has provided a waste management plan for dealing with hazardous substances during excavation. The proposed depth of the excavation would remove the majority of residual wastes from the landfill. Materials exceeding DHS's standards are hazardous wastes and will be handled as Class 1 wastes; marginally contaminated waste will be taken to an appropriate landfill.

Count: 2 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
SANTA MONICA	1003879968	HIGHLAND ENG. CO.	1942 BERKELEY AVE.	90404	SEMS-ARCHIVE
SANTA MONICA	1003879958	WARD OIL	2600 NEBRASKA AVE.	90404	SEMS-ARCHIVE

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## STANDARD ENVIRONMENTAL RECORDS

### ***Federal NPL site list***

#### NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 05/13/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: N/A
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 08/09/2018
Number of Days to Update: 23	Next Scheduled EDR Contact: 10/15/2018
	Data Release Frequency: Quarterly

#### NPL Site Boundaries

##### Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)  
Telephone: 202-564-7333

EPA Region 1  
Telephone 617-918-1143

EPA Region 6  
Telephone: 214-655-6659

EPA Region 3  
Telephone 215-814-5418

EPA Region 7  
Telephone: 913-551-7247

EPA Region 4  
Telephone 404-562-8033

EPA Region 8  
Telephone: 303-312-6774

EPA Region 5  
Telephone 312-886-6686

EPA Region 9  
Telephone: 415-947-4246

EPA Region 10  
Telephone 206-553-8665

#### Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 05/13/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: N/A
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 08/09/2018
Number of Days to Update: 23	Next Scheduled EDR Contact: 10/15/2018
	Data Release Frequency: Quarterly

#### NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/15/1991  
Date Data Arrived at EDR: 02/02/1994  
Date Made Active in Reports: 03/30/1994  
Number of Days to Update: 56

Source: EPA  
Telephone: 202-564-4267  
Last EDR Contact: 08/15/2011  
Next Scheduled EDR Contact: 11/28/2011  
Data Release Frequency: No Update Planned

## ***Federal Delisted NPL site list***

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 05/13/2018  
Date Data Arrived at EDR: 05/30/2018  
Date Made Active in Reports: 06/22/2018  
Number of Days to Update: 23

Source: EPA  
Telephone: N/A  
Last EDR Contact: 08/09/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Quarterly

## ***Federal CERCLIS list***

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 11/07/2016  
Date Data Arrived at EDR: 01/05/2017  
Date Made Active in Reports: 04/07/2017  
Number of Days to Update: 92

Source: Environmental Protection Agency  
Telephone: 703-603-8704  
Last EDR Contact: 07/06/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly known as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 05/18/2018  
Date Data Arrived at EDR: 05/30/2018  
Date Made Active in Reports: 06/22/2018  
Number of Days to Update: 23

Source: EPA  
Telephone: 800-424-9346  
Last EDR Contact: 08/09/2018  
Next Scheduled EDR Contact: 10/29/2018  
Data Release Frequency: Quarterly

## ***Federal CERCLIS NFRAP site list***

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 05/18/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: 800-424-9346
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 08/09/2018
Number of Days to Update: 23	Next Scheduled EDR Contact: 10/29/2018
	Data Release Frequency: Quarterly

## ***Federal RCRA CORRACTS facilities list***

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/01/2018	Source: EPA
Date Data Arrived at EDR: 03/28/2018	Telephone: 800-424-9346
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly

## ***Federal RCRA non-CORRACTS TSD facilities list***

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: (415) 495-8895
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly

## ***Federal RCRA generators list***

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: (415) 495-8895
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: (415) 495-8895
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly

## RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 03/01/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/28/2018	Telephone: (415) 495-8895
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 06/28/2018
Number of Days to Update: 86	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Quarterly

## ***Federal institutional controls / engineering controls registries***

### LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/14/2018	Source: Department of the Navy
Date Data Arrived at EDR: 05/18/2018	Telephone: 843-820-7326
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/16/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/26/2018
	Data Release Frequency: Varies

### US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 02/13/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/27/2018	Telephone: 703-603-0695
Date Made Active in Reports: 05/11/2018	Last EDR Contact: 08/28/2018
Number of Days to Update: 73	Next Scheduled EDR Contact: 12/10/2018
	Data Release Frequency: Varies

### US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 02/13/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/27/2018	Telephone: 703-603-0695
Date Made Active in Reports: 05/11/2018	Last EDR Contact: 08/28/2018
Number of Days to Update: 73	Next Scheduled EDR Contact: 12/10/2018
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ***Federal ERNS list***

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 03/19/2018

Date Data Arrived at EDR: 03/27/2018

Date Made Active in Reports: 06/08/2018

Number of Days to Update: 73

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180

Last EDR Contact: 06/27/2018

Next Scheduled EDR Contact: 10/08/2018

Data Release Frequency: Quarterly

## ***State- and tribal - equivalent NPL***

RESPONSE: State Response Sites

Identifies confirmed release sites where DTSC is involved in remediation, either in a lead or oversight capacity. These confirmed release sites are generally high-priority and high potential risk.

Date of Government Version: 04/30/2018

Date Data Arrived at EDR: 05/02/2018

Date Made Active in Reports: 06/22/2018

Number of Days to Update: 51

Source: Department of Toxic Substances Control

Telephone: 916-323-3400

Last EDR Contact: 07/31/2018

Next Scheduled EDR Contact: 11/12/2018

Data Release Frequency: Quarterly

## ***State- and tribal - equivalent CERCLIS***

ENVIROSTOR: EnviroStor Database

The Department of Toxic Substances Control's (DTSC's) Site Mitigation and Brownfields Reuse Program's (SMBRP's) EnviroStor database identifies sites that have known contamination or sites for which there may be reasons to investigate further. The database includes the following site types: Federal Superfund sites (National Priorities List (NPL)); State Response, including Military Facilities and State Superfund; Voluntary Cleanup; and School sites. EnviroStor provides similar information to the information that was available in CalSites, and provides additional site information, including, but not limited to, identification of formerly-contaminated properties that have been released for reuse, properties where environmental deed restrictions have been recorded to prevent inappropriate land uses, and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.

Date of Government Version: 04/30/2018

Date Data Arrived at EDR: 05/02/2018

Date Made Active in Reports: 06/22/2018

Number of Days to Update: 51

Source: Department of Toxic Substances Control

Telephone: 916-323-3400

Last EDR Contact: 07/31/2018

Next Scheduled EDR Contact: 11/12/2018

Data Release Frequency: Quarterly

## ***State and tribal landfill and/or solid waste disposal site lists***

SWF/LF (SWIS): Solid Waste Information System

Active, Closed and Inactive Landfills. SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills. These may be active or inactive facilities or open dumps that failed to meet RCRA Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 08/08/2018

Date Data Arrived at EDR: 08/10/2018

Date Made Active in Reports: 08/24/2018

Number of Days to Update: 14

Source: Department of Resources Recycling and Recovery

Telephone: 916-341-6320

Last EDR Contact: 08/10/2018

Next Scheduled EDR Contact: 11/26/2018

Data Release Frequency: Quarterly

## ***State and tribal leaking storage tank lists***

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## LUST: Leaking Underground Fuel Tank Report (GEOTRACKER)

Leaking Underground Storage Tank (LUST) Sites included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 06/11/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: see region list
Date Made Active in Reports: 07/17/2018	Last EDR Contact: 06/13/2018
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Quarterly

## LUST REG 1: Active Toxic Site Investigation

Del Norte, Humboldt, Lake, Mendocino, Modoc, Siskiyou, Sonoma, Trinity counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/01/2001	Source: California Regional Water Quality Control Board North Coast (1)
Date Data Arrived at EDR: 02/28/2001	Telephone: 707-570-3769
Date Made Active in Reports: 03/29/2001	Last EDR Contact: 08/01/2011
Number of Days to Update: 29	Next Scheduled EDR Contact: 11/14/2011
	Data Release Frequency: No Update Planned

## LUST REG 7: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Imperial, Riverside, San Diego, Santa Barbara counties.

Date of Government Version: 02/26/2004	Source: California Regional Water Quality Control Board Colorado River Basin Region (7)
Date Data Arrived at EDR: 02/26/2004	Telephone: 760-776-8943
Date Made Active in Reports: 03/24/2004	Last EDR Contact: 08/01/2011
Number of Days to Update: 27	Next Scheduled EDR Contact: 11/14/2011
	Data Release Frequency: No Update Planned

## LUST REG 6V: Leaking Underground Storage Tank Case Listing

Leaking Underground Storage Tank locations. Inyo, Kern, Los Angeles, Mono, San Bernardino counties.

Date of Government Version: 06/07/2005	Source: California Regional Water Quality Control Board Victorville Branch Office (6)
Date Data Arrived at EDR: 06/07/2005	Telephone: 760-241-7365
Date Made Active in Reports: 06/29/2005	Last EDR Contact: 09/12/2011
Number of Days to Update: 22	Next Scheduled EDR Contact: 12/26/2011
	Data Release Frequency: No Update Planned

## LUST REG 6L: Leaking Underground Storage Tank Case Listing

For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 09/09/2003	Source: California Regional Water Quality Control Board Lahontan Region (6)
Date Data Arrived at EDR: 09/10/2003	Telephone: 530-542-5572
Date Made Active in Reports: 10/07/2003	Last EDR Contact: 09/12/2011
Number of Days to Update: 27	Next Scheduled EDR Contact: 12/26/2011
	Data Release Frequency: No Update Planned

## LUST REG 5: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Alameda, Alpine, Amador, Butte, Colusa, Contra Costa, Calveras, El Dorado, Fresno, Glenn, Kern, Kings, Lake, Lassen, Madera, Mariposa, Merced, Modoc, Napa, Nevada, Placer, Plumas, Sacramento, San Joaquin, Shasta, Solano, Stanislaus, Sutter, Tehama, Tulare, Tuolumne, Yolo, Yuba counties.

Date of Government Version: 07/01/2008	Source: California Regional Water Quality Control Board Central Valley Region (5)
Date Data Arrived at EDR: 07/22/2008	Telephone: 916-464-4834
Date Made Active in Reports: 07/31/2008	Last EDR Contact: 07/01/2011
Number of Days to Update: 9	Next Scheduled EDR Contact: 10/17/2011
	Data Release Frequency: No Update Planned

## LUST REG 4: Underground Storage Tank Leak List

Los Angeles, Ventura counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/07/2004  
Date Data Arrived at EDR: 09/07/2004  
Date Made Active in Reports: 10/12/2004  
Number of Days to Update: 35

Source: California Regional Water Quality Control Board Los Angeles Region (4)  
Telephone: 213-576-6710  
Last EDR Contact: 09/06/2011  
Next Scheduled EDR Contact: 12/19/2011  
Data Release Frequency: No Update Planned

## LUST REG 3: Leaking Underground Storage Tank Database

Leaking Underground Storage Tank locations. Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Cruz counties.

Date of Government Version: 05/19/2003  
Date Data Arrived at EDR: 05/19/2003  
Date Made Active in Reports: 06/02/2003  
Number of Days to Update: 14

Source: California Regional Water Quality Control Board Central Coast Region (3)  
Telephone: 805-542-4786  
Last EDR Contact: 07/18/2011  
Next Scheduled EDR Contact: 10/31/2011  
Data Release Frequency: No Update Planned

## LUST REG 2: Fuel Leak List

Leaking Underground Storage Tank locations. Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, Sonoma counties.

Date of Government Version: 09/30/2004  
Date Data Arrived at EDR: 10/20/2004  
Date Made Active in Reports: 11/19/2004  
Number of Days to Update: 30

Source: California Regional Water Quality Control Board San Francisco Bay Region (2)  
Telephone: 510-622-2433  
Last EDR Contact: 09/19/2011  
Next Scheduled EDR Contact: 01/02/2012  
Data Release Frequency: Quarterly

## LUST REG 8: Leaking Underground Storage Tanks

California Regional Water Quality Control Board Santa Ana Region (8). For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 02/14/2005  
Date Data Arrived at EDR: 02/15/2005  
Date Made Active in Reports: 03/28/2005  
Number of Days to Update: 41

Source: California Regional Water Quality Control Board Santa Ana Region (8)  
Telephone: 909-782-4496  
Last EDR Contact: 08/15/2011  
Next Scheduled EDR Contact: 11/28/2011  
Data Release Frequency: Varies

## LUST REG 9: Leaking Underground Storage Tank Report

Orange, Riverside, San Diego counties. For more current information, please refer to the State Water Resources Control Board's LUST database.

Date of Government Version: 03/01/2001  
Date Data Arrived at EDR: 04/23/2001  
Date Made Active in Reports: 05/21/2001  
Number of Days to Update: 28

Source: California Regional Water Quality Control Board San Diego Region (9)  
Telephone: 858-637-5595  
Last EDR Contact: 09/26/2011  
Next Scheduled EDR Contact: 01/09/2012  
Data Release Frequency: No Update Planned

## INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/10/2018  
Date Data Arrived at EDR: 05/18/2018  
Date Made Active in Reports: 07/20/2018  
Number of Days to Update: 63

Source: Environmental Protection Agency  
Telephone: 415-972-3372  
Last EDR Contact: 07/27/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Varies

## INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 04/12/2018  
Date Data Arrived at EDR: 05/18/2018  
Date Made Active in Reports: 07/20/2018  
Number of Days to Update: 63

Source: EPA Region 10  
Telephone: 206-553-2857  
Last EDR Contact: 07/27/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/12/2018	Source: EPA, Region 5
Date Data Arrived at EDR: 05/18/2018	Telephone: 312-886-7439
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/13/2018	Source: EPA Region 1
Date Data Arrived at EDR: 05/18/2018	Telephone: 617-918-1313
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/08/2018	Source: EPA Region 4
Date Data Arrived at EDR: 05/18/2018	Telephone: 404-562-8677
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/01/2018	Source: EPA Region 6
Date Data Arrived at EDR: 05/18/2018	Telephone: 214-665-6597
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 04/24/2018	Source: EPA Region 7
Date Data Arrived at EDR: 05/18/2018	Telephone: 913-551-7003
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 04/25/2018	Source: EPA Region 8
Date Data Arrived at EDR: 05/18/2018	Telephone: 303-312-6271
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## CPS-SLIC: Statewide SLIC Cases (GEOTRACKER)

Cleanup Program Sites (CPS; also known as Site Cleanups [SC] and formerly known as Spills, Leaks, Investigations, and Cleanups [SLIC] sites) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 06/11/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: 866-480-1028
Date Made Active in Reports: 07/17/2018	Last EDR Contact: 12/12/2018
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## SLIC REG 1: Active Toxic Site Investigations

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2003  
Date Data Arrived at EDR: 04/07/2003  
Date Made Active in Reports: 04/25/2003  
Number of Days to Update: 18

Source: California Regional Water Quality Control Board, North Coast Region (1)  
Telephone: 707-576-2220  
Last EDR Contact: 08/01/2011  
Next Scheduled EDR Contact: 11/14/2011  
Data Release Frequency: No Update Planned

## SLIC REG 2: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/30/2004  
Date Data Arrived at EDR: 10/20/2004  
Date Made Active in Reports: 11/19/2004  
Number of Days to Update: 30

Source: Regional Water Quality Control Board San Francisco Bay Region (2)  
Telephone: 510-286-0457  
Last EDR Contact: 09/19/2011  
Next Scheduled EDR Contact: 01/02/2012  
Data Release Frequency: Quarterly

## SLIC REG 3: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/18/2006  
Date Data Arrived at EDR: 05/18/2006  
Date Made Active in Reports: 06/15/2006  
Number of Days to Update: 28

Source: California Regional Water Quality Control Board Central Coast Region (3)  
Telephone: 805-549-3147  
Last EDR Contact: 07/18/2011  
Next Scheduled EDR Contact: 10/31/2011  
Data Release Frequency: Semi-Annually

## SLIC REG 4: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/17/2004  
Date Data Arrived at EDR: 11/18/2004  
Date Made Active in Reports: 01/04/2005  
Number of Days to Update: 47

Source: Region Water Quality Control Board Los Angeles Region (4)  
Telephone: 213-576-6600  
Last EDR Contact: 07/01/2011  
Next Scheduled EDR Contact: 10/17/2011  
Data Release Frequency: Varies

## SLIC REG 5: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/01/2005  
Date Data Arrived at EDR: 04/05/2005  
Date Made Active in Reports: 04/21/2005  
Number of Days to Update: 16

Source: Regional Water Quality Control Board Central Valley Region (5)  
Telephone: 916-464-3291  
Last EDR Contact: 09/12/2011  
Next Scheduled EDR Contact: 12/26/2011  
Data Release Frequency: Semi-Annually

## SLIC REG 6V: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 05/24/2005  
Date Data Arrived at EDR: 05/25/2005  
Date Made Active in Reports: 06/16/2005  
Number of Days to Update: 22

Source: Regional Water Quality Control Board, Victorville Branch  
Telephone: 619-241-6583  
Last EDR Contact: 08/15/2011  
Next Scheduled EDR Contact: 11/28/2011  
Data Release Frequency: Semi-Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## SLIC REG 6L: SLIC Sites

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/07/2004  
Date Data Arrived at EDR: 09/07/2004  
Date Made Active in Reports: 10/12/2004  
Number of Days to Update: 35

Source: California Regional Water Quality Control Board, Lahontan Region  
Telephone: 530-542-5574  
Last EDR Contact: 08/15/2011  
Next Scheduled EDR Contact: 11/28/2011  
Data Release Frequency: No Update Planned

## SLIC REG 7: SLIC List

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 11/24/2004  
Date Data Arrived at EDR: 11/29/2004  
Date Made Active in Reports: 01/04/2005  
Number of Days to Update: 36

Source: California Regional Quality Control Board, Colorado River Basin Region  
Telephone: 760-346-7491  
Last EDR Contact: 08/01/2011  
Next Scheduled EDR Contact: 11/14/2011  
Data Release Frequency: No Update Planned

## SLIC REG 8: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 04/03/2008  
Date Data Arrived at EDR: 04/03/2008  
Date Made Active in Reports: 04/14/2008  
Number of Days to Update: 11

Source: California Region Water Quality Control Board Santa Ana Region (8)  
Telephone: 951-782-3298  
Last EDR Contact: 09/12/2011  
Next Scheduled EDR Contact: 12/26/2011  
Data Release Frequency: Semi-Annually

## SLIC REG 9: Spills, Leaks, Investigation & Cleanup Cost Recovery Listing

The SLIC (Spills, Leaks, Investigations and Cleanup) program is designed to protect and restore water quality from spills, leaks, and similar discharges.

Date of Government Version: 09/10/2007  
Date Data Arrived at EDR: 09/11/2007  
Date Made Active in Reports: 09/28/2007  
Number of Days to Update: 17

Source: California Regional Water Quality Control Board San Diego Region (9)  
Telephone: 858-467-2980  
Last EDR Contact: 08/08/2011  
Next Scheduled EDR Contact: 11/21/2011  
Data Release Frequency: Annually

## **State and tribal registered storage tank lists**

### FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 05/15/2017  
Date Data Arrived at EDR: 05/30/2017  
Date Made Active in Reports: 10/13/2017  
Number of Days to Update: 136

Source: FEMA  
Telephone: 202-646-5797  
Last EDR Contact: 07/11/2018  
Next Scheduled EDR Contact: 10/22/2018  
Data Release Frequency: Varies

### UST: Active UST Facilities

Active UST facilities gathered from the local regulatory agencies

Date of Government Version: 06/11/2018  
Date Data Arrived at EDR: 06/13/2018  
Date Made Active in Reports: 07/09/2018  
Number of Days to Update: 26

Source: SWRCB  
Telephone: 916-341-5851  
Last EDR Contact: 06/13/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Semi-Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## MILITARY UST SITES: Military UST Sites (GEOTRACKER)

Military ust sites

Date of Government Version: 06/11/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: 866-480-1028
Date Made Active in Reports: 07/18/2018	Last EDR Contact: 12/12/2018
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Varies

## UST CLOSURE: Proposed Closure of Underground Storage Tank (UST) Cases

UST cases that are being considered for closure by either the State Water Resources Control Board or the Executive Director have been posted for a 60-day public comment period. UST Case Closures being proposed for consideration by the State Water Resources Control Board. These are primarily UST cases that meet closure criteria under the decisional framework in State Water Board Resolution No. 92-49 and other Board orders. UST Case Closures proposed for consideration by the Executive Director pursuant to State Water Board Resolution No. 2012-0061. These are cases that meet the criteria of the Low-Threat UST Case Closure Policy. UST Case Closure Review Denials and Approved Orders.

Date of Government Version: 06/11/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: 916-327-7844
Date Made Active in Reports: 07/10/2018	Last EDR Contact: 06/13/2018
Number of Days to Update: 27	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Varies

## AST: Aboveground Petroleum Storage Tank Facilities

A listing of aboveground storage tank petroleum storage tank locations.

Date of Government Version: 07/06/2016	Source: California Environmental Protection Agency
Date Data Arrived at EDR: 07/12/2016	Telephone: 916-327-5092
Date Made Active in Reports: 09/19/2016	Last EDR Contact: 06/21/2018
Number of Days to Update: 69	Next Scheduled EDR Contact: 10/01/2018
	Data Release Frequency: Quarterly

## INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/01/2018	Source: EPA Region 6
Date Data Arrived at EDR: 05/18/2018	Telephone: 214-665-7591
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/10/2018	Source: EPA Region 9
Date Data Arrived at EDR: 05/18/2018	Telephone: 415-972-3368
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/24/2018	Source: EPA Region 7
Date Data Arrived at EDR: 05/18/2018	Telephone: 913-551-7003
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/08/2018	Source: EPA Region 4
Date Data Arrived at EDR: 05/18/2018	Telephone: 404-562-9424
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/12/2018	Source: EPA Region 5
Date Data Arrived at EDR: 05/18/2018	Telephone: 312-886-6136
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 04/25/2018	Source: EPA Region 8
Date Data Arrived at EDR: 05/18/2018	Telephone: 303-312-6137
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 04/12/2018	Source: EPA Region 10
Date Data Arrived at EDR: 05/18/2018	Telephone: 206-553-2857
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/13/2018	Source: EPA, Region 1
Date Data Arrived at EDR: 05/18/2018	Telephone: 617-918-1313
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 63	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## ***State and tribal voluntary cleanup sites***

### VCP: Voluntary Cleanup Program Properties

Contains low threat level properties with either confirmed or unconfirmed releases and the project proponents have request that DTSC oversee investigation and/or cleanup activities and have agreed to provide coverage for DTSC's costs.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/30/2018  
Date Data Arrived at EDR: 05/02/2018  
Date Made Active in Reports: 06/22/2018  
Number of Days to Update: 51

Source: Department of Toxic Substances Control  
Telephone: 916-323-3400  
Last EDR Contact: 07/31/2018  
Next Scheduled EDR Contact: 11/12/2018  
Data Release Frequency: Quarterly

## INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008  
Date Data Arrived at EDR: 04/22/2008  
Date Made Active in Reports: 05/19/2008  
Number of Days to Update: 27

Source: EPA, Region 7  
Telephone: 913-551-7365  
Last EDR Contact: 04/20/2009  
Next Scheduled EDR Contact: 07/20/2009  
Data Release Frequency: Varies

## INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015  
Date Data Arrived at EDR: 09/29/2015  
Date Made Active in Reports: 02/18/2016  
Number of Days to Update: 142

Source: EPA, Region 1  
Telephone: 617-918-1102  
Last EDR Contact: 06/22/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Varies

## **State and tribal Brownfields sites**

### BROWNFIELDS: Considered Brownfields Sites Listing

A listing of sites the SWRCB considers to be Brownfields since these are sites have come to them through the MOA Process.

Date of Government Version: 06/25/2018  
Date Data Arrived at EDR: 06/27/2018  
Date Made Active in Reports: 08/06/2018  
Number of Days to Update: 40

Source: State Water Resources Control Board  
Telephone: 916-323-7905  
Last EDR Contact: 06/27/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## **ADDITIONAL ENVIRONMENTAL RECORDS**

### **Local Brownfield lists**

#### US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 03/19/2018  
Date Data Arrived at EDR: 03/21/2018  
Date Made Active in Reports: 06/08/2018  
Number of Days to Update: 79

Source: Environmental Protection Agency  
Telephone: 202-566-2777  
Last EDR Contact: 06/20/2018  
Next Scheduled EDR Contact: 10/01/2018  
Data Release Frequency: Semi-Annually

### **Local Lists of Landfill / Solid Waste Disposal Sites**

#### WMUDS/SWAT: Waste Management Unit Database

Waste Management Unit Database System. WMUDS is used by the State Water Resources Control Board staff and the Regional Water Quality Control Boards for program tracking and inventory of waste management units. WMUDS is composed of the following databases: Facility Information, Scheduled Inspections Information, Waste Management Unit Information, SWAT Program Information, SWAT Report Summary Information, SWAT Report Summary Data, Chapter 15 (formerly Subchapter 15) Information, Chapter 15 Monitoring Parameters, TPCA Program Information, RCRA Program Information, Closure Information, and Interested Parties Information.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/01/2000  
Date Data Arrived at EDR: 04/10/2000  
Date Made Active in Reports: 05/10/2000  
Number of Days to Update: 30

Source: State Water Resources Control Board  
Telephone: 916-227-4448  
Last EDR Contact: 07/24/2018  
Next Scheduled EDR Contact: 11/12/2018  
Data Release Frequency: No Update Planned

## SWRCY: Recycler Database

A listing of recycling facilities in California.

Date of Government Version: 06/11/2018  
Date Data Arrived at EDR: 06/13/2018  
Date Made Active in Reports: 08/06/2018  
Number of Days to Update: 54

Source: Department of Conservation  
Telephone: 916-323-3836  
Last EDR Contact: 06/13/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Quarterly

## HAULERS: Registered Waste Tire Haulers Listing

A listing of registered waste tire haulers.

Date of Government Version: 05/29/2018  
Date Data Arrived at EDR: 05/30/2018  
Date Made Active in Reports: 07/17/2018  
Number of Days to Update: 48

Source: Integrated Waste Management Board  
Telephone: 916-341-6422  
Last EDR Contact: 08/07/2018  
Next Scheduled EDR Contact: 11/26/2018  
Data Release Frequency: Varies

## INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998  
Date Data Arrived at EDR: 12/03/2007  
Date Made Active in Reports: 01/24/2008  
Number of Days to Update: 52

Source: Environmental Protection Agency  
Telephone: 703-308-8245  
Last EDR Contact: 07/30/2018  
Next Scheduled EDR Contact: 11/12/2018  
Data Release Frequency: Varies

## ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985  
Date Data Arrived at EDR: 08/09/2004  
Date Made Active in Reports: 09/17/2004  
Number of Days to Update: 39

Source: Environmental Protection Agency  
Telephone: 800-424-9346  
Last EDR Contact: 06/09/2004  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009  
Date Data Arrived at EDR: 05/07/2009  
Date Made Active in Reports: 09/21/2009  
Number of Days to Update: 137

Source: EPA, Region 9  
Telephone: 415-947-4219  
Last EDR Contact: 07/17/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: No Update Planned

## IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014  
Date Data Arrived at EDR: 08/06/2014  
Date Made Active in Reports: 01/29/2015  
Number of Days to Update: 176

Source: Department of Health & Human Services, Indian Health Service  
Telephone: 301-443-1452  
Last EDR Contact: 08/03/2018  
Next Scheduled EDR Contact: 11/12/2018  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## **Local Lists of Hazardous waste / Contaminated Sites**

### **US HIST CDL: National Clandestine Laboratory Register**

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 02/22/2018	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 03/01/2018	Telephone: 202-307-1000
Date Made Active in Reports: 05/11/2018	Last EDR Contact: 05/30/2018
Number of Days to Update: 71	Next Scheduled EDR Contact: 09/10/2018
	Data Release Frequency: No Update Planned

### **HIST CAL-SITES: Calsites Database**

The Calsites database contains potential or confirmed hazardous substance release properties. In 1996, California EPA reevaluated and significantly reduced the number of sites in the Calsites database. No longer updated by the state agency. It has been replaced by ENVIROSTOR.

Date of Government Version: 08/08/2005	Source: Department of Toxic Substance Control
Date Data Arrived at EDR: 08/03/2006	Telephone: 916-323-3400
Date Made Active in Reports: 08/24/2006	Last EDR Contact: 02/23/2009
Number of Days to Update: 21	Next Scheduled EDR Contact: 05/25/2009
	Data Release Frequency: No Update Planned

### **SCH: School Property Evaluation Program**

This category contains proposed and existing school sites that are being evaluated by DTSC for possible hazardous materials contamination. In some cases, these properties may be listed in the CalSites category depending on the level of threat to public health and safety or the environment they pose.

Date of Government Version: 04/30/2018	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 05/02/2018	Telephone: 916-323-3400
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 07/31/2018
Number of Days to Update: 51	Next Scheduled EDR Contact: 11/12/2018
	Data Release Frequency: Quarterly

### **CDL: Clandestine Drug Labs**

A listing of drug lab locations. Listing of a location in this database does not indicate that any illegal drug lab materials were or were not present there, and does not constitute a determination that the location either requires or does not require additional cleanup work.

Date of Government Version: 12/31/2017	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 06/12/2018	Telephone: 916-255-6504
Date Made Active in Reports: 08/06/2018	Last EDR Contact: 08/17/2018
Number of Days to Update: 55	Next Scheduled EDR Contact: 10/22/2018
	Data Release Frequency: Varies

### **TOXIC PITS: Toxic Pits Cleanup Act Sites**

Toxic PITS Cleanup Act Sites. TOXIC PITS identifies sites suspected of containing hazardous substances where cleanup has not yet been completed.

Date of Government Version: 07/01/1995	Source: State Water Resources Control Board
Date Data Arrived at EDR: 08/30/1995	Telephone: 916-227-4364
Date Made Active in Reports: 09/26/1995	Last EDR Contact: 01/26/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 04/27/2009
	Data Release Frequency: No Update Planned

### **US CDL: Clandestine Drug Labs**

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/22/2018  
Date Data Arrived at EDR: 03/01/2018  
Date Made Active in Reports: 05/11/2018  
Number of Days to Update: 71

Source: Drug Enforcement Administration  
Telephone: 202-307-1000  
Last EDR Contact: 08/28/2018  
Next Scheduled EDR Contact: 12/10/2018  
Data Release Frequency: Quarterly

## CERS HAZ WASTE: CERS HAZ WASTE

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Hazardous Chemical Management, Hazardous Waste Onsite Treatment, Household Hazardous Waste Collection, Hazardous Waste Generator, and RCRA LQ HW Generator programs.

Date of Government Version: 04/23/2018  
Date Data Arrived at EDR: 04/24/2018  
Date Made Active in Reports: 06/07/2018  
Number of Days to Update: 44

Source: CalEPA  
Telephone: 916-323-2514  
Last EDR Contact: 07/25/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Quarterly

## Local Lists of Registered Storage Tanks

### SWEEPS UST: SWEEPS UST Listing

Statewide Environmental Evaluation and Planning System. This underground storage tank listing was updated and maintained by a company contacted by the SWRCB in the early 1990's. The listing is no longer updated or maintained. The local agency is the contact for more information on a site on the SWEEPS list.

Date of Government Version: 06/01/1994  
Date Data Arrived at EDR: 07/07/2005  
Date Made Active in Reports: 08/11/2005  
Number of Days to Update: 35

Source: State Water Resources Control Board  
Telephone: N/A  
Last EDR Contact: 06/03/2005  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

### UST MENDOCINO: Mendocino County UST Database

A listing of underground storage tank locations in Mendocino County.

Date of Government Version: 03/28/2018  
Date Data Arrived at EDR: 05/25/2018  
Date Made Active in Reports: 07/10/2018  
Number of Days to Update: 46

Source: Department of Public Health  
Telephone: 707-463-4466  
Last EDR Contact: 08/24/2018  
Next Scheduled EDR Contact: 12/10/2018  
Data Release Frequency: Annually

### HIST UST: Hazardous Substance Storage Container Database

The Hazardous Substance Storage Container Database is a historical listing of UST sites. Refer to local/county source for current data.

Date of Government Version: 10/15/1990  
Date Data Arrived at EDR: 01/25/1991  
Date Made Active in Reports: 02/12/1991  
Number of Days to Update: 18

Source: State Water Resources Control Board  
Telephone: 916-341-5851  
Last EDR Contact: 07/26/2001  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

### SAN FRANCISCO AST: Aboveground Storage Tank Site Listing

Aboveground storage tank sites

Date of Government Version: 04/19/2018  
Date Data Arrived at EDR: 04/24/2018  
Date Made Active in Reports: 05/04/2018  
Number of Days to Update: 10

Source: San Francisco County Department of Public Health  
Telephone: 415-252-3896  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Varies

### CA FID UST: Facility Inventory Database

The Facility Inventory Database (FID) contains a historical listing of active and inactive underground storage tank locations from the State Water Resource Control Board. Refer to local/county source for current data.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/31/1994  
Date Data Arrived at EDR: 09/05/1995  
Date Made Active in Reports: 09/29/1995  
Number of Days to Update: 24

Source: California Environmental Protection Agency  
Telephone: 916-341-5851  
Last EDR Contact: 12/28/1998  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## CERS TANKS: California Environmental Reporting System (CERS) Tanks

List of sites in the California Environmental Protection Agency (CalEPA) Regulated Site Portal which fall under the Aboveground Petroleum Storage and Underground Storage Tank regulatory programs.

Date of Government Version: 04/23/2018  
Date Data Arrived at EDR: 04/24/2018  
Date Made Active in Reports: 06/07/2018  
Number of Days to Update: 44

Source: California Environmental Protection Agency  
Telephone: 916-323-2514  
Last EDR Contact: 07/25/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Quarterly

## Local Land Records

### LIENS: Environmental Liens Listing

A listing of property locations with environmental liens for California where DTSC is a lien holder.

Date of Government Version: 05/31/2018  
Date Data Arrived at EDR: 06/05/2018  
Date Made Active in Reports: 07/18/2018  
Number of Days to Update: 43

Source: Department of Toxic Substances Control  
Telephone: 916-323-3400  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/17/2018  
Data Release Frequency: Varies

### LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 05/13/2018  
Date Data Arrived at EDR: 05/30/2018  
Date Made Active in Reports: 06/29/2018  
Number of Days to Update: 30

Source: Environmental Protection Agency  
Telephone: 202-564-6023  
Last EDR Contact: 08/09/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Semi-Annually

### DEED: Deed Restriction Listing

Site Mitigation and Brownfields Reuse Program Facility Sites with Deed Restrictions & Hazardous Waste Management Program Facility Sites with Deed / Land Use Restriction. The DTSC Site Mitigation and Brownfields Reuse Program (SMBRP) list includes sites cleaned up under the program's oversight and generally does not include current or former hazardous waste facilities that required a hazardous waste facility permit. The list represents deed restrictions that are active. Some sites have multiple deed restrictions. The DTSC Hazardous Waste Management Program (HWMP) has developed a list of current or former hazardous waste facilities that have a recorded land use restriction at the local county recorder's office. The land use restrictions on this list were required by the DTSC HWMP as a result of the presence of hazardous substances that remain on site after the facility (or part of the facility) has been closed or cleaned up. The types of land use restriction include deed notice, deed restriction, or a land use restriction that binds current and future owners.

Date of Government Version: 06/04/2018  
Date Data Arrived at EDR: 06/06/2018  
Date Made Active in Reports: 07/17/2018  
Number of Days to Update: 41

Source: DTSC and SWRCB  
Telephone: 916-323-3400  
Last EDR Contact: 06/06/2018  
Next Scheduled EDR Contact: 09/17/2018  
Data Release Frequency: Semi-Annually

## Records of Emergency Release Reports

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 03/26/2018	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 03/27/2018	Telephone: 202-366-4555
Date Made Active in Reports: 06/08/2018	Last EDR Contact: 03/27/2018
Number of Days to Update: 73	Next Scheduled EDR Contact: 07/09/2018
	Data Release Frequency: Quarterly

## CHMIRS: California Hazardous Material Incident Report System

California Hazardous Material Incident Reporting System. CHMIRS contains information on reported hazardous material incidents (accidental releases or spills).

Date of Government Version: 04/06/2018	Source: Office of Emergency Services
Date Data Arrived at EDR: 04/24/2018	Telephone: 916-845-8400
Date Made Active in Reports: 06/14/2018	Last EDR Contact: 07/27/2018
Number of Days to Update: 51	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Semi-Annually

## LDS: Land Disposal Sites Listing (GEOTRACKER)

Land Disposal sites (Landfills) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 06/11/2018	Source: State Water Quality Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: 866-480-1028
Date Made Active in Reports: 07/17/2018	Last EDR Contact: 12/12/2018
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Quarterly

## MCS: Military Cleanup Sites Listing (GEOTRACKER)

Military sites (consisting of: Military UST sites; Military Privatized sites; and Military Cleanup sites [formerly known as DoD non UST]) included in GeoTracker. GeoTracker is the Water Boards data management system for sites that impact, or have the potential to impact, water quality in California, with emphasis on groundwater.

Date of Government Version: 06/11/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: 866-480-1028
Date Made Active in Reports: 07/17/2018	Last EDR Contact: 12/12/2018
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Quarterly

## SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/06/2012	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 02/22/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 50	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

## **Other Ascertainable Records**

### RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/01/2018  
Date Data Arrived at EDR: 03/28/2018  
Date Made Active in Reports: 06/22/2018  
Number of Days to Update: 86

Source: Environmental Protection Agency  
Telephone: (415) 495-8895  
Last EDR Contact: 06/28/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015  
Date Data Arrived at EDR: 07/08/2015  
Date Made Active in Reports: 10/13/2015  
Number of Days to Update: 97

Source: U.S. Army Corps of Engineers  
Telephone: 202-528-4285  
Last EDR Contact: 08/24/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

## DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 11/10/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 62

Source: USGS  
Telephone: 888-275-8747  
Last EDR Contact: 07/11/2018  
Next Scheduled EDR Contact: 10/22/2018  
Data Release Frequency: Semi-Annually

## FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 02/06/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 339

Source: U.S. Geological Survey  
Telephone: 888-275-8747  
Last EDR Contact: 07/13/2018  
Next Scheduled EDR Contact: 10/22/2018  
Data Release Frequency: N/A

## SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 01/01/2017  
Date Data Arrived at EDR: 02/03/2017  
Date Made Active in Reports: 04/07/2017  
Number of Days to Update: 63

Source: Environmental Protection Agency  
Telephone: 615-532-8599  
Last EDR Contact: 08/17/2018  
Next Scheduled EDR Contact: 11/26/2018  
Data Release Frequency: Varies

## US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 03/01/2018  
Date Data Arrived at EDR: 03/27/2018  
Date Made Active in Reports: 06/22/2018  
Number of Days to Update: 87

Source: Environmental Protection Agency  
Telephone: 202-566-1917  
Last EDR Contact: 06/27/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly



## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/21/2014	Telephone: 617-520-3000
Date Made Active in Reports: 06/17/2014	Last EDR Contact: 08/03/2018
Number of Days to Update: 88	Next Scheduled EDR Contact: 11/19/2018
	Data Release Frequency: Quarterly

### 2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/08/2018	Telephone: 703-308-4044
Date Made Active in Reports: 07/20/2018	Last EDR Contact: 08/10/2018
Number of Days to Update: 73	Next Scheduled EDR Contact: 11/19/2018
	Data Release Frequency: Varies

### TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2016	Source: EPA
Date Data Arrived at EDR: 06/21/2017	Telephone: 202-260-5521
Date Made Active in Reports: 01/05/2018	Last EDR Contact: 06/22/2018
Number of Days to Update: 198	Next Scheduled EDR Contact: 10/01/2018
	Data Release Frequency: Every 4 Years

### TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2016	Source: EPA
Date Data Arrived at EDR: 01/10/2018	Telephone: 202-566-0250
Date Made Active in Reports: 01/12/2018	Last EDR Contact: 08/24/2018
Number of Days to Update: 2	Next Scheduled EDR Contact: 12/03/2018
	Data Release Frequency: Annually

### SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 12/10/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/25/2011	Last EDR Contact: 07/27/2018
Number of Days to Update: 77	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 05/13/2018	Source: EPA
Date Data Arrived at EDR: 05/30/2018	Telephone: 703-416-0223
Date Made Active in Reports: 06/29/2018	Last EDR Contact: 08/09/2018
Number of Days to Update: 30	Next Scheduled EDR Contact: 10/15/2018
	Data Release Frequency: Annually

## RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 11/02/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/17/2017	Telephone: 202-564-8600
Date Made Active in Reports: 12/08/2017	Last EDR Contact: 07/20/2018
Number of Days to Update: 21	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

## PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 10/17/2014	Telephone: 202-564-6023
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 08/09/2018
Number of Days to Update: 3	Next Scheduled EDR Contact: 11/19/2018
	Data Release Frequency: Quarterly

## PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 06/01/2017	Source: EPA
Date Data Arrived at EDR: 06/09/2017	Telephone: 202-566-0500
Date Made Active in Reports: 10/13/2017	Last EDR Contact: 07/13/2018
Number of Days to Update: 126	Next Scheduled EDR Contact: 10/22/2018
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/23/2016	Telephone: 202-564-2501
Date Made Active in Reports: 02/10/2017	Last EDR Contact: 07/09/2018
Number of Days to Update: 79	Next Scheduled EDR Contact: 10/22/2018
	Data Release Frequency: Quarterly

**FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)**  
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

**FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)**  
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/18/2017
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/04/2017
	Data Release Frequency: Quarterly

## MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 09/08/2016	Telephone: 301-415-7169
Date Made Active in Reports: 10/21/2016	Last EDR Contact: 07/23/2018
Number of Days to Update: 43	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Quarterly

## COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 06/07/2018
Number of Days to Update: 76	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Varies

## COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 06/04/2018
Number of Days to Update: 40	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 05/24/2017	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/30/2017	Telephone: 202-566-0517
Date Made Active in Reports: 12/15/2017	Last EDR Contact: 07/27/2018
Number of Days to Update: 15	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 04/03/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/05/2018	Telephone: 202-343-9775
Date Made Active in Reports: 06/29/2018	Last EDR Contact: 07/05/2018
Number of Days to Update: 85	Next Scheduled EDR Contact: 10/15/2018
	Data Release Frequency: Quarterly

## HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

## HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

## DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 08/07/2012	Telephone: 202-366-4595
Date Made Active in Reports: 09/18/2012	Last EDR Contact: 08/09/2018
Number of Days to Update: 42	Next Scheduled EDR Contact: 11/12/2018
	Data Release Frequency: Varies

## CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/31/2018  
Date Data Arrived at EDR: 04/16/2018  
Date Made Active in Reports: 06/29/2018  
Number of Days to Update: 74

Source: Department of Justice, Consent Decree Library  
Telephone: Varies  
Last EDR Contact: 07/09/2018  
Next Scheduled EDR Contact: 10/01/2018  
Data Release Frequency: Varies

## BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2015  
Date Data Arrived at EDR: 02/22/2017  
Date Made Active in Reports: 09/28/2017  
Number of Days to Update: 218

Source: EPA/NTIS  
Telephone: 800-424-9346  
Last EDR Contact: 08/24/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Biennially

## INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014  
Date Data Arrived at EDR: 07/14/2015  
Date Made Active in Reports: 01/10/2017  
Number of Days to Update: 546

Source: USGS  
Telephone: 202-208-3710  
Last EDR Contact: 07/11/2018  
Next Scheduled EDR Contact: 10/22/2018  
Data Release Frequency: Semi-Annually

## FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 12/23/2016  
Date Data Arrived at EDR: 12/27/2016  
Date Made Active in Reports: 02/17/2017  
Number of Days to Update: 52

Source: Department of Energy  
Telephone: 202-586-3559  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Varies

## UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 06/23/2017  
Date Data Arrived at EDR: 10/11/2017  
Date Made Active in Reports: 11/03/2017  
Number of Days to Update: 23

Source: Department of Energy  
Telephone: 505-845-0011  
Last EDR Contact: 08/20/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

## LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 05/13/2018  
Date Data Arrived at EDR: 05/30/2018  
Date Made Active in Reports: 06/29/2018  
Number of Days to Update: 30

Source: Environmental Protection Agency  
Telephone: 703-603-8787  
Last EDR Contact: 08/09/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Varies

## LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 04/05/2001  
Date Data Arrived at EDR: 10/27/2010  
Date Made Active in Reports: 12/02/2010  
Number of Days to Update: 36

Source: American Journal of Public Health  
Telephone: 703-305-6451  
Last EDR Contact: 12/02/2009  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016  
Date Data Arrived at EDR: 10/26/2016  
Date Made Active in Reports: 02/03/2017  
Number of Days to Update: 100

Source: EPA  
Telephone: 202-564-2496  
Last EDR Contact: 09/26/2017  
Next Scheduled EDR Contact: 01/08/2018  
Data Release Frequency: Annually

## US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/12/2016  
Date Data Arrived at EDR: 10/26/2016  
Date Made Active in Reports: 02/03/2017  
Number of Days to Update: 100

Source: EPA  
Telephone: 202-564-2496  
Last EDR Contact: 09/26/2017  
Next Scheduled EDR Contact: 01/08/2018  
Data Release Frequency: Annually

## US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 05/03/2018  
Date Data Arrived at EDR: 05/31/2018  
Date Made Active in Reports: 06/29/2018  
Number of Days to Update: 29

Source: Department of Labor, Mine Safety and Health Administration  
Telephone: 303-231-5959  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/10/2018  
Data Release Frequency: Semi-Annually

## US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005  
Date Data Arrived at EDR: 02/29/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 49

Source: USGS  
Telephone: 703-648-7709  
Last EDR Contact: 05/30/2018  
Next Scheduled EDR Contact: 09/10/2018  
Data Release Frequency: Varies

## US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011  
Date Data Arrived at EDR: 06/08/2011  
Date Made Active in Reports: 09/13/2011  
Number of Days to Update: 97

Source: USGS  
Telephone: 703-648-7709  
Last EDR Contact: 05/30/2018  
Next Scheduled EDR Contact: 09/10/2018  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 03/08/2018	Source: Department of Interior
Date Data Arrived at EDR: 03/13/2018	Telephone: 202-208-2609
Date Made Active in Reports: 06/08/2018	Last EDR Contact: 06/20/2018
Number of Days to Update: 87	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Quarterly

## FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 02/21/2018	Source: EPA
Date Data Arrived at EDR: 02/23/2018	Telephone: (415) 947-8000
Date Made Active in Reports: 03/23/2018	Last EDR Contact: 06/06/2018
Number of Days to Update: 28	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Quarterly

## ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 02/25/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/17/2018	Telephone: 202-564-2280
Date Made Active in Reports: 06/08/2018	Last EDR Contact: 06/06/2018
Number of Days to Update: 83	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Quarterly

## UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 09/30/2016	Source: Department of Defense
Date Data Arrived at EDR: 10/31/2017	Telephone: 703-704-1564
Date Made Active in Reports: 01/12/2018	Last EDR Contact: 07/13/2018
Number of Days to Update: 73	Next Scheduled EDR Contact: 10/29/2018
	Data Release Frequency: Varies

## DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 01/04/2018	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/19/2018	Telephone: 202-564-0527
Date Made Active in Reports: 04/13/2018	Last EDR Contact: 06/01/2018
Number of Days to Update: 84	Next Scheduled EDR Contact: 09/10/2018
	Data Release Frequency: Varies

## FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/20/2018  
Date Data Arrived at EDR: 02/21/2018  
Date Made Active in Reports: 03/23/2018  
Number of Days to Update: 30

Source: EPA  
Telephone: 800-385-6164  
Last EDR Contact: 08/22/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Quarterly

## CA BOND EXP. PLAN: Bond Expenditure Plan

Department of Health Services developed a site-specific expenditure plan as the basis for an appropriation of Hazardous Substance Cleanup Bond Act funds. It is not updated.

Date of Government Version: 01/01/1989  
Date Data Arrived at EDR: 07/27/1994  
Date Made Active in Reports: 08/02/1994  
Number of Days to Update: 6

Source: Department of Health Services  
Telephone: 916-255-2118  
Last EDR Contact: 05/31/1994  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## CORTESE: "Cortese" Hazardous Waste & Substances Sites List

The sites for the list are designated by the State Water Resource Control Board (LUST), the Integrated Waste Board (SWF/LS), and the Department of Toxic Substances Control (Cal-Sites).

Date of Government Version: 06/25/2018  
Date Data Arrived at EDR: 06/27/2018  
Date Made Active in Reports: 08/06/2018  
Number of Days to Update: 40

Source: CAL EPA/Office of Emergency Information  
Telephone: 916-323-3400  
Last EDR Contact: 06/27/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## CUPA LIVERMORE-PLEASANTON: CUPA Facility Listing

list of facilities associated with the various CUPA programs in Livermore-Pleasanton

Date of Government Version: 04/03/2018  
Date Data Arrived at EDR: 05/07/2018  
Date Made Active in Reports: 06/15/2018  
Number of Days to Update: 39

Source: Livermore-Pleasanton Fire Department  
Telephone: 925-454-2361  
Last EDR Contact: 08/24/2018  
Next Scheduled EDR Contact: 11/26/2018  
Data Release Frequency: Varies

## CUPA SAN FRANCISCO CO: CUPA SAN FRANCISCO CO

Cupa facilities

Date of Government Version: 04/20/2018  
Date Data Arrived at EDR: 04/24/2018  
Date Made Active in Reports: 05/04/2018  
Number of Days to Update: 10

Source: San Francisco County Department of Environmental Health  
Telephone: 415-252-3896  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Varies

## DRYCLEAN SOUTH COAST: DRYCLEAN SOUTH COAST

A listing of dry cleaners in the South Coast Air Quality Management District

Date of Government Version: 03/16/2018  
Date Data Arrived at EDR: 03/20/2018  
Date Made Active in Reports: 05/04/2018  
Number of Days to Update: 45

Source: South Coast Air Quality Management District  
Telephone: 909-396-3211  
Last EDR Contact: 08/22/2018  
Next Scheduled EDR Contact: 12/10/2018  
Data Release Frequency: Varies

## DRYCLEAN AVAQMD: Antelope Valley Air Quality Management District Drycleaner Listing

A listing of dry cleaners in the Antelope Valley Air Quality Management District.

Date of Government Version: 06/25/2018  
Date Data Arrived at EDR: 06/28/2018  
Date Made Active in Reports: 08/06/2018  
Number of Days to Update: 39

Source: Antelope Valley Air Quality Management District  
Telephone: 661-723-8070  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/17/2018  
Data Release Frequency: Varies



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## DRYCLEANERS: Cleaner Facilities

A list of drycleaner related facilities that have EPA ID numbers. These are facilities with certain SIC codes: power laundries, family and commercial; garment pressing and cleaner's agents; linen supply; coin-operated laundries and cleaning; drycleaning plants, except rugs; carpet and upholster cleaning; industrial launderers; laundry and garment services.

Date of Government Version: 05/31/2018	Source: Department of Toxic Substance Control
Date Data Arrived at EDR: 06/20/2018	Telephone: 916-327-4498
Date Made Active in Reports: 08/06/2018	Last EDR Contact: 08/29/2018
Number of Days to Update: 47	Next Scheduled EDR Contact: 12/17/2018
	Data Release Frequency: Annually

## EMI: Emissions Inventory Data

Toxics and criteria pollutant emissions data collected by the ARB and local air pollution agencies.

Date of Government Version: 12/31/2017	Source: California Air Resources Board
Date Data Arrived at EDR: 06/20/2018	Telephone: 916-322-2990
Date Made Active in Reports: 08/06/2018	Last EDR Contact: 06/20/2018
Number of Days to Update: 47	Next Scheduled EDR Contact: 10/01/2018
	Data Release Frequency: Varies

## ENF: Enforcement Action Listing

A listing of Water Board Enforcement Actions. Formal is everything except Oral/Verbal Communication, Notice of Violation, Expedited Payment Letter, and Staff Enforcement Letter.

Date of Government Version: 04/18/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 04/24/2018	Telephone: 916-445-9379
Date Made Active in Reports: 07/06/2018	Last EDR Contact: 08/01/2018
Number of Days to Update: 73	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## Financial Assurance 1: Financial Assurance Information Listing

Financial Assurance information

Date of Government Version: 04/18/2018	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 04/20/2018	Telephone: 916-255-3628
Date Made Active in Reports: 06/19/2018	Last EDR Contact: 07/17/2018
Number of Days to Update: 60	Next Scheduled EDR Contact: 11/05/2018
	Data Release Frequency: Varies

## Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 05/14/2018	Source: California Integrated Waste Management Board
Date Data Arrived at EDR: 05/15/2018	Telephone: 916-341-6066
Date Made Active in Reports: 06/22/2018	Last EDR Contact: 08/07/2018
Number of Days to Update: 38	Next Scheduled EDR Contact: 11/26/2018
	Data Release Frequency: Varies

## HAZNET: Facility and Manifest Data

Facility and Manifest Data. The data is extracted from the copies of hazardous waste manifests received each year by the DTSC. The annual volume of manifests is typically 700,000 - 1,000,000 annually, representing approximately 350,000 - 500,000 shipments. Data are from the manifests submitted without correction, and therefore many contain some invalid values for data elements such as generator ID, TSD ID, waste category, and disposal method. This database begins with calendar year 1993.

Date of Government Version: 12/31/2016	Source: California Environmental Protection Agency
Date Data Arrived at EDR: 07/12/2017	Telephone: 916-255-1136
Date Made Active in Reports: 10/17/2017	Last EDR Contact: 07/13/2018
Number of Days to Update: 97	Next Scheduled EDR Contact: 10/22/2018
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ICE: ICE

Contains data pertaining to the Permitted Facilities with Inspections / Enforcements sites tracked in Envirostor.

Date of Government Version: 05/21/2018	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 05/23/2018	Telephone: 877-786-9427
Date Made Active in Reports: 07/17/2018	Last EDR Contact: 08/21/2018
Number of Days to Update: 55	Next Scheduled EDR Contact: 12/03/2018
	Data Release Frequency: Quarterly

## HIST CORTESE: Hazardous Waste & Substance Site List

The sites for the list are designated by the State Water Resource Control Board [LUST], the Integrated Waste Board [SWF/LS], and the Department of Toxic Substances Control [CALSITES]. This listing is no longer updated by the state agency.

Date of Government Version: 04/01/2001	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 01/22/2009	Telephone: 916-323-3400
Date Made Active in Reports: 04/08/2009	Last EDR Contact: 01/22/2009
Number of Days to Update: 76	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

## HWP: EnviroStor Permitted Facilities Listing

Detailed information on permitted hazardous waste facilities and corrective action ("cleanups") tracked in EnviroStor.

Date of Government Version: 05/21/2018	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 05/23/2018	Telephone: 916-323-3400
Date Made Active in Reports: 07/17/2018	Last EDR Contact: 08/21/2018
Number of Days to Update: 55	Next Scheduled EDR Contact: 12/03/2018
	Data Release Frequency: Quarterly

## HWT: Registered Hazardous Waste Transporter Database

A listing of hazardous waste transporters. In California, unless specifically exempted, it is unlawful for any person to transport hazardous wastes unless the person holds a valid registration issued by DTSC. A hazardous waste transporter registration is valid for one year and is assigned a unique registration number.

Date of Government Version: 07/09/2018	Source: Department of Toxic Substances Control
Date Data Arrived at EDR: 07/11/2018	Telephone: 916-440-7145
Date Made Active in Reports: 08/24/2018	Last EDR Contact: 07/11/2018
Number of Days to Update: 44	Next Scheduled EDR Contact: 10/22/2018
	Data Release Frequency: Quarterly

## MINES: Mines Site Location Listing

A listing of mine site locations from the Office of Mine Reclamation.

Date of Government Version: 06/11/2018	Source: Department of Conservation
Date Data Arrived at EDR: 06/13/2018	Telephone: 916-322-1080
Date Made Active in Reports: 08/06/2018	Last EDR Contact: 06/13/2018
Number of Days to Update: 54	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Quarterly

## MWMP: Medical Waste Management Program Listing

The Medical Waste Management Program (MWMP) ensures the proper handling and disposal of medical waste by permitting and inspecting medical waste Offsite Treatment Facilities (PDF) and Transfer Stations (PDF) throughout the state. MWMP also oversees all Medical Waste Transporters.

Date of Government Version: 05/23/2018	Source: Department of Public Health
Date Data Arrived at EDR: 06/06/2018	Telephone: 916-558-1784
Date Made Active in Reports: 07/18/2018	Last EDR Contact: 06/06/2018
Number of Days to Update: 42	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## NPDES: NPDES Permits Listing

A listing of NPDES permits, including stormwater.

Date of Government Version: 05/14/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 05/16/2018	Telephone: 916-445-9379
Date Made Active in Reports: 07/05/2018	Last EDR Contact: 08/10/2018
Number of Days to Update: 50	Next Scheduled EDR Contact: 11/26/2018
	Data Release Frequency: Quarterly

## PEST LIC: Pesticide Regulation Licenses Listing

A listing of licenses and certificates issued by the Department of Pesticide Regulation. The DPR issues licenses and/or certificates to: Persons and businesses that apply or sell pesticides; Pest control dealers and brokers; Persons who advise on agricultural pesticide applications.

Date of Government Version: 06/04/2018	Source: Department of Pesticide Regulation
Date Data Arrived at EDR: 06/06/2018	Telephone: 916-445-4038
Date Made Active in Reports: 07/19/2018	Last EDR Contact: 06/06/2018
Number of Days to Update: 43	Next Scheduled EDR Contact: 09/17/2018
	Data Release Frequency: Quarterly

## PROC: Certified Processors Database

A listing of certified processors.

Date of Government Version: 06/11/2018	Source: Department of Conservation
Date Data Arrived at EDR: 06/13/2018	Telephone: 916-323-3836
Date Made Active in Reports: 08/06/2018	Last EDR Contact: 06/13/2018
Number of Days to Update: 54	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Quarterly

## NOTIFY 65: Proposition 65 Records

Listings of all Proposition 65 incidents reported to counties by the State Water Resources Control Board and the Regional Water Quality Control Board. This database is no longer updated by the reporting agency.

Date of Government Version: 06/18/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/20/2018	Telephone: 916-445-3846
Date Made Active in Reports: 08/06/2018	Last EDR Contact: 06/14/2018
Number of Days to Update: 47	Next Scheduled EDR Contact: 10/01/2018
	Data Release Frequency: No Update Planned

## UIC: UIC Listing

A listing of wells identified as underground injection wells, in the California Oil and Gas Wells database.

Date of Government Version: 04/27/2018	Source: Department of Conservation
Date Data Arrived at EDR: 06/13/2018	Telephone: 916-445-2408
Date Made Active in Reports: 07/17/2018	Last EDR Contact: 06/13/2018
Number of Days to Update: 34	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Varies

## WASTEWATER PITS: Oil Wastewater Pits Listing

Water officials discovered that oil producers have been dumping chemical-laden wastewater into hundreds of unlined pits that are operating without proper permits. Inspections completed by the Central Valley Regional Water Quality Control Board revealed the existence of previously unidentified waste sites. The water boards review found that more than one-third of the region's active disposal pits are operating without permission.

Date of Government Version: 04/10/2018	Source: RWQCB, Central Valley Region
Date Data Arrived at EDR: 04/13/2018	Telephone: 559-445-5577
Date Made Active in Reports: 06/19/2018	Last EDR Contact: 07/11/2018
Number of Days to Update: 67	Next Scheduled EDR Contact: 10/22/2018
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## WDS: Waste Discharge System

Sites which have been issued waste discharge requirements.

Date of Government Version: 06/19/2007	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/20/2007	Telephone: 916-341-5227
Date Made Active in Reports: 06/29/2007	Last EDR Contact: 08/17/2018
Number of Days to Update: 9	Next Scheduled EDR Contact: 12/03/2018
	Data Release Frequency: Quarterly

## WIP: Well Investigation Program Case List

Well Investigation Program case in the San Gabriel and San Fernando Valley area.

Date of Government Version: 07/03/2009	Source: Los Angeles Water Quality Control Board
Date Data Arrived at EDR: 07/21/2009	Telephone: 213-576-6726
Date Made Active in Reports: 08/03/2009	Last EDR Contact: 06/25/2018
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/08/2018
	Data Release Frequency: Varies

## SAMPLING POINT: Sampling Point ? Public Sites (GEOTRACKER)

Sampling point - public sites

Date of Government Version: 06/11/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: 866-480-1028
Date Made Active in Reports: 07/18/2018	Last EDR Contact: 12/12/2018
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Varies

## UIC GEO: Underground Injection Control Sites (GEOTRACKER)

Underground control injection sites

Date of Government Version: 06/11/2018	Source: State Water Resource Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: 866-480-1028
Date Made Active in Reports: 07/18/2018	Last EDR Contact: 12/12/2018
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Varies

## PROD WATER PONDS: Produced Water Ponds Sites (GEOTRACKER)

Produced water ponds sites

Date of Government Version: 06/11/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: 866-480-1028
Date Made Active in Reports: 07/18/2018	Last EDR Contact: 12/12/2018
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Varies

## WELL STIM PROJ: Well Stimulation Project (GEOTRACKER)

Includes areas of groundwater monitoring plans, a depiction of the monitoring network, and the facilities, boundaries, and subsurface characteristics of the oilfield and the features (oil and gas wells, produced water ponds, UIC wells, water supply wells, etc?) being monitored

Date of Government Version: 06/11/2018	Source: State Water Resources Control Board
Date Data Arrived at EDR: 06/13/2018	Telephone: 866-480-1028
Date Made Active in Reports: 07/18/2018	Last EDR Contact: 12/12/2018
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Varies

## CIWQS: California Integrated Water Quality System

The California Integrated Water Quality System (CIWQS) is a computer system used by the State and Regional Water Quality Control Boards to track information about places of environmental interest, manage permits and other orders, track inspections, and manage violations and enforcement activities.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/04/2018  
Date Data Arrived at EDR: 06/06/2018  
Date Made Active in Reports: 07/13/2018  
Number of Days to Update: 37

Source: State Water Resources Control Board  
Telephone: 866-794-4977  
Last EDR Contact: 06/06/2018  
Next Scheduled EDR Contact: 09/17/2018  
Data Release Frequency: Varies

## OTHER OIL GAS: Other Oil & Gas Projects Sites (GEOTRACKER)

Other Oil & Gas Projects sites

Date of Government Version: 06/11/2018  
Date Data Arrived at EDR: 06/13/2018  
Date Made Active in Reports: 07/18/2018  
Number of Days to Update: 35

Source: State Water Resources Control Board  
Telephone: 866-480-1028  
Last EDR Contact: 12/12/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Varies

## NON-CASE INFO: Non-Case Information Sites (GEOTRACKER)

Non-Case Information sites

Date of Government Version: 06/11/2018  
Date Data Arrived at EDR: 06/13/2018  
Date Made Active in Reports: 07/18/2018  
Number of Days to Update: 35

Source: State Water Resources Control Board  
Telephone: 866-480-1028  
Last EDR Contact: 12/12/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Varies

## CERS: CalEPA Regulated Site Portal Data

The CalEPA Regulated Site Portal database combines data about environmentally regulated sites and facilities in California into a single database. It combines data from a variety of state and federal databases, and provides an overview of regulated activities across the spectrum of environmental programs for any given location in California. These activities include hazardous materials and waste, state and federal cleanups, impacted ground and surface waters, and toxic materials

Date of Government Version: 04/23/2018  
Date Data Arrived at EDR: 04/24/2018  
Date Made Active in Reports: 06/07/2018  
Number of Days to Update: 44

Source: California Environmental Protection Agency  
Telephone: 916-323-2514  
Last EDR Contact: 07/25/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Varies

## MILITARY PRIV SITES: Military Privatized Sites (GEOTRACKER)

Military privatized sites

Date of Government Version: 06/11/2018  
Date Data Arrived at EDR: 06/13/2018  
Date Made Active in Reports: 07/18/2018  
Number of Days to Update: 35

Source: State Water Resources Control Board  
Telephone: 866-480-1028  
Last EDR Contact: 12/12/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Varies

## PROJECT: Project Sites (GEOTRACKER)

Projects sites

Date of Government Version: 06/11/2018  
Date Data Arrived at EDR: 06/13/2018  
Date Made Active in Reports: 07/18/2018  
Number of Days to Update: 35

Source: State Water Resources Control Board  
Telephone: 866-480-1028  
Last EDR Contact: 12/12/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Varies

## **EDR HIGH RISK HISTORICAL RECORDS**

### ***EDR Exclusive Records***

#### EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

## EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

## EDR RECOVERED GOVERNMENT ARCHIVES

### *Exclusive Recovered Govt. Archives*

#### RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Resources Recycling and Recovery in California.

Date of Government Version: N/A  
Date Data Arrived at EDR: 07/01/2013  
Date Made Active in Reports: 01/13/2014  
Number of Days to Update: 196

Source: Department of Resources Recycling and Recovery  
Telephone: N/A  
Last EDR Contact: 06/01/2012  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

#### RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the State Water Resources Control Board in California.

Date of Government Version: N/A  
Date Data Arrived at EDR: 07/01/2013  
Date Made Active in Reports: 12/30/2013  
Number of Days to Update: 182

Source: State Water Resources Control Board  
Telephone: N/A  
Last EDR Contact: 06/01/2012  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## COUNTY RECORDS

### ALAMEDA COUNTY:

#### CS ALAMEDA: Contaminated Sites

A listing of contaminated sites overseen by the Toxic Release Program (oil and groundwater contamination from chemical releases and spills) and the Leaking Underground Storage Tank Program (soil and ground water contamination from leaking petroleum USTs).

Date of Government Version: 04/05/2018  
Date Data Arrived at EDR: 04/10/2018  
Date Made Active in Reports: 06/14/2018  
Number of Days to Update: 65

Source: Alameda County Environmental Health Services  
Telephone: 510-567-6700  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 10/22/2018  
Data Release Frequency: Semi-Annually

#### UST ALAMEDA: Underground Tanks

Underground storage tank sites located in Alameda county.

Date of Government Version: 04/05/2018  
Date Data Arrived at EDR: 04/10/2018  
Date Made Active in Reports: 05/04/2018  
Number of Days to Update: 24

Source: Alameda County Environmental Health Services  
Telephone: 510-567-6700  
Last EDR Contact: 07/05/2018  
Next Scheduled EDR Contact: 04/24/2047  
Data Release Frequency: Semi-Annually

### AMADOR COUNTY:

#### CUPA AMADOR: CUPA Facility List

Cupa Facility List

Date of Government Version: 07/01/2018  
Date Data Arrived at EDR: 07/24/2018  
Date Made Active in Reports: 08/20/2018  
Number of Days to Update: 27

Source: Amador County Environmental Health  
Telephone: 209-223-6439  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/17/2018  
Data Release Frequency: Varies

### BUTTE COUNTY:

#### CUPA BUTTE: CUPA Facility Listing

Cupa facility list.

Date of Government Version: 04/21/2017  
Date Data Arrived at EDR: 04/25/2017  
Date Made Active in Reports: 08/09/2017  
Number of Days to Update: 106

Source: Public Health Department  
Telephone: 530-538-7149  
Last EDR Contact: 07/05/2018  
Next Scheduled EDR Contact: 10/22/2018  
Data Release Frequency: No Update Planned

### CALVERAS COUNTY:

#### CUPA CALVERAS: CUPA Facility Listing

Cupa Facility Listing

Date of Government Version: 08/02/2018  
Date Data Arrived at EDR: 08/06/2018  
Date Made Active in Reports: 08/20/2018  
Number of Days to Update: 14

Source: Calveras County Environmental Health  
Telephone: 209-754-6399  
Last EDR Contact: 06/25/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

### COLUSA COUNTY:

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## CUPA COLUSA: CUPA Facility List Cupa facility list.

Date of Government Version: 05/23/2018  
Date Data Arrived at EDR: 05/24/2018  
Date Made Active in Reports: 07/13/2018  
Number of Days to Update: 50

Source: Health & Human Services  
Telephone: 530-458-0396  
Last EDR Contact: 08/17/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Semi-Annually

## CONTRA COSTA COUNTY:

### SL CONTRA COSTA: Site List

List includes sites from the underground tank, hazardous waste generator and business plan/2185 programs.

Date of Government Version: 05/21/2018  
Date Data Arrived at EDR: 05/25/2018  
Date Made Active in Reports: 07/20/2018  
Number of Days to Update: 56

Source: Contra Costa Health Services Department  
Telephone: 925-646-2286  
Last EDR Contact: 07/30/2018  
Next Scheduled EDR Contact: 11/12/2018  
Data Release Frequency: Semi-Annually

## DEL NORTE COUNTY:

### CUPA DEL NORTE: CUPA Facility List Cupa Facility list

Date of Government Version: 04/27/2018  
Date Data Arrived at EDR: 05/02/2018  
Date Made Active in Reports: 06/15/2018  
Number of Days to Update: 44

Source: Del Norte County Environmental Health Division  
Telephone: 707-465-0426  
Last EDR Contact: 07/24/2018  
Next Scheduled EDR Contact: 11/12/2018  
Data Release Frequency: Varies

## EL DORADO COUNTY:

### CUPA EL DORADO: CUPA Facility List CUPA facility list.

Date of Government Version: 07/12/2018  
Date Data Arrived at EDR: 07/12/2018  
Date Made Active in Reports: 08/20/2018  
Number of Days to Update: 39

Source: El Dorado County Environmental Management Department  
Telephone: 530-621-6623  
Last EDR Contact: 07/30/2018  
Next Scheduled EDR Contact: 11/12/2018  
Data Release Frequency: Varies

## FRESNO COUNTY:

### CUPA FRESNO: CUPA Resources List

Certified Unified Program Agency. CUPA's are responsible for implementing a unified hazardous materials and hazardous waste management regulatory program. The agency provides oversight of businesses that deal with hazardous materials, operate underground storage tanks or aboveground storage tanks.

Date of Government Version: 07/11/2018  
Date Data Arrived at EDR: 07/17/2018  
Date Made Active in Reports: 08/30/2018  
Number of Days to Update: 44

Source: Dept. of Community Health  
Telephone: 559-445-3271  
Last EDR Contact: 07/11/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Semi-Annually

## GLENN COUNTY:



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CUPA GLENN: CUPA Facility List  
Cupa facility list

Date of Government Version: 01/22/2018  
Date Data Arrived at EDR: 01/24/2018  
Date Made Active in Reports: 03/14/2018  
Number of Days to Update: 49

Source: Glenn County Air Pollution Control District  
Telephone: 830-934-6500  
Last EDR Contact: 07/17/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Varies

HUMBOLDT COUNTY:

CUPA HUMBOLDT: CUPA Facility List  
CUPA facility list.

Date of Government Version: 07/11/2018  
Date Data Arrived at EDR: 07/13/2018  
Date Made Active in Reports: 08/22/2018  
Number of Days to Update: 40

Source: Humboldt County Environmental Health  
Telephone: N/A  
Last EDR Contact: 08/20/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Semi-Annually

IMPERIAL COUNTY:

CUPA IMPERIAL: CUPA Facility List  
Cupa facility list.

Date of Government Version: 04/23/2018  
Date Data Arrived at EDR: 04/25/2018  
Date Made Active in Reports: 06/14/2018  
Number of Days to Update: 50

Source: San Diego Border Field Office  
Telephone: 760-339-2777  
Last EDR Contact: 07/17/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Varies

INYO COUNTY:

CUPA INYO: CUPA Facility List  
Cupa facility list.

Date of Government Version: 04/02/2018  
Date Data Arrived at EDR: 04/03/2018  
Date Made Active in Reports: 06/14/2018  
Number of Days to Update: 72

Source: Inyo County Environmental Health Services  
Telephone: 760-878-0238  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

KERN COUNTY:

UST KERN: Underground Storage Tank Sites & Tank Listing  
Kern County Sites and Tanks Listing.

Date of Government Version: 05/02/2018  
Date Data Arrived at EDR: 05/07/2018  
Date Made Active in Reports: 07/18/2018  
Number of Days to Update: 72

Source: Kern County Environment Health Services Department  
Telephone: 661-862-8700  
Last EDR Contact: 07/20/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Quarterly

KINGS COUNTY:

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## CUPA KINGS: CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

Date of Government Version: 06/12/2018  
Date Data Arrived at EDR: 06/15/2018  
Date Made Active in Reports: 07/13/2018  
Number of Days to Update: 28

Source: Kings County Department of Public Health  
Telephone: 559-584-1411  
Last EDR Contact: 08/17/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

## LAKE COUNTY:

### CUPA LAKE: CUPA Facility List

Cupa facility list

Date of Government Version: 08/08/2018  
Date Data Arrived at EDR: 08/09/2018  
Date Made Active in Reports: 08/22/2018  
Number of Days to Update: 13

Source: Lake County Environmental Health  
Telephone: 707-263-1164  
Last EDR Contact: 07/16/2018  
Next Scheduled EDR Contact: 10/29/2018  
Data Release Frequency: Varies

## LASSEN COUNTY:

### CUPA LASSEN: CUPA Facility List

Cupa facility list

Date of Government Version: 01/22/2018  
Date Data Arrived at EDR: 01/24/2018  
Date Made Active in Reports: 03/14/2018  
Number of Days to Update: 49

Source: Lassen County Environmental Health  
Telephone: 530-251-8528  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Varies

## LOS ANGELES COUNTY:

### AOCONCERN: San Gabriel Valley Areas of Concern

San Gabriel Valley areas where VOC contamination is at or above the MCL as designated by region 9 EPA office.

Date of Government Version: 03/30/2009  
Date Data Arrived at EDR: 03/31/2009  
Date Made Active in Reports: 10/23/2009  
Number of Days to Update: 206

Source: EPA Region 9  
Telephone: 415-972-3178  
Last EDR Contact: 06/13/2018  
Next Scheduled EDR Contact: 10/01/2018  
Data Release Frequency: No Update Planned

### HMS LOS ANGELES: HMS: Street Number List

Industrial Waste and Underground Storage Tank Sites.

Date of Government Version: 04/12/2018  
Date Data Arrived at EDR: 04/16/2018  
Date Made Active in Reports: 06/15/2018  
Number of Days to Update: 60

Source: Department of Public Works  
Telephone: 626-458-3517  
Last EDR Contact: 07/05/2018  
Next Scheduled EDR Contact: 10/22/2018  
Data Release Frequency: Semi-Annually

### LF LOS ANGELES: List of Solid Waste Facilities

Solid Waste Facilities in Los Angeles County.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/16/2018  
Date Data Arrived at EDR: 07/18/2018  
Date Made Active in Reports: 08/24/2018  
Number of Days to Update: 37

Source: La County Department of Public Works  
Telephone: 818-458-5185  
Last EDR Contact: 07/18/2018  
Next Scheduled EDR Contact: 10/29/2018  
Data Release Frequency: Varies

## LF LOS ANGELES CITY: City of Los Angeles Landfills

Landfills owned and maintained by the City of Los Angeles.

Date of Government Version: 01/01/2018  
Date Data Arrived at EDR: 05/01/2018  
Date Made Active in Reports: 05/14/2018  
Number of Days to Update: 13

Source: Engineering & Construction Division  
Telephone: 213-473-7869  
Last EDR Contact: 07/11/2018  
Next Scheduled EDR Contact: 10/29/2018  
Data Release Frequency: Varies

## SITE MIT LOS ANGELES: Site Mitigation List

Industrial sites that have had some sort of spill or complaint.

Date of Government Version: 04/01/2018  
Date Data Arrived at EDR: 04/17/2018  
Date Made Active in Reports: 06/19/2018  
Number of Days to Update: 63

Source: Community Health Services  
Telephone: 323-890-7806  
Last EDR Contact: 07/20/2018  
Next Scheduled EDR Contact: 10/29/2018  
Data Release Frequency: Annually

## UST EL SEGUNDO: City of El Segundo Underground Storage Tank

Underground storage tank sites located in El Segundo city.

Date of Government Version: 01/21/2017  
Date Data Arrived at EDR: 04/19/2017  
Date Made Active in Reports: 05/10/2017  
Number of Days to Update: 21

Source: City of El Segundo Fire Department  
Telephone: 310-524-2236  
Last EDR Contact: 07/11/2018  
Next Scheduled EDR Contact: 10/29/2018  
Data Release Frequency: Semi-Annually

## UST LONG BEACH: City of Long Beach Underground Storage Tank

Underground storage tank sites located in the city of Long Beach.

Date of Government Version: 03/09/2017  
Date Data Arrived at EDR: 03/10/2017  
Date Made Active in Reports: 05/03/2017  
Number of Days to Update: 54

Source: City of Long Beach Fire Department  
Telephone: 562-570-2563  
Last EDR Contact: 07/17/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Annually

## UST TORRANCE: City of Torrance Underground Storage Tank

Underground storage tank sites located in the city of Torrance.

Date of Government Version: 01/04/2018  
Date Data Arrived at EDR: 01/05/2018  
Date Made Active in Reports: 01/18/2018  
Number of Days to Update: 13

Source: City of Torrance Fire Department  
Telephone: 310-618-2973  
Last EDR Contact: 07/23/2018  
Next Scheduled EDR Contact: 10/22/2018  
Data Release Frequency: Semi-Annually

## MADERA COUNTY:

### CUPA MADERA: CUPA Facility List

A listing of sites included in the county's Certified Unified Program Agency database. California's Secretary for Environmental Protection established the unified hazardous materials and hazardous waste regulatory program as required by chapter 6.11 of the California Health and Safety Code. The Unified Program consolidates the administration, permits, inspections, and enforcement activities.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/22/2018  
Date Data Arrived at EDR: 05/24/2018  
Date Made Active in Reports: 07/31/2018  
Number of Days to Update: 68

Source: Madera County Environmental Health  
Telephone: 559-675-7823  
Last EDR Contact: 08/17/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

## MARIN COUNTY:

UST MARIN: Underground Storage Tank Sites  
Currently permitted USTs in Marin County.

Date of Government Version: 03/30/2018  
Date Data Arrived at EDR: 04/06/2018  
Date Made Active in Reports: 05/04/2018  
Number of Days to Update: 28

Source: Public Works Department Waste Management  
Telephone: 415-473-6647  
Last EDR Contact: 07/11/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Semi-Annually

## MERCED COUNTY:

CUPA MERCED: CUPA Facility List  
CUPA facility list.

Date of Government Version: 05/30/2018  
Date Data Arrived at EDR: 06/01/2018  
Date Made Active in Reports: 07/13/2018  
Number of Days to Update: 42

Source: Merced County Environmental Health  
Telephone: 209-381-1094  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

## MONO COUNTY:

CUPA MONO: CUPA Facility List  
CUPA Facility List

Date of Government Version: 05/22/2018  
Date Data Arrived at EDR: 05/24/2018  
Date Made Active in Reports: 07/13/2018  
Number of Days to Update: 50

Source: Mono County Health Department  
Telephone: 760-932-5580  
Last EDR Contact: 08/24/2018  
Next Scheduled EDR Contact: 12/10/2018  
Data Release Frequency: Varies

## MONTEREY COUNTY:

CUPA MONTEREY: CUPA Facility Listing  
CUPA Program listing from the Environmental Health Division.

Date of Government Version: 06/13/2018  
Date Data Arrived at EDR: 06/19/2018  
Date Made Active in Reports: 07/20/2018  
Number of Days to Update: 31

Source: Monterey County Health Department  
Telephone: 831-796-1297  
Last EDR Contact: 07/02/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Varies

## NAPA COUNTY:

LUST NAPA: Sites With Reported Contamination  
A listing of leaking underground storage tank sites located in Napa county.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/09/2017  
Date Data Arrived at EDR: 01/11/2017  
Date Made Active in Reports: 03/02/2017  
Number of Days to Update: 50

Source: Napa County Department of Environmental Management  
Telephone: 707-253-4269  
Last EDR Contact: 08/24/2018  
Next Scheduled EDR Contact: 12/10/2018  
Data Release Frequency: No Update Planned

UST NAPA: Closed and Operating Underground Storage Tank Sites  
Underground storage tank sites located in Napa county.

Date of Government Version: 05/23/2018  
Date Data Arrived at EDR: 05/31/2018  
Date Made Active in Reports: 07/11/2018  
Number of Days to Update: 41

Source: Napa County Department of Environmental Management  
Telephone: 707-253-4269  
Last EDR Contact: 08/24/2018  
Next Scheduled EDR Contact: 12/10/2018  
Data Release Frequency: No Update Planned

NEVADA COUNTY:

CUPA NEVADA: CUPA Facility List  
CUPA facility list.

Date of Government Version: 04/24/2018  
Date Data Arrived at EDR: 05/01/2018  
Date Made Active in Reports: 06/15/2018  
Number of Days to Update: 45

Source: Community Development Agency  
Telephone: 530-265-1467  
Last EDR Contact: 07/24/2018  
Next Scheduled EDR Contact: 11/12/2018  
Data Release Frequency: Varies

ORANGE COUNTY:

IND\_SITE ORANGE: List of Industrial Site Cleanups  
Petroleum and non-petroleum spills.

Date of Government Version: 04/02/2018  
Date Data Arrived at EDR: 05/11/2018  
Date Made Active in Reports: 06/22/2018  
Number of Days to Update: 42

Source: Health Care Agency  
Telephone: 714-834-3446  
Last EDR Contact: 05/07/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Annually

LUST ORANGE: List of Underground Storage Tank Cleanups  
Orange County Underground Storage Tank Cleanups (LUST).

Date of Government Version: 04/02/2018  
Date Data Arrived at EDR: 05/11/2018  
Date Made Active in Reports: 06/25/2018  
Number of Days to Update: 45

Source: Health Care Agency  
Telephone: 714-834-3446  
Last EDR Contact: 08/03/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Quarterly

UST ORANGE: List of Underground Storage Tank Facilities  
Orange County Underground Storage Tank Facilities (UST).

Date of Government Version: 04/02/2018  
Date Data Arrived at EDR: 05/08/2018  
Date Made Active in Reports: 07/10/2018  
Number of Days to Update: 63

Source: Health Care Agency  
Telephone: 714-834-3446  
Last EDR Contact: 08/06/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Quarterly

PLACER COUNTY:

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## MS PLACER: Master List of Facilities

List includes aboveground tanks, underground tanks and cleanup sites.

Date of Government Version: 05/31/2018  
Date Data Arrived at EDR: 06/05/2018  
Date Made Active in Reports: 07/18/2018  
Number of Days to Update: 43

Source: Placer County Health and Human Services  
Telephone: 530-745-2363  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/17/2018  
Data Release Frequency: Semi-Annually

## PLUMAS COUNTY:

### CUPA PLUMAS: CUPA Facility List

Plumas County CUPA Program facilities.

Date of Government Version: 01/22/2018  
Date Data Arrived at EDR: 01/24/2018  
Date Made Active in Reports: 03/15/2018  
Number of Days to Update: 50

Source: Plumas County Environmental Health  
Telephone: 530-283-6355  
Last EDR Contact: 07/17/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Varies

## RIVERSIDE COUNTY:

### LUST RIVERSIDE: Listing of Underground Tank Cleanup Sites

Riverside County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 07/09/2018  
Date Data Arrived at EDR: 07/13/2018  
Date Made Active in Reports: 08/24/2018  
Number of Days to Update: 42

Source: Department of Environmental Health  
Telephone: 951-358-5055  
Last EDR Contact: 06/18/2018  
Next Scheduled EDR Contact: 10/01/2018  
Data Release Frequency: Quarterly

### UST RIVERSIDE: Underground Storage Tank Tank List

Underground storage tank sites located in Riverside county.

Date of Government Version: 04/05/2018  
Date Data Arrived at EDR: 04/10/2018  
Date Made Active in Reports: 05/04/2018  
Number of Days to Update: 24

Source: Department of Environmental Health  
Telephone: 951-358-5055  
Last EDR Contact: 06/18/2018  
Next Scheduled EDR Contact: 10/01/2018  
Data Release Frequency: Quarterly

## SACRAMENTO COUNTY:

### CS SACRAMENTO: Toxic Site Clean-Up List

List of sites where unauthorized releases of potentially hazardous materials have occurred.

Date of Government Version: 05/07/2018  
Date Data Arrived at EDR: 07/03/2018  
Date Made Active in Reports: 08/13/2018  
Number of Days to Update: 41

Source: Sacramento County Environmental Management  
Telephone: 916-875-8406  
Last EDR Contact: 07/03/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Quarterly

### ML SACRAMENTO: Master Hazardous Materials Facility List

Any business that has hazardous materials on site - hazardous material storage sites, underground storage tanks, waste generators.

Date of Government Version: 05/14/2018  
Date Data Arrived at EDR: 07/03/2018  
Date Made Active in Reports: 08/13/2018  
Number of Days to Update: 41

Source: Sacramento County Environmental Management  
Telephone: 916-875-8406  
Last EDR Contact: 07/03/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Quarterly

## SAN BENITO COUNTY:

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## CUPA SAN BENITO: CUPA Facility List

Cupa facility list

Date of Government Version: 05/16/2018

Date Data Arrived at EDR: 05/22/2018

Date Made Active in Reports: 07/13/2018

Number of Days to Update: 52

Source: San Benito County Environmental Health

Telephone: N/A

Last EDR Contact: 08/01/2018

Next Scheduled EDR Contact: 11/19/2018

Data Release Frequency: Varies

## SAN BERNARDINO COUNTY:

### PERMITS SAN BERNARDINO: Hazardous Material Permits

This listing includes underground storage tanks, medical waste handlers/generators, hazardous materials handlers, hazardous waste generators, and waste oil generators/handlers.

Date of Government Version: 04/09/2018

Date Data Arrived at EDR: 04/11/2018

Date Made Active in Reports: 06/19/2018

Number of Days to Update: 69

Source: San Bernardino County Fire Department Hazardous Materials Division

Telephone: 909-387-3041

Last EDR Contact: 07/24/2018

Next Scheduled EDR Contact: 11/19/2018

Data Release Frequency: Quarterly

## SAN DIEGO COUNTY:

### HMMD SAN DIEGO: Hazardous Materials Management Division Database

The database includes: HE58 - This report contains the business name, site address, business phone number, establishment 'H' permit number, type of permit, and the business status. HE17 - In addition to providing the same information provided in the HE58 listing, HE17 provides inspection dates, violations received by the establishment, hazardous waste generated, the quantity, method of storage, treatment/disposal of waste and the hauler, and information on underground storage tanks. Unauthorized Release List - Includes a summary of environmental contamination cases in San Diego County (underground tank cases, non-tank cases, groundwater contamination, and soil contamination are included.)

Date of Government Version: 06/04/2018

Date Data Arrived at EDR: 06/06/2018

Date Made Active in Reports: 07/17/2018

Number of Days to Update: 41

Source: Hazardous Materials Management Division

Telephone: 619-338-2268

Last EDR Contact: 06/06/2018

Next Scheduled EDR Contact: 09/17/2018

Data Release Frequency: Quarterly

### LF SAN DIEGO: Solid Waste Facilities

San Diego County Solid Waste Facilities.

Date of Government Version: 04/18/2018

Date Data Arrived at EDR: 04/24/2018

Date Made Active in Reports: 06/19/2018

Number of Days to Update: 56

Source: Department of Health Services

Telephone: 619-338-2209

Last EDR Contact: 07/17/2018

Next Scheduled EDR Contact: 11/05/2018

Data Release Frequency: Varies

### SAN DIEGO CO LOP: Local Oversight Program Listing

A listing of all LOP release sites that are or were under the County of San Diego's jurisdiction. Included are closed or transferred cases, open cases, and cases that did not have a case type indicated. The cases without a case type are mostly complaints; however, some of them could be LOP cases.

Date of Government Version: 07/17/2018

Date Data Arrived at EDR: 07/24/2018

Date Made Active in Reports: 08/24/2018

Number of Days to Update: 31

Source: Department of Environmental Health

Telephone: 858-505-6874

Last EDR Contact: 07/17/2018

Next Scheduled EDR Contact: 11/05/2018

Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## SAN DIEGO CO. SAM: Environmental Case Listing

The listing contains all underground tank release cases and projects pertaining to properties contaminated with hazardous substances that are actively under review by the Site Assessment and Mitigation Program.

Date of Government Version: 03/23/2010  
Date Data Arrived at EDR: 06/15/2010  
Date Made Active in Reports: 07/09/2010  
Number of Days to Update: 24

Source: San Diego County Department of Environmental Health  
Telephone: 619-338-2371  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/17/2018  
Data Release Frequency: No Update Planned

## SAN FRANCISCO COUNTY:

### LUST SAN FRANCISCO: Local Oversight Facilities

A listing of leaking underground storage tank sites located in San Francisco county.

Date of Government Version: 09/19/2008  
Date Data Arrived at EDR: 09/19/2008  
Date Made Active in Reports: 09/29/2008  
Number of Days to Update: 10

Source: Department Of Public Health San Francisco County  
Telephone: 415-252-3920  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Quarterly

### UST SAN FRANCISCO: Underground Storage Tank Information

Underground storage tank sites located in San Francisco county.

Date of Government Version: 06/07/2018  
Date Data Arrived at EDR: 06/12/2018  
Date Made Active in Reports: 07/10/2018  
Number of Days to Update: 28

Source: Department of Public Health  
Telephone: 415-252-3920  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Quarterly

## SAN JOAQUIN COUNTY:

### UST SAN JOAQUIN: San Joaquin Co. UST

A listing of underground storage tank locations in San Joaquin county.

Date of Government Version: 06/22/2018  
Date Data Arrived at EDR: 06/26/2018  
Date Made Active in Reports: 07/11/2018  
Number of Days to Update: 15

Source: Environmental Health Department  
Telephone: N/A  
Last EDR Contact: 06/14/2018  
Next Scheduled EDR Contact: 10/01/2018  
Data Release Frequency: Semi-Annually

## SAN LUIS OBISPO COUNTY:

### CUPA SAN LUIS OBISPO: CUPA Facility List

Cupa Facility List.

Date of Government Version: 05/16/2018  
Date Data Arrived at EDR: 05/22/2018  
Date Made Active in Reports: 07/17/2018  
Number of Days to Update: 56

Source: San Luis Obispo County Public Health Department  
Telephone: 805-781-5596  
Last EDR Contact: 08/17/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

## SAN MATEO COUNTY:

### BI SAN MATEO: Business Inventory

List includes Hazardous Materials Business Plan, hazardous waste generators, and underground storage tanks.



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/12/2018  
Date Data Arrived at EDR: 06/15/2018  
Date Made Active in Reports: 08/06/2018  
Number of Days to Update: 52

Source: San Mateo County Environmental Health Services Division  
Telephone: 650-363-1921  
Last EDR Contact: 06/06/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Annually

## LUST SAN MATEO: Fuel Leak List

A listing of leaking underground storage tank sites located in San Mateo county.

Date of Government Version: 06/12/2018  
Date Data Arrived at EDR: 06/15/2018  
Date Made Active in Reports: 08/13/2018  
Number of Days to Update: 59

Source: San Mateo County Environmental Health Services Division  
Telephone: 650-363-1921  
Last EDR Contact: 06/06/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Semi-Annually

## SANTA BARBARA COUNTY:

### CUPA SANTA BARBARA: CUPA Facility Listing

CUPA Program Listing from the Environmental Health Services division.

Date of Government Version: 09/08/2011  
Date Data Arrived at EDR: 09/09/2011  
Date Made Active in Reports: 10/07/2011  
Number of Days to Update: 28

Source: Santa Barbara County Public Health Department  
Telephone: 805-686-8167  
Last EDR Contact: 08/17/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

## SANTA CLARA COUNTY:

### CUPA SANTA CLARA: Cupa Facility List

Cupa facility list

Date of Government Version: 05/16/2018  
Date Data Arrived at EDR: 05/23/2018  
Date Made Active in Reports: 07/17/2018  
Number of Days to Update: 55

Source: Department of Environmental Health  
Telephone: 408-918-1973  
Last EDR Contact: 08/17/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

### HIST LUST SANTA CLARA: HIST LUST - Fuel Leak Site Activity Report

A listing of open and closed leaking underground storage tanks. This listing is no longer updated by the county. Leaking underground storage tanks are now handled by the Department of Environmental Health.

Date of Government Version: 03/29/2005  
Date Data Arrived at EDR: 03/30/2005  
Date Made Active in Reports: 04/21/2005  
Number of Days to Update: 22

Source: Santa Clara Valley Water District  
Telephone: 408-265-2600  
Last EDR Contact: 03/23/2009  
Next Scheduled EDR Contact: 06/22/2009  
Data Release Frequency: No Update Planned

### LUST SANTA CLARA: LOP Listing

A listing of leaking underground storage tanks located in Santa Clara county.

Date of Government Version: 03/03/2014  
Date Data Arrived at EDR: 03/05/2014  
Date Made Active in Reports: 03/18/2014  
Number of Days to Update: 13

Source: Department of Environmental Health  
Telephone: 408-918-3417  
Last EDR Contact: 08/24/2018  
Next Scheduled EDR Contact: 12/10/2018  
Data Release Frequency: Annually

### SAN JOSE HAZMAT: Hazardous Material Facilities

Hazardous material facilities, including underground storage tank sites.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/16/2018  
Date Data Arrived at EDR: 05/22/2018  
Date Made Active in Reports: 07/19/2018  
Number of Days to Update: 58

Source: City of San Jose Fire Department  
Telephone: 408-535-7694  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Annually

## SANTA CRUZ COUNTY:

CUPA SANTA CRUZ: CUPA Facility List  
CUPA facility listing.

Date of Government Version: 01/21/2017  
Date Data Arrived at EDR: 02/22/2017  
Date Made Active in Reports: 05/23/2017  
Number of Days to Update: 90

Source: Santa Cruz County Environmental Health  
Telephone: 831-464-2761  
Last EDR Contact: 08/17/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

## SHASTA COUNTY:

CUPA SHASTA: CUPA Facility List  
Cupa Facility List.

Date of Government Version: 06/15/2017  
Date Data Arrived at EDR: 06/19/2017  
Date Made Active in Reports: 08/09/2017  
Number of Days to Update: 51

Source: Shasta County Department of Resource Management  
Telephone: 530-225-5789  
Last EDR Contact: 08/17/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Varies

## SOLANO COUNTY:

LUST SOLANO: Leaking Underground Storage Tanks

A listing of leaking underground storage tank sites located in Solano county.

Date of Government Version: 06/04/2018  
Date Data Arrived at EDR: 06/08/2018  
Date Made Active in Reports: 07/18/2018  
Number of Days to Update: 40

Source: Solano County Department of Environmental Management  
Telephone: 707-784-6770  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/17/2018  
Data Release Frequency: Quarterly

UST SOLANO: Underground Storage Tanks

Underground storage tank sites located in Solano county.

Date of Government Version: 06/04/2018  
Date Data Arrived at EDR: 06/12/2018  
Date Made Active in Reports: 07/12/2018  
Number of Days to Update: 30

Source: Solano County Department of Environmental Management  
Telephone: 707-784-6770  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/17/2018  
Data Release Frequency: Quarterly

## SONOMA COUNTY:

CUPA SONOMA: Cupa Facility List  
Cupa Facility list

Date of Government Version: 06/19/2018  
Date Data Arrived at EDR: 06/26/2018  
Date Made Active in Reports: 07/17/2018  
Number of Days to Update: 21

Source: County of Sonoma Fire & Emergency Services Department  
Telephone: 707-565-1174  
Last EDR Contact: 06/21/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## LUST SONOMA: Leaking Underground Storage Tank Sites

A listing of leaking underground storage tank sites located in Sonoma county.

Date of Government Version: 07/03/2018  
Date Data Arrived at EDR: 07/10/2018  
Date Made Active in Reports: 08/24/2018  
Number of Days to Update: 45

Source: Department of Health Services  
Telephone: 707-565-6565  
Last EDR Contact: 06/21/2018  
Next Scheduled EDR Contact: 10/08/2018  
Data Release Frequency: Quarterly

## STANISLAUS COUNTY:

### CUPA STANISLAUS: CUPA Facility List

Cupa facility list

Date of Government Version: 08/14/2018  
Date Data Arrived at EDR: 08/16/2018  
Date Made Active in Reports: 08/24/2018  
Number of Days to Update: 8

Source: Stanislaus County Department of Environmental Protection  
Telephone: 209-525-6751  
Last EDR Contact: 07/16/2018  
Next Scheduled EDR Contact: 10/29/2018  
Data Release Frequency: Varies

## SUTTER COUNTY:

### UST SUTTER: Underground Storage Tanks

Underground storage tank sites located in Sutter county.

Date of Government Version: 06/04/2018  
Date Data Arrived at EDR: 06/08/2018  
Date Made Active in Reports: 07/11/2018  
Number of Days to Update: 33

Source: Sutter County Department of Agriculture  
Telephone: 530-822-7500  
Last EDR Contact: 08/29/2018  
Next Scheduled EDR Contact: 12/17/2018  
Data Release Frequency: Semi-Annually

## TEHAMA COUNTY:

### CUPA TEHAMA: CUPA Facility List

Cupa facilities

Date of Government Version: 01/26/2018  
Date Data Arrived at EDR: 02/02/2018  
Date Made Active in Reports: 03/21/2018  
Number of Days to Update: 47

Source: Tehama County Department of Environmental Health  
Telephone: 530-527-8020  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Varies

## TRINITY COUNTY:

### CUPA TRINITY: CUPA Facility List

Cupa facility list

Date of Government Version: 04/23/2018  
Date Data Arrived at EDR: 04/25/2018  
Date Made Active in Reports: 06/15/2018  
Number of Days to Update: 51

Source: Department of Toxic Substances Control  
Telephone: 760-352-0381  
Last EDR Contact: 07/17/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Varies

## TULARE COUNTY:

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## CUPA TULARE: CUPA Facility List Cupa program facilities

Date of Government Version: 03/19/2018  
Date Data Arrived at EDR: 03/22/2018  
Date Made Active in Reports: 04/17/2018  
Number of Days to Update: 26

Source: Tulare County Environmental Health Services Division  
Telephone: 559-624-7400  
Last EDR Contact: 08/24/2018  
Next Scheduled EDR Contact: 11/19/2018  
Data Release Frequency: Varies

## TUOLUMNE COUNTY:

### CUPA TUOLUMNE: CUPA Facility List Cupa facility list

Date of Government Version: 04/23/2018  
Date Data Arrived at EDR: 04/25/2018  
Date Made Active in Reports: 06/25/2018  
Number of Days to Update: 61

Source: Divison of Environmental Health  
Telephone: 209-533-5633  
Last EDR Contact: 07/17/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Varies

## VENTURA COUNTY:

### BWT VENTURA: Business Plan, Hazardous Waste Producers, and Operating Underground Tanks The BWT list indicates by site address whether the Environmental Health Division has Business Plan (B), Waste Producer (W), and/or Underground Tank (T) information.

Date of Government Version: 03/26/2018  
Date Data Arrived at EDR: 04/25/2018  
Date Made Active in Reports: 06/22/2018  
Number of Days to Update: 58

Source: Ventura County Environmental Health Division  
Telephone: 805-654-2813  
Last EDR Contact: 07/23/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Quarterly

### LF VENTURA: Inventory of Illegal Abandoned and Inactive Sites Ventura County Inventory of Closed, Illegal Abandoned, and Inactive Sites.

Date of Government Version: 12/01/2011  
Date Data Arrived at EDR: 12/01/2011  
Date Made Active in Reports: 01/19/2012  
Number of Days to Update: 49

Source: Environmental Health Division  
Telephone: 805-654-2813  
Last EDR Contact: 06/27/2018  
Next Scheduled EDR Contact: 10/15/2018  
Data Release Frequency: Annually

### LUST VENTURA: Listing of Underground Tank Cleanup Sites Ventura County Underground Storage Tank Cleanup Sites (LUST).

Date of Government Version: 05/29/2008  
Date Data Arrived at EDR: 06/24/2008  
Date Made Active in Reports: 07/31/2008  
Number of Days to Update: 37

Source: Environmental Health Division  
Telephone: 805-654-2813  
Last EDR Contact: 08/07/2018  
Next Scheduled EDR Contact: 11/26/2018  
Data Release Frequency: Quarterly

### MED WASTE VENTURA: Medical Waste Program List To protect public health and safety and the environment from potential exposure to disease causing agents, the Environmental Health Division Medical Waste Program regulates the generation, handling, storage, treatment and disposal of medical waste throughout the County.

Date of Government Version: 07/02/2018  
Date Data Arrived at EDR: 07/26/2018  
Date Made Active in Reports: 08/24/2018  
Number of Days to Update: 29

Source: Ventura County Resource Management Agency  
Telephone: 805-654-2813  
Last EDR Contact: 07/23/2018  
Next Scheduled EDR Contact: 11/05/2018  
Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## UST VENTURA: Underground Tank Closed Sites List

Ventura County Operating Underground Storage Tank Sites (UST)/Underground Tank Closed Sites List.

Date of Government Version: 04/26/2018	Source: Environmental Health Division
Date Data Arrived at EDR: 06/13/2018	Telephone: 805-654-2813
Date Made Active in Reports: 07/11/2018	Last EDR Contact: 06/13/2018
Number of Days to Update: 28	Next Scheduled EDR Contact: 09/24/2018
	Data Release Frequency: Quarterly

## YOLO COUNTY:

### UST YOLO: Underground Storage Tank Comprehensive Facility Report

Underground storage tank sites located in Yolo county.

Date of Government Version: 06/20/2018	Source: Yolo County Department of Health
Date Data Arrived at EDR: 07/03/2018	Telephone: 530-666-8646
Date Made Active in Reports: 07/12/2018	Last EDR Contact: 06/27/2018
Number of Days to Update: 9	Next Scheduled EDR Contact: 10/15/2018
	Data Release Frequency: Annually

## YUBA COUNTY:

### CUPA YUBA: CUPA Facility List

CUPA facility listing for Yuba County.

Date of Government Version: 05/10/2018	Source: Yuba County Environmental Health Department
Date Data Arrived at EDR: 05/15/2018	Telephone: 530-749-7523
Date Made Active in Reports: 06/15/2018	Last EDR Contact: 08/07/2018
Number of Days to Update: 31	Next Scheduled EDR Contact: 11/12/2018
	Data Release Frequency: Varies

## OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

### CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 01/03/2018	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 02/14/2018	Telephone: 860-424-3375
Date Made Active in Reports: 03/22/2018	Last EDR Contact: 08/09/2018
Number of Days to Update: 36	Next Scheduled EDR Contact: 11/26/2018
	Data Release Frequency: No Update Planned

### NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2017	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/13/2018	Telephone: N/A
Date Made Active in Reports: 08/01/2018	Last EDR Contact: 07/13/2018
Number of Days to Update: 19	Next Scheduled EDR Contact: 10/22/2018
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 04/30/2018  
Date Data Arrived at EDR: 05/03/2018  
Date Made Active in Reports: 06/07/2018  
Number of Days to Update: 35

Source: Department of Environmental Conservation  
Telephone: 518-402-8651  
Last EDR Contact: 08/01/2018  
Next Scheduled EDR Contact: 11/12/2018  
Data Release Frequency: Quarterly

## PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2016  
Date Data Arrived at EDR: 07/25/2017  
Date Made Active in Reports: 09/25/2017  
Number of Days to Update: 62

Source: Department of Environmental Protection  
Telephone: 717-783-8990  
Last EDR Contact: 07/12/2018  
Next Scheduled EDR Contact: 10/29/2018  
Data Release Frequency: Annually

## RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2017  
Date Data Arrived at EDR: 02/23/2018  
Date Made Active in Reports: 04/09/2018  
Number of Days to Update: 45

Source: Department of Environmental Management  
Telephone: 401-222-2797  
Last EDR Contact: 08/21/2018  
Next Scheduled EDR Contact: 12/03/2018  
Data Release Frequency: Annually

## WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2017  
Date Data Arrived at EDR: 06/15/2018  
Date Made Active in Reports: 07/09/2018  
Number of Days to Update: 24

Source: Department of Natural Resources  
Telephone: N/A  
Last EDR Contact: 06/11/2018  
Next Scheduled EDR Contact: 09/24/2018  
Data Release Frequency: Annually

## Oil/Gas Pipelines

Source: PennWell Corporation

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

## Electric Power Transmission Line Data

Source: PennWell Corporation

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

**Sensitive Receptors:** There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

## AHA Hospitals:

Source: American Hospital Association, Inc.  
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

## Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services  
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

### Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

### Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

### Daycare Centers: Licensed Facilities

Source: Department of Social Services

Telephone: 916-657-4041

**Flood Zone Data:** This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

### State Wetlands Data: Wetland Inventory

Source: Department of Fish and Wildlife

Telephone: 916-445-0411

### Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

## **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM**

### **TARGET PROPERTY ADDRESS**

LADWP  
12300 NEBRASKA AVENUE  
LOS ANGELES, CA 90025

### **TARGET PROPERTY COORDINATES**

Latitude (North):	34.033937 - 34° 2' 2.17"
Longitude (West):	118.459219 - 118° 27' 33.19"
Universal Tranverse Mercator:	Zone 11
UTM X (Meters):	365289.4
UTM Y (Meters):	3766684.5
Elevation:	162 ft. above sea level

### **USGS TOPOGRAPHIC MAP**

Target Property Map:	5630733 BEVERLY HILLS, CA
Version Date:	2012

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.



# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SSE

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Flood Plain Panel at Target Property</u>	<u>FEMA Source Type</u>
06037C1590F	FEMA FIRM Flood data
<u>Additional Panels in search area:</u>	<u>FEMA Source Type</u>
Not Reported	

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u>	<u>NWI Electronic Data Coverage</u>
BEVERLY HILLS	YES - refer to the Overview Map and Detail Map

## HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

### ***Site-Specific Hydrogeological Data\*:***

Search Radius:	1.25 miles
Location Relative to TP:	1/8 - 1/4 Mile SSE
Site Name:	Mcdonnell-Douglas Aircraft Facility
Site EPA ID Number:	CA0000485326
Groundwater Flow Direction:	South-Southwest
Inferred Depth to Water:	50 feet.
Hydraulic Connection:	Information is not available regarding the hydraulic connection between aquifers underlying the site.
Sole Source Aquifer:	No information about a sole source aquifer is available
Data Quality:	Information is inferred in the CERCLIS investigation report(s)

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
A2	1/8 - 1/4 Mile SSW	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
1G	1/8 - 1/4 Mile SSW	Not Reported

For additional site information, refer to Physical Setting Source Map Findings.

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### ROCK STRATIGRAPHIC UNIT

Era: Cenozoic  
System: Quaternary  
Series: Quaternary  
Code: Q (*decoded above as Era, System & Series*)

#### GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

### OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: loam  
 clay  
 silt loam  
 loamy sand  
 sandy loam  
 fine sand  
 clay loam  
 gravelly - sandy loam  
 coarse sand  
 gravelly - sand  
 sand

Surficial Soil Types: loam  
 clay  
 silt loam  
 loamy sand  
 sandy loam  
 fine sand  
 clay loam  
 gravelly - sandy loam  
 coarse sand  
 gravelly - sand  
 sand

Shallow Soil Types: fine sandy loam  
 gravelly - loam  
 sand  
 silty clay

Deeper Soil Types: stratified  
 clay loam  
 silty clay loam  
 gravelly - sandy loam  
 coarse sand  
 sand  
 weathered bedrock  
 very fine sandy loam

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

## WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 0.001 miles
State Database	1.000

## FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	USGS40000139912	1/8 - 1/4 Mile South
B3	USGS40000139909	1/4 - 1/2 Mile SW
12	USGS40000139894	1/2 - 1 Mile SW
20	USGS40000140029	1/2 - 1 Mile NNW

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
B4	CADW60000036089	1/4 - 1/2 Mile SW
B5	CADW60000036067	1/4 - 1/2 Mile SW
B6	2992	1/4 - 1/2 Mile SW
7	2993	1/4 - 1/2 Mile East
8	CADW60000036070	1/4 - 1/2 Mile SW
C9	1510	1/4 - 1/2 Mile West
C10	1513	1/4 - 1/2 Mile West
C11	22904	1/4 - 1/2 Mile West
13	CADW60000036111	1/2 - 1 Mile WSW
D14	1507	1/2 - 1 Mile SW
D15	CADW60000036113	1/2 - 1 Mile SW
16	14092	1/2 - 1 Mile NW
17	2995	1/2 - 1 Mile SW
18	CADW60000036069	1/2 - 1 Mile WSW
19	CADW60000036066	1/2 - 1 Mile WSW
21	CADW60000036110	1/2 - 1 Mile West
22	CADW60000036068	1/2 - 1 Mile WSW

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## STATE DATABASE WELL INFORMATION

MAP ID

WELL ID

LOCATION  
FROM TP

## OTHER STATE DATABASE INFORMATION

## STATE OIL/GAS WELL INFORMATION

MAP ID

WELL ID


LOCATION  
FROM TP

1

CAOG11000204881

1/8 - 1/4 Mile SW

# PHYSICAL SETTING SOURCE MAP - 5411218.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake Fault Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: LADWP  
 ADDRESS: 12300 Nebraska Avenue  
 Los Angeles CA 90025  
 LAT/LONG: 34.033937 / 118.459219

CLIENT: Dudek & Associates  
 CONTACT: Susan Smith  
 INQUIRY #: 5411218.2s  
 DATE: August 31, 2018 11:52 am



# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
 Direction  
 Distance  
 Elevation

Database      EDR ID Number

**A1**  
**South**  
**1/8 - 1/4 Mile**  
**Lower**

**FED USGS      USGS40000139912**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	002S015W04C002S	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	19690911	Well Depth:	550
Well Depth Units:	ft	Well Hole Depth:	598
Well Hole Depth Units:	ft		

**A2**  
**SSW**  
**1/8 - 1/4 Mile**  
**Lower**

**AQUIFLOW      55200**

Site ID:	900570061
Groundwater Flow:	Not Reported
Shallow Water Depth:	8.37
Deep Water Depth:	12
Average Water Depth:	Not Reported
Date:	08/07/1996

**B3**  
**SW**  
**1/4 - 1/2 Mile**  
**Lower**

**FED USGS      USGS40000139909**

Organization ID:	USGS-CA		
Organization Name:	USGS California Water Science Center		
Monitor Location:	002S015W04A001S	Type:	Well
Description:	Not Reported	HUC:	Not Reported
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	California Coastal Basin aquifers		
Formation Type:	Not Reported	Aquifer Type:	Not Reported
Construction Date:	19820104	Well Depth:	560
Well Depth Units:	ft	Well Hole Depth:	580
Well Hole Depth Units:	ft		

**B4**  
**SW**  
**1/4 - 1/2 Mile**  
**Lower**

**CA WELLS      CADW60000036089**

Objectid:	36089	Latitude:	34.030468
Longitude:	-118.46353	Site code:	340300N1184683W004
State well numbe:	Not Reported	Local well name:	'OB-9C'
Well use id:	1	Well use descrip:	Observation
County id:	19	County name:	Los Angeles
Basin code:	'4-11.01'	Basin desc:	Santa Monica
Dwr region id:	80238	Dwr region:	Southern Region Office
Site id:	CADW60000036089		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**B5**  
**SW**  
**1/4 - 1/2 Mile**  
**Lower**

**CA WELLS      CADW60000036067**

Objectid:	36067	Latitude:	34.030468
Longitude:	-118.46353	Site code:	340300N1184263W001
State well numbe:	Not Reported	Local well name:	'OB-9B'
Well use id:	1	Well use descrip:	Observation
County id:	19	County name:	Los Angeles
Basin code:	'4-11.01'	Basin desc:	Santa Monica
Dwr region id:	80238	Dwr region:	Southern Region Office
Site id:	CADW60000036067		

**B6**  
**SW**  
**1/4 - 1/2 Mile**  
**Lower**

**CA WELLS      2992**

Seq:	2992	Prim sta c:	02S/15W-04A01 S
Frds no:	1910146017	County:	19
District:	07	User id:	4TH
System no:	1910146	Water type:	G
Source nam:	SANTA MONICA WELL 04	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	340148.5	Longitude:	1182746.4
Precision:	3	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1910146	System nam:	SANTA MONICA-CITY, WATER DIVISION
Hqname:	Not Reported	Address:	1212 FIFTH ST., 3RD FLOOR
City:	SANTA MONICA	State:	CA
Zip:	90401	Zip ext:	Not Reported
Pop serv:	86905	Connection:	15905
Area serve:	SANTA MONICA		

Sample date:	05-MAR-18	Finding:	49.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

Sample date:	05-MAR-18	Finding:	1.7
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

Sample date:	05-MAR-18	Finding:	5.7
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dir:	0.4		

Sample date:	05-MAR-18	Finding:	5.7
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		

Sample date:	05-MAR-18	Finding:	3.6
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		

Sample date:	05-MAR-18	Finding:	26.6
--------------	-----------	----------	------

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Chemical: Dir:	TETRACHLOROETHYLENE 0.5	Report units:	UG/L
Sample date: Chemical: Dir:	05-MAR-18 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.8 UG/L
Sample date: Chemical: Dir:	05-FEB-18 CIS-1,2-DICHLOROETHYLENE 0.5	Finding: Report units:	2.3 UG/L
Sample date: Chemical: Dir:	05-FEB-18 TRICHLOROETHYLENE 0.5	Finding: Report units:	49. UG/L
Sample date: Chemical: Dir:	05-FEB-18 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	2.6 UG/L
Sample date: Chemical: Dir:	05-FEB-18 TETRACHLOROETHYLENE 0.5	Finding: Report units:	33.7 UG/L
Sample date: Chemical: Dir:	05-FEB-18 CHLOROFORM (THM) 1.	Finding: Report units:	4.7 UG/L
Sample date: Chemical: Dir:	02-JAN-18 1,4-DIOXANE 1.	Finding: Report units:	20. UG/L
Sample date: Chemical: Dir:	02-JAN-18 CIS-1,2-DICHLOROETHYLENE 0.5	Finding: Report units:	1.6 UG/L
Sample date: Chemical: Dir:	02-JAN-18 TRICHLOROETHYLENE 0.5	Finding: Report units:	39.5 UG/L
Sample date: Chemical: Dir:	02-JAN-18 1,1-DICHLOROETHYLENE 0.5	Finding: Report units:	1.7 UG/L
Sample date: Chemical: Dir:	02-JAN-18 TETRACHLOROETHYLENE 0.5	Finding: Report units:	23.9 UG/L
Sample date: Chemical: Dir:	02-JAN-18 CHLOROFORM (THM) 1.	Finding: Report units:	3.4 UG/L
Sample date: Chemical: Dir:	02-JAN-18 NITRATE (AS N) 0.4	Finding: Report units:	5.7 MG/L
Sample date: Chemical: Dir:	04-DEC-17 CHLOROFORM (THM) 1.	Finding: Report units:	4.4 UG/L
Sample date: Chemical: Dir:	04-DEC-17 TETRACHLOROETHYLENE 0.5	Finding: Report units:	29.1 UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	04-DEC-17	Finding:	2.
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	04-DEC-17	Finding:	39.9
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	04-DEC-17	Finding:	2.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	06-NOV-17	Finding:	4.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	06-NOV-17	Finding:	29.9
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	06-NOV-17	Finding:	2.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	06-NOV-17	Finding:	50.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	06-NOV-17	Finding:	2.
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	02-OCT-17	Finding:	6.5
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	02-OCT-17	Finding:	20.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	02-OCT-17	Finding:	4.7
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	02-OCT-17	Finding:	30.5
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	02-OCT-17	Finding:	2.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	02-OCT-17	Finding:	42.2
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	02-OCT-17	Finding:	2.4
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	05-SEP-17	Finding:	3.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	1.		
Sample date:	05-SEP-17	Finding:	23.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	05-SEP-17	Finding:	1.9
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	05-SEP-17	Finding:	42.5
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	05-SEP-17	Finding:	1.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	2.
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-AUG-17	Finding:	22.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	46.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	1.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	4.1
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	28-AUG-17	Finding:	3.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-AUG-17	Finding:	21.4
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	1.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	40.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	24-JUL-17	Finding:	6.1
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	24-JUL-17	Finding:	4.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-JUL-17	Finding:	21.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JUL-17	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JUL-17	Finding:	44.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JUL-17	Finding:	2.
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JUL-17	Finding:	18.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	26-JUN-17	Finding:	4.4
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-JUN-17	Finding:	24.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JUN-17	Finding:	2.3
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JUN-17	Finding:	49.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JUN-17	Finding:	2.4
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-MAY-17	Finding:	4.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-MAY-17	Finding:	21.9
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-MAY-17	Finding:	1.9
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-MAY-17	Finding:	43.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	22-MAY-17	Finding:	2.2
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-17	Finding:	4.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-APR-17	Finding:	21.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-17	Finding:	1.9
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-17	Finding:	41.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-17	Finding:	2.2
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-APR-17	Finding:	19.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	24-APR-17	Finding:	7.4
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	27-MAR-17	Finding:	2.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-MAR-17	Finding:	4.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-MAR-17	Finding:	20.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-MAR-17	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-MAR-17	Finding:	41.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-17	Finding:	3.9
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-FEB-17	Finding:	18.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	27-FEB-17	Finding:	1.5
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-17	Finding:	41.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-17	Finding:	2.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JAN-17	Finding:	5.8
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	23-JAN-17	Finding:	3.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-JAN-17	Finding:	16.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JAN-17	Finding:	1.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JAN-17	Finding:	39.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JAN-17	Finding:	2.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JAN-17	Finding:	18.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	26-DEC-16	Finding:	3.6
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-DEC-16	Finding:	18.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-DEC-16	Finding:	1.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-DEC-16	Finding:	38.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-DEC-16	Finding:	2.
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-NOV-16	Finding:	3.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	1.		
Sample date:	28-NOV-16	Finding:	17.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-NOV-16	Finding:	1.9
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-NOV-16	Finding:	41.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-NOV-16	Finding:	2.3
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-OCT-16	Finding:	6.5
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	24-OCT-16	Finding:	19.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	24-OCT-16	Finding:	3.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-OCT-16	Finding:	14.9
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-OCT-16	Finding:	1.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-OCT-16	Finding:	38.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-OCT-16	Finding:	2.2
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-SEP-16	Finding:	17.4
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-SEP-16	Finding:	2.3
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-SEP-16	Finding:	40.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-SEP-16	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	26-SEP-16	Finding:	4.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-AUG-16	Finding:	2.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	47.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	1.4
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	16.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	4.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-AUG-16	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	46.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	2.
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	17.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	4.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-AUG-16	Finding:	4.
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	25-JUL-16	Finding:	19.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	25-JUL-16	Finding:	7.4
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	25-JUL-16	Finding:	2.6
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUL-16	Finding:	38.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	25-JUL-16	Finding:	2.1
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUL-16	Finding:	16.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUL-16	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-JUN-16	Finding:	3.9
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-JUN-16	Finding:	14.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUN-16	Finding:	1.9
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUN-16	Finding:	43.9
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUN-16	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAY-16	Finding:	2.6
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAY-16	Finding:	40.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAY-16	Finding:	2.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAY-16	Finding:	16.9
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAY-16	Finding:	4.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-APR-16	Finding:	6.4
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	25-APR-16	Finding:	16.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	25-APR-16	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-APR-16	Finding:	43.9
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-APR-16	Finding:	2.
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-APR-16	Finding:	14.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-APR-16	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-MAR-16	Finding:	39.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-MAR-16	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-MAR-16	Finding:	4.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-MAR-16	Finding:	15.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-MAR-16	Finding:	1.9
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-FEB-16	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-FEB-16	Finding:	42.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-FEB-16	Finding:	1.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-FEB-16	Finding:	14.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-FEB-16	Finding:	3.9
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-FEB-16	Finding:	6.6
Chemical:	NITRATE (AS N)	Report units:	MG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.4		
Sample date:	25-JAN-16	Finding:	17.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	25-JAN-16	Finding:	2.3
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JAN-16	Finding:	39.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JAN-16	Finding:	1.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JAN-16	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JAN-16	Finding:	3.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-JAN-16	Finding:	6.4
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	28-DEC-15	Finding:	5.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-DEC-15	Finding:	18.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-DEC-15	Finding:	2.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-DEC-15	Finding:	46.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-DEC-15	Finding:	3.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	30-NOV-15	Finding:	4.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	30-NOV-15	Finding:	16.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	30-NOV-15	Finding:	1.9
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	30-NOV-15	Finding:	43.2
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	30-NOV-15	Finding:	2.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-OCT-15	Finding:	15.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-OCT-15	Finding:	1.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-OCT-15	Finding:	37.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-OCT-15	Finding:	2.8
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-OCT-15	Finding:	17.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	26-OCT-15	Finding:	6.3
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	26-OCT-15	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-SEP-15	Finding:	3.9
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-SEP-15	Finding:	14.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-SEP-15	Finding:	1.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-SEP-15	Finding:	39.2
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-SEP-15	Finding:	2.7
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-AUG-15	Finding:	4.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-AUG-15	Finding:	13.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	24-AUG-15	Finding:	1.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-AUG-15	Finding:	38.2
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-AUG-15	Finding:	2.8
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-AUG-15	Finding:	0.14
Chemical:	PHOSPHATE (AS PO4)	Report units:	UG/L
Dir:	0.		
Sample date:	24-AUG-15	Finding:	38.
Chemical:	SILICA	Report units:	MG/L
Dir:	0.		
Sample date:	24-AUG-15	Finding:	200.
Chemical:	BORON	Report units:	UG/L
Dir:	100.		
Sample date:	24-AUG-15	Finding:	4.4
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-AUG-15	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-AUG-15	Finding:	1.5
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-AUG-15	Finding:	49.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-AUG-15	Finding:	2.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-AUG-15	Finding:	4.4
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	27-JUL-15	Finding:	27.5
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	27-JUL-15	Finding:	2.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUL-15	Finding:	15.4
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	27-JUL-15	Finding:	1.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUL-15	Finding:	45.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUL-15	Finding:	4.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-JUL-15	Finding:	20.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	22-JUN-15	Finding:	4.7
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-JUN-15	Finding:	2.
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-JUN-15	Finding:	14.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-JUN-15	Finding:	3.
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-JUN-15	Finding:	40.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAY-15	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAY-15	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-MAY-15	Finding:	38.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAY-15	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAY-15	Finding:	2.8
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-15	Finding:	16.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	27-APR-15	Finding:	4.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	1.		
Sample date:	27-APR-15	Finding:	2.7
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-15	Finding:	1.5
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-15	Finding:	13.5
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-15	Finding:	25.6
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	27-APR-15	Finding:	33.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAR-15	Finding:	39.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAR-15	Finding:	2.8
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAR-15	Finding:	2.
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAR-15	Finding:	14.5
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAR-15	Finding:	4.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-FEB-15	Finding:	570.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	23-FEB-15	Finding:	0.38
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dir:	0.1		
Sample date:	23-FEB-15	Finding:	2.8
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-FEB-15	Finding:	933.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	40.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	23-FEB-15	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-FEB-15	Finding:	14.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-FEB-15	Finding:	4.4
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-FEB-15	Finding:	4.
Chemical:	VANADIUM	Report units:	UG/L
Dir:	3.		
Sample date:	23-FEB-15	Finding:	7.7
Chemical:	MOLYDBENDUM	Report units:	UG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	26.9
Chemical:	MANGANESE	Report units:	UG/L
Dir:	20.		
Sample date:	23-FEB-15	Finding:	32.2
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	23-FEB-15	Finding:	63.6
Chemical:	BARIUM	Report units:	UG/L
Dir:	100.		
Sample date:	23-FEB-15	Finding:	0.35
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dir:	0.1		
Sample date:	23-FEB-15	Finding:	257.
Chemical:	SULFATE	Report units:	MG/L
Dir:	0.5		
Sample date:	23-FEB-15	Finding:	111.
Chemical:	CHLORIDE	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	2.9
Chemical:	POTASSIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	96.
Chemical:	SODIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	59.3
Chemical:	MAGNESIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	139.
Chemical:	CALCIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	592.
Chemical:	HARDNESS (TOTAL) AS CaCO3	Report units:	MG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.		
Sample date:	23-FEB-15	Finding:	404.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	331.
Chemical:	ALKALINITY (TOTAL) AS CaCO <sub>3</sub>	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	7.3
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dir:	0.		
Sample date:	23-FEB-15	Finding:	1350.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dir:	0.		
Sample date:	23-FEB-15	Finding:	25.4
Chemical:	NITRATE (AS NO <sub>3</sub> )	Report units:	MG/L
Dir:	2.		
Sample date:	26-JAN-15	Finding:	4.3
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	26-JAN-15	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JAN-15	Finding:	51.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JAN-15	Finding:	1.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JAN-15	Finding:	15.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JAN-15	Finding:	4.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-JAN-15	Finding:	25.1
Chemical:	NITRATE (AS NO <sub>3</sub> )	Report units:	MG/L
Dir:	2.		
Sample date:	26-JAN-15	Finding:	16.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	22-DEC-14	Finding:	2.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-DEC-14	Finding:	45.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	22-DEC-14	Finding:	1.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-DEC-14	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-DEC-14	Finding:	4.4
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-DEC-14	Finding:	4.4
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	24-NOV-14	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-NOV-14	Finding:	47.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-NOV-14	Finding:	1.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-NOV-14	Finding:	15.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-NOV-14	Finding:	4.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-NOV-14	Finding:	4.8
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	27-OCT-14	Finding:	2.2
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-OCT-14	Finding:	4.2
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	27-OCT-14	Finding:	26.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	27-OCT-14	Finding:	38.
Chemical:	SILICA	Report units:	MG/L
Dir:	0.		
Sample date:	27-OCT-14	Finding:	4.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-OCT-14	Finding:	16.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	27-OCT-14	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-OCT-14	Finding:	42.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-SEP-14	Finding:	1.6
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-SEP-14	Finding:	4.
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	22-SEP-14	Finding:	39.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-SEP-14	Finding:	1.4
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-SEP-14	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-SEP-14	Finding:	4.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-AUG-14	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-AUG-14	Finding:	1.4
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-AUG-14	Finding:	39.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-AUG-14	Finding:	3.6
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-AUG-14	Finding:	3.6
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	25-AUG-14	Finding:	1.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JUL-14	Finding:	26.3
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	28-JUL-14	Finding:	3.6
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-JUL-14	Finding:	13.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JUL-14	Finding:	1.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JUL-14	Finding:	34.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JUL-14	Finding:	1.6
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JUL-14	Finding:	16.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	28-JUL-14	Finding:	3.6
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	23-JUN-14	Finding:	2.2
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUN-14	Finding:	44.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUN-14	Finding:	1.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUN-14	Finding:	16.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUN-14	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-JUN-14	Finding:	4.1
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	27-MAY-14	Finding:	15.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-MAY-14	Finding:	4.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-MAY-14	Finding:	1.5
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	27-MAY-14	Finding:	4.3
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	27-MAY-14	Finding:	2.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-MAY-14	Finding:	37.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-APR-14	Finding:	16.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	28-APR-14	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-APR-14	Finding:	1.4
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-APR-14	Finding:	40.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-APR-14	Finding:	1.8
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-APR-14	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-APR-14	Finding:	27.2
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	28-APR-14	Finding:	4.1
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	24-MAR-14	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-MAR-14	Finding:	1.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-MAR-14	Finding:	38.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-MAR-14	Finding:	2.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	24-MAR-14	Finding:	4.1
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	24-MAR-14	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-FEB-14	Finding:	2.2
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-FEB-14	Finding:	39.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-FEB-14	Finding:	4.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-FEB-14	Finding:	14.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-FEB-14	Finding:	1.3
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JAN-14	Finding:	1.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JAN-14	Finding:	13.9
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JAN-14	Finding:	4.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-JAN-14	Finding:	35.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JAN-14	Finding:	27.2
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	27-JAN-14	Finding:	13.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	27-JAN-14	Finding:	2.3
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-DEC-13	Finding:	32.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-DEC-13	Finding:	1.5
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	23-DEC-13	Finding:	15.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-DEC-13	Finding:	4.6
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-DEC-13	Finding:	2.8
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-NOV-13	Finding:	45.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-NOV-13	Finding:	1.4
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-NOV-13	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-NOV-13	Finding:	4.4
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-NOV-13	Finding:	3.
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-OCT-13	Finding:	26.8
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	28-OCT-13	Finding:	3.4
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-OCT-13	Finding:	16.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	28-OCT-13	Finding:	4.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-OCT-13	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-OCT-13	Finding:	1.4
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-OCT-13	Finding:	42.9
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	23-SEP-13	Finding:	57.5
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-SEP-13	Finding:	1.1
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-SEP-13	Finding:	3.2
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-SEP-13	Finding:	13.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-SEP-13	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-AUG-13	Finding:	1.4
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-AUG-13	Finding:	12.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-AUG-13	Finding:	4.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-AUG-13	Finding:	6.
Chemical:	URANIUM (PCI/L)	Report units:	PCI/L
Dir:	1.		
Sample date:	26-AUG-13	Finding:	0.14
Chemical:	RADIUM 226 COUNTING ERROR	Report units:	PCI/L
Dir:	0.		
Sample date:	26-AUG-13	Finding:	2.7
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-AUG-13	Finding:	46.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-AUG-13	Finding:	1.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-AUG-13	Finding:	13.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-AUG-13	Finding:	4.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-AUG-13	Finding:	1.83
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.		
Sample date:	26-AUG-13	Finding:	3.86
Chemical:	GROSS ALPHA	Report units:	PCI/L
Dir:	3.		
Sample date:	26-AUG-13	Finding:	57.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-AUG-13	Finding:	2.8
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-AUG-13	Finding:	4.2
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	26-AUG-13	Finding:	0.4
Chemical:	RADIUM 226 MDA95	Report units:	PCI/L
Dir:	0.		
Sample date:	26-AUG-13	Finding:	0.81
Chemical:	RADIUM 228 MDA95	Report units:	PCI/L
Dir:	0.		
Sample date:	26-AUG-13	Finding:	1.7
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dir:	1.		
Sample date:	22-JUL-13	Finding:	2.4
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-JUL-13	Finding:	29.6
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	22-JUL-13	Finding:	4.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-JUL-13	Finding:	14.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-JUL-13	Finding:	1.4
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-JUL-13	Finding:	48.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-JUL-13	Finding:	19.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	28-MAY-13	Finding:	49.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	28-MAY-13	Finding:	1.5
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-MAY-13	Finding:	14.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-MAY-13	Finding:	4.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-MAY-13	Finding:	2.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-APR-13	Finding:	1.4
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-APR-13	Finding:	50.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-APR-13	Finding:	27.1
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	22-APR-13	Finding:	19.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	22-APR-13	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-APR-13	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-APR-13	Finding:	4.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-MAR-13	Finding:	42.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-MAR-13	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-MAR-13	Finding:	13.9
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-MAR-13	Finding:	4.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-MAR-13	Finding:	2.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	25-FEB-13	Finding:	4.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-FEB-13	Finding:	14.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-FEB-13	Finding:	1.3
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-FEB-13	Finding:	2.3
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-FEB-13	Finding:	48.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JAN-13	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JAN-13	Finding:	28.
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	28-JAN-13	Finding:	57.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JAN-13	Finding:	1.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JAN-13	Finding:	15.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JAN-13	Finding:	4.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-JAN-13	Finding:	20.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	24-DEC-12	Finding:	51.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-DEC-12	Finding:	1.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-DEC-12	Finding:	16.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	24-DEC-12	Finding:	4.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-DEC-12	Finding:	2.4
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-NOV-12	Finding:	20.6
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	26-NOV-12	Finding:	4.17
Chemical:	MANGANESE	Report units:	UG/L
Dir:	20.		
Sample date:	26-NOV-12	Finding:	139.
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	26-NOV-12	Finding:	2.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-NOV-12	Finding:	63.2
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-NOV-12	Finding:	2.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-NOV-12	Finding:	15.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-NOV-12	Finding:	5.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-NOV-12	Finding:	27.9
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	22-OCT-12	Finding:	18.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	22-OCT-12	Finding:	4.9
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-OCT-12	Finding:	16.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-OCT-12	Finding:	1.9
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-OCT-12	Finding:	59.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	22-OCT-12	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-SEP-12	Finding:	2.2
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-SEP-12	Finding:	2.7
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-SEP-12	Finding:	15.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-SEP-12	Finding:	56.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-SEP-12	Finding:	5.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-AUG-12	Finding:	329.
Chemical:	ALKALINITY (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	401.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	572.
Chemical:	HARDNESS (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	136.
Chemical:	CALCIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	57.8
Chemical:	MAGNESIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	91.4
Chemical:	SODIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	2.9
Chemical:	POTASSIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	111.
Chemical:	CHLORIDE	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	239.
Chemical:	SULFATE	Report units:	MG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	27-AUG-12	Finding:	0.33
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dir:	0.1		
Sample date:	27-AUG-12	Finding:	5.4
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-AUG-12	Finding:	14.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	58.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	923.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	27.2
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	27-AUG-12	Finding:	2.6
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	5.e-002
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dir:	0.1		
Sample date:	27-AUG-12	Finding:	4.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-AUG-12	Finding:	15.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	56.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	2.2
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	4.5
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	1383.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.		
Sample date:	27-AUG-12	Finding:	7.06
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dir:	0.		
Sample date:	23-JUL-12	Finding:	2.
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUL-12	Finding:	53.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUL-12	Finding:	2.9
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUL-12	Finding:	5.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-JUL-12	Finding:	13.4
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUN-12	Finding:	5.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-JUN-12	Finding:	14.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUN-12	Finding:	1.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUN-12	Finding:	62.2
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUN-12	Finding:	2.5
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	29-MAY-12	Finding:	4.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	29-MAY-12	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	29-MAY-12	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	29-MAY-12	Finding:	52.5
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	29-MAY-12	Finding:	2.3
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	29-MAY-12	Finding:	27.1
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	23-APR-12	Finding:	61.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-APR-12	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-APR-12	Finding:	13.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	23-APR-12	Finding:	5.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-APR-12	Finding:	13.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-APR-12	Finding:	2.4
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAR-12	Finding:	49.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAR-12	Finding:	1.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAR-12	Finding:	12.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAR-12	Finding:	5.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-MAR-12	Finding:	2.4
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-12	Finding:	14.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-12	Finding:	2.1
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-12	Finding:	1.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	27-FEB-12	Finding:	59.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-12	Finding:	27.4
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	27-FEB-12	Finding:	5.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	30-JAN-12	Finding:	11.
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	24-JAN-12	Finding:	24.2
Chemical:	MANGANESE	Report units:	UG/L
Dir:	20.		
Sample date:	24-JAN-12	Finding:	56.5
Chemical:	BARIUM	Report units:	UG/L
Dir:	100.		
Sample date:	24-JAN-12	Finding:	4.5
Chemical:	VANADIUM	Report units:	UG/L
Dir:	3.		
Sample date:	24-JAN-12	Finding:	7.4
Chemical:	ALUMINUM	Report units:	UG/L
Dir:	50.		
Sample date:	24-JAN-12	Finding:	5.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-JAN-12	Finding:	1.9
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JAN-12	Finding:	46.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JAN-12	Finding:	2.2
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JAN-12	Finding:	13.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

**7  
East  
1/4 - 1/2 Mile  
Higher**

**CA WELLS 2993**

Seq:	2993	Prim sta c:	02S/15W-04C02 S
Frds no:	1910146015	County:	19

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

District:	07	User id:	4TH
System no:	1910146	Water type:	G
Source nam:	SANTA MONICA WELL 03	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	340200.0	Longitude:	1182700.0
Precision:	8	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	1910146	System nam:	SANTA MONICA-CITY, WATER DIVISION
Hqname:	Not Reported	Address:	1212 FIFTH ST., 3RD FLOOR
City:	SANTA MONICA	State:	CA
Zip:	90401	Zip ext:	Not Reported
Pop serv:	86905	Connection:	15905
Area serve:	SANTA MONICA		
Sample date:	05-MAR-18	Finding:	2.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	05-MAR-18	Finding:	4.3
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	05-MAR-18	Finding:	4.3
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	05-MAR-18	Finding:	1.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	05-MAR-18	Finding:	7.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	05-FEB-18	Finding:	3.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	05-FEB-18	Finding:	8.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	05-FEB-18	Finding:	1.7
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	02-JAN-18	Finding:	1.1
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	02-JAN-18	Finding:	3.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	02-JAN-18	Finding:	8.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	02-JAN-18	Finding:	1.1

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Chemical: Dir:	CHLOROFORM (THM) 1.	Report units:	UG/L
Sample date: Chemical: Dir:	02-JAN-18 NITRATE (AS N) 0.4	Finding: Report units:	4.3 MG/L
Sample date: Chemical: Dir:	04-DEC-17 CHLOROFORM (THM) 1.	Finding: Report units:	1.1 UG/L
Sample date: Chemical: Dir:	04-DEC-17 TETRACHLOROETHYLENE 0.5	Finding: Report units:	8. UG/L
Sample date: Chemical: Dir:	04-DEC-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	3. UG/L
Sample date: Chemical: Dir:	06-NOV-17 CHLOROFORM (THM) 1.	Finding: Report units:	1.3 UG/L
Sample date: Chemical: Dir:	06-NOV-17 TETRACHLOROETHYLENE 0.5	Finding: Report units:	8.6 UG/L
Sample date: Chemical: Dir:	06-NOV-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	3.4 UG/L
Sample date: Chemical: Dir:	02-OCT-17 NITRATE (AS N) 0.4	Finding: Report units:	5.7 MG/L
Sample date: Chemical: Dir:	02-OCT-17 1,4-DIOXANE 1.	Finding: Report units:	1.1 UG/L
Sample date: Chemical: Dir:	02-OCT-17 CHLOROFORM (THM) 1.	Finding: Report units:	1.3 UG/L
Sample date: Chemical: Dir:	02-OCT-17 TETRACHLOROETHYLENE 0.5	Finding: Report units:	7.8 UG/L
Sample date: Chemical: Dir:	02-OCT-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	3.4 UG/L
Sample date: Chemical: Dir:	05-SEP-17 CHLOROFORM (THM) 1.	Finding: Report units:	1.3 UG/L
Sample date: Chemical: Dir:	05-SEP-17 TETRACHLOROETHYLENE 0.5	Finding: Report units:	6.1 UG/L
Sample date: Chemical: Dir:	05-SEP-17 TRICHLOROETHYLENE 0.5	Finding: Report units:	2.6 UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	28-AUG-17	Finding:	6.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	2.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	1.
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	28-AUG-17	Finding:	1.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-AUG-17	Finding:	6.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-AUG-17	Finding:	2.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JUL-17	Finding:	4.5
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	24-JUL-17	Finding:	5.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JUL-17	Finding:	2.5
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JUN-17	Finding:	1.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-JUN-17	Finding:	7.5
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JUN-17	Finding:	3.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-MAY-17	Finding:	6.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-MAY-17	Finding:	2.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-17	Finding:	1.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-APR-17	Finding:	7.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	27-APR-17	Finding:	3.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-APR-17	Finding:	1.1
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	24-APR-17	Finding:	5.3
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	27-MAR-17	Finding:	1.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-MAR-17	Finding:	6.5
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-MAR-17	Finding:	3.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-17	Finding:	1.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-FEB-17	Finding:	7.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-17	Finding:	3.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JAN-17	Finding:	4.9
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	23-JAN-17	Finding:	1.2
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	23-JAN-17	Finding:	2.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-JAN-17	Finding:	6.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JAN-17	Finding:	2.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-DEC-16	Finding:	3.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	26-DEC-16	Finding:	6.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-DEC-16	Finding:	1.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-NOV-16	Finding:	3.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-NOV-16	Finding:	6.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-NOV-16	Finding:	1.7
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-OCT-16	Finding:	5.
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	24-OCT-16	Finding:	1.7
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-OCT-16	Finding:	7.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-OCT-16	Finding:	3.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-OCT-16	Finding:	1.4
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	26-SEP-16	Finding:	7.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-SEP-16	Finding:	3.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-SEP-16	Finding:	1.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-AUG-16	Finding:	2.8
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	22-AUG-16	Finding:	2.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-AUG-16	Finding:	9.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	22-AUG-16	Finding:	0.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	3.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	2.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-AUG-16	Finding:	7.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-AUG-16	Finding:	2.9
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUL-16	Finding:	6.
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	25-JUL-16	Finding:	1.4
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	25-JUL-16	Finding:	1.6
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-JUL-16	Finding:	8.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUL-16	Finding:	3.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUN-16	Finding:	1.6
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-JUN-16	Finding:	9.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUN-16	Finding:	3.5
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAY-16	Finding:	2.5
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAY-16	Finding:	6.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	28-APR-16	Finding:	4.8
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	25-APR-16	Finding:	1.3
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	25-APR-16	Finding:	3.9
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-APR-16	Finding:	10.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-APR-16	Finding:	1.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-MAR-16	Finding:	4.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-MAR-16	Finding:	1.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-MAR-16	Finding:	11.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-FEB-16	Finding:	3.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-FEB-16	Finding:	9.4
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-FEB-16	Finding:	1.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-FEB-16	Finding:	5.3
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	25-JAN-16	Finding:	1.2
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	25-JAN-16	Finding:	3.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JAN-16	Finding:	9.4
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JAN-16	Finding:	1.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	1.		
Sample date:	25-JAN-16	Finding:	5.
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	28-DEC-15	Finding:	3.9
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-DEC-15	Finding:	11.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-DEC-15	Finding:	1.4
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	30-NOV-15	Finding:	3.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	30-NOV-15	Finding:	11.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	30-NOV-15	Finding:	1.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-OCT-15	Finding:	3.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-OCT-15	Finding:	1.4
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	26-OCT-15	Finding:	4.8
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	26-OCT-15	Finding:	11.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-SEP-15	Finding:	1.4
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dir:	0.		
Sample date:	28-SEP-15	Finding:	13.4
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-SEP-15	Finding:	1.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-SEP-15	Finding:	0.29
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dir:	0.		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	28-SEP-15	Finding:	8.
Chemical:	URANIUM (PCI/L)	Report units:	PCI/L
Dir:	1.		
Sample date:	28-SEP-15	Finding:	14.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-SEP-15	Finding:	1.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-SEP-15	Finding:	0.69
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	27-JUL-15	Finding:	1.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-JUL-15	Finding:	13.9
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUL-15	Finding:	1.6
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	27-JUL-15	Finding:	3.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-JUL-15	Finding:	21.7
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	22-JUN-15	Finding:	1.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-JUN-15	Finding:	3.2
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-JUN-15	Finding:	13.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAY-15	Finding:	1.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-MAY-15	Finding:	3.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAY-15	Finding:	12.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-15	Finding:	1.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	1.		
Sample date:	27-APR-15	Finding:	13.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-APR-15	Finding:	1.3
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	27-APR-15	Finding:	20.8
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	27-APR-15	Finding:	3.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAR-15	Finding:	1.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-MAR-15	Finding:	3.2
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-MAR-15	Finding:	14.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-FEB-15	Finding:	1298.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dir:	0.		
Sample date:	23-FEB-15	Finding:	440.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	23-FEB-15	Finding:	339.
Chemical:	ALKALINITY (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	414.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	606.
Chemical:	HARDNESS (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	145.
Chemical:	CALCIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	63.
Chemical:	MAGNESIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	74.8
Chemical:	SODIUM	Report units:	MG/L
Dir:	0.		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	23-FEB-15	Finding:	2.6
Chemical:	POTASSIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	90.2
Chemical:	CHLORIDE	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	267.
Chemical:	SULFATE	Report units:	MG/L
Dir:	0.5		
Sample date:	23-FEB-15	Finding:	0.37
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dir:	0.1		
Sample date:	23-FEB-15	Finding:	51.6
Chemical:	BARIUM	Report units:	UG/L
Dir:	100.		
Sample date:	23-FEB-15	Finding:	2.2
Chemical:	CHROMIUM (TOTAL)	Report units:	UG/L
Dir:	10.		
Sample date:	23-FEB-15	Finding:	30.8
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	23-FEB-15	Finding:	5.5
Chemical:	MANGANESE	Report units:	UG/L
Dir:	20.		
Sample date:	23-FEB-15	Finding:	8.6
Chemical:	MOLYBDENUM	Report units:	UG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	4.4
Chemical:	VANADIUM	Report units:	UG/L
Dir:	3.		
Sample date:	23-FEB-15	Finding:	1.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-FEB-15	Finding:	16.3
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-FEB-15	Finding:	3.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-FEB-15	Finding:	931.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	0.22
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dir:	0.1		
Sample date:	23-FEB-15	Finding:	7.4
Chemical:	PH, LABORATORY	Report units:	Not Reported

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.		
Sample date:	26-JAN-15	Finding:	1.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-JAN-15	Finding:	1.2
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	26-JAN-15	Finding:	2.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-JAN-15	Finding:	1.1
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	26-JAN-15	Finding:	16.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-DEC-14	Finding:	2.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-DEC-14	Finding:	15.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-DEC-14	Finding:	1.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-DEC-14	Finding:	1.1
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	24-NOV-14	Finding:	1.1
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	24-NOV-14	Finding:	2.2
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-NOV-14	Finding:	18.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-NOV-14	Finding:	1.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-OCT-14	Finding:	36.
Chemical:	SILICA	Report units:	MG/L
Dir:	0.		
Sample date:	27-OCT-14	Finding:	1.4
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	27-OCT-14	Finding:	0.93
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	27-OCT-14	Finding:	1.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-OCT-14	Finding:	17.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-OCT-14	Finding:	20.5
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	22-SEP-14	Finding:	1.
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	22-SEP-14	Finding:	0.92
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-SEP-14	Finding:	16.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-AUG-14	Finding:	0.81
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	25-AUG-14	Finding:	0.62
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-AUG-14	Finding:	1.9
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	25-AUG-14	Finding:	1.9
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dir:	1.		
Sample date:	25-AUG-14	Finding:	18.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-APR-13	Finding:	28.1
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	22-APR-13	Finding:	6.
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-APR-13	Finding:	11.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-APR-13	Finding:	2.4
Chemical:	CHLOROFORM (THM)	Report units:	UG/L



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	1.		
Sample date:	22-APR-13	Finding:	6.6
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	25-MAR-13	Finding:	2.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-MAR-13	Finding:	5.9
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-MAR-13	Finding:	11.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-FEB-13	Finding:	6.9
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-FEB-13	Finding:	13.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-FEB-13	Finding:	2.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-JAN-13	Finding:	7.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JAN-13	Finding:	15.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	28-JAN-13	Finding:	2.7
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	28-JAN-13	Finding:	29.2
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	28-JAN-13	Finding:	6.2
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	24-DEC-12	Finding:	7.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-DEC-12	Finding:	2.8
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-DEC-12	Finding:	16.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	26-NOV-12	Finding:	29.4
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	26-NOV-12	Finding:	2.9
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-NOV-12	Finding:	15.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-NOV-12	Finding:	0.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-NOV-12	Finding:	7.8
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-OCT-12	Finding:	8.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-OCT-12	Finding:	0.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-OCT-12	Finding:	17.8
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	22-OCT-12	Finding:	3.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	22-OCT-12	Finding:	7.9
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	24-SEP-12	Finding:	8.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-SEP-12	Finding:	0.8
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-SEP-12	Finding:	16.7
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-SEP-12	Finding:	3.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-AUG-12	Finding:	15.
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	0.68
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	27-AUG-12	Finding:	7.1
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	2.5
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	1258.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dir:	0.		
Sample date:	27-AUG-12	Finding:	7.2
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dir:	0.		
Sample date:	27-AUG-12	Finding:	311.
Chemical:	ALKALINITY (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	379.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	534.
Chemical:	HARDNESS (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	129.
Chemical:	CALCIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	52.
Chemical:	MAGNESIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	77.6
Chemical:	SODIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	2.4
Chemical:	POTASSIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	84.4
Chemical:	CHLORIDE	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	229.
Chemical:	SULFATE	Report units:	MG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	0.33
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dir:	0.1		
Sample date:	27-AUG-12	Finding:	3.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	27-AUG-12	Finding:	14.5
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	7.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-AUG-12	Finding:	848.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	28.4
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	27-AUG-12	Finding:	9.e-002
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dir:	0.1		
Sample date:	27-AUG-12	Finding:	2.5
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-JUL-12	Finding:	7.2
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	23-JUL-12	Finding:	11.2
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUL-12	Finding:	0.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUL-12	Finding:	6.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-JUL-12	Finding:	2.9
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-JUN-12	Finding:	14.9
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	25-JUN-12	Finding:	3.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	25-JUN-12	Finding:	8.3
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	29-MAY-12	Finding:	3.
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	29-MAY-12	Finding:	13.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	29-MAY-12	Finding:	0.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	29-MAY-12	Finding:	32.5
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	29-MAY-12	Finding:	7.5
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-APR-12	Finding:	7.5
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-APR-12	Finding:	0.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-APR-12	Finding:	14.1
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	23-APR-12	Finding:	4.3
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	23-APR-12	Finding:	3.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	23-APR-12	Finding:	0.6
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAR-12	Finding:	0.6
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAR-12	Finding:	0.7
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAR-12	Finding:	14.5
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	26-MAR-12	Finding:	3.2
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	26-MAR-12	Finding:	7.7
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	27-FEB-12	Finding:	8.6
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	27-FEB-12	Finding:	29.4
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	27-FEB-12	Finding:	3.3
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	27-FEB-12	Finding:	16.6
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	30-JAN-12	Finding:	4.2
Chemical:	1,4-DIOXANE	Report units:	UG/L
Dir:	1.		
Sample date:	24-JAN-12	Finding:	3.1
Chemical:	CHROMIUM (TOTAL)	Report units:	UG/L
Dir:	10.		
Sample date:	24-JAN-12	Finding:	49.2
Chemical:	BARIUM	Report units:	UG/L
Dir:	100.		
Sample date:	24-JAN-12	Finding:	4.6
Chemical:	MANGANESE	Report units:	UG/L
Dir:	20.		
Sample date:	24-JAN-12	Finding:	5.
Chemical:	VANADIUM	Report units:	UG/L
Dir:	3.		
Sample date:	24-JAN-12	Finding:	3.1
Chemical:	CHLOROFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-JAN-12	Finding:	13.9
Chemical:	TETRACHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JAN-12	Finding:	7.4
Chemical:	TRICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JAN-12	Finding:	0.6
Chemical:	CIS-1,2-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		
Sample date:	24-JAN-12	Finding:	0.6
Chemical:	1,1-DICHLOROETHYLENE	Report units:	UG/L
Dir:	0.5		

**8**  
**SW**  
**1/4 - 1/2 Mile**  
**Lower**

**CA WELLS      CADW60000036070**

Objectid:	36070	Latitude:	34.029887
Longitude:	-118.466023	Site code:	340300N1184683W007
State well number:	Not Reported	Local well name:	'GW-20-6'
Well use id:	1	Well use descrip:	Observation

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

County id:	19	County name:	Los Angeles
Basin code:	'4-11.01'	Basin desc:	Santa Monica
Dwr region id:	80238	Dwr region:	Southern Region Office
Site id:	CADW60000036070		

**C9  
West  
1/4 - 1/2 Mile  
Higher**

**CA WELLS 1510**

Seq:	1510	Prim sta c:	01S/15W-32A05 S
Frds no:	1910146003	County:	19
District:	07	User id:	4TH
System no:	1910146	Water type:	G
Source nam:	ARCADIA WELL 04	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	340200.0	Longitude:	1182800.0
Precision:	8	Status:	AR
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		
System no:	1910146	System nam:	SANTA MONICA-CITY, WATER DIVISION
Hqname:	Not Reported	Address:	1212 FIFTH ST., 3RD FLOOR
City:	SANTA MONICA	State:	CA
Zip:	90401	Zip ext:	Not Reported
Pop serv:	86905	Connection:	15905
Area serve:	SANTA MONICA		
Sample date:	05-MAR-18	Finding:	4.3
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	05-MAR-18	Finding:	4.3
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	02-OCT-17	Finding:	19.1
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	02-OCT-17	Finding:	6.8
Chemical:	MANGANESE	Report units:	UG/L
Dir:	20.		
Sample date:	28-AUG-17	Finding:	0.67
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	24-JUL-17	Finding:	27.4
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	24-JUL-17	Finding:	4.2
Chemical:	MANGANESE	Report units:	UG/L
Dir:	20.		
Sample date:	24-APR-17	Finding:	4.8
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	24-APR-17	Finding:	0.7
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	24-APR-17	Finding:	25.3
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	16-MAR-16	Finding:	4.8
Chemical:	NITRATE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	26-OCT-15	Finding:	81.5
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	24-AUG-15	Finding:	0.81
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	24-FEB-15	Finding:	21.9
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	24-FEB-15	Finding:	490.
Chemical:	NITRATE + NITRITE (AS N)	Report units:	MG/L
Dir:	0.4		
Sample date:	23-FEB-15	Finding:	321.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	517.
Chemical:	HARDNESS (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	118.
Chemical:	CALCIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	50.8
Chemical:	MAGNESIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	72.8
Chemical:	SODIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	2.7
Chemical:	POTASSIUM	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	115.
Chemical:	CHLORIDE	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	192.
Chemical:	SULFATE	Report units:	MG/L
Dir:	0.5		
Sample date:	23-FEB-15	Finding:	0.31
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L



## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.1		
Sample date:	23-FEB-15	Finding:	67.
Chemical:	BARIUM	Report units:	UG/L
Dir:	100.		
Sample date:	23-FEB-15	Finding:	2.1
Chemical:	CHROMIUM (TOTAL)	Report units:	UG/L
Dir:	10.		
Sample date:	23-FEB-15	Finding:	59.
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	23-FEB-15	Finding:	3.1
Chemical:	MOLYDBENDUM	Report units:	UG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	790.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	0.51
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dir:	0.1		
Sample date:	23-FEB-15	Finding:	263.
Chemical:	ALKALINITY (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	23-FEB-15	Finding:	1162.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dir:	0.		
Sample date:	23-FEB-15	Finding:	7.1
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dir:	0.		
Sample date:	26-AUG-14	Finding:	0.75
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	29-OCT-13	Finding:	21.5
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	26-AUG-13	Finding:	0.78
Chemical:	RADIUM 228 MDA95	Report units:	PCI/L
Dir:	0.		
Sample date:	26-AUG-13	Finding:	1.5
Chemical:	CHROMIUM, HEXAVALENT	Report units:	UG/L
Dir:	1.		
Sample date:	26-AUG-13	Finding:	1.05
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dir:	0.		
Sample date:	26-AUG-13	Finding:	0.42
Chemical:	RADIUM 226 MDA95	Report units:	PCI/L
Dir:	0.		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Sample date:	26-AUG-13	Finding:	0.7
Chemical:	TOTAL TRIHALOMETHANES	Report units:	UG/L
Dir:	0.		
Sample date:	22-JUL-13	Finding:	21.7
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	22-JUL-13	Finding:	26.6
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	22-APR-13	Finding:	0.209
Chemical:	GROSS ALPHA COUNTING ERROR	Report units:	PCI/L
Dir:	0.		
Sample date:	22-APR-13	Finding:	33.
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	22-APR-13	Finding:	1.6e-002
Chemical:	GROSS ALPHA MDA95	Report units:	PCI/L
Dir:	0.		
Sample date:	28-JAN-13	Finding:	20.1
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	28-JAN-13	Finding:	9.8
Chemical:	MANGANESE	Report units:	UG/L
Dir:	20.		
Sample date:	28-JAN-13	Finding:	30.8
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	24-SEP-12	Finding:	3.9
Chemical:	MANGANESE	Report units:	UG/L
Dir:	20.		
Sample date:	24-SEP-12	Finding:	24.
Chemical:	IRON	Report units:	UG/L
Dir:	100.		
Sample date:	24-SEP-12	Finding:	88.8
Chemical:	BARIUM	Report units:	UG/L
Dir:	100.		
Sample date:	24-SEP-12	Finding:	20.7
Chemical:	NITRATE (AS NO3)	Report units:	MG/L
Dir:	2.		
Sample date:	24-SEP-12	Finding:	1.1
Chemical:	BROMOFORM (THM)	Report units:	UG/L
Dir:	1.		
Sample date:	24-SEP-12	Finding:	2.3
Chemical:	SILVER	Report units:	UG/L
Dir:	10.		
Sample date:	27-AUG-12	Finding:	188.
Chemical:	SULFATE	Report units:	MG/L

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Dir:	0.5		
Sample date:	27-AUG-12	Finding:	0.3
Chemical:	FLUORIDE (F) (NATURAL-SOURCE)	Report units:	MG/L
Dir:	0.1		
Sample date:	27-AUG-12	Finding:	776.
Chemical:	TOTAL DISSOLVED SOLIDS	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	0.23
Chemical:	TURBIDITY, LABORATORY	Report units:	NTU
Dir:	0.1		
Sample date:	27-AUG-12	Finding:	117.
Chemical:	CHLORIDE	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	2.6
Chemical:	POTASSIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	73.8
Chemical:	SODIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	48.4
Chemical:	MAGNESIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	115.
Chemical:	CALCIUM	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	491.
Chemical:	HARDNESS (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	327.
Chemical:	BICARBONATE ALKALINITY	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	268.
Chemical:	ALKALINITY (TOTAL) AS CaCO3	Report units:	MG/L
Dir:	0.		
Sample date:	27-AUG-12	Finding:	1173.
Chemical:	SPECIFIC CONDUCTANCE	Report units:	US
Dir:	0.		
Sample date:	27-AUG-12	Finding:	7.16
Chemical:	PH, LABORATORY	Report units:	Not Reported
Dir:	0.		

**C10  
West  
1/4 - 1/2 Mile  
Higher**

**CA WELLS 1513**

Seq:	1513	Prim sta c:	01S/15W-33D04 S
Frds no:	1910146002	County:	19

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

District:	07	User id:	4TH
System no:	1910146	Water type:	G
Source nam:	ARCADIA WELL 03 - DESTROYED	Station ty:	WELL/AMBNT/MUN/INTAKE/SUPPLY
Latitude:	340200.0	Longitude:	1182800.0
Precision:	8	Status:	DS
Comment 1:	Not Reported	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1910146	System nam:	SANTA MONICA-CITY, WATER DIVISION
Hqname:	Not Reported	Address:	1212 FIFTH ST., 3RD FLOOR
City:	SANTA MONICA	State:	CA
Zip:	90401	Zip ext:	Not Reported
Pop serv:	86905	Connection:	15905
Area serve:	SANTA MONICA		

**C11  
West  
1/4 - 1/2 Mile  
Higher**

**CA WELLS    22904**

Seq:	22904	Prim sta c:	G19/146-VOAEEF1
Frds no:	1910146021	County:	19
District:	07	User id:	4TH
System no:	1910146	Water type:	G
Source nam:	ARCADIA TREATMENT PLANT - TREATED	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	340200.0	Longitude:	1182800.0
Precision:	5	Status:	CT
Comment 1:	TDS REDUCTION AND VOC REMOVAL	Comment 2:	Not Reported
Comment 3:	Not Reported	Comment 4:	Not Reported
Comment 5:	Not Reported	Comment 6:	Not Reported
Comment 7:	Not Reported		

System no:	1910146	System nam:	SANTA MONICA-CITY, WATER DIVISION
Hqname:	Not Reported	Address:	1212 FIFTH ST., 3RD FLOOR
City:	SANTA MONICA	State:	CA
Zip:	90401	Zip ext:	Not Reported
Pop serv:	86905	Connection:	15905
Area serve:	SANTA MONICA		

**12  
SW  
1/2 - 1 Mile  
Lower**

**FED USGS    USGS40000139894**

Organization ID:	USGS-CA	Type:	Well
Organization Name:	USGS California Water Science Center	HUC:	18070104
Monitor Location:	002S015W04E002S	Drainage Area Units:	Not Reported
Description:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Drainage Area:	Not Reported	Aquifer Type:	Not Reported
Contrib Drainage Area:	Not Reported	Construction Date:	Not Reported
Aquifer:	California Coastal Basin aquifers	Well Depth:	310
Formation Type:	Not Reported	Well Hole Depth:	480
Construction Date:	Not Reported		
Well Depth Units:	ft		
Well Hole Depth Units:	ft		

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**13**  
**WSW**  
**1/2 - 1 Mile**  
**Higher**

**CA WELLS      CADW60000036111**

Objectid:	36111	Latitude:	34.03144
Longitude:	-118.468014	Site code:	340300N1184683W003
State well numbe:	Not Reported	Local well name:	'OB-7'
Well use id:	1	Well use descrip:	Observation
County id:	19	County name:	Los Angeles
Basin code:	'4-11.01'	Basin desc:	Santa Monica
Dwr region id:	80238	Dwr region:	Southern Region Office
Site id:	CADW60000036111		

**D14**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**CA WELLS      1507**

Seq:	1507	Prim sta c:	01S/15W-04C01 S
Frds no:	1910146020	County:	19
District:	07	User id:	4TH
System no:	1910146	Water type:	G
Source nam:	SANTA MONICA WELL 07	Station ty:	WELL/AMBNT/MUN/INTAKE
Latitude:	340145.0	Longitude:	1182800.0
Precision:	3	Status:	AR
Comment 1:	CENTER MEDIAN STRIP OF OLYMPIC BLVD., 500' W OF STEWART ST., SANTA	Comment 3:	Not Reported
Comment 2:	MONICA CA	Comment 5:	Not Reported
Comment 4:	Not Reported	Comment 7:	Not Reported
Comment 6:	Not Reported		
System no:	1910146	System nam:	SANTA MONICA-CITY, WATER DIVISION
Hqname:	Not Reported	Address:	1212 FIFTH ST., 3RD FLOOR
City:	SANTA MONICA	State:	CA
Zip:	90401	Zip ext:	Not Reported
Pop serv:	86905	Connection:	15905
Area serve:	SANTA MONICA		

**D15**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**CA WELLS      CADW60000036113**

Objectid:	36113	Latitude:	34.028829
Longitude:	-118.467383	Site code:	340300N1184263W002
State well numbe:	Not Reported	Local well name:	'MW-11'
Well use id:	1	Well use descrip:	Observation
County id:	19	County name:	Los Angeles
Basin code:	'4-11.01'	Basin desc:	Santa Monica
Dwr region id:	80238	Dwr region:	Southern Region Office
Site id:	CADW60000036113		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance  
Elevation

Database      EDR ID Number

**16**  
**NW**  
**1/2 - 1 Mile**  
**Higher**

**CA WELLS      14092**

Seq: 14092  
Frds no: 1900703001  
District: 15  
System no: 1900703  
Source nam: WELL 01  
Latitude: 340220.0  
Precision: 5  
Comment 1: Not Reported  
Comment 3: Not Reported  
Comment 5: Not Reported  
Comment 7: Not Reported

Prim sta c: 1900703-001  
County: 19  
User id: MET  
Water type: G  
Station ty: WELL/AMBNT  
Longitude: 1182800.0  
Status: AR  
Comment 2: Not Reported  
Comment 4: Not Reported  
Comment 6: Not Reported

System no: 1900703  
Hqname: Not Reported  
City: Not Reported  
Zip: Not Reported  
Pop serv: 25  
Area serve: Not Reported

System nam: SANTA MONICA MOUNTAINS CONSERVANCY -  
Address: Not Reported  
State: Not Reported  
Zip ext: Not Reported  
Connection: 0

**17**  
**SW**  
**1/2 - 1 Mile**  
**Lower**

**CA WELLS      2995**

Seq: 2995  
Frds no: 1910146014  
District: 07  
System no: 1910146  
Source nam: SANTA MONICA WELL 02A - INACTIVE  
Latitude: 340138.0  
Precision: 3  
Comment 1: Not Reported  
Comment 3: Not Reported  
Comment 5: Not Reported  
Comment 7: Not Reported

Prim sta c: 02S/15W-05H01 S  
County: 19  
User id: 4TH  
Water type: G  
Station ty: WELL/AMBNT  
Longitude: 1182801.0  
Status: IR  
Comment 2: Not Reported  
Comment 4: Not Reported  
Comment 6: Not Reported

System no: 1910146  
Hqname: Not Reported  
City: SANTA MONICA  
Zip: 90401  
Pop serv: 86905  
Area serve: SANTA MONICA

System nam: SANTA MONICA-CITY, WATER DIVISION  
Address: 1212 FIFTH ST., 3RD FLOOR  
State: CA  
Zip ext: Not Reported  
Connection: 15905

**18**  
**WSW**  
**1/2 - 1 Mile**  
**Lower**

**CA WELLS      CADW60000036069**

Objectid: 36069  
Longitude: -118.469727  
State well numbe: Not Reported  
Well use id: 1  
County id: 19

Latitude: 34.029141  
Site code: 340300N1184683W006  
Local well name: 'GW-19-5'  
Well use descrip: Observation  
County name: Los Angeles

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Basin code:	'4-11.01'	Basin desc:	Santa Monica
Dwr region id:	80238	Dwr region:	Southern Region Office
Site id:	CADW60000036069		

**19**  
**WSW**  
**1/2 - 1 Mile**  
**Lower**

**CA WELLS    CADW60000036066**

Objectid:	36066	Latitude:	34.030364
Longitude:	-118.471022	Site code:	340300N1184683W002
State well numbe:	Not Reported	Local well name:	'OB-4'
Well use id:	1	Well use descrip:	Observation
County id:	19	County name:	Los Angeles
Basin code:	'4-11.01'	Basin desc:	Santa Monica
Dwr region id:	80238	Dwr region:	Southern Region Office
Site id:	CADW60000036066		

**20**  
**NNW**  
**1/2 - 1 Mile**  
**Higher**

**FED USGS    USGS40000140029**

Organization ID:	USGS-CA	Type:	Well
Organization Name:	USGS California Water Science Center	HUC:	18070105
Monitor Location:	001S015W32A005S	Drainage Area Units:	Not Reported
Description:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Drainage Area:	Not Reported	Aquifer Type:	Not Reported
Contrib Drainage Area:	Not Reported	Well Depth:	218
Aquifer:	California Coastal Basin aquifers	Well Hole Depth:	235
Formation Type:	Not Reported		
Construction Date:	Not Reported		
Well Depth Units:	ft		
Well Hole Depth Units:	ft		

**21**  
**West**  
**1/2 - 1 Mile**  
**Lower**

**CA WELLS    CADW60000036110**

Objectid:	36110	Latitude:	34.031798
Longitude:	-118.473111	Site code:	340300N1184683W001
State well numbe:	Not Reported	Local well name:	'OB-5'
Well use id:	1	Well use descrip:	Observation
County id:	19	County name:	Los Angeles
Basin code:	'4-11.01'	Basin desc:	Santa Monica
Dwr region id:	80238	Dwr region:	Southern Region Office
Site id:	CADW60000036110		

**22**  
**WSW**  
**1/2 - 1 Mile**  
**Lower**

**CA WELLS    CADW60000036068**

Objectid:	36068	Latitude:	34.028051
Longitude:	-118.473689	Site code:	340300N1184683W005
State well numbe:	Not Reported	Local well name:	'OB-6C'

## GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well use id:	1	Well use descrip:	Observation
County id:	19	County name:	Los Angeles
Basin code:	'4-11.01'	Basin desc:	Santa Monica
Dwr region id:	80238	Dwr region:	Southern Region Office
Site id:	CADW60000036068		

**1G**  
**SSW**  
**1/8 - 1/4 Mile**  
**Lower**

Site ID:	900570061
Groundwater Flow:	Not Reported
Shallow Water Depth:	8.37
Deep Water Depth:	12
Average Water Depth:	Not Reported
Date:	08/07/1996

**AQUIFLOW 55200**



# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database EDR ID Number

**1**  
**SW**  
**1/8 - 1/4 Mile**

**OIL\_GAS CAOG11000204881**

Districtnu:	1	Apinumber:	03705734
Blmwell:	N	Redrillcan:	Not Reported
Dryhole:	Y	Wellstatus:	P
Operatorna:	Occidental Petroleum Corporation	Countyname:	Los Angeles
Fieldname:	Any Field	Areaname:	Any Area
Section:	4	Township:	02S
Range:	15W	Basemeridi:	SB
Elevation:	Not Reported	Locationde:	Not Reported
Gissourcec:	hud	Comments:	Not Reported
Leasename:	Centinelah Eh	Wellnumber:	1
Epawell:	N	Hydraulica:	N
Confidenti:	N	Spuddate:	Not Reported
Welldeptha:	0	Redrillfoo:	0
Abandonedd:	Not Reported	Completion:	Not Reported
Directiona:	Directionally drilled	Gissymbol:	PDH
Site id:	CAOG11000204881		

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: CA Radon

### Radon Test Results

Zipcode	Num Tests	> 4 pCi/L
90025	94	6

Federal EPA Radon Zone for LOS ANGELES County: 2

- Note: Zone 1 indoor average level > 4 pCi/L.  
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.  
 : Zone 3 indoor average level < 2 pCi/L.

---

### Federal Area Radon Information for LOS ANGELES COUNTY, CA

Number of sites tested: 63

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.711 pCi/L	98%	2%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	0.933 pCi/L	100%	0%	0%

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

### USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

### Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

### State Wetlands Data: Wetland Inventory

Source: Department of Fish and Wildlife

Telephone: 916-445-0411

## HYDROGEOLOGIC INFORMATION

### AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

### Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

### SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

### STATE RECORDS

#### Water Well Database

Source: Department of Water Resources

Telephone: 916-651-9648

#### California Drinking Water Quality Database

Source: Department of Public Health

Telephone: 916-324-2319

The database includes all drinking water compliance and special studies monitoring for the state of California since 1984. It consists of over 3,200,000 individual analyses along with well and water system information.

## OTHER STATE DATABASE INFORMATION

#### California Oil and Gas Well Locations

Source: Department of Conservation

Telephone: 916-323-1779

Oil and Gas well locations in the state.

### RADON

#### State Database: CA Radon

Source: Department of Health Services

Telephone: 916-324-2208

Radon Database for California

#### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

#### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### OTHER

Airport Landing Facilities: Private and public use landing facilities  
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater  
Source: Department of Commerce, National Oceanic and Atmospheric Administration

California Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary fault lines, prepared in 1975 by the United State Geological Survey. Additional information (also from 1975) regarding activity at specific fault lines comes from California's Preliminary Fault Activity Map prepared by the California Division of Mines and Geology.

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.



# APPENDIX E

## Noise Report





***Construction Noise Modeling  
Input / Output Files***



Roadway Construction Noise Model (RCNM), Version 1.1

Report date: 10/10/2019  
 Case Description: LADWP West Yard\_ Demolition

---- Receptor #1 ----

		Baselines (dBA)		
Description	Land Use	Daytime	Evening	Night
Nearest Receiver 75'	Residential	65	60	55

Description	Impact Device	Usage(%)	Equipment		Receptor Distance (feet)	Estimated Shielding (dBA)
			Spec Lmax (dBA)	Actual Lmax (dBA)		
Concrete Saw	No	20		89.6	75	0
Concrete Saw	No	20		89.6	100	0
Concrete Saw	No	20		89.6	150	0
Excavator	No	40		80.7	85	0
Excavator	No	40		80.7	150	0
Excavator	No	40		80.7	300	0
Dozer	No	40		81.7	200	0
Dozer	No	40		81.7	250	0
Dozer	No	40		81.7	125	0
Dozer	No	40		81.7	300	0

Results

Equipment	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day	Leq	Evening	
			Lmax		Lmax	Leq
Concrete Saw	86.1	79.1	N/A	N/A	N/A	N/A
Concrete Saw	83.6	76.6	N/A	N/A	N/A	N/A
Concrete Saw	80	73	N/A	N/A	N/A	N/A
Excavator	76.1	72.1	N/A	N/A	N/A	N/A
Excavator	71.2	67.2	N/A	N/A	N/A	N/A
Excavator	65.1	61.2	N/A	N/A	N/A	N/A
Dozer	69.6	65.6	N/A	N/A	N/A	N/A
Dozer	67.7	63.7	N/A	N/A	N/A	N/A
Dozer	73.7	69.7	N/A	N/A	N/A	N/A
Dozer	66.1	62.1	N/A	N/A	N/A	N/A
Total	86.1	82.7	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

---- Receptor #2 ----

		Baselines (dBA)		
Description	Land Use	Daytime	Evening	Night
Typical Receiver 300'	Residential	65	60	55

Description	Impact Device	Usage(%)	Equipment		Receptor Distance (feet)	Estimated Shielding (dBA)
			Spec Lmax (dBA)	Actual Lmax (dBA)		
Concrete Saw	No	20		89.6	300	0
Concrete Saw	No	20		89.6	300	0
Concrete Saw	No	20		89.6	300	0
Excavator	No	40		80.7	300	0
Excavator	No	40		80.7	300	0
Excavator	No	40		80.7	300	0

Dozer	No	40	81.7	300	0
Dozer	No	40	81.7	300	0
Dozer	No	40	81.7	300	0
Dozer	No	40	81.7	300	0

Equipment	Results					
	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day	Leq	Evening	
Lmax			Lmax		Leq	
Concrete Saw	74	67	N/A	N/A	N/A	N/A
Concrete Saw	74	67	N/A	N/A	N/A	N/A
Concrete Saw	74	67	N/A	N/A	N/A	N/A
Excavator	65.1	61.2	N/A	N/A	N/A	N/A
Excavator	65.1	61.2	N/A	N/A	N/A	N/A
Excavator	65.1	61.2	N/A	N/A	N/A	N/A
Dozer	66.1	62.1	N/A	N/A	N/A	N/A
Dozer	66.1	62.1	N/A	N/A	N/A	N/A
Dozer	66.1	62.1	N/A	N/A	N/A	N/A
Dozer	66.1	62.1	N/A	N/A	N/A	N/A
Total	74	74.1	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

Roadway Construction Noise Model (RCNM), Version 1.1

Report date: 10/10/2019  
Case Description: LADWP West Yard\_ Site Preparation

		---- Receptor #1 ----				
		Baselines (dBA)				
Description	Land Use	Daytime	Evening	Night		
Nearest Receiver 75'	Residential	65	60	55		
		Equipment				
Description	Device	Usage(%)	Spec	Actual	Receptor	Estimated
			Lmax (dBA)	Lmax (dBA)	Distance (feet)	Shielding (dBA)
Dozer	No	40		81.7	75	0
Dozer	No	40		81.7	100	0
Front End Loader	No	40		79.1	150	0
Tractor	No	40	84		200	0

Equipment	Results					
	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day	Leq	Evening	
Lmax			Lmax		Leq	
Dozer	78.1	74.2	N/A	N/A	N/A	N/A
Dozer	75.6	71.7	N/A	N/A	N/A	N/A
Front End Loader	69.6	65.6	N/A	N/A	N/A	N/A
Tractor	72	68	N/A	N/A	N/A	N/A
Total	78.1	77.1	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

		---- Receptor #2 ----		
		Baselines (dBA)		
Description	Land Use	Daytime	Evening	Night

Typical Receiver 300'	Residential	65	60	55		
Equipment						
Description	Impact Device	Usage(%)	Spec	Actual	Receptor	Estimated
			Lmax (dBA)	Lmax (dBA)	Distance (feet)	Shielding (dBA)
Dozer	No	40		81.7	300	0
Dozer	No	40		81.7	300	0
Front End Loader	No	40		79.1	300	0
Tractor	No	40	84		300	0

Results						
Calculated (dBA)			Noise Limits (dBA)			
Equipment	*Lmax	Leq	Day		Evening	
			Lmax	Leq	Lmax	Leq
Dozer	66.1	62.1	N/A	N/A	N/A	N/A
Dozer	66.1	62.1	N/A	N/A	N/A	N/A
Front End Loader	66.1	62.1	N/A	N/A	N/A	N/A
Tractor	68.4	64.5	N/A	N/A	N/A	N/A
Total	68.4	70.8	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

Roadway Construction Noise Model (RCNM), Version 1.1

Report date: 10/10/2019  
Case Description: LADWP West Yard\_ Grading 1\_ Shoring 1

---- Receptor #1 ----						
Baselines (dBA)						
Description	Land Use	Daytime	Evening	Night		
Nearest Receiver 75'	Residential	65	60	55		

Equipment						
Description	Impact Device	Usage(%)	Spec	Actual	Receptor	Estimated
			Lmax (dBA)	Lmax (dBA)	Distance (feet)	Shielding (dBA)
Drill Rig Truck	No	20		79.1	75	0
Crane	No	16		80.6	100	0

Results						
Calculated (dBA)			Noise Limits (dBA)			
Equipment	*Lmax	Leq	Day		Evening	
			Lmax	Leq	Lmax	Leq
Drill Rig Truck	75.6	68.6	N/A	N/A	N/A	N/A
Crane	74.5	66.6	N/A	N/A	N/A	N/A
Total	75.6	70.7	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

---- Receptor #2 ----						
Baselines (dBA)						
Description	Land Use	Daytime	Evening	Night		
Typical Receiver 300'	Residential	65	60	55		

Equipment			
Spec	Actual	Receptor	Estimated

Description	Impact Device	Usage(%)	Lmax (dBA)	Lmax (dBA)	Distance (feet)	Shielding (dBA)
Drill Rig Truck	No	20		79.1	300	0
Crane	No	16		80.6	300	0

Equipment	Results					
	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day Lmax	Leq	Evening Lmax	Leq
Drill Rig Truck	63.6	56.6	N/A	N/A	N/A	N/A
Crane	65	57	N/A	N/A	N/A	N/A
Total	65	59.8	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

### Roadway Construction Noise Model (RCNM), Version 1.1

Report date: 10/10/2019  
Case Description: LADWP West Yard\_ Grading 2\_Excavation

#### ---- Receptor #1 ----

Description	Land Use	Baselines (dBA)		
		Daytime	Evening	Night
Nearest Receiver 75'	Residential	65	60	55

Description	Impact Device	Usage(%)	Equipment			
			Spec Lmax (dBA)	Actual Lmax (dBA)	Receptor Distance (feet)	Estimated Shielding (dBA)
			Lmax (dBA)	Lmax (dBA)	Distance (feet)	Shielding (dBA)
Excavator	No	40		80.7	75	0
Excavator	No	40		80.7	100	0
Grader	No	40	85		150	0
Grader	No	40	85		85	0
Dozer	No	40		81.7	150	0
Dozer	No	40		81.7	200	0
Front End Loader	No	40		79.1	300	0
Front End Loader	No	40		79.1	250	0
Backhoe	No	40		77.6	250	0
Front End Loader	No	40		79.1	150	0
Tractor	No	40	84		100	0

Equipment	Results					
	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day Lmax	Leq	Evening Lmax	Leq
Excavator	77.2	73.2	N/A	N/A	N/A	N/A
Excavator	74.7	70.7	N/A	N/A	N/A	N/A
Grader	75.5	71.5	N/A	N/A	N/A	N/A
Grader	80.4	76.4	N/A	N/A	N/A	N/A
Dozer	72.1	68.1	N/A	N/A	N/A	N/A
Dozer	69.6	65.6	N/A	N/A	N/A	N/A
Front End Loader	63.5	59.6	N/A	N/A	N/A	N/A
Front End Loader	65.1	61.2	N/A	N/A	N/A	N/A
Backhoe	63.6	59.6	N/A	N/A	N/A	N/A
Front End Loader	69.6	65.6	N/A	N/A	N/A	N/A

Tractor		78	74	N/A	N/A	N/A	N/A
Total		80.4	81.2	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

---- Receptor #2 ----

		Baselines (dBA)		
Description	Land Use	Daytime	Evening	Night
Typical Receiver 300'	Residential	65	60	55

Description	Impact Device	Usage(%)	Equipment		Receptor Distance (feet)	Estimated Shielding (dBA)
			Spec Lmax (dBA)	Actual Lmax (dBA)		
Excavator	No	40		80.7	300	0
Excavator	No	40		80.7	300	0
Grader	No	40	85		300	0
Grader	No	40	85		300	0
Dozer	No	40		81.7	300	0
Dozer	No	40		81.7	300	0
Front End Loader	No	40		79.1	0	0
Front End Loader	No	40		79.1	0	0
Backhoe	No	40		77.6	0	0
Front End Loader	No	40		79.1	0	0
Tractor	No	40	84		0	0

Results

Equipment	Calculated (dBA)		Noise Limits (dBA)			
	*Lmax	Leq	Day		Evening	
			Lmax	Leq	Lmax	Leq
Excavator	65.1	61.2	N/A	N/A	N/A	N/A
Excavator	69.4	65.5	N/A	N/A	N/A	N/A
Grader	66.1	62.1	N/A	N/A	N/A	N/A
Grader	68.4	64.5	N/A	N/A	N/A	N/A
Dozer	63.5	59.6	N/A	N/A	N/A	N/A
Dozer	62	58	N/A	N/A	N/A	N/A
Front End Loader		0		0		0
Front End Loader		0		0		0
Backhoe		0		0		0
Front End Loader		0		0		0
Tractor		0		0		0
Total	69.4	70.3	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

Roadway Construction Noise Model (RCNM),Version 1.1

Report date: 10/10/2019  
Case Description: LADWP West Yard\_ Grading 3\_Shoring 2

---- Receptor #1 ----

		Baselines (dBA)		
Description	Land Use	Daytime	Evening	Night
Nearest Receiver 75'	Residential	65	60	55

Impact	Equipment		Receptor Distance	Estimated Shielding
	Spec Lmax	Actual Lmax		

Description	Device	Usage(%)	(dBA)	(dBA)	(feet)	(dBA)
Drill Rig Truck	No	20		79.1	75	0
Results						
Calculated (dBA)			Noise Limits (dBA)			
			Day		Evening	
Equipment	*Lmax	Leq	Lmax	Leq	Lmax	Leq
Drill Rig Truck		75.6	68.6	N/A	N/A	N/A
Total		75.6	68.6	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

---- Receptor #2 ----

Baselines (dBA)		Daytime	Evening	Night		
Description	Land Use	65	60	55		
Typical Receiver 300'	Residential					
Equipment						
		Spec	Actual	Receptor	Estimated	
Impact		Lmax	Lmax	Distance	Shielding	
Description	Device	Usage(%)	(dBA)	(dBA)	(feet)	(dBA)
Drill Rig Truck	No	20		79.1	300	0

Results						
Calculated (dBA)			Noise Limits (dBA)			
			Day		Evening	
Equipment	*Lmax	Leq	Lmax	Leq	Lmax	Leq
Drill Rig Truck		63.6	56.6	N/A	N/A	N/A
Total		63.6	56.6	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

Roadway Construction Noise Model (RCNM),Version 1.1

Report date: 43748  
Case Description: LADWP West Yard\_ Paving 1 Concrete Foundations

---- Receptor #1 ----

Baselines (dBA)		Daytime	Evening	Night		
Description	Land Use	65	60	55		
Nearest Receiver 75'	Residential					
Equipment						
		Spec	Actual	Receptor	Estimated	
Impact		Lmax	Lmax	Distance	Shielding	
Description	Device	Usage(%)	(dBA)	(dBA)	(feet)	(dBA)
Crane	No	16		80.6	75	0
Crane	No	16		80.6	100	0
Excavator	No	40		80.7	125	0
Excavator	No	40		80.7	200	0
Man Lift	No	20		74.7	300	0
Man Lift	No	20		74.7	150	0
Generator	No	50		80.6	350	0
Backhoe	No	40		77.6	150	0
Tractor	No	40	84		250	0
Welder / Torch	No	40		74	175	0

Results



Equipment	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day	Leq	Evening	
			Lmax		Lmax	Leq
Crane	77	69.1	N/A	N/A	N/A	N/A
Crane	74.5	66.6	N/A	N/A	N/A	N/A
Excavator	72.8	68.8	N/A	N/A	N/A	N/A
Excavator	68.7	64.7	N/A	N/A	N/A	N/A
Man Lift	59.1	52.1	N/A	N/A	N/A	N/A
Man Lift	65.2	58.2	N/A	N/A	N/A	N/A
Generator	63.7	60.7	N/A	N/A	N/A	N/A
Backhoe	68	64	N/A	N/A	N/A	N/A
Tractor	70	66	N/A	N/A	N/A	N/A
Welder / Torch	63.1	59.1	N/A	N/A	N/A	N/A
Total	77	75.1	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

---- Receptor #2 ----

Description	Land Use	Baselines (dBA)		
		Daytime	Evening	Night
Typical Receiver 300'	Residential	65	60	55

Description	Device	Usage(%)	Equipment			Receptor Distance (feet)	Estimated Shielding (dBA)
			Spec Lmax (dBA)	Actual Lmax (dBA)			
			Impact				
Crane	No	16		80.6	300	0	
Crane	No	16		80.6	300	0	
Excavator	No	40		80.7	300	0	
Excavator	No	40		80.7	300	0	
Man Lift	No	20		74.7	300	0	
Man Lift	No	20		74.7	300	0	
Generator	No	50		80.6	300	0	
Backhoe	No	40		77.6	300	0	
Tractor	No	40	84		300	0	
Welder / Torch	No	40		74	300	0	

Results

Equipment	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day	Leq	Evening	
			Lmax		Lmax	Leq
Crane	65	57	N/A	N/A	N/A	N/A
Crane	65	57	N/A	N/A	N/A	N/A
Excavator	65.1	61.2	N/A	N/A	N/A	N/A
Excavator	65.1	61.2	N/A	N/A	N/A	N/A
Man Lift	59.1	52.1	N/A	N/A	N/A	N/A
Man Lift	59.1	52.1	N/A	N/A	N/A	N/A
Generator	65.1	62.1	N/A	N/A	N/A	N/A
Backhoe	62	58	N/A	N/A	N/A	N/A
Tractor	68.4	64.5	N/A	N/A	N/A	N/A
Welder / Torch	58.4	54.5	N/A	N/A	N/A	N/A
Total	68.4	69.7	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

Report date: 10/10/2019  
 Case Description: LADWP West Yard\_ Trenching

---- Receptor #1 ----

Description	Land Use	Baselines (dBA)			Equipment			
		Daytime	Evening	Night	Spec Lmax (dBA)	Actual Lmax (dBA)	Receptor Distance (feet)	Estimated Shielding (dBA)
Nearest Receiver 75'	Residential	65	60	55				
Description		Impact Device	Usage(%)	Spec Lmax (dBA)	Actual Lmax (dBA)	Receptor Distance (feet)	Estimated Shielding (dBA)	
Excavator		No	40		80.7	75	0	
Blasting		Yes	1	94		125	0	
Tractor		No	40	84		200	0	
		Results			Noise Limits (dBA)			
		Calculated (dBA)		Day		Evening		
Equipment		*Lmax	Leq	Lmax	Leq	Lmax	Leq	
Excavator		77.2	73.2	N/A	N/A	N/A	N/A	
Blasting		86	66	N/A	N/A	N/A	N/A	
Tractor		72	68	N/A	N/A	N/A	N/A	
	Total	86	74.9	N/A	N/A	N/A	N/A	

\*Calculated Lmax is the Loudest value.

---- Receptor #2 ----

Description	Land Use	Baselines (dBA)			Equipment			
		Daytime	Evening	Night	Spec Lmax (dBA)	Actual Lmax (dBA)	Receptor Distance (feet)	Estimated Shielding (dBA)
Typical Receiver 300'	Residential	65	60	55				
Description		Impact Device	Usage(%)	Spec Lmax (dBA)	Actual Lmax (dBA)	Receptor Distance (feet)	Estimated Shielding (dBA)	
Excavator		No	40		80.7	300	0	
Blasting		Yes	1	94		300	0	
Tractor		No	40	84		300	0	
		Results			Noise Limits (dBA)			
		Calculated (dBA)		Day		Evening		
Equipment		*Lmax	Leq	Lmax	Leq	Lmax	Leq	
Excavator		65.1	61.2	N/A	N/A	N/A	N/A	
Blasting		78.4	58.4	N/A	N/A	N/A	N/A	
Tractor		68.4	64.5	N/A	N/A	N/A	N/A	
	Total	78.4	66.8	N/A	N/A	N/A	N/A	

\*Calculated Lmax is the Loudest value.

Roadway Construction Noise Model (RCNM), Version 1.1

Report date: 10/10/2019  
 Case Description: LADWP West Yard\_ Building Construction

---- Receptor #1 ----

Description	Land Use	Baselines (dBA)		
		Daytime	Evening	Night
Nearest Receiver 75'	Residential	65	60	55

Description	Impact Device	Usage(%)	Equipment		Receptor Distance (feet)	Estimated Shielding (dBA)
			Spec Lmax (dBA)	Actual Lmax (dBA)		
Crane	No	16		80.6	75	0
Crane	No	16		80.6	100	0
Man Lift	No	20		74.7	150	0
Man Lift	No	20		74.7	250	0
Man Lift	No	20		74.7	200	0
Generator	No	50		80.6	125	0
Roller	No	20		80	250	0
Backhoe	No	40		77.6	350	0
Front End Loader	No	40		79.1	300	0
Tractor	No	40	84		400	0
Backhoe	No	40		77.6	175	0
Welder / Torch	No	40		74	350	0

Equipment	Results					
	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day Lmax	Leq	Evening Lmax	Leq
Crane	77	69.1	N/A	N/A	N/A	N/A
Crane	74.5	66.6	N/A	N/A	N/A	N/A
Man Lift	65.2	58.2	N/A	N/A	N/A	N/A
Man Lift	60.7	53.7	N/A	N/A	N/A	N/A
Man Lift	62.7	55.7	N/A	N/A	N/A	N/A
Generator	72.7	69.7	N/A	N/A	N/A	N/A
Roller	66	59	N/A	N/A	N/A	N/A
Backhoe	60.7	56.7	N/A	N/A	N/A	N/A
Front End Loader	63.5	59.6	N/A	N/A	N/A	N/A
Tractor	65.9	62	N/A	N/A	N/A	N/A
Backhoe	66.7	62.7	N/A	N/A	N/A	N/A
Welder / Torch	57.1	53.1	N/A	N/A	N/A	N/A
Total	77	74.6	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

---- Receptor #2 ----

Description	Land Use	Baselines (dBA)		
		Daytime	Evening	Night
Typical Receiver 300'	Residential	65	60	55

Description	Impact Device	Usage(%)	Equipment		Receptor Distance (feet)	Estimated Shielding (dBA)
			Spec Lmax (dBA)	Actual Lmax (dBA)		
Crane	No	16		80.6	300	0
Crane	No	16		80.6	300	0
Man Lift	No	20		74.7	300	0
Man Lift	No	20		74.7	300	0
Man Lift	No	20		74.7	300	0
Generator	No	50		80.6	300	0
Roller	No	20		80	300	0
Backhoe	No	40		77.6	300	0
Front End Loader	No	40		79.1	300	0

Tractor	No	40	84	300	0
Backhoe	No	40	77.6	300	0
Welder / Torch	No	40	74	300	0

Equipment	Results					
	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day	Leq	Evening	
Lmax			Lmax		Leq	
Crane	65	57	N/A	N/A	N/A	N/A
Crane	65	57	N/A	N/A	N/A	N/A
Man Lift	59.1	52.1	N/A	N/A	N/A	N/A
Man Lift	59.1	52.1	N/A	N/A	N/A	N/A
Man Lift	59.1	52.1	N/A	N/A	N/A	N/A
Generator	65.1	62.1	N/A	N/A	N/A	N/A
Roller	64.4	57.4	N/A	N/A	N/A	N/A
Backhoe	62	58	N/A	N/A	N/A	N/A
Front End Loader	63.5	59.6	N/A	N/A	N/A	N/A
Tractor	68.4	64.5	N/A	N/A	N/A	N/A
Backhoe	62	58	N/A	N/A	N/A	N/A
Welder / Torch	58.4	54.5	N/A	N/A	N/A	N/A
Total	68.4	69.5	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

Roadway Construction Noise Model (RCNM), Version 1.1

Report date: 10/10/2019  
Case Description: LADWP West Yard\_ Paving 2 Concrete Paving

		---- Receptor #1 ----					
Description	Land Use	Baselines (dBA)					
		Daytime	Evening	Night			
Nearest Receiver 75'	Residential	65	60	55			
Description	Equipment	Impact Device	Usage(%)	Spec Lmax (dBA)	Actual Lmax (dBA)	Receptor Distance (feet)	Estimated Shielding (dBA)
Concrete Mixer Truck	No	40		78.8	75	0	
Concrete Mixer Truck	No	40		78.8	100	0	
Grader	No	40	85		125	0	
Roller	No	20		80	200	0	
Roller	No	20		80	350	0	
Front End Loader	No	40		79.1	150	0	

Equipment	Results					
	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day	Leq	Evening	
Lmax			Lmax		Leq	
Concrete Mixer Truck	75.3	71.3	N/A	N/A	N/A	N/A
Concrete Mixer Truck	72.8	68.8	N/A	N/A	N/A	N/A
Grader	77	73.1	N/A	N/A	N/A	N/A
Roller	68	61	N/A	N/A	N/A	N/A
Roller	63.1	56.1	N/A	N/A	N/A	N/A
Front End Loader	69.6	65.6	N/A	N/A	N/A	N/A
Total	77	76.7	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

---- Receptor #2 ----

Description	Land Use	Baselines (dBA)		
		Daytime	Evening	Night
Typical Receiver 300'	Residential	65	60	55

Description	Device	Usage(%)	Equipment			
			Spec Lmax (dBA)	Actual Lmax (dBA)	Receptor Distance (feet)	Estimated Shielding (dBA)
Concrete Mixer Truck	No	40		78.8	300	0
Concrete Mixer Truck	No	40		78.8	300	0
Grader	No	40	85		300	0
Roller	No	20		80	300	0
Roller	No	20		80	300	0
Front End Loader	No	40		79.1	300	0

Results

Equipment	Calculated (dBA)		Noise Limits (dBA)			
	*Lmax	Leq	Day		Evening	
			Lmax	Leq	Lmax	Leq
Concrete Mixer Truck	63.2	59.3	N/A	N/A	N/A	N/A
Concrete Mixer Truck	63.2	59.3	N/A	N/A	N/A	N/A
Grader	69.4	65.5	N/A	N/A	N/A	N/A
Roller	64.4	57.4	N/A	N/A	N/A	N/A
Roller	64.4	57.4	N/A	N/A	N/A	N/A
Front End Loader	63.5	59.6	N/A	N/A	N/A	N/A
Total	69.4	68.6	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

Roadway Construction Noise Model (RCNM),Version 1.1

Report date: 43748  
 Case Description: LADWP West Yard\_ Architectural Coating

---- Receptor #1 ----

Description	Land Use	Baselines (dBA)		
		Daytime	Evening	Night
Nearest Receiver 75'	Residential	65	60	55

Description	Device	Usage(%)	Equipment			
			Spec Lmax (dBA)	Actual Lmax (dBA)	Receptor Distance (feet)	Estimated Shielding (dBA)
Compressor (air)	No	40		77.7	75	0

Equipment	Calculated (dBA)		Noise Limits (dBA)			
	*Lmax	Leq	Day		Evening	
			Lmax	Leq	Lmax	Leq
Compressor (air)	74.1	70.2	N/A	N/A	N/A	N/A
Total	74.1	70.2	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

---- Receptor #2 ----

Baselines (dBA)

Description	Land Use	Daytime	Evening	Night
Typical Receiver 300'	Residential	65	60	55

Description	Impact Device	Usage(%)	Equipment			
			Spec Lmax (dBA)	Actual Lmax (dBA)	Receptor Distance (feet)	Estimated Shielding (dBA)
Compressor (air)	No	40		77.7	300	0

Equipment	Results					
	Calculated (dBA)			Noise Limits (dBA)		
	*Lmax	Leq	Day Lmax	Leq	Evening Lmax	Leq
Compressor (air)	62.1	58.1	N/A	N/A	N/A	N/A
Total	62.1	58.1	N/A	N/A	N/A	N/A

\*Calculated Lmax is the Loudest value.

***Traffic Noise Modeling  
Input / Output Files***





Dudek MG				1 November 2019 TNM 2.5							
INPUT: ROADWAYS				PROJECT/CONTRACT: 10649			Average pavement type shall be used unless a State highway agency substantiates the use of a different type with the approval of FHWA				
RUN:				LADWP West LA Yard - Exist Rev1019							
Roadway Name	Width	Points Name	No.	Coordinates (pavement)			Flow Control			Segment	
				X	Y	Z	Control Device	Speed Constraint	Percent Vehicles Affected	Pvmt Type	On Struct?
	ft			ft	ft	ft		mph	%		
Bundy Drive north of Nebraska Avenue	50.0	point1	1	1,563.5	3,417.6	160.00				Average	
		point3	3	2,100.8	2,854.2	160.00					
Centinela Avenue north of Olympic Blvd	50.0	point24	24	1,744.5	1,133.9	160.00				Average	
		point16	16	1,075.3	1,827.2	160.00					
Nebraska Avenue west of Centinela Av	50.0	point26	26	555.5	1,316.5	160.00				Average	
		point19	19	1,076.2	1,832.1	160.00					
Centinela Ave s of Olympic Blvd	35.0	point32	32	2,247.4	1,169.1	160.00				Average	
		point22	22	2,413.1	527.1	160.00				Average	
		point2	2	3,401.1	21.0	160.00					
Bundy Drive south of Olympic Blvd	50.0	point33	33	3,404.0	1,493.1	160.00				Average	
		point5	5	4,447.4	390.7	160.00					
Centinela Avenue north of Nebraska Av	35.0	point36	36	1,069.6	1,832.9	160.00				Average	
		point17	17	292.4	2,636.3	160.00					
Nebraska Avenue east of Centinela Ave	50.0	point38	38	1,076.2	1,832.1	160.00				Average	
		point44	44	1,585.0	2,341.1	160.00					
Olympic Blvd west of Centinela Avenue	50.0	point40	40	1,741.9	1,122.3	160.00				Average	
		point14	14	622.3	849.8	160.00					
Olympic Blvd east of Bundy Drive	50.0	point28	28	4,274.0	1,683.0	160.00				Average	
		point11	11	3,403.7	1,499.3	160.00					
Olympic Blvd east of Centinela Avenue	50.0	point41	41	3,403.7	1,499.3	160.00				Average	
		point39	39	2,214.0	1,236.9	160.00				Average	
		point13	13	1,741.9	1,122.3	160.00					
Bundy Drive south of Nebraska Avenue	50.0	point43	43	2,100.8	2,854.2	160.00				Average	
		point4	4	3,396.3	1,502.1	160.00					
Nebraska Avenue west of Bundy Drive	50.0	point45	45	1,585.0	2,341.1	160.00				Average	

**INPUT: ROADWAYS**

**10649**

		point20	20	2,093.9	2,850.1	160.00					
--	--	---------	----	---------	---------	--------	--	--	--	--	--

**INPUT: TRAFFIC FOR LAeq1h Percentages**

**10649**

<b>Dudek</b>												<b>1 November 2</b>	
<b>MG</b>												<b>TNM 2.5</b>	

**INPUT: TRAFFIC FOR LAeq1h Percentages**

**PROJECT/CONTRACT: 10649**  
**RUN: LADWP West LA Yard - Exist Rev1019**

<b>Roadway</b>	<b>Points</b>													
<b>Name</b>	<b>Name</b>	<b>No.</b>	<b>Segment</b>	<b>Autos</b>		<b>MTrucks</b>		<b>HTrucks</b>		<b>Buses</b>		<b>Motorcycles</b>		
			<b>Total</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	
			<b>Volume</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	
			<b>veh/hr</b>											
Bundy Drive north of Nebraska Avenue	point1	1	2425	97	35	2	35	1	35	0	0	0	0	
	point3	3												
Centinela Avenue north of Olympic Blvd	point24	24	1740	97	30	2	30	1	30	0	0	0	0	
	point16	16												
Nebraska Avenue west of Centinela Av	point26	26	561	97	25	2	25	1	25	0	0	0	0	
	point19	19												
Centinela Ave s of Olympic Blvd	point32	32	1459	97	30	2	30	1	30	0	0	0	0	
	point22	22	1433	97	30	2	30	1	30	0	0	0	0	
	point2	2												
Bundy Drive south of Olympic Blvd	point33	33	2704	97	35	2	35	1	35	0	0	0	0	
	point5	5												
Centinela Avenue north of Nebraska Av	point36	36	1426	97	30	2	30	1	30	0	0	0	0	
	point17	17												
Nebraska Avenue east of Centinela Ave	point38	38	353	97	25	2	25	1	25	0	0	0	0	
	point44	44												
Olympic Blvd west of Centinela Avenue	point40	40	2114	97	35	2	35	1	35	0	0	0	0	
	point14	14												
Olympic Blvd east of Bundy Drive	point28	28	2868	97	35	2	35	1	35	0	0	0	0	
	point11	11												
Olympic Blvd east of Centinela Avenue	point41	41	3589	97	35	2	35	1	35	0	0	0	0	
	point39	39	3589	97	35	2	35	1	35	0	0	0	0	
	point13	13												
Bundy Drive south of Nebraska Avenue	point43	43	2513	97	35	2	35	1	35	0	0	0	0	

**INPUT: TRAFFIC FOR LAeq1h Percentages****10649**

	point4	4											
Nebraska Avenue west of Bundy Drive	point45	45	292	97	25	2	25	1	25	0	0	0	0
	point20	20											

**INPUT: RECEIVERS**

**10649**

							<b>1 November 2019</b>					
<b>Dudek</b>												
<b>MG</b>							<b>TNM 2.5</b>					
<b>INPUT: RECEIVERS</b>												
<b>PROJECT/CONTRACT:</b>		<b>10649</b>										
<b>RUN:</b>		<b>LADWP West LA Yard - Exist Rev1019</b>										
<b>Receiver</b>												
Name	No.	#DUs	Coordinates (ground)			Height above Ground	Input Sound Levels and Criteria				Active in Calc.	
			X	Y	Z		Existing LAeq1h	Impact LAeq1h	Criteria Sub'l	NR Goal		
			ft	ft	ft	ft	dBA	dBA	dB	dB		
ST1	1	1	1,721.8	2,514.4	160.00	5.00	0.00	66	10.0	8.0	Y	
ST2	2	1	1,519.3	2,317.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST3	3	1	1,489.6	2,498.0	160.00	5.00	0.00	66	10.0	8.0	Y	
ST4	4	1	1,630.0	2,181.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST5	5	1	1,275.2	2,081.6	160.00	5.00	0.00	66	10.0	8.0	Y	
ST6	6	1	1,859.4	2,330.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST7	7	1	1,841.5	1,683.0	160.00	5.00	0.00	66	10.0	8.0	Y	
M1	8	1	3,867.8	892.8	160.00	5.00	0.00	66	10.0	8.0	Y	
M2	9	1	2,659.3	333.7	160.00	5.00	0.00	66	10.0	8.0	Y	
M3	10	1	2,293.1	2,783.2	160.00	5.00	0.00	66	10.0	8.0	Y	
M4	11	1	1,009.7	1,963.5	160.00	5.00	0.00	66	10.0	8.0	Y	

Dudek					1 November 2019													
MG					TNM 2.5													

INPUT: BARRIERS

PROJECT/CONTRACT: 10649  
 RUN: LADWP West LA Yard - Exist Rev1019

Barrier									Points									
Name	Type	Height		If Wall	If Berm	Top Width	Run:Rise	Add'tnl	Name	No.	Coordinates (bottom)			Height	Segment			Important
		Min	Max	\$ per Unit Area	\$ per Unit Vol.			\$ per Unit Length		X	Y	Z	at Point	Seg Ht	Perturbs	On	Reflec- tions?	
		ft	ft	\$/sq ft	\$/cu yd	ft	ft:ft	\$/ft			ft	ft	ft	ft	ft			
Barrier1	W	0.00	99.99	0.00				0.00	point1	1	1,776.3	2,465.9	0.00	0.00	0.00	0	0	
									point3	3	1,838.3	2,523.8	0.00	0.00	0.00	0	0	
									point4	4	2,119.4	2,226.2	0.00	0.00	0.00	0	0	
									point5	5	2,051.9	2,165.6	0.00	0.00				
Barrier2	W	0.00	99.99	0.00				0.00	point125	125	918.6	1,505.1	160.00	12.00	0.00	0	0	
									point100	100	1,135.1	1,697.6	160.00	12.00	0.00	0	0	
									point2	2	1,188.7	1,632.0	160.00	12.00				
Barrier3	W	0.00	99.99	0.00				0.00	point127	127	826.8	2,145.8	160.00	12.00	0.00	0	0	
									point96	96	1,079.3	1,899.7	160.00	12.00	0.00	0	0	
									point97	97	1,161.4	1,978.5	160.00	12.00	0.00	0	0	
									point98	98	916.4	2,238.7	160.00	12.00				
Barrier4	W	0.00	99.99	0.00				0.00	point129	129	1,452.9	2,262.2	160.00	12.00	0.00	0	0	
									point116	116	1,553.4	2,355.9	160.00	12.00	0.00	0	0	
									point117	117	1,118.1	2,806.4	160.00	12.00	0.00	0	0	
									point118	118	1,017.5	2,705.8	160.00	12.00				
Barrier5	W	0.00	99.99	0.00				0.00	point131	131	1,593.3	2,404.1	160.00	12.00	0.00	0	0	
									point120	120	1,673.1	2,482.2	160.00	12.00	0.00	0	0	
									point121	121	1,246.1	2,919.6	160.00	12.00	0.00	0	0	
									point122	122	1,155.9	2,831.1	160.00	12.00				
Barrier6	W	0.00	99.99	0.00				0.00	point133	133	1,708.9	2,520.4	160.00	12.00	0.00	0	0	
									point6	6	1,789.6	2,597.7	160.00	12.00	0.00	0	0	
									point7	7	1,365.3	3,039.4	160.00	12.00	0.00	0	0	
									point8	8	1,295.4	2,960.7	160.00	12.00				
Barrier7	W	0.00	99.99	0.00				0.00	point135	135	1,857.4	2,671.6	160.00	12.00	0.00	0	0	
									point10	10	2,029.2	2,843.5	160.00	12.00	0.00	0	0	
									point11	11	1,619.6	3,296.5	160.00	12.00	0.00	0	0	
									point12	12	1,430.4	3,107.3	160.00	12.00				
Barrier8	W	0.00	99.99	0.00				0.00	point137	137	1,944.3	2,013.4	160.00	12.00	0.00	0	0	
									point14	14	2,176.1	2,243.0	160.00	12.00	0.00	0	0	
									point15	15	2,265.8	2,153.3	160.00	12.00	0.00	0	0	
									point16	16	2,040.6	1,919.3	160.00	12.00				
Barrier9	W	0.00	99.99	0.00				0.00	point139	139	2,546.5	2,056.7	160.00	12.00	0.00	0	0	
									point110	110	2,185.5	2,392.9	160.00	12.00				
Barrier10	W	0.00	99.99	0.00				0.00	point141	141	1,974.7	2,687.7	160.00	12.00	0.00	0	0	
									point102	102	2,094.6	2,808.9	160.00	12.00	0.00	0	0	

INPUT: BARRIERS

10649

									point103	103	2,328.8	2,562.3	160.00	12.00	0.00	0	0		
									point104	104	2,174.5	2,408.0	160.00	12.00	0.00	0	0		
									point105	105	2,034.0	2,547.2	160.00	12.00	0.00	0	0		
									point106	106	2,072.5	2,591.3	160.00	12.00	0.00	0	0		
Barrier11	W	0.00	99.99	0.00			0.00		point143	143	2,337.0	2,541.7	160.00	12.00	0.00	0	0		
									point108	108	2,680.1	2,180.7	160.00	12.00	0.00	0	0		
									point109	109	2,546.5	2,056.7	160.00	12.00	0.00	0	0		
Barrier12	W	0.00	99.99	0.00			0.00		point145	145	2,432.0	1,834.0	160.00	12.00	0.00	0	0		
									point18	18	2,714.1	2,100.8	160.00	12.00	0.00	0	0		
									point19	19	2,847.5	1,963.0	160.00	12.00	0.00	0	0		
									point20	20	2,574.1	1,680.9	160.00	12.00	0.00	0	0		
Barrier13	W	0.00	99.99	0.00			0.00		point147	147	1,896.2	1,672.2	160.00	12.00	0.00	0	0		
									point22	22	2,204.6	1,963.0	160.00	12.00	0.00	0	0		
									point23	23	2,368.6	1,796.8	160.00	12.00	0.00	0	0		
									point24	24	2,239.6	1,663.5	160.00	12.00	0.00	0	0		
									point25	25	2,515.1	1,387.9	160.00	12.00	0.00	0	0		
									point26	26	2,318.3	1,322.3	160.00	12.00	0.00	0	0		
									point27	27	2,114.9	1,547.5	160.00	12.00	0.00	0	0		
Barrier14	W	0.00	99.99	0.00			0.00		point149	149	1,595.6	1,342.5	160.00	12.00	0.00	0	0		
									point62	62	1,682.4	1,422.4	160.00	12.00	0.00	0	0		
									point63	63	1,880.2	1,210.6	160.00	12.00	0.00	0	0		
									point64	64	1,755.3	1,172.4	160.00	12.00	0.00	0	0		
Barrier15	W	0.00	99.99	0.00			0.00		point151	151	1,835.1	1,346.0	160.00	12.00	0.00	0	0		
									point58	58	1,953.1	1,464.0	160.00	12.00	0.00	0	0		
									point59	59	2,036.5	1,380.7	160.00	12.00	0.00	0	0		
									point60	60	1,921.9	1,269.6	160.00	12.00	0.00	0	0		
Barrier16	W	0.00	99.99	0.00			0.00		point153	153	2,114.9	1,547.5	160.00	12.00	0.00	0	0		
									point28	28	2,064.6	1,499.4	160.00	12.00	0.00	0	0		
Barrier17	W	0.00	99.99	0.00			0.00		point155	155	1,418.7	388.5	160.00	12.00	0.00	0	0		
									point87	87	2,358.2	589.6	160.00	12.00	0.00	0	0		
									point88	88	2,300.4	821.0	160.00	12.00	0.00	0	0		
									point89	89	1,360.8	584.1	160.00	12.00	0.00	0	0		
Barrier18	W	0.00	99.99	0.00			0.00		point157	157	2,917.5	713.6	160.00	12.00	0.00	0	0		
									point91	91	3,322.5	283.8	160.00	12.00	0.00	0	0		
									point92	92	3,490.6	432.6	160.00	12.00	0.00	0	0		
									point93	93	3,121.4	815.5	160.00	12.00	0.00	0	0		
									point94	94	2,884.5	757.7	160.00	12.00	0.00	0	0		
Barrier19	W	0.00	99.99	0.00			0.00		point159	159	2,368.5	789.5	160.00	12.00	0.00	0	0		
									point66	66	2,425.8	569.1	160.00	12.00	0.00	0	0		
									point67	67	2,679.2	437.2	160.00	12.00	0.00	0	0		
									point68	68	2,800.7	473.6	160.00	12.00	0.00	0	0		
									point69	69	2,878.8	386.8	160.00	12.00	0.00	0	0		
									point70	70	2,911.8	409.4	160.00	12.00	0.00	0	0		
									point71	71	2,984.7	338.2	160.00	12.00	0.00	0	0		
									point72	72	3,075.0	430.2	160.00	12.00	0.00	0	0		
									point73	73	2,903.1	607.3	160.00	12.00	0.00	0	0		
Barrier20	W	0.00	99.99	0.00			0.00		point160	160	2,733.9	1,244.3	160.00	12.00	0.00	0	0		
									point30	30	3,398.7	1,412.7	160.00	12.00	0.00	0	0		
									point31	31	3,431.5	1,283.6	160.00	12.00	0.00	0	0		

INPUT: BARRIERS

10649

									point32	32	2,764.5	1,106.5	160.00	12.00				
Barrier21	W	0.00	99.99	0.00			0.00	point162	162	2,283.8	1,157.2	160.00	12.00	0.00	0	0		
								point79	79	2,338.9	942.3	160.00	12.00	0.00	0	0		
								point80	80	2,465.7	967.1	160.00	12.00	0.00	0	0		
								point81	81	2,451.9	1,005.6	160.00	12.00	0.00	0	0		
								point82	82	2,738.4	1,066.3	160.00	12.00	0.00	0	0		
								point83	83	2,705.4	1,182.0	160.00	12.00	0.00	0	0		
								point84	84	2,460.2	1,129.6	160.00	12.00	0.00	0	0		
								point85	85	2,443.6	1,195.8	160.00	12.00					
Barrier22	W	0.00	99.99	0.00			0.00	point164	164	3,722.4	1,294.6	160.00	12.00	0.00	0	0		
								point34	34	3,707.1	1,358.0	160.00	12.00	0.00	0	0		
								point35	35	3,860.2	1,526.4	160.00	12.00	0.00	0	0		
								point36	36	4,242.9	1,611.7	160.00	12.00	0.00	0	0		
								point37	37	4,247.2	1,554.8	160.00	12.00	0.00	0	0		
								point38	38	4,330.4	1,572.3	160.00	12.00	0.00	0	0		
								point39	39	4,380.7	1,484.8	160.00	12.00					
Barrier23	W	0.00	99.99	0.00			0.00	point166	166	2,972.6	308.6	160.00	12.00	0.00	0	0		
								point75	75	3,074.6	418.8	160.00	12.00	0.00	0	0		
								point76	76	3,234.4	270.0	160.00	12.00	0.00	0	0		
								point77	77	3,149.0	190.1	160.00	12.00					
Barrier24	W	0.00	99.99	0.00			0.00	point168	168	3,824.8	1,126.7	160.00	12.00	0.00	0	0		
								point46	46	3,986.2	960.1	160.00	12.00	0.00	0	0		
								point47	47	4,420.1	1,066.0	160.00	12.00	0.00	0	0		
								point48	48	4,312.5	1,269.0	160.00	12.00					
Barrier25	W	0.00	99.99	0.00			0.00	point170	170	3,708.5	1,109.4	160.00	12.00	0.00	0	0		
								point41	41	3,864.2	931.0	160.00	12.00	0.00	0	0		
								point42	42	3,719.5	802.9	160.00	12.00	0.00	0	0		
								point43	43	3,581.8	953.1	160.00	12.00	0.00	0	0		
								point44	44	3,540.1	1,071.2	160.00	12.00					
Barrier26	W	0.00	99.99	0.00			0.00	point172	172	4,086.7	861.7	160.00	12.00	0.00	0	0		
								point50	50	4,232.5	705.5	160.00	12.00	0.00	0	0		
								point51	51	4,520.6	870.4	160.00	12.00	0.00	0	0		
								point52	52	4,472.0	988.4	160.00	12.00					
Barrier27	W	0.00	99.99	0.00			0.00	point174	174	3,960.0	832.2	160.00	12.00	0.00	0	0		
								point54	54	4,187.3	604.8	160.00	12.00	0.00	0	0		
								point55	55	4,044.1	434.0	160.00	12.00	0.00	0	0		
								point56	56	3,809.9	671.0	160.00	12.00					



**RESULTS: SOUND LEVELS**

10649

Dudek MG										1 November 2019 TNM 2.5 Calculated with TNM 2.5		
<b>RESULTS: SOUND LEVELS</b>												
<b>PROJECT/CONTRACT:</b> 10649												
<b>RUN:</b> LADWP West LA Yard - Exist Rev1019												
<b>BARRIER DESIGN:</b> INPUT HEIGHTS										Average pavement type shall be used unless a State highway agency substantiates the use of a different type with approval of FHWA.		
<b>ATMOSPHERICS:</b> 68 deg F, 50% RH												
<b>Receiver</b>												
<b>Name</b>	<b>No.</b>	<b>#DUs</b>	<b>Existing LAeq1h</b>	<b>No Barrier LAeq1h</b>	<b>Increase over existing</b>		<b>Type</b>	<b>With Barrier</b>		<b>Noise Reduction</b>		
				<b>Calculated</b>	<b>Crit'n</b>	<b>Calculated</b>	<b>Crit'n</b>	<b>Impact</b>	<b>Calculated LAeq1h</b>	<b>Calculated</b>	<b>Goal</b>	<b>Calculated minus Goal</b>
			<b>dBA</b>	<b>dBA</b>	<b>dBA</b>	<b>dB</b>	<b>dB</b>		<b>dBA</b>	<b>dB</b>	<b>dB</b>	<b>dB</b>
ST1	1	1	0.0	60.0	66	60.0	10	----	60.0	0.0	8	-8.0
ST2	2	1	0.0	60.1	66	60.1	10	----	60.1	0.0	8	-8.0
ST3	3	1	0.0	48.0	66	48.0	10	----	48.0	0.0	8	-8.0
ST4	4	1	0.0	55.7	66	55.7	10	----	55.7	0.0	8	-8.0
ST5	5	1	0.0	60.4	66	60.4	10	----	60.4	0.0	8	-8.0
ST6	6	1	0.0	53.1	66	53.1	10	----	53.1	0.0	8	-8.0
ST7	7	1	0.0	56.3	66	56.3	10	----	56.3	0.0	8	-8.0
M1	8	1	0.0	66.2	66	66.2	10	Snd Lvl	66.2	0.0	8	-8.0
M2	9	1	0.0	63.9	66	63.9	10	----	63.9	0.0	8	-8.0
M3	10	1	0.0	66.4	66	66.4	10	Snd Lvl	66.4	0.0	8	-8.0
M4	11	1	0.0	65.3	66	65.3	10	----	65.3	0.0	8	-8.0
<b>Dwelling Units</b>		<b># DUs</b>	<b>Noise Reduction</b>									
			<b>Min</b>	<b>Avg</b>	<b>Max</b>							
			<b>dB</b>	<b>dB</b>	<b>dB</b>							
All Selected		11	0.0	0.0	0.0							
All Impacted		2	0.0	0.0	0.0							
All that meet NR Goal		0	0.0	0.0	0.0							

INPUT: ROADWAYS

10649

Dudek MG				1 November 2019 TNM 2.5							
INPUT: ROADWAYS							Average pavement type shall be used unless a State highway agency substantiates the use of a different type with the approval of FHWA				
PROJECT/CONTRACT:		10649									
RUN:		LADWP West LA Yard - ExwP Rev1019									
Roadway Name	Width	Points Name	No.	Coordinates (pavement)			Flow Control			Segment	
				X	Y	Z	Control Device	Speed Constraint	Percent Vehicles Affected	Pvmt Type	On Struct?
	ft			ft	ft	ft		mph	%		
Bundy Drive north of Nebraska Avenue	50.0	point1	1	1,563.5	3,417.6	160.00				Average	
		point3	3	2,100.8	2,854.2	160.00					
Centinela Avenue north of Olympic Blvd	50.0	point24	24	1,744.5	1,133.9	160.00				Average	
		point16	16	1,075.3	1,827.2	160.00					
Nebraska Avenue west of Centinela Av	50.0	point26	26	555.5	1,316.5	160.00				Average	
		point19	19	1,076.2	1,832.1	160.00					
Centinela Ave s of Olympic Blvd	35.0	point32	32	2,247.4	1,169.1	160.00				Average	
		point22	22	2,413.1	527.1	160.00				Average	
		point2	2	3,401.1	21.0	160.00					
Bundy Drive south of Olympic Blvd	50.0	point33	33	3,404.0	1,493.1	160.00				Average	
		point5	5	4,447.4	390.7	160.00					
Centinela Avenue north of Nebraska Av	35.0	point36	36	1,069.6	1,832.9	160.00				Average	
		point17	17	292.4	2,636.3	160.00					
Nebraska Avenue east of Centinela Ave	50.0	point38	38	1,076.2	1,832.1	160.00				Average	
		point44	44	1,585.0	2,341.1	160.00					
Olympic Blvd west of Centinela Avenue	50.0	point40	40	1,741.9	1,122.3	160.00				Average	
		point14	14	622.3	849.8	160.00					
Olympic Blvd east of Bundy Drive	50.0	point28	28	4,274.0	1,683.0	160.00				Average	
		point11	11	3,403.7	1,499.3	160.00					
Olympic Blvd east of Centinela Avenue	50.0	point41	41	3,403.7	1,499.3	160.00				Average	
		point39	39	2,214.0	1,236.9	160.00				Average	
		point13	13	1,741.9	1,122.3	160.00					
Bundy Drive south of Nebraska Avenue	50.0	point43	43	2,100.8	2,854.2	160.00				Average	
		point4	4	3,396.3	1,502.1	160.00					
Nebraska Avenue west of Bundy Drive	50.0	point45	45	1,585.0	2,341.1	160.00				Average	

**INPUT: ROADWAYS**

**10649**

		point20	20	2,093.9	2,850.1	160.00					
--	--	---------	----	---------	---------	--------	--	--	--	--	--

**INPUT: TRAFFIC FOR LAeq1h Percentages**

**10649**

<b>Dudek</b>														
<b>MG</b>														
<b>INPUT: TRAFFIC FOR LAeq1h Percentages</b>														
<b>PROJECT/CONTRACT:</b>	<b>10649</b>													
<b>RUN:</b>	<b>LADWP West LA Yard - ExwP Rev1019</b>													

Roadway	Points													
Name	Name	No.	Segment	Autos		MTrucks		HTrucks		Buses		Motorcycles		
			Total	P	S	P	S	P	S	P	S	P	S	
			Volume	%	mph	%	mph	%	mph	%	mph	%	mph	
			veh/hr											
Bundy Drive north of Nebraska Avenue	point1	1	2434	97	35	2	35	1	35	0	0	0	0	
	point3	3												
Centinela Avenue north of Olympic Blvd	point24	24	1743	97	30	2	30	1	30	0	0	0	0	
	point16	16												
Nebraska Avenue west of Centinela Av	point26	26	562	97	25	2	25	1	25	0	0	0	0	
	point19	19												
Centinela Ave s of Olympic Blvd	point32	32	1459	97	30	2	30	1	30	0	0	0	0	
	point22	22	1433	97	30	2	30	1	30	0	0	0	0	
	point2	2												
Bundy Drive south of Olympic Blvd	point33	33	2709	97	35	2	35	1	35	0	0	0	0	
	point5	5												
Centinela Avenue north of Nebraska Av	point36	36	1431	97	30	2	30	1	30	0	0	0	0	
	point17	17												
Nebraska Avenue east of Centinela Ave	point38	38	357	97	25	2	25	1	25	0	0	0	0	
	point44	44												
Olympic Blvd west of Centinela Avenue	point40	40	2120	97	35	2	35	1	35	0	0	0	0	
	point14	14												
Olympic Blvd east of Bundy Drive	point28	28	2880	97	35	2	35	1	35	0	0	0	0	
	point11	11												
Olympic Blvd east of Centinela Avenue	point41	41	3598	97	35	2	35	1	35	0	0	0	0	
	point39	39	3598	97	35	2	35	1	35	0	0	0	0	
	point13	13												
Bundy Drive south of Nebraska Avenue	point43	43	2519	97	35	2	35	1	35	0	0	0	0	

**INPUT: TRAFFIC FOR LAeq1h Percentages****10649**

	point4	4											
Nebraska Avenue west of Bundy Drive	point45	45	307	97	25	2	25	1	25	0	0	0	0
	point20	20											

**INPUT: RECEIVERS**

**10649**

							<b>1 November 2019</b>					
<b>Dudek</b>												
<b>MG</b>							<b>TNM 2.5</b>					
<b>INPUT: RECEIVERS</b>												
<b>PROJECT/CONTRACT:</b>		<b>10649</b>										
<b>RUN:</b>		<b>LADWP West LA Yard - ExwP Rev1019</b>										
<b>Receiver</b>												
Name	No.	#DUs	Coordinates (ground)			Height above Ground	Input Sound Levels and Criteria				Active in Calc.	
			X	Y	Z		Existing LAeq1h	Impact LAeq1h	Criteria Sub'l	NR Goal		
			ft	ft	ft	ft	dBA	dBA	dB	dB		
ST1	1	1	1,721.8	2,514.4	160.00	5.00	0.00	66	10.0	8.0	Y	
ST2	2	1	1,519.3	2,317.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST3	3	1	1,489.6	2,498.0	160.00	5.00	0.00	66	10.0	8.0	Y	
ST4	4	1	1,630.0	2,181.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST5	5	1	1,275.2	2,081.6	160.00	5.00	0.00	66	10.0	8.0	Y	
ST6	6	1	1,859.4	2,330.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST7	7	1	1,841.5	1,683.0	160.00	5.00	0.00	66	10.0	8.0	Y	
M1	8	1	3,867.8	892.8	160.00	5.00	0.00	66	10.0	8.0	Y	
M2	9	1	2,659.3	333.7	160.00	5.00	0.00	66	10.0	8.0	Y	
M3	10	1	2,293.1	2,783.2	160.00	5.00	0.00	66	10.0	8.0	Y	
M4	11	1	1,009.7	1,963.5	160.00	5.00	0.00	66	10.0	8.0	Y	

Dudek									1 November 2019												
MG									TNM 2.5												
INPUT: BARRIERS																					
PROJECT/CONTRACT:		10649																			
RUN:		LADWP West LA Yard - ExwP Rev1019																			

Barrier									Points												
Name	Type	Height		If Wall	If Berm		Add'tnl	Name	No.	Coordinates (bottom)			Height	Segment			On	Important			
		Min	Max	\$ per Unit Area	\$ per Unit Vol.	Top Width	Run:Rise	\$ per Unit Length			X	Y	Z	at Point	Seg Ht	Perturbs	#Up	#Dn	Struct?	Reflec-tions?	
		ft	ft	\$/sq ft	\$/cu yd	ft	ft:ft	\$/ft			ft	ft	ft	ft	ft						
Barrier1	W	0.00	99.99	0.00				0.00	point1	1	1,776.3	2,465.9	0.00	0.00	0.00	0	0				
									point3	3	1,838.3	2,523.8	0.00	0.00	0.00	0	0				
									point4	4	2,119.4	2,226.2	0.00	0.00	0.00	0	0				
									point5	5	2,051.9	2,165.6	0.00	0.00							
Barrier2	W	0.00	99.99	0.00				0.00	point125	125	918.6	1,505.1	160.00	12.00	0.00	0	0				
									point100	100	1,135.1	1,697.6	160.00	12.00	0.00	0	0				
									point2	2	1,188.7	1,632.0	160.00	12.00							
Barrier3	W	0.00	99.99	0.00				0.00	point127	127	826.8	2,145.8	160.00	12.00	0.00	0	0				
									point96	96	1,079.3	1,899.7	160.00	12.00	0.00	0	0				
									point97	97	1,161.4	1,978.5	160.00	12.00	0.00	0	0				
									point98	98	916.4	2,238.7	160.00	12.00							
Barrier4	W	0.00	99.99	0.00				0.00	point129	129	1,452.9	2,262.2	160.00	12.00	0.00	0	0				
									point116	116	1,553.4	2,355.9	160.00	12.00	0.00	0	0				
									point117	117	1,118.1	2,806.4	160.00	12.00	0.00	0	0				
									point118	118	1,017.5	2,705.8	160.00	12.00							
Barrier5	W	0.00	99.99	0.00				0.00	point131	131	1,593.3	2,404.1	160.00	12.00	0.00	0	0				
									point120	120	1,673.1	2,482.2	160.00	12.00	0.00	0	0				
									point121	121	1,246.1	2,919.6	160.00	12.00	0.00	0	0				
									point122	122	1,155.9	2,831.1	160.00	12.00							
Barrier6	W	0.00	99.99	0.00				0.00	point133	133	1,708.9	2,520.4	160.00	12.00	0.00	0	0				
									point6	6	1,789.6	2,597.7	160.00	12.00	0.00	0	0				
									point7	7	1,365.3	3,039.4	160.00	12.00	0.00	0	0				
									point8	8	1,295.4	2,960.7	160.00	12.00							
Barrier7	W	0.00	99.99	0.00				0.00	point135	135	1,857.4	2,671.6	160.00	12.00	0.00	0	0				
									point10	10	2,029.2	2,843.5	160.00	12.00	0.00	0	0				
									point11	11	1,619.6	3,296.5	160.00	12.00	0.00	0	0				
									point12	12	1,430.4	3,107.3	160.00	12.00							
Barrier8	W	0.00	99.99	0.00				0.00	point137	137	1,944.3	2,013.4	160.00	12.00	0.00	0	0				
									point14	14	2,176.1	2,243.0	160.00	12.00	0.00	0	0				
									point15	15	2,265.8	2,153.3	160.00	12.00	0.00	0	0				
									point16	16	2,040.6	1,919.3	160.00	12.00							
Barrier9	W	0.00	99.99	0.00				0.00	point139	139	2,546.5	2,056.7	160.00	12.00	0.00	0	0				
									point110	110	2,185.5	2,392.9	160.00	12.00							
Barrier10	W	0.00	99.99	0.00				0.00	point141	141	1,974.7	2,687.7	160.00	12.00	0.00	0	0				
									point102	102	2,094.6	2,808.9	160.00	12.00	0.00	0	0				

INPUT: BARRIERS

10649

									point103	103	2,328.8	2,562.3	160.00	12.00	0.00	0	0		
									point104	104	2,174.5	2,408.0	160.00	12.00	0.00	0	0		
									point105	105	2,034.0	2,547.2	160.00	12.00	0.00	0	0		
									point106	106	2,072.5	2,591.3	160.00	12.00					
Barrier11	W	0.00	99.99	0.00			0.00		point143	143	2,337.0	2,541.7	160.00	12.00	0.00	0	0		
									point108	108	2,680.1	2,180.7	160.00	12.00	0.00	0	0		
									point109	109	2,546.5	2,056.7	160.00	12.00					
Barrier12	W	0.00	99.99	0.00			0.00		point145	145	2,432.0	1,834.0	160.00	12.00	0.00	0	0		
									point18	18	2,714.1	2,100.8	160.00	12.00	0.00	0	0		
									point19	19	2,847.5	1,963.0	160.00	12.00	0.00	0	0		
									point20	20	2,574.1	1,680.9	160.00	12.00					
Barrier13	W	0.00	99.99	0.00			0.00		point147	147	1,896.2	1,672.2	160.00	12.00	0.00	0	0		
									point22	22	2,204.6	1,963.0	160.00	12.00	0.00	0	0		
									point23	23	2,368.6	1,796.8	160.00	12.00	0.00	0	0		
									point24	24	2,239.6	1,663.5	160.00	12.00	0.00	0	0		
									point25	25	2,515.1	1,387.9	160.00	12.00	0.00	0	0		
									point26	26	2,318.3	1,322.3	160.00	12.00	0.00	0	0		
									point27	27	2,114.9	1,547.5	160.00	12.00					
Barrier14	W	0.00	99.99	0.00			0.00		point149	149	1,595.6	1,342.5	160.00	12.00	0.00	0	0		
									point62	62	1,682.4	1,422.4	160.00	12.00	0.00	0	0		
									point63	63	1,880.2	1,210.6	160.00	12.00	0.00	0	0		
									point64	64	1,755.3	1,172.4	160.00	12.00					
Barrier15	W	0.00	99.99	0.00			0.00		point151	151	1,835.1	1,346.0	160.00	12.00	0.00	0	0		
									point58	58	1,953.1	1,464.0	160.00	12.00	0.00	0	0		
									point59	59	2,036.5	1,380.7	160.00	12.00	0.00	0	0		
									point60	60	1,921.9	1,269.6	160.00	12.00					
Barrier16	W	0.00	99.99	0.00			0.00		point153	153	2,114.9	1,547.5	160.00	12.00	0.00	0	0		
									point28	28	2,064.6	1,499.4	160.00	12.00					
Barrier17	W	0.00	99.99	0.00			0.00		point155	155	1,418.7	388.5	160.00	12.00	0.00	0	0		
									point87	87	2,358.2	589.6	160.00	12.00	0.00	0	0		
									point88	88	2,300.4	821.0	160.00	12.00	0.00	0	0		
									point89	89	1,360.8	584.1	160.00	12.00					
Barrier18	W	0.00	99.99	0.00			0.00		point157	157	2,917.5	713.6	160.00	12.00	0.00	0	0		
									point91	91	3,322.5	283.8	160.00	12.00	0.00	0	0		
									point92	92	3,490.6	432.6	160.00	12.00	0.00	0	0		
									point93	93	3,121.4	815.5	160.00	12.00	0.00	0	0		
									point94	94	2,884.5	757.7	160.00	12.00					
Barrier19	W	0.00	99.99	0.00			0.00		point159	159	2,368.5	789.5	160.00	12.00	0.00	0	0		
									point66	66	2,425.8	569.1	160.00	12.00	0.00	0	0		
									point67	67	2,679.2	437.2	160.00	12.00	0.00	0	0		
									point68	68	2,800.7	473.6	160.00	12.00	0.00	0	0		
									point69	69	2,878.8	386.8	160.00	12.00	0.00	0	0		
									point70	70	2,911.8	409.4	160.00	12.00	0.00	0	0		
									point71	71	2,984.7	338.2	160.00	12.00	0.00	0	0		
									point72	72	3,075.0	430.2	160.00	12.00	0.00	0	0		
									point73	73	2,903.1	607.3	160.00	12.00					
Barrier20	W	0.00	99.99	0.00			0.00		point160	160	2,733.9	1,244.3	160.00	12.00	0.00	0	0		
									point30	30	3,398.7	1,412.7	160.00	12.00	0.00	0	0		
									point31	31	3,431.5	1,283.6	160.00	12.00	0.00	0	0		



INPUT: BARRIERS

10649

									point32	32	2,764.5	1,106.5	160.00	12.00				
Barrier21	W	0.00	99.99	0.00			0.00	point162	162	2,283.8	1,157.2	160.00	12.00	0.00	0	0		
								point79	79	2,338.9	942.3	160.00	12.00	0.00	0	0		
								point80	80	2,465.7	967.1	160.00	12.00	0.00	0	0		
								point81	81	2,451.9	1,005.6	160.00	12.00	0.00	0	0		
								point82	82	2,738.4	1,066.3	160.00	12.00	0.00	0	0		
								point83	83	2,705.4	1,182.0	160.00	12.00	0.00	0	0		
								point84	84	2,460.2	1,129.6	160.00	12.00	0.00	0	0		
								point85	85	2,443.6	1,195.8	160.00	12.00					
Barrier22	W	0.00	99.99	0.00			0.00	point164	164	3,722.4	1,294.6	160.00	12.00	0.00	0	0		
								point34	34	3,707.1	1,358.0	160.00	12.00	0.00	0	0		
								point35	35	3,860.2	1,526.4	160.00	12.00	0.00	0	0		
								point36	36	4,242.9	1,611.7	160.00	12.00	0.00	0	0		
								point37	37	4,247.2	1,554.8	160.00	12.00	0.00	0	0		
								point38	38	4,330.4	1,572.3	160.00	12.00	0.00	0	0		
								point39	39	4,380.7	1,484.8	160.00	12.00					
Barrier23	W	0.00	99.99	0.00			0.00	point166	166	2,972.6	308.6	160.00	12.00	0.00	0	0		
								point75	75	3,074.6	418.8	160.00	12.00	0.00	0	0		
								point76	76	3,234.4	270.0	160.00	12.00	0.00	0	0		
								point77	77	3,149.0	190.1	160.00	12.00					
Barrier24	W	0.00	99.99	0.00			0.00	point168	168	3,824.8	1,126.7	160.00	12.00	0.00	0	0		
								point46	46	3,986.2	960.1	160.00	12.00	0.00	0	0		
								point47	47	4,420.1	1,066.0	160.00	12.00	0.00	0	0		
								point48	48	4,312.5	1,269.0	160.00	12.00					
Barrier25	W	0.00	99.99	0.00			0.00	point170	170	3,708.5	1,109.4	160.00	12.00	0.00	0	0		
								point41	41	3,864.2	931.0	160.00	12.00	0.00	0	0		
								point42	42	3,719.5	802.9	160.00	12.00	0.00	0	0		
								point43	43	3,581.8	953.1	160.00	12.00	0.00	0	0		
								point44	44	3,540.1	1,071.2	160.00	12.00					
Barrier26	W	0.00	99.99	0.00			0.00	point172	172	4,086.7	861.7	160.00	12.00	0.00	0	0		
								point50	50	4,232.5	705.5	160.00	12.00	0.00	0	0		
								point51	51	4,520.6	870.4	160.00	12.00	0.00	0	0		
								point52	52	4,472.0	988.4	160.00	12.00					
Barrier27	W	0.00	99.99	0.00			0.00	point174	174	3,960.0	832.2	160.00	12.00	0.00	0	0		
								point54	54	4,187.3	604.8	160.00	12.00	0.00	0	0		
								point55	55	4,044.1	434.0	160.00	12.00	0.00	0	0		
								point56	56	3,809.9	671.0	160.00	12.00					

RESULTS: SOUND LEVELS

10649

Dudek										1 November 2019			
MG										TNM 2.5			
										Calculated with TNM 2.5			
RESULTS: SOUND LEVELS													
PROJECT/CONTRACT:										10649			
RUN:										LADWP West LA Yard - ExwP Rev1019			
BARRIER DESIGN:										INPUT HEIGHTS			
										Average pavement type shall be used unless a State highway agency substantiates the use of a different type with approval of FHWA.			
ATMOSPHERICS:										68 deg F, 50% RH			
Receiver													
Name		No.	#DUs	Existing LAeq1h	No Barrier LAeq1h	Increase over existing		Type	With Barrier	Noise Reduction			
				Calculated	Crit'n	Calculated	Crit'n	Impact	Calculated LAeq1h	Calculated	Goal	Calculated minus Goal	
				dBA	dBA	dBA	dB		dBA	dB	dB	dB	
ST1	1	1	0.0	60.1	66	60.1	10	----	60.1	0.0	8	-8.0	
ST2	2	1	0.0	60.2	66	60.2	10	----	60.2	0.0	8	-8.0	
ST3	3	1	0.0	48.1	66	48.1	10	----	48.1	0.0	8	-8.0	
ST4	4	1	0.0	55.7	66	55.7	10	----	55.7	0.0	8	-8.0	
ST5	5	1	0.0	60.4	66	60.4	10	----	60.4	0.0	8	-8.0	
ST6	6	1	0.0	53.2	66	53.2	10	----	53.2	0.0	8	-8.0	
ST7	7	1	0.0	56.3	66	56.3	10	----	56.3	0.0	8	-8.0	
M1	8	1	0.0	66.2	66	66.2	10	Snd Lvl	66.2	0.0	8	-8.0	
M2	9	1	0.0	63.9	66	63.9	10	----	63.9	0.0	8	-8.0	
M3	10	1	0.0	66.4	66	66.4	10	Snd Lvl	66.4	0.0	8	-8.0	
M4	11	1	0.0	65.3	66	65.3	10	----	65.3	0.0	8	-8.0	
Dwelling Units			# DUs	Noise Reduction									
				Min	Avg	Max							
				dB	dB	dB							
All Selected			11	0.0	0.0	0.0							
All Impacted			2	0.0	0.0	0.0							
All that meet NR Goal			0	0.0	0.0	0.0							

INPUT: ROADWAYS

10649

Dudek MG				1 November 2019 TNM 2.5								
INPUT: ROADWAYS							Average pavement type shall be used unless a State highway agency substantiates the use of a different type with the approval of FHWA					
PROJECT/CONTRACT:		10649										
RUN:		LADWP West LA Yard Proj - Future 1019										
Roadway Name	Width	Points Name	No.	Coordinates (pavement)			Flow Control			Segment		
				X	Y	Z	Control Device	Speed Constraint	Percent Vehicles Affected	Pvmt Type	On Struct?	
	ft			ft	ft	ft		mph	%			
Bundy Drive north of Nebraska Avenue	50.0	point1	1	1,563.5	3,417.6	160.00				Average		
		point3	3	2,100.8	2,854.2	160.00						
Centinela Avenue north of Olympic Blvd	50.0	point24	24	1,744.5	1,133.9	160.00				Average		
		point16	16	1,075.3	1,827.2	160.00						
Nebraska Avenue west of Centinela Av	50.0	point26	26	555.5	1,316.5	160.00				Average		
		point19	19	1,076.2	1,832.1	160.00						
Centinela Ave s of Olympic Blvd	35.0	point32	32	2,247.4	1,169.1	160.00				Average		
		point22	22	2,413.1	527.1	160.00				Average		
		point2	2	3,401.1	21.0	160.00						
Bundy Drive south of Olympic Blvd	50.0	point33	33	3,404.0	1,493.1	160.00				Average		
		point5	5	4,447.4	390.7	160.00						
Centinela Avenue north of Nebraska Av	35.0	point36	36	1,069.6	1,832.9	160.00				Average		
		point17	17	292.4	2,636.3	160.00						
Nebraska Avenue east of Centinela Ave	50.0	point38	38	1,076.2	1,832.1	160.00				Average		
		point44	44	1,585.0	2,341.1	160.00						
Olympic Blvd west of Centinela Avenue	50.0	point40	40	1,741.9	1,122.3	160.00				Average		
		point14	14	622.3	849.8	160.00						
Olympic Blvd east of Bundy Drive	50.0	point28	28	4,274.0	1,683.0	160.00				Average		
		point11	11	3,403.7	1,499.3	160.00						
Olympic Blvd east of Centinela Avenue	50.0	point41	41	3,403.7	1,499.3	160.00				Average		
		point39	39	2,214.0	1,236.9	160.00				Average		
		point13	13	1,741.9	1,122.3	160.00						
Bundy Drive south of Nebraska Avenue	50.0	point43	43	2,100.8	2,854.2	160.00				Average		
		point4	4	3,396.3	1,502.1	160.00						
Nebraska Avenue west of Bundy Drive	50.0	point45	45	1,585.0	2,341.1	160.00				Average		

**INPUT: ROADWAYS**

**10649**

		point20	20	2,093.9	2,850.1	160.00					
--	--	---------	----	---------	---------	--------	--	--	--	--	--

**INPUT: TRAFFIC FOR LAeq1h Percentages****10649**

<b>Dudek</b>													
<b>MG</b>													
<b>INPUT: TRAFFIC FOR LAeq1h Percentages</b>													
<b>PROJECT/CONTRACT:</b>	<b>10649</b>												
<b>RUN:</b>	<b>LADWP West LA Yard Proj - Future 1019</b>												
<b>Roadway</b>	<b>Points</b>												
<b>Name</b>	<b>Name</b>	<b>No.</b>	<b>Segment</b>	<b>Autos</b>		<b>MTrucks</b>		<b>HTrucks</b>		<b>Buses</b>		<b>Motorcycles</b>	
			<b>Total</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>
			<b>Volume</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>
			veh/hr										
Bundy Drive north of Nebraska Avenue	point1	1	2977	97	35	2	35	1	35	0	0	0	0
	point3	3											
Centinela Avenue north of Olympic Blvd	point24	24	2099	97	30	2	30	1	30	0	0	0	0
	point16	16											
Nebraska Avenue west of Centinela Av	point26	26	649	97	25	2	25	1	25	0	0	0	0
	point19	19											
Centinela Ave s of Olympic Blvd	point32	32	2105	97	30	2	30	1	30	0	0	0	0
	point22	22	2105	97	30	2	30	1	30	0	0	0	0
	point2	2											
Bundy Drive south of Olympic Blvd	point33	33	3254	97	35	2	35	1	35	0	0	0	0
	point5	5											
Centinela Avenue north of Nebraska Av	point36	36	1749	97	30	2	30	1	30	0	0	0	0
	point17	17											
Nebraska Avenue east of Centinela Ave	point38	38	392	97	25	2	25	1	25	0	0	0	0
	point44	44											
Olympic Blvd west of Centinela Avenue	point40	40	3389	97	35	2	35	1	35	0	0	0	0
	point14	14											
Olympic Blvd east of Bundy Drive	point28	28	3700	97	35	2	35	1	35	0	0	0	0
	point11	11											
Olympic Blvd east of Centinela Avenue	point41	41	5019	97	35	2	35	1	35	0	0	0	0
	point39	39	5019	97	35	2	35	1	35	0	0	0	0
	point13	13											
Bundy Drive south of Nebraska Avenue	point43	43	3066	97	35	2	35	1	35	0	0	0	0

**INPUT: TRAFFIC FOR LAeq1h Percentages****10649**

	point4	4											
Nebraska Avenue west of Bundy Drive	point45	45	327	97	25	2	25	1	25	0	0	0	0
	point20	20											

**INPUT: RECEIVERS**

**10649**

							<b>1 November 2019</b>					
<b>Dudek</b>												
<b>MG</b>							<b>TNM 2.5</b>					
<b>INPUT: RECEIVERS</b>												
<b>PROJECT/CONTRACT:</b>		<b>10649</b>										
<b>RUN:</b>		<b>LADWP West LA Yard Proj - Future 1019</b>										
<b>Receiver</b>												
Name	No.	#DUs	Coordinates (ground)			Height above Ground	Input Sound Levels and Criteria				Active in Calc.	
			X	Y	Z		Existing LAeq1h	Impact LAeq1h	Criteria Sub'l	NR Goal		
			ft	ft	ft	ft	dBA	dBA	dB	dB		
ST1	1	1	1,721.8	2,514.4	160.00	5.00	0.00	66	10.0	8.0	Y	
ST2	2	1	1,519.3	2,317.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST3	3	1	1,489.6	2,498.0	160.00	5.00	0.00	66	10.0	8.0	Y	
ST4	4	1	1,630.0	2,181.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST5	5	1	1,275.2	2,081.6	160.00	5.00	0.00	66	10.0	8.0	Y	
ST6	6	1	1,859.4	2,330.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST7	7	1	1,841.5	1,683.0	160.00	5.00	0.00	66	10.0	8.0	Y	
M1	8	1	3,867.8	892.8	160.00	5.00	0.00	66	10.0	8.0	Y	
M2	9	1	2,659.4	333.7	160.00	5.00	0.00	66	10.0	8.0	Y	
M3	10	1	2,293.1	2,783.2	160.00	5.00	0.00	66	10.0	8.0	Y	
M4	11	1	1,009.7	1,963.5	160.00	5.00	0.00	66	10.0	8.0	Y	

Dudek																		1 November 2019
MG																		TNM 2.5
INPUT: BARRIERS																		
PROJECT/CONTRACT: 10649																		
RUN: LADWP West LA Yard Proj - Future 1019																		

Barrier									Points									
Name	Type	Height		If Wall \$ per Unit Area	If Berm \$ per Unit Vol.	Top Width	Run:Rise	Add'tnl \$ per Unit Length	Name	No.	Coordinates (bottom)			Height at Point	Segment			Important Reflec- tions?
		Min	Max								X	Y	Z		Seg Incre- ment	Ht #Up	Perturbs #Dn	
		ft	ft	\$/sq ft	\$/cu yd	ft	ft:ft	\$/ft			ft	ft	ft	ft	ft			
Barrier1	W	0.00	99.99	0.00				0.00	point1	1	1,776.3	2,465.9	0.00	0.00	0.00	0	0	
									point3	3	1,838.3	2,523.8	0.00	0.00	0.00	0	0	
									point4	4	2,119.4	2,226.2	0.00	0.00	0.00	0	0	
									point5	5	2,051.9	2,165.6	0.00	0.00				
Barrier2	W	0.00	99.99	0.00				0.00	point125	125	918.6	1,505.1	160.00	12.00	0.00	0	0	
									point100	100	1,135.1	1,697.6	160.00	12.00	0.00	0	0	
									point2	2	1,188.7	1,632.0	160.00	12.00				
Barrier3	W	0.00	99.99	0.00				0.00	point127	127	826.8	2,145.8	160.00	12.00	0.00	0	0	
									point96	96	1,079.3	1,899.7	160.00	12.00	0.00	0	0	
									point97	97	1,161.4	1,978.5	160.00	12.00	0.00	0	0	
									point98	98	916.4	2,238.7	160.00	12.00				
Barrier4	W	0.00	99.99	0.00				0.00	point129	129	1,452.9	2,262.2	160.00	12.00	0.00	0	0	
									point116	116	1,553.4	2,355.9	160.00	12.00	0.00	0	0	
									point117	117	1,118.1	2,806.4	160.00	12.00	0.00	0	0	
									point118	118	1,017.5	2,705.8	160.00	12.00				
Barrier5	W	0.00	99.99	0.00				0.00	point131	131	1,593.3	2,404.1	160.00	12.00	0.00	0	0	
									point120	120	1,673.1	2,482.2	160.00	12.00	0.00	0	0	
									point121	121	1,246.1	2,919.6	160.00	12.00	0.00	0	0	
									point122	122	1,155.9	2,831.1	160.00	12.00				
Barrier6	W	0.00	99.99	0.00				0.00	point133	133	1,708.9	2,520.4	160.00	12.00	0.00	0	0	
									point6	6	1,789.6	2,597.7	160.00	12.00	0.00	0	0	
									point7	7	1,365.3	3,039.4	160.00	12.00	0.00	0	0	
									point8	8	1,295.4	2,960.7	160.00	12.00				
Barrier7	W	0.00	99.99	0.00				0.00	point135	135	1,857.4	2,671.6	160.00	12.00	0.00	0	0	
									point10	10	2,029.2	2,843.5	160.00	12.00	0.00	0	0	
									point11	11	1,619.6	3,296.5	160.00	12.00	0.00	0	0	
									point12	12	1,430.4	3,107.3	160.00	12.00				
Barrier8	W	0.00	99.99	0.00				0.00	point137	137	1,944.3	2,013.4	160.00	12.00	0.00	0	0	
									point14	14	2,176.1	2,243.0	160.00	12.00	0.00	0	0	
									point15	15	2,265.8	2,153.3	160.00	12.00	0.00	0	0	
									point16	16	2,040.6	1,919.3	160.00	12.00				
Barrier9	W	0.00	99.99	0.00				0.00	point139	139	2,546.5	2,056.7	160.00	12.00	0.00	0	0	
									point110	110	2,185.5	2,392.9	160.00	12.00				
Barrier10	W	0.00	99.99	0.00				0.00	point141	141	1,974.7	2,687.7	160.00	12.00	0.00	0	0	
									point102	102	2,094.6	2,808.9	160.00	12.00	0.00	0	0	



INPUT: BARRIERS

10649

									point103	103	2,328.8	2,562.3	160.00	12.00	0.00	0	0		
									point104	104	2,174.5	2,408.0	160.00	12.00	0.00	0	0		
									point105	105	2,034.0	2,547.2	160.00	12.00	0.00	0	0		
									point106	106	2,072.5	2,591.3	160.00	12.00	0.00	0	0		
Barrier11	W	0.00	99.99	0.00			0.00		point143	143	2,337.0	2,541.7	160.00	12.00	0.00	0	0		
									point108	108	2,680.1	2,180.7	160.00	12.00	0.00	0	0		
									point109	109	2,546.5	2,056.7	160.00	12.00	0.00	0	0		
Barrier12	W	0.00	99.99	0.00			0.00		point145	145	2,432.0	1,834.0	160.00	12.00	0.00	0	0		
									point18	18	2,714.1	2,100.8	160.00	12.00	0.00	0	0		
									point19	19	2,847.5	1,963.0	160.00	12.00	0.00	0	0		
									point20	20	2,574.1	1,680.9	160.00	12.00	0.00	0	0		
Barrier13	W	0.00	99.99	0.00			0.00		point147	147	1,896.2	1,672.2	160.00	12.00	0.00	0	0		
									point22	22	2,204.6	1,963.0	160.00	12.00	0.00	0	0		
									point23	23	2,368.6	1,796.8	160.00	12.00	0.00	0	0		
									point24	24	2,239.6	1,663.5	160.00	12.00	0.00	0	0		
									point25	25	2,515.1	1,387.9	160.00	12.00	0.00	0	0		
									point26	26	2,318.3	1,322.3	160.00	12.00	0.00	0	0		
									point27	27	2,114.9	1,547.5	160.00	12.00	0.00	0	0		
Barrier14	W	0.00	99.99	0.00			0.00		point149	149	1,595.6	1,342.5	160.00	12.00	0.00	0	0		
									point62	62	1,682.4	1,422.4	160.00	12.00	0.00	0	0		
									point63	63	1,880.2	1,210.6	160.00	12.00	0.00	0	0		
									point64	64	1,755.3	1,172.4	160.00	12.00	0.00	0	0		
Barrier15	W	0.00	99.99	0.00			0.00		point151	151	1,835.1	1,346.0	160.00	12.00	0.00	0	0		
									point58	58	1,953.1	1,464.0	160.00	12.00	0.00	0	0		
									point59	59	2,036.5	1,380.7	160.00	12.00	0.00	0	0		
									point60	60	1,921.9	1,269.6	160.00	12.00	0.00	0	0		
Barrier16	W	0.00	99.99	0.00			0.00		point153	153	2,114.9	1,547.5	160.00	12.00	0.00	0	0		
									point28	28	2,064.6	1,499.4	160.00	12.00	0.00	0	0		
Barrier17	W	0.00	99.99	0.00			0.00		point155	155	1,418.7	388.5	160.00	12.00	0.00	0	0		
									point87	87	2,358.2	589.6	160.00	12.00	0.00	0	0		
									point88	88	2,300.4	821.0	160.00	12.00	0.00	0	0		
									point89	89	1,360.8	584.1	160.00	12.00	0.00	0	0		
Barrier18	W	0.00	99.99	0.00			0.00		point157	157	2,917.5	713.6	160.00	12.00	0.00	0	0		
									point91	91	3,322.5	283.8	160.00	12.00	0.00	0	0		
									point92	92	3,490.6	432.6	160.00	12.00	0.00	0	0		
									point93	93	3,121.4	815.5	160.00	12.00	0.00	0	0		
									point94	94	2,884.5	757.7	160.00	12.00	0.00	0	0		
Barrier19	W	0.00	99.99	0.00			0.00		point159	159	2,368.5	789.5	160.00	12.00	0.00	0	0		
									point66	66	2,425.8	569.1	160.00	12.00	0.00	0	0		
									point67	67	2,679.2	437.2	160.00	12.00	0.00	0	0		
									point68	68	2,800.7	473.6	160.00	12.00	0.00	0	0		
									point69	69	2,878.8	386.8	160.00	12.00	0.00	0	0		
									point70	70	2,911.8	409.4	160.00	12.00	0.00	0	0		
									point71	71	2,984.7	338.2	160.00	12.00	0.00	0	0		
									point72	72	3,075.0	430.2	160.00	12.00	0.00	0	0		
									point73	73	2,903.1	607.3	160.00	12.00	0.00	0	0		
Barrier20	W	0.00	99.99	0.00			0.00		point160	160	2,733.9	1,244.3	160.00	12.00	0.00	0	0		
									point30	30	3,398.7	1,412.7	160.00	12.00	0.00	0	0		
									point31	31	3,431.5	1,283.6	160.00	12.00	0.00	0	0		

INPUT: BARRIERS

10649

									point32	32	2,764.5	1,106.5	160.00	12.00				
Barrier21	W	0.00	99.99	0.00			0.00	point162	162	2,283.8	1,157.2	160.00	12.00	0.00	0	0		
								point79	79	2,338.9	942.3	160.00	12.00	0.00	0	0		
								point80	80	2,465.7	967.1	160.00	12.00	0.00	0	0		
								point81	81	2,451.9	1,005.6	160.00	12.00	0.00	0	0		
								point82	82	2,738.4	1,066.3	160.00	12.00	0.00	0	0		
								point83	83	2,705.4	1,182.0	160.00	12.00	0.00	0	0		
								point84	84	2,460.2	1,129.6	160.00	12.00	0.00	0	0		
								point85	85	2,443.6	1,195.8	160.00	12.00					
Barrier22	W	0.00	99.99	0.00			0.00	point164	164	3,722.4	1,294.6	160.00	12.00	0.00	0	0		
								point34	34	3,707.1	1,358.0	160.00	12.00	0.00	0	0		
								point35	35	3,860.2	1,526.4	160.00	12.00	0.00	0	0		
								point36	36	4,242.9	1,611.7	160.00	12.00	0.00	0	0		
								point37	37	4,247.2	1,554.8	160.00	12.00	0.00	0	0		
								point38	38	4,330.4	1,572.3	160.00	12.00	0.00	0	0		
								point39	39	4,380.7	1,484.8	160.00	12.00					
Barrier23	W	0.00	99.99	0.00			0.00	point166	166	2,972.6	308.6	160.00	12.00	0.00	0	0		
								point75	75	3,074.6	418.8	160.00	12.00	0.00	0	0		
								point76	76	3,234.4	270.0	160.00	12.00	0.00	0	0		
								point77	77	3,149.0	190.1	160.00	12.00					
Barrier24	W	0.00	99.99	0.00			0.00	point168	168	3,824.8	1,126.7	160.00	12.00	0.00	0	0		
								point46	46	3,986.2	960.1	160.00	12.00	0.00	0	0		
								point47	47	4,420.1	1,066.0	160.00	12.00	0.00	0	0		
								point48	48	4,312.5	1,269.0	160.00	12.00					
Barrier25	W	0.00	99.99	0.00			0.00	point170	170	3,708.5	1,109.4	160.00	12.00	0.00	0	0		
								point41	41	3,864.2	931.0	160.00	12.00	0.00	0	0		
								point42	42	3,719.5	802.9	160.00	12.00	0.00	0	0		
								point43	43	3,581.8	953.1	160.00	12.00	0.00	0	0		
								point44	44	3,540.1	1,071.2	160.00	12.00					
Barrier26	W	0.00	99.99	0.00			0.00	point172	172	4,086.7	861.7	160.00	12.00	0.00	0	0		
								point50	50	4,232.5	705.5	160.00	12.00	0.00	0	0		
								point51	51	4,520.6	870.4	160.00	12.00	0.00	0	0		
								point52	52	4,472.0	988.4	160.00	12.00					
Barrier27	W	0.00	99.99	0.00			0.00	point174	174	3,960.0	832.2	160.00	12.00	0.00	0	0		
								point54	54	4,187.3	604.8	160.00	12.00	0.00	0	0		
								point55	55	4,044.1	434.0	160.00	12.00	0.00	0	0		
								point56	56	3,809.9	671.0	160.00	12.00					

RESULTS: SOUND LEVELS

10649

Dudek													1 November 2019																							
MG													TNM 2.5																							
													Calculated with TNM 2.5																							
RESULTS: SOUND LEVELS																																				
PROJECT/CONTRACT:													10649																							
RUN:													LADWP West LA Yard Proj - Future 1019																							
BARRIER DESIGN:													INPUT HEIGHTS																							
													Average pavement type shall be used unless a State highway agency substantiates the use of a different type with approval of FHWA.																							
ATMOSPHERICS:													68 deg F, 50% RH																							
Receiver																																				
Name													No.		#DUs		Existing		No Barrier		With Barrier															
															LAeq1h		LAeq1h		Increase over existing		Type		Calculated		Noise Reduction											
																	Calculated		Crit'n		Calculated		Crit'n		Impact		LAeq1h		Calculated		Goal		Calculated			
																													minus		Goal					
															dBA		dBA		dBA		dB		dB				dBA		dB		dB		dB			
ST1													1		1		0.0		60.4		66		60.4		10		----		60.4		0.0		8		-8.0	
ST2													2		1		0.0		60.7		66		60.7		10		----		60.7		0.0		8		-8.0	
ST3													3		1		0.0		48.9		66		48.9		10		----		48.9		0.0		8		-8.0	
ST4													4		1		0.0		56.6		66		56.6		10		----		56.6		0.0		8		-8.0	
ST5													5		1		0.0		61.1		66		61.1		10		----		61.1		0.0		8		-8.0	
ST6													6		1		0.0		54.1		66		54.1		10		----		54.1		0.0		8		-8.0	
ST7													7		1		0.0		57.6		66		57.6		10		----		57.6		0.0		8		-8.0	
M1													8		1		0.0		67.0		66		67.0		10		Snd Lvl		67.0		0.0		8		-8.0	
M2													9		1		0.0		65.6		66		65.6		10		----		65.6		0.0		8		-8.0	
M3													10		1		0.0		67.3		66		67.3		10		Snd Lvl		67.3		0.0		8		-8.0	
M4													11		1		0.0		66.1		66		66.1		10		Snd Lvl		66.1		0.0		8		-8.0	
Dwelling Units															# DUs		Noise Reduction																			
																	Min		Avg		Max															
																	dB		dB		dB															
All Selected															11		0.0		0.0		0.0															
All Impacted															3		0.0		0.0		0.0															
All that meet NR Goal															0		0.0		0.0		0.0															

Dudek MG				1 November 2019 TNM 2.5							
INPUT: ROADWAYS							Average pavement type shall be used unless a State highway agency substantiates the use of a different type with the approval of FHWA				
PROJECT/CONTRACT: 10649											
RUN: LADWP West LA Yard Proj - Fut wP 1019											
Roadway Name	Width	Points Name	No.	Coordinates (pavement)			Flow Control			Segment	
				X	Y	Z	Control Device	Speed Constraint	Percent Vehicles Affected	Pvmt Type	On Struct?
	ft			ft	ft	ft		mph	%		
Bundy Drive north of Nebraska Avenue	50.0	point1	1	1,563.5	3,417.6	160.00				Average	
		point3	3	2,100.8	2,854.2	160.00					
Centinela Avenue north of Olympic Blvd	50.0	point24	24	1,744.5	1,133.9	160.00				Average	
		point16	16	1,075.3	1,827.2	160.00					
Nebraska Avenue west of Centinela Av	50.0	point26	26	555.5	1,316.5	160.00				Average	
		point19	19	1,076.2	1,832.1	160.00					
Centinela Ave s of Olympic Blvd	35.0	point32	32	2,247.4	1,169.1	160.00				Average	
		point22	22	2,413.1	527.1	160.00				Average	
		point2	2	3,401.1	21.0	160.00					
Bundy Drive south of Olympic Blvd	50.0	point33	33	3,404.0	1,493.1	160.00				Average	
		point5	5	4,447.4	390.7	160.00					
Centinela Avenue north of Nebraska Av	35.0	point36	36	1,069.6	1,832.9	160.00				Average	
		point17	17	292.4	2,636.3	160.00					
Nebraska Avenue east of Centinela Ave	50.0	point38	38	1,076.2	1,832.1	160.00				Average	
		point44	44	1,585.0	2,341.1	160.00					
Olympic Blvd west of Centinela Avenue	50.0	point40	40	1,741.9	1,122.3	160.00				Average	
		point14	14	622.3	849.8	160.00					
Olympic Blvd east of Bundy Drive	50.0	point28	28	4,274.0	1,683.0	160.00				Average	
		point11	11	3,403.7	1,499.3	160.00					
Olympic Blvd east of Centinela Avenue	50.0	point41	41	3,403.7	1,499.3	160.00				Average	
		point39	39	2,214.0	1,236.9	160.00				Average	
		point13	13	1,741.9	1,122.3	160.00					
Bundy Drive south of Nebraska Avenue	50.0	point43	43	2,100.8	2,854.2	160.00				Average	
		point4	4	3,396.3	1,502.1	160.00					
Nebraska Avenue west of Bundy Drive	50.0	point45	45	1,585.0	2,341.1	160.00				Average	

**INPUT: ROADWAYS**

**10649**

		point20	20	2,093.9	2,850.1	160.00					
--	--	---------	----	---------	---------	--------	--	--	--	--	--

INPUT: TRAFFIC FOR LAeq1h Percentages

10649

<b>Dudek</b>														
<b>MG</b>														
<b>INPUT: TRAFFIC FOR LAeq1h Percentages</b>														
<b>PROJECT/CONTRACT:</b>	<b>10649</b>													
<b>RUN:</b>	<b>LADWP West LA Yard Proj - Fut wP 1019</b>													
<b>Roadway</b>	<b>Points</b>													
<b>Name</b>	<b>Name</b>	<b>No.</b>	<b>Segment</b>	<b>Autos</b>		<b>MTrucks</b>		<b>HTrucks</b>		<b>Buses</b>		<b>Motorcycles</b>		
			<b>Total</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	<b>P</b>	<b>S</b>	
			<b>Volume</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	<b>%</b>	<b>mph</b>	
			<b>veh/hr</b>											
Bundy Drive north of Nebraska Avenue	point1	1	2986	97	35	2	35	1	35	0	0	0	0	
	point3	3												
Centinela Avenue north of Olympic Blvd	point24	24	2102	97	30	2	30	1	30	0	0	0	0	
	point16	16												
Nebraska Avenue west of Centinela Av	point26	26	650	97	25	2	25	1	25	0	0	0	0	
	point19	19												
Centinela Ave s of Olympic Blvd	point32	32	2105	97	30	2	30	1	30	0	0	0	0	
	point22	22	2105	97	30	2	30	1	30	0	0	0	0	
	point2	2												
Bundy Drive south of Olympic Blvd	point33	33	3259	97	35	2	35	1	35	0	0	0	0	
	point5	5												
Centinela Avenue north of Nebraska Av	point36	36	1754	97	30	2	30	1	30	0	0	0	0	
	point17	17												
Nebraska Avenue east of Centinela Ave	point38	38	396	97	25	2	25	1	25	0	0	0	0	
	point44	44												
Olympic Blvd west of Centinela Avenue	point40	40	3395	97	35	2	35	1	35	0	0	0	0	
	point14	14												
Olympic Blvd east of Bundy Drive	point28	28	3712	97	35	2	35	1	35	0	0	0	0	
	point11	11												
Olympic Blvd east of Centinela Avenue	point41	41	5028	97	35	2	35	1	35	0	0	0	0	
	point39	39	5028	97	35	2	35	1	35	0	0	0	0	
	point13	13												
Bundy Drive south of Nebraska Avenue	point43	43	3072	97	35	2	35	1	35	0	0	0	0	

**INPUT: TRAFFIC FOR LAeq1h Percentages****10649**

	point4	4											
Nebraska Avenue west of Bundy Drive	point45	45	342	97	25	2	25	1	25	0	0	0	0
	point20	20											

**INPUT: RECEIVERS**

**10649**

							<b>1 November 2019</b>					
<b>Dudek</b>												
<b>MG</b>							<b>TNM 2.5</b>					
<b>INPUT: RECEIVERS</b>												
<b>PROJECT/CONTRACT:</b>		<b>10649</b>										
<b>RUN:</b>		<b>LADWP West LA Yard Proj - Fut wP 1019</b>										
<b>Receiver</b>												
Name	No.	#DUs	Coordinates (ground)			Height above Ground	Input Sound Levels and Criteria				Active in Calc.	
			X	Y	Z		Existing LAeq1h	Impact LAeq1h	Criteria Sub'l	NR Goal		
			ft	ft	ft	ft	dBA	dBA	dB	dB		
ST1	1	1	1,721.8	2,514.4	160.00	5.00	0.00	66	10.0	8.0	Y	
ST2	2	1	1,519.3	2,317.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST3	3	1	1,489.6	2,498.0	160.00	5.00	0.00	66	10.0	8.0	Y	
ST4	4	1	1,630.0	2,181.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST5	5	1	1,275.2	2,081.6	160.00	5.00	0.00	66	10.0	8.0	Y	
ST6	6	1	1,859.4	2,330.1	160.00	5.00	0.00	66	10.0	8.0	Y	
ST7	7	1	1,841.5	1,683.0	160.00	5.00	0.00	66	10.0	8.0	Y	
M1	8	1	3,867.8	892.8	160.00	5.00	0.00	66	10.0	8.0	Y	
M2	9	1	2,659.4	333.7	160.00	5.00	0.00	66	10.0	8.0	Y	
M3	10	1	2,293.1	2,783.2	160.00	5.00	0.00	66	10.0	8.0	Y	
M4	11	1	1,009.7	1,963.5	160.00	5.00	0.00	66	10.0	8.0	Y	





INPUT: BARRIERS

10649

									point103	103	2,328.8	2,562.3	160.00	12.00	0.00	0	0		
									point104	104	2,174.5	2,408.0	160.00	12.00	0.00	0	0		
									point105	105	2,034.0	2,547.2	160.00	12.00	0.00	0	0		
									point106	106	2,072.5	2,591.3	160.00	12.00					
Barrier11	W	0.00	99.99	0.00			0.00		point143	143	2,337.0	2,541.7	160.00	12.00	0.00	0	0		
									point108	108	2,680.1	2,180.7	160.00	12.00	0.00	0	0		
									point109	109	2,546.5	2,056.7	160.00	12.00					
Barrier12	W	0.00	99.99	0.00			0.00		point145	145	2,432.0	1,834.0	160.00	12.00	0.00	0	0		
									point18	18	2,714.1	2,100.8	160.00	12.00	0.00	0	0		
									point19	19	2,847.5	1,963.0	160.00	12.00	0.00	0	0		
									point20	20	2,574.1	1,680.9	160.00	12.00					
Barrier13	W	0.00	99.99	0.00			0.00		point147	147	1,896.2	1,672.2	160.00	12.00	0.00	0	0		
									point22	22	2,204.6	1,963.0	160.00	12.00	0.00	0	0		
									point23	23	2,368.6	1,796.8	160.00	12.00	0.00	0	0		
									point24	24	2,239.6	1,663.5	160.00	12.00	0.00	0	0		
									point25	25	2,515.1	1,387.9	160.00	12.00	0.00	0	0		
									point26	26	2,318.3	1,322.3	160.00	12.00	0.00	0	0		
									point27	27	2,114.9	1,547.5	160.00	12.00					
Barrier14	W	0.00	99.99	0.00			0.00		point149	149	1,595.6	1,342.5	160.00	12.00	0.00	0	0		
									point62	62	1,682.4	1,422.4	160.00	12.00	0.00	0	0		
									point63	63	1,880.2	1,210.6	160.00	12.00	0.00	0	0		
									point64	64	1,755.3	1,172.4	160.00	12.00					
Barrier15	W	0.00	99.99	0.00			0.00		point151	151	1,835.1	1,346.0	160.00	12.00	0.00	0	0		
									point58	58	1,953.1	1,464.0	160.00	12.00	0.00	0	0		
									point59	59	2,036.5	1,380.7	160.00	12.00	0.00	0	0		
									point60	60	1,921.9	1,269.6	160.00	12.00					
Barrier16	W	0.00	99.99	0.00			0.00		point153	153	2,114.9	1,547.5	160.00	12.00	0.00	0	0		
									point28	28	2,064.6	1,499.4	160.00	12.00					
Barrier17	W	0.00	99.99	0.00			0.00		point155	155	1,418.7	388.5	160.00	12.00	0.00	0	0		
									point87	87	2,358.2	589.6	160.00	12.00	0.00	0	0		
									point88	88	2,300.4	821.0	160.00	12.00	0.00	0	0		
									point89	89	1,360.8	584.1	160.00	12.00					
Barrier18	W	0.00	99.99	0.00			0.00		point157	157	2,917.5	713.6	160.00	12.00	0.00	0	0		
									point91	91	3,322.5	283.8	160.00	12.00	0.00	0	0		
									point92	92	3,490.6	432.6	160.00	12.00	0.00	0	0		
									point93	93	3,121.4	815.5	160.00	12.00	0.00	0	0		
									point94	94	2,884.5	757.7	160.00	12.00					
Barrier19	W	0.00	99.99	0.00			0.00		point159	159	2,368.5	789.5	160.00	12.00	0.00	0	0		
									point66	66	2,425.8	569.1	160.00	12.00	0.00	0	0		
									point67	67	2,679.2	437.2	160.00	12.00	0.00	0	0		
									point68	68	2,800.7	473.6	160.00	12.00	0.00	0	0		
									point69	69	2,878.8	386.8	160.00	12.00	0.00	0	0		
									point70	70	2,911.8	409.4	160.00	12.00	0.00	0	0		
									point71	71	2,984.7	338.2	160.00	12.00	0.00	0	0		
									point72	72	3,075.0	430.2	160.00	12.00	0.00	0	0		
									point73	73	2,903.1	607.3	160.00	12.00					
Barrier20	W	0.00	99.99	0.00			0.00		point160	160	2,733.9	1,244.3	160.00	12.00	0.00	0	0		
									point30	30	3,398.7	1,412.7	160.00	12.00	0.00	0	0		
									point31	31	3,431.5	1,283.6	160.00	12.00	0.00	0	0		

INPUT: BARRIERS

10649

									point32	32	2,764.5	1,106.5	160.00	12.00				
Barrier21	W	0.00	99.99	0.00			0.00	point162	162	2,283.8	1,157.2	160.00	12.00	0.00	0	0		
								point79	79	2,338.9	942.3	160.00	12.00	0.00	0	0		
								point80	80	2,465.7	967.1	160.00	12.00	0.00	0	0		
								point81	81	2,451.9	1,005.6	160.00	12.00	0.00	0	0		
								point82	82	2,738.4	1,066.3	160.00	12.00	0.00	0	0		
								point83	83	2,705.4	1,182.0	160.00	12.00	0.00	0	0		
								point84	84	2,460.2	1,129.6	160.00	12.00	0.00	0	0		
								point85	85	2,443.6	1,195.8	160.00	12.00					
Barrier22	W	0.00	99.99	0.00			0.00	point164	164	3,722.4	1,294.6	160.00	12.00	0.00	0	0		
								point34	34	3,707.1	1,358.0	160.00	12.00	0.00	0	0		
								point35	35	3,860.2	1,526.4	160.00	12.00	0.00	0	0		
								point36	36	4,242.9	1,611.7	160.00	12.00	0.00	0	0		
								point37	37	4,247.2	1,554.8	160.00	12.00	0.00	0	0		
								point38	38	4,330.4	1,572.3	160.00	12.00	0.00	0	0		
								point39	39	4,380.7	1,484.8	160.00	12.00					
Barrier23	W	0.00	99.99	0.00			0.00	point166	166	2,972.6	308.6	160.00	12.00	0.00	0	0		
								point75	75	3,074.6	418.8	160.00	12.00	0.00	0	0		
								point76	76	3,234.4	270.0	160.00	12.00	0.00	0	0		
								point77	77	3,149.0	190.1	160.00	12.00					
Barrier24	W	0.00	99.99	0.00			0.00	point168	168	3,824.8	1,126.7	160.00	12.00	0.00	0	0		
								point46	46	3,986.2	960.1	160.00	12.00	0.00	0	0		
								point47	47	4,420.1	1,066.0	160.00	12.00	0.00	0	0		
								point48	48	4,312.5	1,269.0	160.00	12.00					
Barrier25	W	0.00	99.99	0.00			0.00	point170	170	3,708.5	1,109.4	160.00	12.00	0.00	0	0		
								point41	41	3,864.2	931.0	160.00	12.00	0.00	0	0		
								point42	42	3,719.5	802.9	160.00	12.00	0.00	0	0		
								point43	43	3,581.8	953.1	160.00	12.00	0.00	0	0		
								point44	44	3,540.1	1,071.2	160.00	12.00					
Barrier26	W	0.00	99.99	0.00			0.00	point172	172	4,086.7	861.7	160.00	12.00	0.00	0	0		
								point50	50	4,232.5	705.5	160.00	12.00	0.00	0	0		
								point51	51	4,520.6	870.4	160.00	12.00	0.00	0	0		
								point52	52	4,472.0	988.4	160.00	12.00					
Barrier27	W	0.00	99.99	0.00			0.00	point174	174	3,960.0	832.2	160.00	12.00	0.00	0	0		
								point54	54	4,187.3	604.8	160.00	12.00	0.00	0	0		
								point55	55	4,044.1	434.0	160.00	12.00	0.00	0	0		
								point56	56	3,809.9	671.0	160.00	12.00					

RESULTS: SOUND LEVELS

10649

Dudek										1 November 2019			
MG										TNM 2.5			
										Calculated with TNM 2.5			
RESULTS: SOUND LEVELS													
PROJECT/CONTRACT:										10649			
RUN:										LADWP West LA Yard Proj - Fut wP 1019			
BARRIER DESIGN:										INPUT HEIGHTS			
										Average pavement type shall be used unless a State highway agency substantiates the use of a different type with approval of FHWA.			
ATMOSPHERICS:										68 deg F, 50% RH			
Receiver													
Name		No.	#DUs	Existing LAeq1h	No Barrier LAeq1h	Increase over existing		Type	With Barrier	Noise Reduction			
				Calculated	Crit'n	Calculated	Crit'n	Impact	Calculated LAeq1h	Calculated	Goal	Calculated minus Goal	
				dBA	dBA	dBA	dB		dBA	dB	dB	dB	
ST1	1	1	0.0	60.6	66	60.6	10	----	60.6	0.0	8	-8.0	
ST2	2	1	0.0	60.8	66	60.8	10	----	60.8	0.0	8	-8.0	
ST3	3	1	0.0	48.9	66	48.9	10	----	48.9	0.0	8	-8.0	
ST4	4	1	0.0	56.6	66	56.6	10	----	56.6	0.0	8	-8.0	
ST5	5	1	0.0	61.1	66	61.1	10	----	61.1	0.0	8	-8.0	
ST6	6	1	0.0	54.1	66	54.1	10	----	54.1	0.0	8	-8.0	
ST7	7	1	0.0	57.6	66	57.6	10	----	57.6	0.0	8	-8.0	
M1	8	1	0.0	67.0	66	67.0	10	Snd Lvl	67.0	0.0	8	-8.0	
M2	9	1	0.0	65.6	66	65.6	10	----	65.6	0.0	8	-8.0	
M3	10	1	0.0	67.3	66	67.3	10	Snd Lvl	67.3	0.0	8	-8.0	
M4	11	1	0.0	66.2	66	66.2	10	Snd Lvl	66.2	0.0	8	-8.0	
Dwelling Units			# DUs	Noise Reduction									
				Min	Avg	Max							
				dB	dB	dB							
All Selected			11	0.0	0.0	0.0							
All Impacted			3	0.0	0.0	0.0							
All that meet NR Goal			0	0.0	0.0	0.0							

# APPENDIX F

TIA & Assessment Letter



TRAFFIC IMPACT STUDY  
**LADWP WEST LOS ANGELES YARD  
DEMOLITION & CONSTRUCTION PROJECT**  
City of Los Angeles, California  
February 27, 2018

Prepared for:  
**Dudek**  
38 North Marengo Avenue  
Pasadena, California 91101

LLG Ref. 1-17-4255-1



Under the Supervision of:  
*Clare M. Look-Jaeger*  
Clare M. Look-Jaeger, P.E.  
Principal

**Linscott, Law &  
Greenspan, Engineers**

600 S. Lake Avenue  
Suite 500  
Pasadena, CA 91106

626.796.2322 T  
626.792.0941 F  
[www.llgengineers.com](http://www.llgengineers.com)

# TABLE OF CONTENTS

SECTION	PAGE
<b>1.0 Introduction</b>	<b>1</b>
1.1 Traffic Study Overview	1
1.2 Study Area	3
1.3 Project Overview	3
1.4 Senate Bill 743 Overview	4
<b>2.0 Project Description</b>	<b>5</b>
2.1 Project Location	5
2.2 Project Description	5
2.2.1 Proposed Project Description	5
2.2.2 Facility Operations	8
2.2.3 Project Construction	8
<b>3.0 Site Access and Circulation</b>	<b>11</b>
3.1 Vehicular Site Access	11
3.2 Pedestrian Access	11
3.3 Bicycle Access	11
<b>4.0 Existing Street System</b>	<b>15</b>
4.1 Regional Highway System	15
4.2 Local Street System	15
4.3 Roadway Classifications	15
4.4 Roadway Descriptions	18
4.5 Existing Transit Services	18
<b>5.0 Traffic Counts</b>	<b>22</b>
<b>6.0 Cumulative Development Projects</b>	<b>26</b>
6.1 Related Projects	26
6.2 Ambient Traffic Growth Factor	33
<b>7.0 Traffic Forecasting Methodology</b>	<b>34</b>
7.1 Project Traffic Generation	34
7.2 Project Traffic Distribution and Assignment	37
<b>8.0 Traffic Impact Analysis Methodology</b>	<b>42</b>
8.1 Intersection Impact Criteria and Thresholds	42
8.2 Intersection Traffic Impact Analysis Scenarios	43



## TABLE OF CONTENTS *(continued)*

SECTION	PAGE
<b>9.0 Traffic Analysis .....</b>	<b>44</b>
9.1 Existing Conditions.....	44
9.1.1 Existing Conditions .....	44
9.1.2 Existing With Project Conditions.....	44
9.2 Future Conditions .....	44
9.2.1 Future Without Project Conditions .....	44
9.2.2 Future With Project Conditions .....	48
9.3 Freeway Impact Analysis Screening Criteria Review .....	48
9.4 City of Los Angeles High Injury Network Review.....	53
<b>10.0 Transportation Improvement Measures .....</b>	<b>57</b>
<b>11.0 Traffic Signal Warrant Analysis .....</b>	<b>58</b>
11.1 Bundy Drive/Nebraska Avenue Intersection.....	60
<b>12.0 Congestion Management Program Traffic Impact Assessment.....</b>	<b>62</b>
12.1 Intersections .....	62
12.2 Freeways .....	63
12.3 Transit Impact Review.....	63
<b>13.0 Conclusions .....</b>	<b>65</b>

## LIST OF TABLES

SECTION—TABLE #	PAGE
4-1 List of Study Intersections .....	16
4-2 Existing Roadway Descriptions.....	19
4-3 Existing Transit Routes .....	20
5-1 Existing Traffic Volumes.....	23
6-1 Related Projects List and Trip Generation.....	27
7-1 Project Trip Generation.....	36
8-1 City of Los Angeles Intersection Impact Threshold Criteria .....	42
9-1 Summary of Volume to Capacity Ratios and Levels of Service.....	45
9-2 Freeway Impact Screening Analysis .....	54

TABLE OF CONTENTS *(continued)*

LIST OF FIGURES

SECTION—FIGURE #	PAGE
1-1 Vicinity Map .....	2
2-1 Aerial Photograph of the Existing Project Site.....	6
2-2 Site Plan.....	7
2-3 West Los Angeles Yard Service Area .....	9
3-1 City of Los Angeles Bicycle Enhanced Network (Low Stress Network).....	13
3-2 City of Los Angeles Proposed Bicycle Lane Network.....	14
4-1 Existing Lane Configurations .....	17
4-2 Existing Public Transit Routes.....	21
5-1 Existing Traffic Volumes – Weekday AM Peak Hour .....	24
5-2 Existing Traffic Volumes – Weekday PM Peak Hour .....	25
6-1 Location of Related Projects.....	30
6-2 Related Projects Traffic Volumes – Weekday AM Peak Hour.....	31
6-3 Related Projects Traffic Volumes – Weekday PM Peak Hour .....	32
7-1 Project Trip Distribution .....	38
7-2 Net New Project Traffic Volumes – Weekday AM Peak Hour.....	39
7-3 Net New Project Traffic Volumes – Weekday PM Peak Hour.....	40
9-1 Existing With Project Traffic Volumes – Weekday AM Peak Hour.....	46
9-2 Existing With Project Traffic Volumes – Weekday PM Peak Hour.....	47
9-3 Future Without Project Traffic Volumes – Weekday AM Peak Hour.....	49
9-4 Future Without Project Traffic Volumes – Weekday PM Peak Hour .....	50
9-5 Future With Project Traffic Volumes – Weekday AM Peak Hour.....	51
9-6 Future With Project Traffic Volumes – Weekday PM Peak Hour.....	52
9-7 City of Los Angeles High Injury Network in Project Vicinity .....	55

TABLE OF CONTENTS *(continued)*  
APPENDICES

---

APPENDIX

---

- A. Traffic Study Memorandum of Understanding
- B. Traffic Count Data
- C. Existing Site Trip Generation Data
- D. CMA and Levels of Service Explanation  
CMA Data Worksheets – Weekday AM and PM Peak Hours
- E. Traffic Signal Warrant Data

TRAFFIC IMPACT STUDY  
LADWP WEST LOS ANGELES  
DEMOLITION & CONSTRUCTION PROJECT

City of Los Angeles, California  
February 27, 2018

## 1.0 INTRODUCTION

This traffic analysis has been conducted to identify and evaluate the potential traffic impacts of the proposed City of Los Angeles Department of Water & Power (LADWP) West Los Angeles Yard Demolition & Construction project (“proposed project” herein). The proposed project site is located at 12300 West Nebraska Avenue in the West Los Angeles Community Plan area of the City of Los Angeles, California. Additionally, the project site also is located within the West Los Angeles Transportation Improvement and Mitigation Specific Plan<sup>1</sup> (West LA TIMP) area. The project site is bounded by Nebraska Avenue to the north, Olympic Boulevard to the south, existing commercial development to the east, and Centinela Avenue to the west. The proposed LADWP West Los Angeles Yard Demolition & Construction project location and general vicinity are shown in *Figure 1-1*.

### 1.1 Traffic Study Overview

The traffic analysis follows City of Los Angeles traffic study guidelines<sup>2</sup> and is consistent with traffic impact assessment guidelines set forth in the Los Angeles County Congestion Management Program<sup>3</sup>. This traffic analysis evaluates potential project-related impacts at six key intersections in the vicinity of the project site. The study intersections were determined in consultation with City of Los Angeles Department of Transportation (LADOT) staff. The Critical Movement Analysis method was used to determine Volume-to-Capacity ratios and corresponding Levels of Service for the study intersections. A review was also conducted of Los Angeles County Metropolitan Transportation Authority freeway and intersection monitoring stations to determine if a Congestion Management Program transportation impact assessment analysis is required for the proposed project. In addition, a screening analysis also was completed as it relates to the State of California Department of Transportation (Caltrans) highway system and the ramp intersections under Caltrans jurisdiction were evaluated based on the Highway Capacity Manual (HCM) operational analysis methodologies.

This study (i) presents existing traffic volumes, (ii) includes existing traffic volumes with the forecast traffic volumes from the proposed project, (iii) recommends mitigation measures, where necessary, (iv) forecasts future cumulative baseline traffic volumes, (v) forecasts future traffic volumes with the proposed project, (vi) determines future forecast with project-related impacts, and (vii) recommends mitigation measures, where necessary.


---

<sup>1</sup> *West Los Angeles Transportation Improvement and Mitigation Specific Plan*, Ordinance No. 171,492, adopted March 8, 1997.



<sup>2</sup> *Transportation Impact Study Guidelines*, City of Los Angeles Department of Transportation, December 2016.

<sup>3</sup> *2010 Congestion Management Program*, Los Angeles County Metropolitan Transportation Authority, October 2010.





**FIGURE 1-1  
VICINITY MAP**

MAP SOURCE: RAND MCNALLY & COMPANY  
 PROJECT SITE  
 STUDY INTERSECTION  
 NOT TO SCALE

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT  
 LINSOTT, LAW & GREENSPAN, engineers



## 1.2 Study Area

Upon coordination with LADOT staff, a total of six study locations have been identified for this evaluation. The six study locations provide local access to the study area and define the extent of the boundaries for this traffic impact analysis. Further discussion of the existing street system and study area is provided in Section 4.0.

The general location of the project in relation to the study locations and surrounding street system is presented in *Figure 1-1*. The traffic analysis study area is generally comprised of those locations which have the greatest potential to experience significant traffic impacts due to the proposed project as defined by the Lead Agency. In the traffic engineering practice, the study area generally includes those intersections that are:

- a. Immediately adjacent or in close proximity to the project site;
- b. In the vicinity of the project site that are documented to have current or projected future adverse operational issues; and
- c. In the vicinity of the project site that are forecast to experience a relatively greater percentage of project-related vehicular turning movements (e.g., at freeway ramp intersections).

The locations selected for analysis were based on the above criteria, the proposed LADWP West Los Angeles Yard Demolition & Construction project peak hour vehicle trip generation, the anticipated distribution of project vehicular trips, and existing intersection/corridor operations. The approved Memorandum of Understanding for the formal traffic study scoping process with LADOT staff is contained in *Appendix A*.

## 1.3 Project Overview

The West Los Angeles District Yard Project is a facility improvement project being proposed by the LADWP. The project would demolish six structures on-site including the district office, warehouse, break room, locker room, and fleet shop. Three new buildings would be constructed in their place: a warehouse, district office, and fleet shop. These new buildings would consolidate all of the functions of the demolished buildings. Beneath the proposed new buildings a single-level underground parking structure with a total of 204 parking stalls would be installed. Additionally, the straddle crane located within the existing yard would be relocated toward the southeast section of the District Yard closer to the driveway along Olympic Boulevard. At the existing on-site fueling station, also in along the access driveway connecting the project site to Olympic Boulevard, the existing unleaded and diesel fuel tanks would remain above ground, and a new compressed natural gas (CNG) tank would be installed aboveground. All fleet vehicle parking, a total of 32 oversized parking spaces, would be located on a surface parking lot.

#### 1.4 Senate Bill 743 Overview

On September 27, 2013, Governor Brown signed Senate Bill (SB) 743 (Steinberg, 2013). Among other things, SB 743 created a process to change the methodology to analyze transportation impacts under CEQA (Public Resources Code section 21000 and following), which could include analysis based on project vehicle miles traveled (VMT) rather than impacts to intersection Level of Service. On December 30, 2013, the State of California Governor's Office of Planning and Research (OPR) released a preliminary evaluation of alternative methods of transportation analysis. The intent of the original guidance documentation was geared first towards projects located within areas that are designated as transit priority areas, to be followed by other areas of the State. OPR issued other draft discussion documents in March 2015 and January 2016, suggesting some new revisions to the state CEQA Guidelines. OPR has submitted the proposed updates to the CEQA Guidelines to the State's Natural Resources Agency (NRA). Over the coming months, the NRA will conduct a formal administrative rulemaking process on the CEQA Guidelines. That rulemaking process will entail additional public review and may lead to further revisions. OPR then would update the technical advisory as appropriate. OPR has therefore not issued any final revisions to the state CEQA Guidelines to implement the CEQA traffic analysis component of SB 743; thus, the analysis in this study utilizes existing, long-established protocols in accordance with CEQA, the existing state CEQA Guidelines, and the City's CEQA Thresholds Guide. (See Public Resources Code section 21099(b).)

This is also consistent with the current City of Los Angeles traffic impact analysis procedures. In August 2014, Councilmember Mike Bonin introduced a motion directing the Department of City Planning (DCP) and LADOT to begin preparation for the shift to VMT analysis (CF 14-1169). DCP subsequently contracted with an outside consultant to develop the strategy and methodology in order to establish the tools necessary to bring the City into compliance with the state mandate. The City has recently conducted beta testing of the recommended VMT tools/metrics that will be used to conduct VMT analyses in traffic studies for projects. It is anticipated that in mid to late 2018, City staff will present the CEQA Appendix G environmental checklist update to the City Council, which will likely lead to the adoption of new VMT-based significance thresholds and its subsequent incorporation into the City's CEQA Threshold Guide in late-2018 to early 2019. Following adoption, projects must then comply with the updated transportation evaluation framework, thus bringing the City into compliance with the state mandate. The City's VMT tools/metrics have not been finalized as of the writing of this traffic study. Should the City finalize those tools/metrics prior to the City decisionmakers' consideration of the proposed project's entitlement, this traffic study may be updated in consultation with LADOT to include a VMT analysis and a determination of whether the proposed project would result in significant impacts based on VMT-based significance thresholds. While any agency can immediately apply the proposed new CEQA Guidelines section (proposed Guidelines section 15064.3), a statewide application of that new section would not be required until January 1, 2020.

## 2.0 PROJECT DESCRIPTION<sup>4</sup>

### 2.1 Project Location

The 6.3-acre project site is located at 12300 Nebraska Avenue in the City of Los Angeles. The project is located in Council District No. 11 and in the West Los Angeles Community Plan area, as well as within the WLA TIMP. The project site is bounded by Nebraska Avenue to the north, Olympic Boulevard to the south, existing commercial development to the east, and Centinela Avenue to the west. The proposed LADWP West Los Angeles Yard Demolition & Construction project location and general vicinity are shown in *Figure 1-1*.

### 2.2 Project Description

#### 2.2.1 *Proposed Project Description*

The proposed West Los Angeles District Yard project is a facility improvement project that is being proposed by the LADWP. The purpose of this project is to enhance the workplace quality, improve safety, provide functional efficacy and efficiency, integrate sustainability into the project design, and enhance site beautification. The current structures on site are aging and will be unable to support the planned increase in staff at the facility nor does the current facility have adequate storage capacity for existing equipment. Furthermore, the current site layout does not allow for much free space for fleet vehicles to maneuver around. The proposed project would allow for more capacity for housing employees and more open space for vehicles, thereby preventing congestion at the facility and improving overall operating conditions, workflow and safety. The project would involve the demolition of all existing structures and construction of new buildings on the same site as the existing West Los Angeles District Yard. An aerial photograph of the existing West Los Angeles District Yard is contained in *Figure 2-1*.


The structures proposed to be demolished are the existing district office, warehouse, break room, locker room, and fleet shop. Three new buildings would be constructed in their place: a warehouse and fleet shop (22,915 square feet), a district yard office (19,900 square feet), and an exterior storage area (18,500 square feet). These new buildings would consolidate all of the functions of the demolished buildings. Additionally, the existing straddle crane located at the yard would be moved toward the section of the District Yard closer to the entrance along Olympic Boulevard. The proposed reconfiguration of the West Los Angeles District Yard site is shown in *Figure 2-2*, Site Plan. The proposed structures would be one to two stories in height with beige exteriors. All buildings would include photovoltaic solar panels on rooftops. Finally, one existing tree is proposed to be removed, while three existing trees would remain. New trees would be added to the project site in landscape designated areas.

One existing fueling station is present at the yard site. The existing unleaded and diesel fuel tanks that are part of the existing fueling station would remain above ground, and a new compressed natural gas tank would be placed aboveground. Additionally, an approximately 75,284 square-foot

---

<sup>4</sup> Source: Dudek.





MAP SOURCE: GOOGLE EARTH

OVERALL LADWP WLA FACILITY

PORTION OF SITE TO BE IMPROVED

EXISTING DRIVEWAY



NOT TO SCALE




LINSCOTT, LAW & GREENSPAN, engineers

# FIGURE 2-1 AERIAL PHOTOGRAPH OF EXISTING SITE

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT





**BUILDINGS:**  
 District Office: 19,249 SF  
 Warehouse: 16,882 SF  
 Fleet Shop: 11,501 SF

**PARKING:**  
 Underground: 69,349 SF  
 Standard Stalls: 199  
 ADA Stalls: 7

Surface: 123,371 SF  
 Oversize Stalls: 49  
 Oversize Loading Stalls: 6

**TOTAL OUTDOOR STORAGE:**  
 16,388 SF

**FIGURE 2-2**  
**SITE PLAN**

MAP SOURCE: LADWP



NOT TO SCALE

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

LINSCOTT, LAW & GREENSPAN, engineers

underground parking structure would be constructed. The underground parking lot would be one level with a total of 204 parking spaces to be used by employee vehicles; the lot would also include new electric vehicle charging stations. All fleet vehicle parking, a total of 55 oversized parking spaces, would be located on the surface parking lot.

### 2.2.2 Facility Operations

The West Los Angeles service area for this facility is bounded to the north by Mulholland Drive, to the south by Imperial Highway, to the east by Robertson Boulevard, and to the west by Vista Del Mar Boulevard. A map depicting the West Los Angeles service area is contained in *Figure 2-3*. A total of 120 employees are currently assigned to this facility, including 105 fleet services employees. Upon build-out of the project, 200 employees would be assigned to this facility. The proposed project would operate during the following hours:

- Monday and Friday: 6:30 AM – 4:00 PM
- Tuesday and Thursday: 6:30 AM – 7:00 PM
- Saturday and every other Sunday: 6:30 AM – 4:30 PM


### 2.2.3 Project Construction

The project would be carried out in two phases in order for the district yard to remain operational throughout construction. Phase 1, which would last approximately three years (October 2019 through December 2023), would involve both demolition of the existing structures and construction of a portion of the proposed project. Phase 1 demolition is scheduled from February 2020 through October 2023. During Phase 1, the district office building, locker room, break room, and the surface employee parking lot would be removed to facilitate the excavation and construction of the new underground parking structure. Once the parking structure is completed, the new district office building and combined warehouse and fleet shop would be constructed.

Phase 2, which would last approximately 3.5 years, would involve the demolition of the remaining structures, including the warehouses located in the southwestern portion of the site as well as the fleet shop, followed by construction of the department vehicle parking area, exterior storage areas, and relocation of the straddle crane. Phase 2 demolition is scheduled for December 2023 through August 2024. Phase 2 construction is scheduled from September 2024 through June 2027.

Construction vehicle access to the yard would be restricted to the entrances located on Centinela Avenue and Olympic Boulevard; employee access to the yard would be via Nebraska Avenue. No construction vehicles would access the site via Nebraska Avenue.

Equipment used for the construction of the proposed project would, at a minimum, include two excavators with thumb attachments, two dozers, one or two drill rigs, two cranes, one backhoe, one forklift, one padfoot compactor, one soil compactor, one loader, one bobcat with broom attachment, one water truck, two dump trucks, and one flatbed truck. It is assumed construction equipment



o:\job\_files\4255\dwg\2-3.dwg LDP 12:29:26 02/27/2018 turney



NOT TO SCALE

MAP SOURCE: LADWP

FIGURE 2-3

# WEST LOS ANGELES YARD SERVICE AREA

LINSCOTT, LAW & GREENSPAN, engineers

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

would operate up to eight hours per day and that two to four vendor trips would be averaged daily during both construction phases of the project. Best management practices such as silt fencing, sand bags, filter fabrics, drain sock, and water trucks for dust control would be implemented during construction of the proposed project.

## 3.0 SITE ACCESS AND CIRCULATION

### 3.1 Vehicular Site Access

As shown in *Figure 2-1*, the portion of the LADWP West Los Angeles Yard Demolition & Construction project site that is planned to be improved contains a total of five driveways, including three driveways on Nebraska Avenue, one driveway on Centinela Avenue, and one driveway that essentially forms the north leg of the Centinela Avenue East/Olympic Boulevard intersection. All five driveways are currently controlled by either manual or automatic gates that are operated by LADWP. There are no planned changes in driveway locations or operations, nor in the site access and circulation scheme for employees, vendors and visitors, as part of the proposed project.

### 3.2 Pedestrian Access

The LADWP West Los Angeles Yard Demolition & Construction project is located within the Sawtelle district of the West Los Angeles Community Plan area. The project is well-located to encourage pedestrian activity and walking as a transportation mode.<sup>5</sup> The project site is situated within easy walking distance to several established residential areas as well as other retail, restaurant, and other commercial businesses within the area. The site's proximity both to nearby residential areas and amenities on the commercial corridors, as well as the existing public sidewalks throughout the area roadway system, will promote and encourage walking. The project will connect to the adjacent sidewalk network via the Nebraska Avenue and Centinela Avenue property frontages. Additionally, regional and local public bus transit stops are provided nearby on Centinela Avenue, Bundy Drive, Nebraska Avenue, and Olympic Boulevard which will promote pedestrian connectivity with the project site.

### 3.3 Bicycle Access

Bicycle access to the project site is facilitated by the City of Los Angeles bicycle roadway network.<sup>6</sup> Existing or proposed bicycle facilities (e.g., Class I Bicycle Path, Class II Bicycle Lanes, Class III Bicycle Routes, Proposed Bicycle Routes, Bicycle Friendly Streets, etc.) in the City's 2010 Bicycle Plan are located within an approximate one-mile radius from the project site.<sup>7</sup> It is important to note that the 2010 Bicycle Plan goals and policies have been folded into the Mobility 2035 Plan to reflect a commitment to a balanced, multi-modal viewpoint. The location of the City of Los Angeles

---

<sup>5</sup> For example, refer to <http://www.walkscore.com/>, which generates a walkability score of approximately 82 (Very Walkable) out of 100 for the project site. Walk Score calculates the walkability of an address by locating nearby stores, restaurants, schools, parks, etc. Walk Score measures how easy it is to live a car-lite lifestyle—not how pretty the area is for walking.

<sup>6</sup> Walk Score also calculates a bike score based on the topography, number and proximity of bike lanes, etc., near the project site. For example, refer to <http://www.walkscore.com/>, which generates a bike score of approximately 63 (Bikeable) out of 100 for the project site. Walk Score calculates the bike score of an address by locating nearby bicycling facilities as well as connections to bus/rail transit routes and stops. Walk Score measures how easy it is to live a car-lite lifestyle—not how pretty the area is for bicycling.

<sup>7</sup> Sources: City of Los Angeles Mobility Plan 2035 (2015), and City of Los Angeles Bicycle Parking Plan; [www.labikeplan.org](http://www.labikeplan.org). As noted in the Mobility Plan 2035, the 2010 Bicycle Plan and policies have been folded into the Mobility Plan to reflect a commitment to a balanced, multi-modal viewpoint.

bicycle enhanced network (low stress network) in close proximity to the project site and in the surrounding area is shown in **Figure 3-1**. The location of the City of Los Angeles bicycle lane network in close proximity to the project site and in the surrounding area is illustrated in **Figure 3-2**. Use of bicycles as a transportation mode to and from the project site should be encouraged by the provision of ample and safe parking. The type of spaces and dimensions will be provided based on City Code requirements (refer to Los Angeles Municipal Code Sections 12.21.A.16 and 12.21 A.4(c)), as well as to meet the needs of a variety of bicycles.



o:\job\_files\4255\dwg\13-1.dwg LDP 12:30:00 02/27/2018 turney



**BICYCLE ENHANCED NETWORK  
(LOW STRESS NETWORK)**

Map D1

- Bicycle Paths
- Tier 1 Protected Bicycle Lanes
- BEN Segments from the Neighborhood Enhanced Network
- Arterials
- Freeways
- City of Los Angeles Boundary



MAP SOURCE: CITY OF LOS ANGELES MOBILITY PLAN 2035

NOT TO SCALE



PROJECT SITES

**FIGURE 3-1**


**CITY OF LOS ANGELES BICYCLE ENHANCED NETWORK (LOW STRESS NETWORK)**

LINSCOTT, LAW & GREENSPAN, engineers

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT



o:\job\_files\4255\dwg\13-2.dwg LDP 12:30:47 02/27/2018 turney



**BICYCLE LANE NETWORK**  
Map D2

- Tier 2 Bicycle Lane
- Tier 3 Bicycle Lane
- Arterials
- Freeways
- City of Los Angeles Boundary



MAP SOURCE: CITY OF LOS ANGELES MOBILITY PLAN 2035

NOT TO SCALE

★ PROJECT SITES

**FIGURE 3-2**

**CITY OF LOS ANGELES  
PROPOSED BICYCLE LANE NETWORK**

LINSCOTT, LAW & GREENSPAN, engineers

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

## 4.0 EXISTING STREET SYSTEM

### 4.1 Regional Highway System

Regional access to the project site is provided by Interstate 405 (I-405) Freeway and I-10 Freeway, as shown in *Figure 1-1*. A northbound off-ramp and a southbound on-ramp are provided for I-405 Freeway at Santa Monica Boulevard and Olympic Boulevard east of the project site. A brief description of I-405 Freeway and I-10 Freeway is provided in the following paragraphs.

*I-405 (San Diego) Freeway* is a north-south oriented freeway connecting the North Los Angeles County area to the north to Orange County to the south. The San Diego Freeway generally contains four to five mainline freeway lanes in each direction along with auxiliary lanes in the project vicinity. Within the project study area, northbound and southbound connecting ramps are provided at Wilshire Boulevard, Santa Monica Boulevard and Olympic Boulevard. A full interchange with the I-10 Freeway is located southwest of the project study area.

*I-10 (Santa Monica) Freeway* is a major east-west oriented freeway connecting Santa Monica to the west to the Inland Empire and beyond to the east. The Santa Monica Freeway generally contains four mainline freeway lanes in each direction along with auxiliary lanes in the project vicinity. In the eastbound direction on the Santa Monica Freeway, off-ramps are provided at 20<sup>th</sup> Street and Pico Boulevard. In the westbound direction on the Santa Monica Freeway, off-ramps are provided at Bundy Drive, Centinela Avenue and Cloverfield Boulevard.

### 4.2 Local Street System

Immediate access to the project site is via Nebraska Avenue, Olympic Boulevard and Centinela Avenue. The list of the study intersections selected in consultation with LADOT staff for analysis of potential impacts related to the proposed project is presented in *Table 4-1*. The study intersections selected for analysis in the traffic study also are noted in *Figure 1-1*. All of the existing study intersections are presently controlled by traffic signals. The existing roadway configurations and intersection controls at the study intersections are displayed in *Figure 4-1*.


### 4.3 Roadway Classifications

The City of Los Angeles utilizes the roadway categories recognized by regional, state and federal transportation agencies. There are four categories in the roadway hierarchy, ranging from freeways with the highest capacity to two-lane undivided roadways with the lowest capacity. The roadway categories are summarized as follows:

- *Freeways* are limited-access and high speed travel ways included in the state and federal highway systems. Their purpose is to carry regional through-traffic. Access is provided by interchanges with typical spacing of one mile or greater. No local access is provided to adjacent land uses.






Table 4-1  
LIST OF STUDY INTERSECTIONS

NO.	INTERSECTION	TRAFFIC CONTROL	JURISDICTION(S)
1	Centinela Avenue / Nebraska Avenue	Signalized	City of Los Angeles
2	Centinela Avenue / Olympic Boulevard (Northbound)	Signalized	City of Los Angeles
3	Centinela Avenue / Olympic Boulevard (Southbound)	Signalized	City of Los Angeles
4	Bundy Drive / Nebraska Avenue	Unsignalized	City of Los Angeles
5	Bundy Drive / Olympic Boulevard	Signalized	City of Los Angeles
6	Bundy Drive / Pico Boulevard	Signalized	City of Los Angeles



**FIGURE 4-1  
EXISTING LANE CONFIGURATIONS**

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

-  NOT TO SCALE
-  PROJECT SITE
-  UNSIGNALIZED INTERSECTION
-  (A) OVERLAP PHASE
-  (B) SPLIT PHASE OPERATION

LINSCOTT, LAW & GREENSPAN, engineers

- *Arterial* roadways are major streets that primarily serve through-traffic and provide access to abutting properties as a secondary function. Arterials are generally designed with two to six travel lanes and their major intersections are signalized. This roadway type is divided into two categories: principal and minor arterials. Principal arterials are typically four-or-more lane roadways and serve both local and regional through-traffic. Minor arterials are typically two-to-four lane streets that service local and commute traffic.
- *Collector* roadways are streets that provide access and traffic circulation within residential and non-residential (e.g., commercial and industrial) areas. Collector roadways connect local streets to arterials and are typically designed with two through travel lanes (i.e., one through travel lane in each direction) that may accommodate on-street parking. They may also provide access to abutting properties.
- *Local* roadways distribute traffic within a neighborhood, or similar adjacent neighborhoods, and are not intended for use as a through-street or a link between higher capacity facilities such as collector or arterial roadways. Local streets are fronted by residential uses and do not typically serve commercial uses.

#### 4.4 Roadway Descriptions

A review of the important roadways in the project site vicinity and study area are summarized in **Table 4-2**. As indicated in *Table 4-2*, the important roadways within the project study area were reviewed in terms of the number of lanes provided, posted speed limits, etc. Additionally, the roadway classifications also are presented in *Table 4-2*.

#### 4.5 Existing Transit Services<sup>8</sup>

Public bus transit service is provided within the LADWP West Los Angeles Yard Demolition & Construction project study area. Public bus transit service is currently provided by Los Angeles County Metropolitan Transit Authority (Metro) and City of Santa Monica Big Blue Bus. A summary of the existing transit service, including the transit route, destinations, and peak hour headways is presented in **Table 4-3**. The existing public transit routes in the LADWP West Los Angeles Yard Demolition & Construction project site vicinity are illustrated in **Figure 4-2**.

---

<sup>8</sup> Walk Score also calculates a transit score based on the number and proximity of bus and rail routes near the project site. For example, refer to <http://www.walkscore.com/>, which generates a transit score of approximately 67 (Good Transit) out of 100 for the project site. Walk Score calculates the transit score of an address by locating nearby bus/rail transit routes and stops. Walk Score measures how easy it is to live a car-lite lifestyle—not how pretty the area is for using transit service.

Table 4-2  
EXISTING ROADWAY DESCRIPTIONS

Roadway	Classification [1]	Travel Lanes		Median Types [4]	Speed Limit
		Direction [2]	No. Lanes [3]		
<b>Centinela Avenue</b> Wilshire Blvd to I-10 Fwy Ramps I-10 Fwy Ramps to Ocean Park Blvd	Collector Street	N-S	2	2WLT	30
		N-S	4	N/A	30
<b>Bundy Drive</b> Wilshire Blvd to Airport Ave	Avenue I	N-S	4	2WLT	35
<b>Nebraska Avenue</b> Centinela Ave to Beloit Ave	Collector Street	E-W	2	N/A	25
<b>Olympic Boulevard</b> Centinela Ave to Century Park East	Boulevard II	E-W	6	2WLT	35
<b>Pico Boulevard</b> Centinela Ave to Gateway Blvd Gateway Blvd to Sepulveda Blvd	Avenue I	E-W	4	2WLT	35
		E-W	6	N/A	35

Notes:

- [1] Roadway classifications obtained from the *City of Los Angeles Mobility Plan 2035*, Adopted January 20, 2016.
- [2] Direction of roadways in the project area: NB-SB - northbound and southbound; and EB-WB - eastbound and westbound.
- [3] Number of lanes in both directions on the roadway.
- [4] Median type of the road: RMI - Raised Median Island; 2WLT - 2-Way Left-Turn Lane; and N/A-Not Applicable.

Table 4-3  
EXISTING TRANSIT ROUTES [1]

ROUTE	DESTINATIONS	ROADWAY(S) NEAR SITE	NO. OF BUSES/TRAINS DURING PEAK HOUR		
			DIR	AM	PM
Big Blue Bus Route 5	Santa Monica to Palms via West Los Angeles, Rancho Park, Century City and Cheviot Hills	Centinela Avenue, Bundy Drive, Olympic Boulevard	EB WB	3 3	3 3
Big Blue Bus Route 7	Santa Monica to Mid City via West Los Angeles, Century City and Beverlywood	Bundy Drive, Pico Boulevard	EB WB	4 4	4 4
Big Blue Bus Rapid 10	Santa Monica to Downtown Los Angeles via West Los Angeles	Bundy Drive, Pico Boulevard	EB WB	3 3	3 3
Big Blue Bus Route 14	Playa Vista to Brentwood via Culver City, Mar Vista and West Los Angeles	Bundy Drive, Nebraska Avenue, Olympic Boulevard, Pico Boulevard	NB SB	4 4	4 4
Big Blue Bus Route 15	West Los Angeles to Brentwood	Bundy Drive, Olympic Boulevard, Pico Boulevard	NB SB	2 2	2 2
Metro Expo Line	Downtown Los Angeles to Santa Monica via Exposition Park, Jefferson Park, West Adams, Culver City, Century City, and West Los Angeles	Bundy Drive, Olympic Boulevard	EB WB	10 10	10 10
			Total	52	52

[1] Sources: City of Santa Monica (Big Blue Bus) and Los Angeles County Metropolitan Transportation Authority (Metro) websites, 2017.





**FIGURE 4-2**  
**EXISTING TRANSIT ROUTES**

MAP SOURCE: METROPOLITAN TRANSPORTATION AUTHORITY (METRO) WEBSITE 2017



★ PROJECT SITE

NOT TO SCALE

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

LINSCOTT, LAW & GREENSPAN, engineers



## 5.0 TRAFFIC COUNTS


Manual counts of vehicular turning movements were conducted at each of the study intersections during the weekday morning (AM) and afternoon (PM) commute periods to determine the peak hour traffic volumes. The manual counts were conducted by an independent traffic count subconsultant (City Traffic Counters) at the study intersections from 7:00 to 10:00 AM to determine the weekday AM peak commute hour, and from 3:00 to 6:00 PM to determine the weekday PM peak commute hour. In conjunction with the manual turning movement vehicle counts, a count of bicycle and pedestrian volumes were also collected during the peak periods. It is noted that all of the traffic counts were conducted when local schools were in session. Traffic volumes at the study intersections show the typical peak periods between 7:00 to 10:00 AM and 3:00 to 6:00 PM generally associated with metropolitan Los Angeles weekday peak commute hours.

The weekday and weekend peak hour manual counts of vehicle movements at the study intersections are summarized in **Table 5-1**. The existing traffic volumes at the study intersections during the weekday AM and PM peak hours are shown in **Figures 5-1** and **5-2**, respectively. Summary data worksheets of the manual traffic counts at the study intersections are contained in **Appendix B**.

Table 5-1  
EXISTING TRAFFIC VOLUMES [1]  
WEEKDAY AM AND PM PEAK HOURS

NO.	INTERSECTION	DATE	DIR	AM PEAK HOUR		PM PEAK HOUR	
				BEGAN	VOLUME	BEGAN	VOLUME
1	Centinela Avenue/ Nebraska Avenue	11/16/2017	NB	8:30	1,100	5:00	735
			SB		545		668
			EB		155		452
			WB		82		138
2	Centinela Avenue (West)/ Olympic Boulevard	11/16/2017	NB	8:00	0	5:00	0
			SB		575		995
			EB		744		1,146
			WB		2,149		1,510
3	Centinela Avenue (East)/ Olympic Boulevard	11/16/2017	NB	8:15	888	4:45	527
			SB		17		34
			EB		1,210		2,100
			WB		1,595		1,107
4	Bundy Drive/ Nebraska Avenue	11/16/2017	NB	8:00	1,244	4:00	1,348
			SB		1,343		1,022
			EB		93		193
			WB		0		0
5	Bundy Drive/ Olympic Boulevard	11/16/2017	NB	8:00	1,343	4:30	1,190
			SB		1,148		911
			EB		948		1,467
			WB		1,822		1,661
6	Bundy Drive/ Pico Boulevard	11/16/2017	NB	8:00	1,663	4:45	1,451
			SB		1,198		1,332
			EB		1,028		1,259
			WB		1,026		715

[1] Counts conducted by The Traffic Solution.



**FIGURE 5-1**  
**EXISTING TRAFFIC VOLUMES**  
 WEEKDAY AM PEAK HOUR


LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE



NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers



**FIGURE 5-2**  
**EXISTING TRAFFIC VOLUMES**

WEEKDAY PM PEAK HOUR  
LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE



NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers

## 6.0 CUMULATIVE DEVELOPMENT PROJECTS

The forecast of future pre-project conditions was prepared in accordance with procedures outlined in Section 15130 of the CEQA Guidelines. Specifically, the CEQA Guidelines provides two options for developing the future traffic volume forecast:

“(A) A list of past, present, and probable future projects producing related or cumulative impacts, including, if necessary, those projects outside the control of the [lead] agency, or

(B) A summary of projections contained in an adopted local, regional or statewide plan, or related planning document, that describes or evaluates conditions contributing to the cumulative effect. Such plans may include: a general plan, regional transportation plan, or plans for the reduction of greenhouse gas emissions. A summary of projections may also be contained in an adopted or certified prior environmental document for such a plan. Such projections may be supplemented with additional information such as a regional modeling program. Any such document shall be referenced and made available to the public at a location specified by the lead agency.”

Accordingly, the traffic analysis provides a highly conservative estimate of future pre-project traffic volumes as it incorporates both the “A” and “B” options outlined in the CEQA Guidelines for purposes of developing the forecast.

### 6.1 Related Projects

A forecast of on-street traffic conditions prior to occupancy of the proposed project was prepared by incorporating the potential trips associated with other known development projects (related projects) in the area. With this information, the potential impact of the proposed project can be evaluated within the context of the cumulative impact of all ongoing development. The related projects research was based on information on file at the City of Los Angeles Departments of Transportation and Planning, as well as the City of Santa Monica. The list of related projects in the project site area is presented in **Table 6-1**. The location of the related projects are shown in **Figure 6-1**.

Traffic volumes expected to be generated by the related projects were calculated using rates provided in the Institute of Transportation Engineers’ (ITE) *Trip Generation Manual*<sup>9</sup>. The related projects’ respective traffic generation for the weekday AM and PM peak hours, as well as on a daily basis for a typical weekday, is summarized in **Table 6-1**. The distribution of the related projects traffic volumes to the study intersections during the weekday AM and PM peak hours are displayed in **Figures 6-2** and **6-3**, respectively.

---

<sup>9</sup> Institute of Transportation Engineers *Trip Generation* manual, 9<sup>th</sup> Edition, 2012, Washington, D.C.

Table 6-1  
RELATED PROJECTS LIST AND TRIP GENERATION [1]

MAP NO.	PROJECT STATUS	PROJECT NAME/NUMBER ADDRESS/LOCATION	LAND USE DATA		PROJECT DATA SOURCE	DAILY TRIP ENDS [2]	AM PEAK HOUR VOLUMES [2]			PM PEAK HOUR VOLUMES [2]		
			LAND-USE	SIZE			IN	OUT	TOTAL	IN	OUT	TOTAL
L1	Proposed	Vons Supermarket 11660 West Santa Monica Boulevard	Supermarket	53,000 GSF	[1]	1,946	51	32	83	45	28	73
L2	Under Construction	Westside Family YMCA 1466 South Westgate Avenue	Recreational Community Center	65,000 GSF	[1]	1,204	52	33	85	27	46	73
L3	Proposed	Pico - Sepulveda Mixed Use 11122 West Pico Boulevard	Apartment Retail Supermarket	538 DU 212,000 GLSF 54,000 GSF	[1]	1,280	9	34	43	88	47	135
L4	Proposed	11600 West Wilshire Boulevard	Medical Office Building	120,874 GSF	[1]	1,280	34	9	43	38	97	135
L5	Under Construction	The Picasso Mixed Use 12029 West Wilshire Boulevard	Apartment Specialty Retail	108 DU 13,000 GLSF	[1]	789	(10)	40	30	39	(3)	36
L6	Proposed	Martin Expo Town Center 12101 West Olympic Boulevard	Apartment Retail Office	516 DU 67,000 GLSF 200,000 GSF	[1]	6,330	227	212	439	241	225	466
L7	Proposed	11421 West Olympic Boulevard	Apartment Retail	89 DU 6,030 GLSF	[1]	682	10	36	46	34	21	55
L8	Under Construction	1900 South Sawtelle Boulevard	Apartment Restaurant	52 DU 3,300 GSF	[1]	327	13	28	41	34	21	55
L9	Proposed	11750 West Wilshire Boulevard	Apartment Retail	376 DU	[1]	(400)	(22)	99	77	(22)	(64)	(86)
L10	Proposed	11800 West Santa Monica Boulevard	Apartment Specialty Retail	175 DU	[1]	1,824	13	64	77	115	89	204
L11	Proposed	2231 South Barrington Avenue	Restaurant Catering Office	6,904 GSF 2,750 GSF 9,731 GSF	[1]	610	24	11	35	34	39	73
L12	Proposed	11355 West Olympic Boulevard	Office	120,242 GSF	[1]	1,246	133	33	166	49	122	171
L13	Proposed	11460 West Gateway Boulevard	Apartment Specialty Retail	128 DU 5,153 GLSF	[1]	1,107	(1)	84	83	51	17	68
L14	Proposed	12300 West Wilshire Boulevard	Medical Office Building	33,392 GSF	[1]	838	17	11	28	24	29	53
L15	Proposed	11750 West Santa Monica Boulevard	Apartment	187 DU	[1]	1,006	(5)	65	60	80	36	116

City of Los Angeles

Table 6-1 (Continued)  
RELATED PROJECTS LIST AND TRIP GENERATION [1]

MAP NO.	PROJECT STATUS	PROJECT NAME/NUMBER ADDRESS/LOCATION	LAND USE DATA		PROJECT DATA SOURCE	DAILY TRIP ENDS [2]	AM PEAK HOUR VOLUMES [2]			PM PEAK HOUR VOLUMES [2]		
			LAND-USE	SIZE			IN	OUT	TOTAL	IN	OUT	TOTAL
L16	Proposed	12431 West Rochester Avenue	Apartment	50 DU	[1]	333	5	21	26	16	9	25
L17	Proposed	12414 West Exposition Boulevard	Office	70,844 GSF	[1]	584	81	9	90	17	107	124
<b>City of Santa Monica</b>												
S1	Under Construction	Bergamot Transit Village Center 1681 South 26th Street	Shopping Center Office Apartment	84,000 GLSF 567,000 GSF 325 DU	[1]	15,340	607	372	979	564	612	1,176
S2	Proposed	1431 Colorado Avenue	Apartment Retail Restaurant	50 DU 10,475 GLSF 2,110 GSF	[3] [4] [5]	333 447 268	5 6 13	21 4 10	26 10 23	20 19 13	11 20 8	31 39 21
S3	Proposed	1802 Santa Monica Boulevard	Apartment Restaurant Auto Dealer	23 DU 1,390 GSF 13,590 GSF	[3] [5] [6]	153 177 439	2 8 20	10 7 6	12 15 26	9 8 14	5 6 22	14 14 36
S4	Proposed	2901 Santa Monica Boulevard	Apartment Retail	60 DU 5,100 GLSF	[3] [4]	399 218	6 3	25 2	31 5	24 9	13 10	37 19
S5	Proposed	2020 Virginia Avenue	Apartment	21 DU	[3]	140	2	9	11	8	5	13
S6	Proposed	3025 Olympic Boulevard	Apartment Retail Office	174 DU 8,500 GLSF 75,247 GSF	[3] [4] [7]	1,157 363 830	18 5 103	71 3 14	89 8 117	70 15 19	38 17 93	108 32 112
S7	Proposed	3030 Nebraska Avenue	Apartment Office	177 DU 66,100 GSF	[3] [7]	1,177 729	18 91	72 12	90 103	72 17	38 81	110 98
S8	Proposed	1419 19th Street	Medical Office Building	5,342 GSF	[8]	193	10	3	13	5	14	19
S9	Proposed	1242 20th Street	Medical Office Building	110,500 GSF	[8]	3,992	209	55	264	110	284	394
S10	Under Construction	2848-2912 Colorado Avenue	Apartment Retail Restaurant Office	282 DU 19,610 GLSF 4,990 GSF 4,500 GSF	[3] [4] [5] [7]	1,875 837 634 50	29 12 30 6	115 7 24 1	144 19 54 7	114 35 29 1	61 38 20 6	175 73 49 7
S11	Under Construction	2930 Colorado Avenue	Condominiums Apartment Office Retail	216 DU 161 DU 4,250 GSF 20,700 GLSF	[9] [3] [7] [4]	1,255 1,071 47 884	16 16 6 12	79 66 1 8	95 82 7 20	75 65 1 37	37 35 5 40	112 100 6 77

Table 6-1 (Continued)  
RELATED PROJECTS LIST AND TRIP GENERATION [1]

MAP NO.	PROJECT STATUS	PROJECT NAME/NUMBER ADDRESS/LOCATION	LAND USE DATA		PROJECT DATA SOURCE	DAILY TRIP ENDS [2]	AM PEAK HOUR VOLUMES [2]			PM PEAK HOUR VOLUMES [2]		
			LAND-USE	SIZE			IN	OUT	TOTAL	IN	OUT	TOTAL
S12	Proposed	3008 Santa Monica Boulevard	Apartment Retail	26 DU 3,397 GLSF	[3] [4]	173 145	3 2	10 1	13 3	10 6	6 7	16 13
<b>TOTAL</b>						54,312	1,889	1,829	3,718	2,279	2,398	4,677

[1] Source: City of Los Angeles Department of Transportation (LADOT), Department of City Planning (LADCP) and City of Santa Monica Planning & Community Development, except as noted below.

The peak hour traffic volumes were forecast based on trip data provided by LADOT and by applying trip rates as provided in the ITE "Trip Generation Manual", 9th Edition, 2012.

[2] Trips are one-way traffic movements, entering or leaving.

[3] ITE Land Use Code 220 (Apartment) trip generation average rates.

[4] ITE Land Use Code 820 (Shopping Center) trip generation average rates.

[5] ITE Land Use Code 932 (High-Turnover [Sit-Down] Restaurant) trip generation average rates.


[6] ITE Land Use Code 841 (Automobile Sales) trip generation average rates.

[7] ITE Land Use Code 710 (General Office Building) trip generation average rates.

[8] ITE Land Use Code 720 (Medical-Dental Office Building) trip generation average rates.

[9] ITE Land Use Code 230 (Residential Condominium/Townhouse) trip generation average rates.





**FIGURE 6-1**  
**LOCATION OF RELATED PROJECTS**

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

MAP SOURCE: RAND MCNALLY & COMPANY

PROJECT SITE

L CITY OF LOS ANGELES RELATED PROJECT


S CITY OF SANTA MONICA RELATED PROJECT



NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers






**FIGURE 6-2**  
**RELATED PROJECTS TRAFFIC VOLUMES**  
 WEEKDAY AM PEAK HOUR  
 LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE

NOT TO SCALE



LINSCOTT, LAW & GREENSPAN, engineers



**FIGURE 6-3**  
**RELATED PROJECTS TRAFFIC VOLUMES**  
 WEEKDAY PM PEAK HOUR  
 LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE

NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers

## 6.2 Ambient Traffic Growth Factor

In order to account for area-wide regional growth not included in this analysis, the existing traffic volumes were increased at an annual rate of one percent (1.0%) to the year 2028. This provides a conservative forecast since the project construction is expected to be completed by June 2017. The ambient growth factor was based on general traffic growth factors provided in the *2010 Congestion Management Program for Los Angeles County* (the “CMP manual”) and determined in consultation with City staff. It is noted that based on review of the general traffic growth factors provided in the CMP manual for the project study area (i.e., Regional Statistical Area 16 includes West Los Angeles), it is anticipated that the existing traffic volumes are expected to increase at an annual rate of less than 1.0% per year between the years 2015 and 2030. Thus, application of the 1.0% annual growth factor allows for a conservative forecast of future traffic volumes in the area that likely overstates future traffic volumes. Further, it is noted that the CMP manual’s traffic growth rate is intended to anticipate future traffic generated by development projects in the project vicinity. Thus, the inclusion in this traffic analysis of both a forecast of traffic generated by known related projects plus the use of an ambient traffic growth factor based on CMP traffic model data results in a conservative estimate of future traffic volumes at the study intersections.

## 7.0 TRAFFIC FORECASTING METHODOLOGY

In order to estimate the traffic impact characteristics of the LADWP West Los Angeles Yard Demolition & Construction project, a multi-step process has been utilized. The first step is trip generation, which estimates the total arriving and departing traffic volumes on a peak hour and daily basis. The traffic generation potential is forecast by applying the appropriate vehicle trip generation equations or rates to the project development tabulation.

The second step of the forecasting process is trip distribution, which identifies the origins and destinations of inbound and outbound project traffic volumes. These origins and destinations are typically based on demographics and existing/anticipated travel patterns in the study area.

The third step is traffic assignment, which involves the allocation of project traffic to study area streets and intersections. Traffic assignment is typically based on minimization of travel time, which may or may not involve the shortest route, depending on prevailing operating conditions and travel speeds. Traffic distribution patterns are indicated by general percentage orientation, while traffic assignment allocates specific volume forecasts to individual roadway links and intersection turning movements throughout the study area.

With the forecasting process complete and project traffic assignments developed, the impact of the proposed project is isolated by comparing operational (i.e., Levels of Service) conditions at the selected key intersections using existing and expected future traffic volumes without and with forecast project traffic. The need for site-specific and/or cumulative local area traffic improvements can then be evaluated and the significance of the project's impacts identified.

### 7.1 Project Traffic Generation

The resource typically used by traffic engineers (including the City of Los Angeles) to forecast trip generation for development projects is the ITE *Trip Generation Manual*. However, in this instance, the ITE manual does not provide trip rates for a land use such as the proposed project. The LADWP West Los Angeles Yard Demolition & Construction project is unique due to the nature of the project's land use components, operations, and unique hours of operation. Therefore, it was determined in consultation with City staff that it would be appropriate to forecast the trips generated by the project based on derived site-specific trip generation rates rather than trip rates published in the ITE *Trip Generation Manual*.

In order to review the characteristics and level of overall existing site traffic generation, weekday manual peak period traffic counts were conducted at the existing site. Specifically, manual traffic counts were conducted by a traffic count subconsultant (The Traffic Solution) on an hourly basis (in 15-minute time increments) at the five existing active site driveways (i.e., those driveways that are also included in the portion of the site that will be improved) for the following time periods:

- Weekday AM Peak Period: 6:00 to 10:00 AM

- Weekday PM Peak Period: 3:00 to 7:30 PM

The locations of the existing site driveways observed for the trip generation assessment are noted in *Figure 2-1*. The existing site driveway traffic counts were conducted on Wednesday, October 4, 2017, and Thursday, October 5, 2017, in order for LLG to develop site-specific weekday trip generation rates. Through conduct of these counts, the number of existing vehicle trips arriving and departing the site during the peak hours was determined, and when compared to the existing number of employees, site-specific trip generation rates (i.e., on a per employee basis) were derived for the site. The existing site driveway traffic count data worksheets are contained in *Appendix C* (refer to *Appendix Table C*).

The traffic count data for the observation locations were compiled, reviewed and analyzed to determine the highest one-hour period of traffic volume at the site during both the weekday morning and afternoon commute periods for each observation day. The summary of the existing site counts during the weekday conditions is provided in *Appendix Table C*. The weekday morning and afternoon peak hour counts for each day were then averaged (i.e., two-day average) for purposes of developing the site-specific weekday trip generation rates. As indicated in *Appendix Table C*, the existing facility peak hour traffic generation is as follows for the weekday condition:

- Weekday Average AM Peak Hour:
  - 17.5 inbound trips
  - 28.5 outbound trips
  - 46 total trips
- Weekday Average PM Peak Hour:
  - 19 inbound trips
  - 45 outbound trips
  - 64 total trips

As summarized in *Table 7-1* (and *Appendix Table C*), the empirical trip rates derived from the site counts for the existing facility (i.e., based on 120 existing employees) are as follows:

- Weekday AM Peak Hour:
  - 0.146 inbound trips per employee
  - 0.238 outbound trips per employee
  - 0.384 total trips per employee

Table 7-1  
PROJECT TRIP GENERATION [1]

<b>TRIP GENERATION RATES [2]</b>								
LAND USE	VARIABLE	DAILY TRIP RATE	AM PEAK HOUR TRIP RATE			PM PEAK HOUR TRIP RATE		
			IN	OUT	TOTAL	IN	OUT	TOTAL
Existing WLA District Yard	Per Employee	4.583	0.146	0.238	0.384	0.158	0.375	0.533
Distribution Split			38%	62%	100%	30%	70%	100%
<b>PROJECT TRIP GENERATION</b>								
LAND USE	SIZE	DAILY TRIP END VOLUMES [3]	AM PEAK HOUR VOLUMES [3]			PM PEAK HOUR VOLUMES [3]		
			IN	OUT	TOTAL	IN	OUT	TOTAL
<b><i>Proposed Project</i></b>								
WLA District Yard	200 Employees	917	29	48	77	32	75	107
<b><i>Less Existing Site</i></b>								
WLA District Yard	(120) Employees	(550)	(17)	(29)	(46)	(19)	(45)	(64)
<b>NET NEW VEHICLE TRIPS</b>		<b>367</b>	<b>12</b>	<b>19</b>	<b>31</b>	<b>13</b>	<b>30</b>	<b>43</b>

[1] Trips are one-way traffic movements, entering or leaving.

[2] Refer to Table C contained in Appendix C for derivation of empirical trip rates.

[3] Trip generation forecast based on empirical trip rates shown above.

- Weekday PM Peak Hour:
  - 0.158 inbound trips per employee
  - 0.375 outbound trips per employee
  - 0.533 total trips per employee

In order to develop daily trip rates for the existing facility, the daily trip ends were estimated based on the assumption that the average peak hours (i.e., the average of the AM and PM peak hour trips) represent ten percent (10%) of the total daily trip ends.

The weekday trip generation rates and forecast of the vehicular trips anticipated to be generated by the proposed project are presented in *Table 7-1*. The trip generation forecast for the proposed project was submitted for review and approval by LADOT staff. As presented in *Table 7-1*, the proposed project is expected to generate a net increase of 31 vehicle trips (12 inbound trips and 19 outbound trips) during the weekday AM peak hour. During the weekday PM peak hour, the proposed project is expected to generate a net increase of 43 vehicle trips (13 inbound trips and 30 outbound trips). Over a 24-hour period, the proposed project is forecast to generate a net increase of 367 daily trip ends during a typical weekday (approximately 184 inbound trips and 184 outbound trips).


## 7.2 Project Traffic Distribution and Assignment

Project traffic volumes both entering and exiting the site have been distributed and assigned to the adjacent street system based on the following considerations:

- The site's proximity to major traffic corridors (i.e., Santa Monica Boulevard, Olympic Boulevard, Pico Boulevard, Centinela Avenue, etc.);
- Expected localized traffic flow patterns based on adjacent roadway channelization and presence of traffic signals;
- Existing intersection traffic volumes;
- Existing site parcel access ingress/egress schemes;
- Nearby population and employment centers; and
- Input from LADOT staff.

The project traffic volume distribution percentages during weekday AM and PM peak hours at the study intersections are illustrated in *Figure 7-1*. The forecast net new project traffic volumes at the study intersections for the weekday AM and PM peak hours are displayed in *Figures 7-2* and *7-3*, respectively. The traffic volume assignments presented in *Figures 7-2* and *7-3* reflect the traffic






**FIGURE 7-1**  
**PROJECT TRIP DISTRIBUTION**

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE  
 XX = INBOUND PERCENTAGES  
 (XX) = OUTBOUND PERCENTAGES

NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers



**FIGURE 7-2**  
**NET NEW PROJECT TRAFFIC VOLUMES**


WEEKDAY AM PEAK HOUR  
 LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE



NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers



**FIGURE 7-3**  
**NET NEW PROJECT TRAFFIC VOLUMES**  
 WEEKDAY PM PEAK HOUR  
 LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE



NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers

distribution characteristics shown in *Figure 7-1* and the project traffic generation forecasts presented in *Table 7-1*.

## 8.0 TRAFFIC IMPACT ANALYSIS METHODOLOGY

The study intersections were evaluated using the Critical Movement Analysis (CMA) method of analysis which determines Volume-to-Capacity ( $v/c$ ) ratios on a critical lane basis. The overall intersection  $v/c$  ratio is subsequently assigned a Level of Service (LOS) value to describe intersection operations. Level of Service varies from LOS A (free flow) to LOS F (jammed condition). A description of the CMA method and corresponding Level of Service is provided in *Appendix D*.

### 8.1 Intersection Impact Criteria and Thresholds

The relative impact of the added project traffic volumes to be generated by the proposed project during the weekday AM and PM peak hours was evaluated based on analysis of existing and future operating conditions at the study intersections, without and with the proposed project. The previously discussed capacity analysis procedures were utilized to evaluate the future  $v/c$  relationships and service level characteristics at each study intersection.

The significance of the potential impacts of project-generated traffic was identified using the traffic impact criteria set forth in LADOT's *Transportation Impact Study Guidelines*, December 2016. According to the City's published traffic study guidelines, the impact is considered significant if the project-related increase in the  $v/c$  ratio equals or exceeds the thresholds presented in *Table 8-1*.

Table 8-1 CITY OF LOS ANGELES INTERSECTION IMPACT THRESHOLD CRITERIA		
<b>Final <math>v/c</math></b>	<b>Level of Service</b>	<b>Project Related Increase in <math>v/c</math></b>
> 0.701 - 0.800	C	equal to or greater than 0.040
> 0.801 - 0.900	D	equal to or greater than 0.020
>0.901	E or F	equal to or greater than 0.010

The City's Sliding Scale Method requires mitigation of project traffic impacts whenever traffic generated by the proposed development causes an increase of the analyzed intersection  $v/c$  ratio by an amount equal to or greater than the values shown above.

## 8.2 Intersection Traffic Impact Analysis Scenarios

Traffic impacts at the study intersections were analyzed for the following conditions:

- [a] Existing conditions.
- [b] Existing with project conditions.
- [c] Condition [b] with implementation of project mitigation measures, where necessary.
- [d] Condition [a] plus one percent (1.0%) annual ambient traffic growth through year 2028 and with completion and occupancy of the related projects (i.e., future without project conditions).
- [e] Condition [d] with completion and occupancy of the proposed project.
- [f] Condition [e] with implementation of project mitigation measures, where necessary.

It should be noted that Condition [b] above is a hypothetical scenario in that it calculates the traffic due to the occupancy of the proposed project in addition to the existing traffic volumes, but changes to existing volumes are expected to occur throughout the project's construction period due to other area projects and regional growth. However, this condition has been prepared to be consistent with the general rule under CEQA that the potential impacts of a development project are to be measured against existing conditions. Condition [d] above analyzes future conditions upon completion and full occupancy of the proposed project, which is expected to occur in 2028.

## 9.0 TRAFFIC ANALYSIS

The traffic impact analysis prepared for the study intersections using the CMA methodology and application of the City of Los Angeles significant traffic impact criteria is summarized in **Table 9-1**. The CMA data worksheets for the analyzed intersections are contained in *Appendix D*.

### 9.1 Existing Conditions

#### 9.1.1 *Existing Conditions*

As indicated in column [1] of *Table 9-1*, five of the six study intersections are presently operating at LOS D or better during the weekday AM and PM peak hours. The following study intersection is expected to operate at LOS E during both the AM and PM peak hours shown below under existing conditions:

- Int. No. 6: Bundy Drive/Pico Boulevard  
AM Peak Hour:  $v/c=0.907$ , LOS E  
PM Peak Hour:  $v/c=0.928$ , LOS E

The existing traffic volumes at the study intersections during the weekday AM and PM peak hours are displayed in *Figures 5-1* and *5-2*, respectively.

#### 9.1.2 *Existing With Project Conditions*

As shown in column [2] of *Table 9-1*, application of the City's threshold criteria to the "Existing With Project" scenario indicates that the proposed project is not expected to create significant impacts at any of the six study intersections. Less than significant impacts are noted at all of the study intersections. Because there are no significant impacts, no traffic mitigation measures are required or recommended for the study intersections under the "Existing With Project" conditions. The existing with project traffic volumes at the study intersections during the weekday AM and PM peak hours are illustrated in *Figures 9-1* and *9-2*, respectively.

### 9.2 Future Conditions

#### 9.2.1 *Future Without Project Conditions*

The future cumulative baseline conditions were forecast based on the addition of traffic generated by the completion and occupancy of related projects, as well as the growth in traffic due to the combined effects of continuing development, intensification of existing developments and other factors (i.e., ambient growth). The  $v/c$  ratios at all of the study intersections are incrementally increased with the addition of ambient traffic and traffic generated by the related projects listed in *Table 6-1*. As presented in column [3] of *Table 9-1*, three of the six study intersections are expected to continue operating at LOS D or better during the weekday AM and PM peak hours with the addition of growth in ambient traffic and related projects traffic under the future without project conditions. The following study intersections are expected to operate at LOS E or F during the peak hours shown below with the addition of ambient growth traffic and traffic due to the related projects:


Table 9-1  
SUMMARY OF VOLUME TO CAPACITY RATIOS  
AND LEVELS OF SERVICE  
WEEKDAY AM AND PM PEAK HOURS

NO.	INTERSECTION	PEAK HOUR	[1]		[2]			[3]		[4]				
			YEAR 2017 EXISTING V/C	LOS	YEAR 2017 EXISTING WITH PROJECT V/C	LOS	CHANGE V/C [(2)-(1)]	SIGNIF. IMPACT [a]	YEAR 2028 FUTURE W/O PROJECT V/C	LOS	YEAR 2028 FUTURE WITH PROJECT V/C	LOS	CHANGE V/C [(4)-(3)]	SIGNIF. IMPACT [a]
1	Centinela Avenue/ Nebraska Avenue	AM PM	0.599 0.727	A C	0.601 0.730	B C	0.002 0.003	No No	0.749 0.931	C E	0.751 0.932	C E	0.002 0.001	No No
2	Centinela Avenue (West)/ Olympic Boulevard	AM PM	0.639 0.603	B B	0.641 0.603	B B	0.002 0.000	No No	0.788 0.871	C D	0.790 0.872	C D	0.002 0.001	No No
3	Centinela Avenue (East)/ Olympic Boulevard	AM PM	0.569 0.560	A A	0.581 0.576	A A	0.012 0.016	No No	0.802 0.794	D C	0.814 0.811	D D	0.012 0.017	No No
4	Bundy Drive/ Nebraska Avenue	AM PM	0.734 0.703	C C	0.739 0.707	C C	0.005 0.004	No No	0.897 0.868	D D	0.902 0.872	E D	0.005 0.004	No No
5	Bundy Drive/ Olympic Boulevard	AM PM	0.883 0.712	D C	0.885 0.713	D C	0.002 0.001	No No	1.099 0.939	F E	1.100 0.942	F E	0.001 0.003	No No
6	Bundy Drive/ Pico Boulevard	AM PM	0.907 0.928	E E	0.907 0.929	E E	0.000 0.001	No No	1.108 1.131	F F	1.109 1.132	F F	0.001 0.001	No No

[a] According to LADOT's "Transportation Impact Study Guidelines," December 2016, a transportation impact on an intersection shall be deemed significant in accordance with the following table:

Final v/c	LOS	Project Related Increase in v/c
>0.701 - 0.800	C	equal to or greater than 0.040
>0.801 - 0.900	D	equal to or greater than 0.020
>0.901	E/F	equal to or greater than 0.010






**FIGURE 9-1**  
**EXISTING WITH PROJECT TRAFFIC VOLUMES**  
 WEEKDAY AM PEAK HOUR  
 LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE

NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers



**FIGURE 9-2**  
**EXISTING WITH PROJECT TRAFFIC VOLUMES**  
 WEEKDAY PM PEAK HOUR  
 LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE

NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers

- Int. No. 1: Centinela Avenue /Nebraska Avenue PM Peak Hour:  $v/c=0.931$ , LOS E
- Int. No. 5: Bundy Drive/Olympic Boulevard AM Peak Hour:  $v/c=1.099$ , LOS F  
PM Peak Hour:  $v/c=0.939$ , LOS E
- Int. No. 6: Bundy Drive/Pico Boulevard AM Peak Hour:  $v/c=1.108$ , LOS F  
PM Peak Hour:  $v/c=1.131$ , LOS F

The future without project (existing, ambient growth and related projects) traffic volumes at the study intersections during the weekday AM and PM peak hours are presented in **Figures 9-3** and **9-4**, respectively.


### 9.2.2 Future With Project Conditions

As shown in column [4] of *Table 9-1*, application of the City’s threshold criteria to the “With Proposed Project” scenario indicates that the proposed project is not expected to create significant impacts at any of the six study intersections. Less than significant impacts are noted at all of the study intersections. Because there are no significant impacts, no traffic mitigation measures are required or recommended for the study intersections. The future with project (existing, ambient growth, related projects and project) traffic volumes at the study intersections during the weekday AM and PM peak hours are provided in **Figures 9-5** and **9-6**, respectively.

### 9.3 Freeway Impact Analysis Screening Criteria Review

Pursuant to the “Freeway Impact Analysis Procedures” agreement executed in October 2013 between LADOT and Caltrans District 7, as amended in December 2015, traffic studies may be required to conduct a focused freeway impact analysis in addition to the CMP analysis. If projects meet any of the following criteria, applicants are directed to the Caltrans’ Intergovernmental Review (IGR) section for a determination on the need for analysis and, if necessary, the methodology to be utilized for a freeway impact analysis:

- The project’s peak hour trips would result in a 1% or more increase to the freeway mainline capacity of a freeway segment operating at LOS E or F (based on an assumed capacity of 2,000 vehicles per hour per lane); or
- The project’s peak hour trips would result in a 2% or more increase to the freeway mainline capacity of a freeway segment operating at LOS D (based on an assumed capacity of 2,000 vehicles per hour per lane); or
- The project’s peak hour trips would result in a 1% or more increase to the capacity of a freeway off-ramp operating at LOS E or F (based on an assumed ramp capacity of 850 vehicles per hour per lane); or




**FIGURE 9-3**  
**FUTURE WITHOUT PROJECT TRAFFIC VOLUMES**  
 WEEKDAY AM PEAK HOUR  
 LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE

NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers



**FIGURE 9-4**  
**FUTURE WITHOUT PROJECT TRAFFIC VOLUMES**

WEEKDAY PM PEAK HOUR


LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE



NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers




**FIGURE 9-5**  
**FUTURE WITH PROJECT TRAFFIC VOLUMES**  
 WEEKDAY AM PEAK HOUR  
 LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE

NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers



**FIGURE 9-6**  
**FUTURE WITH PROJECT TRAFFIC VOLUMES**  
 WEEKDAY PM PEAK HOUR  
 LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

PROJECT SITE

NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers

- The project’s peak hour trips would result in a 2% or more increase to the capacity of a freeway off-ramp operating at LOS D (based on an assumed ramp capacity of 850 vehicles per hour per lane).

Freeway mainline segments and off-ramps in the project vicinity that are forecast to receive net new project trips are subject to freeway impact analysis screening. This screening analysis is based solely on the comparisons between the expected net new project-related traffic volumes and the capacity of the subject mainline freeway segments and freeway off-ramps. Thus, cumulative conditions (i.e., related project’s traffic volumes and regional growth) are not considered for purposes of the screening analysis. The three (3) mainline freeway segments and four (4) freeway off-ramps selected for screening due to the proposed project are presented in **Table 9-2**, with the freeway impact analysis screening performed for these facilities also presented therein. The project trips assigned to the freeway facilities are based on the trip distribution percentages presented in *Figure 7-1* and the trip generation forecast presented in *Table 7-1*. Based on this review, the amount of project traffic expected to occur on the freeway system is not expected to meet any of the above listed criteria. Therefore, no further analysis of potential impacts to the freeway system is required.

#### 9.4 City of Los Angeles High Injury Network Review

Vision Zero is a citywide initiative which prioritizes the safety of pedestrians and bicyclists on public streets, with the understanding that roads which are safe for vulnerable users will be safer for all users, in an effort to eliminate traffic fatalities. Key elements of the policy, such as reducing traffic speeds, are founded on the principles of engineering, education, enforcement, evaluation, and equity. Originating in Sweden, the policy has been adopted in numerous other North American cities, including California cities such as San Francisco and San Diego.

Mayor Eric Garcetti issued Executive Directive No. 10 in August 2015, formally launching the Vision Zero initiative in Los Angeles. Vision Zero is also a stated safety objective in the Mobility Plan 2035, which sets the goal of zero traffic deaths by 2035. Jointly directed by LADOT and the Police Department, Vision Zero takes a multi-disciplinary approach to identifying safety risk factors and implementing solutions on a citywide scale. Using a methodology originally developed by the San Francisco Public Health Department, the Vision Zero Task Force has identified streets where investments in safety will have the most impact in reducing severe injuries and traffic fatalities in the City.<sup>10</sup> These roads are collectively known as the High Injury Network (HIN). The HIN will be reviewed by the LADOT’s Vision Zero group for potential engineering re-design as well as educational and enforcement campaigns.


The proposed project is located in the West Los Angeles area where the Vision Zero focus is on major corridors. As shown in **Figure 9-7**, roadways in the immediate vicinity of the proposed project which have been identified on the HIN are noted below:

- Bundy Drive

---

<sup>10</sup> Vision Zero Los Angeles 2015-2025, August 2015.





**FIGURE 9-7**  
**CITY OF LOS ANGELES HIGH INJURY NETWORK**  
**IN PROJECT VICINITY**

SOURCE: COUNTY OF LOS ANGELES, BUREAU OF LAND MANAGEMENT, ESRI

★ PROJECT SITE



NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

- Santa Monica Boulevard east of Centinela Avenue
- Pico Boulevard east of Centinela Avenue

If a proposed project results in significant traffic impacts at intersections located along a designated HIN, LADOT's Vision Zero group will review those specific locations and immediate vicinity for potential safety enhancements that are consistent with the City's Vision Zero initiative.

## 10.0 TRANSPORTATION IMPROVEMENT MEASURES

As summarized in Subsections 9.1.2 (Existing With Project Conditions) and 9.2.2 (Future With Project Conditions) herein, application of the City's threshold criteria to the with proposed project scenarios indicates that the proposed project is not expected to create significant impacts at any of the six study intersections. Because there are no significant impacts, no traffic mitigation measures are required or recommended for the study intersections.

## 11.0 TRAFFIC SIGNAL WARRANT ANALYSIS

Traffic signal warrant analyses have been prepared to determine whether traffic signals are warranted at the Bundy Drive/Nebraska Avenue intersection upon completion of the proposed project. The determination of whether the installation of a traffic signal is warranted was based on criteria set forth in the *Manual of Policies and Procedures*, Section 353 (Guidelines for Traffic Signals). The warrant analysis is also consistent with the signal warrants outlined in Chapter 4C of the *California Manual on Uniform Traffic Control Devices*<sup>11</sup> (MUTCD).

Traffic signal warrants were prepared for the Bundy Drive/Nebraska Avenue intersection. Specifically, Warrant No. 1 (Eight Hour Vehicular Volume), Warrant No. 2 (Four Hour Vehicular Volume), and Warrant No. 3 (Peak Hour Volume) were prepared for the forecast future with project traffic conditions, and Warrant No. 7 (Crash Experience) was prepared based on a review of existing collision records. The traffic signal warrant calculations were based on, existing AM and PM peak hour volumes, and future with project peak hour traffic volumes. The traffic signal warrant worksheets are provided in *Appendix E*. The following paragraphs provide detailed discussions of the traffic signal warrants prepared for the intersections.

### Warrant 1: Eight-Hour Vehicular Volume

The Eight Hour Vehicular Volume warrant consists of three conditions: Condition A - the Minimum Vehicular Volume, Condition B – the Interruption of Continuous Traffic, and the Combination of Conditions A and B.

The Minimum Vehicular Volume warrant (Condition A) is intended for application where a large volume of intersecting traffic is the principal reason for consideration of a signal installation. The warrant is satisfied when for each of any eight hours of an average day the traffic volumes provided in the table for Warrant 1 under Condition A exist on the major street and on the higher-volume minor street approach to the intersection.

The Interruption of Continuous Traffic warrant (Condition B) applies to operating conditions where Condition A is not satisfied and where the traffic volume on a major street is so heavy that traffic on a minor intersecting street suffers excessive delay or hazard in entering or crossing the major street. The warrant is satisfied when, for each of any eight hours of an average day, the traffic volumes given in the table exist on the major street and on the higher-volume minor street approach to the intersection, and the signal installation will not seriously disrupt progressive traffic flow.

The Combination of Conditions A and B warrant applies at locations where Conditions A and B are not satisfied but where Conditions A and B are satisfied to the extent of 80 percent or more of the stated numerical values.

### Warrant 2: Four-Hour Vehicular Volume

---

<sup>11</sup> *California Manual on Uniform Traffic Control Devices (MUTCD)*, State of California Business, Transportation and Housing Agency, Department of Transportation, 2014 Edition.

The Four Hour Vehicular Volume Warrant is satisfied when, for each of any four hours of an average day, the plotted points representing the vehicles per hour on the major street (total of both approaches) and the corresponding vehicles per hour on the higher volume minor street approach (one direction only) all fall above the curve in Figure 4C-1 for the combination of approach lanes. The lower threshold for a minor street approach with two or more lanes is 115 vehicles per hour while the lower threshold for a minor street approach with one lane is 80 vehicles per hour. As shown in the worksheet contained in *Appendix E*, the signal warrant is met when the plotted points falls above the appropriate curve.

### Warrant 3: Peak Hour Volume

The Peak Hour Warrant consists of Part A and Part B and is intended for application where traffic conditions are such that for one hour of the day minor street traffic suffers undue delay in entering or crossing the major street. The Peak Hour warrant applies when one of the following criteria are satisfied:

- Part A. If all three of the following conditions exist for the same 1 hour (any four consecutive 15-minute periods) of an average day:
  - The total stopped time delay experienced by the traffic on one minor-street approach (one direction only) controlled by a STOP sign equals or exceeds 4 vehicle-hours for a one-lane approach, or 5 vehicle-hours for a two-lane approach, and
  - The volume on the same minor-street approach (one direction only) equals or exceeds 100 vehicles per hour for one moving lane of traffic or 150 vehicles per hour for two moving lanes, and
  - The total entering volume serviced during the hour equals or exceeds 650 vehicles per hour for intersections with three approaches or 800 vehicles per hour for intersections with four or more approaches.
- Part B of Warrant No. 3 is satisfied when the plotted point, representing the vehicles per hour on the major street (total of both approaches) and the corresponding vehicles per hour on the higher volume minor street approach (one direction only) for one hour of an average day, falls above the curve in Figure 4C-3 for the applicable number of approach lanes. The lower threshold for a minor street approach with two or more lanes is 150 vehicles per hour while the lower threshold for a minor street approach with one lane is 100 vehicles per hour. As shown in the worksheets contained in *Appendix E*, the signal warrant is met when the plotted point falls above the appropriate curve.

## Warrant 7: Crash Experience

The Crash Experience Warrant is intended for application where the severity and frequency of collisions are the primary reasons to consider installation of a traffic signal. The Crash Experience warrant applies when the following criteria are satisfied:

- Condition A or B of Warrant No. 1 is satisfied to the extent of 80 percent or more of the stated numerical values, or Warrant No. 4 (Pedestrian Volume) is satisfied to the extent of 80 percent or more of the stated numerical values, and
- Adequate trial of less restrictive remedies has failed to reduce the accident frequency, and
- Five or more reported accidents of types susceptible to correction by traffic signal control have occurred within the most recent 12-month period, or two per year during the most recent three-year period.

As stated above, a lead agency/jurisdiction may elect to proceed with a traffic signal installation when other issues are present, such as a need for further assignment of motorist right-of-way, even though none of the industry standard warrants are met.

### 11.1 Bundy Drive/Nebraska Avenue Intersection

As described above, traffic signal warrants were prepared for the Bundy Drive/Nebraska Avenue intersection. Specifically, Warrant No. 1 (Eight Hour Vehicular Volume), Warrant No. 2 (Four Hour Vehicular Volume), and Warrant No. 3 (Peak Hour Volume) were prepared for the forecast future with project traffic conditions, and Warrant No. 7 (Crash Experience) was prepared based on a review of existing collision records. In reviewing the traffic signal warrant analysis for the Bundy Drive/Nebraska Avenue intersection, it is important to note the following:

- For the signal warrant analysis, Bundy Drive was assumed to be the major street while Nebraska Avenue was assumed to be the minor street.
- Weekday AM and PM peak period manual traffic counts were conducted when local schools were in session. Summary data worksheets of the current traffic counts for the subject intersection are contained in *Appendix B*.

It should be noted that pursuant to the Eight-Hour Vehicular Volume Warrant worksheet included in the *Manual of Policies and Procedures*, Section 353, a six-hour manual turning movement count may be used in order to support a determination that the warrant is not met. Therefore, existing six-hour manual counts were utilized to prepare the eight-hour and four-hour vehicular volume warrants. The forecast future with project volumes utilized in the analysis are presented in *Appendix Table E*.

The following lane configurations have been assumed for the intersection:

- Northbound approach: one left-turn lane and two through lanes
- Southbound approach: one through lane and one combination through/right-turn lane
- Eastbound approach: one combination left-turn/through/right-turn lane



The resulting warrant analysis is described below:

Warrant 1 – Eight-Hour Vehicular Volume: As shown in the worksheets provided in *Appendix E*, both the Minimum Vehicular Volume warrant (Condition A) and the Interruption of Continuous Traffic (Condition B) warrant are not met under future with project conditions for the Bundy Drive/Nebraska Avenue intersection. Similarly, the Combination of Conditions A and B are not met for future with project conditions. Therefore, Warrant No. 1 is not satisfied for the Bundy Drive/Nebraska Avenue intersection.

Warrant 2 – Four-Hour Vehicular Volume: As indicated in Figure 4C-1 provided in *Appendix E*, all of the plotted points for the four highest hours of the day under future with project conditions fall above the applicable curve for the subject study intersection. Thus, Warrant No. 2 is satisfied for the Bundy Drive/Nebraska Avenue intersection.

Warrant 3 – Peak Hour Volume: As previously described, when either Part A or Part B of the Peak Hour Volume Warrant is met, the warrant can be considered satisfied. As shown in Figure 4C-3 provided in *Appendix E*, the plotted point for the peak hour under future with project conditions falls above the applicable curve for the subject study intersection. Therefore, Part B is met under future with project conditions. As Part B of Warrant No. 3 (Peak Hour) is met, preparation of Part A of the warrant was not required. Thus, Warrant No. 3 is satisfied under future with project conditions for the Bundy Drive/Nebraska Avenue intersection.

Warrant 7 – Crash Experience: Research was conducted of available collision records in order to determine the existing collision history at the subject study intersection. Collision records for the Bundy Drive/Nebraska Avenue intersection were requested for the most recent three year period (June 1, 2013 through May 31, 2016) from the City of Los Angeles Department of Transportation Traffic Control Records Division. *Appendix E* contains a summary of the collision records data. As shown in the collision data, a total of five (5) collisions occurred over the most recent three year period at this location. As the number of collisions at or near this intersection did not exceed five or more collisions during the most recent 12-month period, Warrant No. 7 is not satisfied for the Bundy Drive/Nebraska Avenue intersection.

In summary, Warrant No. 1 (Eight-Hour Vehicular Volume) is not satisfied under future with project conditions for the Bundy Drive/Nebraska Avenue intersection, while Warrant No. 2 (Four-Hour Vehicular Volume) and Warrant No. 3 (Peak Hour) are satisfied under future with project conditions. Warrant No. 7 (Crash Experience) is not satisfied based on a review of existing collision records. It is important to note that the satisfaction of a traffic signal warrant is not necessarily justification for the installation of a traffic signal. Delay, congestion, approach conditions, driver confusion, future land use or other evidence of the need for right-of-way assignment beyond that which could be provided by stop sign control may be demonstrated. Conversely, if a traffic signal warrant is not met, these other factors may be just cause for consideration of a traffic signal installation. The lead agency/agencies must carefully consider all aspects related to installation of traffic controls.

## 12.0 CONGESTION MANAGEMENT PROGRAM TRAFFIC IMPACT ASSESSMENT

The Congestion Management Program (CMP) is a state-mandated program that was enacted by the California State Legislature with the passage of Proposition 111 in 1990. The program is intended to address the impact of local growth on the regional transportation system.

As required by the 2010 Congestion Management Program, a Traffic Impact Assessment (TIA) has been prepared to determine the potential impacts on designated monitoring locations on the CMP highway system. The analysis has been prepared in accordance with procedures outlined in the *2010 Congestion Management Program*, Los Angeles County Metropolitan Transportation Authority, October 2010.

According to Section D.9.1 (Appendix D, page D-6) of the 2010 CMP manual, the criteria for determining a significant transportation impact is listed below:

“A significant transportation impact occurs when the proposed project increases traffic demand on a CMP facility by 2% of capacity ( $V/C \geq 0.02$ ), causing or worsening LOS F ( $V/C > 1.00$ ); if the facility is already at LOS F, a significant impact occurs when the proposed project increases traffic demand on a CMP facility by 2% of capacity ( $V/C \geq 0.02$ ).”

The CMP impact criteria apply for analysis of both intersection and freeway monitoring locations.

### 12.1 Intersections

The following CMP intersection monitoring locations in the project vicinity have been identified:

- | <u>CMP Station</u> | <u>Intersection</u>                   |
|--------------------|---------------------------------------|
| Int. No. 59        | Santa Monica Boulevard/Bundy Drive    |
| Int. No. 70        | Venice Boulevard/Centinel Avenue      |
| Int. No. 71        | Venice Boulevard/La Cienega Boulevard |

The CMP TIA guidelines require that intersection monitoring locations must be examined if the proposed project will add 50 or more trips during either the weekday AM or PM peak hours. The proposed project will not add 50 or more trips during either the weekday AM or PM peak hours (i.e., of adjacent street traffic) at CMP monitoring intersections, as stated in the CMP manual as the threshold criteria for a traffic impact assessment. Therefore, no further review of potential impacts to intersection monitoring locations that are part of the CMP highway system is required.



## 12.2 Freeways

The following CMP freeway monitoring locations in the project vicinity have been identified:

- | <u>CMP Station</u> | <u>Location</u>                         |
|--------------------|---|
| Seg. No. 1011      | I-10 Freeway east of Overland Avenue    |
| Seg. No. 1070      | I-405 Freeway north of Venice Boulevard |
| Seg. No. 1071      | I-405 Freeway south of Mulholland Drive |

The CMP TIA guidelines require that freeway monitoring locations must be examined if the proposed project will add 150 or more trips (in either direction) during either the weekday AM or PM peak periods. The proposed project will not add 150 or more trips (in either direction) during either the weekday AM or PM peak hours to CMP freeway monitoring locations which is the threshold for preparing a traffic impact assessment, as stated in the CMP manual. Therefore, no further review of potential impacts to freeway monitoring locations that are part of the CMP highway system is required.

## 12.3 Transit Impact Review

As required by the *2010 Congestion Management Program*, a review has been made of the potential impacts of the project on transit service. As discussed in Subsection 4.5 herein, existing transit service is provided in the vicinity of the proposed LADWP West Los Angeles Yard Demolition & Construction project.

The project trip generation, as shown in *Table 7-1*, was adjusted by values set forth in the CMP (i.e., person trips equal 1.4 times vehicle trips, and transit trips equal 3.5 percent of the total person trips) to estimate transit trip generation. Pursuant to the CMP guidelines, the proposed project is forecast to generate demand for 2 transit trips during both the weekday AM and PM peak hours. Over a 24-hour period, the proposed project is forecast to generate demand for 18 daily transit trips. The calculations are as follows:

- Weekday AM Peak Hour =  $31 \times 1.4 \times 0.035 = 2$  Transit Trips
- Weekday PM Peak Hour =  $43 \times 1.4 \times 0.035 = 2$  Transit Trips
- Weekday Daily Trips =  $367 \times 1.4 \times 0.035 = 18$  Transit Trips

As shown in *Table 4-3*, six bus transit lines and routes are provided in close proximity to the project site. As outlined in *Table 4-3*, under the “No. of Buses During Peak Hour” column, these six transit lines provide services for an average of (i.e., average of the directional number of buses/trains during the peak hours) roughly 52 buses during both the weekday AM and PM peak hours. Therefore, based on the above calculated weekday AM and PM peak hour trips, this would correspond to less

than one additional transit rider per bus. It is anticipated that the existing transit service in the project area will adequately accommodate the increase of project-generated transit trips. Thus, given the number of project-generated transit trips per bus, no project impacts on existing or future transit services in the project area are expected to occur as a result of the proposed project.

## 13.0 CONCLUSIONS

- **Project Description** – The West Los Angeles District Yard Project is a facility improvement project being proposed by the LADWP. The project would demolish six structures on site including the district office, warehouse, break room, locker room, and fleet shop. Three new buildings would be constructed in their place: a warehouse, district office, and fleet shop. These new buildings would consolidate all of the functions of the demolished buildings. Beneath the proposed new buildings a single-level underground parking structure with a total of 204 parking stalls would be installed. Additionally, the straddle crane located within the existing yard would be relocated toward the southeast section of the District Yard closer to the driveway along Olympic Boulevard. At the existing on-site fueling station, along the access driveway connecting the project site to Olympic Boulevard, the existing unleaded and diesel fuel tanks would remain above ground, and a new compressed natural gas tank would be installed aboveground. All fleet vehicle parking, a total of 55 oversized parking spaces, would be located on a surface parking lot.
- **Vehicular Site Access** – The portion of the LADWP West Los Angeles Yard Demolition & Construction project site that is planned to be improved contains a total of five driveways, including three driveways on Nebraska Avenue, one driveway on Centinela Avenue, and one driveway that essentially forms the north leg of the Centinela Avenue East/Olympic Boulevard intersection. All five driveways are currently controlled by either manual or automatic gates that are operated by LADWP. There are no planned changes in driveway locations or operations, nor in the site access and circulation scheme for employees, vendors and visitors, as part of the proposed project.
- **Study Scope** – A total of six study intersections were selected for analysis in consultation with LADOT staff in order to determine potential impacts related to the proposed project.
- **Project Trip Generation** – The proposed project is expected to generate a net increase of 31 vehicle trips (12 inbound trips and 19 outbound trips) during the weekday AM peak hour. During the weekday PM peak hour, the proposed project is expected to generate a net increase of 43 vehicle trips (13 inbound trips and 30 outbound trips). Over a 24-hour period, the proposed project is forecast to generate a net increase of 367 vehicle trips (approximately 184 inbound trips and 184 outbound trips) during a typical weekday.
- **Related Projects** – The City of Los Angeles Departments of Transportation and Planning, as well as the City of Santa Monica, were consulted to obtain the list of development projects (related projects) in the area. A total of 29 related projects, including 17 in the City of Los Angeles and 12 in the City of Santa Monica, was identified and considered as part of the cumulative traffic analysis. In addition, an annual growth rate of one percent (1.0%) to the year 2028 (i.e., the anticipated project build-out year) was used for analysis purposes. Therefore, application of this ambient growth factor in addition to the forecast traffic generated by the related projects allows for a conservative forecast of future traffic volumes in the project study area as incorporation of

both (i.e., an ambient traffic growth rate and a detailed list of cumulative development projects) is expected to overstate potential future traffic volumes. Further, as described in Section 6.0 above, CEQA only requires that one of these two approaches be employed in developing the future traffic volume forecasts.

- **Traffic Impact Analysis** – It is concluded that the proposed project is not expected to create significant impacts at any of the six study intersections under either the Existing With Project or Future With Project conditions based on the City of Los Angeles thresholds of significance used for evaluating traffic impacts. Because there are no significant impacts, no traffic mitigation measures are required or recommended for the study intersections.
- **Traffic Signal Warrant Analysis** - Traffic signal warrants were prepared for the Bundy Drive/Nebraska Avenue intersection. Warrant No. 1 (Eight-Hour Vehicular Volume) is not satisfied under future with project conditions for the Bundy Drive/Nebraska Avenue intersection, while Warrant No. 2 (Four-Hour Vehicular Volume) and Warrant No. 3 (Peak Hour) are satisfied under future with project conditions. Warrant No. 7 (Crash Experience) is not satisfied based on a review of existing collision records. It is important to note that the satisfaction of a traffic signal warrant is not necessarily justification for the installation of a traffic signal. Delay, congestion, approach conditions, driver confusion, future land use or other evidence of the need for right-of-way assignment beyond that which could be provided by stop sign control may be demonstrated. Conversely, if a traffic signal warrant is not met, these other factors may be just cause for consideration of a traffic signal installation. The lead agency/agencies must carefully consider all aspects related to installation of traffic controls.
- **CMP Traffic Assessment** – The results of the Los Angeles CMP traffic assessment indicate that the proposed project will not adversely affect any CMP arterial monitoring intersections or freeway monitoring locations. Therefore, no improvements/mitigation measures are required.

APPENDIX A

TRAFFIC STUDY MEMORANDUM OF UNDERSTANDING



## Transportation Impact Study Memorandum of Understanding (MOU)

This MOU acknowledges that the Transportation Impact Study for the following Project will be prepared in accordance with the latest version of LADOT's Transportation Impact Study Guidelines:

### I. PROJECT INFORMATION

Project Name: LADWP West Los Angeles Yard Demolition and Construction Project

Project Address: 12300 West Nebraska Avenue; West Los Angeles Community Plan area

Project Description: Please refer to the attached City of Los Angeles Task Order Request Proposal form which includes the project description and location.

LADOT Project Case Number: WLA 18-106700 Project Site Plan attached? (Required)  Yes  No  
Refer to Figure 2-2

### II. TRIP GENERATION

Geographic Distribution: N 25.00 % S 25.00 % E 30.00 % W 20.00 %

Illustration of Project trip distribution percentages at Study intersections attached? (Required)  Yes  No

Trip Generation Adjustments (Exact amount of credit subject to approval by LADOT) Refer to Figure 7-1

	Yes	No
Transit Usage	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Transportation Demand Management	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Existing Active Land Use	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Previous Land Use	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Internal Trip	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Pass-By Trip	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Source of Trip Generation Rate(s)?  ITE 9<sup>th</sup> Edition  Other: Empirical trip rates derived from the existing project site

Trip generation table including a description of the proposed land uses, ITE rates, estimated morning and afternoon peak hour volumes (ins/outs/totals), proposed trip credits, etc. attached? (Required)  Yes  No

	IN	OUT	TOTAL	Refer to Table 7-1 & Appendix Table C
AM Trips	<u>12</u>	<u>19</u>	<u>31</u>	
PM Trips	<u>13</u>	<u>30</u>	<u>43</u>	

### III. STUDY AREA AND ASSUMPTIONS

Project Buildout Year: 2028 Ambient or CMP Growth Rate: 1.0 % Per Yr.

Related Projects List, researched by the consultant and approved by LADOT, attached? (Required)  Yes  No  
Refer to Table 6-1 & Figure 6-1

Subject to Freeway Impact Analysis, in addition to CMP Analysis? (Freeway analysis screening filter must be included in this MOU; selecting "yes" implies that at least one criteria was satisfied)  Yes  No Refer to Table 9-2

Map of Study Intersections attached? (May be subject to LADOT revision after initial impact analysis)  Yes  No

Is this Project located on a street within the High Injury Network?  Yes  No Refer to Figure 1-1

**IV. CONTACT INFORMATION**

CONSULTANT

DEVELOPER

Name: Clare Look-Jaeger, LLG Engineers  
Address: 600 S. Lake Avenue, Suite 500, Pasadena CA 91106  
Phone Number: 626-796-2322, Ext. 222  
E-Mail: look-jaeger@llgengineers.com

LADWP/Dudek (Rep: Nicole Cobleigh)  
605 3rd Street, Encinitas, CA 92024  
626-204-9825  
ncobleigh@dudek.com

Approved by:	<u>Clare M. Look-Jaeger</u>	<u>12-12-17</u>	x	<u>[Signature]</u>	<u>2-7-18</u>
	Consultant's Representative	Date		LADOT Representative	Date

## Task Order Request Proposal

Environmental Assessment and Air Quality Services  
Agreement Nos. 47265-5 through 47271-5

<b>Task/Project Manager:</b> Aiden Leong	<b>Contract Administrator:</b> Dora Leung	<b>Issue Date:</b> 4/19/2017 <b>Due Date:</b> 5/4/2017	<b>TORP #010</b>
<b>1. Task Title:</b> West Los Angeles District Yard Demolition and Construction Project			
<b>2. Project Description and Location:</b> <p>The Los Angeles Department of Water and Power (LADWP), will be demolishing all existing structures and constructing new buildings in their place at the West Los Angeles District Yard located at 12300 Nebraska Ave, Los Angeles, CA 90025. The facility at its current capacity does not have adequate storage for its equipment and will not be able to support the planned increase to 100 full time staff. Structures planned for demolition include the district office, warehouse, break room, locker room, and fleet shop. Three new buildings are planned to be constructed, a warehouse, district office, and fleet shop. These new buildings will consolidate the functions of the demolished buildings. The existing straddle crane will be moved toward the section of the District Yard closer to the Olympic Blvd entrance. Existing unleaded and diesel fuel tanks and a new compressed natural gas tank will be placed underground at the current fueling station location. Parking will consist of a 116,800 square feet underground parking lot and surface parking. The underground parking lot will be one level and have 352 parking spaces to be used by employee vehicles. Surface parking will be for fleet vehicles and will consist of 32 oversize parking spaces. Please see the attached maps showing the current existing structures and the planned layout for the new structures.</p> <p>The project is planned to be carried out in two phases in order for the district yard to be operational at the time of demolition and construction. Phase 1 involves the demolition of the district office building, demolition of the break room building, and the construction of the underground lot. Phase 1 of the project is expected to be completed within 3 years. Phase 2 involves the demolition and construction of all other structures. Phase 2 is expected to be completed within 1.5 years. Construction vehicle access to the district yard will be restricted at the entrances located on Centinela Ave and Olympic Blvd. Employee access to the district yard is located on W Nebraska Ave.</p>			
<b>3. Task Scope and Schedule Requirements:</b> <p>The scope of environmental services will include preparing the Initial Study (IS) with associated technical studies. The project is expected to result in a Mitigated Negative Declaration (MND). The scope will also include preparing the MND and further technical studies if required. We expect that air quality, historical resources, noise and vibration, and traffic will need to be analyzed in detail. Dudek will coordinate with LADWP staff to review each scope of work to ensure the level of effort is appropriate in complying with CEQA.</p> <p>Construction is scheduled to begin in June 2019.</p>			
<b>4. Overall Approach:</b> (Provide details of how the task will be carried out. Use The General Task Order Request Approach Described in Section 501 of the contract including the following key details) <ol style="list-style-type: none"><li>1. Purpose and Objective</li><li>2. Prerequisites to Consultant's performance</li><li>3. Scope of Work</li><li>4. Schedule</li><li>5. Premises (assumptions, conditions, restrictions, project location, etc.)</li><li>6. Key Consultant and subconsultant personnel required for the task</li><li>7. Applicable rate schedules</li><li>8. Task Cost Estimate</li></ol>			



## **Task Order Request Proposal**

Environmental Assessment and Air Quality Services

Agreement Nos. 47265-5 through 47271-5

5. Task Scope of Work: (Description of sub tasks which may include: intermediate and end-products, deliverables, documents, completion date, etc.)

6. Overall Schedule: (Provide details of how the task will be carried out in terms of the timing of each major deliverable or sub task.)

7. List of Key Personnel Used for this Task: (List their role and responsibilities. Approval from LADWP is required if personnel other than what is on the Exhibit D from Agreement is used)

**8. Special Expertise or Background** - Describe why key task members and/or team is best suited for the subject project. Highlight past experience or qualifications. (Brief.)

**9. Cost** - The Consultant shall provide the Department with a detailed cost estimate, including identification of all required personnel, rates, and hours of effort, for the Task Order proposal.

MAP SOURCE: RAND MCNALLY & COMPANY

PROJECT SITE

STUDY INTERSECTION


NOT TO SCALE



LINSCOTT, LAW & GREENSPAN, engineers

# FIGURE 1-1 VICINITY MAP





LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT






**FIGURE 2-1**  
**AERIAL PHOTOGRAPH OF EXISTING SITE**

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

- MAP SOURCE: GOOGLE EARTH
-  NOT TO SCALE
  -  OVERALL LADWP WLA FACILITY
  -  PORTION OF SITE TO BE IMPROVED
  -  EXISTING DRIVEWAY

LINSCOTT, LAW & GREENSPAN, engineers



**FIGURE 2-2**  
**SITE PLAN**

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT

MAP SOURCE: LADWP

NOT TO SCALE


LINSCOTT, LAW & GREENSPAN, engineers





# FIGURE 6-1 LOCATION OF RELATED PROJECTS

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT



MAP SOURCE: RAND MCNALLY & COMPANY

PROJECT SITE

L CITY OF LOS ANGELES RELATED PROJECT


S CITY OF SANTA MONICA RELATED PROJECT

NOT TO SCALE

LINSCOTT, LAW & GREENSPAN, engineers



NOT TO SCALE



PROJECT SITE  
 XX = INBOUND PERCENTAGES  
 (XX) = OUTBOUND PERCENTAGES

LINSCOTT, LAW & GREENSPAN, engineers

# FIGURE 7-1 PROJECT TRIP DISTRIBUTION

LADWP WLA DISTRICT YARD DEMOLITION & CONSTRUCTION PROJECT




Table 6-1  
RELATED PROJECTS LIST AND TRIP GENERATION [1]

MAP NO.	PROJECT STATUS	PROJECT NAME/NUMBER ADDRESS/LOCATION	LAND USE DATA		PROJECT DATA SOURCE	DAILY TRIP ENDS [2] VOLUMES	AM PEAK HOUR VOLUMES [2]			PM PEAK HOUR VOLUMES [2]		
			LAND-USE	SIZE			IN	OUT	TOTAL	IN	OUT	TOTAL
L1	Proposed	Vons Supermarket 11660 West Santa Monica Boulevard	Supermarket	53,000 GSF	(1)	1,946	51	32	83	45	28	73
L2	Under Construction	Westside Family YMCA 1466 South Westgate Avenue	Recreational Community Center	65,000 GSF	(1)	1,204	52	33	85	27	46	73
L3	Proposed	Pico - Sepulveda Mixed Use 11122 West Pico Boulevard	Apartment Retail Supermarket	538 DU 212,000 GLSF 54,000 GSF	(1)	1,280	9	34	43	88	47	135
L4	Proposed	11600 West Wilshire Boulevard	Medical Office Building	120,874 GSF	(1)	1,280	34	9	43	38	97	135
L5	Under Construction	The Picasso Mixed Use 12029 West Wilshire Boulevard	Apartment Specialty Retail	108 DU 13,000 GLSF	(1)	789	(10)	40	30	39	(3)	36
L6	Proposed	Martin Expo Town Center 12101 West Olympic Boulevard	Apartment Retail Office	516 DU 67,000 GLSF 200,000 GSF	(1)	6,330	227	212	439	241	225	466
L7	Proposed	11421 West Olympic Boulevard	Apartment Retail	89 DU 6,030 GLSF	(1)	682	10	36	46	34	21	55
L8	Under Construction	1900 South Sawtelle Boulevard	Apartment Restaurant	52 DU 3,300 GSF	(1)	327	13	28	41	34	21	55
L9	Proposed	11750 West Wilshire Boulevard	Apartment Retail	376 DU	(1)	(400)	(22)	99	77	(22)	(64)	(86)
L10	Proposed	11800 West Santa Monica Boulevard	Apartment Specialty Retail	175 DU	(1)	1,824	13	64	77	115	89	204
L11	Proposed	2231 South Barrington Avenue	Restaurant Catering Office	6,904 GSF 2,750 GSF 9,731 GSF	(1)	610	24	11	35	34	39	73
L12	Proposed	11355 West Olympic Boulevard	Office	120,242 GSF	(1)	1,246	133	33	166	49	122	171
L13	Proposed	11460 West Gateway Boulevard	Apartment Specialty Retail	128 DU 5,153 GLSF	(1)	1,107	(1)	84	83	51	17	68
L14	Proposed	12300 West Wilshire Boulevard	Medical Office Building	33,392 GSF	(1)	838	17	11	28	24	29	53
L15	Proposed	11750 West Santa Monica Boulevard	Apartment	187 DU	(1)	1,006	(5)	65	60	80	36	116

Table 6-1 (Continued)  
RELATED PROJECTS LIST AND TRIP GENERATION [1]

MAP NO.	PROJECT STATUS	PROJECT NAME/NUMBER ADDRESS/LOCATION	LAND USE DATA		PROJECT DATA SOURCE	DAILY TRIP ENDS [2]	AM PEAK HOUR VOLUMES [2]		PM PEAK HOUR VOLUMES [2]			
			LAND-USE	SIZE			IN	OUT	IN	OUT	TOTAL	TOTAL
L16	Proposed	12431 West Rochester Avenue	Apartment	50 DU	[1]	333	5	21	16	9	25	
L17	Proposed	12414 West Exposition Boulevard	Office	70,844 GSF	[1]	584	81	9	17	107	124	
City of Santa Monica												
S1	Under Construction	Bergamot Transit Village Center 1681 South 26th Street	Shopping Center Office Apartment	84,000 GLSF 567,000 GLSF 325 DU	[1]	15,340	607	372	979	564	612	1,176
S2	Proposed	1431 Colorado Avenue	Apartment Retail Restaurant	50 DU 10,475 GLSF 2,110 GSF	[3] [4] [5]	333 447 268	5 6 13	21 4 10	26 10 23	20 19 13	11 20 8	31 39 21
S3	Proposed	1802 Santa Monica Boulevard	Apartment Restaurant Auto Dealer	23 DU 1,390 GSF 13,590 GSF	[3] [5] [6]	153 177 439	2 8 20	10 7 6	12 15 26	9 8 14	5 6 22	14 14 36
S4	Proposed	2901 Santa Monica Boulevard	Apartment Retail	60 DU 5,100 GLSF	[3] [4]	399 218	6 3	25 2	31 5	24 9	13 10	37 19
S5	Proposed	2020 Virginia Avenue	Apartment	21 DU	[3]	140	2	9	11	8	5	13
S6	Proposed	3025 Olympic Boulevard	Apartment Retail Office	174 DU 8,500 GLSF 75,247 GSF	[3] [4] [7]	1,157 363 830	18 5 103	71 3 14	89 8 117	70 15 19	38 17 93	108 32 112
S7	Proposed	3030 Nebraska Avenue	Apartment Office	177 DU 66,100 GSF	[3] [7]	1,177 729	18 91	72 12	90 103	72 17	38 81	110 98
S8	Proposed	1419 19th Street	Medical Office Building	5,342 GSF	[8]	193	10	3	13	5	14	19
S9	Proposed	1242 20th Street	Medical Office Building	110,500 GSF	[8]	3,992	209	55	264	110	284	394
S10	Under Construction	2848-2912 Colorado Avenue	Apartment Retail Restaurant Office	282 DU 19,610 GLSF 4,990 GSF 4,500 GSF	[3] [4] [5] [7]	1,875 837 634 50	29 12 30 6	115 7 24 1	144 35 54 7	114 35 29 1	61 38 20 6	175 49 7
S11	Under Construction	2930 Colorado Avenue	Condominiums Apartment Office Retail	216 DU 161 DU 4,250 GSF 20,700 GLSF	[9] [3] [7] [4]	1,255 1,071 47 884	16 16 6 12	79 66 1 8	95 82 7 20	75 65 1 37	37 35 1 40	112 100 6 77



Table 6-1 (Continued)  
RELATED PROJECTS LIST AND TRIP GENERATION [1]

MAP NO.	PROJECT STATUS	PROJECT NAME/NUMBER ADDRESS/LOCATION	LAND USE DATA		PROJECT DATA SOURCE	DAILY TRIP ENDS [2]	AM PEAK HOUR VOLUMES [2]		PM PEAK HOUR VOLUMES [2]			
			LAND-USE	SIZE			IN	OUT	IN	OUT	TOTAL	TOTAL
S12	Proposed	3008 Santa Monica Boulevard	Apartment Retail	26 DU 3,397 GLSF	[3] [4]	173 145	3 2	10 1	13 3	10 6	6 7	16 13
<b>TOTAL</b>						20,986	631	821	1,452	910	866	1,776

[1] Source: City of Los Angeles Department of Transportation (LADOT), Department of City Planning (LADCP) and City of Santa Monica Planning & Community Development, except as noted below.  
The peak hour traffic volumes were forecast based on trip data provided by LADOT and by applying trip rates as provided in the ITE "Trip Generation Manual", 9th Edition, 2012.

[2] Trips are one-way traffic movements, entering or leaving.

[3] ITE Land Use Code 220 (Apartment) trip generation average rates.

[4] ITE Land Use Code 820 (Shopping Center) trip generation average rates.

[5] ITE Land Use Code 932 (High-Turnover [Sit-Down] Restaurant) trip generation average rates.

[6] ITE Land Use Code 84 (Automobile Sales) trip generation average rates.

[7] ITE Land Use Code 710 (General Office Building) trip generation average rates.

[8] ITE Land Use Code 720 (Medical-Dental Office Building) trip generation average rates.

[9] ITE Land Use Code 230 (Residential Condominium/Townhouse) trip generation average rates.

Table 7-1  
PROJECT TRIP GENERATION [1]

<i>TRIP GENERATION RATES [2]</i>								
LAND USE	VARIABLE	DAILY TRIP RATE	AM PEAK HOUR TRIP RATE			PM PEAK HOUR TRIP RATE		
			IN	OUT	TOTAL	IN	OUT	TOTAL
Existing WLA District Yard	Per Employee	4.583	0.146	0.238	0.384	0.158	0.375	0.533
Distribution Split			38%	62%	100%	30%	70%	100%
<i>PROJECT TRIP GENERATION</i>								
LAND USE	SIZE	DAILY TRIP END VOLUMES [3]	AM PEAK HOUR VOLUMES [3]			PM PEAK HOUR VOLUMES [3]		
			IN	OUT	TOTAL	IN	OUT	TOTAL
<i><u>Proposed Project</u></i>								
WLA District Yard	200 Employees	917	29	48	77	32	75	107
<i><u>Less Existing Site</u></i>								
WLA District Yard	(120) Employees	(550)	(17)	(29)	(46)	(19)	(45)	(64)
<b>NET NEW VEHICLE TRIPS</b>		<b>367</b>	<b>12</b>	<b>19</b>	<b>31</b>	<b>13</b>	<b>30</b>	<b>43</b>

[1] Trips are one-way traffic movements, entering or leaving.

[2] Refer to Table C contained in Appendix C for derivation of empirical trip rates.

[3] Trip generation forecast based on empirical trip rates shown above.

Appendix Table C  
EMPIRICAL TRIP RATES [1]

LAND USE	SIZE	DAILY TRIP ENDS VOLUMES [5]	AM PEAK HOUR VOLUMES [6]		PM PEAK HOUR VOLUMES [6]		DAILY TRIP RATE [7]	AM PEAK HOUR TRIP RATES [7]		PM PEAK HOUR TRIP RATES [7]			
			IN	OUT	IN	OUT		IN	OUT	IN	OUT		
			TOTAL	TOTAL	TOTAL	TOTAL		TOTAL	TOTAL	TOTAL	TOTAL		
Existing WLA District Yard Distribution Split	120 Employees	535 50% In/50% Out	25 58%	18 42%	43 100%	20 31%	44 69%	64 100%	0.208 58%	0.150 42%	0.167 31%	0.367 69%	0.534 100%

Wednesday, October 4, 2017 [2]

LAND USE	SIZE	DAILY TRIP ENDS VOLUMES [5]	AM PEAK HOUR VOLUMES [6]		PM PEAK HOUR VOLUMES [6]		DAILY TRIP RATE [7]	AM PEAK HOUR TRIP RATES [7]		PM PEAK HOUR TRIP RATES [7]			
			IN	OUT	IN	OUT		IN	OUT	IN	OUT		
			TOTAL	TOTAL	TOTAL	TOTAL		TOTAL	TOTAL	TOTAL	TOTAL		
Existing WLA District Yard Distribution Split	120 Employees	565 50% In/50% Out	10 20%	39 80%	49 100%	18 28%	46 72%	64 100%	0.083 20%	0.325 80%	0.150 28%	0.383 72%	0.533 100%

Thursday, October 5, 2017 [3]

LAND USE	SIZE	DAILY TRIP ENDS VOLUMES [5]	AM PEAK HOUR VOLUMES [6]		PM PEAK HOUR VOLUMES [6]		DAILY TRIP RATE [7]	AM PEAK HOUR TRIP RATES [7]		PM PEAK HOUR TRIP RATES [7]			
			IN	OUT	IN	OUT		IN	OUT	IN	OUT		
			TOTAL	TOTAL	TOTAL	TOTAL		TOTAL	TOTAL	TOTAL	TOTAL		
Existing WLA District Yard Distribution Split	120 Employees	550 50% In/50% Out	17.5 38%	28.5 62%	46 100%	19 30%	45 70%	64 100%	0.146 38%	0.238 62%	0.158 30%	0.375 70%	0.533 100%

Two-Day Average [4]

[1] Trips are one-way traffic movements, entering or leaving.  
 [2] Based on actual site observations on Wednesday, October 4, 2017, the AM peak hour occurred from 6:45 AM to 7:45 AM, and the PM peak hour occurred from 6:15 PM to 7:15 PM.  
 [3] Based on actual site observations on Thursday, October 5, 2017, the AM peak hour occurred from 7:15 AM to 8:15 AM, and the PM peak hour occurred from 3:15 PM to 4:15 PM.  
 [4] The two-day average was determined by averaging the individual peak hour trips identified on October 4, 2017 and October 5, 2017, for the AM and PM peak hours.  
 [5] Daily trip ends were estimated based on the assumption that the average peak hour trips (i.e., the average of the AM and PM peak hour trips) represent ten percent (10%) of the total daily trip ends.  
 [6] Actual site driveway counts and on-street parking observations were conducted during the morning (6:00 to 10:00 AM) and evening peak periods (3:00 to 7:30 PM) at the existing West Los Angeles District Yard in order to determine the site's actual operating peak hours and empirical peak hour trip rates. The volumes shown represent the peak hour generation (i.e., the peak sum of inbound/outbound trips).  
 [7] Trip rates per employee.

**Table 9-2**  
**FREEWAY IMPACT ANALYSIS SCREENING [1]**  
**Weekday AM and PM Peak Hours**

PROJECT TRIP GENERATION	TOTAL PROJECT	
	AM	PM
Inbound	12	13
Outbound	19	30

FREEWAY LOCATION	DIR.	PROJECT TRIP DIRECTION	TOTAL PROJECT TRIPS			NO. OF LANES	TOTAL CAPACITY [2]	PERCENT OF CAPACITY		FREEWAY ANALYSIS REQUIRED? (YES/NO) [3]
			DIST.	AM	PM			AM	PM	
<b>Mainline Segment</b>										
I-10 Freeway west of Centinela Avenue	EB	Inbound	5%	1	1	4	8,000	0.0%	0.0%	No
	WB	Outbound	5%	1	2	4	8,000	0.0%	0.0%	No
I-10 Freeway east of Bundy Drive	EB	Outbound	20%	4	6	4	8,000	0.1%	0.1%	No
	WB	Inbound	20%	2	3	4	8,000	0.0%	0.0%	No
I-405 Freeway north of Santa Monica Boulevard	NB	Outbound	10%	2	3	4	8,000	0.0%	0.0%	No
	SB	Inbound	10%	1	1	4	8,000	0.0%	0.0%	No
<b>Off-Ramp</b>										
I-10 Freeway Eastbound at Centinela Avenue	EB	Inbound	5%	1	1	3	2,550	0.0%	0.0%	No
I-10 Freeway Westbound at Centinela Avenue	WB	Inbound	10%	1	1	2	1,700	0.1%	0.1%	No
I-10 Freeway Westbound at Bundy Avenue	WB	Inbound	15%	2	2	1	850	0.2%	0.2%	No
I-405 Freeway Southbound at Santa Monica Boulevard	SB	Inbound	5%	1	1	3	2,550	0.0%	0.0%	No

[1] Pursuant to *Traffic Study Policies and Procedures*, City of Los Angeles Department of Transportation, August 2014, *Agreement Between City of Los Angeles and Caltrans District 7 on Freeway Impact Analysis Procedures*, October 2013, and per *First Amendment to the Agreement between LADOT and Caltrans District 7 on Freeway Impact Analysis Procedures*, December 15, 2015.

[2] Total Capacity derived from the assumed free-flow capacities shown below: (in vehicles per hour per lane)

Facility Type	Capacity
Mainline Segment	2,000 vphpl
Off-Ramp	850 vphpl

[3] Freeway impact analysis is required if the project would result in an increase of  $\geq 2\%$  of capacity for facilities operating at LOS D, or in an increase of  $\geq 1\%$  of capacity for facilities operating at LOS E/F. For a more conservative screening analysis, all facilities are assumed to be operating at LOS E/F.

APPENDIX B  
TRAFFIC COUNT DATA


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: N/S CENTINELA AVENUE  
 E/W NEBRASKA AVENUE  
 FILE NUMBER: 1-AM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0700-0715	1	40	3	3	4	2	5	87	23	10	2	1
0715-0730	3	55	6	2	9	3	7	91	25	20	7	5
0730-0745	5	69	2	4	3	5	8	131	30	30	8	10
0745-0800	11	78	3	4	7	3	5	154	48	45	14	18
0800-0815	6	99	6	2	10	6	10	212	40	42	10	11
0815-0830	4	103	8	2	8	2	13	203	44	35	10	7
0830-0845	6	105	5	3	11	5	19	220	53	28	11	7
0845-0900	11	126	9	3	12	3	18	192	62	23	8	6
0900-0915	14	133	10	5	10	3	18	180	65	20	6	7
0915-0930	10	110	6	10	13	4	19	182	72	18	11	10
0930-0945	8	82	8	5	9	6	19	205	68	20	11	9
0945-1000	11	60	9	4	10	6	25	197	57	26	11	11

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0700-0800	20	242	14	13	23	13	25	463	126	105	31	34	1109
0715-0815	25	301	17	12	29	17	30	588	143	137	39	44	1382
0730-0830	26	349	19	12	28	16	36	700	162	152	42	46	1588
0745-0845	27	385	22	11	36	16	47	789	185	150	45	43	1756
0800-0900	27	433	28	10	41	16	60	827	199	128	39	31	1839
0815-0915	35	467	32	13	41	13	68	795	224	106	35	27	1856
0830-0930	41	474	30	21	46	15	74	774	252	89	36	30	1882
0845-0945	43	451	33	23	44	16	74	759	267	81	36	32	1859
0900-1000	43	385	33	24	42	19	81	764	262	84	39	37	1813

A.M. PEAK HOUR  
0830-0930



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: CENTINELA AVENUE / NEBRASKA AVENUE

FILE: 1AMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	0	1	1	1
0715-0730	1	3	5	0
0730-0745	1	7	10	2
0745-0800	4	1	10	2
0800-0815	3	1	3	6
0815-0830	0	0	2	0
0830-0845	3	5	7	4
0845-0900	5	1	6	2
0900-0915	5	2	0	3
0915-0930	8	3	10	3
0930-0945	2	5	9	2
0945-1000	7	2	4	1

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	0	0	1	0
0715-0730	2	0	0	0
0730-0745	0	0	1	0
0745-0800	0	1	0	0
0800-0815	2	1	1	0
0815-0830	2	1	0	1
0830-0845	2	0	1	1
0845-0900	1	0	1	0
0900-0915	2	0	0	0
0915-0930	3	0	3	2
0930-0945	1	0	0	0
0945-1000	1	0	1	0

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	6	12	26	5	49
0715-0815	9	12	28	10	59
0730-0830	8	9	25	10	52
0745-0845	10	7	22	12	51
0800-0900	11	7	18	12	48
0815-0915	13	8	15	9	45
0830-0930	21	11	23	12	67
0845-0945	20	11	25	10	66
0900-1000	22	12	23	9	66

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	2	1	2	0	5
0715-0815	4	2	2	0	8
0730-0830	4	3	2	1	10
0745-0845	6	3	2	2	13
0800-0900	7	2	3	2	14
0815-0915	7	1	2	2	12
0830-0930	8	0	5	3	16
0845-0945	7	0	4	2	13
0900-1000	7	0	4	2	13


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: N/S CENTINELA AVENUE  
 E/W NEBRASKA AVENUE  
 FILE NUMBER: 1-PM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0300-0315	15	125	3	3	8	14	7	109	29	36	6	6
0315-0330	15	135	4	2	10	14	7	100	23	64	19	9
0330-0345	10	170	6	4	8	17	9	122	19	72	14	13
0345-0400	6	163	7	7	9	10	16	106	12	58	20	11
0400-0415	5	173	4	3	9	11	11	124	10	40	23	9
0415-0430	3	142	6	4	11	18	10	117	17	55	26	5
0430-0445	4	157	9	4	7	16	12	123	12	57	32	10
0445-0500	5	161	5	6	5	14	11	138	12	51	20	11
0500-0515	3	182	3	5	6	19	17	162	10	50	30	11
0515-0530	3	162	4	7	9	17	10	145	15	77	39	15
0530-0545	5	152	7	6	13	22	11	155	10	69	34	19
0545-0600	4	133	10	8	8	18	7	181	12	57	35	16

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0300-0400	46	593	20	16	35	55	39	437	83	230	59	39	1652
0315-0415	36	641	21	16	36	52	43	452	64	234	76	42	1713
0330-0430	24	648	23	18	37	56	46	469	58	225	83	38	1725
0345-0445	18	635	26	18	36	55	49	470	51	210	101	35	1704
0400-0500	17	633	24	17	32	59	44	502	51	203	101	35	1718
0415-0515	15	642	23	19	29	67	50	540	51	213	108	37	1794
0430-0530	15	662	21	22	27	66	50	568	49	235	121	47	1883
0445-0545	16	657	19	24	33	72	49	600	47	247	123	56	1943
0500-0600	15	629	24	26	36	76	45	643	47	253	138	61	1993

P.M. PEAK HOUR  
0500-0600



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877



# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: CENTINELA AVENUE / NEBRASKA AVENUE

FILE: 1PMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	4	3	4	5
0315-0330	1	0	6	2
0330-0345	4	5	6	6
0345-0400	3	2	0	2
0400-0415	0	3	2	2
0415-0430	2	1	1	4
0430-0445	2	3	0	0
0445-0500	3	0	2	4
0500-0515	5	2	1	2
0515-0530	2	1	3	4
0530-0545	3	2	2	2
0545-0600	1	1	2	3

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	0	0	0	0
0315-0330	0	1	0	1
0330-0345	1	1	1	0
0345-0400	0	0	1	0
0400-0415	4	0	0	0
0415-0430	0	0	1	1
0430-0445	0	0	1	1
0445-0500	0	0	0	1
0500-0515	1	0	2	0
0515-0530	0	0	0	0
0530-0545	0	0	0	1
0545-0600	0	0	3	1

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	12	10	16	15	53
0315-0415	8	10	14	12	44
0330-0430	9	11	9	14	43
0345-0445	7	9	3	8	27
0400-0500	7	7	5	10	29
0415-0515	12	6	4	10	32
0430-0530	12	6	6	10	34
0445-0545	13	5	8	12	38
0500-0600	11	6	8	11	36

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	1	2	2	1	6
0315-0415	5	2	2	1	10
0330-0430	5	1	3	1	10
0345-0445	4	0	3	2	9
0400-0500	4	0	2	3	9
0415-0515	1	0	4	3	8
0430-0530	1	0	3	2	6
0445-0545	1	0	2	2	5
0500-0600	1	0	5	2	8


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: N/S CENTINELA AVENUE WEST  
 E/W OLYMPIC BOULEVARD  
 FILE NUMBER: 2-AM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0700-0715	7	1	39	116	145	0	0	0	0	1	52	2
0715-0730	9	0	78	133	203	1	0	0	0	2	70	3
0730-0745	17	0	83	161	274	2	0	0	0	0	105	4
0745-0800	25	0	110	203	281	1	0	0	0	1	148	6
0800-0815	18	1	135	270	268	0	0	0	0	3	161	5
0815-0830	10	1	121	241	267	2	0	0	0	1	195	10
0830-0845	8	0	151	260	279	2	0	0	0	4	173	15
0845-0900	10	0	120	291	266	3	0	0	0	3	157	17
0900-0915	10	1	123	282	231	2	0	0	0	2	185	18
0915-0930	11	1	100	278	220	1	0	0	0	4	180	10
0930-0945	8	1	110	280	205	2	0	0	0	2	167	8
0945-1000	3	2	94	289	192	3	0	0	0	3	171	12

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0700-0800	58	1	310	613	903	4	0	0	0	4	375	15	2283
0715-0815	69	1	406	767	1026	4	0	0	0	6	484	18	2781
0730-0830	70	2	449	875	1090	5	0	0	0	5	609	25	3130
0745-0845	61	2	517	974	1095	5	0	0	0	9	677	36	3376
0800-0900	46	2	527	1062	1080	7	0	0	0	11	686	47	3468
0815-0915	38	2	515	1074	1043	9	0	0	0	10	710	60	3461
0830-0930	39	2	494	1111	996	8	0	0	0	13	695	60	3418
0845-0945	39	3	453	1131	922	8	0	0	0	11	689	53	3309
0900-1000	32	5	427	1129	848	8	0	0	0	11	703	48	3211

A.M. PEAK HOUR  
0800-0900



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: CENTINELA AVENUE WEST / OLYMPIC BOULEVARD

FILE: 2AMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	1	0	1	2
0715-0730	1	0	1	2
0730-0745	5	0	1	3
0745-0800	0	0	2	5
0800-0815	1	0	0	5
0815-0830	2	0	1	2
0830-0845	4	0	3	3
0845-0900	3	0	3	2
0900-0915	4	0	2	3
0915-0930	1	0	4	0
0930-0945	4	0	2	1
0945-1000	6	0	3	1

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	2	0	0	0
0715-0730	0	0	0	0
0730-0745	2	0	1	0
0745-0800	0	0	1	0
0800-0815	0	0	0	0
0815-0830	0	0	0	1
0830-0845	0	0	1	1
0845-0900	1	0	2	1
0900-0915	0	0	1	0
0915-0930	0	0	0	2
0930-0945	2	0	1	1
0945-1000	1	0	0	2

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	7	0	5	12	24
0715-0815	7	0	4	15	26
0730-0830	8	0	4	15	27
0745-0845	7	0	6	15	28
0800-0900	10	0	7	12	29
0815-0915	13	0	9	10	32
0830-0930	12	0	12	8	32
0845-0945	12	0	11	6	29
0900-1000	15	0	11	5	31

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	4	0	2	0	6
0715-0815	2	0	2	0	4
0730-0830	2	0	2	1	5
0745-0845	0	0	2	2	4
0800-0900	1	0	3	3	7
0815-0915	1	0	4	3	8
0830-0930	1	0	4	4	9
0845-0945	3	0	4	4	11
0900-1000	3	0	2	5	10


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: N/S CENTINELA AVENUE WEST  
 E/W OLYMPIC BOULEVARD  
 FILE NUMBER: 2-PM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0300-0315	15	0	150	145	197	1	0	0	0	2	228	4
0315-0330	24	1	227	129	203	0	0	0	0	1	233	7
0330-0345	22	1	217	124	212	2	0	0	0	3	275	8
0345-0400	20	1	239	115	228	2	0	0	0	2	266	16
0400-0415	23	1	209	133	211	1	0	0	0	4	305	12
0415-0430	21	2	232	145	200	2	0	0	0	5	273	17
0430-0445	27	1	219	129	188	1	0	0	0	2	250	10
0445-0500	21	0	193	136	197	0	0	0	0	1	282	15
0500-0515	23	1	227	144	190	2	0	0	0	1	277	16
0515-0530	18	0	263	178	217	0	0	0	0	0	262	11
0530-0545	24	0	205	145	208	0	0	0	0	1	286	10
0545-0600	15	0	219	195	231	0	0	0	0	0	270	12

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0300-0400	81	3	833	513	840	5	0	0	0	8	1002	35	3320
0315-0415	89	4	892	501	854	5	0	0	0	10	1079	43	3477
0330-0430	86	5	897	517	851	7	0	0	0	14	1119	53	3549
0345-0445	91	5	899	522	827	6	0	0	0	13	1094	55	3512
0400-0500	92	4	853	543	796	4	0	0	0	12	1110	54	3468
0415-0515	92	4	871	554	775	5	0	0	0	9	1082	58	3450
0430-0530	89	2	902	587	792	3	0	0	0	4	1071	52	3502
0445-0545	86	1	888	603	812	2	0	0	0	3	1107	52	3554
0500-0600	80	1	914	662	846	2	0	0	0	2	1095	49	3651

P.M. PEAK HOUR  
0500-0600



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: CENTINELA AVENUE WEST / OLYMPIC BOULEVARD

FILE: 2PMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	4	0	3	0
0315-0330	3	0	5	4
0330-0345	11	0	5	3
0345-0400	5	0	3	4
0400-0415	2	0	6	4
0415-0430	4	0	3	5
0430-0445	2	0	4	0
0445-0500	5	0	4	3
0500-0515	2	0	3	3
0515-0530	6	0	2	4
0530-0545	6	0	3	3
0545-0600	2	0	2	2

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	0	0	0	1
0315-0330	2	0	0	1
0330-0345	0	0	1	0
0345-0400	0	0	0	2
0400-0415	0	0	0	0
0415-0430	0	0	1	1
0430-0445	1	0	0	0
0445-0500	0	0	1	1
0500-0515	0	0	0	0
0515-0530	0	0	0	2
0530-0545	1	0	1	2
0545-0600	0	0	0	3

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	23	0	16	11	50
0315-0415	21	0	19	15	55
0330-0430	22	0	17	16	55
0345-0445	13	0	16	13	42
0400-0500	13	0	17	12	42
0415-0515	13	0	14	11	38
0430-0530	15	0	13	10	38
0445-0545	19	0	12	13	44
0500-0600	16	0	10	12	38

1-HOUR PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0400	2	0	1	4
0315-0415	2	0	1	3
0330-0430	0	0	2	3
0345-0445	1	0	1	3
0400-0500	1	0	2	2
0415-0515	1	0	2	2
0430-0530	1	0	1	3
0445-0545	1	0	2	5
0500-0600	1	0	1	7


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: N/S CENTINELA AVENUE EAST / PROJECT DRIVEWAY  
 E/W OLYMPIC BOULEVARD  
 FILE NUMBER: 3-AM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0700-0715	1	0	0	1	137	34	17	0	114	32	50	0
0715-0730	0	2	3	0	212	41	10	0	120	54	86	1
0730-0745	1	2	6	0	296	59	16	0	176	66	125	2
0745-0800	1	5	13	2	332	56	23	1	209	90	162	2
0800-0815	0	0	5	1	301	52	28	0	207	88	189	1
0815-0830	1	0	2	3	318	45	25	1	202	104	219	1
0830-0845	1	1	5	3	369	69	21	1	196	102	203	0
0845-0900	1	0	2	1	309	54	27	0	197	85	194	2
0900-0915	0	2	2	0	374	50	23	1	194	90	208	2
0915-0930	3	2	2	4	337	48	29	1	185	75	223	3
0930-0945	2	2	2	2	308	30	31	2	170	65	229	2
0945-1000	3	4	5	2	286	42	34	2	183	73	188	3

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0700-0800	3	9	22	3	977	190	66	1	619	242	423	5	2560
0715-0815	2	9	27	3	1141	208	77	1	712	298	562	6	3046
0730-0830	3	7	26	6	1247	212	92	2	794	348	695	6	3438
0745-0845	3	6	25	9	1320	222	97	3	814	384	773	4	3660
0800-0900	3	1	14	8	1297	220	101	2	802	379	805	4	3636
0815-0915	3	3	11	7	1370	218	96	3	789	381	824	5	3710
0830-0930	5	5	11	8	1389	221	100	3	772	352	828	7	3701
0845-0945	6	6	8	7	1328	182	110	4	746	315	854	9	3575
0900-1000	8	10	11	8	1305	170	117	6	732	303	848	10	3528

A.M. PEAK HOUR  
0815-0915



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

CENTINELA AVENUE EAST / PROJECT DRIVEWAY

# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: CENTINELA AVENUE EAST - PROJECT DRIVEWAY / OLYMPIC BOULEVARD

FILE: 3AMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	1	0	2	0
0715-0730	2	3	0	0
0730-0745	3	3	2	0
0745-0800	2	1	4	0
0800-0815	1	5	4	0
0815-0830	3	7	5	0
0830-0845	3	6	7	0
0845-0900	2	7	0	0
0900-0915	1	16	4	0
0915-0930	3	23	4	0
0930-0945	5	11	2	0
0945-1000	5	19	7	0

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	0	1	0	0
0715-0730	1	0	0	0
0730-0745	1	1	0	0
0745-0800	0	3	0	0
0800-0815	0	1	0	0
0815-0830	1	1	1	0
0830-0845	0	2	5	0
0845-0900	2	1	1	0
0900-0915	0	1	2	0
0915-0930	1	0	0	0
0930-0945	2	2	1	0
0945-1000	1	3	1	0

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	8	7	8	0	23
0715-0815	8	12	10	0	30
0730-0830	9	16	15	0	40
0745-0845	9	19	20	0	48
0800-0900	9	25	16	0	50
0815-0915	9	36	16	0	61
0830-0930	9	52	15	0	76
0845-0945	11	57	10	0	78
0900-1000	14	69	17	0	100

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	2	5	0	0	7
0715-0815	2	5	0	0	7
0730-0830	2	6	1	0	9
0745-0845	1	7	6	0	14
0800-0900	3	5	7	0	15
0815-0915	3	5	9	0	17
0830-0930	3	4	8	0	15
0845-0945	5	4	4	0	13
0900-1000	4	6	4	0	14


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: N/S CENTINELA AVENUE EAST / PROJECT DRIVEWAY  
 E/W OLYMPIC BOULEVARD  
 FILE NUMBER: 3-PM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0300-0315	0	1	1	6	205	33	12	3	122	117	246	0
0315-0330	1	1	0	6	215	40	26	5	113	185	348	3
0330-0345	0	1	2	8	213	30	21	2	106	204	309	2
0345-0400	1	2	3	3	233	32	17	4	93	200	279	0
0400-0415	3	14	6	3	234	28	19	1	93	224	321	0
0415-0430	3	26	3	4	217	21	16	0	99	234	314	0
0430-0445	2	20	1	3	245	28	14	1	84	218	278	1
0445-0500	0	19	0	2	277	39	16	0	103	196	308	4
0500-0515	1	5	0	2	239	30	15	0	122	194	310	8
0515-0530	2	1	2	3	234	20	21	0	105	200	336	7
0530-0545	2	1	1	2	246	13	24	0	121	214	318	5
0545-0600	1	0	0	2	262	15	20	1	124	189	322	2

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0300-0400	2	5	6	23	866	135	76	14	434	706	1182	5	3454
0315-0415	5	18	11	20	895	130	83	12	405	813	1257	5	3654
0330-0430	7	43	14	18	897	111	73	7	391	862	1223	2	3648
0345-0445	9	62	13	13	929	109	66	6	369	876	1192	1	3645
0400-0500	8	79	10	12	973	116	65	2	379	872	1221	5	3742
0415-0515	6	70	4	11	978	118	61	1	408	842	1210	13	3722
0430-0530	5	45	3	10	995	117	66	1	414	808	1232	20	3716
0445-0545	5	26	3	9	996	102	76	0	451	804	1272	24	3768
0500-0600	6	7	3	9	981	78	80	1	472	797	1286	22	3742

P.M. PEAK HOUR  
0445-0545



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

CENTINELA AVENUE EAST / PROJECT DRIVEWAY



# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: CENTINELA AVENUE EAST - PROJECT DRIVEWAY / OLYMPIC BOULEVARD

FILE: 3PMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	9	51	7	0
0315-0330	13	51	8	0
0330-0345	11	49	3	0
0345-0400	9	32	3	0
0400-0415	8	30	4	0
0415-0430	11	30	0	0
0430-0445	4	11	2	0
0445-0500	7	25	2	0
0500-0515	8	34	10	0
0515-0530	6	11	9	0
0530-0545	5	3	2	0
0545-0600	3	5	5	0

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	1	0	0	0
0315-0330	1	1	0	0
0330-0345	0	0	1	0
0345-0400	0	0	0	0
0400-0415	2	0	2	0
0415-0430	1	0	3	0
0430-0445	1	0	1	0
0445-0500	0	0	2	0
0500-0515	2	1	4	0
0515-0530	3	0	0	0
0530-0545	2	0	1	0
0545-0600	2	0	1	0

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	42	183	21	0	246
0315-0415	41	162	18	0	221
0330-0430	39	141	10	0	190
0345-0445	32	103	9	0	144
0400-0500	30	96	8	0	134
0415-0515	30	100	14	0	144
0430-0530	25	81	23	0	129
0445-0545	26	73	23	0	122
0500-0600	22	53	26	0	101

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	2	1	1	0	4
0315-0415	3	1	3	0	7
0330-0430	3	0	6	0	9
0345-0445	4	0	6	0	10
0400-0500	4	0	8	0	12
0415-0515	4	1	10	0	15
0430-0530	6	1	7	0	14
0445-0545	7	1	7	0	15
0500-0600	9	1	6	0	16


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: N/S BUNDY DRIVE  
 E/W NEBRASKA AVENUE  
 FILE NUMBER: 4-AM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0700-0715	6	120	0	0	0	0	0	208	18	3	0	0
0715-0730	4	140	0	0	0	0	0	286	17	8	0	2
0730-0745	4	185	0	0	0	0	0	327	20	10	0	2
0745-0800	4	242	0	0	0	0	0	319	20	15	0	1
0800-0815	8	333	0	0	0	0	0	283	33	25	0	3
0815-0830	8	325	0	0	0	0	0	276	35	24	0	1
0830-0845	8	334	0	0	0	0	0	288	23	20	0	2
0845-0900	10	317	0	0	0	0	0	281	25	18	0	0
0900-0915	16	326	0	0	0	0	0	269	39	14	0	0
0915-0930	16	297	0	0	0	0	0	270	47	18	0	2
0930-0945	19	277	0	0	0	0	0	249	42	21	0	1
0945-1000	15	251	0	0	0	0	0	230	54	19	0	3

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0700-0800	18	687	0	0	0	0	0	1140	75	36	0	5	1961
0715-0815	20	900	0	0	0	0	0	1215	90	58	0	8	2291
0730-0830	24	1085	0	0	0	0	0	1205	108	74	0	7	2503
0745-0845	28	1234	0	0	0	0	0	1166	111	84	0	7	2630
0800-0900	34	1309	0	0	0	0	0	1128	116	87	0	6	2680
0815-0915	42	1302	0	0	0	0	0	1114	122	76	0	3	2659
0830-0930	50	1274	0	0	0	0	0	1108	134	70	0	4	2640
0845-0945	61	1217	0	0	0	0	0	1069	153	71	0	3	2574
0900-1000	66	1151	0	0	0	0	0	1018	182	72	0	6	2495

A.M. PEAK HOUR  
0800-0900



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

BUNDY DRIVE

# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: BUNDY DRIVE / NEBRASKA AVENUE

FILE: 4AMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	0	0	0	4
0715-0730	0	0	0	1
0730-0745	0	0	0	3
0745-0800	0	0	0	5
0800-0815	0	0	0	1
0815-0830	0	0	0	3
0830-0845	0	0	0	3
0845-0900	0	0	0	1
0900-0915	0	0	0	4
0915-0930	0	0	0	4
0930-0945	0	0	0	4
0945-1000	0	0	0	5

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	0	0	0	1
0715-0730	0	0	0	0
0730-0745	0	0	0	2
0745-0800	0	0	0	2
0800-0815	0	0	0	1
0815-0830	0	0	0	2
0830-0845	0	0	0	2
0845-0900	0	0	0	1
0900-0915	0	0	0	3
0915-0930	0	0	0	1
0930-0945	0	0	0	1
0945-1000	0	0	0	1

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	0	0	0	13	13
0715-0815	0	0	0	10	10
0730-0830	0	0	0	12	12
0745-0845	0	0	0	12	12
0800-0900	0	0	0	8	8
0815-0915	0	0	0	11	11
0830-0930	0	0	0	12	12
0845-0945	0	0	0	13	13
0900-1000	0	0	0	17	17

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	0	0	0	5	5
0715-0815	0	0	0	5	5
0730-0830	0	0	0	7	7
0745-0845	0	0	0	7	7
0800-0900	0	0	0	6	6
0815-0915	0	0	0	8	8
0830-0930	0	0	0	7	7
0845-0945	0	0	0	6	6
0900-1000	0	0	0	6	6


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: N/S BUNDY DRIVE  
 E/W NEBRASKA AVENUE  
 FILE NUMBER: 4-PM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0300-0315	17	324	0	0	0	0	0	290	17	42	0	5
0315-0330	16	310	0	0	0	0	0	283	10	33	0	9
0330-0345	11	204	0	0	0	0	0	278	10	26	0	8
0345-0400	13	245	0	0	0	0	0	300	15	39	0	12
0400-0415	13	297	0	0	0	0	0	356	10	40	0	10
0415-0430	11	225	0	0	0	0	0	304	13	30	0	11
0430-0445	10	236	0	0	0	0	0	299	12	33	0	17
0445-0500	10	220	0	0	0	0	0	340	14	34	0	18
0500-0515	6	210	0	0	0	0	0	294	9	39	0	11
0515-0530	8	224	0	0	0	0	0	316	10	31	0	16
0530-0545	7	217	0	0	0	0	0	325	14	30	0	19
0545-0600	8	202	0	0	0	0	0	291	11	28	0	18

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0300-0400	57	1083	0	0	0	0	0	1151	52	140	0	34	2517
0315-0415	53	1056	0	0	0	0	0	1217	45	138	0	39	2548
0330-0430	48	971	0	0	0	0	0	1238	48	135	0	41	2481
0345-0445	47	1003	0	0	0	0	0	1259	50	142	0	50	2551
0400-0500	44	978	0	0	0	0	0	1299	49	137	0	56	2563
0415-0515	37	891	0	0	0	0	0	1237	48	136	0	57	2406
0430-0530	34	890	0	0	0	0	0	1249	45	137	0	62	2417
0445-0545	31	871	0	0	0	0	0	1275	47	134	0	64	2422
0500-0600	29	853	0	0	0	0	0	1226	44	128	0	64	2344

P.M. PEAK HOUR  
0400-0500



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

BUNDY DRIVE

# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: BUNDY DRIVE / NEBRASKA AVENUE

FILE: 4PMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	0	0	0	8
0315-0330	0	0	0	10
0330-0345	0	0	0	7
0345-0400	0	0	0	7
0400-0415	0	0	0	3
0415-0430	0	0	0	10
0430-0445	0	0	0	5
0445-0500	0	0	0	4
0500-0515	0	0	0	3
0515-0530	0	0	0	3
0530-0545	0	0	0	5
0545-0600	0	0	0	5

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	0	0	0	1
0315-0330	0	0	0	1
0330-0345	0	0	0	2
0345-0400	0	0	0	1
0400-0415	0	0	0	2
0415-0430	0	0	0	3
0430-0445	0	0	0	4
0445-0500	0	0	0	3
0500-0515	0	0	0	3
0515-0530	0	0	0	2
0530-0545	0	0	0	1
0545-0600	0	0	0	1

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	0	0	0	32	32
0315-0415	0	0	0	27	27
0330-0430	0	0	0	27	27
0345-0445	0	0	0	25	25
0400-0500	0	0	0	22	22
0415-0515	0	0	0	22	22
0430-0530	0	0	0	15	15
0445-0545	0	0	0	15	15
0500-0600	0	0	0	16	16

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	0	0	0	5	5
0315-0415	0	0	0	6	6
0330-0430	0	0	0	8	8
0345-0445	0	0	0	10	10
0400-0500	0	0	0	12	12
0415-0515	0	0	0	13	13
0430-0530	0	0	0	12	12
0445-0545	0	0	0	9	9
0500-0600	0	0	0	7	7


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: N/S BUNDY DRIVE  
 E/W OLYMPIC BOULEVARD  
 FILE NUMBER: 5-AM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0700-0715	22	103	20	60	168	43	24	255	32	7	63	12
0715-0730	31	136	29	83	202	31	30	278	34	15	85	8
0730-0745	31	158	49	84	283	34	33	261	34	20	109	14
0745-0800	30	166	54	70	337	46	28	243	38	25	153	15
0800-0815	34	190	83	91	297	58	37	278	41	21	195	20
0815-0830	45	160	71	88	290	70	31	259	46	28	195	33
0830-0845	34	183	87	77	313	69	24	251	33	20	162	20
0845-0900	30	171	60	75	346	48	28	260	55	25	191	38
0900-0915	36	167	64	84	288	51	31	238	42	20	153	28
0915-0930	45	161	53	81	277	50	27	231	50	36	171	29
0930-0945	35	149	59	66	280	46	39	217	64	27	160	26
0945-1000	39	142	51	77	304	44	47	224	63	34	188	21

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0700-0800	114	563	152	297	990	154	115	1037	138	67	410	49	4086
0715-0815	126	650	215	328	1119	169	128	1060	147	81	542	57	4622
0730-0830	140	674	257	333	1207	208	129	1041	159	94	652	82	4976
0745-0845	143	699	295	326	1237	243	120	1031	158	94	705	88	5139
0800-0900	143	704	301	331	1246	245	120	1048	175	94	743	111	5261
0815-0915	145	681	282	324	1237	238	114	1008	176	93	701	119	5118
0830-0930	145	682	264	317	1224	218	110	980	180	101	677	115	5013
0845-0945	146	648	236	306	1191	195	125	946	211	108	675	121	4908
0900-1000	155	619	227	308	1149	191	144	910	219	117	672	104	4815

A.M. PEAK HOUR  
0800-0900



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

BUNDY DRIVE

# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: BUNDY DRIVE / OLYMPIC BOULEVARD

FILE: 5AMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	6	31	6	13
0715-0730	3	19	4	5
0730-0745	4	45	14	6
0745-0800	9	21	5	8
0800-0815	9	36	14	15
0815-0830	10	66	8	19
0830-0845	17	44	18	14
0845-0900	10	14	11	39
0900-0915	25	34	11	18
0915-0930	10	34	21	16
0930-0945	10	25	28	15
0945-1000	6	41	20	16

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	0	5	0	0
0715-0730	0	3	1	0
0730-0745	1	3	0	1
0745-0800	2	4	0	2
0800-0815	1	6	1	4
0815-0830	2	9	0	1
0830-0845	1	3	0	2
0845-0900	1	3	1	4
0900-0915	1	3	1	1
0915-0930	0	4	0	0
0930-0945	4	8	1	1
0945-1000	1	10	3	5

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	22	116	29	32	199
0715-0815	25	121	37	34	217
0730-0830	32	168	41	48	289
0745-0845	45	167	45	56	313
0800-0900	46	160	51	87	344
0815-0915	62	158	48	90	358
0830-0930	62	126	61	87	336
0845-0945	55	107	71	88	321
0900-1000	51	134	80	65	330

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	3	15	1	3	22
0715-0815	4	16	2	7	29
0730-0830	6	22	1	8	37
0745-0845	6	22	1	9	38
0800-0900	5	21	2	11	39
0815-0915	5	18	2	8	33
0830-0930	3	13	2	7	25
0845-0945	6	18	3	6	33
0900-1000	6	25	5	7	43


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: N/S BUNDY DRIVE  
 E/W OLYMPIC BOULEVARD  
 FILE NUMBER: 5-PM

15 MINUTE	1	2	3	4	5	6	7	8	9	10	11	12
TOTALS	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0300-0315	22	235	47	52	236	58	76	215	16	73	208	24
0315-0330	28	228	40	75	228	64	54	222	17	82	229	28
0330-0345	22	225	35	79	215	65	50	230	19	84	224	30
0345-0400	26	227	29	72	240	51	31	240	17	88	233	37
0400-0415	18	201	34	69	264	63	45	269	10	91	251	38
0415-0430	17	207	20	55	255	75	32	257	12	86	225	37
0430-0445	19	182	29	59	274	72	30	254	12	95	217	32
0445-0500	10	164	26	66	257	79	40	266	18	101	241	34
0500-0515	14	187	23	60	290	78	33	236	17	103	225	34
0515-0530	22	213	22	82	267	77	30	241	13	110	235	40
0530-0545	16	176	18	76	243	76	31	238	8	105	190	36
0545-0600	11	170	13	86	220	71	23	240	11	103	184	45

1 HOUR	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
TOTALS	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0300-0400	98	915	151	278	919	238	211	907	69	327	894	119	5126
0315-0415	94	881	138	295	947	243	180	961	63	345	937	133	5217
0330-0430	83	860	118	275	974	254	158	996	58	349	933	142	5200
0345-0445	80	817	112	255	1033	261	138	1020	51	360	926	144	5197
0400-0500	64	754	109	249	1050	289	147	1046	52	373	934	141	5208
0415-0515	60	740	98	240	1076	304	135	1013	59	385	908	137	5155
0430-0530	65	746	100	267	1088	306	133	997	60	409	918	140	5229
0445-0545	62	740	89	284	1057	310	134	981	56	419	891	144	5167
0500-0600	63	746	76	304	1020	302	117	955	49	421	834	155	5042

P.M. PEAK HOUR  
0430-0530



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

BUNDY DRIVE



# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: BUNDY DRIVE / OLYMPIC BOULEVARD

FILE: 5PMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	14	17	6	16
0315-0330	15	18	7	16
0330-0345	10	89	16	27
0345-0400	16	52	7	24
0400-0415	27	43	2	27
0415-0430	18	57	6	27
0430-0445	13	40	15	16
0445-0500	19	19	5	16
0500-0515	18	41	3	28
0515-0530	13	36	4	10
0530-0545	10	44	4	20
0545-0600	13	35	8	27

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	0	2	0	2
0315-0330	0	5	1	1
0330-0345	1	2	0	0
0345-0400	0	7	1	1
0400-0415	0	6	1	5
0415-0430	3	0	0	2
0430-0445	0	3	1	1
0445-0500	1	6	0	0
0500-0515	1	6	2	2
0515-0530	0	3	2	2
0530-0545	0	5	1	1
0545-0600	0	2	1	1

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	55	176	36	83	350
0315-0415	68	202	32	94	396
0330-0430	71	241	31	105	448
0345-0445	74	192	30	94	390
0400-0500	77	159	28	86	350
0415-0515	68	157	29	87	341
0430-0530	63	136	27	70	296
0445-0545	60	140	16	74	290
0500-0600	54	156	19	85	314

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	1	16	2	4	23
0315-0415	1	20	3	7	31
0330-0430	4	15	2	8	29
0345-0445	3	16	3	9	31
0400-0500	4	15	2	8	29
0415-0515	5	15	3	5	28
0430-0530	2	18	5	5	30
0445-0545	2	20	5	5	32
0500-0600	1	16	6	6	29


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: N/S BUNDY DRIVE  
 E/W PICO BOULEVARD  
 FILE NUMBER: 6-AM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0700-0715	15	168	3	17	128	16	35	324	28	12	69	24
0715-0730	22	155	8	13	185	24	33	308	44	15	73	27
0730-0745	22	177	15	15	217	20	44	314	65	20	118	29
0745-0800	23	238	13	21	185	26	47	322	75	33	127	39
0800-0815	22	252	15	26	238	39	49	325	67	30	175	31
0815-0830	17	289	13	21	200	32	46	312	62	39	199	40
0830-0845	16	277	19	20	197	21	46	298	53	57	179	35
0845-0900	18	250	10	27	179	26	35	286	84	47	172	24
0900-0915	21	206	13	27	196	24	40	305	78	38	192	22
0915-0930	22	221	10	22	170	21	36	270	71	48	185	39
0930-0945	17	217	18	19	174	24	39	296	67	38	173	43
0945-1000	18	210	16	14	160	20	37	275	70	49	187	47

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0700-0800	82	738	39	66	715	86	159	1268	212	80	387	119	3951
0715-0815	89	822	51	75	825	109	173	1269	251	98	493	126	4381
0730-0830	84	956	56	83	840	117	186	1273	269	122	619	139	4744
0745-0845	78	1056	60	88	820	118	188	1257	257	159	680	145	4906
0800-0900	73	1068	57	94	814	118	176	1221	266	173	725	130	4915
0815-0915	72	1022	55	95	772	103	167	1201	277	181	742	121	4808
0830-0930	77	954	52	96	742	92	157	1159	286	190	728	120	4653
0845-0945	78	894	51	95	719	95	150	1157	300	171	722	128	4560
0900-1000	78	854	57	82	700	89	152	1146	286	173	737	151	4505

A.M. PEAK HOUR  
0800-0900



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 07:00 AM TO 10:00 AM  
 INTERSECTION: BUNDY DRIVE / PICO BOULEVARD

FILE: 6AMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	12	4	0	5
0715-0730	10	0	4	6
0730-0745	22	6	1	4
0745-0800	11	5	4	2
0800-0815	11	5	5	7
0815-0830	8	3	3	4
0830-0845	4	5	3	6
0845-0900	19	2	4	8
0900-0915	13	4	3	6
0915-0930	9	3	2	7
0930-0945	8	0	3	13
0945-1000	5	1	2	10

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0700-0715	0	0	0	0
0715-0730	1	0	0	1
0730-0745	1	0	1	1
0745-0800	0	1	0	1
0800-0815	0	1	0	0
0815-0830	1	2	0	2
0830-0845	2	2	1	1
0845-0900	2	2	1	1
0900-0915	1	2	0	0
0915-0930	3	2	1	0
0930-0945	2	0	1	2
0945-1000	1	1	0	1

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	55	15	9	17	96
0715-0815	54	16	14	19	103
0730-0830	52	19	13	17	101
0745-0845	34	18	15	19	86
0800-0900	42	15	15	25	97
0815-0915	44	14	13	24	95
0830-0930	45	14	12	27	98
0845-0945	49	9	12	34	104
0900-1000	35	8	10	36	89

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0700-0800	2	1	1	3	7
0715-0815	2	2	1	3	8
0730-0830	2	4	1	4	11
0745-0845	3	6	1	4	14
0800-0900	5	7	2	4	18
0815-0915	6	8	2	4	20
0830-0930	8	8	3	2	21
0845-0945	8	6	3	3	20
0900-1000	7	5	2	3	17


# INTERSECTION TURNING MOVEMENT COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: N/S BUNDY DRIVE  
 E/W PICO BOULEVARD  
 FILE NUMBER: 6-PM

15 MINUTE TOTALS	1	2	3	4	5	6	7	8	9	10	11	12
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT
0300-0315	19	280	16	19	146	40	51	237	35	50	156	30
0315-0330	22	307	21	15	181	34	58	242	45	52	198	35
0330-0345	19	300	16	17	147	35	70	292	51	72	180	30
0345-0400	13	277	26	15	117	21	51	289	38	67	171	27
0400-0415	13	298	21	15	144	24	52	290	58	66	179	38
0415-0430	14	306	19	16	149	20	44	267	40	71	196	36
0430-0445	16	294	23	19	128	16	40	262	38	80	200	27
0445-0500	19	283	22	17	128	22	55	287	35	97	194	27
0500-0515	11	302	14	15	144	28	55	280	44	91	187	30
0515-0530	18	304	19	13	143	20	51	266	36	98	190	39
0530-0545	16	301	23	16	148	21	49	250	43	99	181	26
0545-0600	10	308	15	14	151	20	30	228	38	111	156	28

1 HOUR TOTALS	1	2	3	4	5	6	7	8	9	10	11	12	TOTALS
	SBRT	SBTH	SBLT	WBRT	WBTH	WBLT	NBRT	NBTH	NBLT	EBRT	EBTH	EBLT	
0300-0400	73	1164	79	66	591	130	230	1060	169	241	705	122	4630
0315-0415	67	1182	84	62	589	114	231	1113	192	257	728	130	4749
0330-0430	59	1181	82	63	557	100	217	1138	187	276	726	131	4717
0345-0445	56	1175	89	65	538	81	187	1108	174	284	746	128	4631
0400-0500	62	1181	85	67	549	82	191	1106	171	314	769	128	4705
0415-0515	60	1185	78	67	549	86	194	1096	157	339	777	120	4708
0430-0530	64	1183	78	64	543	86	201	1095	153	366	771	123	4727
0445-0545	64	1190	78	61	563	91	210	1083	158	385	752	122	4757
0500-0600	55	1215	71	58	586	89	185	1024	161	399	714	123	4680

P.M. PEAK HOUR  
0445-0545



DATA PROVIDED BY:

THE TRAFFIC SOLUTION  
 329 DIAMOND STREET  
 ARCADIA, CALIFORNIA 91005  
 PH: 626-446-7978  
 FAX: 626-446-2877

BUNDY DRIVE

# PEDESTRIAN - BICYCLE COUNT SUMMARY

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, NOVEMBER 16, 2017  
 PERIOD: 03:00 PM TO 06:00 PM  
 INTERSECTION: BUNDY DRIVE / PICO BOULEVARD

FILE: 6PMPED-BIKE

15-MINUTE PERIOD	PEDESTRIAN MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	4	14	10	6
0315-0330	5	16	10	8
0330-0345	9	24	7	6
0345-0400	11	10	15	3
0400-0415	8	14	22	7
0415-0430	5	17	17	6
0430-0445	8	13	12	4
0445-0500	5	17	15	4
0500-0515	6	23	16	4
0515-0530	8	16	16	2
0530-0545	6	23	8	8
0545-0600	3	18	12	3

15-MINUTE PERIOD	BICYCLIST MOVEMENTS			
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG
	A	B	C	D
0300-0315	0	3	1	2
0315-0330	1	0	0	0
0330-0345	2	1	1	0
0345-0400	3	1	0	2
0400-0415	1	1	1	2
0415-0430	2	1	1	2
0430-0445	1	0	1	4
0445-0500	2	0	4	0
0500-0515	2	0	1	1
0515-0530	0	2	2	0
0530-0545	1	1	2	1
0545-0600	1	2	0	1

1-HOUR PERIOD	PEDESTRIAN MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	29	64	42	23	158
0315-0415	33	64	54	24	175
0330-0430	33	65	61	22	181
0345-0445	32	54	66	20	172
0400-0500	26	61	66	21	174
0415-0515	24	70	60	18	172
0430-0530	27	69	59	14	169
0445-0545	25	79	55	18	177
0500-0600	23	80	52	17	172

1-HOUR PERIOD	BICYCLIST MOVEMENTS				TOTALS
	NORTH LEG	EAST LEG	SOUTH LEG	WEST LEG	
	A	B	C	D	
0300-0400	6	5	2	4	17
0315-0415	7	3	2	4	16
0330-0430	8	4	3	6	21
0345-0445	7	3	3	10	23
0400-0500	6	2	7	8	23
0415-0515	7	1	7	7	22
0430-0530	5	2	8	5	20
0445-0545	5	3	9	2	19
0500-0600	4	5	5	3	17

APPENDIX C  
EXISTING SITE TRIP GENERATION DATA

Appendix Table C  
EMPIRICAL TRIP RATES [1]

<b>Wednesday, October 4, 2017 [2]</b>																
LAND USE	SIZE	DAILY TRIP ENDS VOLUMES [5]		AM PEAK HOUR VOLUMES [6]			PM PEAK HOUR VOLUMES [6]			DAILY TRIP RATE [7]	AM PEAK HOUR TRIP RATES [7]			PM PEAK HOUR TRIP RATES [7]		
		In	Out	In	Out	Total	In	Out	Total		In	Out	Total	In	Out	Total
Existing WLA District Yard	120 Employees	535	25	18	43	20	44	64	4.458	0.208	0.150	0.358	0.167	0.367	0.534	
Distribution Split		50% In/50% Out	58%	42%	100%	31%	69%	100%	50% In/50% Out	58%	42%	100%	31%	69%	100%	

<b>Thursday, October 5, 2017 [3]</b>																
LAND USE	SIZE	DAILY TRIP ENDS VOLUMES [5]		AM PEAK HOUR VOLUMES [6]			PM PEAK HOUR VOLUMES [6]			DAILY TRIP RATE [7]	AM PEAK HOUR TRIP RATES [7]			PM PEAK HOUR TRIP RATES [7]		
		In	Out	In	Out	Total	In	Out	Total		In	Out	Total	In	Out	Total
Existing WLA District Yard	120 Employees	565	10	39	49	18	46	64	4.708	0.083	0.325	0.408	0.150	0.383	0.533	
Distribution Split		50% In/50% Out	20%	80%	100%	28%	72%	100%	50% In/50% Out	20%	80%	100%	28%	72%	100%	

<b>Two-Day Average [4]</b>																
LAND USE	SIZE	DAILY TRIP ENDS VOLUMES [5]		AM PEAK HOUR VOLUMES [6]			PM PEAK HOUR VOLUMES [6]			DAILY TRIP RATE [7]	AM PEAK HOUR TRIP RATES [7]			PM PEAK HOUR TRIP RATES [7]		
		In	Out	In	Out	Total	In	Out	Total		In	Out	Total	In	Out	Total
Existing WLA District Yard	120 Employees	550	17.5	28.5	46	19	45	64	4.583	0.146	0.238	0.384	0.158	0.375	0.533	
Distribution Split		50% In/50% Out	38%	62%	100%	30%	70%	100%	50% In/50% Out	38%	62%	100%	30%	70%	100%	

[1] Trips are one-way traffic movements, entering or leaving.

[2] Based on actual site observations on Wednesday, October 4, 2017, the AM peak hour occurred from 6:45 AM to 7:45 AM, and the PM peak hour occurred from 6:15 PM to 7:15 PM.

[3] Based on actual site observations on Thursday, October 5, 2017, the AM peak hour occurred from 7:15 AM to 8:15 AM, and the PM peak hour occurred from 3:15 PM to 4:15 PM.

[4] The two-day average was determined by averaging the individual peak hour trips identified on October 4, 2017 and October 5, 2017, for the AM and PM peak hours.

[5] Daily trip ends were estimated based on the assumption that the average peak hour trips (i.e., the average of the AM and PM peak hour trips) represent ten percent (10%) of the total daily trip ends.

[6] Actual site driveway counts and on-street parking observations were conducted during the morning (6:00 to 10:00 AM) and evening peak periods (3:00 to 7:30 PM) at the existing West Los Angeles District Yard in order to determine the site's actual operating peak hours and empirical peak hour trip rates. The volumes shown represent the peak hour generation (i.e., the peak sum of inbound/outbound trips).

[7] Trip rates per employee.

# DRIVEWAY COUNT SUMMARY - RESULTS

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: WEDNESDAY, OCTOBER 04, 2017  
 PERIOD: 06:00 AM TO 10:00 AM

15-MIN PERIOD:	NEBRASKA AVENUE DRIVEWAY		CENTINELA AVENUE DRIVEWAY		OLYMPIC BOULEVARD DRIVEWAY		CENTINELA AVENUE / ON-STREET PARKING				TOTAL SITE			
	TOTAL		TOTAL		TOTAL		TO DWP		FROM DWP		VOLUMES		PERCENTAGES	
	ENTRANCE	EXIT	ENTRANCE	EXIT	ENTRANCE	EXIT	EAST SIDE	WEST SIDE	EAST SIDE	WEST SIDE	INBOUND	OUTBOUND	INBOUND	OUTBOUND
0600-0615	2	0	0	0	4	0	0	0	0	0	6	0	6	0
0615-0630	4	0	0	0	2	1	0	0	0	0	6	1	7	1
0630-0645	3	1	0	0	0	0	0	0	0	0	3	1	4	1
0645-0700	6	1	4	0	0	3	0	0	0	0	10	4	14	4
0700-0715	7	2	4	0	1	0	0	0	0	0	12	2	14	2
0715-0730	1	2	2	0	0	4	0	0	0	0	3	6	9	6
0730-0745	0	0	0	0	0	6	0	0	0	0	0	6	6	0
0745-0800	0	2	1	0	0	8	0	0	0	0	1	10	11	1
0800-0815	0	1	0	0	0	6	0	0	0	0	0	7	7	0
0815-0830	0	0	0	2	0	6	0	0	0	0	0	8	8	0
0830-0845	0	0	1	1	0	4	1	0	0	0	2	5	7	2
0845-0900	0	0	0	0	0	4	0	0	0	0	0	4	4	0
0900-0915	1	0	0	0	0	4	0	0	0	0	1	4	5	1
0915-0930	0	0	0	0	0	1	0	0	0	0	0	1	1	0
0930-0945	0	0	0	0	0	5	0	0	0	0	0	5	5	0
0945-1000	0	0	0	0	0	1	0	0	0	0	0	1	1	0

1-HOUR PERIOD:	NEBRASKA AVENUE DRIVEWAY		CENTINELA AVENUE DRIVEWAY		OLYMPIC BOULEVARD DRIVEWAY		CENTINELA AVENUE / ON-STREET PARKING				TOTAL SITE			
	TOTAL		TOTAL		TOTAL		TO DWP		FROM DWP		VOLUMES		PERCENTAGES	
	ENTRANCE	EXIT	ENTRANCE	EXIT	ENTRANCE	EXIT	EAST SIDE	WEST SIDE	EAST SIDE	WEST SIDE	INBOUND	OUTBOUND	INBOUND	OUTBOUND
0600-0700	15	2	4	0	6	4	0	0	0	0	25	6	31	6
0615-0715	20	4	8	0	3	4	0	0	0	0	31	8	39	8
0630-0730	17	6	10	0	1	7	0	0	0	0	28	13	41	13
0645-0745	14	5	10	0	1	13	0	0	0	0	25	18	43	18
0700-0800	8	6	7	0	1	18	0	0	0	0	16	24	40	24
0715-0815	1	5	3	0	0	24	0	0	0	0	4	29	33	4
0730-0830	0	3	1	2	0	26	0	0	0	0	1	31	32	1
0745-0845	0	3	2	3	0	24	1	0	0	0	3	30	33	3
0800-0900	0	1	1	3	0	20	1	0	0	0	2	24	26	2
0815-0915	1	0	1	3	0	18	1	0	0	0	3	21	24	3
0830-0930	1	0	1	1	0	13	1	0	0	0	3	14	17	3
0845-0945	1	0	0	0	0	14	0	0	0	0	1	14	15	1
0900-1000	1	0	0	0	0	11	0	0	0	0	1	11	12	1



# DRIVEWAY COUNT SUMMARY - RESULTS

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: WEDNESDAY, OCTOBER 04, 2017  
 PERIOD: 03:00 PM TO 07:30 PM

15-MIN PERIOD:	NEBRASKA AVENUE DRIVEWAY		CENTINELA AVENUE DRIVEWAY		OLYMPIC BOULEVARD DRIVEWAY		CENTINELA AVENUE / ON-STREET PARKING				TOTAL SITE				
	TOTAL		TOTAL		TOTAL		TO DWP		FROM DWP		TOTAL		TOTAL		
	ENTRANCE	EXIT	ENTRANCE	EXIT	ENTRANCE	EXIT	EAST SIDE	WEST SIDE	EAST SIDE	WEST SIDE	INBOUND	OUTBOUND	INBOUND	OUTBOUND	
0300-0315	1	1	0	1	2	2	0	0	0	0	3	4	7	45%	57%
0315-0330	1	0	0	0	4	5	0	0	0	0	5	5	10	50%	50%
0330-0345	2	1	0	1	2	10	0	0	0	0	4	12	16	25%	75%
0345-0400	0	2	0	0	0	12	0	0	0	0	0	14	14	0%	100%
0400-0415	0	0	0	0	0	15	0	0	0	0	0	15	15	0%	100%
0415-0430	0	0	0	0	0	6	0	0	0	0	0	6	6	0%	100%
0430-0445	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%
0445-0500	0	0	0	0	2	0	0	0	0	0	2	0	2	100%	0%
0500-0515	2	1	0	0	0	3	0	0	0	0	2	4	6	33%	67%
0515-0530	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%
0530-0545	1	0	0	0	1	0	0	0	0	0	2	0	2	100%	0%
0545-0600	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%
0600-0615	4	0	0	0	2	0	0	0	0	0	6	0	6	100%	0%
0615-0630	6	0	0	0	7	0	0	0	0	0	13	0	13	100%	0%
0630-0645	2	1	0	0	3	3	0	0	0	0	5	4	9	56%	44%
0645-0700	1	1	0	0	0	25	0	0	0	0	1	26	27	4%	96%
0700-0715	0	0	0	0	1	14	0	0	0	0	1	14	15	7%	93%
0715-0730	0	0	0	0	1	1	0	0	0	0	1	1	2	50%	50%

1-HOUR PERIOD:	NEBRASKA AVENUE DRIVEWAY		CENTINELA AVENUE DRIVEWAY		OLYMPIC BOULEVARD DRIVEWAY		CENTINELA AVENUE / ON-STREET PARKING				TOTAL SITE				
	TOTAL		TOTAL		TOTAL		TO DWP		FROM DWP		TOTAL		TOTAL		
	ENTRANCE	EXIT	ENTRANCE	EXIT	ENTRANCE	EXIT	EAST SIDE	WEST SIDE	EAST SIDE	WEST SIDE	INBOUND	OUTBOUND	INBOUND	OUTBOUND	
0300-0400	4	4	0	2	8	29	0	0	0	0	12	35	47	26%	74%
0315-0415	3	3	0	1	6	42	0	0	0	0	9	46	55	16%	84%
0330-0430	2	3	0	1	2	43	0	0	0	0	4	47	51	8%	92%
0345-0445	0	2	0	0	0	33	0	0	0	0	0	35	35	0%	100%
0400-0500	0	0	0	0	2	21	0	0	0	0	2	21	23	9%	91%
0415-0515	2	1	0	0	2	9	0	0	0	0	4	10	14	29%	71%
0430-0530	2	1	0	0	2	3	0	0	0	0	4	4	8	50%	50%
0445-0545	3	1	0	0	3	3	0	0	0	0	6	4	10	60%	40%
0500-0600	3	1	0	0	1	3	0	0	0	0	4	4	8	50%	50%
0515-0615	5	0	0	0	3	0	0	0	0	0	8	0	8	100%	0%
0530-0630	11	0	0	0	10	0	0	0	0	0	21	0	21	100%	0%
0545-0645	12	1	0	0	12	3	0	0	0	0	24	4	28	86%	14%
0600-0700	13	2	0	0	12	28	0	0	0	0	25	30	55	45%	55%
0615-0715	9	2	0	0	11	42	0	0	0	0	20	44	64	31%	69%
0630-0730	3	2	0	0	5	43	0	0	0	0	8	45	53	15%	85%

NOTE: NO DWP ON-STREET PARKING OBSERVED

# DRIVEWAY COUNT SUMMARY - RESULTS

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, OCTOBER 05, 2017  
 PERIOD: 06:00 AM TO 10:00 AM

15-MIN PERIOD:	NEBRASKA AVENUE DRIVEWAY		CENTINELA AVENUE DRIVEWAY		OLYMPIC BOULEVARD DRIVEWAY		CENTINELA AVENUE / ON-STREET PARKING				TOTAL SITE			
	TOTAL		TOTAL		TOTAL		TO DWP		FROM DWP		VOLUMES		PERCENTAGES	
	ENTRANCE	EXIT	ENTRANCE	EXIT	ENTRANCE	EXIT	EAST SIDE	WEST SIDE	EAST SIDE	WEST SIDE	INBOUND	OUTBOUND	INBOUND	OUTBOUND
0600-0615	2	0	0	0	5	0	0	0	0	0	7	0	7	0
0615-0630	2	0	0	0	3	1	0	0	0	0	5	1	6	1
0630-0645	1	0	0	0	2	0	0	0	0	0	3	0	3	0
0645-0700	0	0	1	0	0	0	0	0	0	0	1	0	1	0
0700-0715	0	1	0	0	1	2	0	0	0	0	1	3	4	3
0715-0730	0	1	1	1	0	7	0	0	0	0	1	9	10	10
0730-0745	0	0	1	0	2	16	0	0	0	0	3	16	19	16
0745-0800	1	1	0	0	0	8	0	0	0	0	1	9	10	10
0800-0815	4	2	1	0	0	3	0	0	0	0	5	5	10	5
0815-0830	0	0	0	0	0	8	0	0	0	0	0	8	8	0
0830-0845	1	1	0	0	0	2	0	0	0	0	1	3	4	25
0845-0900	0	2	0	0	0	3	0	0	0	0	0	5	5	0
0900-0915	0	1	0	0	0	1	0	0	0	0	0	2	2	0
0915-0930	1	1	0	0	2	1	0	0	0	0	3	2	5	2
0930-0945	1	0	0	0	1	2	0	0	0	0	2	2	4	2
0945-1000	0	0	0	0	1	2	0	0	0	0	1	2	3	1

1-HOUR PERIOD:	NEBRASKA AVENUE DRIVEWAY		CENTINELA AVENUE DRIVEWAY		OLYMPIC BOULEVARD DRIVEWAY		CENTINELA AVENUE / ON-STREET PARKING				TOTAL SITE			
	TOTAL		TOTAL		TOTAL		TO DWP		FROM DWP		VOLUMES		PERCENTAGES	
	ENTRANCE	EXIT	ENTRANCE	EXIT	ENTRANCE	EXIT	EAST SIDE	WEST SIDE	EAST SIDE	WEST SIDE	INBOUND	OUTBOUND	INBOUND	OUTBOUND
0600-0700	5	0	1	0	10	1	0	0	0	0	16	1	17	94%
0615-0715	3	1	1	0	6	3	0	0	0	0	10	4	14	71%
0630-0730	1	2	2	1	3	9	0	0	0	0	6	12	18	33%
0645-0745	0	2	3	1	3	25	0	0	0	0	6	28	34	18%
0700-0800	1	3	2	1	3	33	0	0	0	0	6	37	43	14%
<b>0715-0815</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>34</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>10</b>	<b>39</b>	<b>49</b>	<b>20%</b>
0730-0830	5	3	2	0	2	35	0	0	0	0	9	38	47	19%
0745-0845	6	4	1	0	0	21	0	0	0	0	7	25	32	22%
0800-0900	5	5	1	0	0	16	0	0	0	0	6	21	27	22%
0815-0915	1	4	0	0	0	14	0	0	0	0	1	18	19	5%
0830-0930	2	5	0	0	2	7	0	0	0	0	4	12	16	25%
0845-0945	2	4	0	0	3	7	0	0	0	0	5	11	16	31%
0900-1000	2	2	0	0	4	6	0	0	0	0	6	8	14	43%

NOTE: NO DWP ON-STREET PARKING OBSERVED

# DRIVEWAY COUNT SUMMARY - RESULTS

CLIENT: LLG - PASADENA  
 PROJECT: WEST L.A. DISTRICT YARD  
 DATE: THURSDAY, OCTOBER 05, 2017  
 PERIOD: 03:00 PM TO 07:30 PM

15-MIN PERIOD:	NEBRASKA AVENUE DRIVEWAY		CENTINELA AVENUE DRIVEWAY		OLYMPIC BOULEVARD DRIVEWAY		CENTINELA AVENUE / ON-STREET PARKING				TOTAL SITE				
	TOTAL		TOTAL		TOTAL		TO DWP		FROM DWP		VOLUMES		PERCENTAGES		
	ENTRANCE	EXIT	ENTRANCE	EXIT	ENTRANCE	EXIT	EAST SIDE	WEST SIDE	EAST SIDE	WEST SIDE	INBOUND	OUTBOUND	INBOUND	OUTBOUND	
0300-0315	3	1	0	1	5	7	0	0	0	0	8	9	17	47%	53%
0315-0330	5	2	0	0	7	1	0	0	0	0	12	3	15	80%	20%
0330-0345	1	0	0	0	2	5	0	0	0	0	3	5	8	38%	65%
0345-0400	0	2	0	0	3	15	0	0	0	0	3	17	20	15%	85%
0400-0415	0	3	0	0	0	18	0	0	0	0	0	21	21	0%	100%
0415-0430	0	0	0	0	0	8	0	0	0	0	0	8	8	0%	100%
0430-0445	0	0	0	0	0	2	0	0	0	0	0	2	2	0%	100%
0445-0500	0	0	0	0	1	0	0	0	0	0	1	0	1	100%	0%
0500-0515	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%
0515-0530	0	1	0	0	0	0	0	0	0	0	0	1	1	0%	100%
0530-0545	1	1	0	0	0	0	0	0	0	0	1	1	2	50%	50%
0545-0600	3	0	0	0	1	0	0	0	0	0	4	0	4	100%	0%
0600-0615	1	0	0	0	4	1	0	0	0	0	5	1	6	83%	17%
0615-0630	3	1	0	0	8	0	0	0	0	0	11	1	12	92%	8%
0630-0645	3	0	0	0	3	0	0	0	0	0	6	0	6	100%	0%
0645-0700	0	0	0	0	1	18	0	0	0	0	1	18	19	5%	95%
0700-0715	0	0	0	0	0	18	0	0	0	0	0	18	18	0%	100%
0715-0730	0	0	0	0	1	10	0	0	0	0	1	10	11	9%	91%

1-HOUR PERIOD:	NEBRASKA AVENUE DRIVEWAY		CENTINELA AVENUE DRIVEWAY		OLYMPIC BOULEVARD DRIVEWAY		CENTINELA AVENUE / ON-STREET PARKING				TOTAL SITE				
	TOTAL		TOTAL		TOTAL		TO DWP		FROM DWP		VOLUMES		PERCENTAGES		
	ENTRANCE	EXIT	ENTRANCE	EXIT	ENTRANCE	EXIT	EAST SIDE	WEST SIDE	EAST SIDE	WEST SIDE	INBOUND	OUTBOUND	INBOUND	OUTBOUND	
0300-0400	9	5	0	1	17	28	0	0	0	0	26	34	60	43%	57%
<b>0315-0415</b>	<b>6</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>12</b>	<b>39</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>18</b>	<b>46</b>	<b>64</b>	<b>28%</b>	<b>72%</b>
0330-0430	1	5	0	0	5	46	0	0	0	0	6	51	57	11%	89%
0345-0445	0	5	0	0	3	43	0	0	0	0	3	48	51	6%	94%
0400-0500	0	3	0	0	1	28	0	0	0	0	1	31	32	3%	97%
0415-0515	0	0	0	0	1	10	0	0	0	0	1	10	11	9%	91%
0430-0530	0	1	0	0	1	2	0	0	0	0	1	3	4	25%	75%
0445-0545	1	2	0	0	1	0	0	0	0	0	2	2	4	50%	50%
0500-0600	4	2	0	0	1	0	0	0	0	0	5	2	7	71%	29%
0515-0615	5	2	0	0	5	1	0	0	0	0	10	3	13	77%	23%
0530-0630	8	2	0	0	13	1	0	0	0	0	21	3	24	88%	13%
0545-0645	10	1	0	0	16	1	0	0	0	0	26	2	28	93%	7%
0600-0700	7	1	0	0	16	19	0	0	0	0	23	20	43	53%	47%
0615-0715	6	1	0	0	12	36	0	0	0	0	18	37	55	33%	67%
0630-0730	3	0	0	0	5	46	0	0	0	0	8	46	54	15%	85%

NOTE: NO DWP ON-STREET PARKING OBSERVED

## APPENDIX D

### CMA AND LEVELS OF SERVICE EXPLANATION CMA DATA WORKSHEETS – WEEKDAY AM AND PM PEAK HOURS

## CRITICAL MOVEMENT ANALYSIS (CMA) DESCRIPTION

Level of Service is a term used to describe prevailing conditions and their effect on traffic. Broadly interpreted, the Level of Service concept denotes any one of a number of differing combinations of operating conditions which may take place as a roadway is accommodating various traffic volumes. Level of Service is a qualitative measure of the effect of such factors as travel speed, travel time, interruptions, freedom to maneuver, safety, driving comfort and convenience.

Six Levels of Service, A through F, have been defined in the 1965 *Highway Capacity Manual*. Level of Service A describes a condition of free flow, with low traffic volumes and relatively high speeds, while Level of Service F describes forced traffic flow at low speeds with jammed conditions and queues which cannot clear during the green phases.

Critical Movement Analysis (CMA) is a procedure which provides a capacity and level of service geometry and traffic signal operation and results in a level of service determination for the intersection as a whole operating unit.

The per lane volume for each movement in the intersection is determined and the per lane intersection capacity based on the Transportation Research Board (TRB) Report 212 (*Interim Materials on Highway Capacity*). The resulting CMA represents the ratio of the intersection's cumulative volume over its respective capacity (V/C ratio). Critical Movement Analysis takes into account lane widths, bus and truck operations, pedestrian activity and parking activity, as well as number of lanes and geometrics.

The Level of Service (abbreviated from the *Highway Capacity Manual*) are listed here with their corresponding CMA and Load Factor equivalents. Load Factor is that proportion of the signal cycles during the peak hour which are fully loaded; i.e. when all of the vehicles waiting at the beginning of green are not able to clear on that green phase.

Critical Movement Analysis Characteristics		
Level of Service	Load Factor	Equivalent CMA
A (free flow)	0.0	0.00 - 0.60
B (rural design)	0.0 - 0.1	0.61 - 0.70
C (urban design)	0.1 - 0.3	0.71 - 0.80
D (maximum urban design)	0.3 - 0.7	0.81 - 0.90
E (capacity)	0.7 - 1.0	0.91 - 1.00
F (force flow)	Not Applicable	Not Applicable

### SERVICE LEVEL A

There are no loaded cycles and few are even close to loaded at this service level. No approach phase is fully utilized by traffic and no vehicle waits longer than one red indication.

### SERVICE LEVEL B

This level represents stable operation where an occasional approach phase is fully utilized and a substantial number are approaching full use. Many drivers begin to feel restricted within platoons of vehicles.

### SERVICE LEVEL C

At this level stable operation continues. Loading is still intermittent but more frequent than at Level B. Occasionally drivers may have to wait through more one red signal indication and backups may develop behind turning vehicles. Most drivers feel somewhat restricted, but not objectionably so.

### SERVICE LEVEL D

This level encompasses a zone of increasing restriction approaching instability at the intersection. Delays to approaching vehicles may be substantial during short peaks within the peak hour, but enough cycles with lower demand occur to permit periodic clearance of queues, thus preventing excessive backups. Drivers frequently have to wait through more than one red signal. This level is the lower limit of acceptable operation to most drivers.

### SERVICE LEVEL E

This represents near capacity and capacity operation. At capacity (CMA = 1.0) it represents the most vehicles that the particular intersection can accommodate. However, full utilization of every signal cycle is seldom attained no matter how great the demand. At this level all drivers wait through more than one red signal, and frequently through several.

### SERVICE LEVEL F

Jammed conditions. Traffic backed up from a downstream location on one of the street restricts or prevents movement of traffic through the intersection under consideration.



# Level of Service Worksheet (Circular 212 Method)



I/S #	North-South Street: Centinela Avenue		Year of Count: 2017		Ambient Growth (%):		Conducted by: LLG Engineers		Date: 2/8/2018											
	East-West Street: Nebraska Avenue	No. of Phases	Projection Year: 2028	PM	Peak Hour:	Reviewed by:	Project: LADWP West LA District Yard De													
1		2	2	2	2															
	Opposed Ø'ing: N/S-1, E/W-2 or Both-3?	0	0	0	0	0	0	0	0											
	Right Turns: FREE-1, NRTOR-2 or OLA-3?	0	0	0	0	0	0	0	0											
	ATSAC-1 or ATSAC+ATCS-2?	2	2	2	2	2	2	2	2											
	Override Capacity	0	0	0	0	0	0	0	0											
MOVEMENT	EXISTING CONDITION				EXISTING PLUS PROJECT				FUTURE CONDITION W/O PROJECT				FUTURE CONDITION W/ PROJECT				FUTURE W/ PROJECT W/ MITIGATION			
	Volume	No. of Lanes	Lane Volume	Project Traffic	Total Volume	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume		
NORTHBOUND	Left	47	1	47	0	47	29	81	1	81	0	81	1	81	0	81	1	81		
	Left-Through		0						0				0				0			
	Through-Right	643	0	688	3	646	89	806	0	856	3	809	0	859	0	809	0	859		
	Right	45	1	0	0	45	0	50	1	0	0	50	0	0	0	50	1	0		
SOUTHBOUND	Left-Through-Right		0						0				0				0			
	Left-Right		0						0				0				0			
	Left	24	1	24	1	25	0	27	1	27	1	28	1	28	0	28	1	28		
	Left-Through		0						0				0				0			
EASTBOUND	Through-Right	629	1	644	1	630	81	783	1	810	1	784	1	811	0	784	1	811		
	Right	15	0	0	0	15	0	27	0	0	0	27	0	0	0	27	0	0		
	Left-Through-Right		0						0				0				0			
	Left-Right		0						0				0				0			
WESTBOUND	Left	61	0	61	0	61	13	81	0	81	0	81	0	81	0	81	0	81		
	Left-Through		0						0				0				0			
	Through-Right	138	0	452	1	139	13	167	0	570	1	168	0	571	0	168	0	571		
	Right	253	0	0	0	253	40	322	1	0	0	322	0	0	0	322	0	0		
WESTBOUND	Left-Through-Right		1						1				1				1			
	Left-Right		0						0				0				0			
	Left	76	0	76	0	76	0	85	0	85	0	85	0	85	0	85	0	85		
	Left-Through		0						0				0				0			
WESTBOUND	Through-Right	36	0	138	0	36	10	50	0	164	0	50	0	166	0	50	0	166		
	Right	26	0	0	2	28	0	29	0	0	2	31	0	0	0	31	0	0		
	Left-Through-Right		1						1				1				1			
	Left-Right		0						0				0				0			
CRITICAL VOLUMES		North-South: 712	East-West: 528	North-South: 716	East-West: 529	North-South: 891	East-West: 655	North-South: 892	East-West: 656	North-South: 892	East-West: 656	North-South: 892	East-West: 656	North-South: 892	East-West: 656	North-South: 892	East-West: 656			
SUM:		1240	1240	1245	1245	1546	1546	1548	1548	1548	1548	1548	1548	1548	1548	1548	1548			
VOLUME/CAPACITY (V/C) RATIO:		0.827	0.827	0.830	0.830	1.031	1.031	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032	1.032			
V/C LESS ATSAC/ATCS ADJUSTMENT:		0.727	0.727	0.730	0.730	0.931	0.931	0.932	0.932	0.932	0.932	0.932	0.932	0.932	0.932	0.932	0.932			
LEVEL OF SERVICE (LOS):		C	C	C	C	E	E	E	E	E	E	E	E	E	E	E	E			

REMARKS:

Version: 1i Beta; 8/4/2011

**PROJECT IMPACT**

Change in v/c due to project: **0.001** Δv/c after mitigation: **0.001**  
 Significant impacted? **NO** Fully mitigated? **N/A**

# Level of Service Worksheet (Circular 212 Method)



I/S #:	North-South Street:		Centinela Avenue (West)		Year of Count:		Ambient Growth (%):		Conducted by:		Date:										
	East-West Street:	No. of Phases	Olympic Boulevard	Olympic Boulevard	2017	2028	Peak Hour:	AM	LLG Engineers	Reviewed by:	LADWP	West LA District Yard De									
2												2/8/2018									
	Opposed Ø'ing: N/S-1, E/W-2 or Both-3?																				
	Right Turns: FREE-1, NRTOR-2 or OLA-3?																				
	ATSAC-1 or ATSAC+ATCS-2?																				
	Override Capacity																				
MOVEMENT		EXISTING CONDITION				EXISTING PLUS PROJECT				FUTURE CONDITION W/O PROJECT				FUTURE CONDITION W/ PROJECT				FUTURE W/ PROJECT W/ MITIGATION			
		Volume	No. of Lanes	Lane Volume	Project Traffic	Total Volume	Lane Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume			
NORTHBOUND	Left	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Left-Through																				
	Through-Right																				
	Right																				
	Left-Through-Right																				
SOUTHBOUND	Left	527	2	290	0	527	290	67	655	2	360	0	655	2	360	0	655	2	360		
	Left-Through																				
	Through-Right																				
	Right																				
	Left-Through-Right																				
EASTBOUND	Left	47	1	47	1	48	48	34	86	1	86	1	87	1	87	0	87	1	87		
	Left-Through																				
	Through-Right																				
	Right																				
	Left-Through-Right																				
WESTBOUND	Left	7	1	7	0	7	7	0	8	1	8	0	8	1	8	0	8	1	8		
	Left-Through																				
	Through-Right																				
	Right																				
	Left-Through-Right																				
CRITICAL VOLUMES		North-South: 290	East-West: 819	SUM: 1109	North-South: 290	East-West: 822	SUM: 1112	North-South: 360	East-West: 972	SUM: 1332	North-South: 360	East-West: 975	SUM: 1335								
VOLUME/CAPACITY (V/C) RATIO:		0.739	0.639	B	0.741	0.641	B	0.888	0.788	C	0.890	0.790	C								
V/C LESS ATSAC/ATCS ADJUSTMENT:																					
LEVEL OF SERVICE (LOS):																					
REMARKS:													PROJECT IMPACT								
Version: 1i Beta; 8/4/2011													Change in v/c due to project: 0.002								
													Significant impacted? NO								
													Fully mitigated? N/A								
													Δv/c after mitigation: 0.002								
													Fully mitigated? N/A								



# Level of Service Worksheet (Circular 212 Method)



I/S #:	North-South Street: Centinela Avenue (West)		Year of Count: 2017		Ambient Growth (%): 1.0		Conducted by: LLG Engineers		Date: 2/8/2018						
	East-West Street: Olympic Boulevard	No. of Phases	Projection Year: 2028	Peak Hour:	PM	Reviewed by:	Project: LADWP West LA District Yard De								
2	Opposed Ø'ing: N/S-1, E/W-2 or Both-3? Right Turns: FREE-1, NRTOR-2 or OLA-3? ATSAC-1 or ATSAC+ATCS-2? Override Capacity		NB-- 0 EB-- 0	SB-- 0 WB-- 0	NB-- 0 EB-- 0	SB-- 0 WB-- 0	NB-- 0 EB-- 0	SB-- 0 WB-- 0	NB-- 0 EB-- 0	SB-- 0 WB-- 0					
MOVEMENT	EXISTING CONDITION			EXISTING PLUS PROJECT			FUTURE CONDITION W/O PROJECT			FUTURE CONDITION W/ PROJECT			FUTURE W/ PROJECT W/ MITIGATION		
	Volume	No. of Lanes	Lane Volume	Project Traffic	Total Volume	Lane Volume	Added Volume	Total Volume	Lane Volume	Added Volume	Total Volume	Lane Volume	Added Volume	Total Volume	Lane Volume
NORTHBOUND															
	Left	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Left-Through	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Left-Through-Right	0	1	0	0	0	1	0	0	0	0	1	0	0	1
SOUTHBOUND															
	Left	914	2	503	0	914	75	1095	2	602	0	1095	2	602	0
	Left-Through	1	0	0	0	1	0	0	0	0	0	0	0	0	0
	Through-Right	80	1	56	0	80	46	135	1	86	0	135	1	86	0
	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Left-Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EASTBOUND															
	Left	49	1	49	1	50	43	98	1	98	1	99	1	99	1
	Left-Through	1095	1	549	1	1096	482	1704	1	853	1	1705	1	854	0
	Through-Right	2	0	2	0	2	0	2	0	2	0	2	0	2	0
	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Left-Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WESTBOUND															
	Left	2	1	2	0	2	0	2	1	2	0	2	1	2	0
	Left-Through	846	2	423	6	852	506	1450	2	725	6	1456	2	728	0
	Through-Right	662	1	159	3	665	75	814	1	212	3	817	1	215	0
	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Left-Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRITICAL VOLUMES			North-South: 503 East-West: 551 SUM: 1054	North-South: 503 East-West: 551 SUM: 1054	North-South: 602 East-West: 855 SUM: 1457	North-South: 602 East-West: 856 SUM: 1458	North-South: 602 East-West: 856 SUM: 1458	North-South: 602 East-West: 856 SUM: 1458	North-South: 602 East-West: 856 SUM: 1458	North-South: 602 East-West: 856 SUM: 1458					
V/C LESS ATSAC/ATCS ADJUSTMENT:			0.703	0.703	0.971	0.972	0.972	0.972	0.972	0.972					
LEVEL OF SERVICE (LOS):			<b>B</b>	<b>B</b>	<b>D</b>	<b>D</b>	<b>D</b>	<b>D</b>	<b>D</b>	<b>D</b>					

REMARKS:  
Version: 1i Beta; 8/4/2011  
Change in v/c due to project: **0.001**    Significant impacted? **NO**  
 Δv/c after mitigation: **0.001**    Fully mitigated? **N/A**

# Level of Service Worksheet (Circular 212 Method)



I/S #:	North-South Street:		Centinela Avenue (East)		Year of Count:		Ambient Growth (%):		Conducted by:		Date:										
	East-West Street:	No. of Phases	Volume	No. of Lanes	Projection Year:	Peak Hour:	AM	LLG Engineers	Reviewed by:	Project:	LADWP	2/8/2018									
3	Olympic Boulevard	3	789	1	2017	3	AM	LLG Engineers		LADWP	West LA District	Yard De									
		1		0	2028	1															
	Opposed $\phi$ 'ing: N/S-1, E/W-2 or Both-3?	0		0		0															
	Right Turns: FREE-1, NRTOR-2 or OLA-3?	3		0		0															
	ATSAC-1 or ATSAC+ATCS-2?	0		0		0															
	Override Capacity	0		0		0															
MOVEMENT		EXISTING CONDITION				EXISTING PLUS PROJECT				FUTURE CONDITION W/O PROJECT				FUTURE CONDITION W/ PROJECT				FUTURE W/ PROJECT W/ MITIGATION			
		Volume	No. of Lanes	Lane Volume	Project Traffic	Total Volume	Lane Volume	Added Volume	Total Volume	Lane Volume	Added Volume	Total Volume	Lane Volume	Added Volume	Total Volume	Lane Volume	Added Volume	Total Volume	Lane Volume		
NORTHBOUND	Left	789	1	444	0	789	444	162	1042	1	162	1042	1	0	1042	1	0	1042	1	594	
	Left-Through		0	444		5	445	0	3	0	0	3	0	2	5	0	0	5	0	594	
	Through-Right		0	0		96	0	34	141	0	0	141	0	0	141	0	0	141	0	0	
	Right		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Left-Through-Right		1	0		0	0	0	0	1	0	0	1	0	0	1	0	0	1	0	
	Left-Right		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SOUTHBOUND	Left	11	0	11	2	13	13	0	12	0	0	12	0	2	14	0	0	14	0	14	
	Left-Through		0	11		8	33	0	3	0	0	3	0	8	11	0	0	11	0	34	
	Through-Right		0	17		6	0	0	3	0	0	3	0	6	9	0	0	9	0	0	
	Right		0	0		0	0	0	0	1	0	1	0	0	0	1	0	0	1	0	
	Left-Through-Right		1	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Left-Right		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
EASTBOUND	Left	5	1	5	1	6	6	0	6	1	0	6	1	1	7	1	0	7	1	7	
	Left-Through		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Through-Right		0	275		824	275	279	1198	3	399	1198	3	0	1198	3	0	1198	3	399	
	Right		0	0		0	0	165	590	1	0	590	1	0	590	1	0	590	1	0	
	Left-Through-Right		1	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Left-Right		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WESTBOUND	Left	218	1	218	0	218	218	32	275	1	275	275	1	0	275	1	0	275	1	275	
	Left-Through		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Through-Right		0	459		1370	459	317	1845	2	618	1845	2	0	1845	2	0	1845	2	618	
	Right		0	0		1	8	0	8	0	8	8	0	1	9	0	0	9	0	9	
	Left-Through-Right		0	7		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Left-Right		0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CRITICAL VOLUMES		North-South:	461	478	North-South:	478	478	North-South:	611	611	611	611	North-South:	628	628	628	628	North-South:	628	628	
		East-West:	493	493	East-West:	493	493	East-West:	674	674	674	674	East-West:	674	674	674	674	East-West:	674	674	
		SUM:	954	971	SUM:	971	971	SUM:	1285	1285	1285	1285	SUM:	1302	1302	1302	SUM:	1302	1302		
VOLUME/CAPACITY (V/C) RATIO:			0.669	0.681		0.681	0.681		0.902	0.902	0.902	0.914		0.914	0.914	0.914		0.914	0.914		
V/C LESS ATSAC/ATCS ADJUSTMENT:			0.569	0.581		0.581	0.581		0.802	0.802	0.802	0.814		0.814	0.814	0.814		0.814	0.814		
LEVEL OF SERVICE (LOS):			A	A		A	A		D	D	D	D		D	D	D		D	D		

REMARKS:

Version: 1i Beta; 8/4/2011

### PROJECT IMPACT

Change in v/c due to project: **0.012**  $\Delta$ v/c after mitigation: **0.012**  
 Significant impacted? **NO** Fully mitigated? **N/A**

# Level of Service Worksheet (Circular 212 Method)



I/S #:	North-South Street:		Centinela Avenue (East)		Year of Count:		Ambient Growth (%):		Conducted by:		Date:											
	East-West Street:	No. of Phases	Volume	No. of Lanes	Projection Year:	Peak Hour:	Total Volume	No. of Lanes	Reviewed by:	LLG Engineers	LADWP	West LA District										
3	Olympic Boulevard	3	451	1	2017	3	719	1	PM	3	2/8/2018	Yard De										
Opposed $\phi$ 'ing: N/S-1, E/W-2 or Both-3? Right Turns: FREE-1, NRTOR-2 or OLA-3? ATSAC-1 or ATSAC+ATCS-2? Override Capacity																						
MOVEMENT	EXISTING CONDITION				EXISTING PLUS PROJECT				FUTURE CONDITION W/O PROJECT				FUTURE CONDITION W/ PROJECT				FUTURE W/ PROJECT W/ MITIGATION					
	Volume	No. of Lanes	Lane Volume	Lane Volume	Project Traffic	Total Volume	Lane Volume	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume		
NORTHBOUND	451	1	264	265	0	451	265	216	719	1	420	0	719	1	422	0	719	1	422	0	422	
Left-Through	0	0	0	0	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Through-Right	0	0	264	265	3	3	0	0	0	0	420	3	3	0	422	3	3	0	0	0	0	422
Right	76	0	0	0	0	76	0	36	121	0	0	0	121	0	0	0	121	0	0	0	0	0
Left-Through-Right	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	1	0	0	0
Left-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTHBOUND	3	0	3	6	3	6	3	0	3	0	3	3	6	0	6	0	6	0	0	0	0	6
Left-Through	0	0	0	0	12	38	58	0	29	0	38	12	41	0	62	0	41	0	0	0	0	62
Through-Right	26	0	34	58	0	38	58	0	29	0	38	12	41	0	62	0	41	0	0	0	0	62
Right	5	0	0	0	9	14	0	0	6	0	0	9	15	0	0	0	15	0	0	0	0	0
Left-Through-Right	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	1	0	0	0
Left-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EASTBOUND	24	1	24	25	1	25	25	0	27	1	27	1	28	1	28	0	28	0	1	1	0	28
Left-Through	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Through-Right	1272	3	424	424	0	1272	424	365	1784	3	595	0	1784	3	595	0	1784	0	3	3	0	595
Right	804	1	540	539	0	804	539	191	1088	1	668	0	1088	1	666	0	1088	0	1	1	0	666
Left-Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Left-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WESTBOUND	102	1	102	102	0	102	102	34	148	1	148	0	148	1	148	0	148	0	1	1	0	148
Left-Through	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Through-Right	996	2	335	335	0	996	335	365	1476	2	495	0	1476	2	496	0	1476	0	2	2	0	496
Right	9	0	9	10	1	10	10	0	10	0	10	1	11	0	11	0	11	0	0	0	0	11
Left-Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Left-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRITICAL VOLUMES	North-South: 298 East-West: 642 SUM: 940				North-South: 323 East-West: 641 SUM: 964				North-South: 458 East-West: 816 SUM: 1274				North-South: 484 East-West: 814 SUM: 1298									
VOLUME/CAPACITY (V/C) RATIO:	0.660				0.676				0.894				0.911									
V/C LESS ATSAC/ATCS ADJUSTMENT:	0.560				0.576				0.794				0.811									
LEVEL OF SERVICE (LOS):	A				A				C				D									

REMARKS:

Version: 1i Beta; 8/4/2011

**PROJECT IMPACT**

Change in v/c due to project: **0.017**  $\Delta$ v/c after mitigation: **0.017**  
 Significant impacted? **NO** Fully mitigated? **N/A**

# Level of Service Worksheet (Circular 212 Method)



I/S #:	North-South Street:		Bundy Drive		Year of Count:		Ambient Growth (%):		Conducted by:		Date:									
	East-West Street:	No. of Phases	Volume	No. of Lanes	Year of Projection:	Peak Hour:	AM	LLG Engineers	Reviewed by:	LADWP	West LA District	Yard De								
4	Nebraska Avenue	0	116	1	2017	2028	1.0	AM	0	0	0	2/8/2018								
	Opposed Ø'ing: N/S-1, E/W-2 or Both-3?	0	0	0	0	0	0	0	0	0	0	0								
	Right Turns: FREE-1, NRTOR-2 or OLA-3?	0	0	0	0	0	0	0	0	0	0	0								
	ATSAC-1 or ATSAC+ATCS-2?	0	0	0	0	0	0	0	0	0	0	0								
	Override Capacity	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200	1200								
MOVEMENT	EXISTING CONDITION				EXISTING PLUS PROJECT				FUTURE CONDITION W/O PROJECT				FUTURE CONDITION W/ PROJECT				FUTURE W/ PROJECT W/ MITIGATION			
	Volume	No. of Lanes	Lane Volume	Project Traffic	Total Volume	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume		
NORTHBOUND	116	1	116	3	119	119	0	129	1	129	3	132	1	132	0	132	1	132		
	Left-Through	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Through-Right	1128	2	564	0	1128	108	1366	2	683	0	1366	2	683	0	1366	2	683		
	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
SOUTHBOUND	0	1	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	0		
	Left-Through	1309	1	672	0	1309	157	1617	1	834	0	1617	1	834	0	1617	1	834		
	Through-Right	34	0	34	1	35	12	50	0	50	1	51	0	51	0	51	0	51		
	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
EASTBOUND	6	0	6	2	8	8	9	16	0	16	2	18	0	18	0	18	0	18		
	Left-Through	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Right	87	0	93	1	88	0	97	0	113	1	98	0	116	0	98	0	116		
	Left-Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Right	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0	1	0		
WESTBOUND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Through	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	CRITICAL VOLUMES	North-South: 788	East-West: 93	North-South: 791	East-West: 96	North-South: 963	East-West: 113	North-South: 966	East-West: 116	North-South: 966	East-West: 116	North-South: 966	East-West: 116	North-South: 966	East-West: 116	North-South: 966	East-West: 116	North-South: 966		
	VOLUME/CAPACITY (V/C) RATIO:	SUM: 881	SUM: 881	SUM: 887	SUM: 887	SUM: 1076	SUM: 1076	SUM: 1082	SUM: 1082	SUM: 1082	SUM: 1082	SUM: 1082	SUM: 1082	SUM: 1082	SUM: 1082	SUM: 1082	SUM: 1082	SUM: 1082		
	V/C LESS ATSAC/ATCS ADJUSTMENT:	0.734	0.734	0.739	0.739	0.897	0.897	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902	0.902		
	LEVEL OF SERVICE (LOS):	C	C	C	C	D	D	E	E	E	E	E	E	E	E	E	E	E		

REMARKS:

Version: 1i Beta; 8/4/2011

**PROJECT IMPACT**

Change in v/c due to project: **0.005** Δv/c after mitigation: **0.005**  
 Significant impacted? **NO** Fully mitigated? **N/A**

# Level of Service Worksheet (Circular 212 Method)



I/S #:	North-South Street:	East-West Street:	Bundy Drive		Year of Count:		Ambient Growth (%):		Conducted by:		Date:		Project:							
			Nebraska Avenue		2017	2028	Peak Hour:		LLG Engineers		2/8/2018		LADWP West LA District Yard De							
No. of Phases			1200		1200		1200		1200		1200		1200							
Opposed Ø'ing: N/S-1, E/W-2 or Both-3?			0		0		0		0		0		0							
Right Turns: FREE-1, NRTOR-2 or OLA-3?			0		0		0		0		0		0							
ATSAC-1 or ATSAC+ATCS-2?			0		0		0		0		0		0							
Override Capacity			1200		1200		1200		1200		1200		1200							
MOVEMENT	EXISTING CONDITION				EXISTING PLUS PROJECT				FUTURE CONDITION W/O PROJECT				FUTURE CONDITION W/ PROJECT				FUTURE W/ PROJECT W/ MITIGATION			
	Volume	No. of Lanes	Lane Volume	Project Traffic	Total Volume	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume		
NORTHBOUND	Left	49	1	49	3	52	0	55	1	55	3	58	1	58	0	58	1	58		
	Left-Through																			
	Through-Right	1299	2	650	0	1299	176	1625	2	813	0	1625	2	813	0	1625	2	813		
	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Left-Through-Right																			
SOUTHBOUND	Left	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0	1	0		
	Left-Through																			
	Through-Right	978	1	511	0	978	152	1243	1	651	0	1243	1	652	0	1243	1	652		
	Right	44	0	44	1	45	10	59	0	59	1	60	0	60	0	60	0	60		
	Left-Through-Right																			
EASTBOUND	Left	56	0	56	3	59	13	75	0	75	3	78	0	78	0	78	0	78		
	Left-Through																			
	Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Right	137	0	193	2	139	0	153	0	228	2	155	0	233	0	155	0	233		
	Left-Through-Right																			
WESTBOUND	Left	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Through																			
	Through-Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Right	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Left-Through-Right																			
CRITICAL VOLUMES			North-South: 650	East-West: 198	North-South: 650	East-West: 198	North-South: 813	East-West: 228	North-South: 813	East-West: 233	North-South: 813	East-West: 233	North-South: 813	East-West: 233	North-South: 813	East-West: 233	North-South: 813	East-West: 233		
SUM:			843	848	843	848	1041	1041	1046	1046	1046	1046	1046	1046	1046	1046	1046	1046		
VOLUME/CAPACITY (V/C) RATIO:			0.703	0.707	0.703	0.707	0.868	0.868	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872		
V/C LESS ATSAC/ATCS ADJUSTMENT:			0.703	0.707	0.703	0.707	0.868	0.868	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872	0.872		
LEVEL OF SERVICE (LOS):			C	C	C	C	D	D	D	D	D	D	D	D	D	D	D	D		

REMARKS:

Version: 1i Beta; 8/4/2011

**PROJECT IMPACT**

Change in v/c due to project: **0.004**      Δv/c after mitigation: **0.004**  
 Significant impacted? **NO**      Fully mitigated? **N/A**

# Level of Service Worksheet (Circular 212 Method)



I/S #:	North-South Street:	Bundy Drive	Year of Count:		Ambient Growth (%):		Conducted by:	Date:	LLG Engineers	
			2017	2028	1.0	AM			Reviewed by:	2/8/2018
East-West Street:		Olympic Boulevard		Peak Hour:		Project:		LADWP West LA District Yard De		
No. of Phases		4		4		4		4		
Opposed Ø'ing: N/S-1, E/W-2 or Both-3?		0		0		0		0		
Right Turns: FREE-1, NRTOR-2 or OLA-3?		0		0		0		0		
ATSAC-1 or ATSAC+ATCS-2?		0		0		0		0		
Override Capacity		0		0		0		0		
MOVEMENT	EXISTING CONDITION		EXISTING PLUS PROJECT		FUTURE CONDITION W/O PROJECT		FUTURE CONDITION W/ PROJECT		FUTURE W/ PROJECT W/ MITIGATION	
	Volume	No. of Lanes	Lane Volume	Project Traffic	Total Volume	Lane Volume	Added Volume	Total Volume	Added Volume	Total Volume
NORTHBOUND	Left	175	1	176	1	176	71	266	1	267
	Left-Through									
	Through-Right	1048	2	524	2	1050	51	1220	2	1222
	Right	120	1	0	0	120	1	135	0	135
	Left-Through-Right									
SOUTHBOUND	Left	301	1	301	1	302	10	346	1	347
	Left-Through									
	Through-Right	704	2	352	0	704	96	881	0	881
	Right	143	1	88	0	143	41	201	0	201
	Left-Through-Right									
EASTBOUND	Left	111	1	111	0	111	35	159	0	159
	Left-Through									
	Through-Right	743	3	248	2	745	175	1004	2	1006
	Right	94	1	0	0	94	66	171	0	171
	Left-Through-Right									
WESTBOUND	Left	245	2	135	0	245	8	281	0	281
	Left-Through									
	Through-Right	1246	3	415	1	1247	209	1599	1	1600
	Right	331	1	30	1	332	14	383	1	384
	Left-Through-Right									
CRITICAL VOLUMES		North-South: 825	North-South: 827	North-South: 956	North-South: 958	North-South: 958	North-South: 958	North-South: 958	North-South: 958	North-South: 958
		East-West: 526	East-West: 527	East-West: 692	East-West: 692	East-West: 692	East-West: 692	East-West: 692	East-West: 692	East-West: 692
		SUM: 1351	SUM: 1354	SUM: 1648	SUM: 1650	SUM: 1650	SUM: 1650	SUM: 1650	SUM: 1650	SUM: 1650
VOLUME/CAPACITY (V/C) RATIO:		0.983	0.985	1.199	1.200	1.200	1.200	1.200	1.200	1.200
V/C LESS ATSAC/ATCS ADJUSTMENT:		0.883	0.885	1.099	1.100	1.100	1.100	1.100	1.100	1.100
LEVEL OF SERVICE (LOS):		D	D	F	F	F	F	F	F	F

REMARKS:

Version: 1i Beta; 8/4/2011

**PROJECT IMPACT**

Change in v/c due to project: **0.001**  
 Significant impacted? **NO**  
 Δv/c after mitigation: **0.001**  
 Fully mitigated? **N/A**



# Level of Service Worksheet

## (Circular 212 Method)



I/S #:	North-South Street:		Bundy Drive		Year of Count:		Ambient Growth (%):		Conducted by:		Date:									
	East-West Street:	No. of Phases	Volume	No. of Lanes	Projection Year:	Peak Hour:	Total Volume	No. of Lanes	Reviewed by:	LLG Engineers	Project:	2/8/2018								
5	Olympic Boulevard	4	60	1	2017	4	149	1	PM	LADWP	West LA District	Yard De								
Opposed $\phi$ 'ing: N/S-1, E/W-2 or Both-3? Right Turns: FREE-1, NRTOR-2 or OLA-3? ATSAC-1 or ATSAC+ATCS-2? Override Capacity																				
MOVEMENT	EXISTING CONDITION				EXISTING PLUS PROJECT				FUTURE CONDITION W/O PROJECT				FUTURE CONDITION W/ PROJECT				FUTURE W/ PROJECT W/ MITIGATION			
	Volume	No. of Lanes	Lane Volume	Project Traffic	Total Volume	Lane Volume	Total Volume	No. of Lanes	Added Volume	Lane Volume	Total Volume	No. of Lanes	Added Volume	Lane Volume	Total Volume	No. of Lanes	Added Volume	Lane Volume		
<b>NORTHBOUND</b>	60	1	60	1	61	61	149	1	82	149	1	149	1	150	1	150	1	150		
Left																				
Left-Through																				
Through-Right	997	2	499	2	999	500	609	106	1218	2	1220	2	1220	610	2	1220	2	610		
Right	133	1	0	0	133	0	0	11	159	1	159	1	0	0	0	159	1	0		
Left-Through-Right																				
Left-Right																				
<b>SOUTHBOUND</b>	100	1	100	2	102	102	133	21	133	1	133	1	2	135	1	135	1	135		
Left																				
Left-Through																				
Through-Right	746	2	373	0	746	373	452	71	903	2	903	2	0	903	2	903	2	452		
Right	65	1	0	0	65	0	20	48	121	1	121	1	0	121	1	121	1	20		
Left-Through-Right																				
Left-Right																				
<b>EASTBOUND</b>	140	1	140	0	140	140	203	47	203	1	203	1	0	203	1	203	1	203		
Left																				
Left-Through																				
Through-Right	918	3	306	3	921	307	421	238	1262	3	1265	3	3	1265	3	1265	3	422		
Right	409	1	349	0	409	348	384	77	533	1	533	1	0	533	1	533	1	383		
Left-Through-Right																				
Left-Right																				
<b>WESTBOUND</b>	306	2	168	0	306	168	189	2	343	2	343	2	0	343	2	343	2	189		
Left																				
Left-Through																				
Through-Right	1088	3	363	1	1089	363	484	239	1453	3	1454	3	1	1454	3	1454	3	485		
Right	267	1	167	1	268	166	183	18	316	1	317	1	1	317	1	317	1	182		
Left-Through-Right																				
Left-Right																				
<b>CRITICAL VOLUMES</b>	North-South: 599 East-West: 517 SUM: 1116	North-South: 602 East-West: 516 SUM: 1118	North-South: 742 East-West: 687 SUM: 1429	North-South: 745 East-West: 688 SUM: 1433	North-South: 745 East-West: 688 SUM: 1433	North-South: 745 East-West: 688 SUM: 1433	North-South: 745 East-West: 688 SUM: 1433	North-South: 745 East-West: 688 SUM: 1433	North-South: 745 East-West: 688 SUM: 1433	North-South: 745 East-West: 688 SUM: 1433	North-South: 745 East-West: 688 SUM: 1433	North-South: 745 East-West: 688 SUM: 1433	North-South: 745 East-West: 688 SUM: 1433							
<b>VOLUME/CAPACITY (V/C) RATIO:</b>	0.812	0.813	1.039	1.042	1.042	1.042	1.042	0.942	0.942	0.942	0.942	0.942	0.942							
<b>V/C LESS ATSAC/ATCS ADJUSTMENT:</b>	0.712	0.713	0.939	0.942	0.942	0.942	0.942	0.942	0.942	0.942	0.942	0.942	0.942							
<b>LEVEL OF SERVICE (LOS):</b>	C	C	E	E	E	E	E	E	E	E	E	E	E							

REMARKS:

Version: 1i Beta; 8/4/2011

**PROJECT IMPACT**

Change in v/c due to project: **0.003**  
 Significant impacted? **NO**  
 Fully mitigated? **N/A**

$\Delta$ v/c after mitigation: **0.003**  
 Fully mitigated? **N/A**

# Level of Service Worksheet (Circular 212 Method)



I/S #:	North-South Street: East-West Street:	Bundy Drive Pico Boulevard	Year of Count:		Ambient Growth (%): Peak Hour:	Conducted by:		Date:																								
			2017	2028		LLG Engineers	Reviewed by:		2/8/2018	Project: LADWP West LA District Yard De																						
	No. of Phases Opposed Ø'ing: N/S-1, E/W-2 or Both-3? Right Turns: FREE-1, NRTOR-2 or OLA-3? ATSAC-1 or ATSAC+ATCS-2? Override Capacity	EXISTING CONDITION				EXISTING PLUS PROJECT				FUTURE CONDITION W/O PROJECT				FUTURE CONDITION W/ PROJECT				FUTURE W/ PROJECT W/ MITIGATION														
		Volume	No. of Lanes	Lane Volume	Total Volume	Project Traffic	Total Volume	Lane Volume	No. of Lanes	Total Volume	Lane Volume	No. of Lanes	Total Volume	Lane Volume	No. of Lanes	Total Volume	Lane Volume	No. of Lanes	Total Volume	Lane Volume	No. of Lanes	Total Volume	Lane Volume									
<b>NORTHBOUND</b>																																
	Left	266	1	266	0	266	1	266	0	297	1	297	0	297	1	297	0	297	1	297	0	297	1	297								
	Left-Through		0				0				0				0							0										
	Through-Right	1221	2	466	2	1223	2	466	2	1456	2	552	2	1458	2	552	2	1458	2	552	2	1458	2	552								
	Right	176	1	176	0	176	1	176	0	199	1	199	0	199	1	199	0	199	1	199	0	199	1	199								
	Left-Through-Right		0				0				0				0							0										
	Left-Right		0				0				0				0							0										
<b>SOUTHBOUND</b>																																
	Left	57	1	57	0	57	1	57	0	89	1	89	0	89	1	89	0	89	1	89	0	89	1	89								
	Left-Through		0				0				0				0							0										
	Through-Right	1068	2	534	0	1068	2	534	0	1304	2	652	0	1304	2	652	0	1304	2	652	0	1304	2	652								
	Right	73	1	73	0	73	1	73	0	92	1	92	0	92	1	92	0	92	1	92	0	92	1	92								
	Left-Through-Right		0				0				0				0							0										
	Left-Right		0				0				0				0							0										
<b>EASTBOUND</b>																																
	Left	130	1	130	0	130	1	130	0	156	1	156	0	156	1	156	0	156	1	156	0	156	1	156								
	Left-Through		0				0				0				0							0										
	Through-Right	725	1	449	1	726	1	450	1	865	1	529	1	866	1	530	1	866	1	530	1	866	1	530								
	Right	173	0	173	1	174	0	174	1	193	0	193	0	194	0	194	0	194	0	194	0	194	0	194								
	Left-Through-Right		0				0				0				0							0										
	Left-Right		0				0				0				0							0										
<b>WESTBOUND</b>																																
	Left	118	1	118	0	118	1	118	0	145	1	145	0	145	1	145	0	145	1	145	0	145	1	145								
	Left-Through		0				0				0				0							0										
	Through-Right	814	1	454	1	815	1	455	1	983	1	556	1	984	1	557	1	984	1	557	1	984	1	557								
	Right	94	0	94	0	94	0	94	0	129	0	129	0	129	0	129	0	129	0	129	0	129	0	129								
	Left-Through-Right		0				0				0				0							0										
	Left-Right		0				0				0				0							0										
<b>CRITICAL VOLUMES</b>																																
North-South: 800 East-West: 584 <b>SUM:</b> 1384																																
North-South: 949 East-West: 713 <b>SUM:</b> 1662																																
North-South: 949 East-West: 713 <b>SUM:</b> 1662																																
<b>VOLUME/CAPACITY (V/C) RATIO:</b> V/C LESS ATSAC/ATCS ADJUSTMENT: LEVEL OF SERVICE (LOS):																																
												1.007			1.108			1.209			1.209			1.209			1.109			1.109		
												<b>E</b>			<b>E</b>			<b>F</b>			<b>F</b>			<b>F</b>			<b>F</b>			<b>F</b>		

REMARKS:  
Version: 1i Beta; 8/4/2011

**PROJECT IMPACT**  
Change in v/c due to project: **0.001**  
Significant impacted? **NO**

Δv/c after mitigation: **0.001**  
Fully mitigated? **N/A**



# Level of Service Worksheet (Circular 212 Method)



I/S #:	North-South Street:	East-West Street:	Bundy Drive		Pico Boulevard		Year of Count:		Ambient Growth (%):		Conducted by:		Date:									
			No. of Phases	No. of Phases	2017	2028	PM	LLG Engineers	2/8/2018	LADWP	West LA District	Yard De										
Opposed Ø'ing: N/S-1, E/W-2 or Both-3?			4		4		4		4		4		4									
Right Turns: FREE-1, NRTOR-2 or OLA-3?			3		3		3		3		3		3									
ATSAC-1 or ATSAC+ATCS-2?			0		0		0		0		0		0									
Override Capacity			2		2		2		2		2		2									
			0		0		0		0		0		0									
MOVEMENT			EXISTING CONDITION				EXISTING PLUS PROJECT				FUTURE CONDITION W/O PROJECT				FUTURE CONDITION W/ PROJECT				FUTURE W/ PROJECT W/ MITIGATION			
			Volume	No. of Lanes	Lane Volume	Project Traffic	Total Volume	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume	Added Volume	Total Volume	No. of Lanes	Lane Volume		
NORTHBOUND	Left		158	1	158	0	158	158	0	176	1	176	0	176	1	176	0	176	1	176		
	Left-Through			0							0				0				0			
	Through-Right		1083	2	431	3	1086	432	129	1337	2	529	3	1340	2	530	3	1340	2	530		
	Right		210	0	210	0	210	210	17	251	0	251	0	251	0	251	0	251	0	251		
	Left-Through-Right			0							0				0				0			
SOUTHBOUND	Left		78	1	78	0	78	78	25	112	1	112	0	112	1	112	0	112	1	112		
	Left-Through			0							0				0				0			
	Through-Right		1190	2	595	0	1190	595	120	1448	2	724	0	1448	2	724	0	1448	2	724		
	Right		64	1	64	0	64	0	11	82	1	82	0	82	1	82	0	82	1	82		
	Left-Through-Right			0							0				0				0			
EASTBOUND	Left		122	1	122	0	122	122	12	148	1	148	0	148	1	148	0	148	1	148		
	Left-Through			0							0				0				0			
	Through-Right		752	1	569	2	754	571	91	930	1	680	2	932	1	682	0	932	1	682		
	Right		385	0	385	2	387	387	0	430	0	430	2	432	0	432	0	432	0	432		
	Left-Through-Right			0							0				0				0			
WESTBOUND	Left		91	1	91	0	91	91	10	112	1	112	0	112	1	112	0	112	1	112		
	Left-Through			0							0				0				0			
	Through-Right		563	1	312	1	564	313	77	705	1	401	1	706	1	401	0	706	1	401		
	Right		61	0	61	0	61	61	28	96	0	96	0	96	0	96	0	96	0	96		
	Left-Through-Right			0							0				0				0			
CRITICAL VOLUMES			North-South: 753	East-West: 660	Sum: 1413	North-South: 753	East-West: 662	Sum: 1415	North-South: 900	East-West: 792	Sum: 1692	North-South: 900	East-West: 794	Sum: 1694	North-South: 900	East-West: 794	Sum: 1694	North-South: 900	East-West: 794	Sum: 1694		
VOLUME/CAPACITY (V/C) RATIO:			1.028	0.928	1.029	1.231	1.131	1.232	1.232	1.132	1.232	1.232	1.132	1.232	1.232	1.132	1.232	1.232	1.132	1.232		
LEVEL OF SERVICE (LOS):			E	E	E	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F		

REMARKS:

Version: 1i Beta; 8/4/2011

**PROJECT IMPACT**



Change in v/c due to project: **0.001** Δv/c after mitigation: **0.001**  
 Significant impacted? **NO** Fully mitigated? **N/A**

APPENDIX E  
TRAFFIC SIGNAL WARRANT DATA

DATE 12/14/17 PREPARER GT REVIEWER \_\_\_\_\_

MAJOR ST: BUNDY DRIVE

MINOR ST: NEBRASKA AVENUE

Critical Approach Speed }  *or* Speed Limit } 

Speed limit or critical speed on major street traffic > 40 mph.....  } *or* } RURAL (R)       URBAN (U)  
 In built up area of isolated community of < 10,000 population.....  }

# Eight-Hour Vehicular Volume



N/A   
 SATISFIED YES   
 NO

★ *The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal* ★

- a. Condition A or Condition B or combination of 80% of both parts A and B must be satisfied.
- b. A 6-hour Manual Count may be used in a determination that this warrant is not met. However, supplement manual counts should be taken during separate hours for a determination that this warrant is met.
- c. In applying each condition, the major street and minor street volumes shall be for the same hours. On the minor street, the higher volume does not need to be the same approach during each of the hours.
- d. The study should consider the effects of the right-turn vehicles from the minor-street approaches. Engineering judgment should be used to determine what, if any, portion of the right-turn traffic is subtracted from the minor-street traffic count.
- e. Figure 4C-103(CA) should be used for new intersections, significantly reconstructed intersections, where near-term land development will result in increased volumes, or where it is not reasonable to use current traffic volumes.
- f. Engineering judgment should also be used in applying various traffic signal warrants to cases where approaches consist of one lane plus one left-turn or right-turn lane. This site-specific traffic characteristics should dictate whether an approach is considered as one lane or two lanes. For example, for an approach with one lane for through and right-turning traffic plus a left-turn lane, if engineering judgment indicates that it should be considered a one-lane approach because the traffic using the left turn lane is minor, the total traffic volume approaching the intersection should be applied against the signal warrants as a one-lane approach. The approach should be considered two lanes if approximately half of the traffic on the approach turns left and the left-turn lane is of sufficient length to accommodate all left-turn vehicles. Similar engineering judgment and rationale should be applied to a street approach with one through/left-turn lane plus a right-turn lane. In this case, the degree of conflict of minor-street right-turn traffic with traffic on the major street should be considered. Thus, right-turn traffic should not be included in the minor-street volume if the movement enters the major street with minimal conflict. The approach should be evaluated as a one-lane approach with only the traffic volume in the through/left-turn lane considered.
- g. At an intersection with a high volume of left-turn traffic from the major street, the signal warrant analysis may be performed in a manner that considers the higher volume of the major-street left-turn volumes plus the higher volume minor-street approach as the "minor street" volume and both approaches of the major street minus the higher of the major-street left-turn volume as "major street" volume. In these cases, engineering judgment should be used to determine if left-turn phasing is necessary to accommodate the high volume of left-turn traffic.

# Eight-Hour Vehicular Volume (continued)

★ The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal ★

## Condition A

### Minimum Vehicle Volume

SATISFIED	YES	NO
100%	<input type="checkbox"/>	<input checked="" type="checkbox"/>
80%	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**RIGHT TURN REDUCTION APPLICATION MINOR STREET**  
 (If Yes, fill in percentage)  \_\_\_\_\_%

MINIMUM REQUIREMENTS  
 (80% SHOW IN BRACKETS)

APPROACH LANES	MINIMUM REQUIREMENTS (80% SHOW IN BRACKETS)				Hours							
	U	R	U	R	07:00	08:00	09:00	15:00	16:00	17:00		
	1		2 or More									
Both Approach Major Street	500 (400)	350 (280)	600 (480)	420 (336)	2424	3167	2978	2956	2986	2743		
Highest Approach Minor Street	150 (120)	105 (84)	200 (160)	140 (112)	58	116	99	212	233	232		

## Condition B

### Interruption of Continuous Traffic

SATISFIED	YES	NO
100%	<input type="checkbox"/>	<input checked="" type="checkbox"/>
80%	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**RIGHT TURN REDUCTION APPLICATION MINOR STREET**  
 (If Yes, fill in percentage)  \_\_\_\_\_%

MINIMUM REQUIREMENTS  
 (80% SHOW IN BRACKETS)

APPROACH LANES	MINIMUM REQUIREMENTS (80% SHOW IN BRACKETS)				Hours							
	U	R	U	R	07:00	08:00	09:00	15:00	16:00	17:00		
	1		2 or More									
Both Approach Major Street	750 (600)	525 (420)	900 (720)	630 (504)	2424	3167	2978	2956	2986	2743		
Highest Approach Minor Street	75 (60)	53 (42)	100 (80)	70 (56)	58	116	99	212	233	232		

## COMBINATION OF A & B

SATISFIED	YES	NO
	<input type="checkbox"/>	<input checked="" type="checkbox"/>

REQUIREMENT	CONDITION	✓	FULFILLED	
			YES	NO
TWO CONDITIONS SATISFIED 80%	A. MINIMUM VEHICULAR VOLUME		<input type="checkbox"/>	<input checked="" type="checkbox"/>
	AND B. INTERRUPTION OF CONTINUOUS TRAFFIC		<input type="checkbox"/>	<input checked="" type="checkbox"/>
AND AN ADEQUATE TRIAL OF OTHER ALTERNATIVES THAT COULD CAUSE LESS DELAY AND INCOVENIENCE TO TRAFFIC HAS FAILED TO SOLVE THE TRAFFIC PROBLEMS			<input type="checkbox"/>	<input checked="" type="checkbox"/>

# Four-Hour Vehicular Volume



N/A   
 SATISFIED YES   
 NO

★ The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal ★

- a. Record hourly vehicle volumes for the highest four hours of an average day.
- b. In applying each condition, the major street and minor street volumes shall be for the same hours. On the minor street, the higher volume does not need to be the same approach during each of the hours.
- c. The study should consider the effects of the right-turn vehicles from the minor-street approaches. Engineering judgment should be used to determine what, if any, portion of the right-turn traffic is subtracted from the minor-street traffic count.
- d. Engineering judgment should also be used in applying various traffic signal warrants to cases where approaches consist of one lane plus one left-turn or right-turn lane. This site-specific traffic characteristics should dictate whether an approach is considered as one lane or two lanes. For example, for an approach with one lane for through and right-turning traffic plus a left-turn lane, if engineering judgment indicates that it should be considered a one-lane approach because the traffic using the left turn lane is minor, the total traffic volume approaching the intersection should be applied against the signal warrants as a one-lane approach. The approach should be considered two lanes if approximately half of the traffic on the approach turns left and the left-turn lane is of sufficient length to accommodate all left-turn vehicles. Similar engineering judgment and rationale should be applied to a street approach with one through/left-turn lane plus a right-turn lane. In this case, the degree of conflict of minor-street right-turn traffic with traffic on the major street should be considered. Thus, right-turn traffic should not be included in the minor-street volume if the movement enters the major street with minimal conflict. The approach should be evaluated as a one-lane approach with only the traffic volume in the through/left-turn lane considered.
- e. At an intersection with a high volume of left-turn traffic from the major street, the signal warrant analysis may be performed in a manner that considers the higher volume of the major-street left-turn volumes plus the higher volume minor-street approach as the "minor street" volume and both approaches of the major street minus the higher of the major-street left-turn volume as "major street" volume. In these cases, engineering judgment should be used to determine if left-turn phasing is necessary to accommodate the high volume of left-turn traffic.


APPROACH LANES	One	2 or More	Hours				YES	NO
			16:00	17:00	15:00	08:00		
Both Approaches - Major Street		✓	2986	2743	2956	3167	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Higher Approach - Minor Street	✓		233	232	212	116	(If Yes, fill in percentage) _____%	
* All plotted points fall above the applicable curve in Figure 4C-1. (URBAN AREAS)							<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>OR</u> , All plotted points fall above the applicable curve in Figure 4C-2. (RURAL AREAS)							<input checked="" type="checkbox"/>	<input type="checkbox"/>

# Four-Hour Vehicular Volume (continued)

★ The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal ★

## URBAN

Figure 4C-1. Warrant 2, Four-Hour Vehicular Volume




MAJOR STREET—TOTAL OF BOTH APPROACHES—VEHICLES PER HOUR (VPH)

\*Note: 115 vph applies as the lower threshold volume for a minor-street approach with two or more lanes and 80 vph applies as the lower threshold volume for a minor-street approach with one lane.

## RURAL

Figure 4C-2. Warrant 2, Four-Hour Vehicular Volume (70% Factor)



MAJOR STREET—TOTAL OF BOTH APPROACHES—VEHICLES PER HOUR (VPH)

\*Note: 80 vph applies as the lower threshold volume for a minor-street approach with two or more lanes and 60 vph applies as the lower threshold volume for a minor-street approach with one lane.

Peak Hour

**WARRANT**  
3

N/A

SATISFIED YES

NO

\* The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal \*

- a. Part A or Part B must be satisfied.
- b. In applying each condition, the major street and minor street volumes shall be for the same hours.
- c. The study should consider the effects of the right-turn vehicles from the minor-street approaches. Engineering judgment should be used to determine what, if any, portion of the right-turn traffic is subtracted from the minor-street traffic count.
- d. Estimated Peak Hour Volumes may be used for new intersections, significantly reconstructed intersections, or where near-term land development will result in increased volumes.
- e. Engineering judgment should also be used in applying various traffic signal warrants to cases where approaches consist of one lane plus one left-turn or right-turn lane. This site-specific traffic characteristics should dictate whether an approach is considered as one lane or two lanes. For example, for an approach with one lane for through and right-turning traffic plus a left-turn lane, if engineering judgment indicates that it should be considered a one-lane approach because the traffic using the left turn lane is minor, the total traffic volume approaching the intersection should be applied against the signal warrants as a one-lane approach. The approach should be considered two lanes if approximately half of the traffic on the approach turns left and the left-turn lane is of sufficient length to accommodate all left-turn vehicles. Similar engineering judgment and rationale should be applied to a street approach with one through/left-turn lane plus a right-turn lane. In this case, the degree of conflict of minor-street right-turn traffic with traffic on the major street should be considered. Thus, right-turn traffic should not be included in the minor-street volume if the movement enters the major street with minimal conflict. The approach should be evaluated as a one-lane approach with only the traffic volume in the through/left-turn lane considered.
- f. At an intersection with a high volume of left-turn traffic from the major street, the signal warrant analysis may be performed in a manner that considers the higher volume of the major-street left-turn volumes plus the higher volume minor-street approach as the "minor street" volume and both approaches of the major street minus the higher of the major-street left-turn volume as "major street" volume. In these cases, engineering judgment should be used to determine if left-turn phasing is necessary to accommodate the high volume of left-turn traffic.

**PART A**

*All parts 1, 2, and 3 below must be satisfied for the same one hour, for any four consecutive 15-minute periods)*

	SATISFIED	YES	NO
		<input type="checkbox"/>	<input type="checkbox"/>
		YES	NO
			N/A
1. The total delay experienced by traffic on one minor street approach (one direction only) controlled by a STOP sign equals or exceeds four vehicle-hours for a one-lane approach, or five vehicle-hours for a two-lane approach; <u>AND</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. The volume on the same minor street approach (one direction only) equals or exceeds 100 vph for one moving lane of traffic or 150 vph for two moving lanes; <u>AND</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
3. The total entering volume serviced during the hour equals or exceeds 800 vph for intersections with four or more approaches or 650 vph for intersections with three approaches.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**PART B**


	SATISFIED	YES	NO
		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Hour			
4:00 PM			
APPROACH LANES			
One			
2 or More			
Both Approaches - Major Street		<input checked="" type="checkbox"/>	2986
Higher Approach - Minor Street	<input checked="" type="checkbox"/>		233
The plotted point falls above the applicable curve in Figure 4C-3. (URBAN AREAS)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<u>OR</u> , The plotted point falls above the applicable curve in Figure 4C-4. (RURAL AREAS)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

# Peak Hour

*(continued)*


★ The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal ★

**URBAN**  
**Figure 4C-3. Warrant 3, Peak Hour**



\* Note: 150 vph applies as the lower threshold volume for a minor street approach with two or more lanes and 100 vph applies as the lower threshold volume for a minor street approach with one lane.

**RURAL**  
**Figure 4C-4. Warrant 3, Peak Hour (70% Factor)**  
(COMMUNITY LESS THAN 10,000 POPULATION OR ABOVE 40 MPH ON MAJOR STREET)



\* Note: 100 vph applies as the lower threshold volume for a minor street approach with two or more lanes and 75 vph applies as the lower threshold volume for a minor street approach with one lane.



# Crash Experience Warrant



N/A   
 SATISFIED YES   
 NO

★ The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal ★

- a. All Parts must be satisfied.
- b. For locations that involve other agencies, crash data from other involved jurisdictions should be obtained.

		YES	NO
Adequate trial of alternatives with satisfactory observance and enforcement has failed to reduce the crash frequency		<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>REQUIREMENTS</b>	Number of crashes reported within a 12-month period susceptible to correction by a traffic signal: <b>3</b>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>5 OR MORE</b>	Indicate Date(s): <b>4/26/2015; 8/15/2014; 5/22/2014</b>		
<b>REQUIREMENTS</b>	<b>CONDITIONS</b>		
<b>ONE CONDITION SATISFIED 80%</b>	Warrant 1, Condition A - Minimum Vehicular Volume		
	OR, Warrant 1, Condition B - Interruption of Continuous Traffic	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	OR, Warrant 4, Pedestrian Volume Condition - Ped Vol ≥ 80% for ped volumes per Figures 4C-5 to 4C-8		

# Roadway Network



N/A   
 SATISFIED YES   
 NO

★ The satisfaction of a traffic signal warrant or warrants shall not in itself require the installation of a traffic control signal ★

- a. Existing traffic volumes with an ambient growth rate of 1% (or other LADOT approved ambient growth rate) may be used if projected volumes are not available.
- b. All Parts must be satisfied.

MINIMUM VOLUME REQUIREMENTS	ENTERING VOLUMES - ALL APPROACHES	✓	FULLFILLED	
			YES	NO
1000 Veh / Hr	During Typical Weekday Peak Hour _____ Veh/Hr <b>AND</b> has 5-year projected traffic volumes that meet one or more of Warrants 1,2, and 3 during an average weekday.  <b>OR</b> During Each of Any 5 Hrs. of a Saturday or Sunday _____ Veh / Hr		<input type="checkbox"/>	<input type="checkbox"/>
<b>CHARACTERISTICS OF MAJOR ROUTES</b>	<b>MAJOR ROUTE A</b>	<b>MAJOR ROUTE B</b>		
Highway System Serving as Principal Network for Through Traffic				
Rural or Suburban Highway Outside Of, Entering, or Traversing a City				
Appears as Major Route on an Official Plan			YES	NO
Any Major Route Characteristics Met, Both Streets			<input type="checkbox"/>	<input type="checkbox"/>

Appendix Table E  
TRAFFIC SIGNAL WARRANT VOLUMES  
Bundy Drive/Nebraska Avenue

HOUR	EXISTING VOLUMES [1]		AMBIENT GROWTH VOLUMES [2]		RELATED PROJECT VOLUMES [3]		PROJECT VOLUMES [3]		FUTURE WITH PROJECT VOLUMES [4]	
	Major Street (Both Approaches) Bundy Drive	Minor Street (Higher Approach) Nebraska Avenue	Major Street (Both Approaches) Bundy Drive	Minor Street (Higher Approach) Nebraska Avenue	Major Street (Both Approaches) Bundy Drive	Minor Street (Higher Approach) Nebraska Avenue	Major Street (Both Approaches) Bundy Drive	Minor Street (Higher Approach) Nebraska Avenue	Major Street (Both Approaches) Bundy Drive	Minor Street (Higher Approach) Nebraska Avenue
7:00 AM	1920	41	222	5	277	9	4	2424	58	
8:00 AM	2587	93	299	11	277	9	4	3167	116	
9:00 AM	2417	78	280	9	277	9	4	2978	99	
3:00 PM	2343	174	271	20	338	13	4	2956	212	
4:00 PM	2370	193	274	22	338	13	4	2986	233	
5:00 PM	2152	192	249	22	338	13	4	2743	232	

[1] Data worksheets for the existing six-hour manual turning movement counts utilized in this analysis are included in Appendix B.

[2] An ambient growth rate of one percent (1.0%) per year has been applied to grow the existing Year 2017 volumes to future Year 2028 volumes.

[3] Please refer to the peak hour calculation worksheets contained in Appendix D. For the purposes of this warrant analysis, the AM and PM peak hour related projects and project volumes have been applied to each AM and PM hour, respectively.

[4] Future with project volumes obtained by summing existing, ambient growth, related projects, and project volumes.

---

---

## Settings Used For Query

---

---

<u>Parameter</u>	<u>Setting</u>
Street Name	NEBRASKA *
Cross Street	BUNDY *
Starting Date	6/1/2013
Ending Date	5/31/2016
Distance from Intersection	>= 0' for non rear-end collisions >= 0' for rear-end collisions

**City of Los Angeles  
Department of Transportation**

**Collision Report Summary**

12/12/2017

Date Range Reported: 6/1/13 - 5/31/16

Total Number of Collisions: 5

Report#	Date	Time	Location	Dist.	Dir.	Type of Collision	Motor Veh. Involved With	Dir. of Travel 1	Movement Prec. Coll. 1	Dir. of Travel 2	Movement Prec. Coll. 2	PCF	Inj. Kil. Ver.
6217614	9/17/13	17:45	Bundy Drive & Nebraska Avenue (N)	0'	In Int.	Sideswipe	Other Motor Vehicle	South	Proceeding Straight	North	Making Left Turn	Unsafe Speed	1 0
6286558	10/6/13	23:35	Bundy Drive & Nebraska Avenue (N)	140'	South	Broadside	Other Motor Vehicle	East	Making Left Turn	North	Proceeding Straight	Improper Turning	1 0
6578156	5/22/14	23:15	Nebraska Avenue & Bundy Drive (N)	15'	East	Head-On	Parked Motor Vehicle	East	Making Right Turn	Not State	Parked	Driving Under Influence	0 0
6647390	8/15/14	15:15	Nebraska Avenue & Bundy Drive (N)	0'	In Int.	Vehicle - Pedestrian	Pedestrian	North	Proceeding Straight	East	Making Right Turn	Unknown	1 0
6931609	4/26/15	03:32	Bundy Drive & Nebraska Avenue (N)	20'	South	Hit Object	Fixed Object	South	Ran Off Road			Unsafe Speed	0 0

**CITY OF LOS ANGELES**  
INTER-DEPARTMENTAL MEMORANDUM

12300 Nebraska Av  
DOT Case No. WLA18-106700

DATE: November 7, 2019

TO: Luciralia Ibarra, Senior City Planner  
Department of City Planning

FROM:   
Robert Sanchez, Transportation Engineer  
Department of Transportation

SUBJECT: **UPDATED TRAFFIC IMPACT ASSESSMENT FOR THE PROPOSED LADWP WEST LOS ANGELES YARD DEMOLITION AND CONSTRUCTION PROJECT TO BE LOCATED AT 12300 W. NEBRASKA AVE.**

The Department of Transportation (DOT) has reviewed the updated traffic impact analysis prepared by Linscott Law & Greenspan Engineers (LLG), dated September 11, 2019, for the proposed LADWP West Los Angeles Yard Demolition and Construction project at the existing facility located at 12300 West Nebraska Avenue. After a review of the pertinent data, DOT has determined that the analysis conducted adequately describes the project related impact of the proposed project.

**PROJECT DESCRIPTION**

LADWP will be demolishing all existing structures, and constructing new buildings in their place, at the West Los Angeles Yard. The facility, at its current capacity, does not have adequate storage for its equipment and will not be able to support the planned increase to 375 full time staff, 315 District Yard employees and 60 Service Planning Center employees. Structures planned for demolition include the district office, warehouse, break room, locker room, and fleet shop. One new building is planned to be constructed: warehouse, administration office, electric trouble office, service planning office and fleet shop totalling approximately 91,000 square feet. The new building will consolidate the functions of the demolished buildings. The existing gantry crane will be moved toward the southeast section of the District Yard, closer to the Olympic Boulevard entrance. Existing unleaded and diesel fuel tanks would remain aboveground. Parking will consist of a new 145,000 square foot one level underground parking structure, located under the new three story building, and consisting of 389 parking spaces for employees and fleet vehicles. There will also be an aboveground parking structure, directly south of the new building, with two levels, 154 spaces, and approximately 156,000 square feet to be used by a variety of LADWP fleet vehicles. Additionally, 12 public parking spaces would be provided at-grade outside the Service Planning Center office. All parking spaces would include electric vehicle charging stations.

On-site circulation would be altered to require all departmental vehicles to access via Olympic Boulevard, Centinela Avenue, and the northernmost driveway on Nebraska Avenue. Employee access would be from the new primary driveway on Nebraska Avenue; employees would be required to enter past the new security gate located at this driveway.

An expansion of the existing driveway within the off-site right-of-way along Nebraska Avenue would be required. To accommodate the driveway expansion, one existing street tree is proposed to be removed.

New trees would be added to the project site in the landscape designated areas. No off-site utility or infrastructure are required.

The project involves the demolition of all existing structures and the construction of a new three-story, 91000 square foot building on the same site as the existing West Los Angeles District Yard. During construction, approximately half of all the employees would temporarily relocate to the Palms Yard, located at 2311 South Fairfax Avenue, Los Angeles 90016, with the remaining employees temporarily relocating to a yard site in the western portion of Los Angeles World Airport (LAX). During construction, employees would have access via Nebraska Avenue while construction vehicles will be allowed to access from entrances located on Centinela Avenue and Olympic Boulevard. Equipment used for construction would include a minimum of two excavators with thumb attachments, two dozers, one or two drill rigs, two cranes, one backhoe, one forklift, one padfoot compactor, one soil compactor, one loader, one bobcat with broom attachment, one water truck, two dump trucks, and one flatbed truck. The hours of operation for construction equipment are assumed to be eight (8) hours a day. It is assumed that an average of 12 workers would be present daily during demolition activities and an average of 30 workers per day would be present during construction activities.

## DISCUSSION AND FINDINGS

### Trip Generation

The proposed project would increase the total number of employees on site from 191 to 375, 315 of which are District Yard employees and 60 employees that will work in the new Service Planning Center. The facility will operate during the following hours:

- Monday through Friday: 6:30AM- 4:00PM
  - District/ Service Planning personnel: 287, Security: 2, Supply Chain: 6, Fleet: 2
- Monday through Friday: 7:00PM- 3:00PM
  - Electric Trouble: 2
- Monday through Friday: 3:00PM – 11:00PM
  - Electric Trouble: 10, Security: 2, Fleet: 8
- Monday through Friday: 11:00PM – 7:00AM
  - Electric Trouble: 10, Security: 2
- Saturday and every other Sunday: 6:30AM – 4:30PM
  - Weekend staffing is on a volunteer basis. On average, there are approximately 150 employees during this shift.
- Saturday and Sunday: 7:00AM- 3:00PM, 3:00PM – 11:00PM, 11:00PM – 7:00AM
  - Electric Trouble: 10, Security: 2

Typically the ITE Trip Generation Manual is used to forecast trip rates, however, due to the unique nature of this facility, City staff agreed that it would be appropriate to forecast the trips generated by the project based on derived site-specific trip generation rates. The derived trip rates, based on weekday manual peak hour traffic counts at the five existing active driveways, were the following:

- **Weekday AM Peak Hour:** 0.055 inbound trips per employee, 0.194 outbound trips per employee, and 0.249 total trips per employee
- **Weekday PM Peak Hour:** 0.059 inbound trips per employee, 0.221 outbound trips per employee, and 0.280 total trips per employee
- **Daily Trip Rates:** estimated based on the assumption that average peak hours represent ten percent (10%) of the total daily trip ends.

The trip generation of the proposed facility, based on these site-specific rates, are the following:



- Weekday AM: 52 new trips (24 inbound/ 28 outbound)
- Weekday PM: 59 new trips (12 inbound/ 47 outbound)
- Daily: 525 new trips

(See Attachment "A")

#### Traffic Impact

It is concluded that the proposed project is not expected to create a significant impact at any of the eight (8) study intersections under either the Existing With Project or Future With Project conditions, based on the City of Los Angeles thresholds of significance used for evaluating traffic impacts. Because there are no significant impacts, no traffic mitigation measures are required or recommended for the study intersections. In addition, because of the temporary relocation of employees to two existing off site facilities, the project will provide oversight of operations at the off-site locations. If any vehicle queuing should occur, temporary remedial measures would be recommended and implemented as necessary by the City.

#### Congestion Management Program (CMP)

The results of the Los Angeles CMP traffic assessment indicate that the proposed project will not adversely affect any of the CMP arterial monitoring intersections or freeway monitoring locations, therefore, no improvements are required.

#### Transportation Demand Management (TDM)

LADOT recommends that the project comply with the City's Trip Reduction Ordinance and generally work to decrease the number of single occupant vehicle trips and increase the use of other transportation modes such as transit, walking, bicycling and ridesharing.

#### Traffic Signal Warrants

Traffic signal warrants were prepared for the Bundy Drive/Nebraska Avenue intersection. Warrant No. 1 (Eight-Hour Vehicular Volume) is not satisfied under future with project conditions for the Bundy Drive/Nebraska Avenue intersection, while Warrant No. 2 (Four-Hour Vehicular Volume) and Warrant No. 3 (Peak Hour) are satisfied under future with project conditions. Warrant No. 7 (Crash Experience) is not satisfied based on a review of existing collision records. It is important to note that the satisfaction of a traffic signal warrant is not necessarily justification for the installation of a traffic signal. Delay, congestion, approach conditions, driver confusion, future land use or other evidence of the need for right-of-way assignment beyond that which could be provided by stop sign control may be demonstrated. Conversely, if a traffic signal warrant is not met, these other factors may be just cause for consideration of a traffic signal installation. The lead agency/agencies must carefully consider all aspects related to installation of traffic controls.

### **PROJECT REQUIREMENTS**

#### **A. Highway Dedication and Street Widening Requirements**

The applicant shall consult the Bureau of Engineering (BOE) for any highway dedication or street widening requirements. These requirements must be guaranteed before the issuance of any building permit through the B-permit process of the BOE. They must be constructed and completed prior to the issuance of any certificate of occupancy to the satisfaction of DOT and BOE.

#### **B. Construction Impacts**

DOT recommends that a construction work site traffic control plan be submitted to the DOT Western District Operations Office for review and approval prior to the start of any construction work. The plan should show the location of any roadway or sidewalk closures, traffic detours, haul routes, hours of operation, protective devices, warning signs, and access to abutting properties. DOT also recommends that all construction related traffic be restricted to off-peak hours. In addition, the

**C. Driveway Access and Circulation**

Review of the traffic impact analysis does not constitute approval of the Project's driveway dimensions and internal circulation schemes. Those require separate review and approval and should be coordinated with DOT's West LA/Coastal Development Review Section (7166 W Manchester Ave, @ 213-485-1062). In order to minimize potential building design changes, the applicant should contact DOT for driveway width and internal circulation requirements so that such traffic flow considerations are designed and incorporated early into the building and parking layout plans.

**D. Parking Requirements**

The applicant should check with the Department of Building and Safety on the number of Code-required parking spaces needed for this project.

**E. Pedestrian Connectivity**

Applicant shall consult with the Department of City Planning for any additional requirements pertaining to pedestrian walkability and connectivity, as described in the Walkability Checklist.

**F. Development Review Fees**

An ordinance adding Section 19.15 to the Los Angeles Municipal Code relative to application fees paid to DOT for permit issuance activities was adopted by the Los Angeles City Council in 2009 and updated in 2014. This ordinance identifies specific fees for traffic study review, condition clearance, and permit issuance. The applicant shall comply with any applicable fees per this ordinance.

If you have any questions, please contact Pedro Ayala or me at (213) 485-1062.

RS:pa

Attachments

cc: Krista Kline, CD 11  
Eddie Guerrero, Tim Fremaux, Rudy Guevara, DOT  
Kevin Azarmahan, BOE  
K.C. Jaeger, Linscott, Law & Greenspan, Engineers



Table 7-1  
PROJECT TRIP GENERATION FORECAST

TRIP GENERATION RATES [1]									
ITE LAND USE CATEGORY	ITE LAND USE CODE	VARIABLE	WEEKDAY DAILY	WEEKDAY AM PEAK HOUR			WEEKDAY PM PEAK HOUR		
				IN (%)	OUT (%)	TOTAL	IN (%)	OUT (%)	TOTAL
Existing West LA District Yard	[2]	Per Employee	2.644	22%	78%	0.249	21%	79%	0.280
General Office Building	710	Per Employee	3.28	83%	17%	0.37	20%	80%	0.40

PROJECT TRIP GENERATION FORECAST [3]									
LAND USE	ITE LAND USE CODE	SIZE	DAILY TRIP ENDS [4] VOLUMES	AM PEAK HOUR VOLUMES [4]			PM PEAK HOUR VOLUMES [4]		
				IN	OUT	TOTAL	IN	OUT	TOTAL
<b><u>Proposed Project</u></b>									
West LA District Yard	[2]	315 Employees	833	17	61	78	18	70	88
Service Planning Center	710	60 Employees	197	18	4	22	5	19	24
<b><i>Subtotal Proposed Project</i></b>			<b>1,030</b>	<b>35</b>	<b>65</b>	<b>100</b>	<b>23</b>	<b>89</b>	<b>112</b>
<b><u>Existing Uses</u></b>									
West LA District Yard	[2]	(191) Employees	(505)	(11)	(37)	(48)	(11)	(42)	(53)
<b><i>Subtotal Existing Uses</i></b>			<b>(505)</b>	<b>(11)</b>	<b>(37)</b>	<b>(48)</b>	<b>(11)</b>	<b>(42)</b>	<b>(53)</b>
<b><i>NET NEW PROJECT TRIPS</i></b>			<b>525</b>	<b>24</b>	<b>28</b>	<b>52</b>	<b>12</b>	<b>47</b>	<b>59</b>

[1] Source: ITE "Trip Generation Manual", 10th Edition, 2017, except as noted below.

[2] The trip generation forecast for the DWP West LA yard operations is based on empirical trip rates derived from observations of the existing DWP yards. Refer to Appendix Table C for derivation of the empirical trip rates.

[3] Projected employment totals 375 employees per the LADWP project description (June 2019) which includes 315 West LA Yard employees plus 60 employees that will work in the new 8,531 square-foot Service Planning Center to be constructed on-site.

[4] Trips are one-way traffic movements, entering or leaving.

