

MONO BASIN	Rush Cr @ Dam: 95	Lee Vining Creek: Above 71 (Spill: 40, Conduit: 28.6
	West Portal : 0	Mono Lake Elev: 6379.72; (USGS Datum) (Read on: 5/16
	C Ranch Hi/Lo: 68/30	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 13	Below: 13 Walker Cr Abv: 10 Below: 10
	Grant Lake Spill: 0	
LONG VALLEY	(*) <b>Grant Lake El:</b> 7094.4 Outflow: 73 24hr AF Total: 143	
	(7130.0 HW)AF: 14876 Diff AF: 138 Grant Lake Toe Drain: 0.00	
NORTH OWENS	East Portal : 12	Below East Portal: 50
	(*) <b>L V Resv Elev:</b> 6768.6 Outflow: 54 24hr AF Total: 236	
	(6781.5 HW)AF: 122954 Diff AF: 82	
	L Vally Hi/Lo: 73/39 Precip(Day/Month):0.00/0.00	
	ORG Main Weir: 3.20 Tunnel Drain: 0.14 Toe Drain: 0.47	
WELLS	RC@OR Cur/Ave: 40/40	Gorge: UG Cur/Avg: 55/52 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4382.8 Outflow: 173 24hr AF Total: 336	
	(4390.0 HW)AF: 2298 Diff AF: -384	
	Bishop Hi/Lo: 83/44 Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6: 66(avg) O R Below BP Cr: 160 Fish Sprg @ RR Brdg: 38	
SOUTH OWENS	BP Pwr House : 81/47	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 22/22
SOUTHERN DISTRICT		