

MONO BASIN	Rush Cr @ Dam: 36	Lee Vining Creek: Above 28 (Spill: 28, Conduit: 0.4
	West Portal : 0	Mono Lake Elev: 6379.42; (USGS Datum) (Read on: 7/12
	C Ranch Hi/Lo: 94/53	Precip(Day/Month): 0.00/0.02
	Parker Cr Abv: 11 Below: 11	Walker Cr Abv: 2 Below: 2
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7098.9	Outflow: 32 24hr AF Total: 64
	(7130.0 HW)AF: 18094	Diff AF: 15 Grant Lake Toe Drain: 0.00
	East Portal : 11	Below East Portal: 49
	(*) L V Resv Elev: 6766.2	Outflow: 50 24hr AF Total: 350
	(6781.5 HW)AF: 113110	Diff AF: -118
NORTH OWENS	L Vally Hi/Lo: 97/50	Precip(Day/Month): 0.00/0.39
	ORG Main Weir: 3.20	Tunnel Drain: 0.15 Toe Drain: 0.46
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 31/29	Gorge: UG Cur/Avg: 45/44 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4385.0	Outflow: 199 24hr AF Total: 394
WELLS	(4390.0 HW)AF: 2498	Diff AF: 35
	Bishop Hi/Lo: 107/64	Precip(Day/Month): 0.00/0.09
	B C @ Plant 6: 71(avg)	O R Below BP Cr: 165 Fish Sprg @ RR Brdg: 38
	BP Pwr House : 107/67	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 39/42
SOUTH OWENS		
SOUTHERN DISTRICT		