

MONO BASIN

Rush Cr @ Dam: 11 Lee Vining Creek: Above 15 (Spill: 15, Conduit: 0
 West Portal : 27 Mono Lake Elev: 6378.48; (USGS Datum) (Read on: 11/22
 C Ranch Hi/Lo: 50/15 Precip(Day/Month): 0.00/0.85
 Parker Cr Abv: 4 Below: 4 Walker Cr Abv: 2 Below: 2
 Grant Lake Spill: 0
 (*) **Grant Lake El:** 7098.7 Outflow: 54 24hr AF Total: 106
 (7130.0 HW)AF: 17962 Diff AF: -88 Grant Lake Toe Drain: 0.00

LONG VALLEY

East Portal : 39 Below East Portal: 79
 (*) **L V Resv Elev:** 6765.3 Outflow: 21 24hr AF Total: 42
 (6781.5 HW)AF: 109679 Diff AF: 308
 L Vally Hi/Lo: 49/22 Precip(Day/Month):0.00/1.15
 ORG Main Weir: 3.10 Tunnel Drain: 0.13 Toe Drain: 0.44
 Rock Crk Div : 0

NORTH OWENS

RC@OR Cur/Ave: 40/39 Gorge: UG Cur/Avg: 36/35 MG Cur/Avg: 0/0
 (*) **P V Resv Elev:** 4382.1 Outflow: 3267 24hr AF Total: 0
 (4390.0 HW)AF: 2232 Diff AF: 12
 Bishop Hi/Lo: 67/22 Precip(Day/Month): 0.00/0.61
 B C @ Plant 6: 35(avg) O R Below BP Cr: 123 Fish Sprg @ RR Brdg: 36
 BP Pwr House : 64/29 Precip(Day/Month): 0.00/0.89 BP Cr Cur/Peak: 7/9

WELLS

	North Wells		South Wells		* Total *	
Aqueduct	(7)	51.1	(9)	52.4	(16)	103.5 On:
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(1)	4.3	(2)	3.5	(3)	7.8 Off:
* Total *	(12)	60.3	(14)	57.8	(26)	118.1

SOUTH OWENS

(*) **Tin Resv Elev:** 3864.3 Outflow: 150 24hr AF Total: 293
 (3866.0 HW)AF: 4568 Diff AF: -46
 Tin Res Hi/Lo: 63/22 Precip(Day/Month): 0.00/0.46

LAA Intake Precip(Day/Month): 0.00/0.48
 Indep Hi/Lo: 60/28 Precip(Day/Month): 0.00/0.31
 Alab Gt Hi/Lo: 57/28 Precip(Day/Month): 0.00/0.09
 Cotw Gt Hi/Lo: 59/30 Precip(Day/Month): 0.00/0.31
 Blckrck Spill: 0.0 Thibaut Spillgates: 2.6 Lone Pine Creek: 3
 Alab Gates GA: 5.27 Flow: 161
 Cottw Gt Gage: 6.62 Flow: 201 Creek: 3 Power Plant: 0
LORP(inflows): Intake 42, Blackrock 1.2, Goose 0.0, Billy 1.3, Locust 0.0,
 Georges 0.4, Alabama Gates 0 **Total Inflow(cfs): 47**
 (outflows): PumpSta 36, Delta(L.G.) 7, Delta(weir) 0 **Total Outflow(cfs): 43**
 Lubkin Splgt: Flow(in/out): 10/0 AF Total(in/out): 16/1 net AF: -15
 Cartago Splgt: Flow(in/out): 0/12 AF Total(in/out): 1/19 net AF: 18
 Owens Lk Use : (net avg cfs) PumpSta 35.8, Lubkin -8, Cartago 9 **Total: 37**

(*) **N Haiwee Elev:** 3757.0
 (3757.5 HW)AF: 9733 Diff AF: -6
 (*) **S Haiwee Elev:** 3729.3
 (3742.0 HW)AF: 17179 Diff AF: 258
 S Haiwe Hi/Lo: 64/29 Precip(Day/Month): 0.00/0.30
 Hai Pwr Plant: 0 24hr AF Total: 0
 LAA #2 S Haiw: 15 24hr AF Total: 30

SOUTHERN DISTRICT

BOUQUET RELEASE INST: 1.5 CFS PREV DAY: 1.5 CFS