

MONO BASIN

Rush Cr @ Dam: 37 Lee Vining Creek: Above 14 (Spill: 16, Conduit: 0)
 West Portal : 25 Mono Lake Elev: 6378.48; (USGS Datum) (Read on: 11/22)
 C Ranch Hi/Lo: 43/33 Precip(Day/Month): 0.27/0.34
 Parker Cr Abv: 4 Below: 4 Walker Cr Abv: 3 Below: 3
 Grant Lake Spill: 0
 (*) **Grant Lake El:** 7098.4 Outflow: 52 24hr AF Total: 104
 (7130.0 HW)AF: 17765 Diff AF: -15 Grant Lake Toe Drain: 0.00

LONG VALLEY

East Portal : 37 Below East Portal: 78
 (*) **L V Resv Elev:** 6765.7 Outflow: 21 24hr AF Total: 42
 (6781.5 HW)AF: 111387 Diff AF: 273
 L Vally Hi/Lo: 44/28 Precip(Day/Month):0.26/0.77
 ORG Main Weir: 3.10 Tunnel Drain: 0.14 Toe Drain: 0.45
 Rock Crk Div : 0

NORTH OWENS

RC@OR Cur/Ave: 42/43 Gorge: UG Cur/Avg: 36/35 MG Cur/Avg: 0/0
 (*) **P V Resv Elev:** 4383.4 Outflow: 75 24hr AF Total: 149
 (4390.0 HW)AF: 2349 Diff AF: 17
 Bishop Hi/Lo: 62/33 Precip(Day/Month): 0.12/0.14
 B C @ Plant 6: 38(avg) O R Below BP Cr: 135 Fish Sprg @ RR Brdg: 36
 BP Pwr House : 59/37 Precip(Day/Month): 0.22/0.82 BP Cr Cur/Peak: 9/11

WELLS

	North Wells		South Wells		* Total *	
Aqueduct	(7)	51.1	(9)	52.4	(16)	103.5 On:
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(1)	4.3	(2)	3.5	(3)	7.8 Off:
* Total *	(12)	60.3	(14)	57.8	(26)	118.1

SOUTH OWENS

(*) **Tin Resv Elev:** 3864.1 Outflow: 149 24hr AF Total: 289
 (3866.0 HW)AF: 4349 Diff AF: -18
 Tin Res Hi/Lo: 66/39 Precip(Day/Month): 0.06/0.13

LAA Intake Precip(Day/Month): 0.05/0.06
 Indep Hi/Lo: 65/39 Precip(Day/Month): 0.02/0.10
 Alab Gt Hi/Lo: 66/43 Precip(Day/Month): 0.00/0.17
 Cotw Gt Hi/Lo: 64/44 Precip(Day/Month): 0.01/0.21
 Blckrck Spill: 0.0 Thibaut Spillgates: 2.6 Lone Pine Creek: 3
 Alab Gates GA: 5.25 Flow: 158
 Cottw Gt Gage: 6.72 Flow: 196 Creek: 3 Power Plant: 0
LORP(inflows): Intake 42, Blackrock 1.4, Goose 0.0, Billy 1.1, Locust 0.0,
 Georges 0.4, Alabama Gates 0 **Total Inflow(cfs): 46**
 (outflows): PumpSta 38, Delta(L.G.) 6, Delta(weir) 0 **Total Outflow(cfs): 44**
 Lubkin Splgt: Flow(in/out): 22/0 AF Total(in/out): 25/1 net AF: -24
 Cartago Splgt: Flow(in/out): 1/0 AF Total(in/out): 4/9 net AF: 5
 Owens Lk Use : (net avg cfs) PumpSta 37.9, Lubkin -12, Cartago 3 **Total: 28**

(*) **N Haiwee Elev:** 3756.9
 (3757.5 HW)AF: 9693 Diff AF: -63
 (*) **S Haiwee Elev:** 3731.5
 (3742.0 HW)AF: 18804 Diff AF: 321
 S Haiwe Hi/Lo: 65/44 Precip(Day/Month): 0.00/0.29
 Hai Pwr Plant: 0 24hr AF Total: 0
 LAA #2 S Haiw: 15 24hr AF Total: 30

SOUTHERN DISTRICT

BOUQUET RELEASE INST: 1.5 CFS PREV DAY: 1.5 CFS