

MONO BASIN	Rush Cr @ Dam:	58	Lee Vining Creek: Above 14 (Spill: 16, Conduit: 0)
	West Portal :	26	Mono Lake Elev: 6378.39; (USGS Datum) (Read on: 12/6)
	C Ranch Hi/Lo:	42/31	Precip(Day/Month): 0.89/1.23
	Parker Cr Abv:	3	Below: 3 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(*) Grant Lake El:	7098.4	Outflow: 52
(7130.0 HW)AF:	17706	Diff AF: -52	Grant Lake Toe Drain: 0.00

LONG VALLEY	East Portal :	38	Below East Portal: 81	
	(*) L V Resv Elev:	6766.3	Outflow: 21	24hr AF Total: 42
	(6781.5 HW)AF:	113622	Diff AF: 708	
	L Vally Hi/Lo:	45/24	Precip(Day/Month): 0.69/1.47	
	ORG Main Weir:	3.10	Tunnel Drain: 0.14	Toe Drain: 0.44
	Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	56/41	Gorge: UG Cur/Avg: 36/35	MG Cur/Avg: 0/0
	(*) P V Resv Elev:	4384.3	Outflow: 75	24hr AF Total: 149
	(4390.0 HW)AF:	2434	Diff AF: 24	
	Bishop Hi/Lo:	57/21	Precip(Day/Month): 0.76/0.92	
	B C @ Plant 6:	35(avg)	O R Below BP Cr: 153	Fish Sprg @ RR Brdg: 36
	BP Pwr House :	53/28	Precip(Day/Month): 0.61/1.52	BP Cr Cur/Peak: 9/13

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(7)	51.1	(9)	52.4	(16)
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(1)	4.3	(2)	3.5	(3)	7.8 Off:
* Total *	(12)	60.3	(14)	57.8	(26)	118.1

SOUTH OWENS	(*) Tin Resv Elev:	3864.0	Outflow: 125	24hr AF Total: 244
	(3866.0 HW)AF:	4340	Diff AF: 0	
	Tin Res Hi/Lo:	56/25	Precip(Day/Month): 0.38/2.05	
	LAA Intake		Precip(Day/Month): 0.18/0.26	
	Indep Hi/Lo:	56/28	Precip(Day/Month): 0.11/1.15	
	Alab Gt Hi/Lo:	61/27	Precip(Day/Month): 0.08/1.26	
	Cotw Gt Hi/Lo:	55/34	Precip(Day/Month): 0.20/1.44	
	Blckrck Spill:	0.0	Thibaut Spillgates: 2.6	Lone Pine Creek: 3
	Alab Gates GA:	4.84	Flow: 130	
	Cottw Gt Gage:	6.47	Flow: 175	Creek: 6 Power Plant: 0
	LORP (inflows):	Intake 42, Blackrock 1.2, Goose 0.0, Billy 6.0, Locust 0.0, Georges 0.5, Alabama Gates 0		Total Inflow(cfs): 55
	(outflows):	PumpSta 39, Delta(L.G.) 6, Delta(weir) 0		Total Outflow(cfs): 45
	Lubkin Splgt:	Flow(in/out): 11/0 AF Total(in/out): 26/0		net AF: -26
	Cartago Splgt:	Flow(in/out): 7/0 AF Total(in/out): 6/3		net AF: -3
	Owens Lk Use :	(net avg cfs) PumpSta 38.9, Lubkin -13, Cartago -2		Total: 24
	(*) N Haiwee Elev:	3756.8		
	(3757.5 HW)AF:	9635	Diff AF: -41	
	(*) S Haiwee Elev:	3733.5		
(3742.0 HW)AF:	20413	Diff AF: 248		
S Haiwe Hi/Lo:	53/34	Precip(Day/Month): 0.00/1.32		
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	15	24hr AF Total: 30		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.5 CFS	PREV DAY: 1.5 CFS
--------------------------	------------------------	----------------------	--------------------------