

MONO BASIN	Rush Cr @ Dam:	98	Lee Vining Creek: Above 15 (Spill: 16, Conduit: 0)
	West Portal :	27	Mono Lake Elev: 6378.39; (USGS Datum) (Read on: 12/6)
	C Ranch Hi/Lo:	31/4	Precip(Day/Month): 0.00/1.27
	Parker Cr Abv:	2	Below: 2 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(*) Grant Lake El:	7098.8	Outflow: 53 24hr AF Total: 106
(7130.0 HW)AF:	18042	Diff AF: 59 Grant Lake Toe Drain: 0.00	

LONG VALLEY	East Portal :	40	Below East Portal: 81
	(*) L V Resv Elev:	6766.8	Outflow: 21 24hr AF Total: 42
	(6781.5 HW)AF:	115685	Diff AF: 239
	L Vally Hi/Lo:	25/-12	Precip(Day/Month):0.00/1.94
	ORG Main Weir:	3.00	Tunnel Drain: 0.13 Toe Drain: 0.44
Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	40/39	Gorge: UG Cur/Avg: 35/35 MG Cur/Avg: 0/0
	(*) P V Resv Elev:	4385.8	Outflow: 75 24hr AF Total: 149
	(4390.0 HW)AF:	2571	Diff AF: 10
	Bishop Hi/Lo:	52/19	Precip(Day/Month): 0.00/1.76
	B C @ Plant 6:	34(avg)	O R Below BP Cr: 138 Fish Sprg @ RR Brdg: 36
	BP Pwr House :	51/24	Precip(Day/Month): 0.00/2.18 BP Cr Cur/Peak: 8/11

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(7)	51.1	(9)	52.4	(16)
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(1)	4.3	(2)	3.5	(3)	7.8 Off:
* Total *	(12)	60.3	(14)	57.8	(26)	118.1

SOUTH OWENS	(*) Tin Resv Elev:	3864.7	Outflow: 124 24hr AF Total: 243
	(3866.0 HW)AF:	4917	Diff AF: 29
	Tin Res Hi/Lo:	55/20	Precip(Day/Month): 0.00/3.11
	LAA Intake		Precip(Day/Month): 0.00/0.63
	Indep Hi/Lo:	52/22	Precip(Day/Month): 0.00/1.50
	Alab Gt Hi/Lo:	54/23	Precip(Day/Month): 0.00/1.47
	Cotw Gt Hi/Lo:	46/25	Precip(Day/Month): 0.00/2.41
	Blckrck Spill:	0.0	Thibaut Spillgates: 2.6 Lone Pine Creek: 2
	Alab Gates GA:	4.80	Flow: 133
	Cottw Gt Gage:	6.42	Flow: 161 Creek: 4 Power Plant: 0
	LORP(inflows):	Intake 42, Blackrock 1.3, Goose 0.0, Billy 5.3, Locust 0.0, Georges 0.3, Alabama Gates 0 Total Inflow(cfs): 54	
	(outflows):	PumpSta 37, Delta(L.G.) 7, Delta(weir) 0 Total Outflow(cfs): 44	
	Lubkin Splgt:	Flow(in/out): 27/0 AF Total(in/out): 18/6 net AF: -12	
	Cartago Splgt:	Flow(in/out): 0/0 AF Total(in/out): 1/12 net AF: 11	
	Owens Lk Use :	(net avg cfs) PumpSta 37.2, Lubkin -6, Cartago 6 Total: 37	
(*) N Haiwee Elev:	3757.1		
(3757.5 HW)AF:	9785	Diff AF: 0	
(*) S Haiwee Elev:	3735.7		
(3742.0 HW)AF:	22194	Diff AF: 209	
S Haiwe Hi/Lo:	50/24	Precip(Day/Month): 0.00/1.73	
Hai Pwr Plant:	0	24hr AF Total: 0	
LAA #2 S Haiw:	15	24hr AF Total: 30	

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 0.5 CFS	PREV DAY: 1.5 CFS
--------------------------	------------------------	----------------------	--------------------------