

MONO BASIN	Rush Cr @ Dam: 52	Lee Vining Creek: Above 37 (Spill: 31, Conduit: 6.5)
	West Portal : 0	Mono Lake Elev: 6379.99; (USGS Datum) (Read on: 4/1)
	C Ranch Hi/Lo: 57/17	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 17	Below: 17 Walker Cr Abv: 8 Below: 8
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7105.4	Outflow: 41 24hr AF Total: 80
	(7130.0 HW)AF: 23210	Diff AF: 33 Grant Lake Toe Drain: 0.23
	East Portal : 13	Below East Portal: 52
	(*) L V Resv Elev: 6763.5	Outflow: 715 24hr AF Total: 1418
	(6781.5 HW)AF: 102966	Diff AF: -596
NORTH OWENS	L Vally Hi/Lo: 57/12	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.20	Tunnel Drain: 0.14 Toe Drain: 0.47
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 35/33	Gorge: UG Cur/Avg: 76/74 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4398.3	Outflow: 739 24hr AF Total: 1447
WELLS	(4390.0 HW)AF: 3903	Diff AF: 4
	Bishop Hi/Lo: 77/30	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 83(avg)	O R Below BP Cr: 730 Fish Sprg @ RR Brdg: 23
	BP Pwr House : 76/34	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 19/19
SOUTH OWENS		
SOUTHERN DISTRICT		