

| | | |
|--------------------------|----------------------------------|---------------------------------------------------------|
| MONO BASIN | Rush Cr @ Dam: 312 | Lee Vining Creek: Above 208 (Spill: 168, Conduit: 32.0) |
| | West Portal : 0 | Mono Lake Elev: 6380.09; (USGS Datum) (Read on: 5/9) |
| | C Ranch Hi/Lo: 82/33 | Precip(Day/Month): 0.00/0.01 |
| | Parker Cr Abv: 43 | Below: 43 Walker Cr Abv: 29 Below: 29 |
| | Grant Lake Spill: 0 | |
| LONG VALLEY | (*) Grant Lake El: 7115.1 | Outflow: 85 24hr AF Total: 168 |
| | (7130.0 HW)AF: 31870 | Diff AF: 664 Grant Lake Toe Drain: 0.14 |
| | East Portal : 12 | Below East Portal: 86 |
| | (*) L V Resv Elev: 6759.8 | Outflow: 710 24hr AF Total: 1390 |
| | (6781.5 HW)AF: 89633 | Diff AF: -549 |
| NORTH OWENS | L Vally Hi/Lo: 83/34 | Precip(Day/Month):0.00/0.00 |
| | ORG Main Weir: 3.20 | Tunnel Drain: 0.13 Toe Drain: 0.41 |
| | Rock Crk Div : 84 | |
| | RC@OR Cur/Ave: 161/133 | Gorge: UG Cur/Avg: 88/86 MG Cur/Avg: 0/0 |
| | (*) P V Resv Elev: 4398.7 | Outflow: 754 24hr AF Total: 1472 |
| WELLS | (4390.0 HW)AF: 3950 | Diff AF: 15 |
| | Bishop Hi/Lo: 97/49 | Precip(Day/Month): 0.00/0.00 |
| | B C @ Plant 6: 292(avg) | O R Below BP Cr: 1047 Fish Sprg @ RR Brdg: 59 |
| | BP Pwr House : 92/53 | Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 106/107 |
| | | |
| SOUTH OWENS | | |
| | | |
| | | |
| | | |
| | | |
| SOUTHERN DISTRICT | | |
| | | |
| | | |
| | | |
| | | |