

MONO BASIN	Rush Cr @ Dam: 531	Lee Vining Creek: Above 472 (Spill: 472, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.94; (USGS Datum) (Read on: 6/14)
	C Ranch Hi/Lo: 80/40	Precip(Day/Month): 0.00/1.41
	Parker Cr Abv: 65	Below: 65 Walker Cr Abv: 50 Below: 50
	Grant Lake Spill: 483	
LONG VALLEY	(*) Grant Lake El: 7132.1	Outflow: 110 24hr AF Total: 206
	(7130.0 HW)AF: 49491	Diff AF: 67 Grant Lake Toe Drain: 0.12
	East Portal : 12	Below East Portal: 152
	(*) L V Resv Elev: 6761.2	Outflow: 513 24hr AF Total: 1009
	(6781.5 HW)AF: 94543	Diff AF: 776
NORTH OWENS	L Vally Hi/Lo: 80/42	Precip(Day/Month):0.00/0.82
	ORG Main Weir: 3.00	Tunnel Drain: 0.13 Toe Drain: 0.44
	Rock Crk Div : 145	
	RC@OR Cur/Ave: 384/365	Gorge: UG Cur/Avg: 310/310 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4398.7	Outflow: 744 24hr AF Total: 859
WELLS	(4390.0 HW)AF: 3949	Diff AF: -22
	Bishop Hi/Lo: 97/54	Precip(Day/Month): 0.00/0.31
	B C @ Plant 6: 441(avg)	O R Below BP Cr: 1134 Fish Sprg @ RR Brdg: 42
	BP Pwr House : 90/55	Precip(Day/Month): 0.00/0.34 BP Cr Cur/Peak: 220/222
SOUTH OWENS		
SOUTHERN DISTRICT		