

MONO BASIN	Rush Cr @ Dam: 516	Lee Vining Creek: Above 387 (Spill: 387, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.94; (USGS Datum) (Read on: 6/14)
	C Ranch Hi/Lo: 80/36	Precip(Day/Month): 0.00/1.45
	Parker Cr Abv: 51	Below: 51 Walker Cr Abv: 35 Below: 35
	Grant Lake Spill: 348	
LONG VALLEY	(*) Grant Lake El: 7131.8	Outflow: 220 24hr AF Total: 428
	(7130.0 HW)AF: 49104	Diff AF: -33 Grant Lake Toe Drain: 0.13
	East Portal : 13	Below East Portal: 140
	(*) L V Resv Elev: 6765.1	Outflow: 194 24hr AF Total: 384
	(6781.5 HW)AF: 108946	Diff AF: 1226
NORTH OWENS	L Vally Hi/Lo: 86/39	Precip(Day/Month):0.00/0.82
	ORG Main Weir: 3.00	Tunnel Drain: 0.13 Toe Drain: 0.45
	Rock Crk Div : 54	
	RC@OR Cur/Ave: 262/226	Gorge: UG Cur/Avg: 120/119 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4389.0	Outflow: 550 24hr AF Total: 1059
WELLS	(4390.0 HW)AF: 2885	Diff AF: -312
	Bishop Hi/Lo: 95/52	Precip(Day/Month): 0.00/0.31
	B C @ Plant 6: 420(avg)	O R Below BP Cr: 796 Fish Sprg @ RR Brdg: 42
	BP Pwr House : 94/61	Precip(Day/Month): 0.00/0.34 BP Cr Cur/Peak: 205/206
SOUTH OWENS		
SOUTHERN DISTRICT		