

MONO BASIN	Rush Cr @ Dam: 580	Lee Vining Creek: Above 531 (Spill: 531, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.94; (USGS Datum) (Read on: 6/14)
	C Ranch Hi/Lo: 92/49	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 84	Below: 84 Walker Cr Abv: 50 Below: 50
	Grant Lake Spill: 348	
LONG VALLEY	(*) Grant Lake El: 7131.7	Outflow: 321 24hr AF Total: 589
	(7130.0 HW)AF: 49038	Diff AF: -44 Grant Lake Toe Drain: 0.13
	East Portal : 13	Below East Portal: 161
	(*) L V Resv Elev: 6766.2	Outflow: 98 24hr AF Total: 194
	(6781.5 HW)AF: 113189	Diff AF: 1607
NORTH OWENS	L Vally Hi/Lo: 94/48	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.10	Tunnel Drain: 0.14 Toe Drain: 0.46
	Rock Crk Div : 132	
	RC@OR Cur/Ave: 453/363	Gorge: UG Cur/Avg: 120/119 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4384.0	Outflow: 546 24hr AF Total: 1085
WELLS	(4390.0 HW)AF: 2406	Diff AF: -64
	Bishop Hi/Lo: 105/60	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 473(avg)	O R Below BP Cr: 886 Fish Sprg @ RR Brdg: 57
	BP Pwr House : 106/67	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 305/304
SOUTH OWENS		
SOUTHERN DISTRICT		