

MONO BASIN	Rush Cr @ Dam: 555	Lee Vining Creek: Above 385 (Spill: 385, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6382.12; (USGS Datum) (Read on: 7/11)
	C Ranch Hi/Lo: 95/46	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 58	Below: 58 Walker Cr Abv: 38 Below: 38
	Grant Lake Spill: 375	
LONG VALLEY	(*) Grant Lake El: 7131.8	Outflow: 224 24hr AF Total: 436
	(7130.0 HW)AF: 49181	Diff AF: 44 Grant Lake Toe Drain: 0.13
	East Portal : 12	Below East Portal: 133
	(*) L V Resv Elev: 6771.1	Outflow: 306 24hr AF Total: 595
	(6781.5 HW)AF: 133417	Diff AF: 1038
NORTH OWENS	L Vally Hi/Lo: 101/42	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.50	Tunnel Drain: 0.15 Toe Drain: 0.49
	Rock Crk Div : 99	
	RC@OR Cur/Ave: 278/244	Gorge: UG Cur/Avg: 120/118 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4384.7	Outflow: 557 24hr AF Total: 1080
WELLS	(4390.0 HW)AF: 2475	Diff AF: 80
	Bishop Hi/Lo: 106/55	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 388(avg)	O R Below BP Cr: 752 Fish Sprg @ RR Brdg: 42
	BP Pwr House : 109/72	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 231/232
SOUTH OWENS		
SOUTHERN DISTRICT		