

MONO BASIN	Rush Cr @ Dam: 106	Lee Vining Creek: Above 75 (Spill: 75, Conduit: 0.4)
	West Portal : 0	Mono Lake Elev: 6383.28; (USGS Datum) (Read on: 8/30)
	C Ranch Hi/Lo: 83/40	Precip(Day/Month): 0.00/0.24
	Parker Cr Abv: 24	Below: 24 Walker Cr Abv: 11 Below: 11
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7125.5	Outflow: 135 24hr AF Total: 269
	(7130.0 HW)AF: 42332	Diff AF: -31 Grant Lake Toe Drain: 0.12
	East Portal : 13	Below East Portal: 76
	(*) L V Resv Elev: 6779.6	Outflow: 681 24hr AF Total: 754
	(6781.5 HW)AF: 173623	Diff AF: -203
NORTH OWENS	L Vally Hi/Lo: 81/39	Precip(Day/Month): 0.01/0.27
	ORG Main Weir: 3.50	Tunnel Drain: 0.19 Toe Drain: 0.54
	Rock Crk Div : 15	
	RC@OR Cur/Ave: 83/83	Gorge: UG Cur/Avg: 76/74 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4384.3	Outflow: 397 24hr AF Total: 782
WELLS	(4390.0 HW)AF: 2438	Diff AF: 182
	Bishop Hi/Lo: 95/53	Precip(Day/Month): 0.00/0.02
	B C @ Plant 6: 176(avg)	O R Below BP Cr: 443 Fish Sprg @ RR Brdg: 20
	BP Pwr House : 92/58	Precip(Day/Month): 0.00/0.05 BP Cr Cur/Peak: 104/117
SOUTH OWENS		
SOUTHERN DISTRICT		