

| | | |
|--------------------------|----------------------------------|--|
| MONO BASIN | Rush Cr @ Dam: 65 | Lee Vining Creek: Above 75 (Spill: 75, Conduit: 0.3) |
| | West Portal : 0 | Mono Lake Elev: 6383.28; (USGS Datum) (Read on: 8/30) |
| | C Ranch Hi/Lo: 80/41 | Precip(Day/Month): 0.00/0.24 |
| | Parker Cr Abv: 23 | Below: 23 Walker Cr Abv: 10 Below: 10 |
| | Grant Lake Spill: 0 | |
| LONG VALLEY | (*) Grant Lake El: 7125.5 | Outflow: 125 24hr AF Total: 248 |
| | (7130.0 HW)AF: 42300 | Diff AF: -32 Grant Lake Toe Drain: 0.12 |
| | East Portal : 13 | Below East Portal: 75 |
| | (*) L V Resv Elev: 6779.6 | Outflow: 77 24hr AF Total: 756 |
| | (6781.5 HW)AF: 173420 | Diff AF: -203 |
| NORTH OWENS | L Vally Hi/Lo: 81/40 | Precip(Day/Month):0.00/0.27 |
| | ORG Main Weir: 3.50 | Tunnel Drain: 0.19 Toe Drain: 0.54 |
| | Rock Crk Div : 14 | |
| | RC@OR Cur/Ave: 79/79 | Gorge: UG Cur/Avg: 75/74 MG Cur/Avg: 0/0 |
| | (*) P V Resv Elev: 4386.1 | Outflow: 397 24hr AF Total: 783 |
| WELLS | (4390.0 HW)AF: 2604 | Diff AF: 166 |
| | Bishop Hi/Lo: 92/54 | Precip(Day/Month): 0.00/0.02 |
| | B C @ Plant 6: 172(avg) | O R Below BP Cr: 435 Fish Sprg @ RR Brdg: 21 |
| | BP Pwr House : 91/58 | Precip(Day/Month): 0.00/0.05 BP Cr Cur/Peak: 87/105 |
| | | |
| SOUTH OWENS | | |
| | | |
| | | |
| | | |
| | | |
| SOUTHERN DISTRICT | | |
| | | |
| | | |
| | | |
| | | |