

MONO BASIN	Rush Cr @ Dam: 29	Lee Vining Creek: Above 47 (Spill: 47, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6383.12; (USGS Datum) (Read on: 10/16)
	C Ranch Hi/Lo: 77/32	Precip(Day/Month): 0.00/0.70
	Parker Cr Abv: 9	Below: 9 Walker Cr Abv: 5 Below: 5
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7125.3	Outflow: 26 24hr AF Total: 52
	(7130.0 HW)AF: 42142	Diff AF: 10 Grant Lake Toe Drain: 0.14
	East Portal : 13	Below East Portal: 76
	(*) L V Resv Elev: 6778.8	Outflow: 41 24hr AF Total: 81
	(6781.5 HW)AF: 169290	Diff AF: 349
NORTH OWENS	L Vally Hi/Lo: 75/32	Precip(Day/Month):0.00/0.36
	ORG Main Weir: 3.60	Tunnel Drain: 0.18 Toe Drain: 0.53
	Rock Crk Div : 1	
	RC@OR Cur/Ave: 56/55	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4387.1	Outflow: 248 24hr AF Total: 487
WELLS	(4390.0 HW)AF: 2697	Diff AF: -243
	Bishop Hi/Lo: 88/42	Precip(Day/Month): 0.00/0.58
	B C @ Plant 6: 85(avg)	O R Below BP Cr: 238 Fish Sprg @ RR Brdg: 35
	BP Pwr House : 86/52	Precip(Day/Month): 0.00/0.49 BP Cr Cur/Peak: 27/27
SOUTH OWENS		
SOUTHERN DISTRICT		