

MONO BASIN	Rush Cr @ Dam:	12	Lee Vining Creek: Above 31 (Spill: 31, Conduit: 0)
	West Portal :	0	Mono Lake Elev: 6383.12; (USGS Datum) (Read on: 10/16)
	C Ranch Hi/Lo:	57/22	Precip(Day/Month): 0.00/0.72
	Parker Cr Abv:	8	Below: 8 Walker Cr Abv: 5 Below: 5
			Grant Lake Spill: 0
	(*) Grant Lake El:	7125.2	Outflow: 26 24hr AF Total: 52
	(7130.0 HW)AF:	42069	Diff AF: -31 Grant Lake Toe Drain: 0.14

LONG VALLEY	East Portal :	13	Below East Portal: 75	
	(*) L V Resv Elev:	6778.9	Outflow: 13 24hr AF Total: 66	
		(6781.5 HW)AF:	170091	Diff AF: 300
	L Vally Hi/Lo:	60/26	Precip(Day/Month):0.00/0.36	
	ORG Main Weir:	3.60	Tunnel Drain: 0.18 Toe Drain: 0.53	
	Rock Crk Div :	1		

NORTH OWENS	RC@OR Cur/Ave:	56/55	Gorge: UG Cur/Avg: 13/13 MG Cur/Avg: 0/0	
	(*) P V Resv Elev:	4383.4	Outflow: 216 24hr AF Total: 430	
		(4390.0 HW)AF:	2351	Diff AF: -251
	Bishop Hi/Lo:	75/38	Precip(Day/Month): 0.00/0.58	
	B C @ Plant 6:	89(avg)	O R Below BP Cr: 227 Fish Sprg @ RR Brdg: 38	
	BP Pwr House :	75/44	Precip(Day/Month): 0.00/0.49 BP Cr Cur/Peak: 26/26	

WELLS		<u>North Wells</u>		<u>South Wells</u>		* Total *	
	Aqueduct	(4)	37.9	(4)	35.3	(8)	73.2 On:
	Domestic	(4)	4.9	(3)	1.9	(7)	6.8
	Enhc./Mitig.	(0)	0.0	(2)	2.3	(2)	2.3 Off:
	* Total *	(8)	42.8	(9)	39.5	(17)	82.3

SOUTH OWENS	(*) Tin Resv Elev:	3865.2	Outflow: 373 24hr AF Total: 680	
		(3866.0 HW)AF:	5422	Diff AF: -185
	Tin Res Hi/Lo:	76/45	Precip(Day/Month): 0.00/0.24	

SOUTH OWENS	LAA Intake		Precip(Day/Month): 0.00/0.12
	Indep Hi/Lo:	72/51	Precip(Day/Month): 0.00/0.06
	Alab Gt Hi/Lo:	75/54	Precip(Day/Month): 0.00/0.22
	Cotw Gt Hi/Lo:	71/52	Precip(Day/Month): 0.00/0.18
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0 Lone Pine Creek: 10
	Alab Gates GA:	5.92	Flow: 240
	Cottw Gt Gage:	5.01	Flow: 170 Creek: 15 Power Plant: 0
	LORP (inflows):	Intake 144, Blackrock 1.2, Goose 0.0, Billy 0.5, Locust 0.1, Georges 3.8, Alabama Gates 0	
		Total Inflow(cfs): 150	
	(outflows):	PumpSta 47, Delta(L.G.) 10, Delta(weir) 85	
		Total Outflow(cfs): 142	

SOUTH OWENS	(*) N Haiwee Elev:	3754.6		
		(3757.5 HW)AF:	8425	Diff AF: 71
	(*) S Haiwee Elev:	3726.3		
		(3742.0 HW)AF:	15011	Diff AF: 0
	S Haiwe Hi/Lo:	72/49	Precip(Day/Month): 0.00/0.06	
	Hai Pwr Plant:	0	24hr AF Total: 0	
	LAA #2 S Haiw:	0	24hr AF Total: 0	

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------

