

MONO BASIN	Rush Cr @ Dam: 31	Lee Vining Creek: Above 28 (Spill: 28, Conduit: 0.0)
	West Portal : 0	Mono Lake Elev: 6383.17; (USGS Datum) (Read on: 1/16)
	C Ranch Hi/Lo: 54/25	Precip(Day/Month): 0.00/0.28
	Parker Cr Abv: 5	Below: 5 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7125.5	Outflow: 27 24hr AF Total: 55
	(7130.0 HW)AF: 42332	Diff AF: 84 Grant Lake Toe Drain: 0.17
	East Portal : 13	Below East Portal: 77
	(*) L V Resv Elev: 6775.9	Outflow: 48 24hr AF Total: 95
	(6781.5 HW)AF: 155136	Diff AF: 236
NORTH OWENS	L Vally Hi/Lo: 49/21	Precip(Day/Month):0.00/0.17
	ORG Main Weir: 3.30	Tunnel Drain: 0.16 Toe Drain: 0.51
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 52/51	Gorge: UG Cur/Avg: 56/55 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4388.5	Outflow: 151 24hr AF Total: 300
WELLS	(4390.0 HW)AF: 2833	Diff AF: -65
	Bishop Hi/Lo: 62/30	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 68(avg)	O R Below BP Cr: 246 Fish Sprg @ RR Brdg: 57
	BP Pwr House : 59/37	Precip(Day/Month): 0.00/0.05 BP Cr Cur/Peak: 15/15
SOUTH OWENS		
SOUTHERN DISTRICT		