

MONO BASIN	Rush Cr @ Dam:	39	Lee Vining Creek: Above 27 (Spill: 27, Conduit: 0.0)
	West Portal :	0	Mono Lake Elev: 6383.65; (USGS Datum) (Read on: 2/21)
	C Ranch Hi/Lo:	52/31	Precip(Day/Month): 0.00/3.32
	Parker Cr Abv:	5	Below: 5 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(*) Grant Lake El:	7128.0	Outflow: 29 24hr AF Total: 55
	(7130.0 HW)AF: 45004	Diff AF: -22 Grant Lake Toe Drain: 0.19	

LONG VALLEY	East Portal :	13	Below East Portal: 71
	(*) L V Resv Elev:	6778.7	Outflow: 42 24hr AF Total: 83
		(6781.5 HW)AF: 168691	Diff AF: 448
	L Vally Hi/Lo:	52/20	Precip(Day/Month):0.00/3.41
	ORG Main Weir:	3.40	Tunnel Drain: 0.17 Toe Drain: 0.49
	Rock Crk Div :	0	

NORTH OWENS	RC@OR Cur/Ave:	53/53	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev:	4387.4	Outflow: 126 24hr AF Total: 246
		(4390.0 HW)AF: 2728	Diff AF: -8
	Bishop Hi/Lo:	71/29	Precip(Day/Month): 0.00/3.65
	B C @ Plant 6:	71(avg)	O R Below BP Cr: 264 Fish Sprg @ RR Brdg: 28
	BP Pwr House :	65/35	Precip(Day/Month): 0.00/4.34 BP Cr Cur/Peak: 14/14

WELLS		<u>North Wells</u>	<u>South Wells</u>	<u>* Total *</u>	
	Aqueduct	(2)	31.5	(2)	27.2
Domestic	(4)	4.9	(3)	1.9	(7) 6.8
Enhc./Mitig.	(0)	0.0	(1)	2.6	(1) 2.6 Off:
* Total *	(6)	36.4	(6)	31.7	(12) 68.1

SOUTH OWENS	(*) Tin Resv Elev:	3860.8	Outflow: 381 24hr AF Total: 825
		(3866.0 HW)AF: 1986	Diff AF: -234
	Tin Res Hi/Lo:	71/34	Precip(Day/Month): 0.00/3.61
	LAA Intake		Precip(Day/Month): 0.00/2.10
	Indep Hi/Lo:	67/36	Precip(Day/Month): 0.00/1.58
	Alab Gt Hi/Lo:	70/36	Precip(Day/Month): 0.00/1.53
	Cotw Gt Hi/Lo:	67/40	Precip(Day/Month): 0.00/3.12
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0 Lone Pine Creek: 4
	Alab Gates GA:	8.34	Flow: 437
	Cottw Gt Gage:	8.57	Flow: 464 Creek: 10 Power Plant: 0
	LORP(inflows):	Intake 43, Blackrock 1.4, Goose 0.0, Billy 3.4, Locust 1.4, Georges 0.8, Alabama Gates 0 Total Inflow(cfs): 52	
	(outflows):	PumpSta 48, Delta(L.G.) 10, Delta(weir) 100 Total Outflow(cfs): 158	
	Lubkin Splgt:	Flow(in/out): 0/5 AF Total(in/out): 21/1 net AF: -20	
	Cartago Splgt:	Flow(in/out): 0/37 AF Total(in/out): 0/34 net AF: 34	
	Owens Lk Use :	(net avg cfs) PumpSta 47.9, Lubkin -10, Cartago 17 Total: 55	
(*) N Haiwee Elev:	3756.9		
	(3757.5 HW)AF: 9693	Diff AF: -63	
(*) S Haiwee Elev:	3740.0		
	(3742.0 HW)AF: 25932	Diff AF: 307	
S Haiwe Hi/Lo:	71/42	Precip(Day/Month): 0.00/3.76	
Hai Pwr Plant:	241	24hr AF Total: 464	
LAA #2 S Haiw:	89	24hr AF Total: 173	

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------