

MONO BASIN	Rush Cr @ Dam:	3	Lee Vining Creek: Above 19 (Spill: 19, Conduit: 0.6)
	West Portal :	45	Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8)
	C Ranch Hi/Lo:	79/29	Precip(Day/Month): 0.00/0.01
	Parker Cr Abv:	5	Below: 5 Walker Cr Abv: 2 Below: 2
			Grant Lake Spill: 0
	(* Grant Lake El:	7126.5	Outflow: 74
(7130.0 HW)AF:	43369	Diff AF: -127	Grant Lake Toe Drain: 0.22

LONG VALLEY	East Portal :	57	Below East Portal: 113
	(* L V Resv Elev:	6764.9	Outflow: 0 24hr AF Total: 485
	(6781.5 HW)AF:	108102	Diff AF: -153
	L Vally Hi/Lo:	78/28	Precip(Day/Month):0.00/0.00
	ORG Main Weir:	3.10	Tunnel Drain: 0.14 Toe Drain: 0.42
Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	40/36	Gorge: UG Cur/Avg: 13/13	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4384.3	Outflow: 451	24hr AF Total: 871
	(4390.0 HW)AF:	2435	Diff AF: -149	
	Bishop Hi/Lo:	91/40	Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6:	48(avg)	O R Below BP Cr: 498	Fish Sprg @ RR Brdg: 35
	BP Pwr House :	89/50	Precip(Day/Month): 0.00/0.00	BP Cr Cur/Peak: 21/21

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(6)	43.7	(6)	42.3	(12)
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(0)	0.0	(1)	0.3	(1)	0.3 Off:
* Total *	(10)	48.6	(10)	44.5	(20)	93.1

SOUTH OWENS	(* Tin Resv Elev:	3860.8	Outflow: 483	24hr AF Total: 1023
	(3866.0 HW)AF:	1986	Diff AF: -91	
	Tin Res Hi/Lo:	89/43	Precip(Day/Month): 0.00/0.00	
	LAA Intake		Precip(Day/Month): 0.00/0.00	
	Indep Hi/Lo:	87/53	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	88/49	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	88/53	Precip(Day/Month): 0.00/0.00	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 7
	Alab Gates GA:	8.56	Flow: 500	
	Cottw Gt Gage:	8.93	Flow: 460	Creek: 0 Power Plant: 6
	LORP(inflows):	Intake 56, Blackrock 1.1, Goose 0.0, Billy 1.1, Locust 0.0,		Total Inflow(cfs): 59
		Georges 0.1, Alabama Gates 0		
	(outflows):	PumpSta 40, Delta(L.G.) 10, Delta(weir) 0		Total Outflow(cfs): 51
	Lubkin Splgt:	Flow(in/out): 0/21 AF Total(in/out): 0/70		net AF: 70
	Cartago Splgt:	Flow(in/out): 0/62 AF Total(in/out): 0/102		net AF: 102
Owens Lk Use :	(net avg cfs) PumpSta 40.3, Lubkin 35, Cartago 51		Total: 127	
(* N Haiwee Elev:	3757.2			
(3757.5 HW)AF:	9837	Diff AF: 58		
(* S Haiwee Elev:	3727.9			
(3742.0 HW)AF:	16116	Diff AF: 57		
S Haiwe Hi/Lo:	88/52	Precip(Day/Month): 0.00/0.00		
Hai Pwr Plant:	213	24hr AF Total: 421		
LAA #2 S Haiw:	132	24hr AF Total: 262		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------