

MONO BASIN	Rush Cr @ Dam:	6	Lee Vining Creek: Above 20 (Spill: 18, Conduit: 4)
	West Portal :	44	Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8)
	C Ranch Hi/Lo:	41/13	Precip(Day/Month): 0.00/0.07
	Parker Cr Abv:	4	Below: 4 Walker Cr Abv: 2 Below: 2
			Grant Lake Spill: 0
	(* Grant Lake El:	7122.8	Outflow: 72
(7130.0 HW)AF:	39542	Diff AF: -103	Grant Lake Toe Drain: 0.21

LONG VALLEY	East Portal :	57	Below East Portal: 113	
	(* L V Resv Elev:	6763.3	Outflow: 44	24hr AF Total: 87
	(6781.5 HW)AF:	102223	Diff AF: 259	
	L Vally Hi/Lo:	43/15	Precip(Day/Month):0.00/0.03	
	ORG Main Weir:	3.00	Tunnel Drain: 0.13	Toe Drain: 0.40
Rock Crk Div :	0			

NORTH OWENS	RC@OR Cur/Ave:	44/43	Gorge: UG Cur/Avg: 57/56	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4381.0	Outflow: 149	24hr AF Total: 290
	(4390.0 HW)AF:	2136	Diff AF: -72	
	Bishop Hi/Lo:	57/25	Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6:	60(avg)	O R Below BP Cr: 270	Fish Sprg @ RR Brdg: 25
	BP Pwr House :	51/29	Precip(Day/Month): 0.00/0.00	BP Cr Cur/Peak: 18/19

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(5)	40.5	(5)	27.0	(10)
Domestic	(4)	4.9	(2)	1.2	(6)	6.1
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6 Off:
* Total *	(10)	49.7	(8)	28.5	(18)	78.2

SOUTH OWENS	(* Tin Resv Elev:	3861.5	Outflow: 304	24hr AF Total: 593
	(3866.0 HW)AF:	2375	Diff AF: 19	
	Tin Res Hi/Lo:	55/29	Precip(Day/Month): 0.00/0.00	
	LAA Intake		Precip(Day/Month): 0.00/0.00	
	Indep Hi/Lo:	51/34	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	54/33	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	54/36	Precip(Day/Month): 0.00/0.04	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 4
	Alab Gates GA:	6.66	Flow: 319	
	Cottw Gt Gage:	7.20	Flow: 323	Creek: 0 Power Plant: 5
	LORP(inflows):	Intake 46, Blackrock 1.1, Goose 0.0, Billy 1.2, Locust 0.0, Georges 0.6, Alabama Gates 0		Total Inflow(cfs): 50
	(outflows):	PumpSta 38, Delta(L.G.) 7, Delta(weir) 0		Total Outflow(cfs): 45
	Lubkin Splgt:	Flow(in/out): 11/0	AF Total(in/out): 8/8	net AF: 0
	Cartago Splgt:	Flow(in/out): 0/15	AF Total(in/out): 0/39	net AF: 39
	Owens Lk Use :	(net avg cfs) PumpSta 38.1, Lubkin 0, Cartago 20	Total: 58	
(* N Haiwee Elev:	3756.9			
(3757.5 HW)AF:	9693	Diff AF: -74		
(* S Haiwee Elev:	3730.3			
(3742.0 HW)AF:	17871	Diff AF: -278		
S Haiwe Hi/Lo:	55/34	Precip(Day/Month): 0.00/0.02		
Hai Pwr Plant:	320	24hr AF Total: 634		
LAA #2 S Haiw:	201	24hr AF Total: 388		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------