

MONO BASIN	Rush Cr @ Dam:	11	Lee Vining Creek: Above 26 (Spill: 18, Conduit: 2.4)
	West Portal :	44	Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8)
	C Ranch Hi/Lo:	40/10	Precip(Day/Month): 0.00/0.95
	Parker Cr Abv:	3	Below: 3 Walker Cr Abv: 2 Below: 2
			Grant Lake Spill: 0
	(* Grant Lake El:	7121.8	Outflow: 70
(7130.0 HW)AF:	38478	Diff AF: -91	Grant Lake Toe Drain: 0.21

LONG VALLEY	East Portal :	61	Below East Portal: 117
	(* L V Resv Elev:	6764.3	Outflow: 43 24hr AF Total: 85
	(6781.5 HW)AF:	105780	Diff AF: 265
	L Vally Hi/Lo:	44/9	Precip(Day/Month):0.00/1.68
	ORG Main Weir:	3.00	Tunnel Drain: 0.13 Toe Drain: 0.42
Rock Crk Div :	3		

NORTH OWENS	RC@OR Cur/Ave:	47/54	Gorge: UG Cur/Avg: 56/55	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4382.8	Outflow: 124	24hr AF Total: 243
	(4390.0 HW)AF:	2300	Diff AF: -12	
	Bishop Hi/Lo:	54/26	Precip(Day/Month): 0.00/0.90	
	B C @ Plant 6:	47(avg)	O R Below BP Cr: 267	Fish Sprg @ RR Brdg: 26
	BP Pwr House :	51/29	Precip(Day/Month): 0.00/1.64	BP Cr Cur/Peak: 18/20

WELLS		<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>		
	Aqueduct	(5)	40.5	(5)	27.0	(10)	67.5	On:
	Domestic	(4)	4.9	(2)	1.2	(6)	6.1	
	Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6	Off:
	* Total *	(10)	49.7	(8)	28.5	(18)	78.2	

SOUTH OWENS	(* Tin Resv Elev:	3861.9	Outflow: 254	24hr AF Total: 494
	(3866.0 HW)AF:	2678	Diff AF: 94	
	Tin Res Hi/Lo:	53/32	Precip(Day/Month): 0.02/0.15	
	LAA Intake		Precip(Day/Month): 0.18/1.01	
	Indep Hi/Lo:	50/34	Precip(Day/Month): 0.00/1.30	
	Alab Gt Hi/Lo:	53/38	Precip(Day/Month): 0.00/0.35	
	Cotw Gt Hi/Lo:	53/33	Precip(Day/Month): 0.00/1.21	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 6
	Alab Gates GA:	6.15	Flow: 289	
	Cottw Gt Gage:	6.88	Flow: 293	Creek: 2 Power Plant: 3
	LORP(inflows):	Intake 45, Blackrock 1.5, Goose 0.0, Billy 1.4, Locust 0.0, Georges 0.3, Alabama Gates 0		
			Total Inflow(cfs): 50	
	(outflows):	PumpSta 39, Delta(L.G.) 7, Delta(weir) 0		
			Total Outflow(cfs): 46	
	Lubkin Splgt:	Flow(in/out): 12/0	AF Total(in/out): 31/1	net AF: -30
Cartago Splgt:	Flow(in/out): 0/10	AF Total(in/out): 0/11	net AF: 11	
Owens Lk Use :	(net avg cfs) PumpSta 39.0, Lubkin -15, Cartago 6 Total: 29			
(* N Haiwee Elev:	3757.0			
(3757.5 HW)AF:	9767	Diff AF: -12		
(* S Haiwee Elev:	3725.7			
(3742.0 HW)AF:	14566	Diff AF: 385		
S Haiwe Hi/Lo:	52/30	Precip(Day/Month): 0.00/0.44		
Hai Pwr Plant:	0	24hr AF Total: 86		
LAA #2 S Haiw:	0	24hr AF Total: 103		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------