

MONO BASIN	Rush Cr @ Dam:	9	Lee Vining Creek: Above 20 (Spill: 18, Conduit: 1.0)
	West Portal :	35	Mono Lake Elev: 6382.89; (USGS Datum) (Read on: 12/4)
	C Ranch Hi/Lo:	56/19	Precip(Day/Month): 0.00/0.06
	Parker Cr Abv:	4	Below: 4 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(* Grant Lake El:	7120.4	Outflow: 61
(7130.0 HW)AF:	37132	Diff AF: -41	Grant Lake Toe Drain: 0.20

LONG VALLEY	East Portal :	49	Below East Portal: 106	
	(* L V Resv Elev:	6766.0	Outflow: 42	24hr AF Total: 84
	(6781.5 HW)AF:	112325	Diff AF: 391	
	L Vally Hi/Lo:	56/18	Precip(Day/Month):0.00/0.10	
	ORG Main Weir:	3.00	Tunnel Drain: 0.13	Toe Drain: 0.39
	Rock Crk Div :	1		

NORTH OWENS	RC@OR Cur/Ave:	45/45	Gorge: UG Cur/Avg: 55/55	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4382.9	Outflow: 122	24hr AF Total: 240
	(4390.0 HW)AF:	2306	Diff AF: -24	
	Bishop Hi/Lo:	75/30	Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6:	58(avg)	O R Below BP Cr: 236	Fish Sprg @ RR Brdg: 34
	BP Pwr House :	72/37	Precip(Day/Month): 0.00/0.02	BP Cr Cur/Peak: 14/14

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(7)	47.8	(6)	43.8	(13)
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6 Off:
* Total *	(12)	57.0	(10)	46.0	(22)	103.0

SOUTH OWENS	(* Tin Resv Elev:	3864.1	Outflow: 204	24hr AF Total: 395
	(3866.0 HW)AF:	4412	Diff AF: 90	
	Tin Res Hi/Lo:	74/34	Precip(Day/Month): 0.00/0.00	
	LAA Intake		Precip(Day/Month): 0.00/0.00	
	Indep Hi/Lo:	68/41	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	71/40	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	68/39	Precip(Day/Month): 0.00/0.01	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 5
	Alab Gates GA:	5.72	Flow: 225	
	Cottw Gt Gage:	6.28	Flow: 245	Creek: 7 Power Plant: 0
	LORP(inflows):	Intake 46, Blackrock 1.1, Goose 0.0, Billy 1.2, Locust 0.0, Georges 0.5, Alabama Gates 0		Total Inflow(cfs): 50
	(outflows):	PumpSta 43, Delta(L.G.) 5, Delta(weir) 0		Total Outflow(cfs): 49
	Lubkin Splgt:	Flow(in/out): 1/0	AF Total(in/out): 18/3	net AF: -15
	Cartago Splgt:	Flow(in/out): 0/18	AF Total(in/out): 0/48	net AF: 48
	Owens Lk Use :	(net avg cfs) PumpSta 43.2, Lubkin -8, Cartago 24	Total: 60	
(* N Haiwee Elev:	3756.9			
(3757.5 HW)AF:	9693	Diff AF: -51		
(* S Haiwee Elev:	3737.3			
(3742.0 HW)AF:	23577	Diff AF: 405		
S Haiwe Hi/Lo:	65/37	Precip(Day/Month): 0.00/0.00		
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	0	24hr AF Total: 0		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------